


D.K. Norris/74

THE DECLINATION OF THE COMPASS NEEDLE 1954



The declination of the compass needle at any place along a broken line is the declination given on that broken line. At other places the declination is between those given on the adjoining broken lines; thus at the place marked A, the declination is between 35°30'E. and 36°00'E. The declination of the compass needle is decreasing 4 1/2 minutes annually.

Produced by the Surveys and Mapping Branch, Department of Mines and Technical Surveys, 1954, from air photographs taken in 1949. Printed by the Army Survey Establishment, R.C.E., Department of National Defence, 1954.


Universal Transverse Mercator Projection.
All Elevations in Feet above Mean Sea Level
Contour Interval 500 Feet
North American Datum 1927.

WIND RIVER

YUKON TERRITORY

- #1 Inteo Cr.
- Allian Wpt
- #2 Ditto - coal of the
- #3 Chud. Mos Cr. Royton Cr.


Scale 1:250,000
1 Inch to 4 Miles Approximately



Copies may be obtained from the Map Distribution Office, Department of Mines and Technical Surveys, Ottawa.


REFERENCE

- Contours, Elevation
- Contours, Depression
- River Bed Extremely
- Stream, Intermittent or Dry
- Stream in Dry River Bed
- Rapids and Falls
- Marsh or Swamp
- Wooded Areas



013551

SNAKE RIVE
106F



This reference scale bar has been added to the original image. It will scale at the same rate as the image, therefore it can be used as a reference for the original size.