

014861

# YUKENO MINES LTD.

PROPERTY \_\_\_\_\_

DATE \_\_\_\_\_

LEVEL \_\_\_\_\_

ENTERED BY \_\_\_\_\_

WORKING PLACE 26-2 Rse.

CHECKED BY \_\_\_\_\_

## ASSAY RECORD

| DATE | SAMPLE NO. | LOCATION      | WIDTH | SILVER |         | LEAD    |         | ZINC   |         | AVERAGES |        |       |       | REMARKS                        |  |
|------|------------|---------------|-------|--------|---------|---------|---------|--------|---------|----------|--------|-------|-------|--------------------------------|--|
|      |            |               |       | OZ.    | IN/OZ.  | %       | IN/%    | %      | IN/%    | WIDTH    | OZ./AG | % PB  | % ZN  |                                |  |
| 436  |            | Rail ✓ 122 28 | 45    | 42.4   | 1908.0  | 15.25   | 586.25  | 7.50   | 339.50  |          |        |       |       |                                |  |
| 437  |            | " " ✓ 122 28  | 48    | 27.8   | 2334.4  | 11.30   | 542.40  | 7.90   | 379.20  |          |        |       |       |                                |  |
| 438  |            | " " ✓ 117 27  | 48    | 54.0   | 2592.0  | 14.80   | 710.40  | 8.20   | 393.60  |          |        |       |       |                                |  |
| 439  |            | " " ✓ 112 25  | 48    | 30.2   | 1449.6  | 11.75   | 564.00  | 10.65  | 511.20  |          |        |       |       |                                |  |
| 440  |            | " " ✓ 107 23  | 33    | 111.6  | 3682.8  | 28.05   | 925.65  | 13.10  | 432.30  |          |        |       |       |                                |  |
| 441  |            | " " ✓ 102 21  | 37    | 16.4   | 606.8   | 4.95    | 183.15  | 6.45   | 238.65  |          |        |       |       |                                |  |
| 451  |            | " " ✓ 126 29  | 22    | 52.2   | 1148.4  | 15.85   | 348.70  | 1.10   | 24.20   |          |        |       |       |                                |  |
| 452  |            | " " ✓ 131 31  | 20    | 70.4   | 1408.0  | 29.60   | 592.00  | 6.80   | 136.00  |          |        |       |       |                                |  |
| 453  |            | " " ✓ 136 33  | 13    | 6.8    | 88.4    | 2.05    | 26.65   | 14.05  | 182.65  |          |        |       |       |                                |  |
| 454  |            | " " ✓ 133 32  | 18    | 1.8    | 32.4    | 1.35    | 24.30   | 1.50   | 27.00   |          |        |       |       |                                |  |
|      |            |               |       |        | 14250.8 |         | 4503.50 |        | 2664.30 | 33.2     | 42.9   | 13.56 | 5.02  |                                |  |
| 455  |            | " " ✓ 128 30  | 24    | 122.6  | 2942.4  | 31.50   | 756.00  | 6.30   | 151.20  |          |        |       |       |                                |  |
| 456  |            | " " ✓ 139 34  | 24    | 15.6   | 374.4   | 7.60    | 182.40  | 3.50   | 84.00   |          |        |       |       |                                |  |
|      |            |               |       |        | 3316.8  |         | 938.40  |        | 235.20  | 24.0     | 69.1   | 19.55 | 4.09  |                                |  |
|      |            |               |       | 37.1   | 29.7    | 1083.22 | 20.17   | 746.45 | 17.48   | 649.51   |        |       |       |                                |  |
|      |            |               |       | 36.7   | 15.7    | 568.34  | 9.64    | 345.35 | 11.49   | 707.54   |        |       |       |                                |  |
|      |            |               |       | 17.7   | 33.6    | 594.77  | 17.37   | 218.95 | 10.99   | 194.52   |        |       |       |                                |  |
|      |            |               |       | 24.6   | 55.8    | 1484.28 | 17.98   | 478.27 | 17.64   | 336.22   |        |       |       |                                |  |
|      |            |               |       | 33.7   | 42.9    | 1424.58 | 13.56   | 450.19 | 8.07    | 266.76   |        |       |       |                                |  |
|      |            |               |       | 24.0   | 69.1    | 1658.40 | 19.55   | 469.70 | 4.09    | 98.16    |        |       |       |                                |  |
|      |            |               | 174.8 |        | 6813.34 |         | 2708.41 |        | 2152.71 | 22.1     | 38.9   | 15.49 | 12.88 | Reported grade<br>Nov. 7 3/53. |  |

# YUKENO MINES LTD.

PROPERTY \_\_\_\_\_

DATE \_\_\_\_\_

LEVEL 2600

ENTERED BY \_\_\_\_\_

WORKING PLACE 26-3 Raise

CHECKED BY \_\_\_\_\_

## ASSAY RECORD

| DATE | SAMPLE NO. | LOCATION    | WIDTH       | SILVER      |               | LEAD        |                | ZINC        |               | AVERAGES    |             |             |             | REMARKS |
|------|------------|-------------|-------------|-------------|---------------|-------------|----------------|-------------|---------------|-------------|-------------|-------------|-------------|---------|
|      |            |             |             | OZ.         | IN/OZ.        | %           | IN/%           | %           | IN/%          | WIDTH       | OZ./AG      | % PB        | % ZN        |         |
| 457  |            | Rail # 13 ( | 19          | 10.0        | 190.0         | 3.50        | 66.50          | 10.75       | 204.25        |             |             |             |             |         |
| 458  |            | " " 13 (    | 18          | 11.8        | 212.4         | 4.65        | 83.70          | 13.40       | 241.20        |             |             |             |             |         |
| 460  |            | " " 26 3    | 30          | 17.8        | 524.0         | 5.25        | 157.50         | 3.10        | 93.00         |             |             |             |             |         |
| 461  |            | " " 26 3    | 16          | 81.2        | 1299.2        | 27.35       | 437.60         | 1.85        | 29.60         |             |             |             |             |         |
| 462  |            | " " 20 2    | 30          | 2.2         | 66.00         | Tr.         | -----          | 1.45        | 43.50         |             |             |             |             |         |
| 463  |            | " " 20 2    | 30          | 5.8         | 174.0         | 3.75        | 112.50         | Tr.         | -----         |             |             |             |             |         |
| 464  |            | " " 20 2    | 30          | 11.4        | 342.0         | 4.90        | 147.00         | Tr.         | -----         |             |             |             |             |         |
| 465  |            | " " 37 4    | 36          | Tr.         | -----         | Tr.         | -----          | Tr.         | -----         |             |             |             |             |         |
| 475  |            | " " 41      | 13          | Tr.         | -----         | Tr.         | -----          | Tr.         | -----         |             |             |             |             |         |
| 476  |            | " " 41      | 27          | 2.0         | 54.0          | 0.55        | 14.75          | Tr.         | -----         |             |             |             |             |         |
|      |            |             | <u>727</u>  |             | <u>3465.6</u> |             | <u>1019.55</u> |             | <u>51.50</u>  | <u>24.9</u> | <u>13.9</u> | <u>4.09</u> | <u>7.45</u> |         |
| 477  |            | " " 47      | 15          | 1.2         | 18.0          | Tr.         | -----          | Tr.         | -----         |             |             |             |             |         |
| 478  |            | " " 47      | 25          | 20.0        | 500.0         | 7.25        | 181.25         | 9.15        | 228.75        |             |             |             |             |         |
| 479  |            | " " 53      | 12          | Tr.         | -----         | Tr.         | -----          | Tr.         | -----         |             |             |             |             |         |
| 480  |            | " " 53      | 27          | 104.2       | 2183.4        | 24.70       | 666.90         | 1.90        | 51.30         |             |             |             |             |         |
| 481  |            | " " 59      | 26          | 1.2         | 31.7          | Tr.         | -----          | Tr.         | -----         |             |             |             |             |         |
| 482  |            | " " 59      | 21          | 1.4         | 29.4          | Tr.         | -----          | 0.90        | 12.60         |             |             |             |             |         |
| 483  |            | " " 64      | 22          | 2.6         | 57.2          | 0.70        | 15.40          | 0.75        | 16.50         |             |             |             |             |         |
| 484  |            | " " 64      | 28          | 1.4         | 39.2          | Tr.         | -----          | 0.45        | 12.60         |             |             |             |             |         |
| 485  |            | " " 64      | 21          | 2.8         | 58.8          | 1.05        | 22.05          | 4.65        | 97.65         |             |             |             |             |         |
|      |            |             | <u>197</u>  |             | <u>2918.7</u> |             | <u>582.61</u>  |             | <u>419.40</u> | <u>21.8</u> | <u>14.8</u> | <u>4.49</u> | <u>7.13</u> |         |
|      |            |             | <u>24.9</u> | <u>13.9</u> | <u>346.11</u> | <u>4.09</u> | <u>101.84</u>  | <u>2.45</u> | <u>61.01</u>  |             |             |             |             |         |
|      |            |             | <u>21.8</u> | <u>14.8</u> | <u>322.64</u> | <u>4.49</u> | <u>97.88</u>   | <u>2.13</u> | <u>46.43</u>  |             |             |             |             |         |
|      |            |             | <u>46.7</u> |             | <u>668.75</u> |             | <u>199.72</u>  |             | <u>107.44</u> |             |             |             |             |         |
|      |            |             |             |             |               |             |                |             |               | <u>23.3</u> | <u>14.3</u> | <u>4.27</u> | <u>7.38</u> |         |

Reported  
new 24/53

# YUKENO MINES LTD.

DATE Nov. 12/53

PROPERTY FURNO GROUP

ENTERED BY RMC

LEVEL 2700

## ASSAY RECORD

CHECKED BY \_\_\_\_\_

WORKING PLACE 27-4-2 S. DR.

Page 1

| DATE | SAMPLE NO. | LOCATION    | WIDTH | SILVER |        | LEAD  |        | ZINC |        | AVERAGES |        |      |      | REMARKS |
|------|------------|-------------|-------|--------|--------|-------|--------|------|--------|----------|--------|------|------|---------|
|      |            |             |       | OZ.    | IN/OZ. | %     | IN/%   | %    | IN/%   | WIDTH    | OZ./AG | % PB | % ZN |         |
|      | 572        | 27-7 / 35 ✓ | 30    | 115.0  | 3450.0 |       |        |      |        |          |        |      |      |         |
|      | 574        | " " 56 ✓    | 15    | 10.0   | 150.0  |       |        |      |        |          |        |      |      |         |
|      | 580        | 27-9 " 11 ✓ | 36    | 16.0   | 576.0  |       |        |      |        |          |        |      |      |         |
|      | 581        | " " 15 ✓    | 48    | 80.0   | 3840.0 |       |        |      |        |          |        |      |      |         |
|      | 582        | " " 19 ✓    | 25    | 65.0   | 1625.0 |       |        |      |        |          |        |      |      |         |
|      | 583        | " " 25 ✓    | 14    | 20.0   | 280.0  |       |        |      |        |          |        |      |      |         |
|      | 584        | " " 31      | 17    | 40.0   | 680.0  |       |        |      |        |          |        |      |      |         |
|      | 585        | " " 39      | 12    | 15.0   | 180.0  |       |        |      |        |          |        |      |      |         |
|      | 586        | " " 44      | 6     | 515.0  | 3090.0 |       |        |      |        |          |        |      |      |         |
|      | 587        | " " 44      | 28    | 40.0   | 1520.0 |       |        |      |        |          |        |      |      |         |
|      | 593        | 27-9 / 50 ✓ | 24    | 10.0   | 240.0  |       |        |      |        | 23.1     | 66.6   |      |      |         |
|      | 595        | " " 51 ✓    | 24    | 20.0   | 480.0  |       |        |      |        |          |        |      |      |         |
|      | 596        | 27-10 / 5   | 14    | 7.0    | 98.0   |       |        |      |        |          |        |      |      |         |
|      | 598        | " " 10      | 24    | 87.0   | 2088.0 |       |        |      |        |          |        |      |      |         |
|      | 599        | " " 18      | 30    | 5.0    | 150.0  |       |        |      |        |          |        |      |      |         |
|      | 600        | " " 22      | 40    | 6.0    | 240.0  |       |        |      |        |          |        |      |      |         |
|      | 851        | " " 27      | 30    | 10.0   | 3000.0 |       |        |      |        |          |        |      |      |         |
|      | 854        | " " 34      | 40    | 25.0   | 1000.0 |       |        |      |        |          |        |      |      |         |
|      | 859        | " " 48      | 40    | 10.0   | 400.0  |       |        |      |        |          |        |      |      |         |
|      | 861        | 27-9 / 50 ✓ | 36    | 60.4   | 2174.4 | 6.90  | 248.40 | 3.30 | 118.80 | 29.5     | 18.7   |      |      |         |
|      | 862        | 27-10 / 00  | 24    | 37.1   | 890.4  | 6.30  | 151.20 | 1.80 | 43.20  |          |        |      |      |         |
|      | 863        | " " 5       | 18    | 29.2   | 525.6  | 5.70  | 102.60 | 7.60 | 136.80 |          |        |      |      |         |
|      | 864        | " " 10      | 20    | 17.5   | 350.0  | 3.10  | 62.00  | 1.20 | 24.00  |          |        |      |      |         |
|      | 865        | " " 15      | 28    | 15.4   | 427.2  | 5.10  | 142.80 | 1.70 | 47.60  |          |        |      |      |         |
|      | 867        | " " 20      | 24    | 18.0   | 432.0  | 6.70  | 160.80 | 1.80 | 43.20  |          |        |      |      |         |
|      | 868        | " " 25      | 24    | 29.2   | 700.8  | 4.40  | 105.60 | 4.50 | 108.00 |          |        |      |      |         |
|      | 869        | " " 30      | 40    | 13.2   | 528.0  | 5.70  | 228.00 | 3.80 | 152.00 |          |        |      |      |         |
|      | 870        | " " 35      | 30    | 8.0    | 240.0  | 3.10  | 93.00  | 7.20 | 216.00 | 26.7     | 28.1   | 5.61 | 3.16 |         |
|      | 871        | " " 40      | 48    | 28.2   | 1353.6 | 7.90  | 379.20 | 4.90 | 235.20 |          |        |      |      |         |
|      | 872        | " " "       |       |        |        | LOST  |        |      |        |          |        |      |      |         |
|      | 873        | " " 45      | 60    | 21.8   | 1308.0 | 7.70  | 462.00 | 4.00 | 240.00 |          |        |      |      |         |
|      | 874        | " " 50      | 36    | 13.3   | 478.8  | 8.80  | 316.80 | 8.30 | 298.80 |          |        |      |      |         |
|      | 875        | " " 55      | 36    | 1.9    | 68.4   | 6.60  | 237.60 | 4.30 | 154.80 |          |        |      |      |         |
|      | 876        | " " 60      | 36    | 15.3   | 550.8  | 3.50  | 124.00 | 1.90 | 68.40  |          |        |      |      |         |
|      | 877        | " " 64      | 36    | 6.0    | 196.0  | 1.50  | 54.00  | 0.90 | 32.40  |          |        |      |      |         |
|      | 879        | 27-9 " 45 ✓ | 36    | 98.1   | 3531.6 | 16.30 | 579.60 | 3.50 | 126.00 | 29.7     | 24.3   | 7.06 | 4.31 |         |
|      | 880        | 27-13 / 4   | 24    | 5.1    | 122.4  | 3.70  | 88.80  | 0.50 | 12.00  |          |        |      |      |         |
|      | 881        | " " 10      | 30    | 6.6    | 198.0  | 3.20  | 96.00  | 7.00 | 210.00 |          |        |      |      |         |
|      | 882        | " " 17      | 28    | 56.2   | 1348.8 | 22.70 | 544.80 | 4.50 | 108.00 |          |        |      |      |         |
|      | ARR        |             | 78    |        | 1669.7 |       | 779.60 |      | 330.00 | 26.0     | 21.4   | 9.35 | 4.73 |         |

# YUKENO MINES LTD.

## ASSAY RECORD

PROPERTY \_\_\_\_\_

DATE \_\_\_\_\_

LEVEL \_\_\_\_\_

ENTERED BY \_\_\_\_\_

 WORKING PLACE 26-2 R3c

CHECKED BY \_\_\_\_\_

| DATE | SAMPLE NO. | LOCATION  | WIDTH | SILVER |         | LEAD  |         | ZINC  |         | AVERAGES |        |       |       | REMARKS |
|------|------------|-----------|-------|--------|---------|-------|---------|-------|---------|----------|--------|-------|-------|---------|
|      |            |           |       | OZ.    | IN/OZ.  | %     | IN/%    | %     | IN/%    | WIDTH    | OZ./AG | % PB  | % ZN  |         |
|      | 232        | Rail / 12 | 42    | 79.6   | 3323.2  | 32.15 | 1350.30 | 18.60 | 781.20  |          |        |       |       |         |
|      | 233        | " " 12    | 48    | 4.8    | 230.4   | 2.60  | 124.80  | 31.15 | 1495.80 |          |        |       |       |         |
|      | 234        | " " 12    | 48    | 32.0   | 1536.0  | 22.90 | 1099.20 | 24.80 | 1190.40 |          |        |       |       |         |
|      | 282        | " " 23    | 70    | 34.6   | 2422.0  | 30.45 | 2131.50 | 21.05 | 1473.50 |          |        |       |       |         |
|      | 283        | " " 23    | 40    | 23.4   | 936.0   | 30.10 | 1204.00 | 21.70 | 868.00  |          |        |       |       |         |
|      | 284        | " " 23    | 38    | 37.8   | 1436.4  | 24.05 | 913.90  | 11.10 | 421.80  |          |        |       |       |         |
|      | 287        | " " 28    | 28    | 17.0   | 476.0   | 15.65 | 438.20  | 2.40  | 67.20   |          |        |       |       |         |
|      | 288        | " " 28    | 24    | 17.8   | 427.2   | 5.60  | 134.40  | 1.90  | 45.60   |          |        |       |       |         |
|      | 289        | " " 28    | 17    | 2.2    | 37.4    | 2.05  | 34.85   | 1.50  | 25.50   |          |        |       |       |         |
|      | 303        | " " 43    | 16    | 2.4    | 38.4    | 2.30  | 36.80   | 7.55  | 118.80  |          |        |       |       |         |
|      | 304        | " " 48    | 32    | 35.8   | 1145.6  | 20.60 | 659.20  | 24.60 | 787.20  | 37.1     | 29.2   | 20.12 | 17.42 |         |
|      | 305        | " " 53    | 36    | 7.6    | 273.6   | 13.65 | 491.40  | 12.40 | 446.40  |          |        |       |       |         |
|      | 306        | " " 58    | 58    | 7.4    | 429.2   | 5.30  | 307.40  | 17.15 | 994.70  |          |        |       |       |         |
|      | 409        | " " 63    | 24    | 29.0   | 696.0   | 11.00 | 264.00  | 11.05 | 265.20  |          |        |       |       |         |
|      | 410        | " " 69    | 30    | 28.0   | 840.0   | 8.85  | 265.50  | 17.10 | 513.00  |          |        |       |       |         |
|      | 411        | " " 69    | 32    | 16.6   | 431.2   | 9.95  | 318.40  | 20.00 | 640.00  |          |        |       |       |         |
|      | 412        | " " 69    | 32    | 8.2    | 262.4   | 4.95  | 158.40  | 8.15  | 260.80  |          |        |       |       |         |
|      | 413        | " " 63    | 39    | 22.4   | 873.6   | 14.40 | 561.60  | 8.70  | 339.30  |          |        |       |       |         |
|      | 414        | " " 63    | 36    | 15.4   | 554.4   | 8.15  | 293.40  | 3.70  | 133.20  |          |        |       |       |         |
|      | 415        | " " 57    | 43    | 4.0    | 172.0   | 3.15  | 135.45  | 3.35  | 144.05  |          |        |       |       |         |
|      | 416        | " " 57    | 38    | 76.0   | 2888.0  | 28.30 | 1075.40 | 4.75  | 180.50  | 36.2     | 15.7   | 9.54  | 12.49 |         |
|      | 417        | " " 74    | 12    | 15.6   | 187.2   | 3.80  | 45.60   | 15.80 | 189.60  |          |        |       |       |         |
|      | 418        | " " 80    | 12    | 28.0   | 336.0   | 9.95  | 119.40  | 10.55 | 126.60  |          |        |       |       |         |
|      | 419        | " " 74    | 22    | 18.8   | 413.6   | 4.35  | 95.70   | 10.25 | 225.50  |          |        |       |       |         |
|      | 420        | " " 74    | 19    | 8.0    | 152.0   | 1.40  | 26.60   | 14.45 | 274.55  |          |        |       |       |         |
|      | 421        | " " 79    | 15    | 22.6   | 339.0   | 9.75  | 146.25  | 7.80  | 117.00  |          |        |       |       |         |
|      | 422        | " " 79    | 13    | 10.2   | 132.6   | 6.45  | 83.85   | 6.20  | 80.60   |          |        |       |       |         |
|      | 423        | " " 84    | 12    | 6.6    | 79.2    | 4.20  | 50.40   | 5.30  | 63.60   |          |        |       |       |         |
|      | 424        | " " 84    | 17    | 50.4   | 856.8   | 19.85 | 337.45  | 29.50 | 501.50  |          |        |       |       |         |
|      | 425        | " " 89    | 14    | 69.8   | 977.2   | 20.45 | 286.30  | 14.10 | 197.40  | 17.7     | 33.6   | 12.37 | 10.99 |         |
|      | 426        | " " 93    | 12    | 9.8    | 117.6   | 3.05  | 36.60   | 7.25  | 87.00   |          |        |       |       |         |
|      | 427        | " " 94    | 18    | 26.2   | 417.6   | 10.80 | 194.40  | 10.60 | 190.80  |          |        |       |       |         |
|      | 428        | " " 82    | 14    | 84.4   | 1181.6  | 46.40 | 651.00  | 15.45 | 216.30  |          |        |       |       |         |
|      | 429        | " " 99    | 30    | 95.8   | 2874.0  | 21.45 | 643.50  | 11.25 | 337.50  |          |        |       |       |         |
|      | 430        | " " ?     |       |        |         | LOST  |         |       |         |          |        |       |       |         |
|      | 432        | " " 100   | 24    | 38.6   | 926.4   | 14.00 | 336.00  | 13.55 | 325.20  |          |        |       |       |         |
|      | 433        | " " 105   | 48    | 51.0   | 2448.0  | 14.75 | 708.00  | 7.50  | 360.00  |          |        |       |       |         |
|      | 434        | " " 110   | 32    | 70.2   | 2246.4  | 22.30 | 713.60  | 11.80 | 377.60  |          |        |       |       |         |
|      | 435        | " " 115   | 48    | 44.8   | 2150.4  | 15.55 | 746.40  | 19.65 | 943.20  |          |        |       |       |         |
|      |            |           |       |        | 13329.2 |       | 4315.80 |       | 3035.00 | 26.6     | 55.8   | 17.98 | 12.64 |         |

# YUKENO MINES LTD.

DATE \_\_\_\_\_

PROPERTY \_\_\_\_\_

ENTERED BY \_\_\_\_\_

LEVEL \_\_\_\_\_

## ASSAY RECORD

CHECKED BY \_\_\_\_\_

WORKING PLACE 26-1 Raise

| DATE | SAMPLE NO.<br>#L | LOCATION    | WIDTH | SILVER           |        | LEAD    |        | ZINC    |         | AVERAGES |        |      |       | REMARKS |  |
|------|------------------|-------------|-------|------------------|--------|---------|--------|---------|---------|----------|--------|------|-------|---------|--|
|      |                  |             |       | OZ.              | IN/OZ. | %       | IN/%   | %       | IN/%    | WIDTH    | OZ./AG | % PB | % ZN  |         |  |
| 219  |                  | Rail / 12 7 | 48    | 32.4             | 2555.2 | 14.50   | 696.00 | 12.90   | 619.20  |          |        |      |       |         |  |
| 218  |                  | " " 12 7    | 50    | 20.8             | 1040.0 | 9.90    | 495.00 | 12.80   | 640.00  |          |        |      |       |         |  |
| 217  |                  | " " 12 1    | 60    | 8.4              | 504.0  | 9.40    | 564.00 | 35.00   | 2150.00 |          |        |      |       |         |  |
| 224  |                  | " " 17 1/2  | 58    | 46.4             | 2691.2 | 8.05    | 466.90 | 19.45   | 1128.10 |          |        |      |       |         |  |
| 225  |                  | " " 17 1/2  | 38    | 16.8             | 638.4  | 6.30    | 239.40 | 5.70    | 216.60  |          |        |      |       |         |  |
| 226  |                  | " " 20 3    | 43    | 21.2             | 911.6  | 10.20   | 438.60 | 11.25   | 483.75  |          |        |      |       |         |  |
| 291  |                  | " " 29 4    | 33    | 1.2              | 39.6   | Tr.     | -----  | 1.30    | 42.90   |          |        |      |       |         |  |
| 292  |                  | " " 29 4    | 29    | 2.0              | 58.0   | Tr.     | -----  | 2.25    | 65.25   |          |        |      |       |         |  |
| 293  |                  | " " 38 6    | 24    | 9.8              | 235.2  | 6.60    | 158.40 | 5.30    | 127.20  |          |        |      |       |         |  |
| 294  |                  | " " 38 6    | 25    | 1.4              | 35.0   | Tr.     | -----  | Tr.     | -----   |          |        |      |       |         |  |
|      |                  |             |       | 8708.2           |        | 3058.30 |        | 5473.00 |         | 40.8     | 21.3   | 7.49 | 13.05 |         |  |
| 298  |                  | " " 34 5    | 24    | 2.4              | 57.6   | 2.80    | 67.20  | 1.10    | 26.40   |          |        |      |       |         |  |
| 299  |                  | " " 39 7    | 27    | 2.2              | 59.4   | 1.45    | 39.15  | Tr.     | -----   |          |        |      |       |         |  |
| 300  |                  | " " 44 8    | 20    | 2.2              | 44.0   | 3.95    | 79.00  | 1.20    | 24.00   |          |        |      |       |         |  |
| 301  |                  | " " 49 10   | 15    | 4.0              | 60.0   | 1.05    | 15.75  | Tr.     | -----   |          |        |      |       |         |  |
| 302  |                  | " " 54 17   | 16    | 14.6             | 233.6  | 3.35    | 56.60  | 6.05    | 96.80   |          |        |      |       |         |  |
| 312  |                  | " " 49 10   | 15    | 11.4             | 177.0  | 2.85    | 32.75  | 3.95    | 59.25   |          |        |      |       |         |  |
| 317  |                  | " " 49 10   | 18    | 2.8              | 50.4   | 1.65    | 29.70  | 1.10    | 19.80   |          |        |      |       |         |  |
| 366  |                  | " " 130     | 27    | 16.0             | 432.0  | 10.25   | 276.75 | 2.60    | 70.20   |          |        |      |       |         |  |
| 367  |                  | " " 130     | 30    | 28.8             | 864.0  | 7.80    | 234.00 | 2.15    | 64.50   |          |        |      |       |         |  |
| 368  |                  | " " 130     | 17    | 5.8              | 98.6   | Tr.     | -----  | 1.40    | 23.80   |          |        |      |       |         |  |
|      |                  |             |       | 2076.6           |        | 830.90  |        | 384.75  |         | 20.9     | 9.9    | 3.96 | 1.84  |         |  |
| 369  |                  | " " 124     | 13    | Tr.              | -----  | Tr.     | -----  | 1.15    | 14.95   |          |        |      |       |         |  |
| 370  |                  | " " 124     | 19    | Tr.              | -----  | Tr.     | -----  | 1.50    | 28.50   |          |        |      |       |         |  |
| 371  |                  | " " 118     | 24    | Tr.              | -----  | Tr.     | -----  | 1.15    | 27.60   |          |        |      |       |         |  |
| 372  |                  | " " 118     | 28    | Tr.              | -----  | Tr.     | -----  | 1.20    | 33.60   |          |        |      |       |         |  |
| 373  |                  | " " 112     | 14    | 55.2             | 772.8  | Tr.     | -----  | Tr.     | -----   |          |        |      |       |         |  |
| 374  |                  | " " 112     | 27    | Tr.              | -----  | Tr.     | -----  | 1.00    | 27.00   |          |        |      |       |         |  |
| 375  |                  | " " 106     | 25    | 20.2             | 505.0  | Tr.     | -----  | 1.05    | 26.25   |          |        |      |       |         |  |
| 376  |                  | " " 106     | 20    | 9.0              | 180.0  | Tr.     | -----  | 1.00    | 20.00   |          |        |      |       |         |  |
| 377  |                  | " " 100     | 30    | 1.2              | 36.0   | Tr.     | -----  | Tr.     | -----   |          |        |      |       |         |  |
|      |                  |             |       | 1493.8           |        | -----   |        | 134.45  |         | 22.2     | 7.4    | TR   | 0.88  |         |  |
| 378  |                  | " " 100     | 31    | 5.6              | 170.6  | Tr.     | -----  | Tr.     | -----   |          |        |      |       |         |  |
| 379  |                  | " " 94 26   | 36    | 1.2              | 43.2   | Tr.     | -----  | Tr.     | -----   |          |        |      |       |         |  |
| 380  |                  | " " 94 10   | 30    | ----- LOST ----- |        |         |        |         |         |          |        |      |       |         |  |
| 381  |                  | " " 88 19   | 29    | 1.8              | 52.2   | Tr.     | -----  | Tr.     | -----   |          |        |      |       |         |  |
| 382  |                  | " " 83 18   | 21    | 5.6              | 117.6  | Tr.     | -----  | 1.30    | 27.31   |          |        |      |       |         |  |
| 383  |                  | " " 78 17   | 21    | 6.0              | 36.0   | 3.05    | 18.30  | Tr.     | -----   |          |        |      |       |         |  |
| 384  |                  | " " 73 16   | 17    | 1.8              | 30.6   | 1.40    | 25.80  | Tr.     | -----   |          |        |      |       |         |  |
|      |                  |             |       | 450.2            |        | 42.70   |        | 27.31   |         | 23.3     | 3.2    | 0.30 | 0.09  |         |  |
| 385  |                  | " " 68 15   | 24    | 8.8              | 211.2  | 12.25   | 294.00 | Tr.     | -----   |          |        |      |       |         |  |
| 386  |                  | " " 63 14   | 11    | 1.0              | 11.0   | Tr.     | -----  | Tr.     | -----   |          |        |      |       |         |  |
| 387  |                  | " " 63 14   | 24    | 48.8             | 1171.2 | 7.65    | 183.40 | Tr.     | -----   |          |        |      |       |         |  |
| 388  |                  | " " 58 13   | 14    | 2.2              | 30.8   | Tr.     | -----  | Tr.     | -----   |          |        |      |       |         |  |
| 389  |                  | " " 53 11   | 12    | 1.6              | 19.2   | Tr.     | -----  | Tr.     | -----   |          |        |      |       |         |  |
| 390  |                  | " " 48 9    | 14    | 2.0              | 28.0   | Tr.     | -----  | Tr.     | -----   |          |        |      |       |         |  |
|      |                  |             |       | 477.4            |        | 477.40  |        | -----   |         |          |        |      |       |         |  |
|      |                  |             |       |                  |        |         |        |         |         | Average  |        |      |       |         |  |
|      |                  |             |       |                  |        |         |        |         |         | with     | Ag     | PB   | ZN    |         |  |
|      |                  |             |       |                  |        |         |        |         |         | 24.7     | 12.4   | 3.84 | 4.95  |         |  |



# YUKENO MINES LTD.

## ASSAY RECORD

PROPERTY \_\_\_\_\_

DATE \_\_\_\_\_

LEVEL \_\_\_\_\_

ENTERED BY \_\_\_\_\_

 WORKING PLACE 26-3 No 1

CHECKED BY \_\_\_\_\_

| DATE | SAMPLE NO.     | LOCATION              | WIDTH         | SILVER          |         | LEAD  |         | ZINC  |         | AVERAGES |        |      |       | REMARKS |
|------|----------------|-----------------------|---------------|-----------------|---------|-------|---------|-------|---------|----------|--------|------|-------|---------|
|      |                |                       |               | OZ.             | IN/OZ.  | %     | IN/%    | %     | IN/%    | WIDTH    | OZ./AG | % PB | % ZN  |         |
|      | <del>158</del> | <del>26-16 / 65</del> | <del>48</del> | <del>LOST</del> |         |       |         |       |         |          |        |      |       |         |
|      | ✓ 160          | " " 75                | 48            | 38.6            | 1852.8  | 5.10  | 244.80  | 6.10  | 292.80  |          |        |      |       |         |
|      | ✓ 161          | " " 75                | 48            | 112.2           | 5385.6  | 7.50  | 360.00  | 25.10 | 1204.80 |          |        |      |       |         |
|      | ✓ 162          | " " 86                | 57            | 56.2            | 3203.4  | 5.20  | 296.40  | 15.70 | 894.90  |          |        |      |       |         |
|      | 163            | " " 86                | 13            | 150.9           | 1961.7  | 10.50 | 136.50  | 42.70 | 555.10  |          |        |      |       |         |
|      | 166            | 26-18 " 16            | 15            | 86.4            | 1296.4  | 31.40 | 471.00  | 44.20 | 663.00  |          |        |      |       |         |
|      | ✓ 167          | " " 16                | 16            | 44.2            | 707.2   | 8.70  | 139.20  | 5.90  | 94.40   |          |        |      |       |         |
|      | 168            | " " 7                 | 18            | 121.3           | 2183.4  | 38.60 | 694.00  | 34.10 | 613.80  |          |        |      |       |         |
|      | 169            | " " 7                 | 24            | 8.6             | 206.4   | 0.90  | 21.60   | 9.90  | 237.60  |          |        |      |       |         |
|      |                |                       | 239           |                 | 16796.9 |       | 2363.50 |       | 4556.40 | 29.8     | 70.2   | 9.88 | 19.06 |         |
|      |                |                       | 57.8          | 5.2             | 300.56  | 1.70  | 69.36   | 21.96 | 1269.79 |          |        |      |       |         |
|      |                |                       | 47.4          | 17.6            | 746.74  | 5.99  | 753.98  | 21.54 | 913.79  |          |        |      |       |         |
|      |                |                       | 25.6          | 35.7            | 901.17  | 17.97 | 460.03  | 15.88 | 416.53  |          |        |      |       |         |
|      |                |                       | 50.9          | 38.7            | 1969.76 | 17.85 | 654.06  | 20.35 | 1035.87 |          |        |      |       |         |
|      |                |                       | 29.8          | 70.7            | 2091.96 | 9.88  | 294.52  | 19.06 | 558.99  |          |        |      |       |         |
|      |                |                       | 206.5         |                 | 4009.64 |       | 1731.96 |       | 4193.97 | 49.3     | 19.4   | 8.33 | 20.3  |         |

Reported  
 March 23/52

27-4-2 S. DR.

| No. | WORK POINTS | LOCATION   | WIDTH | oz/Az | oz/As | oz/As | oz/As | % Pb | % LW | % Zn | % LW |
|-----|-------------|------------|-------|-------|-------|-------|-------|------|------|------|------|
| 14  | 27-4-2      | 27-19 + 5  | 48"   | 2.5   |       |       |       |      |      | 1.0  |      |
| 15  | "           | " " + 10   | 42"   | 1.0   |       |       |       |      |      | 1.7  |      |
| 16  | "           | " " + 15   | 39"   | 3.2   |       |       |       |      |      | 0.7  |      |
| 17  | "           | " " + 20   | 36"   | 2.5   |       |       |       |      |      | 3.4  |      |
| 18  | "           | " " + 25   | 66"   | 1.1   |       |       |       |      |      | 1.7  |      |
| 25  | "           | " " + 60   | 18"   | 1.0   |       |       |       |      |      |      |      |
| 28  | "           | 27-20 + 21 | 18"   | 11.8  |       |       |       |      |      |      |      |
| 29  | "           | " " + 26   | 21"   | 3.5   |       |       |       |      |      |      |      |

... / ...

PROPERTY \_\_\_\_\_

# YUKENO MINES LTD.

DATE \_\_\_\_\_

LEVEL \_\_\_\_\_

## ASSAY RECORD

ENTERED BY \_\_\_\_\_

WORKING PLACE 26-3 No1

CHECKED BY \_\_\_\_\_

| DATE | SAMPLE NO. | LOCATION    | WIDTH            | SILVER |                          | LEAD  |                           | ZINC  |                            | AVERAGES |        |       |       | REMARKS |
|------|------------|-------------|------------------|--------|--------------------------|-------|---------------------------|-------|----------------------------|----------|--------|-------|-------|---------|
|      |            |             |                  | OZ.    | IN/OZ.                   | %     | IN/%                      | %     | IN/%                       | WIDTH    | OZ./AG | % PB  | % ZN  |         |
|      | 177        | 26-15 / 20  | 21               | lost   | -----                    | 0.80  | 16.80                     | 14.70 | 308.70                     |          |        |       |       |         |
|      | 178        | " " 26      | 54               | 5.6    | 302.4                    | 0.60  | 32.40                     | 33.50 | 1798.20                    |          |        |       |       |         |
|      | 179        | " " 31      | 60               | 4.9    | 294.0                    | 0.40  | 24.00                     | 9.30  | 558.00                     |          |        |       |       |         |
|      | 180        | " " 37      | 72               | lost   | -----                    | 5.70  | 410.40                    | 26.10 | 1879.20                    |          |        |       |       |         |
|      | 181        | " " 43      | 60               | 8.1    | 486.0                    | 0.50  | 30.00                     | 26.10 | 1566.00                    |          |        |       |       |         |
|      | 182        | 26-16 / 5   | 42               | 3.0    | 126.0                    | 0.30  | 12.60                     | 21.30 | 894.60                     |          |        |       |       |         |
|      | 183        | " " 19      | 42               | 7.4    | 310.8                    | 0.40  | 16.80                     | 11.10 | 466.20                     |          |        |       |       |         |
|      | 184        | " " 24      | 60               | 4.1    | 246.0                    | 0.90  | 54.00                     | 19.40 | 1164.00                    |          |        |       |       |         |
|      | 185        | " " 32      | 54               | 4.1    | 221.4                    | 0.20  | 10.80                     | 18.30 | 988.20                     |          |        |       |       |         |
|      | 186        | " " 39      | <u>53</u><br>518 | 4.3    | <u>227.99</u><br>2214.5  | 0.30  | <u>15.90</u><br>623.70    | 33.10 | <u>1754.30</u><br>11377.40 | 27.8     | 5.2    | 1.20  | 21.96 |         |
|      | 187        | " " 46      | 44               | 20.2   | 888.8                    | 0.90  | 39.60                     | 24.30 | 1069.20                    |          |        |       |       |         |
|      | 188        | " " 52      | 58               | 5.1    | 295.8                    | 0.60  | 30.60                     | 20.50 | 1189.00                    |          |        |       |       |         |
|      | 189        | " " 59      | 60               | 5.8    | 348.0                    | 0.30  | 18.00                     | 25.20 | 1512.00                    |          |        |       |       |         |
|      | 190        | " " 65      | 66               | 4.9    | 323.4                    | 0.20  | 13.20                     | 26.10 | 1722.60                    |          |        |       |       |         |
|      | 191        | " " 72      | 61               | 4.5    | 274.5                    | 0.10  | 6.10                      | 28.50 | 1738.50                    |          |        |       |       |         |
|      | 192        | " " 79      | 42               | 12.3   | 516.6                    | 18.70 | 785.40                    | 24.10 | 1012.20                    |          |        |       |       |         |
|      | 193        | " " 86      | 32               | 26.2   | 839.4                    | 9.00  | 288.00                    | 3.50  | 112.00                     |          |        |       |       |         |
|      | 194        | 26-18 " 00  | 30               | 32.4   | 972.0                    | 8.80  | 264.00                    | 4.70  | 141.00                     |          |        |       |       |         |
|      | 239        | " " 5       | 15               | 70.4   | 1056.0                   | 29.80 | 447.00                    | 20.10 | 301.50                     |          |        |       |       |         |
|      | 240        | " " 10      | <u>16</u><br>424 | 122.0  | <u>1952.0</u><br>7466.5  | 40.55 | <u>648.80</u><br>2340.70  | 20.95 | <u>335.20</u><br>9133.20   | 42.4     | 17.6   | 5.99  | 21.54 |         |
|      | 241        | " " 15      | 18               | 20.4   | 367.2                    | 23.50 | 423.00                    | 27.30 | 491.40                     |          |        |       |       |         |
|      | 242        | " " 20      | 17               | 33.2   | 564.4                    | 20.60 | 350.20                    | 19.80 | 366.60                     |          |        |       |       |         |
|      | 243        | " " 25      | 14               | 8.4    | 117.6                    | 6.75  | 94.50                     | 19.65 | 275.10                     |          |        |       |       |         |
|      | 244        | " " 30      | 12               | 66.8   | 801.6                    | 29.85 | 358.20                    | 21.40 | 266.80                     |          |        |       |       |         |
|      | 245        | 26-19 " 00  | 40               | 5.6    | 224.0                    | 4.65  | 186.00                    | 10.65 | 426.00                     |          |        |       |       |         |
|      | 246        | " " 5       | 45               | 11.0   | 495.00                   | 5.30  | 238.50                    | 7.05  | 317.25                     |          |        |       |       |         |
|      | 364        | 26-18 " 23  | 48               | 47.8   | 2294.4                   | 29.20 | 1401.60                   | 13.05 | 636.40                     |          |        |       |       |         |
|      | 365        | " " 23      | <u>62</u><br>256 | 67.2   | <u>4166.4</u><br>9030.6  | 25.00 | <u>1550.00</u><br>4602.00 | 20.75 | <u>1226.50</u><br>4066.05  | 25.6     | 35.2   | 17.97 | 15.88 |         |
|      | 147        | 26-14 " 140 | 36               | 28.2   | 1015.2                   | 9.30  | 334.80                    | 28.70 | 1033.20                    |          |        |       |       |         |
|      | 148        | " " 140     | 36               | 109.3  | 3934.8                   | 27.20 | 979.20                    | 26.80 | 964.80                     |          |        |       |       |         |
|      | 149        | " " 150     | 60               | 18.1   | 1086.0                   | 0.90  | 54.00                     | 4.60  | 276.00                     |          |        |       |       |         |
|      | 150        | " " 155     | 60               | 20.2   | 1212.0                   | 14.70 | 882.00                    | 17.50 | 1050.00                    |          |        |       |       |         |
|      | 151        | " " 165     | 48               | 17.8   | 854.4                    | 2.30  | 110.40                    | 23.90 | 1147.20                    |          |        |       |       |         |
|      | 152        | " " 170     | 55               | 19.1   | 1050.5                   | 4.10  | 225.50                    | 24.70 | 1358.50                    |          |        |       |       |         |
|      | 153        | " " 160     | 44               | 20.3   | 893.2                    | 23.20 | 1020.80                   | 24.90 | 1095.60                    |          |        |       |       |         |
|      | 155        | 26-16 " 20  | 60               | 15.3   | 918.0                    | 4.20  | 184.80                    | 28.60 | 1716.00                    |          |        |       |       |         |
|      | 156        | " " 15      | 56               | 28.1   | 1461.6                   | 4.70  | 263.20                    | 18.10 | 1013.60                    |          |        |       |       |         |
|      | 157        | " " 15      | <u>54</u><br>509 | 135.0  | <u>7290.0</u><br>19715.7 | 46.10 | <u>2489.40</u><br>6544.10 | 13.10 | <u>707.40</u><br>10362.30  | 50.9     | 38.7   | 17.85 | 20.35 |         |



27-4-2 DR.

| SAMPLE NO | WORKING CLASS | LOCATION | WIDTH | °/Ag | IN/Ag | °/Au | IN/Au | %/Pb | %/IN | %Zn  | %/IN | Ag | Pb | Zn | Value |
|-----------|---------------|----------|-------|------|-------|------|-------|------|------|------|------|----|----|----|-------|
| 859       | 27-4-2        | 27-10    | + 48  | 40"  | 10.0  |      |       |      |      |      |      |    |    |    |       |
| 861       | "             | "        | - 5   | 36"  | 60.4  | 0.04 |       | 6.9  |      | 3.3  |      |    |    |    |       |
| 862       | "             | "        | + 00  | 24"  | 37.1  | 0.04 |       | 6.3  |      | 1.8  |      |    |    |    |       |
| 863       | "             | "        | + 5   | 18"  | 29.2  | 0.04 |       | 5.7  |      | 7.6  |      |    |    |    |       |
| 864       | "             | "        | + 10  | 20"  | 17.5  | 0.02 |       | 3.1  |      | 1.2  |      |    |    |    |       |
| 865       | "             | "        | + 15  | 28"  | 15.4  | 0.02 |       | 5.1  |      | 1.7  |      |    |    |    |       |
| 867       | "             | "        | + 20  | 24"  | 18.0  | TR   |       | 6.7  |      | 1.8  |      |    |    |    |       |
| 868       | "             | "        | + 25  | 24"  | 29.8  | TR   |       | 4.4  |      | 4.5  |      |    |    |    |       |
| 869       | "             | "        | + 30  | 40"  | 13.2  | TR   |       | 5.7  |      | 3.8  |      |    |    |    |       |
| 870       | "             | "        | + 35  | 30"  | 8.0   | TR   |       | 3.1  |      | 7.2  |      |    |    |    |       |
| 871       | "             | "        | + 40  | 48"  | 28.2  | 0.02 |       | 7.9  |      | 4.9  |      |    |    |    |       |
| 873       | "             | "        | + 45  | 60"  | 21.8  | 0.04 |       | 7.7  |      | 4.0  |      |    |    |    |       |
| 874       | "             | "        | + 50  | 36"  | 13.3  | 0.04 |       | 8.8  |      | 8.3  |      |    |    |    |       |
| 875       | "             | "        | + 55  | 36"  | 1.9   | TR   |       | 6.6  |      | 4.3  |      |    |    |    |       |
| 876       | "             | "        | + 60  | 36"  | 15.3  | 0.04 |       | 3.5  |      | 1.9  |      |    |    |    |       |
| 877       | "             | "        | + 64  | 36"  | 6.0   | TR   |       | 1.5  |      | 0.9  |      |    |    |    |       |
| 879       | "             | "        | - 10  | 36"  | 98.1  | 0.02 |       | 16.3 |      | 3.5  |      |    |    |    |       |
| 880       | "             | 27-13    | + 4   | 24"  | 5.1   |      |       |      |      |      |      |    |    |    |       |
| 881       | "             | "        | + 10  | 30"  | 6.6   |      |       |      |      |      |      |    |    |    |       |
| 882       | "             | "        | + 17  | 24"  | 56.2  |      |       |      |      |      |      |    |    |    |       |
| 883       | "             | "        | + 26  | 32"  | 5.0   |      |       |      |      |      |      |    |    |    |       |
| 884       | "             | "        | + 32  | 36"  | 0.9   |      |       |      |      |      |      |    |    |    |       |
| 885       | "             | "        | + 39  | 32"  | 4.1   |      |       |      |      |      |      |    |    |    |       |
| 1         | "             | 27-13    | + 42  | 12"  | 33.6  |      |       | 8.7  |      |      |      |    |    |    |       |
| 2         | "             | "        | + 47  | 24"  | 20.5  |      |       | 5.0  |      | 4.8  |      |    |    |    |       |
| 3         | "             | 27-17    | + 5   | 48"  | 7.5   |      |       | 3.1  |      | 3.9  |      |    |    |    |       |
| 4         | "             | "        | + 10  | 54"  | 19.1  |      |       |      |      |      |      |    |    |    |       |
| 5         | "             | "        | + 15  | 36"  | 8.3   |      |       |      |      |      |      |    |    |    |       |
| 6         | "             | "        | + 20  | 30"  | 6.4   |      |       | 1.2  |      | 6.6  |      |    |    |    |       |
| 7         | "             | "        | + 25  | 28"  | 1.5   |      |       | 4.4  |      | 18.5 |      |    |    |    |       |
| 8         | "             | "        | + 30  | 30"  | 17.3  |      |       | 8.4  |      | 6.3  |      |    |    |    |       |
| 9         | "             | "        | + 35  | 24"  | 9.6   |      |       | 5.0  |      | 14.9 |      |    |    |    |       |
| 10        | "             | "        | + 40  | 24"  | 2.0   |      |       | 0.3  |      |      |      |    |    |    |       |
| 11        | "             | "        | + 45  | 18"  | 10.9  |      |       |      |      | 2.4  |      |    |    |    |       |
| 12        | "             | "        | + 50  | 24"  | 11.0  |      |       |      |      | 5.2  |      |    |    |    |       |
| 13        | "             | 27-19    | + 00  | 30"  | 3.0   |      |       |      |      | 3.7  |      |    |    |    |       |

27-4-2 DRIFT

AVERAGE GRADE

| SAMPLE NO | WORKING PLACE | LOCATION   | WIDTH | oz/Hg | IN/OZ | oz/Pb | IN/OZ | %Pb   | %/IN | %/2M  | %/IN | Ag | Pb | Zn | WIDTH | VALUE |
|-----------|---------------|------------|-------|-------|-------|-------|-------|-------|------|-------|------|----|----|----|-------|-------|
| 567       | 27-4-2        | Δ27-7 + 20 | 4"    | 92.5  |       |       |       |       |      |       |      |    |    |    |       |       |
| 568       | "             | " + 35     | 24"   | 90.0  | 2160  |       |       |       |      |       |      |    |    |    |       |       |
| 569       | 27-4-2        | " + 35     | 24"   | 50.0  | 1700  |       |       |       |      |       |      |    |    |    |       |       |
| 570       | 27-4-2        | " + 35     | 5"    | 245.0 | 1225  |       |       | 76.32 |      |       |      |    |    |    |       |       |
| 571       | 27-4-2        | " + 35     | 5"    | 85.0  | 425   |       |       |       |      |       |      |    |    |    |       |       |
| 572       | 27-4-2        | " + 35     | 30"   | 115.0 | 3450  |       |       |       |      |       |      |    |    |    |       |       |
| 573       | 27-4-2        | " + 35     | 8"    | 420.0 | 3360  |       |       |       |      |       |      |    |    |    |       |       |
| 574       | 27-4-2        | " + 36     | 15"   | 10.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 575       | 27-4-2        | " - 20-40  | 36"   | 21.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 576       | 27-4-2        | " - 20-40  | 14"   | 143.0 |       |       |       |       |      |       |      |    |    |    |       |       |
| 578       | 27-4-2        | 27-9 + 00  | 18"   | 3.0   |       |       |       |       |      |       |      |    |    |    |       |       |
| 579       | 27-4-2        | " + 05     | 20"   | 2.0   |       |       |       |       |      |       |      |    |    |    |       |       |
| 580       | "             | " + 11     | 36"   | 16.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 581       | "             | " + 15     | 48"   | 80.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 582       | "             | " + 19     | 25"   | 65.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 583       | "             | " + 25     | 14"   | 20.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 584       | "             | " + 31     | 17"   | 40.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 585       | "             | " + 39     | 18"   | 15.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 586       | "             | " + 44     | 6"    | 515.0 |       |       |       | 44.64 |      | 19.70 |      |    |    |    |       |       |
| 587       | "             | " + 44     | 28"   | 40.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 588       | "             | " + 44     | 27"   | 10.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 589       | 27-4-2        | 27-7 + 15' | 30"   | Tr.   |       |       |       |       |      |       |      |    |    |    |       |       |
| 593       | 27-4-2        | 27-9 + 50  | 24"   | 10.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 594       | "             | 27-9 + 65  | 2"    | 165.0 |       |       |       | 39.24 |      |       |      |    |    |    |       |       |
| 595       | "             | " + 51     | 24"   | 20.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 596       | "             | 27-10 + 05 | 14"   | 7.0   |       |       |       |       |      |       |      |    |    |    |       |       |
| 597       | "             | " + 10     | 6"    | 115.0 |       |       |       |       |      |       |      |    |    |    |       |       |
| 598       | "             | " + 10     | 24"   | 87.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 599       | "             | " + 18     | 30"   | 5.0   |       |       |       |       |      |       |      |    |    |    |       |       |
| 600       | "             | " + 24     | 40"   | 6.0   |       |       |       |       |      |       |      |    |    |    |       |       |
| 851       | "             | " + 27     | 30"   | 10.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 853       | "             | " + 34     | 40"   | 17.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 854       | "             | " + 34     | 40"   | 25.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 855       | "             | " + 34     | 40"   | 5.0   |       |       |       |       |      |       |      |    |    |    |       |       |
| 857       | "             | " + 48     | 6"    | 51.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 858       | "             | " + 48     | 10"   | 11.0  |       |       |       |       |      |       |      |    |    |    |       |       |
| 858       | "             | " + 48     | 40"   | 10.0  |       |       |       |       |      |       |      |    |    |    |       |       |

123 oz/Hg

16"

# YUKENO MINES LTD.

## ASSAY RECORD

PROPERTY \_\_\_\_\_

DATE \_\_\_\_\_

LEVEL \_\_\_\_\_

ENTERED BY \_\_\_\_\_

WORKING PLACE 26-3 PRIET #2 ZONE

CHECKED BY \_\_\_\_\_

| DATE | SAMPLE NO. | LOCATION   | WIDTH | SILVER |         | LEAD  |         | ZINC  |         | AVERAGES |        |       |       | REMARKS |
|------|------------|------------|-------|--------|---------|-------|---------|-------|---------|----------|--------|-------|-------|---------|
|      |            |            |       | OZ.    | IN/OZ.  | %     | IN/%    | %     | IN/%    | WIDTH    | OZ./AG | % PB  | % ZN  |         |
|      | 391        | 26-25 / 34 | 24    | 45.6   | 1094.4  | 14.85 | 355.40  | 20.95 | 502.80  |          |        |       |       |         |
|      | 392        | " " 39     | 29    | 110.2  | 3195.8  | 33.55 | 972.95  | 18.25 | 529.25  |          |        |       |       |         |
|      | 393        | " " 44     | 30    | 39.4   | 1182.0  | 24.40 | 732.00  | 29.10 | 873.00  |          |        |       |       |         |
|      | 394        | " " 49     | 29    | 45.0   | 1805.0  | 17.85 | 517.65  | 13.55 | 392.95  |          |        |       |       |         |
|      | 395        | 26*26 / 00 | 27    | 14.8   | 398.6   | 5.50  | 148.50  | 19.25 | 519.75  |          |        |       |       |         |
|      | 396        | " " 5      | 22    | 36.8   | 809.6   | 8.75  | 192.50  | 23.90 | 525.80  |          |        |       |       |         |
|      | 397        | " " 10     | 33    | 25.0   | 825.0   | 8.50  | 280.50  | 20.15 | 664.95  |          |        |       |       |         |
|      | 398        | " " 15     | 25    | 51.0   | 1275.0  | 11.80 | 295.00  | 17.00 | 425.00  |          |        |       |       |         |
|      | 399        | " " 20     | 18    | 56.2   | 1011.6  | 14.65 | 263.70  | 26.35 | 475.30  |          |        |       |       |         |
|      | 400        | " " 25     | 26    | 38.6   | 1003.6  | 17.10 | 444.60  | 10.40 | 270.40  |          |        |       |       |         |
|      |            |            | 26.3  |        | 12100.6 |       | 422.80  |       | 5179.20 | 26.3     | 46.0   | 15.98 | 19.68 |         |
|      | 402        | " " 30     | 18    | 44.0   | 792.0   | 9.80  | 176.40  | 17.15 | 308.70  |          |        |       |       |         |
|      | 403        | " " 35     | 23    | 52.2   | 1200.6  | 16.85 | 467.55  | 12.75 | 293.25  |          |        |       |       |         |
|      | 404        | " " 40     | 23    | 22.4   | 515.2   | 9.95  | 226.85  | 11.70 | 257.60  |          |        |       |       |         |
|      | 405        | "x " 45    | 29    | 30.2   | 875.8   | 11.45 | 332.05  | 20.45 | 593.05  |          |        |       |       |         |
|      | 406        | " " 50     | 40    | 30.2   | 1208.0  | 12.05 | 462.00  | 21.60 | 664.00  |          |        |       |       |         |
|      | 407        | " " 55     | 30    | 7.8    | 234.0   | 4.05  | 121.50  | 7.00  | 210.00  |          |        |       |       |         |
|      |            |            | 16.3  |        | 4825.6  |       | 1828.35 |       | 2526.60 | 27.1     | 29.6   | 11.77 | 15.57 |         |
|      |            |            | 26.3  | 46.0   | 1709.80 | 15.98 | 470.77  | 19.68 | 517.58  |          |        |       |       |         |
|      |            |            | 27.1  | 29.6   | 802.16  | 11.77 | 304.06  | 15.52 | 470.59  | 26.7     | 37.6   | 13.51 | 11.56 |         |
|      |            |            | 53.4  |        | 7011.96 |       | 774.33  |       | 938.17  |          |        |       |       |         |

*Reported  
 Mr. 7/3/52*