

Corrections A-26: Aug 26/66 ✓  
ADD Completed date: ~~Sept 1/66~~

of 7/5-14

✓ P-3 330.8 335 QT2 - SER. SCH. ADD. 5.2 ✓ <sup>RE</sup> 330.8 <sup>TO</sup> 335

✓ Page 6 467.0 - 472.0 change 0.1% of month ppr to 0.1'

Oct 14/66  
Mew

4



CORRECTIONS TO DDH LOG - TYPED COPIES.

RECEIVED OCT 11 1966  
SEP 8 1966  
KEEPP ADDISON MINES LTD.

✓✓ A-25 PAGE 2. In description of footage 117.0 - 198.0, 166.7 - 179.2 AVERAGE  
2% Pb-Zn, 179.2 - 198' AVERAGE 3% Pb-Zn

✓✓ PAGE 4. FOOTAGE 299.7 - 305.8 REC FROM TO  
6 299.7 305.8

✓✓ PAGE 6. FOOTAGE 329.6 - 335.0, REC SAMPLES FROM TO S. LENGTH ANALY  
5.4 4 30 329.6 335.0 5.4 84 2.8 3.2

✓✓ A-24 PAGE 2 FOOTAGE 835 - 102.0 : LAST Number should be 102'

✓✓ PAGE 6 FOOTAGE 333.0 - 606.5 ; Bedding undulating & slightly CONGLOMERATED at sections

✓  
Dit 12/66

✓

KERR MOUNTAIN MINES LIMITED

RECEIVED

OCT 11 1966

SEP 8 1966

REC ADDISON

MINES LTD.

To Lynda Krupp F. Coburn

Subject Swim Lakes A Group - 2 Million Loan Date Sept. 6, 1966

Dear Lynda

Please add the following to page 3 of  
S.D.N. # 1-28 Agreement immediately below  
line 165.0 to 170.0 loan cost

Source	#	165.0 to 170.0	170.0 to 175.0	175.0 to 180.0	180.0 to 185.0	185.0 to 190.0
	508					

*[Handwritten signature]*

✓  
llw  
Oct 12/66

DIAMOND DRILL RECORDS  
CORRECTIONS TO BE MADE ON TYPED COPIES.

PMK  
AUG 20 1966

A-13

RECEIVED  
AUG 25 1966

PAGE(1) Bearing of Hole S 38 18 10 W ✓

100.0 - 106.0      3 % leached ✓

KERR ADDISON MINES LTD.

PAGE(3) 173.7 - 192.0 ... intensely fractured likely through folding - ✓  
(concentrated)

PAGE(4) ... 0.1 % Cu mostly conc. between - ✓

A-20

PAGE(3) 182.0 - 192.2 ... have been dragged and contorted ✓

A-21

Page (1) Elevation of Hole 349.22'  
Add, above      REC      FROM TO      REC      FROM TO  
20      44 90,      LOST CORE      29 44. ✓

PAGE (3) 339.0-347.0      From 340.5 - 347 unbleached, ✓  
    "      "      & unbleached, greyish colour 40% quartz ✓  
    "      "      odd bleb of Pb-Zn. highly fractured.

PAGE(7)	Add	Opposite	REC	FROM	TO
	432.5 - 453.0		19	432.5	453 ✓
	"	453 - 494.0	26	453.0	481.5 ✓
			2	481.5	488 ✓
			2	488	494 ✓

Add in remarks after END OF HOLE - Aug 14/66. After examining cutter, I doubt if all or any of the rods were cut. The cutting edges were all flattened out or worn off.

Need not put in end: 05

A-22

PAGE (1) : 128.5 - 152.0 : QUARTZ-SERICITE CHLORITE SCHIST. ✓

REC FROM TO

PAGE (4) : 404.0 - 462.5 : 28.0 433.0 462.5 (NOT 2.8) ✓✓

: 507.0 - 508.0 : As in ODH. A-16 between footages 225.0 - 275.5 ✓✓

A-25 : 298.2 - 299.7 RECOVERY 1.5' ✓

318 - 322.7 " 35' ✓✓

A-26 : 220.8 - 222.8 - SAMPLE NO - 534 ✓

Not got this  
log yet

SBW Sept 2/66

Corrections done  
Sept. 2nd, 1966  
SBW.