

1975 DIAMOND DRILL HOLE RECORD

015973

<u>DDH No.</u>	<u>Co-Ordinates</u>		<u>Collar Elev.</u>	<u>Depth</u>	<u>Azimuth</u>	<u>Plunge</u>
	<u>North</u>	<u>East</u>				
75-1	9,431.08	14,148.99	3832.3	299	-	-90 ⁰
75-2	8,997.70	14,399.94	4025.5	0	319 ⁰ 29'	-60 ⁰
				689	-	-73 ⁰
75-3	9,214.48	14,972.56	4139.6	688	-	-76 ⁰
75-4	7,802.52	15,601.21	4018.4	482	-	-88 ⁰
75-5	9,495.10	14,907.13	4109.7	200	-	-87 ⁰
				400	-	-87 ⁰
				600	-	-87 ⁰
				651	-	-
75-6	9,285.33	14,516.64	4042.6	0	318 ⁰ 35'	-69 ⁰
				350	-	-73 ⁰
				700	-	-72 ⁰
				709	-	-
75-7	9,856.4	14,432.6	3906.0	392	-	-86 ⁰
75-8	9,993.70	14,199.57	3878.7	250	-	-88 ⁰
75-9	9,365.07	14,773.74	4063.7	350	-	-89 ⁰
				723	-	-
75-10	9,302.37	15,100.79	4141.0	837	-	-81 ⁰
				957	-	-
75-11	8,878.29	14,097.03	4000.1	125	322.5 ⁰	-89 ⁰
				625	53 ⁰	-86.5 ⁰
				1125	35 ⁰	-76 ⁰
				1745	102.5 ⁰	-68 ⁰
				2159	-	-
75-12	8,958.5	16,229.2	4244.3	350	-	-80 ⁰
				700	-	-77 ⁰

PAGE 1	PROPERTY	D.D. H.No.	COORDINATES		COLLAR ELEV.	H O L E DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS
			NORTH	E A S T						
Faro 8,600 N to 11,300 N and 12,000 E to 16,000 E Drawing No. FA 7120		65-1	10,401.9	12,800.7	4,304.1	353.5	9-5-65	9-15-65	214.8-219.0	
		65-2	10,040.8	12,397.0	4,282.5	425.0	9-16-65	9-23-65	No assay	
		65-3	11,200.0	13,600.0	4,284.0	214.0	9-24-65	9-28-65	No assay	
		65-4	10,400.0	13,600.0	4,280.4	544.0	9-28-65	10-29-65	292-490	
		65-5	9,999.8	13,600.0	4,232.0	154.0	10-29-65	11-7-65	No assay	
		65-5A	9,999.8	13,600.0	4,235.1	420.0	11-17-65	11-29-65	260-408	
		65-6	9,599.6	14,399.9	4,099.8	586.0	10-8-65	11-3-65	284-480	
		65-7	9,999.6	14,400.0	4,130.8	522.0	11-4-65	11-23-65	134-355	
		65-8	9,599.8	13,599.9	4,169.0	615.0	10-24-65	11-27-65	365-510	
		65-9	9,199.8	13,998.3	4,060.5	477.0	12-1-65	12-17-65	335-475	
		65-11	10,399.9	13,200.1	4,285.4	555.0	11-29-65	12-14-65	260-520	
		65-12	9,199.6	13,589.3	4,104.5	396.0	11-29-65	12-12-65	370-396	
		65-13	10,399.5	14,400.2	4,168.1	418.0	11-23-65	12-5-65	No assay	
		65-14	10,399.7	14,000.1	4,230.5	293.0	12-6-65	12-13-65	180-255	
		65-17	9,999.5	14,800.0	4,221.8	490.0	11-12-65	12-6-65	355-435	
		66-1	10,601.8	12,800.8	4,329.0	357.0	1-13-66	1-19-66	137-272	
		66-2	9,599.7	13,999.9	4,136.9	581.0	1-8-66	2-1-66	213-545	
		66-3	9,200.0	14,398.0	4,100.4	744	1-21-66	2-13-66	549-744	
		66-4	9,999.7	14,000.0	4,192.7	703.0	2-1-66	2-22-66	302-598	
		66-5	8,800.1	13,999.5	4,018.1	673	2-6-66	2-27-66	489.0-559.0	
	66-6	9,599.5	14,800.0	4,188.3	766	2-4-66	3-4-66	366-623		
	66-7	9,200.3	14,798.3	4,156.7	814	2-18-66	3-6-66	588-693		
	66-8	9,799.6	13,798.9	4,189.5	1,382	3-12-66	4-29-66	235-550		
	66-9	10,199.6	13,999.9	4,208.2	551	3-1-66	3-18-66	225-420		

PROPERTY	D.D.H.No.	COORDINATES		COLLAR ELEV.	HOLE DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS
		NORTH	EAST						
	66-10A	8,799.3	14,799.5	4,121.4	849	3-6-66	3-18-66	590-779	
	66-11	9,199.3	15,199.7	4,191.5	757	3-7-66		551-601	
	66-12	9,999.9	13,200.0	4,247.9	409	3-14-66	3-19-66	280-400	
	66-13	10,201.9	12,800.6	4,288.0	529	3-17-66	3-28-66	No assay	
	66-14	10,199.6	13,799.9	4,244.3	576	3-21-66	3-30-66	225-480	
	66-15	10,199.9	13,400.1	4,256.9	463	3-20-66	4-11-66	240-455	
	66-16	10,200.0	13,200.0	4,268.3	350	3-21-66	4-2-66	240-350	
	66-17	10,801.7	12,800.8	4,359.9	414	3-29-66	4-2-66	No assay	
	66-18	10,199.7	14,199.9	4,180.5	486	3-31-66	4-13-66	112-240	
	66-19	10,601.9	12,600.5	4,341.9	364	4-4-66	4-12-66	70-200	
	66-20	10,199.9	13,000.0	4,280.8	377	4-4-66	4-18-66	240-377	
	66-21	10,799.9	13,200.4	4,338.0	306	4-14-66	4-18-66	80-181	
	66-22A	9,797.9	14,198.9	4,124.0	430.5	4-15-66	4-30-66	210-430.5	
	66-23	9,801.4	13,398.9	4,202.0	546	4-16-66	4-26-66	300-425	
	66-24	10,599.9	13,400.3	4,308.9	372	4-19-66	4-28-66	105-373	
	66-25	10,601.3	13,000.3	4,321.2	396	4-20-66	4-28-66	115-390	
	66-26	9,399.9	13,397.3	4,150.0	556	4-29-66	5-18-66	400-475	
	66-27	10,171.7	14,574.6	4,155.1	475	5-8-66	5-18-66	No assay	
	66-28	10,599.6	13,800.3	4,279.8	496	5-8-66	5-18-66	143-208	
	66-29	9,599.9	13,199.9	4,192.3	607	5-13-66	6-13-66	445-510	
	66-30	9,793.0	14,536.3	4,124.7	526	5-19-66	6-24-66	210-526	
	66-31	9,399.6	13,797.3	4,128.0	585	5-19-66	6-5-66	375-492	
	66-32	10,499.9	13,301.2	4,293.2	583	5-27-66	6-25-66	205-505	
	66-33	9,399.3	14,197.3	4,078.6	413.661	6-15-66	6-30-66	305-450	

PROPERTY	D.D.H.N.C.	COORDINATES		COLLAR ELEV.	HOLE DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS
		NORTH	EAST						
	66-34	9,803.0	12,998.9	4,233.9	511	6-17-66	6-30-66	No assay	
	66-35	10,095.8	14,099.6	4,178.8	486	6-26-66	7-8-66	125-415	
	66-36	10,799.8	13,600.4	4,321.4	486 ⁴⁵⁸	6-27-66	7-3-66	142-167	
	66-37	10,201.9	12,600.7	4,294.4	381	7-3-66	7-28-66	264-289	
	66-38	10,700.8	13,501.8	4,310.6	442	7-5-66	7-12-66	85-295	
	66-39	10,298.5	13,900.4	4,236.5	361 ⁴¹⁹	7-10-66	7-17-66	110-130; 190-380	
	66-40	10,395.2	12,405.7	4,304.3	357	7-11-66	7-15-66	219-244	
	66-41	10,496.5	13,702.0	4,280.3	477	7-15-66	7-21-66	200-360	
	66-42	10,600.2	12,200.2	4,345.1	304	7-17-66	7-22-66	No assay	
	66-43	8,995.1	13,791.9	4,034.4	419	7-19-66	8-6-66	No assay	
	66-44	10,502.1	13,100.9	4,298.6	600	7-23-66	8-1-66	195-485	
	66-45	10,698.6	12,499.1	4,360.7	254	7-23-66	7-26-66	26.5-108	
	66-46	9,398.9	14,599.9	4,161.0	800	7-30-66	8-14-66	440-765	
	66-47	9,599.8	15,199.8	4,217.1	700	7-8-66	7-16-66	240-250; 540-620	
	66-48	10,496.8	12,504.4	4,331.4	305	8-17-66	9-9-66	115-150	
	66-49	8,799.3	14,399.5	4,059.5	750	7-19-66	7-29-66	555-690	
	66-51	10,704.0	12,696.9	4,358.9	275	8-24-66	8-29-66	185-250	
	66-52	8,996.9	14,199.0	4,038.8	725	9-1-66	9-13-66	500-630	
	66-53	10,098.6	14,501.9	4,140.8	354	9-16-66	9-24-66	185-255	
	66-54	9,300.0	13,297.0	4,136.0	1,305	10-2-66	11-1-66	410-450	
	66-55	9,028.0	13,757.0	4,047.0	602	11-4-66	11-19-66	No assay	
	66-56	9,669.4	12,501.4	4,233.0	999	11-20-66	12-4-66	No assay	
	66-57	9,919.0	14,690.0	4,207.8	613	11-20-66	12-12-66	290-315; 355-475	
	67-9	8,740.0	15,199.0	4,186.0	800	3-11-67	3-26-67	655-725	

LARGE FARO NORTH

PROPERTY	D.D. H. No.	COORDINATES		COLLAR ELEV.	HOLE DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS
		NORTH	EAST						
	67-34	10,700.0	12,900.0	4,339.5	604	9-15-66	10-4-66	367.5-441.6; 470-495;	
								565-590; 508-553	
	70-1	10,483.3	13,507.7	4,175	393			169-360	
	70-2	10,198.0	13,600.7	4,203.5	468			121-127; 192-448	
	70-3	10,284.0	13,696.6	4,207.0	428			128-137.5; 225-428	
	70-4	10,101.9	13,700.2	4,204.0	487			136-149; 169-482	
	70-5	10,400.2	13,382.7	4,100.5	327			14-317	
	70-6	10,098.8	13,300.0	4,096.5	328			127-316	
	70-7	10,001.9	13,379.8	4,099.7	198.5			159-198.5	
	70-8	10,389.1	13,797.4	4,264.0	406			218-363	
	70-9	9,991.5	13,781.0	4,202.0	554			210-524	
	70-10	10,596.8	13,653.5	4,259.0	325			143-185; 262-279	
	70-11	10,097.3	13,894.7	4,232.0	562			238-545	
	70-14	9,992.6	13,457.3	4,138.0	513			184-315; 322.5-331;	
								376-386; 415-416.5	
	70-15	9,777.6	13,611.4	4,172.0	237			No assay	Stuck rods; redrilled as
									72-3
	70-16	10,304.2	13,498.6	4,143.0	408			94-397	
	70-17	8,596.0	14,209.3	4,019.0	703			527-562	
	71-2	8,600.0	13,793.0	4,005.0	603			532-573	
	71-211							No assay	
	72-1	9,803.3	13,229.2	3,933.1	170			75-133	
	72-2	9,617.4	13,396.6	3,952.6	288			222.5-276.3	
	72-3	9,798.3	13,592.7	3,953.5	275			13-237	

PAGE 1	PROPERTY	D.D.H.No.	COORDINATES		COLLAR ELEV.	HOLE DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS
			NORTH	EAST						
Faro		65-9	9,199.8	13,998.3	4,060.5	477	12-1-65	12-17-65	335-475	
6,700 N		65-12	9,199.6	13,589.3	4,104.5	396	11-29-65	12-12-65	370-396	
to		65-55	7,035.3	15,525.7	4,009.4	233	11-23-65	11-30-65	No assay	
9,400 N		66-3	9,200.0	14,398.0	4,100.4	744	1-21-66	2-13-66	549-744	
and		66-5	8,800.1	13,999.5	4,018.1	673	2-6-66	2-27-66	489-559	
13,000 E		66-7	9,200.3	14,798.3	4,156.7	814	2-18-66	3-6-66	588-693	
to		66-10A	8,799.3	14,799.5	4,121.4	849	3-6-66	3-18-66	590-779	
17,000 E		66-11	9,199.3	15,199.7	4,191.5	757	3-7-66		551-601	
		66-26	9,399.9	13,397.3	4,150.0	556	4-29-66	5-18-66	400-475	
		66-31	9,399.6	13,797.3	4,128.0	585	5-19-66	6-5-66	375-492	
		66-33	9,399.3	14,197.3	4,078.6	413	6-15-66	6-30-66	305-450	
		66-43	8,995.1	13,791.9	4,034.4	419	7-19-66	8-6-66	No assay	
Drawing		66-46	9,398.9	14,599.9	4,161.0	800	7-30-66	8-14-66	440-765	
No.		66-49	8,799.3	14,399.5	4,059.5	750	7-19-66	7-29-66	555-690	
FA 7201		66-52	8,996.9	14,199.0	4,038.8	725	9-1-66	9-13-66	500-630	
		66-54	9,300.0	13,297.0	4,136.0	1305	10-2-66	11-1-66	410-450	
		66-55	9,028.0	13,757.0	4,047.0	602	11-4-66	11-19-66	No assay	
		66-E1	7,541.5	15,604.0	4,012	452	10-4-66	10-7-66	150-205	
		66-E2	7,389.8	15,825.1	4,009	423	10-9-66	10-19-66	No assay	
		66-E3	7,616.0	15,908.0	4,016.0	200	10-2-66	10-27-66	No assay	
		66-E4	7,352.0	15,416.0	4,023.0	450	10-30-66	11-4-66	125-255	
		66-E5	7,536.0	15,206.0	4,014.0	346	11-7-66	11-21-66	240-345	
		66-E6	7,736.0	15,399.8	4,008.8	500	11-24-66	12-5-66	200-305	
		66-E7	7,131.0	15,217.0	4,018.0	504	12-7-66	12-14-66	220-225	

PROPERTY	D.D.H.No	COORDINATES		COLLAR ELEV.	HOLE DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS
		NORTH	EAST						
	66-E8	7,141.0	15,619.0	4,012.0	372.5	12-15-66	12-20-66	No assay	
	66-E9	7,943.0	15,592.0	4,037	546.5	12-22-66	1-5-67	230-450	
	67-1	7,745.0	15,805.0	4,013	351	1-8-67	1-15-67	66-68	
	67-2	8,171.5	15,753.0	4,122	608	1-19-67	1-28-67	429-449	
	67-3	8,177.1	14,934.9	4,039.0	999	2-1-67	2-18-67	439-634	
	67-4	8,162.6	15,361.3	4,081.0	742	2-3-67	2-17-67	414-654	
	67-5	7,942.0	15,176.6	4,028.0	567	2-20-67	2-28-67	305-325; 360-495	
	67-6	8,566.2	15,016.0	4,135.0	853	2-21-67	3-4-67	480-525; 583-788	
	67-7	7,743.1	15,007.0	4,005.0	551	3-3-67	3-8-67	361-381	
	67-8	8,342.2	15,602.2	4,164	806	3-6-67	3-23-67	88-300	
	67-9	8,740.0	15,199.0	4,186.0	800	3-11-67	3-26-67	655-725	
	67-10	8,340.0	15,203.0	4,103.0	741	3-15-67	4-4-67	404-639	
	67-11	8,343.0	14,808.0	4,057.0	723	3-28-67	4-6-67	487-640	
	67-12	8,538.0	14,602.0	4,061.0	1006	4-5-67	4-17-67	493-665	
	67-30	8,162.2	14,623.6	4,023.7	661	6-8-67	6-13-67	477-567	
	70-12	8,200.3	14,209.7	4,006.7	701			552-557	
	70-13	7,561.2	14,813.9	4,011.2	702			467-479; 528-535	
	70-17	8,596.0	14,209.3	4,019	703			527-562	
	71-1	8,118.0	13,975	3,967.2	700			614-630	
	71-2	8,600.0	13,793.0	4,005.0	603			532-573	
	71-3	8,397.0	13,997.0	3,992.6	645			583-638	
	71-4	7,983.0	14,402.0	3,992.6	570			504-548	
	71-5	7,721.0	14,596.0	4,001.5	567			517-557	
	71-210	7,424.1	16,201.3	4,012.6					

PAGE 1	SMALL FARO		COORDINATES		COLLAR ELEV.	HOLE DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS
	PROPERTY	D.D. H.No.	NORTH	EAST						
Faro 4,700 N to 7,400 N and 14,000 E to 17,900 E Drawing No. FX 72104		65-50	5,836.1	15,570.9	3,949.5	373	8/31/65	9/6/65	106-108	
		65-51	5,640.3	15,775.5	3,918.0	161	9/8/65	9/15/65	61-130.5	
		65-52	6,635.6	15,540.8	3,993.5	339	9/15/65	9/23/65	37-48.5	
		65-53	6,605.4	14,741.4	4,019.8	426	9/24/65	10/3/65	No assay	
		65-54	5,606.1	14,779.0	3,960.0	237	10/30/65	11/12/65	No assay	
		65-56	4,806.2	14,809.2	3,844.4	500	10/31/65	11/23/65	No assay	
		65-57	6,221.1	15,156.4	3,991.4	283	9/27/65	10/10/65	75-133.5	
		65-58	5,663.2	16,378.0	3,913.0	270	10/3/65	10/11/65	64-198	
		65-59	5,648.1	15,978.3	3,914.9	296	10/11/65	10/19/65	70-140	
		65-60	5,236.5	15,593.5	3,878.6	317	10/12/65	10/23/65	105-145; 220-265	
		65-61	5,266.6	16,392.9	3,871.9	270	10/23/65	11/29/65	83-140	
		65-62	5,617.9	15,178.9	3,945.7	296	10/19/65	10/30/65	183-250	
		66-63A	5,701.1	16,782.0	3,937.5	350	5/2/66	5/17/66	No assay	
		67-13	5,940.0	15,621.0	3,949.0	201	4/7/67	4/13/67	63-103	
		67-14	6,353.2	16,020.9	3,958.5	611	4/16/67	4/23/67	No assay	
		67-15	5,148.1	15,622.2	3,867.0	574	4/28/67	5/5/67	82-100	
		67-16	5,748.1	15,817.1	3,925.7	203	5/8/67	5/10/67	80-135	
		67-17	5,745.2	15,422.4	3,944.1	200	5/12/67	5/16/67	120-200	
		67-18	5,944.6	16,023.0	3,927.0	202	5/13/67	5/15/67	45-155	
		67-19	6,144.7	16,223.7	3,944.2	200	5/17/67	5/19/67	No assay	
		67-20	5,545.9	15,221.5	3,927.7	201	5/7/67	5/19/67	60-85	
		67-21	5,546.1	15,620.8	3,914.3	200	5/21/67	5/23/67	70-165	
		67-22	6,145.5	15,822.2	3,931.7	201	5/21/67	5/23/67	28-100	
	67-23	5,347.3	15,421.9	3,899.5	201	5/24/67	5/25/67	170-190		

PROPERTY	D.D.H.No.	COORDINATES		COLLAR ELEV.	HOLE DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS
		NORTH	EAST						
	67-24	6,345.1	15,622.7	3,969.5	201	5/24/67	5/27/67	No assay	
	67-25	5,349.4	15,820.5	3,888.8	200	5/28/67	5/30/67	85-105	
	67-26	6,143.9	15,423.2	3,968.9	201	5/29/67	5/30/67	65-110	
	67-27	5,548.6	16,017.7	3,899.3	201	6/2/67	6/3/67	55-125	
	67-28	5,944.2	15,225.3	3,972.4	201	6/1/67	6/3/67	113-168	
	67-29	5,748.8	16,216.4	3,917.2	200	6/3/67	6/5/67	31-36; 65-70; 106-136	
	67-31	5,546.3	16,417.0	3,894.6	200	6/7/67	6/11/67	57-67; 80-185	
	67-32	5,745.9	16,617.7	3,927.6	161	6/15/67	6/18/67	No assay	
	67-33	6,350.0	15,224.0	3,990.0	144	6/20/67	6/24/67	38-53	
	71-210								
	71-217								
	72-14	6,185.4	14,638.1	4,006.7	350			No assay	
	73-4	6,166.5	15,224.1	3,983.3	158			83-138	
	73-5	5,958.5	15,033.2	3,980.4	201			No assay	
	73-6	5,965.2	15,417.7	3,958.1	172			120-150	
	73-7	5,763.4	15,626.0	3,930.8	168			46-76	
	73-8	5,569.5	15,448.6	3,914.1	158			145-158	
	73-9	5,619.8	15,844.0	3,903.9	151			79-139	
	73-10	5,791.3	16,034.9	3,914.4	135			90-110	
	73-11	5,611.6	16,194.8	3,894.1	119			90-119	
	73-12	5,392.1	16,065.9	3,872.1	151			60-145	
	73-13	5,422.1	16,250.6	3,865.1	149			63-133	
	73-14	5,227.8	16,266.5	3,843.2	118			No assay	
	73-15	5,220.9	16,071.4	3,854.7	133			70-73	

D R I L L H O L E R E C O R D S

PROPERTY	D.D.H.No.	COORDINATES		COLLAR ELEV.	HOLE DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS	
		NORTH	EAST							
FARC ZONE NO.1	FARC 46	65-1	10,401.9	12,800.6	4,304.1	353.5	9-5-65	9-15-65	214.8 - 219.0	
	FARC 44	65-2	10,040.8	12,397.0	4,282.5	425.0	9-16-65	9-23-65	No Assay	
	FARC 133	65-3	11,200.0	13,600.0	4,284.0	214.0	9-24-65	9-28-65	No Assay	
	FARC 44	65-4	10,400.0	13,600.0	4,280.4	544.0	9-28-65	10-29-65	292 - 490	
	FARC 44	65-5	9,999.8	13,600.0	4,232.0	154.0	10-29-65	11-7-65	No Assay	
	FARC 44	65-5A	9,999.8	13,600.0	4,235.1	420.0	11-17-65	11-29-65	260 - 408	
	FARC 44	65-6	9,599.6	14,399.9	4,099.8	586.0	10-8-65	11-3-65	284 - 480	
	FARC 44	65-7	9,999.6	14,400.0	4,130.8	522.0	11-4-65	11-23-65	134 - 355	
	FARC 44	65-8	9,599.8	13,599.9	4,169.0	615.0	10-24-65	11-27-65	365 - 510	
	FARC 43	65-9	9,199.8	13,998.3	4,060.5	477.0	12-1-65	12-17-65	335 - 475	
	FARC 44	65-11	10,399.9	13,200.1	4,285.4	555.0	11-29-65	12-14-65	260 - 520	
	FARC 43	65-12	9,199.6	13,589.3	4,104.5	396.0	11-29-65	12-12-65	370 - 396	
	FARC 44	65-13	10,399.5	14,400.2	4,168.1	418.0	11-23-65	12-5-65	No Assay	
	FARC 44	65-14	10,399.7	14,000.1	4,230.5	293.0	12-6-65	12-13-65	180 - 255	
	FARC 42	65-17	9,999.5	14,800.0	4,221.8	490.0	11-12-65	12-6-65	355 - 435	
	FARC 46	66-1	10,601.8	12,800.8	4,329.0	357.0	1-13-66	1-19-66	137 - 272	
FARC 44	66-2	9,599.7	13,999.9	4,136.9	581.0	1-8-66	2-1-66	213 - 545		
FARC 44	66-4	9,999.7	14,000.0	4,192.72	703.0	2-1-66	2-22-66	302 - 598		
FARC 44	66-8	9,799.6	13,798.9	4,189.5	1382.0	3-12-66	4-29-66	235 - 550		
FARC 44	66-9	10,199.6	13,999.9	4,208.2	551.0	3-1-66	3-18-66	225 - 420		
FARC 44	66-12	9,999.9	13,200.0	4,247.9	409.0	3-14-66	3-19-66	280 - 400		
FARC 46	66-13	10,201.9	12,800.6	4,288.0	529.0	3-17-66	3-28-66	No Assay		
FARC 44	66-14	10,199.6	13,799.9	4,244.3	576.0	3-21-66	3-30-66	225 - 480		
FARC 44	66-15	10,199.9	13,400.1	4,256.9	463.0	3-20-66	4-11-66	240 - 455		
FARC 44	66-16	10,200.0	13,200.0	4,268.3	350.0	3-21-66	4-2-66	240 - 350		

	PROPERTY	D.D. H. No.	COORDINATES		COLLAR ELEV.	HOLE DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS
			NORTH	EAST						
FARO ZONE NO.1	FARO 46	66-17	10,801.7	12,800.8	4,359.9	414.0	3-29-66	4-2-66	No Assay	
	FARO 44	66-18	10,199.7	14,199.9	4,180.5	486.0	3-31-66	4-13-66	112 - 240	
	FARO 46	66-19	10,601.9	12,600.5	4,341.9	364.0	4-4-66	4-12-66	70 - 200	
	FARO 46	66-20	10,199.9	13,000.0	4,280.8	377.0	4-4-66	4-18-66	240 - 377	
	FARO 46	66-21	10,799.9	13,200.4	4,338.0	306.0	4-14-66	4-18-66	80 - 181	
	FARO 44	66-22 _A	9,797.9	14,198.9	4,124.0	430.5	4-15-66	4-30-66	210 - 430.5	
	FARO 43	66-23	9,801.4	13,398.9	4,202.0	546.0	4-16-66	4-26-66	300 - 425	
	FARO 44	66-24	10,599.9	13,400.3	4,308.9	372.0	4-19-66	4-28-66	105 - 373	
	FARO 46	66-25	10,601.3	13,000.3	4,321.2	396.0	4-20-66	4-28-66	115 - 390	
	FARO 43	66-26	9,399.9	13,397.3	4,150.0	556.0	4-29-66	5-18-66	400 - 475	
	FARO 42	66-27	10,171.7	14,574.6	4,155.1	475.0	5-8-66	5-18-66	No Assay	
	FARO 44	66-28	10,599.6	13,800.3	4,279.8	496.0	5-8-66	5-18-66	143 - 208	
	FARO 43	66-29	9,599.9	13,199.9	4,192.3	407.0	5-13-66	6-13-66	445 - 510	
	FARO 42	66-30	9,793.0	14,536.3	4,124.7	526.0	5-19-66	6-24-66	210 - 526	
	FARO 43	66-31	9,399.6	13,797.3	4,128.0	585.0	5-19-66	6-5-66	375 - 492	
	FARO 44	66-32	10,499.9	13,301.2	4,293.2	583.0	5-27-66	6-25-66	205 - 505	
	FARO 44	66-33	9,399.3	14,197.3	4,078.6	413.0	6-15-66	6-30-66	305 - 450	
	FARO 44	66-34	9,803.0	12,998.9	4,233.9	511.0	6-17-66	6-30-66	No Assay	
	FARO 44	66-35	10,095.8	14,099.6	4,178.8	486.0	6-26-66	7-8-66	125 - 415	
	FARO 44	66-36	10,799.8	13,600.4	4,321.4	486.0	6-27-66	7-3-66	142 - 167	
	FARO 46	66-37	10,201.9	12,600.7	4,294.4	381.0	7-3-66	7-28-66	264 - 289	
FARO 44	66-38	10,700.8	13,501.8	4,310.6	442.0	7-5-66	7-12-66	85 - 295		
FARO 44	66-39	10,298.5	13,900.4	4,236.5	361.0	7-10-66	7-17-66	110-130; 190-380		
FARO 46	66-40	10,395.2	12,405.7	4,304.3	357.0	7-11-66	7-15-66	219 - 244		
FARO 44	66-41	10,496.5	13,702.0	4,280.3	477.0	7-15-66	7-21-66	200 - 360		

PROPERTY	D.D. H.No.	COORDINATES		COLLAR ELEV.	HOLE DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS	
		NORTH	EAST							
FARO ZONE NO.2	FARO 54	65-50	5,836.1	15,570.9	3,949.5	373	8/31/65	9/6/65	106 - 108	
	FARO 55	65-51	5,640.3	15,775.5	3,918.0	161	9/8/65	9/15/65	61 - 130.5	
	FARO 54	65-52	6,635.6	15,540.8	3,993.5	339	9/15/65	9/23/65	37 - 48.5	
	FARO 54	65-53	6,605.4	14,741.4	4,019.8	426	9/24/65	10/3/65	No Assay	
	FARO 56	65-54	5,606.1	14,779.0	3,960.0	237	10/30/65	11/12/65	No Assay	
	FARO 56	65-56	4,806.2	14,809.2	3,844.4	500	10/31/65	11/23/65	No Assay	
	FARO 54	65-57	6,221.1	15,156.4	3,991.4	283	9/27/65	10/10/65	75 - 133.5	
	FARO 53	65-58	5,663.2	16,378.0	3,913.0	270	10/3/65	10/11/65	64 - 198	
	FARO 55	65-59	5,648.1	15,978.3	3,914.9	296	10/11/65	10/19/65	70 - 140	
	FARO 56	65-60	5,236.5	15,593.5	3,878.6	317	10/12/65	10/23/65	105-145; 220-265	
	FARO 55	65-61	5,266.6	16,392.9	3,871.9	270	10/23/65	11/29/65	83 - 140	
	FARO 56	65-62	5,617.9	15,178.9	3,945.7	296	10/19/65	10/30/65	183 - 250	
	FARO 53	66-63A	5,701.1	16,782.0	3,937.5	350	5/2/66	5/17/66	No Assay	
	FARO 54	67-13	5,940.0	15,621.0	3,949.0	201	4/7/67	4/13/67	63 - 103	
	FARO 53	67-14	6,353.2	16,020.9	3,958.5	611	4/16/67	4/23/67	No Assay	
	FARO 55	67-15	5,148.1	15,622.2	3,867.0	574	4/28/67	5/5/67	82 - 100	
	FARO 53	67-16	5,748.1	15,817.1	3,925.7	203	5/8/67	5/10/67	80 - 135	
	FARO 56	67-17	5,745.2	15,422.4	3,944.1	200	5/12/67	5/16/67	120 - 200	
	FARO 53	67-18	5,944.6	16,023.0	3,994.4	202	5/13/67	5/15/67	45 - 155	
	FARO 53	67-19	6,144.7	16,223.7	3,944.2	200	5/17/67	5/19/67	No Assay	
	FARO 56	67-20	5,545.9	15,221.5	3,927.7	201	5/7/67	5/19/67	60 - 85	
	FARO 56	67-21	5,546.1	15,620.8	3,914.3	200	5/21/67	5/23/67	70 - 165	
	FARO 54	67-22	6,145.5	15,822.2	3,951.7	201	5/21/67	5/23/67	28 - 100	
	FARO 56	67-23	5,347.3	15,421.9	3,899.5	201	5/24/67	5/25/67	170 - 190	
	FARO 54	67-24	6,345.1	15,622.7	3,969.5	201	5/24/67	5/27/67	No Assay	

	PROPERTY	D.D. H. No.	COORDINATES		COLLAR ELEV.	HOLE DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS
			NORTH	EAST						
FARO ZONE NO. 3	FARO 54	65-55	7,035.3	15,525.7	4,009.4	233	11/23/65	11/30/65	No Assay	
	FARO 41	66-3	9,200.0	14,398.0	4,100.4	744	1/21/66	2/13/66	549 - 744	
	FARO 43	66-5	8,800.1	13,999.5	4,018.1	673	2/6/66	2/27/66	489.0 - 559.0	
	FARO 42	66-6	9,599.5	14,800.0	4,188.3	766	2/4/66	3/4/66	366 - 623	
	FARO 42	66-7	9,200.3	14,798.3	4,156.7	814	2/18/66	3/6/66	588 - 693	
	FARO 41	66-10A	8,799.3	14,799.5	4,121.4	849	3/6/66	3/18/66	590 - 779	
	FARO 42	66-11	9,199.3	15,199.7	4,191.5	757	3/7/66		551 - 601	
	FARO 42	66-46	9,398.9	14,599.9	4,161.0	800	7/30/66	8/14/66	440 - 765	
	FARO 42	66-47	9,599.8	15,199.8	4,217.1	700	7/8/66	7/16/66	240-250; 540-620	
	FARO 41	66-49	8,799.3	14,399.5	4,059.5	750	7/19/66	7/29/66	555 - 690	
	FARO 41	66-52	8,996.9	14,199.0	4,038.8	725	9/1/66	9/13/66	500 - 630	
	FARO 39	66-E1	7,541.5	15,604.0		452	10/4/66	10/7/66	150 - 205	
	FARO 39	66-E2	7,389.8	15,825.1		423	10/9/66	10/19/66	No Assay	
	FARO 39	66-E3	7,616.0	15,908.0	4,016.0	200	10/22/66	10/27/66	No Assay	
	FARO 54	66-E4	7,352.0	15,416.0	4,023.0	450	10/30/66	11/4/66	125 - 255	
	FARO 39	66-E5	7,536.0	15,206.0	4,014.0	346	11/7/66	11/21/66	240 - 345	
	FARO 39	66-E6	7,736.0	15,399.8	4,008.8	500	11/24/66	12/5/66	200 - 305	
	FARO 54	66-E7	7,131.0	15,217.0	4,018.0	504	12/7/66	12/14/66	220 - 225	
	FARO 54	66-E8	7,141.0	15,619.0	4,012.0	372	12/15/66	12/20/66	No Assay	
	FARO 39	66-E9	7,943.0	15,592.0	4,037.0	546	12/22/66	1/5/67	230 - 450	
	FARO 39	67-1	7,745.0	15,805.0	4,013.0	351	1/8/67	1/15/67	66 - 68	
	FARO 39	67-2	8,171.5	15,753.0		608	1/19/67	1/28/67	429 - 449	
	FARO 41	67-3	8,177.1	14,934.9	4,039.0	999	2/1/67	2/18/67	439 - 634	
	FARO 39	67-4	8,162.6	15,361.3	4,081.0	742	2/3/67	2/17/67	414 - 654	
FARO 41	67-5	7,942.0	15,176.6	4,028.0	567	2/20/67	2/28/67	305-325; 360-495		

D R I L L H O L E R E C O R D S

	PROPERTY	D.D.H.No.	COORDINATES		COLLAR ELEV.	HOLE DEPTH	STARTED	FINISHED	ASSAYED SECTION	REMARKS
			NORTH	EAST						
ADIT SURFACE	FARO 43	ADIT 1	8,154.9	12,922.6	3,967.8	60.0	9/25/66	9/28/66		Testing Alluvium.
	FARO 43	ADIT 2	8,258.9	12,928.4	3,978.2	70.0	9/28/66	9/30/66		Testing Alluvium.
ADIT UNDERGROUND	FARO 68	-1	8,160.0	12,963.0	3,915.0	27	11/11/66	11/16/66		To drain adit face.
	FARO 43	-2	8,284.0	12,943	3,915.0	37	11/28/66	11/30/66		To drain adit face.
	FARO 43	-3	8,295.0	12,944	3,915.0	60	12/1/66	12/3/66		To drain adit face.
	FARO 43	-4	8,298.0	12,944	3,915.0	47	12/4/66	12/5/66		To drain adit face.
	FARO 43	-5	8,285.0	12,925.0	3,915.0	59	12/6/66	12/7/66		Checking bedrock.
	FARO 43	-6	8,289.0	12,935.0	3,915.0	100	12/7/66	12/9/66		Checking bedrock.
	FARO 44	-9	9,933.0	13,028.0	3,924.5	73.0	8/17/67	8/19/67	0 - 43	
	FARO 44	-10	10,034.0	13,045.0	3,938.8	10.0	8/23/67	8/26/67	0 - 2	
	FARO 44	-11	10,034.0	13,045.0	3,925.0	63.0	8/30/67	8/23/67	0 - 35	
	FARO 44	-12	10,130.0	13,060.0	3,938.8	64.0	8/28/67	9/1/67	0 - 35	
	FARO 44	-13	10,130.0	13,060.0	3,925.5	50.0	8/27/67	8/28/67	0 - 10	
	FARO 44	-14	10,228.0	13,074.0	3,940.0	117.5	9/3/67	9/8/67	0 - 90	
	FARO 44	-15	10,228.0	13,026.0	3,926.6	87.0	9/2/67	9/3/67	0 - 68	
	FARO 44	-16	10,328.0	13,011.0	3,939.1	106.0	9/12/67	9/14/67	0 - 65	
	FARO 44	-17	10,328.0	13,011.0	3,927.2	128.5	9/8/67	9/11/67	0 - 108	
	FARO 44	-18	10,427.0	13,104.0	3,938.3	98	9/17/67	9/22/67	0 - 80	
	FARO 44	-19	10,427.0	13,104.0	3,926.5	138.0	9/14/67	9/17/67	0 - 85	
	FARO 44	-20	10,526.0	12,801.0	3,939.2	50.0	9/26/67	9/27/67	0 - 45	

