


Gold. June 18/82



016109

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

BEAR PASS

-35+60 IP TOT


CERT. # : A8210630-001-A
INVOICE # : I8210630
DATE : 23-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-T0092-35+60IP	205	130	1	100	410	0.4	0.1
81-T0093-35+60IP	205	134	4	146	460	0.8	0.6
81-T0094-35+60IP	205	86	4	80	310	0.4	0.1
81-T0095-35+60IP	205	48	1	52	230	0.1	0.1
81-T0096-35+60IP	205	108	1	138	380	0.4	0.1
81-T0097-35+60IP	205	182	1	164	360	0.4	0.1
81-T0098-35+60IP	205	162	1	196	530	0.8	0.1
81-T0099-35+60IP	205	122	1	80	370	0.4	0.1
81-T0100-35+60IP	205	110	4	240	520	1.0	14.2
81-T0232-35+60IP	205	370	58	72	1600	1.6	16.8
81-T0233-35+60IP	205	610	86	136	1940	4.2	14.2
81-T0235-35+60IP	205	420	70	84	1600	2.2	0.1
81-T0236-35+60IP	205	160	8	154	560	0.4	0.1
81-T0237-35+60IP	205	420	42	118	1020	2.6	6.6
81-T0238-35+60IP	205	460	66	76	1660	2.4	15.0
81-T0239-35+60IP	205	400	58	124	1360	2.6	9.6
81-T0240-35+60IP	205	470	68	100	1720	2.4	14.2
81-T0241-35+60IP	205	470	82	92	1900	2.2	15.4
81-T0242-35+60IP	205	567	53	333	1000	2.7	2.3
81-T0243-35+60IP	205	540	90	100	2000	2.4	18.6
81-T0244-35+60IP	205	430	62	84	1580	2.0	15.2
81-T0245-35+60IP	205	380	52	144	1840	1.6	12.6
81-T0401-35+60IP	205	680	10	190	640	1.4	1.0
81-T0402-35+60IP	205	125	8	133	513	0.8	0.1
81-T0403-35+60IP	205	120	4	140	490	0.4	0.1
81-T0404-35+60IP	205	175	5	133	463	0.1	0.1
81-T0405-35+60IP	205	175	5	288	425	0.5	0.1
81-T0406-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-T0407-35+60IP	205	400	34	250	620	1.0	0.1
81-T0408-35+60IP	205	40	1	34	120	0.4	0.1
81-T0409-35+60IP	205	229	1	343	500	0.9	0.1
81-T0410-35+60IP	205	30	1	8	90	0.1	0.1
81-T0411-35+60IP	205	160	6	92	220	0.4	0.1
81-T0412-35+60IP	205	24	1	26	210	0.4	0.1
81-T0413-35+60IP	205	20	7	9	84	0.1	0.1
81-T0414-35+60IP	205	370	40	250	1440	0.8	5.4
81-T0415-35+60IP	205	160	34	50	500	0.6	1.6
81-T0416-35+60IP	205	146	4	88	380	0.4	0.1
81-T0417-35+60IP	205	80	1	92	240	0.6	0.4
81-T0418-35+60IP	205	170	1	84	370	0.6	1.8



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210630-001-B
INVOICE # : I8210630
DATE : 23-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN


7 8 9 10

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-T0092-35+60IP	205	19.60	1380	94	7.2	--	--
81-T0093-35+60IP	205	16.10	1390	190	13.6	--	--
81-T0094-35+60IP	205	14.00	1270	77	8.8	--	--
81-T0095-35+60IP	205	11.00	1090	40	2.4	--	--
81-T0096-35+60IP	205	14.10	1010	100	6.4	--	--
81-T0097-35+60IP	205	23.00	1390	140	16.0	--	--
81-T0098-35+60IP	205	29.00	2100	240	27.0	--	--
81-T0099-35+60IP	205	20.80	1340	150	8.8	--	--
81-T0100-35+60IP	205	23.00	1360	340	30.0	--	--
81-T0232-35+60IP	205	32.60	1210	240	30.0	--	--
81-T0233-35+60IP	205	36.60	1150	530	112.0	--	--
81-T0235-35+60IP	205	35.00	1290	220	40.0	--	--
81-T0236-35+60IP	205	26.40	1640	600	22.0	--	--
81-T0237-35+60IP	205	28.40	1300	440	52.0	--	--
81-T0238-35+60IP	205	35.60	1190	300	38.0	--	--
81-T0239-35+60IP	205	31.80	1060	440	48.0	--	--
81-T0240-35+60IP	205	36.00	1330	340	50.0	--	--
81-T0241-35+60IP	205	37.40	1360	280	43.0	--	--
81-T0242-35+60IP	205	41.00	717	400	N.S.S.	--	--
81-T0243-35+60IP	205	41.00	1510	300	49.0	--	--
81-T0244-35+60IP	205	33.60	1350	230	34.0	--	--
81-T0245-35+60IP	205	40.00	1590	260	46.0	--	--
81-T0401-35+60IP	205	37.00	2660	920	54.0	--	--
81-T0402-35+60IP	205	21.30	1580	150	N.S.S.	--	--
81-T0403-35+60IP	205	27.00	1340	86	10.4	--	--
81-T0404-35+60IP	205	27.30	1330	88	10.4	--	--
81-T0405-35+60IP	205	37.00	750	143	N.S.S.	--	--
81-T0406-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81-T0407-35+60IP	205	38.40	2000	200	N.S.S.	--	--
81-T0408-35+60IP	205	6.60	620	92	13.6	--	--
81-T0409-35+60IP	205	31.40	1730	485	N.S.S.	--	--
81-T0410-35+60IP	205	3.00	890	30	2.4	--	--
81-T0411-35+60IP	205	24.20	1520	220	30.0	--	--
81-T0412-35+60IP	205	8.80	3060	46	4.0	--	--
81-T0413-35+60IP	205	3.10	825	31	N.S.S.	--	--
81-T0414-35+60IP	205	32.00	1960	260	22.0	--	--
81-T0415-35+60IP	205	36.00	640	134	8.0	--	--
81-T0416-35+60IP	205	16.10	1420	120	5.6	--	--
81-T0417-35+60IP	205	10.50	1190	140	8.0	--	--
81-T0418-35+60IP	205	8.50	826	28	3.2	--	--

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210630-002-A
INVOICE # : 18210630
DATE : 23-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-T0419-35+60IP	205	46	12	60	230	0.8	1.8
81-T0420-35+60IP	205	150	4	94	380	0.6	0.1
81-T0515-35+60IP	205	162	6	104	540	0.8	0.1
81-T0516-35+60IP	205	230	4	180	640	0.4	0.1
81-T0517-35+60IP	205	136	4	86	390	0.4	0.1
81-T0518-35+60IP	205	220	6	134	530	0.4	0.1
81-T0519-35+60IP	205	132	1	74	350	0.4	0.1
81-T0520-35+60IP	205	110	4	80	310	0.4	0.1
81-T0521-35+60IP	205	220	4	148	580	0.6	0.1
81-T0522-35+60IP	205	480	6	430	510	1.6	0.1
81-T0523-35+60IP	205	180	16	112	900	1.6	3.2
81-T0524-35+60IP	205	116	14	70	390	0.1	0.6
81-T0525-35+60IP	205	44	1	64	240	0.1	1.6
81-T0526-35+60IP	205	44	1	82	146	0.1	2.6
81-T0527-35+60IP	205	300	122	170	950	1.0	6.4
81-T0528-35+60IP	205	280	116	172	780	0.8	6.0
81-T0529-35+60IP	205	150	52	120	420	1.2	3.6
81-T0530-35+60IP	205	146	6	210	640	0.1	0.8
81-T0531-35+60IP	205	92	1	88	390	0.1	0.1
81-T0532-35+60IP	205	360	12	96	440	0.1	0.1
81-T0533-35+60IP	205	350	18	180	1120	0.1	3.4
81-T0534-35+60IP	205	270	4	420	740	0.1	0.6
81-T0535-35+60IP	205	200	1	136	820	0.1	1.0
81-T0536-35+60IP	205	170	1	80	440	0.1	0.1
81-T0537-35+60IP	205	90	1	66	260	0.1	0.1
81-T0538-35+60IP	205	180	1	90	460	0.1	0.1
81-T0539-35+60IP	205	104	4	80	440	0.1	0.1
81-T0540-35+60IP	205	40	1	46	180	0.1	0.1
81-T0541-35+60IP	205	290	1	220	540	0.1	0.1
81-T0543-35+60IP	205	156	4	90	580	0.1	0.1
81-T0544-35+60IP	205	470	48	116	3100	0.1	20.4
81-T0545-35+60IP	205	230	6	156	640	0.1	0.6
81-T0546-35+60IP	205	174	4	126	550	0.1	0.1
81-T0609-35+60IP	205	260	8	166	600	0.1	0.4
81-T0618-35+60IP	205	200	12	260	910	0.1	0.4
81-T0620-35+60IP	205	250	6	150	620	0.1	0.1
81-T0621-35+60IP	205	54	1	52	260	0.1	0.1
81-T0622-35+60IP	205	60	1	68	200	0.1	0.1
81-T0812-35+60IP	205	360	14	270	940	0.1	1.8
81-T0813-35+60IP	205	240	6	190	710	0.1	0.1



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210630-002-B
INVOICE # : 18210630
DATE : 23-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-T0419-35+60IP	205	16.40	1830	200	34.0	--	--
81-T0420-35+60IP	205	16.20	1570	80	6.4	--	--
81-T0515-35+60IP	205	26.00	2800	114	6.4	--	--
81-T0516-35+60IP	205	36.00	2000	92	7.2	--	--
81-T0517-35+60IP	205	20.00	1570	54	5.6	--	--
81-T0518-35+60IP	205	26.60	2600	114	8.0	--	--
81-T0519-35+60IP	205	17.20	1480	54	5.6	--	--
81-T0520-35+60IP	205	14.80	1180	40	4.8	--	--
81-T0521-35+60IP	205	33.60	2660	126	9.6	--	--
81-T0522-35+60IP	205	45.00	3200	260	N.S.S.	--	--
81-T0523-35+60IP	205	22.60	1440	330	22.0	--	--
81-T0524-35+60IP	205	18.40	840	80	8.8	--	--
81-T0525-35+60IP	205	6.80	1140	34	4.0	--	--
81-T0526-35+60IP	205	3.40	530	32	3.2	--	--
81-T0527-35+60IP	205	42.00	650	320	37.0	--	--
81-T0528-35+60IP	205	37.40	680	300	32.0	--	--
81-T0529-35+60IP	205	19.80	810	220	20.0	--	--
81-T0530-35+60IP	205	29.20	1860	440	11.2	--	--
81-T0531-35+60IP	205	16.00	4440	14	0.8	--	--
81-T0532-35+60IP	205	33.00	2900	160	7.2	--	--
81-T0533-35+60IP	205	14.00	3040	230	11.2	--	--
81-T0534-35+60IP	205	33.00	1830	620	16.8	--	--
81-T0535-35+60IP	205	34.00	2360	830	22.0	--	--
81-T0536-35+60IP	205	27.60	2020	640	22.0	--	--
81-T0537-35+60IP	205	10.20	1050	50	4.0	--	--
81-T0538-35+60IP	205	28.80	2000	780	25.0	--	--
81-T0539-35+60IP	205	20.00	2700	80	1.6	--	--
81-T0540-35+60IP	205	9.30	1220	10	0.4	--	--
81-T0541-35+60IP	205	32.40	2360	150	11.2	--	--
81-T0543-35+60IP	205	20.00	2360	70	30.0	--	--
81-T0544-35+60IP	205	34.00	1920	150	6.4	--	--
81-T0545-35+60IP	205	27.80	3440	120	4.8	--	--
81-T0546-35+60IP	205	25.00	5640	58	1.6	--	--
81-T0609-35+60IP	205	26.00	1640	400	10.4	--	--
81-T0618-35+60IP	205	29.60	1830	340	18.4	--	--
81-T0620-35+60IP	205	26.40	2840	160	7.2	--	--
81-T0621-35+60IP	205	9.70	1360	64	4.0	--	--
81-T0622-35+60IP	205	10.40	560	48	2.4	--	--
81-T0812-35+60IP	205	32.80	3300	420	26.0	--	--
81-T0813-35+60IP	205	29.20	2960	160	10.4	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210630-003-A
INVOICE # : I8210630
DATE : 23-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu opm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-T0814-35+60IP	205	88	1	46	260	0.1	0.1
81-T0815-35+60IP	205	80	1	56	270	0.1	0.1
81-T0816-35+60IP	205	96	1	58	270	0.1	0.1
81-T0817-35+60IP	205	110	1	80	370	0.1	0.1
81-T0818-35+60IP	205	52	1	40	240	0.1	0.1
81-T0819-35+60IP	205	92	1	72	330	0.1	0.1
81-T0820-35+60IP	205	100	1	60	270	0.1	0.1
81-T0821-35+60IP	205	32	1	34	138	0.1	0.1
81-T0822-35+60IP	205	146	1	100	490	0.1	0.1
81-T0823-35+60IP	205	32	1	38	150	0.1	0.1
81-T0824-35+60IP	205	36	1	50	180	0.1	0.1
81-T0825-35+60IP	205	30	1	36	156	0.1	0.4
81-T0826-35+60IP	205	116	1	50	230	0.1	0.1
81-T0827-35+60IP	205	140	1	92	310	0.1	0.1
81-T0828-35+60IP	205	118	1	64	290	0.1	0.1
81-T0829-35+60IP	205	98	1	54	330	0.1	0.1
81-T0830-35+60IP	205	140	1	98	430	0.1	0.1
81-T0831-35+60IP	205	64	1	50	240	0.1	0.1
81-T0832-35+60IP	205	180	1	120	390	0.1	0.1
81-T0833-35+60IP	205	108	1	70	260	0.1	0.1



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210630-003-B
INV. # : 18210630
DATE : 23-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-T0814-35+60IP	205	9.00	930	38	2.4	--	--
81-T0815-35+60IP	205	9.10	910	48	3.2	--	--
81-T0816-35+60IP	205	11.40	1110	60	2.4	--	--
81-T0817-35+60IP	205	10.90	1030	96	4.0	--	--
81-T0818-35+60IP	205	8.20	780	46	1.6	--	--
81-T0819-35+60IP	205	9.20	830	100	2.4	--	--
81-T0820-35+60IP	205	11.40	1220	40	2.4	--	--
81-T0821-35+60IP	205	5.60	740	32	2.4	--	--
81-T0822-35+60IP	205	24.20	2400	92	4.0	--	--
81-T0823-35+60IP	205	6.30	1130	40	3.2	--	--
81-T0824-35+60IP	205	8.20	1370	40	5.6	--	--
81-T0825-35+60IP	205	7.10	1450	44	3.2	--	--
81-T0826-35+60IP	205	10.20	1290	20	2.4	--	--
81-T0827-35+60IP	205	14.60	1600	60	2.4	--	--
81-T0828-35+60IP	205	12.50	1380	38	2.4	--	--
81-T0829-35+60IP	205	14.00	1160	60	1.6	--	--
81-T0830-35+60IP	205	18.80	2000	80	4.8	--	--
81-T0831-35+60IP	205	9.50	790	28	2.4	--	--
81-T0832-35+60IP	205	19.20	1190	175	12.8	--	--
81-T0833-35+60IP	205	11.90	1250	24	1.6	--	--



Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

BEAR PASS
- 60 HN TOT


CERT. # : A8210126-001-A
INVOICE # : I8210126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G. JILSON & CC: J. MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81T 0092 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0093 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0094 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0095 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0096 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0097 -60HN	0	480	2	190	500	0.8	1.2
81T 0098 -60HN	0	332	2	520	205	2.2	0.4
81T 0099 -60HN	0	390	2	120	250	2.4	0.2
81T 0100 -60HN	0	156	2	800	385	4.8	2.0
81T 0232 -60HN	0	860	18	42	7100	1.2	60.0
81T 0233 -60HN	0	284	14	44	325	7.0	2.4
81T 0235 -60HN	0	930	16	16	9000	1.6	76.0
81T 0236 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0237 -60HN	0	364	10	52	670	11.0	3.6
81T 0238 -60HN	0	820	10	6	5560	1.2	48.0
81T 0239 -60HN	0	570	8	134	1540	3.4	9.4
81T 0240 -60HN	0	660	10	56	3000	11.0	26.0
81T 0241 -60HN	0	1160	22	16	8700	3.0	76.0
81T 0242 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0243 -60HN	0	905	16	36	6000	1.4	56.0
81T 0244 -60HN	0	520	12	40	3300	1.4	28.0
81T 0245 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0401 -60HN	0	2300	2	940	184	4.4	1.4
81T 0402 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0403 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0404 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0405 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0406 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0407 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0408 -60HN	0	24	4	6	68	0.2	0.4
81T 0409 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0410 -60HN	0	82	2	4	82	0.2	0.2
81T 0411 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0412 -60HN	0	24	6	12	114	0.2	0.4
81T 0413 -60HN	0	160	370	4	60	0.2	0.2
81T 0414 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0415 -60HN	0	96	28	140	168	1.0	0.4
81T 0416 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0417 -60HN	0	30	4	66	48	0.2	0.2
81T 0418 -60HN	0	370	6	128	265	0.4	1.2



3 pages
100 samples
Certified by Hart Bichler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210126-001-E
INVOICE # : I8210126
DATE : 12-FEB-82
P.C. # : NONE
81 T


CC: G.JILSON & CC: J.MUSTARD

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81T 0092 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0093 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0094 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0095 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0096 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0097 -60HN	0	12.00	270	1200	N.S.S.	N.S.S.	2.4
81T 0098 -60HN	0	4.20	210	1220	49	N.S.S.	4.8
81T 0099 -60HN	0	4.40	160	260	N.S.S.	N.S.S.	1.6
81T 0100 -60HN	0	10.00	230	640	10	4	6.4
81T 0232 -60HN	0	22.00	80	160	1	4	3.2
81T 0233 -60HN	0	7.70	110	300	N.S.S.	N.S.S.	N.S.S.
81T 0235 -60HN	0	20.00	100	160	1	4	5.6
81T 0236 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0237 -60HN	0	15.10	140	3000	N.S.S.	N.S.S.	6.4
81T 0238 -60HN	0	12.70	50	160	90	4	2.4
81T 0239 -60HN	0	15.60	160	940	40	N.S.S.	5.6
81T 0240 -60HN	0	9.10	70	270	800	16	3.2
81T 0241 -60HN	0	19.20	140	340	N.S.S.	N.S.S.	1.6
81T 0242 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0243 -60HN	0	16.20	90	520	400	12	4.0
81T 0244 -60HN	0	5.80	120	200	160	4	4.0
81T 0245 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0401 -60HN	0	7.70	480	16400	700	10000	20.8
81T 0402 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0403 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0404 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0405 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0406 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0407 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0408 -60HN	0	2.00	620	46	160	8	0.8
81T 0409 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0410 -60HN	0	1.10	570	22	18	12	0.4
81T 0411 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0412 -60HN	0	1.20	730	22	70	40	0.4
81T 0413 -60HN	0	0.90	420	30	500	4	0.4
81T 0414 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0415 -60HN	0	3.00	400	260	N.S.S.	N.S.S.	0.4
81T 0416 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0417 -60HN	0	2.70	760	35	600	1520	18.4
81T 0418 -60HN	0	3.20	980	27	6	4	2.4



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *...Hart Bichler...*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210126-001-C
 INVOICE # : I8210126
 DATE : 12-FEB-82
 P.O. # : NONE
 81 T

CC: G. JILSON & CC: J. MUSTARD

Sample description	Prep code	Ba ppm	Au NAA ppb				
81T 0092 -60HN	0	N.S.S.	537	--	--	--	--
81T 0093 -60HN	0	N.S.S.	67	--	--	--	--
81T 0094 -60HN	0	N.S.S.	61	--	--	--	--
81T 0095 -60HN	0	N.S.S.	8300	--	--	--	--
81T 0096 -60HN	0	N.S.S.	20	--	--	--	--
81T 0097 -60HN	0	650	570	--	--	--	--
81T 0098 -60HN	0	400	220	--	--	--	--
81T 0099 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0100 -60HN	0	375	110	--	--	--	--
81T 0232 -60HN	0	70000	40	--	--	--	--
81T 0233 -60HN	0	N.S.S.	250	--	--	--	--
81T 0235 -60HN	0	75000	30	--	--	--	--
81T 0236 -60HN	0	N.S.S.	105	--	--	--	--
81T 0237 -60HN	0	55000	2100	--	--	--	--
81T 0238 -60HN	0	100000	40	--	--	--	--
81T 0239 -60HN	0	8500	2160	--	--	--	--
81T 0240 -60HN	0	37000	7640	--	--	--	--
81T 0241 -60HN	0	N.S.S.	120	--	--	--	--
81T 0242 -60HN	0	N.S.S.	24	--	--	--	--
81T 0243 -60HN	0	55000	>10000	--	--	--	--
81T 0244 -60HN	0	34000	3780	--	--	--	--
81T 0245 -60HN	0	N.S.S.	44	--	--	--	--
81T 0401 -60HN	0	400	3180	--	--	--	--
81T 0402 -60HN	0	N.S.S.	2920	--	--	--	--
81T 0403 -60HN	0	N.S.S.	10	--	--	--	--
81T 0404 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0405 -60HN	0	N.S.S.	<50	--	--	--	--
81T 0406 -60HN	0	N.S.S.	167	--	--	--	--
81T 0407 -60HN	0	N.S.S.	111	--	--	--	--
81T 0408 -60HN	0	350	120	--	--	--	--
81T 0409 -60HN	0	N.S.S.	<145	--	--	--	--
81T 0410 -60HN	0	250	<10	--	--	--	--
81T 0411 -60HN	0	N.S.S.	<11	--	--	--	--
81T 0412 -60HN	0	200	10	--	--	--	--
81T 0413 -60HN	0	250	<10	--	--	--	--
81T 0414 -60HN	0	N.S.S.	21	--	--	--	--
81T 0415 -60HN	0	600	20	--	--	--	--
81T 0416 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0417 -60HN	0	200	20	--	--	--	--
81T 0418 -60HN	0	200	60	--	--	--	--

Certified by *Hart Bichler*





• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210126-002-A
INVOICE # : I821C126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G. JILSON & CC: J. MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81T 0419 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0420 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0515 -60HN	0	284	2	36	144	1.0	0.4
81T 0516 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0517 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0518 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0519 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0520 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0521 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0522 -60HN	0	32	4	22	108	0.4	0.2
81T 0523 -60HN	0	18	6	14	70	0.2	0.2
81T 0524 -60HN	0	350	6	120	205	3.2	0.6
81T 0525 -60HN	0	8	6	30	96	0.2	0.2
81T 0526 -60HN	0	320	6	4400	950	1.2	6.0
81T 0527 -60HN	0	170	32	270	445	1.0	3.4
81T 0528 -60HN	0	244	14	800	565	0.8	4.0
81T 0529 -60HN	0	330	8	1200	520	2.0	2.8
81T 0530 -60HN	0	156	4	200	195	0.6	0.4
81T 0531 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0532 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0533 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0534 -60HN	0	470	4	500	465	1.8	1.2
81T 0535 -60HN	0	390	2	172	230	1.6	0.2
81T 0536 -60HN	0	270	48	130	134	0.6	0.2
81T 0537 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0538 -60HN	0	275	2	370	118	1.8	0.2
81T 0539 -60HN	0	35	2	37	50	0.2	0.2
81T 0540 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0541 -60HN	0	440	2	100	82	0.4	0.4
81T 0543 -60HN	0	160	4	116	102	0.6	0.6
81T 0544 -60HN	0	215	2	55	110	0.2	0.5
81T 0545 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0546 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0609 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0618 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0620 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0621 -60HN	0	196	4	200	86	0.4	0.2
81T 0622 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0812 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0813 -60HN	0	95	2	60	195	0.2	0.2



Certified by *Hart/Sichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• EOCEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATION LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210126-002-B
INVOICE # : I8210126
DATE : 12-FEB-82
P.C. # : NONE
81 T

CC: G.JILSON & CC: J.MUSTARD

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81T 0419 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0420 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0515 -60HN	0	2.90	280	520	N.S.S.	N.S.S.	0.4
81T 0516 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0517 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0518 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0519 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0520 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0521 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0522 -60HN	0	4.00	290	10	1	4	0.8
81T 0523 -60HN	0	1.30	560	11	750	272	0.4
81T 0524 -60HN	0	3.30	1160	1020	2700	840	5.6
81T 0525 -60HN	0	1.70	960	23	800	1360	0.4
81T 0526 -60HN	0	1.40	430	180	200	224	0.8
81T 0527 -60HN	0	10.60	210	1820	4	12	11.2
81T 0528 -60HN	0	4.60	280	1360	160	540	4.8
81T 0529 -60HN	0	3.90	470	1260	N.S.S.	N.S.S.	7.2
81T 0530 -60HN	0	5.50	290	280	100	120	4.0
81T 0531 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0532 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0533 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0534 -60HN	0	4.00	190	1200	90	N.S.S.	4.0
81T 0535 -60HN	0	8.00	250	670	30	4	14.4
81T 0536 -60HN	0	3.00	370	260	N.S.S.	N.S.S.	N.S.S.
81T 0537 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0538 -60HN	0	5.00	180	2100	60	16	14.4
81T 0539 -60HN	0	1.90	525	48	N.S.S.	N.S.S.	N.S.S.
81T 0540 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0541 -60HN	0	3.10	140	32	70	4	0.8
81T 0543 -60HN	0	1.70	110	16	N.S.S.	N.S.S.	N.S.S.
81T 0544 -60HN	0	2.75	275	25	N.S.S.	N.S.S.	N.S.S.
81T 0545 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0546 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0609 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0618 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0620 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0621 -60HN	0	3.20	660	200	N.S.S.	N.S.S.	0.8
81T 0622 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0812 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0813 -60HN	0	6.50	550	190	N.S.S.	N.S.S.	N.S.S.



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210126-002-C
 INVOICE # : I8210126
 DATE : 12-FEB-82
 P.O. # : NONE
 81 T

CC: G.JILSON & CC: J.MUSTARD

Sample description	Prep code	Ba ppm	Au NAA ppb				
81T 0419 -60HN	0	N.S.S.	950	--	--	--	--
81T 0420 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0515 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0516 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0517 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0518 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0519 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0520 -60HN	0	N.S.S.	1200	--	--	--	--
81T 0521 -60HN	0	N.S.S.	38	--	--	--	--
81T 0522 -60HN	0	900	<10	--	--	--	--
81T 0523 -60HN	0	200	10	--	--	--	--
81T 0524 -60HN	0	200	30	--	--	--	--
81T 0525 -60HN	0	250	20	--	--	--	--
81T 0526 -60HN	0	1500	20	--	--	--	--
81T 0527 -60HN	0	1100	<10	--	--	--	--
81T 0528 -60HN	0	2200	20	--	--	--	--
81T 0529 -60HN	0	N.S.S.	110	--	--	--	--
81T 0530 -60HN	0	1100	10	--	--	--	--
81T 0531 -60HN	0	N.S.S.	4500	--	--	--	--
81T 0532 -60HN	0	N.S.S.	<500	--	--	--	--
81T 0533 -60HN	0	N.S.S.	133	--	--	--	--
81T 0534 -60HN	0	900	180	--	--	--	--
81T 0535 -60HN	0	350	50	--	--	--	--
81T 0536 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0537 -60HN	0	N.S.S.	<40	--	--	--	--
81T 0538 -60HN	0	300	610	--	--	--	--
81T 0539 -60HN	0	N.S.S.	8940	--	--	--	--
81T 0540 -60HN	0	N.S.S.	22	--	--	--	--
81T 0541 -60HN	0	500	10	--	--	--	--
81T 0543 -60HN	0	N.S.S.	30	--	--	--	--
81T 0544 -60HN	0	N.S.S.	<10	--	--	--	--
81T 0545 -60HN	0	N.S.S.	16	--	--	--	--
81T 0546 -60HN	0	N.S.S.	3818	--	--	--	--
81T 0609 -60HN	0	N.S.S.	3321	--	--	--	--
81T 0618 -60HN	0	N.S.S.	6500	--	--	--	--
81T 0620 -60HN	0	N.S.S.	36	--	--	--	--
81T 0621 -60HN	0	N.S.S.	40	--	--	--	--
81T 0622 -60HN	0	N.S.S.	14	--	--	--	--
81T 0812 -60HN	0	N.S.S.	31	--	--	--	--
81T 0813 -60HN	0	N.S.S.	950	--	--	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210126-003-A
INVOICE # : 18210126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G. JILSON & CC: J. MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81T 0814 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0815 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0816 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0817 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0818 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0819 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0820 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0821 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0822 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0823 -60HN	0	72	2	22	66	0.2	0.8
81T 0824 -60HN	0	28	2	160	104	0.2	0.2
81T 0825 -60HN	0	70	6	24	122	0.4	0.6
81T 0826 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0827 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0828 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0829 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0830 -60HN	0	24	2	36	60	0.4	0.4
81T 0831 -60HN	0	208	2	56	180	0.4	0.2
81T 0832 -60HN	0	155	2	92	109	1.0	0.2
81T 0833 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210126-003-B
INVOICE # : I8210126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G.JILSON & CC: J.MUSTARD

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81T 0814 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0815 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0816 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0817 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0818 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0819 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0820 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0821 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0822 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0823 -60HN	0	3.60	960	33	150	256	0.8
81T 0824 -60HN	0	3.60	1000	152	N.S.S.	N.S.S.	N.S.S.
81T 0825 -60HN	0	4.20	850	77	N.S.S.	N.S.S.	N.S.S.
81T 0826 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0827 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0828 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0829 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81T 0830 -60HN	0	2.10	360	11	N.S.S.	N.S.S.	1.2
81T 0831 -60HN	0	3.10	200	152	N.S.S.	N.S.S.	N.S.S.
81T 0832 -60HN	0	4.80	165	180	N.S.S.	N.S.S.	N.S.S.
81T 0833 -60HN	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	4.0



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210126-003-C
INVOICE # : I8210126
DATE : 12-FEB-82
P.O. # : NONE
81 T

CC: G.JILSON & CC: J.MUSTARD

Sample description	Prep code	Ba ppm	Au NAA pob				
81T 0814 -60HN	0	N.S.S.	7350	--	--	--	--
81T 0815 -60HN	0	N.S.S.	167	--	--	--	--
81T 0816 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0817 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0818 -60HN	0	N.S.S.	250	--	--	--	--
81T 0819 -60HN	0	N.S.S.	91	--	--	--	--
81T 0820 -60HN	0	N.S.S.	<250	--	--	--	--
81T 0821 -60HN	0	N.S.S.	1330	--	--	--	--
81T 0822 -60HN	0	N.S.S.	32	--	--	--	--
81T 0823 -60HN	0	200	10	--	--	--	--
81T 0824 -60HN	0	N.S.S.	130	--	--	--	--
81T 0825 -60HN	0	N.S.S.	4010	--	--	--	--
81T 0826 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0827 -60HN	0	N.S.S.	333	--	--	--	--
81T 0828 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0829 -60HN	0	N.S.S.	1286	--	--	--	--
81T 0830 -60HN	0	N.S.S.	>10000	--	--	--	--
81T 0831 -60HN	0	N.S.S.	5330	--	--	--	--
81T 0832 -60HN	0	N.S.S.	20	--	--	--	--
81T 0833 -60HN	0	N.S.S.	32	--	--	--	--



Certified by *Hart Bichler*