

```
*****
*
*   C Y P R U S   A N V I L   M I N I N G   C O R P O R A T I O N   *
*
*****
*
*           SYSTEM =   HVYMNL   *
*           PROGRAM =   EX101   *
*
*           MON, AUG 30, 1982,  3:39 PM   *
*
*****
*
*           LISTING OF HEAVY-MINERALS TEST DATA BY   *
*           PROJECT AND EXTRACTION CODE   *
*
*****
```

016113

EXTRACTION-CODE = -80C TOT (C002)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM
81T0001	120	C.6	29	146		57	3	1				40	2.0	50		
81T0002	150	C.6	27	136		45	3	1				39	2.0	45		
81T0003	180	1.0	51	188		65	5	1				50	3.0	80		
81T0004	230	1.0	49	192		67	5	1				55	2.0	75		
81T0005	250	1.0	45	178		62	4	1				48	2.0	75		
81T0006	790	C.6	34	112		32	2	1				34	2.0	45		
81T0007	780	C.5	27	109		28	1	1				28	2.0	45		
81T0008	1100	C.6	33	115		34	2	1				33	2.0	40		
81T0009	320	C.2	23	96		20	1	1				27	2.0	40		
81T0010	1200	C.4	14	47		11	1	1				28	2.0	15		
81T0011	800	C.4	29	91		20	1	1				24	2.0	45		
81T0012	1100	C.4	19	71		18	1	2				25	2.0	20		
81T0013	3200	C.3	13	50		11	1	2				20	2.0	20		
81T0014	2300	C.2	9	35		8	1	2				16	2.0	10		
81T0015	1800	C.4	18	54		12	1	1				25	2.0	20		
81T0016	1400	C.5	32	129		22	5	1				32	2.0	30		
81T0017	1300	C.3	16	60		13	1	1				18	2.0	20		
81T0018	870	C.2	14	70		10	1	1				21	2.0	25		
81T0019	1200	C.4	16	108		18	4	1				29	2.0	40		
81T0020	820	C.4	18	93		16	2	2				23	2.0	65		
81T0021	910	C.4	24	98		21	3	1				22	2.0	40		
81T0022	1200	C.4	17	79		16	2	1				20	2.0	30		
81T0023	1800	C.4	19	90		20	3	2				25	2.0	30		
81T0024	1100	C.3	14	59		9	1	1				15	2.0	30		
81T0025	1600	C.3	15	72		15	1	2				19	2.0	45		
81T0026	1400	C.4	20	115		23	3	1				19	2.0	75		
81T0027	2600	C.5	17	153		28	11	1				24	2.0	170		
81T0028	1700	C.5	16	170		19	3	1				19	2.0	55		
81T0029	160	C.9	76	249		58	13	2				52	5.0	50		
81T0030	200	C.6	90	185		27	4	1				31	3.0	25		
81T0031	220	C.4	50	144		29	3	2				17	2.0	50		
81T0032	270	C.6	772	199		35	7	1				33	5.0	50		
81T0033	230	C.6	63	227		51	11	1				48	4.0	30		
81T0034	260	C.2	24	103		25	6	1				20	2.0	30		
81T0035	190	C.5	39	170		51	7	1				41	3.0	40		
81T0036	230	C.8	58	219		67	11	1				48	2.0	30		
81T0037	330	C.4	27	108		28	2	1				17	2.0	30		
81T0038	210	C.3	31	113		20	3	1				16	2.0	35		
81T0039	320	C.6	33	181		64	14	1				47	2.0	35		
81T0040	270	C.3	29	133		23	4	1				21	2.0	45		
81T0041	290	C.6	40	187		54	9	1				40	2.0	30		
81T0042	230	C.2	22	97		19	2	1				18	2.0	60		
81T0043	290	6.0	43	180		52	8	1				38	2.0	40		
81T0044	800	C.4	22	106		25	3	1				23	2.0	60		
81T0045	340	C.6	39	157		44	6	1				31	2.0	50		
81T0046	300	C.4	22	121		38	4	1				22	3.0	50		
81T0047	300	C.3	20	181		21	4	1				18	2.0	55		
81T0048	290	C.5	38	163		41	6	1				35	2.0	40		
81T0049	690	C.2	19	78		16	2	1				21	2.0	20		
81T0050	550	C.6	33	149		38	7	1				33	2.0	40		

EXTRACTION-CODE = -80C TOT (0002)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM
81T0051	1400	C.5	25	126		22	5	1				32	2.0	30		
81T0052	580	0.2	20	77		17	1	1				20	2.0	45		
81T0053	530	0.2	19	83		15	2	1				16	2.0	60		
81T0054	5400	C.1	4	25		3	1	2				5	2.0	10		
81T0092	1100	C.3	21	68		18	1	1				14	2.0	50		
81T0093	760	C.2	29	75		14	1	1				20	2.0	20		
81T0094	1680	C.3	14	65		13	1	1				11	2.0	15		
81T0095	60	C.2	25	84		27	1	1				16	2.0	30		
81T0096	15	C.2	36	101		26	1	1				9	2.0	30		
81T0097	20	C.1	29	92		24	2	1				15	2.0	30		
81T0098	10	C.3	35	88		25	1	1				28	2.0	35		
81T0099	60	C.2	28	94		29	1	1				22	2.0	25		
81T0100	30	0.3	44	116		28	1	1				25	2.0	10		
81T0101	100	0.6	87	268		52	8	1				41	5.0	80		
81T0102	90	0.6	79	345		93	8	1				52	2.0	50		
81T0103	910	0.6	39	130		35	2	1				32	2.0	20		
81T0104	280	0.6	35	333		72	12	3				354	3.0	50		
81T0105	260	1.0	164	337		74	10	1				68	2.0	55		
81T0106	290	1.0	147	333		73	11	2				69	2.0	30		
81T0107	210	C.9	41	364		77	12	1				367	4.0	70		
81T0108	200	0.9	120	301		78	8	2				194	2.0	30		
81T0109	190	0.6	105	301		72	8	2				165	2.0	30		
81T0110	630	1.0	58	366		66	12	1				50	3.0	100		
81T0111	630	1.0	58	366		66	12	1				50	3.0	50		
81T0112	320	1.0	73	438		78	13	1				80	8.0	65		
81T0113	260	C.9	106	318		80	9	2				151	2.0	40		
81T0114	320	0.8	92	275		70	7	2				151	2.0	30		
81T0115	530	C.8	85	253		64	6	1				138	2.0	50		
81T0116	800	C.9	73	213		58	7	1				101	2.0	30		
81T0117	1100	1.0	49	339		54	3	1				85	2.0	65		
81T0118	940	0.9	48	308		55	3	1				78	2.0	70		
81T0119	1100	1.0	52	147		56	3	1				108	2.0	65		
81T0120	1000	C.8	73	148		35	1	2				49	2.0	50		
81T0121	1100	1.0	33	137		64	5	2				53	2.0	75		
81T0122	1600	1.0	17	122		64	5	1				23	2.0	75		
81T0123	400	0.6	21	122		47	3	1				18	2.0	70		
81T0124	350	0.2	20	86		20	2	1				15	2.0	40		
81T0125	430	C.3	23	87		25	1	1				13	2.0	45		
81T0126	860	C.8	56	201		58	5	1				109	2.0	30		
81T0127	460	C.4	35	143		31	4	1				40	2.0	50		
81T0128	1000	0.8	55	221		49	5	1				100	2.0	30		
81T0129	320	C.6	75	202		47	3	1				88	2.0	60		
81T0130	1100	0.8	65	213		49	4	1				107	2.0	40		
81T0131	840	C.6	52	206		45	4	1				92	2.0	45		
81T0132	880	C.8	57	215		52	4	1				96	2.0	40		
81T0133	1000	C.8	39	185		52	3	1				55	2.0	40		
81T0134	830	C.8	63	233		52	4	2				85	2.0	45		
81T0135	960	C.6	55	160		40	3	1				67	2.0	30		
81T0136	3200	C.2	8	30		6	1	3				14	2.0	20		
81T0137	1400	C.6	64	100		25	2	1				44	2.0	25		

EXTRACTION-CODE = -80C TOT (0002)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM
81T0138	1800	C.1	18	106		15	1	1				28	2.0	50		
81T0139	880	C.5	40	157		37	3	2				65	2.0	25		
81T0140	1000	C.6	41	165		35	3	1				62	2.0	30		
81T0141	350	C.1	17	101		15	1	1				18	2.0	50		
81T0142	160	C.1	13	137		13	2	3				18	3.0	45		
81T0143	850	C.5	33	237		35	3	2				46	2.0	75		
81T0144	1100	C.6	30	270		38	6	1				61	2.0	110		
81T0145	510	C.4	16	374		34	1	2				19	2.0	100		
81T0146	1200	C.6	28	205		39	6	1				54	2.0	90		
81T0147	1000	C.8	19	213		28	8	2				32	2.0	100		
81T0148	910	C.9	34	260		35	10	2				27	2.0	100		
81T0149	900	C.5	28	164		25	4	1				34	2.0	60		
81T0150	1100	C.6	20	214		29	7	1				41	2.0	90		
81T0151	950	C.8	21	224		32	7	1				31	2.0	130		
81T0152	1000	C.8	22	226		31	8	2				41	2.0	100		
81T0153	970	C.6	18	222		31	8	1				31	2.0	130		
81T0154	1000	C.8	17	210		30	8	1				29	2.0	100		
81T0201	300	C.5	16	227		50	16	1				21	3.0	90		
81T0202	290	C.5	16	234		52	17	1				23	3.0	60		
81T0203	300	C.5	20	220		49	14	1				26	3.0	70		
81T0204	250	C.5	19	202		47	16	1				22	3.0	60		
81T0205	250	C.5	18	211		47	15	1				23	4.0	90		
81T0206	250	C.5	15	207		45	15	1				22	3.0	60		
81T0207	200	1.0	21	270		87	14	1				39	9.0	65		
81T0208	230	C.8	19	315		69	15	1				32	7.0	50		
81T0209	260	C.9	23	253		74	12	1				41	8.0	60		
81T0210	280	C.5	16	215		45	14	1				24	2.0	65		
81T0211	350	C.4	16	206		49	14	1				25	3.0	80		
81T0212	270	C.4	17	203		47	14	1				24	3.0	65		
81T0213	300	C.5	20	220		49	14	1				26	3.0	90		
81T0214	170	C.2	36	148		51	2	1				27	2.0	65		
81T0215	60	C.1	30	93		23	2	1				21	2.0	20		
81T0216	60	C.4	18	207		47	14	1				24	3.0	65		
81T0217	330	C.4	18	214		46	14	1				24	4.0	80		
81T0218	300	C.9	21	180		58	8	1				63	2.0	30		
81T0219	580	C.6	30	189		52	10	1				43	2.0	45		
81T0220	460	C.1	38	111		39	2	1				41	2.0	30		
81T0221	520	C.8	23	196		64	10	1				57	3.0	55		
81T0222	220	C.4	18	200		46	14	1				25	4.0	65		
81T0223	110	C.5	20	210		53	11	1				31	4.0	60		
81T0224	100	C.8	22	254		62	17	1				32	5.0	75		
81T0225	120	C.6	17	215		56	12	1				35	2.0	60		
81T0226	550	C.5	16	220		46	14	1				25	2.0	70		
81T0227	470	C.5	17	224		48	14	1				23	3.0	80		
81T0228	190	C.5	15	219		47	15	1				23	3.0	30		
81T0228A	130	C.3	23	153		41	7	1				37	2.0	30		
81T0230	170	C.4	19	142		41	7	1				32	2.0	20		
81T0231	340	C.4	15	186		43	13	1				23	2.0	70		
81T0232	380	C.3	14	200		44	14	1				21	2.0	60		
81T0233	380	C.9	21	270		67	14	1				35	4.0	60		

EXTRACTION-CODE = -80C TCT (C002)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM
81T0234	320	0.6	20	268		55	10	1				25	3.0	55		
81T0235	300	0.5	17	201		47	15	1				21	2.0	90		
81T0237	440	0.8	25	188		60	9	1				55	2.0	25		
81T0238	170	0.4	18	209		46	14	1				24	3.0	55		
81T0239	290	0.5	21	205		53	11	1				30	2.0	55		
81T0240	250	0.5	18	191		44	14	1				24	3.0	65		
81T0241	1800	0.5	18	188		44	14	1				28	2.0	85		
81T0242	190	0.4	13	57		15	1	2				13	2.0	20		
81T0243	350	0.4	16	185		44	15	1				20	2.0	100		
81T0244	110	0.5	19	192		44	14	1				24	3.0	70		
81T0245	1140	0.4	14	135		28	5	1				19	2.0	60		
81T0301	260	0.8	12	337		47	17	1				20	6.0	85		
81T0302	120	0.5	29	208		37	3	2				15	2.0	60		
81T0303	130	0.6	16	318		47	16	1				19	6.0	80		
81T0304	120	1.2	21	388		60	23	1				22	4.0	65		
81T0305	140	0.9	24	325		56	17	1				20	5.0	50		
81T0306	150	0.5	63	159		38	6	1				40	2.0	60		
81T0307	140	0.4	36	195		43	7	1				19	2.0	50		
81T0308	70	0.1	25	81		9	2	1				20	2.0	30		
81T0309	70	0.3	67	125		28	3	1				27	2.0	30		
81T0310	120	1.3	20	271		68	17	1				24	5.0	65		
81T0311	110	0.4	18	147		30	8	1				14	2.0	50		
81T0312	310	1.2	17	246		66	16	2				22	4.0	55		
81T0313	300	1.2	20	254		65	17	1				22	4.0	65		
81T0314	40	0.3	34	102		32	3	1				16	2.0	15		
81T0315	40	0.8	32	204		46	10	1				22	3.0	40		
81T0316	40	0.3	47	116		23	4	1				23	2.0	15		
81T0317	250	1.2	22	252		65	17	1				24	5.0	60		
81T0318	70	0.1	25	81		9	2	1				20	2.0	30		
81T0319	70	0.3	67	125		28	3	1				27	2.0	30		
81T0320	40	0.3	69	130		32	3	1				27	2.0	40		
81T0321	210	1.2	25	257		65	17	1				24	4.0	60		
81T0322	350	0.1	6	94		3	11	1				370	6.0	55		
81T0323	240	1.2	22	255		68	17	1				24	4.0	60		
81T0324	320	1.0	39	210		27	10	2				41	2.0	60		
81T0325	70	0.3	61	165		24	3	1				32	2.0	30		
81T0326	230	1.2	24	251		64	17	1				22	3.0	45		
81T0327	40	0.2	42	113		21	2	1				11	2.0	30		
81T0328	30	0.3	54	123		37	3	1				20	2.0	30		
81T0329	80	0.3	46	118		36	3	1				13	2.0	40		
81T0330	200	1.2	22	258		67	17	1				25	5.0	55		
81T0331	50	0.3	30	150		22	5	1				13	2.0	60		
81T0332	210	1.8	23	243		63	16	1				24	5.0	50		
81T0333	70	0.3	38	171		35	5	1				15	2.0	50		
81T0334	180	1.2	23	253		64	17	2				24	5.0	55		
81T0335	40	0.3	46	158		28	2	2				17	2.0	30		
81T0336	210	1.0	24	230		58	16	1				22	2.0	45		
81T0337	230	1.0	21	244		62	3	1				24	3.0	55		
81T0338	120	0.3	49	168		59	17	1				9	2.0	60		
81T0339	50	0.4	26	125		30	4	1				18	2.0	45		

EXTRACTION-CODE = -80C TOT (0002)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM
81T0340	210	1.2	22	261		66	18	1				25	4.0	60		
81T0341	70	0.2	36	116		27	2	1				16	2.0	15		
81T0342	50	0.2	38	152		33	3	1				14	2.0	30		
81T0343	20	0.2	24	80		17	2	1				11	2.0	5		
81T0344	50	0.2	53	183		59	3	1				23	2.0	40		
81T0345	80	0.2	34	161		27	2	1				16	2.0	50		
81T0346	40	0.3	77	113		91	5	1				78	2.0	45		
81T0347	50	0.3	65	127		67	3	1				44	2.0	50		
81T0348	80	0.2	35	119		23	2	1				14	2.0	45		
81T0349	60	0.2	55	140		42	4	1				31	2.0	50		
81T0350	60	0.2	35	92		21	1	1				13	2.0	30		
81T0351	60	0.1	27	84		18	2	1				14	2.0	20		
81T0352	80	0.1	21	98		15	1	1				7	2.0	30		
81T0353	90	0.1	26	72		23	1	1				12	2.0	35		
81T0354	190	1.0	21	251		65	17	1				25	5.0	55		
81T0355	200	1.2	23	245		64	17	1				24	5.0	40		
81T0356	160	1.2	26	249		63	17	1				23	5.0	30		
81T0357	170	1.0	25	244		61	16	1				22	4.0	60		
81T0358	120	0.5	36	176		47	8	1				15	2.0	25		
81T0359	110	1.0	24	244		60	16	1				23	4.0	45		
81T0360	100	1.0	24	238		58	15	1				21	2.0	50		
81T0361	100	1.0	32	242		59	16	1				23	3.0	50		
81T0362	100	0.6	34	176		98	10	1				20	2.0	20		
81T0363	90	0.5	33	215		37	10	1				17	2.0	70		
81T0364	90	0.9	22	221		54	14	1				23	5.0	50		
81T0365	130	1.0	25	231		56	15	1				22	4.0	50		
81T0366	110	0.9	26	219		52	14	1				22	5.0	50		
81T0367	90	0.8	23	220		54	12	1				21	5.0	60		
81T0368	50	0.8	26	213		49	11	1				22	4.0	40		
81T0369	90	0.5	37	178		38	6	1				20	5.0	50		
81T0370	400	0.5	52	171		54	4	1				29	2.0	20		
81T0371	490	0.5	55	162		50	4	1				31	2.0	30		
81T0372	440	0.5	58	172		50	4	1				37	2.0	30		
81T0373	530	0.8	108	179		79	6	0				35	2.0	35		
81T0373A	350	0.6	67	227		73	6	1				53	3.0	45		
81T0374	250	0.4	20	201		46	5	2				13	2.0	90		
81T0375	380	0.6	35	194		55	8	1				26	4.0	40		
81T0376	870	0.6	48	150		47	5	1				18	2.0	35		
81T0377	870	0.9	39	152		55	5	1				19	2.0	70		
81T0401	80	0.4	46	121		96	2	2				153	4.0	50		
81T0402	190	0.2	26	92		20	1	1				14	2.0	40		
81T0403	210	0.2	17	87		19	1	1				8	2.0	40		
81T0404	50	0.1	28	77		19	1	1				7	2.0	30		
81T0405	920	0.1	12	65		11	1	1				5	2.0	25		
81T0406	520	0.1	13	69		12	1	1				6	2.0	50		
81T0407	120	0.1	18	89		15	1	1				5	2.0	45		
81T0408	770	0.2	17	46		11	1	2				17	2.0	20		
81T0409	110	0.1	17	80		13	1	1				8	2.0	40		
81T0410	1080	0.1	13	21		6	1	1				8	2.0	10		
81T0411	290	0.1	17	61		11	1	1				12	2.0	15		

EXTRACTION-CODE = -80C TOT (COO2)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM
81T0412	45	C.3	21	44		7	2	4				25	2.0	30		
81T0413	910	C.2	18	49		15	1	2				9	2.0	30		
81T0414	580	C.3	28	144		27	4	1				11	2.0	50		
81T0415	270	C.3	34	107		32	4	1				19	2.0	35		
81T0416	35	C.3	22	109		29	2	1				9	2.0	10		
81T0417	70	C.2	35	112		26	1	1				39	2.0	35		
81T0418	910	C.9	34	260		35	10	2				27	2.0	70		
81T0419	190	C.6	113	212		35	13	1				16	2.0	70		
81T0420	60	C.2	25	117		29	1	1				14	2.0	10		
81T0482	1040	C.1	31	149		12	1	2				22	2.0	15		
81T0483	2680	C.5	229	348		28	1	2				33	2.0	15		
81T0484	3650	C.2	48	119		17	1	1				10	2.0	10		
81T0485	350	C.1	36	112		28	1	2				7	2.0	55		
81T0486	2800	C.3	81	227		25	1	1				17	2.0	15		
81T0487	690	C.2	72	128		37	1	1				22	2.0	35		
81T0488	790	C.1	32	161		15	2	1				25	2.0	15		
81T0489	480	C.1	31	120		17	1	1				19	2.0	25		
81T0490	2800	C.2	20	50		10	1	2				10	2.0	10		
81T0491	3900	C.2	11	54		11	2	2				15	2.0	15		
81T0492	2300	C.1	23	55		10	1	1				10	2.0	10		
81T0493	1650	C.2	12	55		17	1	3				30	2.0	30		
81T0494	2200	C.2	9	48		12	3	2				21	2.0	10		
81T0495	4900	C.2	6	40		9	2	3				15	2.0	15		
81T0496	1920	C.2	12	43		29	1	2				11	2.0	15		
81T0497	2350	C.2	16	66		13	1	3				18	2.0	20		
81T0515	250	C.1	20	85		21	1	1				11	2.0	20		
81T0516	160	C.1	27	97		28	1	1				6	2.0	15		
81T0517	70	C.1	20	96		24	1	1				8	2.0	20		
81T0518	95	C.1	21	88		26	1	1				8	2.0	20		
81T0519	65	C.1	21	98		29	1	1				8	2.0	30		
81T0520	70	C.1	25	101		31	2	1				2	2.0	20		
81T0521	170	C.3	23	84		29	1	1				10	2.0	25		
81T0522	90	C.2	20	84		20	1	1				11	2.0	10		
81T0523	5800	C.1	10	27		9	1	2				6	2.0	20		
81T0524	340	C.3	20	154		27	2	20				24	2.0	10		
81T0525	95	C.1	37	124		14	1	2				13	2.0	20		
81T0526	1600	C.3	78	197		23	1	1				20	2.0	15		
81T0527	3900	C.2	12	58		12	2	3				16	2.0	15		
81T0528	2900	C.2	16	61		14	2	2				15	2.0	5		
81T0529	4300	C.2	11	47		11	1	2				11	2.0	15		
81T0530	95	C.1	27	71		17	1	1				22	2.0	20		
81T0531	95	C.1	19	90		26	2	1				5	2.0	20		
81T0532	100	C.1	15	86		17	1	1				3	2.0	20		
81T0533	90	C.2	18	142		28	2	1				10	2.0	55		
81T0534	55	C.2	44	107		22	2	1				41	2.0	30		
81T0535	110	C.3	33	104		30	1	1				87	2.0	80		
81T0536	40	C.2	26	93		31	1	1				90	2.0	15		
81T0537	1030	C.2	15	69		16	1	1				11	2.0	30		
81T0538	100	C.1	13	62		10	1	1				10	2.0	10		
81T0539	80	C.2	19	72		14	1	1				11	2.0	25		

EXTRACTION-CODE = -80C TOT (0002)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM
81T0540	90	C.1	17	91		24	1	1				6	2.0	10		
81T0541	20	C.1	27	67		23	1	1				9	2.0	30		
81T0543	110	C.3	21	182		32	4	1				7	2.0	40		
81T0544	25	C.2	18	85		16	1	1				3	2.0	10		
81T0545	80	C.1	21	98		25	1	1				4	2.0	40		
81T0546	190	C.1	19	84		23	1	1				5	2.0	20		
81T0608	60	C.4	85	204		177	2	1				120	2.0	40		
81T0609	310	C.4	22	100		29	1	1				27	2.0	15		
81T0610	390	C.6	64	169		40	2	1				114	3.0	40		
81T0611	180	C.4	28	122		25	2	1				25	2.0	20		
81T0612	200	C.3	32	196		30	3	1				21	2.0	40		
81T0613	160	C.4	43	269		40	5	1				24	2.0	70		
81T0614	540	C.4	32	114		24	2	1				28	2.0	10		
81T0615	180	C.2	34	132		21	1	1				14	2.0	30		
81T0616	460	C.4	40	140		29	2	1				30	2.0	30		
81T0617	670	C.4	34	124		28	1	1				25	2.0	30		
81T0618	400	C.4	35	130		27	1	1				28	2.0	20		
81T0619	420	C.3	35	137		30	1	1				27	2.0	40		
81T0620	60	C.2	20	101		22	1	1				17	2.0	5		
81T0621	310	C.3	24	102		23	1	2				20	2.0	35		
81T0622	40	C.1	20	102		22	1	1				14	2.0	10		
81T0623	40	C.1	20	102		22	1	1				14	2.0	10		
81T0812	340	C.3	30	148		36	6	1				26	2.0	40		
81T0813	80	C.2	25	142		31	4	1				13	2.0	75		
81T0814	30	C.1	24	118		30	1	1				13	2.0	10		
81T0815	80	C.2	32	125		44	1	1				14	2.0	35		
81T0816	90	C.1	27	104		36	1	1				12	2.0	15		
81T0817	100	C.2	36	159		41	1	1				34	2.0	30		
81T0818	120	C.2	43	154		40	1	1				34	2.0	30		
81T0819	60	C.2	58	218		61	1	1				49	3.0	30		
81T0820	40	C.1	32	112		40	1	1				12	2.0	5		
81T0821	85	C.1	28	97		17	1	1				23	2.0	10		
81T0822	300	C.2	22	89		21	1	1				11	2.0	10		
81T0823	110	C.2	28	106		18	1	1				29	2.0	45		
81T0824	150	C.2	32	135		23	1	1				26	2.0	30		
81T0825	50	C.2	28	84		13	1	1				34	2.0	20		
81T0826	100	C.1	21	85		27	1	1				7	2.0	10		
81T0827	50	C.1	30	101		34	1	1				10	2.0	30		
81T0828	90	C.1	17	74		16	1	1				7	2.0	10		
81T0829	70	C.1	22	89		28	1	1				12	2.0	50		
81T0830	45	C.2	24	92		24	1	1				10	2.0	15		
81T0831	50	C.9	19	91		23	1	1				7	2.0	40		
81T0832	260	C.2	21	80		26	1	1				18	2.0	40		
81T0833	90	C.2	23	101		32	1	1				6	2.0	30		

EXTRACTION-CODE = -80C TOT (C002)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM
# RECORDS *****																
# 'NSS' =	0	0	0	0	0	0	0	C	0	0	0	0	0	0	0	C
# '<X' =	0	0	0	0	0	0	0	0	C	0	0	0	0	0	0	0
# '>X' =	0	0	0	0	0	0	0	0	C	0	0	0	0	0	0	0
# 'NA' =	0	0	0	0	344	0	0	C	344	344	344	0	0	0	344	344
# 'OK' =	344	344	344	344	C	344	344	344	0	0	0	344	344	344	0	0

STATISTICS

N =	344	344	344	344	0	344	344	344	0	0	0	344	344	344	0	0
MINIMUM =	10	0.1	4	21	0.0	3	1	C	C	0.00	0	2	2.0	5	0	0.00
MAXIMUM =	5800	6.0	772	438	0.0	177	23	20	C	0.00	0	370	9.0	170	0	0.00
RANGE =	5790	5.8	768	417	0.0	174	22	20	C	0.00	0	368	7.0	165	0	0.00
MEAN =	558.63	0.488	35.052	157.93	0.000	37.215	5.552	1.235	0.000	0.000	0.000	32.706	2.453	42.776	0.000	0.000
STD. DEV. =	822.11	0.445	46.481	77.215	0.000	20.818	5.355	1.114	0.000	0.000	0.000	40.871	1.057	24.070	0.000	0.000
SKEWNESS =	3.220	5.853	11.990	0.700	0.000	1.299	1.012	14.036	0.000	0.000	0.000	5.339	2.905	1.058	0.000	0.000
KURTOSIS =	15.787	69.378	184.99	3.162	0.000	7.893	2.670	234.00	0.000	0.000	0.000	39.754	12.734	5.254	0.000	0.000

+++++ CUMULATIVE PROBABILITY (%) +++++											TOTAL SAMPLES= 344				
0 10 20 30 40 50 60 70 80 90 100															
***** FREQUENCY (%) *****															
CU PPM	0	5	10	15	20	25	30	35	40	45	50	N.	FREQ.	CUM. PROB.	
0	I*	+I	2	0.58%	99.41%
10	I*****	I	44	12.79%	86.62%
20	I*****	I	71	20.63%	65.98%
30	I*****	I	72	20.93%	45.05%
40	I*****	I	38	11.04%	34.01%
50	I*****	I	50	14.53%	19.47%
60	I*****	I	37	10.75%	8.72%
70	I*****	I	19	5.52%	3.19%
80	I**	I	5	1.45%	1.74%
90	I+*	I	3	0.87%	0.87%
100	+*	I	2	0.58%	0.29%
110	+	I	0	0.00%	0.29%
120	+	I	0	0.00%	0.29%
130	+	I	0	0.00%	0.29%
140	+	I	0	0.00%	0.29%
150	+	I	0	0.00%	0.29%
160	+	I	0	0.00%	0.29%
170	+	I	0	0.00%	0.29%
180	+*	I	1	0.29%	0.00%
190	+	I	0	0.00%	0.00%
200	+	I	0	0.00%	0.00%
210	+	I	0	0.00%	0.00%
220	+	I	0	0.00%	0.00%
230	+	I	0	0.00%	0.00%
240	+	I	0	0.00%	0.00%
250	+	I	0	0.00%	0.00%
260	+	I	0	0.00%	0.00%
270	+	I	0	0.00%	0.00%
280	+	I	0	0.00%	0.00%
290	+	I	0	0.00%	0.00%
300	+	I	0	0.00%	0.00%
310	+	I	0	0.00%	0.00%
320	+	I	0	0.00%	0.00%
330	+	I	0	0.00%	0.00%
340	+	I	0	0.00%	0.00%
350	+	I	0	0.00%	0.00%
360	+	I	0	0.00%	0.00%
370	+	I	0	0.00%	0.00%
380	+	I	0	0.00%	0.00%
390	+	I	0	0.00%	0.00%

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 344			
		0	10	20	30	40	50	60	70	80	90	100			

		FREQUENCY (%)													
PB		0	5	10	15	20	25	30	35	40	45	50	N.	FREQ.	CUM. PROB.
PPM	I	*****										I			
0	I*	1	0.29%	99.70%
10	I*****	31	9.01%	90.69%
20	I*****	144	41.86%	48.83%
30	I*****	73	21.22%	27.61%
40	I*****	31	9.01%	18.60%
50	I*****	21	6.10%	12.50%
60	I*****	15	4.36%	8.13%
70	I*****	9	2.61%	5.52%
80	I****	7	2.03%	3.48%
90	I***	3	0.87%	2.61%
100	I**	1	0.29%	2.32%
110	I*	3	0.87%	1.45%
120	I+	1	0.29%	1.16%
130	I+	1	0.00%	1.16%
140	I+	1	0.29%	0.87%
150	I+	1	0.29%	0.58%
160	I+	1	0.29%	0.58%
170	I+	1	0.00%	0.58%
180	I+	1	0.00%	0.58%
190	I+	0	0.00%	0.58%
200	I+	1	0.00%	0.58%
210	I+	0	0.00%	0.58%
220	I+	0	0.00%	0.58%
230	**	1	0.29%	0.29%
240	+	0	0.00%	0.29%
250	+	0	0.00%	0.29%
260	+	0	0.00%	0.29%
270	+	0	0.00%	0.29%
280	+	0	0.00%	0.29%
290	+	0	0.00%	0.29%
300	+	0	0.00%	0.29%
310	+	0	0.00%	0.29%
320	+	0	0.00%	0.29%
330	+	0	0.00%	0.29%
340	+	0	0.00%	0.29%
350	+	0	0.00%	0.29%
360	+	0	0.00%	0.29%
370	+	0	0.00%	0.29%
380	+	0	0.00%	0.29%
390	+	0	0.00%	0.29%

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 344			
		0	10	20	30	40	50	60	70	80	90	100			

		FREQUENCY (%)													
ZN	PPM	0	2	4	6	8	10	12	14	16	18	20	N.	FREQ.	CUM. PROB.
0	I	0	0.00%	100.00%
30	I	*****	8	2.32%	97.67%
60	I	*****	*****	33	9.59%	88.08%
90	I	*****	*****	*****	66	19.18%	68.89%
120	I	*****	*****	*****	*****	52	15.11%	53.77%
150	I	*****	*****	*****	*****	*****	41	11.91%	41.86%
180	I	*****	*****	*****	*****	*****	*****	32	9.30%	32.55%
210	I	*****	*****	*****	*****	*****	*****	*****	50	14.53%	18.02%
240	I	*****	*****	*****	*****	*****	*****	*****	*****	.	.	.	29	8.43%	9.59%
270	I	*****	*****	*****	*****	*****	*****	*****	*****	*****	.	.	13	3.77%	5.81%
300	I	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	.	4	1.16%	4.65%
330	I	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	9	2.61%	2.03%
360	I	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	5	1.45%	0.58%
390	+	1	0.29%	0.29%
420	+	0	0.00%	0.29%
450	+	1	0.29%	0.00%
480	+	0	0.00%	0.00%
510	+	0	0.00%	0.00%
540	+	0	0.00%	0.00%
570	+	0	0.00%	0.00%
600	+	0	0.00%	0.00%
630	+	0	0.00%	0.00%
660	+	0	0.00%	0.00%
690	+	0	0.00%	0.00%
720	+	0	0.00%	0.00%
750	+	0	0.00%	0.00%
780	+	0	0.00%	0.00%
810	+	0	0.00%	0.00%
840	+	0	0.00%	0.00%
870	+	0	0.00%	0.00%
900	+	0	0.00%	0.00%
930	+	0	0.00%	0.00%
960	+	0	0.00%	0.00%
990	+	0	0.00%	0.00%
1020	+	0	0.00%	0.00%
1050	+	0	0.00%	0.00%
1080	+	0	0.00%	0.00%
1110	+	0	0.00%	0.00%
1140	+	0	0.00%	0.00%
1170	+	0	0.00%	0.00%

+++++ CUMULATIVE PROBABILITY (%) +++++										TOTAL SAMPLES= 344				
	0	10	20	30	40	50	60	70	80	90	100			
	I	I			
	***** FREQUENCY (%) *****													
AG	0	5	10	15	20	25	30	35	40	45	50			
PPM	I	I	N.	FREQ.	CUM. PROB.
0.0	I*****	I	51	14.82%	85.17%
0.2	I*****	I	105	30.52%	54.65%
0.4	I*****	I	76	22.09%	32.55%
0.6	I*****	I	36	10.46%	22.09%
0.8	I*****	I	39	11.33%	10.75%
1.0	I*****	I	22	6.39%	4.36%
1.2	I*****	I	12	3.48%	0.87%
1.4	I+	I	1	0.29%	0.58%
1.6	I+	I	0	0.00%	0.58%
1.8	I*	I	1	0.29%	0.29%
2.0	I	I	0	0.00%	0.29%
2.2	I	I	0	0.00%	0.29%
2.4	I	I	0	0.00%	0.29%
2.6	I	I	0	0.00%	0.29%
2.8	I	I	0	0.00%	0.29%
3.0	I	I	0	0.00%	0.29%
3.2	I	I	0	0.00%	0.29%
3.4	I	I	0	0.00%	0.29%
3.6	I	I	0	0.00%	0.29%
3.8	I	I	0	0.00%	0.29%
4.0	I	I	0	0.00%	0.29%
4.2	I	I	0	0.00%	0.29%
4.4	I	I	0	0.00%	0.29%
4.6	I	I	0	0.00%	0.29%
4.8	I	I	0	0.00%	0.29%
5.0	I	I	0	0.00%	0.29%
5.2	I	I	0	0.00%	0.29%
5.4	I	I	0	0.00%	0.29%
5.6	I	I	0	0.00%	0.29%
5.8	I	I	0	0.00%	0.29%
6.0	I*	I	1	0.29%	0.00%
6.2	I	I	0	0.00%	0.00%
6.4	I	I	0	0.00%	0.00%
6.6	I	I	0	0.00%	0.00%
6.8	I	I	0	0.00%	0.00%
7.0	I	I	0	0.00%	0.00%
7.2	I	I	0	0.00%	0.00%
7.4	I	I	0	0.00%	0.00%
7.6	I	I	0	0.00%	0.00%
7.8	I	I	0	0.00%	0.00%

+++++ CUMULATIVE PROBABILITY (%) +++++										TOTAL SAMPLES= 344					
	0	10	20	30	40	50	60	70	80	90	100				
	I	I				
	***** FREQUENCY (%) *****														
AS	0	5	10	15	20	25	30	35	40	45	50				
PPM	I	I	N.	FREQ.	CUM. PROB.	
C	I*****	+	I	9	2.61%	97.38%
10	I*****	+	I	77	22.38%	75.00%
20	I*****	I	129	37.50%	37.50%
30	I*****	I	56	16.27%	21.22%
40	I*****	I	21	6.10%	15.11%
50	I*****	I	18	5.23%	9.88%
60	I***	+	I	5	1.45%	8.43%
70	I**	+	I	3	0.87%	7.55%
80	I***	+	I	5	1.45%	6.10%
90	I**	+	I	4	1.16%	4.94%
100	I**	+	I	3	0.87%	4.06%
110	I**+	I	4	1.16%	2.90%
120	I*+	I	1	0.29%	2.61%
130	I+	I	0	0.00%	2.61%
140	I*+	I	1	0.29%	2.32%
150	I*+	I	3	0.87%	1.45%
160	I+	I	1	0.29%	1.16%
170	I+	I	0	0.00%	1.16%
180	I+	I	0	0.00%	1.16%
190	I+	I	1	0.29%	0.87%
200	I+	I	0	0.00%	0.87%
210	I+	I	0	0.00%	0.87%
220	I+	I	0	0.00%	0.87%
230	I+	I	0	0.00%	0.87%
240	I+	I	0	0.00%	0.87%
250	I+	I	0	0.00%	0.87%
260	I+	I	0	0.00%	0.87%
270	I+	I	0	0.00%	0.87%
280	I+	I	0	0.00%	0.87%
290	I+	I	0	0.00%	0.87%
300	I+	I	0	0.00%	0.87%
310	I+	I	0	0.00%	0.87%
320	I+	I	0	0.00%	0.87%
330	I+	I	0	0.00%	0.87%
340	I+	I	0	0.00%	0.87%
350	I+	I	1	0.29%	0.58%
360	I+	I	0	0.00%	0.58%
370	**	I	2	0.58%	0.00%
380	+	I	0	0.00%	0.00%
390	+	I	0	0.00%	0.00%

CUMULATIVE PROBABILITY (%)											TOTAL SAMPLES= 344				
FREQUENCY (%)											N.	FREQ.	CUM. PROB.		
SB	0	10	20	30	40	50	60	70	80	90	100				
PPM	I	I				
0.0	I	I	+	C	0.00%	100.00%
0.4	I	I	+	C	0.00%	100.00%
0.8	I	I	+	C	0.00%	100.00%
1.2	I	I	+	C	0.00%	100.00%
1.6	I	I	+	C	0.00%	100.00%
2.0	I	*****	*****	*****	*****	*****	*****	*****	*****	*****	I	270	78.48%	21.51%	
2.4	I	.	+	I	C	0.00%	21.51%	
2.8	I	*****	+	I	31	9.01%	12.50%	
3.2	I	.	+	I	0	0.00%	12.50%	
3.6	I	.	+	I	0	0.00%	12.50%	
4.0	I	*****	+	I	19	5.52%	6.97%	
4.4	I	.	+	I	0	0.00%	6.97%	
4.8	I	*****	I	17	4.94%	2.03%	
5.2	I	+	I	0	0.00%	2.03%	
5.6	I	+	I	0	0.00%	2.03%	
6.0	I	+	I	3	0.87%	1.16%	
6.4	I	+	I	0	0.00%	1.16%	
6.8	I	+	I	1	0.29%	0.87%	
7.2	I	+	I	0	0.00%	0.87%	
7.6	I	+	I	0	0.00%	0.87%	
8.0	I	+	I	2	0.58%	0.29%	
8.4	I	+	I	0	0.00%	0.29%	
8.8	I	+	I	1	0.29%	0.00%	
9.2	I	+	I	0	0.00%	0.00%	
9.6	I	+	I	0	0.00%	0.00%	
10.0	I	+	I	0	0.00%	0.00%	
10.4	I	+	I	0	0.00%	0.00%	
10.8	I	+	I	0	0.00%	0.00%	
11.2	I	+	I	0	0.00%	0.00%	
11.6	I	+	I	0	0.00%	0.00%	
12.0	I	+	I	0	0.00%	0.00%	
12.4	I	+	I	0	0.00%	0.00%	
12.8	I	+	I	0	0.00%	0.00%	
13.2	I	+	I	0	0.00%	0.00%	
13.6	I	+	I	0	0.00%	0.00%	
14.0	I	+	I	0	0.00%	0.00%	
14.4	I	+	I	0	0.00%	0.00%	
14.8	I	+	I	0	0.00%	0.00%	
15.2	I	+	I	0	0.00%	0.00%	
15.6	I	+	I	0	0.00%	0.00%	

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 344			
		0	10	20	30	40	50	60	70	80	90	100			

		FREQUENCY (%)													
BA		0	5	10	15	20	25	30	35	40	45	50	N.	FREQ.	CUM. PROB.
PPM		I	I			
0	I*****	I	92	26.74%	73.25%
200	I*****	I	107	31.10%	42.15%
400	I*****	I	40	11.62%	30.52%
600	I*****	I	16	4.65%	25.87%
800	I*****	I	20	5.81%	20.05%
1000	I*****	I	30	8.72%	11.33%
1200	I***	I	6	1.74%	9.59%
1400	I**	I	4	1.16%	8.43%
1600	I**	I	6	1.74%	6.68%
1800	I**	I	4	1.16%	5.52%
2000	I*	I	1	0.29%	5.23%
2200	I**	I	3	0.87%	4.36%
2400	I*	I	1	0.29%	4.06%
2600	I*	I	2	0.58%	3.48%
2800	I**	I	3	0.87%	2.61%
3000	I	I	0	0.00%	2.61%
3200	I**	I	2	0.58%	2.03%
3400	I	I	0	0.00%	2.03%
3600	I**	I	1	0.29%	1.74%
3800	I+	I	2	0.58%	1.16%
4000	I+	I	0	0.00%	1.16%
4200	I+	I	1	0.29%	0.87%
4400	I+	I	0	0.00%	0.87%
4600	I+	I	0	0.00%	0.87%
4800	I+	I	1	0.29%	0.58%
5000	I+	I	0	0.00%	0.58%
5200	I+	I	0	0.00%	0.58%
5400	+	I	1	0.29%	0.29%
5600	+	I	0	0.00%	0.29%
5800	+	I	1	0.29%	0.00%
6000	+	I	0	0.00%	0.00%
6200	+	I	0	0.00%	0.00%
6400	+	I	0	0.00%	0.00%
6600	+	I	0	0.00%	0.00%
6800	+	I	0	0.00%	0.00%
7000	+	I	0	0.00%	0.00%
7200	+	I	0	0.00%	0.00%
7400	+	I	0	0.00%	0.00%
7600	+	I	0	0.00%	0.00%
7800	+	I	0	0.00%	0.00%

+++++ CUMULATIVE PROBABILITY (%) +++++											TOTAL SAMPLES= 344					
0 10 20 30 40 50 60 70 80 90 100																
I I																
***** FREQUENCY (%) *****																
HG	0 2 4 6 8 10 12 14 16 18 20										N.	FREQ.	CUM. PROB.			
PPB	I I															
0	I	+	C	0.00%	100.00%	
5	I*****	+I	4	1.16%	98.83%
10	I*****	I	23	6.68%	92.15%
15	I*****	I	21	6.10%	86.04%
20	I*****	I	29	8.43%	77.61%
25	I*****	I	11	3.19%	74.41%
30	I*****	I	57	16.56%	57.84%
35	I*****	I	11	3.19%	54.65%
40	I*****	I	32	9.30%	45.34%
45	I*****	I	21	6.10%	39.24%
50	I*****	I	34	9.88%	29.36%
55	I*****	I	15	4.36%	24.99%
60	I*****	I	25	7.26%	17.73%
65	I*****	I	14	4.06%	13.66%
70	I*****	I	12	3.48%	10.17%
75	I*****	I	8	2.32%	7.84%
80	I*****	I	7	2.03%	5.81%
85	I*** +	I	2	0.58%	5.23%
90	I*****	I	7	2.03%	3.19%
95	I +	I	0	0.00%	3.19%
100	I*****	I	7	2.03%	1.16%
105	I+	I	0	0.00%	1.16%
110	I+	I	1	0.29%	0.87%
115	I+	I	0	0.00%	0.87%
120	I+	I	0	0.00%	0.87%
125	I+	I	0	0.00%	0.87%
130	****	I	2	0.58%	0.29%
135	+	I	0	0.00%	0.29%
140	+	I	0	0.00%	0.29%
145	+	I	0	0.00%	0.29%
150	+	I	0	0.00%	0.29%
155	+	I	0	0.00%	0.29%
160	+	I	0	0.00%	0.29%
165	+	I	0	0.00%	0.29%
170	+*	I	1	0.29%	0.00%
175	+	I	0	0.00%	0.00%
180	+	I	0	0.00%	0.00%
185	+	I	0	0.00%	0.00%
190	+	I	0	0.00%	0.00%
195	+	I	0	0.00%	0.00%

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 344				
		0	10	20	30	40	50	60	70	80	90	100				

		FREQUENCY (%)														
MC	PPM	0	5	10	15	20	25	30	35	40	45	50	N.	FREQ.	CUM. PROB.	
0	I	*****											I	109	31.68%	68.31%
2	I	*****											I	76	22.09%	46.22%
4	I	*****											I	38	11.04%	35.17%
6	I	*****											I	21	6.10%	29.06%
8	I	*****											I	16	4.65%	24.41%
10	I	*****											I	18	5.23%	19.18%
12	I	*****											I	11	3.19%	15.98%
14	I	*****											I	28	8.13%	7.84%
16	I	*****											I	25	7.26%	0.58%
18	+												I	1	0.29%	0.29%
20	+												I	0	0.00%	0.29%
22	+												I	1	0.29%	0.00%
24	+												I	0	0.00%	0.00%
26	+												I	0	0.00%	0.00%
28	+												I	0	0.00%	0.00%
30	+												I	0	0.00%	0.00%
32	+												I	0	0.00%	0.00%
34	+												I	0	0.00%	0.00%
36	+												I	0	0.00%	0.00%
38	+												I	0	0.00%	0.00%
40	+												I	0	0.00%	0.00%
42	+												I	0	0.00%	0.00%
44	+												I	0	0.00%	0.00%
46	+												I	0	0.00%	0.00%
48	+												I	0	0.00%	0.00%
50	+												I	0	0.00%	0.00%
52	+												I	0	0.00%	0.00%
54	+												I	0	0.00%	0.00%
56	+												I	0	0.00%	0.00%
58	+												I	0	0.00%	0.00%
60	+												I	0	0.00%	0.00%
62	+												I	0	0.00%	0.00%
64	+												I	0	0.00%	0.00%
66	+												I	0	0.00%	0.00%
68	+												I	0	0.00%	0.00%
70	+												I	0	0.00%	0.00%
72	+												I	0	0.00%	0.00%
74	+												I	0	0.00%	0.00%
76	+												I	0	0.00%	0.00%
78	+												I	0	0.00%	0.00%

```
*****
*
*   C Y P R U S   A N V I L   M I N I N G   C O R P O R A T I O N
*
*****
*
*           SYSTEM = HVYMNL
*          PROGRAM = EX101
*
*           MON, AUG 30, 1982, 3:09 PM
*
*****
*
*           LISTING OF HEAVY-MINERALS TEST DATA BY
*           PROJECT AND EXTRACTION CODE
*
*****
```

EXTRACTION-CODE = -35+60 IP TOT (2222)

SAMPLE *****	A S S A Y R E S U L T S															
	SA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM
81T0092		0.4	100	410	0.1	130	1			19.59	1380	94	7.1			
81T0093		0.8	146	460	0.6	134	4			16.09	1390	190	13.6			
81T0094		0.4	80	310	0.1	86	4			14.00	1270	77	8.7			
81T0095		0.1	52	230	0.1	48	1			11.00	1090	40	2.4			
81T0096		0.4	138	380	0.1	108	1			14.10	1010	100	6.3			
81T0097		0.4	164	360	0.1	182	1			23.00	1390	140	16.0			
81T0098		0.8	196	530	0.1	162	1			29.00	2100	240	27.0			
81T0099		0.4	80	370	0.1	122	1			20.79	1340	150	8.7			
81T0100		1.0	240	520	14.1	110	4			23.00	1360	340	30.0			
81T0232		1.5	72	1600	16.7	370	58			32.59	1210	240	30.0			
81T0233		4.1	136	1940	14.1	610	86			36.59	1150	530	112.0			
81T0235		2.1	84	1600	0.1	420	70			35.00	1290	220	40.0			
81T0236		0.4	154	560	0.1	160	8			26.39	1640	600	22.0			
81T0237		2.5	118	1020	6.5	420	42			28.39	1300	440	52.0			
81T0238		2.4	76	1660	15.0	460	66			35.59	1190	300	38.0			
81T0239		2.5	124	1360	9.6	400	58			31.79	1060	440	48.0			
81T0240		2.4	100	1720	14.1	470	68			36.00	1330	340	50.0			
81T0241		2.1	92	1900	15.3	470	82			37.40	1360	280	43.0			
81T0242		2.6	333	1000	2.2	567	53			41.00	717	400	N.S.S.			
81T0243		2.4	100	2000	18.5	540	90			41.00	1510	300	49.0			
81T0244		2.0	84	1580	15.1	430	62			33.59	1350	230	34.0			
81T0245		1.5	144	1840	12.6	380	52			40.00	1590	260	46.0			
81T0401		1.3	190	640	1.0	680	10			37.00	2660	920	54.0			
81T0402		0.8	133	513	0.1	125	8			21.29	1580	150	N.S.S.			
81T0403		0.4	140	490	0.1	120	4			27.00	1340	86	10.3			
81T0404		0.1	133	463	0.1	175	5			27.29	1330	88	10.3			
81T0405		0.5	288	425	0.1	175	5			37.00	750	143	N.S.S.			
81T0406	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.			N.S.S.	N.S.S.	N.S.S.	N.S.S.			
81T0407		1.0	250	620	0.1	400	34			38.40	2000	200	N.S.S.			
81T0408		0.4	34	120	0.1	40	1			6.59	620	92	13.6			
81T0409		0.9	343	500	0.1	229	1			31.39	1730	485	N.S.S.			
81T0410		0.1	8	90	0.1	30	1			3.00	890	30	2.4			
81T0411		0.4	92	220	0.1	160	6			24.20	1520	220	30.0			
81T0412		0.4	26	210	0.1	24	1			8.79	3060	46	4.0			
81T0413		0.1	9	84	0.1	20	7			3.09	825	31	N.S.S.			
81T0414		0.8	250	1440	5.3	370	40			32.00	1960	260	22.0			
81T0415		0.6	50	500	1.5	160	34			36.00	640	134	8.0			
81T0416		0.4	88	380	0.1	146	4			16.09	1420	120	5.5			
81T0417		0.6	92	240	0.4	80	1			10.50	1190	140	8.0			
81T0418		0.6	84	370	1.8	170	1			8.50	826	28	3.1			
81T0419		0.8	60	230	1.8	46	12			16.40	1830	200	34.0			
81T0420		0.6	94	380	0.1	150	4			16.20	1570	80	6.3			
81T0515		0.8	104	540	0.1	162	6			26.00	2800	114	6.3			
81T0516		0.4	180	640	0.1	230	4			36.00	2000	92	7.1			
81T0517		0.4	86	390	0.1	136	4			20.00	1570	54	5.5			
81T0518		0.4	134	530	0.1	220	6			26.59	2600	114	8.0			
81T0519		0.4	74	350	0.1	132	1			17.20	1480	54	5.5			
81T0520		0.4	80	310	0.1	110	4			14.79	1180	40	4.8			
81T0521		0.6	148	580	0.1	220	4			33.59	2660	126	9.6			
81T0522		1.5	430	510	0.1	480	6			45.00	3200	260	N.S.S.			

EXTRACTION-CODE = -35+60 IP TOT (2222)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM
81T0523		1.5	112	900	3.1	180	16			22.59	1440	330	22.0			
81T0524		0.1	70	390	0.6	116	14			18.39	840	80	8.7			
81T0525		0.1	64	240	1.5	44	1			6.80	1140	34	4.0			
81T0526		0.1	82	146	2.5	44	1			3.40	530	32	3.1			
81T0527		1.0	170	950	6.3	300	122			42.00	650	320	37.0			
81T0528		0.8	172	780	6.0	280	116			37.40	680	300	32.0			
81T0529		1.2	120	420	3.5	150	52			19.79	810	220	20.0			
81T0530		0.1	210	640	0.8	146	6			29.20	1860	440	11.1			
81T0531		0.1	88	390	0.1	92	1			16.00	4440	14	0.8			
81T0532		0.1	96	440	0.1	360	12			33.00	2900	160	7.1			
81T0533		0.1	180	1120	3.4	350	18			14.00	3040	230	11.1			
81T0534		0.1	420	740	0.6	270	4			33.00	1830	620	16.7			
81T0535		0.1	136	820	1.0	200	1			34.00	2360	830	22.0			
81T0536		0.1	80	440	0.1	170	1			27.59	2020	640	22.0			
81T0537		0.1	66	260	0.1	90	1			10.19	1050	50	4.0			
81T0538		0.1	90	460	0.1	180	1			28.79	2000	780	25.0			
81T0539		0.1	80	440	0.1	104	4			20.00	2700	80	1.5			
81T0540		0.1	46	180	0.1	40	1			9.29	1220	10	0.4			
81T0541		0.1	220	540	0.1	290	1			32.40	2360	150	11.1			
81T0543		0.1	90	580	0.1	156	4			20.00	2360	70	30.0			
81T0544		0.1	116	3100	20.3	470	48			34.00	1920	150	6.3			
81T0545		0.1	156	640	0.6	230	6			27.79	3440	120	4.8			
81T0546		0.1	126	550	0.1	174	4			25.00	5640	58	1.5			
81T0609		0.1	166	600	0.4	260	8			26.00	1640	400	10.3			
81T0618		0.1	260	910	0.4	200	12			29.59	1830	340	18.3			
81T0620		0.1	150	620	0.1	250	6			26.39	2840	160	7.1			
81T0621		0.1	52	260	0.1	54	1			9.69	1360	64	4.0			
81T0622		0.1	68	200	0.1	60	1			10.39	560	48	2.4			
81T0812		0.1	270	940	1.8	360	14			32.80	3300	420	26.0			
81T0813		0.1	190	710	0.1	240	6			29.20	2960	160	10.3			
81T0814		0.1	46	260	0.1	88	1			9.00	930	38	2.4			
81T0815		0.1	56	270	0.1	80	1			9.10	910	48	3.1			
81T0816		0.1	58	270	0.1	96	1			11.39	1110	60	2.4			
81T0817		0.1	80	370	0.1	110	1			10.89	1030	96	4.0			
81T0818		0.1	40	240	0.1	52	1			8.20	780	46	1.5			
81T0819		0.1	72	330	0.1	92	1			9.19	830	100	2.4			
81T0820		0.1	60	270	0.1	100	1			11.39	1220	40	2.4			
81T0821		0.1	34	138	0.1	32	1			5.59	740	32	2.4			
81T0822		0.1	100	490	0.1	146	1			24.20	2400	92	4.0			
81T0823		0.1	38	150	0.1	32	1			6.30	1130	40	3.1			
81T0824		0.1	50	180	0.1	36	1			8.20	1370	40	5.5			
81T0825		0.1	36	156	0.4	30	1			7.09	1450	44	3.1			
81T0826		0.1	50	230	0.1	116	1			10.19	1290	20	2.4			
81T0827		0.1	92	310	0.1	140	1			14.60	1600	60	2.4			
81T0828		0.1	64	290	0.1	118	1			12.50	1380	38	2.4			
81T0829		0.1	54	330	0.1	98	1			14.00	1160	60	1.5			
81T0830		0.1	98	430	0.1	140	1			18.79	2000	80	4.8			
81T0831		0.1	50	240	0.1	64	1			9.50	790	28	2.4			
81T0832		0.1	120	390	0.1	180	1			19.20	1190	175	12.7			
81T0833		0.1	70	260	0.1	108	1			11.89	1250	24	1.5			

EXTRACTION-CODE = -35+60 IP TOT (2222)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM

RECORDS

# 'NSS' =	0	1	1	1	1	1	1	C	0	1	1	1	8	0	0	0
# '<X' =	0	0	0	0	0	0	0	C	0	0	0	0	C	0	0	0
# '>X' =	0	0	0	C	0	0	0	0	0	0	0	0	C	0	0	C
# 'NA' =	100	0	0	0	0	0	0	100	100	0	0	0	0	100	100	100
# 'CK' =	0	99	99	99	99	99	99	0	C	99	99	99	92	0	0	0

STATISTICS

N =	0	99	99	99	99	99	99	C	0	99	99	99	92	0	0	0
MINIMUM =	0	0.1	8	84	0.1	20	1	C	0	3.00	530	10	0.4	0	0	0.00
MAXIMUM =	0	4.1	430	3100	20.3	680	122	0	0	45.00	5640	920	112.0	0	0	0.00
RANGE =	0	4.0	422	3016	20.2	660	121	C	0	42.00	5110	910	111.6	0	0	0.00
MEAN =	0.000	0.596	119.46	607.32	2.296	196.83	15.454	0.000	0.000	22.081	1621.5	189.18	15.136	0.000	0.000	0.000
STD. DEV. =	0.000	0.790	80.641	520.49	4.831	147.88	26.709	0.000	0.000	11.095	852.50	187.79	17.536	0.000	0.000	0.000
SKEWNESS =	0.000	2.038	1.670	2.098	2.312	1.165	2.143	0.000	0.000	0.085	1.740	1.742	2.390	0.000	0.000	0.000
KURTOSIS =	0.000	7.177	6.167	7.987	7.086	3.656	6.958	0.000	0.000	1.760	7.389	6.013	11.491	0.000	0.000	0.000

+++++ CUMULATIVE PROBABILITY (%) +++++										TOTAL SAMPLES= 99				
	0	10	20	30	40	50	60	70	80	90	100			
	I	I			
	***** FREQUENCY (%) *****													
CU PPM	0	1	2	3	4	5	6	7	8	9	10	N.	FREQ.	CUM. PROB.
0	I	0	0.00%	100.00%
10	I	0	0.00%	100.00%
20	I	*****	2	2.02%	97.97%
30	I	*****	4	4.04%	93.93%
40	I	*****	5	5.05%	88.88%
50	I	*****	4	4.04%	84.84%
60	I	*****	2	2.02%	82.82%
70	I	0	0.00%	82.82%
80	I	*****	2	2.02%	80.80%
90	I	*****	5	5.05%	75.75%
100	I	*****	4	4.04%	71.71%
110	I	*****	5	5.05%	66.66%
120	I	*****	6	6.06%	60.60%
130	I	*****	3	3.03%	57.57%
140	I	*****	3	3.03%	54.54%
150	I	*****	5	5.05%	49.49%
160	I	*****	6	6.06%	43.43%
170	I	*****	5	5.05%	38.38%
180	I	*****	4	4.04%	34.34%
190	I	0	0.00%	34.34%
200	I	*****	2	2.02%	32.32%
210	I	0	0.00%	32.32%
220	I	*****	2	2.02%	30.30%
230	I	*****	3	3.03%	27.27%
240	I	*****	1	1.01%	26.26%
250	I	*****	1	1.01%	25.25%
260	I	*****	1	1.01%	24.24%
270	I	*****	1	1.01%	23.23%
280	I	*****	1	1.01%	22.22%
290	I	*****	1	1.01%	21.21%
300	I	*****	1	1.01%	20.20%
310	I	0	0.00%	20.20%
320	I	0	0.00%	20.20%
330	I	0	0.00%	20.20%
340	I	0	0.00%	20.20%
350	I	*****	1	1.01%	19.19%
360	I	*****	2	2.02%	17.17%
370	I	*****	2	2.02%	15.15%
380	I	*****	1	1.01%	14.14%
390	I	0	0.00%	14.14%
400	I	*****	2	2.02%	12.12%
410	I	0	0.00%	12.12%
420	I	*****	2	2.02%	10.10%
430	I	*****	1	1.01%	9.09%
440	I	0	0.00%	9.09%
450	I	0	0.00%	9.09%
460	I	*****	1	1.01%	8.08%
470	I	*****	3	3.03%	5.05%
480	I	*****	1	1.01%	4.04%
490	I	0	0.00%	4.04%

500	I	+	I	C	0.00%	4.04%
510	I	+	I	C	0.00%	4.04%
520	I	+	I	C	0.00%	4.04%
530	I	+	I	C	0.00%	4.04%
540	I	*****	I	1	1.01%	3.03%
550	I	+	I	C	0.00%	3.03%
560	I	+	I	C	0.00%	3.03%
570	I	*****	I	1	1.01%	2.02%
580	I	+	I	C	0.00%	2.02%
590	I	+	I	C	0.00%	2.02%
600	I	+	I	C	0.00%	2.02%
610	I	*****	I	1	1.01%	1.01%
620	I	+	I	C	0.00%	1.01%
630	I	+	I	C	0.00%	1.01%
640	I	+	I	C	0.00%	1.01%
650	I	+	I	C	0.00%	1.01%
660	I	+	I	C	0.00%	1.01%
670	I	+	I	C	0.00%	1.01%
680	I	*****	I	1	1.01%	0.00%

PPM	I	1	2	3	4	5	6	7	8	9	10	I	N.	FREQ.	PROB.
CU	0	1	2	3	4	5	6	7	8	9	10	I			CUM.
***** FREQUENCY (%) *****															
I	0	10	20	30	40	50	60	70	80	90	100	I			
+++++ CUMULATIVE PROBABILITY (%) +++++															
														TOTAL SAMPLES=	99

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 99			
		0	10	20	30	40	50	60	70	80	90	100			

		FREQUENCY (%)													
PB	C	2	4	6	8	10	12	14	16	18	20	N.	FREQ.	CUM. PROB.	
PPM	I	I				
0	I	I	0	0.00%	100.00%	
10	I	*****	I	2	2.02%	97.97%	
20	I	I	0	0.00%	97.97%	
30	I	*****	I	3	3.03%	94.94%	
40	I	*****	I	3	3.03%	91.91%	
50	I	*****	I	9	9.09%	82.82%	
60	I	*****	I	6	6.06%	76.76%	
70	I	*****	I	7	7.07%	69.69%	
80	I	*****	I	11	11.11%	58.58%	
90	I	*****	I	10	10.10%	48.48%	
100	I	*****	I	7	7.07%	41.41%	
110	I	*****	I	1	1.01%	40.40%	
120	I	*****	I	5	5.05%	35.35%	
130	I	*****	I	4	4.04%	31.31%	
140	I	*****	I	5	5.05%	26.26%	
150	I	*****	I	4	4.04%	22.22%	
160	I	*****	I	2	2.02%	20.20%	
170	I	*****	I	3	3.03%	17.17%	
180	I	*****	I	2	2.02%	15.15%	
190	I	*****	I	2	2.02%	13.13%	
200	I	*****	I	1	1.01%	12.12%	
210	I	*****	I	1	1.01%	11.11%	
220	I	*****	I	1	1.01%	10.10%	
230	I	*****	I	0	0.00%	10.10%	
240	I	*****	I	1	1.01%	9.09%	
250	I	*****	I	2	2.02%	7.07%	
260	I	*****	I	1	1.01%	6.06%	
270	I	*****	I	1	1.01%	5.05%	
280	I	*****	I	0	0.00%	5.05%	
290	I	*****	I	1	1.01%	4.04%	
300	I	*****	I	0	0.00%	4.04%	
310	I	*****	I	0	0.00%	4.04%	
320	I	*****	I	0	0.00%	4.04%	
330	I	*****	I	1	1.01%	3.03%	
340	I	*****	I	1	1.01%	2.02%	
350	I	*****	I	0	0.00%	2.02%	
360	I	*****	I	0	0.00%	2.02%	
370	I	*****	I	0	0.00%	2.02%	
380	I	*****	I	0	0.00%	2.02%	
390	I	*****	I	0	0.00%	2.02%	
400	I	*****	I	0	0.00%	2.02%	
410	I	*****	I	0	0.00%	2.02%	
420	I	*****	I	1	1.01%	1.01%	
430	I	*****	I	1	1.01%	0.00%	

CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 99				
	0	10	20	30	40	50	60	70	80	90	100			
	I	I			
	***** FREQUENCY (%) *****													
ZN PPM	0	1	2	3	4	5	6	7	8	9	10	N.	FREQ.	CUM. PROB.
	I	I			
0	I	+	C	0.00%	100.00%
30	I	+	C	0.00%	100.00%
60	I	+	C	0.00%	100.00%
90	I	*****	+	I	2	2.02% 97.97%
120	I	*****	+	I	1	1.01% 96.96%
150	I	*****	+	I	4	4.04% 92.92%
180	I	*****	+	I	2	2.02% 90.90%
210	I	*****	+	I	3	3.03% 87.87%
240	I	*****	+	I	7	7.07% 80.80%
270	I	*****	+	I	7	7.07% 73.73%
300	I	*****	+	I	4	4.04% 69.69%
330	I	*****	+	I	2	2.02% 67.67%
360	I	*****	+	I	5	5.05% 62.62%
390	I	*****	+	I	7	7.07% 55.55%
420	I	*****	+	I	4	4.04% 51.51%
450	I	*****	+	I	6	6.06% 45.45%
480	I	*****	+	I	2	2.02% 43.43%
510	I	*****	+	I	5	5.05% 38.38%
540	I	*****	+	I	5	5.05% 33.33%
570	I	*****	+	I	3	3.03% 30.30%
600	I	*****	+	I	1	1.01% 29.29%
630	I	*****	+	I	6	6.06% 23.23%
660	I	+	I	C	0.00% 23.23%
690	I	+	I	C	0.00% 23.23%
720	I	*****	+	I	1	1.01% 22.22%
750	I	*****	+	I	1	1.01% 21.21%
780	I	*****	+	I	1	1.01% 20.20%
810	I	*****	+	I	1	1.01% 19.19%
840	I	+	I	C	0.00% 19.19%
870	I	+	I	C	0.00% 19.19%
900	I	*****	+	I	2	2.02% 17.17%
930	I	*****	+	I	1	1.01% 16.16%
960	I	*****	+	I	1	1.01% 15.15%
990	I	*****	+	I	1	1.01% 14.14%
1020	I	*****	+	I	1	1.01% 13.13%
1050	I	+	I	C	0.00% 13.13%
1080	I	+	I	C	0.00% 13.13%
1110	I	*****	+	I	1	1.01% 12.12%
1140	I	+	I	C	0.00% 12.12%
1170	I	+	I	C	0.00% 12.12%
1200	I	+	I	C	0.00% 12.12%
1230	I	+	I	C	0.00% 12.12%
1260	I	+	I	C	0.00% 12.12%
1290	I	+	I	C	0.00% 12.12%
1320	I	+	I	C	0.00% 12.12%
1350	I	*****	+	I	1	1.01% 11.11%
1380	I	+	I	C	0.00% 11.11%
1410	I	+	I	C	0.00% 11.11%
1440	I	*****	+	I	1	1.01% 10.10%
1470	I	+	I	C	0.00% 10.10%

1500	I	+	I	C	0.00%	10.10%
1530	I	+	I	C	0.00%	10.10%
1560	I	+	I	C	0.00%	10.10%
1590	I	*****	I	3	3.03%	7.07%
1620	I	+	I	C	0.00%	7.07%
1650	I	*****	I	1	1.01%	6.06%
1680	I	+	I	C	0.00%	6.06%
1710	I	*****	I	1	1.01%	5.05%
1740	I	+	I	C	0.00%	5.05%
1770	I	+	I	C	0.00%	5.05%
1800	I	+	I	0	0.00%	5.05%
1830	I	*****	I	1	1.01%	4.04%
1860	I	+	I	0	0.00%	4.04%
1890	I	*****	I	1	1.01%	3.03%
1920	I	+	I	C	0.00%	3.03%
1950	I	*****	I	1	1.01%	2.02%
1980	I	+	I	C	0.00%	2.02%
2010	I	*****	I	1	1.01%	1.01%
2040	I	+	I	0	0.00%	1.01%
2070	I	+	I	C	0.00%	1.01%
2100	I	+	I	C	0.00%	1.01%
2130	I	+	I	0	0.00%	1.01%
2160	I	+	I	C	0.00%	1.01%
2190	I	+	I	C	0.00%	1.01%
2220	I	+	I	C	0.00%	1.01%
2250	I	+	I	C	0.00%	1.01%
2280	I	+	I	0	0.00%	1.01%
2310	I	+	I	C	0.00%	1.01%
2340	I	+	I	C	0.00%	1.01%
2370	I	+	I	C	0.00%	1.01%
2400	I	+	I	C	0.00%	1.01%
2430	I	+	I	C	0.00%	1.01%
2460	I	+	I	C	0.00%	1.01%
2490	I	+	I	C	0.00%	1.01%
2520	I	+	I	0	0.00%	1.01%
2550	I	+	I	C	0.00%	1.01%
2580	I	+	I	C	0.00%	1.01%
2610	I	+	I	C	0.00%	1.01%
2640	I	+	I	0	0.00%	1.01%
2670	I	+	I	C	0.00%	1.01%
2700	I	+	I	C	0.00%	1.01%
2730	I	+	I	C	0.00%	1.01%
2760	I	+	I	C	0.00%	1.01%
2790	I	+	I	0	0.00%	1.01%
2820	I	+	I	0	0.00%	1.01%
2850	I	+	I	C	0.00%	1.01%
2880	I	+	I	C	0.00%	1.01%
2910	I	+	I	C	0.00%	1.01%
2940	I	+	I	0	0.00%	1.01%
2970	I	+	I	0	0.00%	1.01%
3000	I	+	I	C	0.00%	1.01%
3030	I	+	I	C	0.00%	1.01%
3060	I	+	I	0	0.00%	1.01%
3090	I	*****	I	1	1.01%	0.00%

PPM	I	1	2	3	4	5	6	7	8	9	10	I	N.	FREQ.	PROB.
ZN	0	1	2	3	4	5	6	7	8	9	10	I			CUM.

	I											I			
	C	10	20	30	40	50	60	70	80	90	100	I			

+++++ CUMULATIVE PROBABILITY (%) +++++ TOTAL SAMPLES= 99

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 99				
		0	10	20	30	40	50	60	70	80	90	100				

		FREQUENCY (%)														
		0	10	20	30	40	50	60	70	80	90	100	N.	FREQ.	CUM. PROB.	
AG	PPM	*****														
0.0	I	*****											I	50	50.50%	49.49%
0.2	I	.					+						I	0	0.00%	49.49%
0.4	I	*****			+								I	17	17.17%	32.32%
0.6	I	*****			+								I	5	5.05%	27.27%
0.8	I	*****		+									I	8	8.08%	19.19%
1.0	I	***		+									I	3	3.03%	16.16%
1.2	I	*		+									I	1	1.01%	15.15%
1.4	I	*		+									I	1	1.01%	14.14%
1.6	I	****	+										I	4	4.04%	10.10%
1.8	I		+										I	0	0.00%	10.10%
2.0	I	*	+										I	1	1.01%	9.09%
2.2	I	**	+										I	2	2.02%	7.07%
2.4	I	****											I	3	3.03%	4.04%
2.6	I	***											I	3	3.03%	1.01%
2.8	I	+											I	0	0.00%	1.01%
3.0	I	+											I	0	0.00%	1.01%
3.2	I	+											I	0	0.00%	1.01%
3.4	I	+											I	0	0.00%	1.01%
3.6	I	+											I	0	0.00%	1.01%
3.8	I	+											I	0	0.00%	1.01%
4.0	I	+											I	0	0.00%	1.01%
4.2	+	*											I	1	1.01%	0.00%
4.4	+												I	0	0.00%	0.00%
4.6	+												I	0	0.00%	0.00%
4.8	+												I	0	0.00%	0.00%
5.0	+												I	0	0.00%	0.00%
5.2	+												I	0	0.00%	0.00%
5.4	+												I	0	0.00%	0.00%
5.6	+												I	0	0.00%	0.00%
5.8	+												I	0	0.00%	0.00%
6.0	+												I	0	0.00%	0.00%
6.2	+												I	0	0.00%	0.00%
6.4	+												I	0	0.00%	0.00%
6.6	+												I	0	0.00%	0.00%
6.8	+												I	0	0.00%	0.00%
7.0	+												I	0	0.00%	0.00%
7.2	+												I	0	0.00%	0.00%
7.4	+												I	0	0.00%	0.00%
7.6	+												I	0	0.00%	0.00%
7.8	+												I	0	0.00%	0.00%

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 99			
		0	10	20	30	40	50	60	70	80	90	100			

		FREQUENCY (%)													
AS	PPM	0	1	2	3	4	5	6	7	8	9	10	N.	FREQ.	CUM. PROB.
0	I	0	0.00%	100.00%
10	I	*****	2	2.02%	97.97%
20	I	*****	2	2.02%	95.95%
30	I	*****	7	7.07%	88.88%
40	I	*****	8	8.08%	80.80%
50	I	*****	7	7.07%	73.73%
60	I	*****	5	5.05%	68.68%
70	I	*****	1	1.01%	67.67%
80	I	*****	5	5.05%	62.62%
90	I	*****	6	6.06%	56.56%
100	I	*****	3	3.03%	53.53%
110	I	*****	2	2.02%	51.51%
120	I	*****	2	2.02%	49.49%
130	I	*****	2	2.02%	47.47%
140	I	*****	3	3.03%	44.44%
150	I	*****	4	4.04%	40.40%
160	I	*****	3	3.03%	37.37%
170	I	*****	1	1.01%	36.36%
180	I	*****	0	0.00%	36.36%
190	I	*****	1	1.01%	35.35%
200	I	*****	2	2.02%	33.33%
210	I	*****	0	0.00%	33.33%
220	I	*****	3	3.03%	30.30%
230	I	*****	2	2.02%	28.28%
240	I	*****	2	2.02%	26.26%
250	I	*****	0	0.00%	26.26%
260	I	*****	3	3.03%	23.23%
270	I	*****	0	0.00%	23.23%
280	I	*****	1	1.01%	22.22%
290	I	*****	0	0.00%	22.22%
300	I	*****	3	3.03%	19.19%
310	I	*****	0	0.00%	19.19%
320	I	*****	1	1.01%	18.18%
330	I	*****	1	1.01%	17.17%
340	I	*****	3	3.03%	14.14%
350	I	*****	0	0.00%	14.14%
360	I	*****	0	0.00%	14.14%
370	I	*****	0	0.00%	14.14%
380	I	*****	0	0.00%	14.14%
390	I	*****	0	0.00%	14.14%
400	I	*****	2	2.02%	12.12%
410	I	*****	0	0.00%	12.12%
420	I	*****	1	1.01%	11.11%
430	I	*****	0	0.00%	11.11%
440	I	*****	3	3.03%	8.08%
450	I	*****	0	0.00%	8.08%
460	I	*****	0	0.00%	8.08%
470	I	*****	0	0.00%	8.08%
480	I	*****	1	1.01%	7.07%
490	I	*****	0	0.00%	7.07%

500	I	+	I	C	0.00%	7.07%
510	I	+	I	C	0.00%	7.07%
520	I	+	I	C	0.00%	7.07%
530	I	*****	I	1	1.01%	6.06%
540	I	+	I	C	0.00%	6.06%
550	I	+	I	C	0.00%	6.06%
560	I	+	I	C	0.00%	6.06%
570	I	+	I	C	0.00%	6.06%
580	I	+	I	C	0.00%	6.06%
590	I	+	I	C	0.00%	6.06%
600	I	*****	I	1	1.01%	5.05%
610	I	+	I	C	0.00%	5.05%
620	I	*****	I	1	1.01%	4.04%
630	I	+	I	C	0.00%	4.04%
640	I	*****	I	1	1.01%	3.03%
650	I	+	I	C	0.00%	3.03%
660	I	+	I	C	0.00%	3.03%
670	I	+	I	C	0.00%	3.03%
680	I	+	I	C	0.00%	3.03%
690	I	+	I	C	0.00%	3.03%
700	I	+	I	C	0.00%	3.03%
710	I	+	I	C	0.00%	3.03%
720	I	+	I	C	0.00%	3.03%
730	I	+	I	C	0.00%	3.03%
740	I	+	I	C	0.00%	3.03%
750	I	+	I	C	0.00%	3.03%
760	I	+	I	C	0.00%	3.03%
770	I	+	I	C	0.00%	3.03%
780	I	*****	I	1	1.01%	2.02%
790	I	+	I	C	0.00%	2.02%
800	I	+	I	C	0.00%	2.02%
810	I	+	I	C	0.00%	2.02%
820	I	+	I	C	0.00%	2.02%
830	I	*****	I	1	1.01%	1.01%
840	I	+	I	C	0.00%	1.01%
850	I	+	I	C	0.00%	1.01%
860	I	+	I	C	0.00%	1.01%
870	I	+	I	C	0.00%	1.01%
880	I	+	I	C	0.00%	1.01%
890	I	+	I	C	0.00%	1.01%
900	I	+	I	C	0.00%	1.01%
910	I	+	I	C	0.00%	1.01%
920	I	*****	I	1	1.01%	0.00%

PPM	I	1	2	3	4	5	6	7	8	9	10	I	N.	FREQ.	PROB.
AS	0	1	2	3	4	5	6	7	8	9	10	I			CUM.
***** FREQUENCY (%) *****															
I	0	10	20	30	40	50	60	70	80	90	100	I			
***** CUMULATIVE PROBABILITY (%) *****															
														TOTAL SAMPLES= 99	

+++++ CUMLLATIVE PROBABILITY (%) +++++										TOTAL SAMPLES= 92					
0 10 20 30 40 50 60 70 80 90 100															
***** FREQUENCY (%) *****															
SB	0	2	4	6	8	10	12	14	16	18	20	N.	FREQ.	CUM. PROB.	
PPM	I	I	I	I	I	I	I	I	I	I	I				
0.0	I	C	0.00%	100.00%	
0.4	I*****	+I	1	1.08%	98.91%
0.8	I*****	+ I	1	1.08%	97.82%
1.2	I	+ I	0	0.00%	97.82%
1.6	I*****	I	5	5.43%	92.39%
2.0	I	I	0	0.00%	92.39%
2.4	I*****	I	12	13.04%	79.34%
2.8	I	I	0	0.00%	79.34%
3.2	I*****	I	5	5.43%	73.91%
3.6	I	I	0	0.00%	73.91%
4.0	I*****	I	6	6.52%	67.39%
4.4	I	I	0	0.00%	67.39%
4.8	I*****	I	3	3.26%	64.13%
5.2	I	I	0	0.00%	64.13%
5.6	I*****	I	4	4.34%	59.78%
6.0	I	I	0	0.00%	59.78%
6.4	I*****	I	4	4.34%	55.43%
6.8	I	I	0	0.00%	55.43%
7.2	I*****	I	4	4.34%	51.08%
7.6	I	I	0	0.00%	51.08%
8.0	I*****	I	3	3.26%	47.82%
8.4	I	I	0	0.00%	47.82%
8.8	I*****	I	3	3.26%	44.56%
9.2	I	I	0	0.00%	44.56%
9.6	I*****	I	1	1.08%	43.47%
10.0	I	I	0	0.00%	43.47%
10.4	I*****	I	4	4.34%	39.13%
10.8	I	I	0	0.00%	39.13%
11.2	I*****	I	3	3.26%	35.86%
11.6	I	I	0	0.00%	35.86%
12.0	I	I	0	0.00%	35.86%
12.4	I	I	0	0.00%	35.86%
12.8	I*****	I	1	1.08%	34.78%
13.2	I	I	0	0.00%	34.78%
13.6	I*****	I	2	2.17%	32.60%
14.0	I	I	0	0.00%	32.60%
14.4	I	I	0	0.00%	32.60%
14.8	I	I	0	0.00%	32.60%
15.2	I	I	0	0.00%	32.60%
15.6	I	I	0	0.00%	32.60%
16.0	I*****	I	1	1.08%	31.52%
16.4	I	I	0	0.00%	31.52%
16.8	I*****	I	1	1.08%	30.43%
17.2	I	I	0	0.00%	30.43%
17.6	I	I	0	0.00%	30.43%
18.0	I	I	0	0.00%	30.43%
18.4	I*****	I	1	1.08%	29.34%
18.8	I	I	0	0.00%	29.34%
19.2	I	I	0	0.00%	29.34%
19.6	I	I	0	0.00%	29.34%

20.0	I*****	.	.	+	I	1	1.08%	28.26%
20.4	I	.	.	+	I	C	0.00%	28.26%
20.8	I	.	.	+	I	C	0.00%	28.26%
21.2	I	.	.	+	I	C	0.00%	28.26%
21.6	I	.	.	+	I	C	0.00%	28.26%
22.0	I*****	.	.	+	I	5	5.43%	22.82%
22.4	I	.	.	+	I	C	0.00%	22.82%
22.8	I	.	.	+	I	C	0.00%	22.82%
23.2	I	.	.	+	I	C	0.00%	22.82%
23.6	I	.	.	+	I	C	0.00%	22.82%
24.0	I	.	.	+	I	C	0.00%	22.82%
24.4	I	.	.	+	I	C	0.00%	22.82%
24.8	I*****	.	.	+	I	1	1.08%	21.73%
25.2	I	.	.	+	I	C	0.00%	21.73%
25.6	I	.	.	+	I	C	0.00%	21.73%
26.0	I*****	.	.	+	I	1	1.08%	20.65%
26.4	I	.	.	+	I	C	0.00%	20.65%
26.8	I*****	.	.	+	I	1	1.08%	19.56%
27.2	I	.	.	+	I	C	0.00%	19.56%
27.6	I	.	.	+	I	C	0.00%	19.56%
28.0	I	.	.	+	I	C	0.00%	19.56%
28.4	I	.	.	+	I	C	0.00%	19.56%
28.8	I	.	.	+	I	C	0.00%	19.56%
29.2	I	.	.	+	I	C	0.00%	19.56%
29.6	I	.	.	+	I	C	0.00%	19.56%
30.0	I*****	.	.	+	I	4	4.34%	15.21%
30.4	I	.	.	+	I	C	0.00%	15.21%
30.8	I	.	.	+	I	C	0.00%	15.21%
31.2	I	.	.	+	I	C	0.00%	15.21%
31.6	I	.	.	+	I	C	0.00%	15.21%
32.0	I*****	.	.	+	I	1	1.08%	14.13%
32.4	I	.	.	+	I	C	0.00%	14.13%
32.8	I	.	.	+	I	C	0.00%	14.13%
33.2	I	.	.	+	I	C	0.00%	14.13%
33.6	I	.	.	+	I	C	0.00%	14.13%
34.0	I*****	.	.	+	I	2	2.17%	11.95%
34.4	I	.	.	+	I	C	0.00%	11.95%
34.8	I	.	.	+	I	C	0.00%	11.95%
35.2	I	.	.	+	I	C	0.00%	11.95%
35.6	I	.	.	+	I	C	0.00%	11.95%
36.0	I	.	.	+	I	C	0.00%	11.95%
36.4	I	.	.	+	I	C	0.00%	11.95%
36.8	I*****	.	.	+	I	1	1.08%	10.86%
37.2	I	.	.	+	I	C	0.00%	10.86%
37.6	I	.	.	+	I	C	0.00%	10.86%
38.0	I*****	.	.	+	I	1	1.08%	9.78%
38.4	I	.	.	+	I	C	0.00%	9.78%
38.8	I	.	.	+	I	C	0.00%	9.78%
39.2	I	.	.	+	I	C	0.00%	9.78%
39.6	I	.	.	+	I	C	0.00%	9.78%
40.0	I*****	.	.	+	I	1	1.08%	8.69%
40.4	I	.	.	+	I	C	0.00%	8.69%
40.8	I	.	.	+	I	C	0.00%	8.69%
41.2	I	.	.	+	I	C	0.00%	8.69%
41.6	I	.	.	+	I	C	0.00%	8.69%
42.0	I	.	.	+	I	C	0.00%	8.69%
42.4	I	.	.	+	I	C	0.00%	8.69%
42.8	I*****	.	.	+	I	1	1.08%	7.60%
43.2	I	.	.	+	I	C	0.00%	7.60%
43.6	I	.	.	+	I	C	0.00%	7.60%

44.0	I	+	I	C	0.00%	7.60%
44.4	I	+	I	C	0.00%	7.60%
44.8	I	+	I	C	0.00%	7.60%
45.2	I	+	I	C	0.00%	7.60%
45.6	I	+	I	C	0.00%	7.60%
46.0	I*****	+	I	1	1.08%	6.52%
46.4	I	+	I	C	0.00%	6.52%
46.8	I	+	I	C	0.00%	6.52%
47.2	I	+	I	C	0.00%	6.52%
47.6	I	+	I	C	0.00%	6.52%
48.0	I*****+	I	1	1.08%	5.43%
48.4	I	+	I	C	0.00%	5.43%
48.8	I*****+	I	1	1.08%	4.34%
49.2	I	+	I	C	0.00%	4.34%
49.6	I	+	I	C	0.00%	4.34%
50.0	I*****	I	1	1.08%	3.26%
50.4	I	+	I	C	0.00%	3.26%
50.8	I	+	I	C	0.00%	3.26%
51.2	I	+	I	C	0.00%	3.26%
51.6	I	+	I	C	0.00%	3.26%
52.0	I*****	I	1	1.08%	2.17%
52.4	I	+	I	C	0.00%	2.17%
52.8	I	+	I	C	0.00%	2.17%
53.2	I	+	I	C	0.00%	2.17%
53.6	I	+	I	C	0.00%	2.17%
54.0	I*****	I	1	1.08%	1.08%
54.4	I+	I	C	0.00%	1.08%
54.8	I+	I	C	0.00%	1.08%
55.2	I+	I	C	0.00%	1.08%
55.6	I+	I	C	0.00%	1.08%
56.0	I+	I	C	0.00%	1.08%
56.4	I+	I	C	0.00%	1.08%
56.8	I+	I	C	0.00%	1.08%
57.2	I+	I	C	0.00%	1.08%
57.6	I+	I	C	0.00%	1.08%
58.0	I+	I	C	0.00%	1.08%
58.4	I+	I	C	0.00%	1.08%
58.8	I+	I	C	0.00%	1.08%
59.2	I+	I	C	0.00%	1.08%
59.6	I+	I	C	0.00%	1.08%
60.0	I+	I	C	0.00%	1.08%
60.4	I+	I	C	0.00%	1.08%
60.8	I+	I	C	0.00%	1.08%
61.2	I+	I	C	0.00%	1.08%
61.6	I+	I	C	0.00%	1.08%
62.0	I+	I	C	0.00%	1.08%
62.4	I+	I	C	0.00%	1.08%
62.8	I+	I	C	0.00%	1.08%
63.2	I+	I	C	0.00%	1.08%
63.6	I+	I	C	0.00%	1.08%
64.0	I+	I	C	0.00%	1.08%
64.4	I+	I	C	0.00%	1.08%
64.8	I+	I	C	0.00%	1.08%
65.2	I+	I	C	0.00%	1.08%
65.6	I+	I	C	0.00%	1.08%
66.0	I+	I	C	0.00%	1.08%
66.4	I+	I	C	0.00%	1.08%

66.8	I+	I	C	0.00%	1.08%
67.2	I+	I	C	0.00%	1.08%
67.6	I+	I	C	0.00%	1.08%
68.0	I+	I	C	0.00%	1.08%
68.4	I+	I	C	0.00%	1.08%
68.8	I+	I	C	0.00%	1.08%
69.2	I+	I	C	0.00%	1.08%
69.6	I+	I	C	0.00%	1.08%
70.0	I+	I	C	0.00%	1.08%
70.4	I+	I	C	0.00%	1.08%
70.8	I+	I	C	0.00%	1.08%
71.2	I+	I	C	0.00%	1.08%
71.6	I+	I	C	0.00%	1.08%
72.0	I+	I	C	0.00%	1.08%
72.4	I+	I	C	0.00%	1.08%
72.8	I+	I	C	0.00%	1.08%
73.2	I+	I	C	0.00%	1.08%
73.6	I+	I	C	0.00%	1.08%
74.0	I+	I	C	0.00%	1.08%
74.4	I+	I	C	0.00%	1.08%
74.8	I+	I	C	0.00%	1.08%
75.2	I+	I	C	0.00%	1.08%
75.6	I+	I	C	0.00%	1.08%
76.0	I+	I	C	0.00%	1.08%
76.4	I+	I	C	0.00%	1.08%
76.8	I+	I	C	0.00%	1.08%
77.2	I+	I	C	0.00%	1.08%
77.6	I+	I	C	0.00%	1.08%
78.0	I+	I	C	0.00%	1.08%
78.4	I+	I	C	0.00%	1.08%
78.8	I+	I	C	0.00%	1.08%
79.2	I+	I	C	0.00%	1.08%
79.6	I+	I	C	0.00%	1.08%
80.0	I+	I	C	0.00%	1.08%
80.4	I+	I	C	0.00%	1.08%
80.8	I+	I	C	0.00%	1.08%
81.2	I+	I	C	0.00%	1.08%
81.6	I+	I	C	0.00%	1.08%
82.0	I+	I	C	0.00%	1.08%
82.4	I+	I	C	0.00%	1.08%
82.8	I+	I	C	0.00%	1.08%
83.2	I+	I	C	0.00%	1.08%
83.6	I+	I	C	0.00%	1.08%
84.0	I+	I	C	0.00%	1.08%
84.4	I+	I	C	0.00%	1.08%
84.8	I+	I	C	0.00%	1.08%
85.2	I+	I	C	0.00%	1.08%
85.6	I+	I	C	0.00%	1.08%
86.0	I+	I	C	0.00%	1.08%
86.4	I+	I	C	0.00%	1.08%
86.8	I+	I	C	0.00%	1.08%
87.2	I+	I	C	0.00%	1.08%
87.6	I+	I	C	0.00%	1.08%
88.0	I+	I	C	0.00%	1.08%
88.4	I+	I	C	0.00%	1.08%
88.8	I+	I	C	0.00%	1.08%
89.2	I+	I	C	0.00%	1.08%

89.6	I+	I	O	0.00%	1.08%
90.0	I+	I	C	0.00%	1.08%
90.4	I+	I	C	0.00%	1.08%
90.8	I+	I	C	0.00%	1.08%
91.2	I+	I	C	0.00%	1.08%
91.6	I+	I	O	0.00%	1.08%
92.0	I+	I	C	0.00%	1.08%
92.4	I+	I	C	0.00%	1.08%
92.8	I+	I	C	0.00%	1.08%
93.2	I+	I	C	0.00%	1.08%
93.6	I+	I	O	0.00%	1.08%
94.0	I+	I	C	0.00%	1.08%
94.4	I+	I	O	0.00%	1.08%
94.8	I+	I	C	0.00%	1.08%
95.2	I+	I	C	0.00%	1.08%
95.6	I+	I	C	0.00%	1.08%
96.0	I+	I	O	0.00%	1.08%
96.4	I+	I	C	0.00%	1.08%
96.8	I+	I	C	0.00%	1.08%
97.2	I+	I	O	0.00%	1.08%
97.6	I+	I	C	0.00%	1.08%
98.0	I+	I	C	0.00%	1.08%
98.4	I+	I	O	0.00%	1.08%
98.8	I+	I	C	0.00%	1.08%
99.2	I+	I	C	0.00%	1.08%
99.6	I+	I	C	0.00%	1.08%
100.0	I+	I	O	0.00%	1.08%
100.4	I+	I	C	0.00%	1.08%
100.8	I+	I	O	0.00%	1.08%
101.2	I+	I	C	0.00%	1.08%
101.6	I+	I	O	0.00%	1.08%
102.0	I+	I	C	0.00%	1.08%
102.4	I+	I	C	0.00%	1.08%
102.8	I+	I	C	0.00%	1.08%
103.2	I+	I	C	0.00%	1.08%
103.6	I+	I	C	0.00%	1.08%
104.0	I+	I	O	0.00%	1.08%
104.4	I+	I	C	0.00%	1.08%
104.8	I+	I	O	0.00%	1.08%
105.2	I+	I	C	0.00%	1.08%
105.6	I+	I	C	0.00%	1.08%
106.0	I+	I	O	0.00%	1.08%
106.4	I+	I	C	0.00%	1.08%
106.8	I+	I	C	0.00%	1.08%
107.2	I+	I	O	0.00%	1.08%
107.6	I+	I	C	0.00%	1.08%
108.0	I+	I	C	0.00%	1.08%
108.4	I+	I	C	0.00%	1.08%
108.8	I+	I	C	0.00%	1.08%
109.2	I+	I	O	0.00%	1.08%
109.6	I+	I	C	0.00%	1.08%
110.0	I+	I	C	0.00%	1.08%
110.4	I+	I	O	0.00%	1.08%
110.8	I+	I	C	0.00%	1.08%
111.2	I+	I	O	0.00%	1.08%
111.6	I+	I	C	0.00%	1.08%
112.0	+*****	I	1	1.08%	0.00%

PPM
SB

I	2	4	6	8	10	12	14	16	18	I
0										20
***** FREQUENCY (%) *****										
I	10	20	30	40	50	60	70	80	90	I
0										100
***** CUMULATIVE PROBABILITY (%) *****										

N. FREQ. PROB.
 CUM.

TOTAL SAMPLES= 92

+++++ CUMULATIVE PROBABILITY (%) +++++										TOTAL SAMPLES= 99				
0 10 20 30 40 50 60 70 80 90 100														
***** FREQUENCY (%) *****														
CD	0	10	20	30	40	50	60	70	80	90	100	N.	FREQ.	CUM. PROB.
PPM	I	I			
0.0	I*****	I	63	63.63%	36.36%
0.2	I	.	.	.	+	I	C	0.00%	36.36%
0.4	I****	.	.	.	+	I	4	4.04%	32.32%
0.6	I****	.	.	.	+	I	4	4.04%	28.28%
0.8	I*	.	.	.	+	I	1	1.01%	27.27%
1.0	I**	.	.	.	+	I	2	2.02%	25.25%
1.2	I	.	.	.	+	I	C	0.00%	25.25%
1.4	I	.	.	.	+	I	0	0.00%	25.25%
1.6	I**	.	.	.	+	I	2	2.02%	23.23%
1.8	I***	.	.	.	+	I	3	3.03%	20.20%
2.0	I	.	.	.	+	I	C	0.00%	20.20%
2.2	I*	.	.	.	+	I	1	1.01%	19.19%
2.4	I	.	.	.	+	I	C	0.00%	19.19%
2.6	I*	.	.	.	+	I	1	1.01%	18.18%
2.8	I	.	.	.	+	I	C	0.00%	18.18%
3.0	I	.	.	.	+	I	C	0.00%	18.18%
3.2	I*	.	.	.	+	I	1	1.01%	17.17%
3.4	I*	.	.	.	+	I	1	1.01%	16.16%
3.6	I*	.	.	.	+	I	1	1.01%	15.15%
3.8	I	.	.	.	+	I	C	0.00%	15.15%
4.0	I	.	.	.	+	I	C	0.00%	15.15%
4.2	I	.	.	.	+	I	C	0.00%	15.15%
4.4	I	.	.	.	+	I	C	0.00%	15.15%
4.6	I	.	.	.	+	I	C	0.00%	15.15%
4.8	I	.	.	.	+	I	C	0.00%	15.15%
5.0	I	.	.	.	+	I	C	0.00%	15.15%
5.2	I	.	.	.	+	I	C	0.00%	15.15%
5.4	I*	.	.	.	+	I	1	1.01%	14.14%
5.6	I	.	.	.	+	I	C	0.00%	14.14%
5.8	I	.	.	.	+	I	C	0.00%	14.14%
6.0	I*	.	.	.	+	I	1	1.01%	13.13%
6.2	I	.	.	.	+	I	C	0.00%	13.13%
6.4	I*	.	.	.	+	I	1	1.01%	12.12%
6.6	I*	.	.	.	+	I	1	1.01%	11.11%
6.8	I	.	.	.	+	I	C	0.00%	11.11%
7.0	I	.	.	.	+	I	C	0.00%	11.11%
7.2	I	.	.	.	+	I	C	0.00%	11.11%
7.4	I	.	.	.	+	I	C	0.00%	11.11%
7.6	I	.	.	.	+	I	C	0.00%	11.11%
7.8	I	.	.	.	+	I	C	0.00%	11.11%
8.0	I	.	.	.	+	I	C	0.00%	11.11%
8.2	I	.	.	.	+	I	C	0.00%	11.11%
8.4	I	.	.	.	+	I	C	0.00%	11.11%
8.6	I	.	.	.	+	I	C	0.00%	11.11%
8.8	I	.	.	.	+	I	C	0.00%	11.11%
9.0	I	.	.	.	+	I	C	0.00%	11.11%
9.2	I	.	.	.	+	I	C	0.00%	11.11%
9.4	I	.	.	.	+	I	C	0.00%	11.11%
9.6	I*	.	.	.	+	I	1	1.01%	10.10%
9.8	I	.	.	.	+	I	C	0.00%	10.10%

10.0	I	+	I	C	0.00%	10.10%
10.2	I	+	I	C	0.00%	10.10%
10.4	I	+	I	C	0.00%	10.10%
10.6	I	+	I	C	0.00%	10.10%
10.8	I	+	I	C	0.00%	10.10%
11.0	I	+	I	C	0.00%	10.10%
11.2	I	+	I	C	0.00%	10.10%
11.4	I	+	I	C	0.00%	10.10%
11.6	I	+	I	C	0.00%	10.10%
11.8	I	+	I	C	0.00%	10.10%
12.0	I	+	I	C	0.00%	10.10%
12.2	I	+	I	C	0.00%	10.10%
12.4	I	+	I	C	0.00%	10.10%
12.6	I*	+	I	1	1.01%	9.09%
12.8	I	+	I	C	0.00%	9.09%
13.0	I	+	I	C	0.00%	9.09%
13.2	I	+	I	C	0.00%	9.09%
13.4	I	+	I	C	0.00%	9.09%
13.6	I	+	I	C	0.00%	9.09%
13.8	I	+	I	C	0.00%	9.09%
14.0	I	+	I	C	0.00%	9.09%
14.2	I***	+	I	3	3.03%	6.06%
14.4	I	+	I	C	0.00%	6.06%
14.6	I	+	I	C	0.00%	6.06%
14.8	I	+	I	C	0.00%	6.06%
15.0	I*	+	I	1	1.01%	5.05%
15.2	I*	+	I	1	1.01%	4.04%
15.4	I*	+	I	1	1.01%	3.03%
15.6	I	+	I	C	0.00%	3.03%
15.8	I	+	I	C	0.00%	3.03%
16.0	I	+	I	C	0.00%	3.03%
16.2	I	+	I	C	0.00%	3.03%
16.4	I	+	I	C	0.00%	3.03%
16.6	I	+	I	C	0.00%	3.03%
16.8	I**	+	I	1	1.01%	2.02%
17.0	I	+	I	C	0.00%	2.02%
17.2	I	+	I	C	0.00%	2.02%
17.4	I	+	I	C	0.00%	2.02%
17.6	I	+	I	C	0.00%	2.02%
17.8	I	+	I	C	0.00%	2.02%
18.0	I	+	I	C	0.00%	2.02%
18.2	I	+	I	C	0.00%	2.02%
18.4	I	+	I	C	0.00%	2.02%
18.6	I+	I	1	1.01%	1.01%
18.8	I+	I	C	0.00%	1.01%
19.0	I+	I	C	0.00%	1.01%
19.2	I+	I	C	0.00%	1.01%
19.4	I+	I	C	0.00%	1.01%
19.6	I+	I	C	0.00%	1.01%
19.8	I+	I	C	0.00%	1.01%
20.0	I+	I	C	0.00%	1.01%
20.2	I+	I	C	0.00%	1.01%
20.4	I*	I	1	1.01%	0.00%

PPM	I	I	N.	FREQ.	PROB.
CD	0	10	20	30	40	50	60	70	80	90	100			CUM.	
***** FREQUENCY (%) *****															
I	I			
C	10	20	30	40	50	60	70	80	90	100					
***** CUMULATIVE PROBABILITY (%) *****															
													TOTAL SAMPLES=	99	

+++++ CUMULATIVE PROBABILITY (%) +++++										TOTAL SAMPLES= 99					
0 10 20 30 40 50 60 70 80 90 100															
***** FREQUENCY (%) *****															
MN	0	2	4	6	8	10	12	14	16	18	20	N.	FREQ.	CUM. PROB.	
PPM	I	I				
0	I	C	0.00%	100.00%	
100	I	C	0.00%	100.00%	
200	I	C	0.00%	100.00%	
300	I	C	0.00%	100.00%	
400	I	C	0.00%	100.00%	
500	I*****	+I	1	1.01%	98.98%
600	I*****	I	4	4.04%	94.94%
700	I*****	I	4	4.04%	90.90%
800	I*****	I	7	7.07%	83.83%
900	I*****	I	3	3.03%	80.80%
1000	I*****	I	3	3.03%	77.77%
1100	I*****	I	6	6.06%	71.71%
1200	I*****	I	9	9.09%	62.62%
1300	I*****	I	9	9.09%	53.53%
1400	I*****	I	11	11.11%	42.42%
1500	I*****	I	3	3.03%	39.39%
1600	I*****	I	7	7.07%	32.32%
1700	I*****	I	1	1.01%	31.31%
1800	I*****	I	3	3.03%	28.28%
1900	I*****	I	2	2.02%	26.26%
2000	I*****	I	6	6.06%	20.20%
2100	I*****	I	1	1.01%	19.19%
2200	I	I	0	0.00%	19.19%
2300	I	I	0	0.00%	19.19%
2400	I*****	I	4	4.04%	15.15%
2500	I	I	0	0.00%	15.15%
2600	I*****	I	1	1.01%	14.14%
2700	I*****	I	3	3.03%	11.11%
2800	I*****	I	2	2.02%	9.09%
2900	I*****	I	1	1.01%	8.08%
3000	I*****	I	2	2.02%	6.06%
3100	I*****	I	1	1.01%	5.05%
3200	I*****	I	1	1.01%	4.04%
3300	I*****	I	1	1.01%	3.03%
3400	I*****	I	1	1.01%	2.02%
3500	I +	I	0	0.00%	2.02%
3600	I +	I	0	0.00%	2.02%
3700	I +	I	0	0.00%	2.02%
3800	I +	I	0	0.00%	2.02%
3900	I +	I	0	0.00%	2.02%
4000	I +	I	0	0.00%	2.02%
4100	I +	I	0	0.00%	2.02%
4200	I +	I	0	0.00%	2.02%
4300	I +	I	0	0.00%	2.02%
4400	I*****	I	1	1.01%	1.01%
4500	I+	I	0	0.00%	1.01%
4600	I+	I	0	0.00%	1.01%
4700	I+	I	0	0.00%	1.01%
4800	I+	I	0	0.00%	1.01%
4900	I+	I	0	0.00%	1.01%

5000	I+	I	0	0.00%	1.01%
5100	I+	I	0	0.00%	1.01%
5200	I+	I	0	0.00%	1.01%
5300	I+	I	0	0.00%	1.01%
5400	I+	I	0	0.00%	1.01%
5500	I+	I	0	0.00%	1.01%
5600	*****	I	1	1.01%	0.00%

PPM	I	2	4	6	8	10	12	14	16	18	20	N.	FREQ.	PROB.
MN	C													CUM.
***** FREQUENCY (%) *****														
I														
0		10	20	30	40	50	60	70	80	90	100			
***** CUMULATIVE PROBABILITY (%) *****														
													TOTAL SAMPLES=	99

+++++ CUMULATIVE PROBABILITY (%) +++++											TOTAL SAMPLES= 99			
	0	10	20	30	40	50	60	70	80	90	100			
	I	I			
	***** FREQUENCY (%) *****													
MO	0	5	10	15	20	25	30	35	40	45	50	N.	FREQ.	CUM. PROB.
PPM	I	I			
0	I*****	I	44	44.44%	55.55%
2	I	I	0	0.00%	55.55%
4	I*****	I	16	16.16%	39.39%
6	I*****	I	9	9.09%	30.30%
8	I*****	I	3	3.03%	27.27%
10	I**	I	1	1.01%	26.26%
12	I*****	I	3	3.03%	23.23%
14	I****	I	2	2.02%	21.21%
16	I**	I	1	1.01%	20.20%
18	I**	I	1	1.01%	19.19%
20	I	I	0	0.00%	19.19%
22	I	I	0	0.00%	19.19%
24	I	I	0	0.00%	19.19%
26	I	I	0	0.00%	19.19%
28	I	I	0	0.00%	19.19%
30	I	I	0	0.00%	19.19%
32	I	I	0	0.00%	19.19%
34	I****	I	2	2.02%	17.17%
36	I	I	0	0.00%	17.17%
38	I	I	0	0.00%	17.17%
40	I**	I	1	1.01%	16.16%
42	I**	I	1	1.01%	15.15%
44	I	I	0	0.00%	15.15%
46	I	I	0	0.00%	15.15%
48	I**	I	1	1.01%	14.14%
50	I	I	0	0.00%	14.14%
52	I*****	I	3	3.03%	11.11%
54	I	I	0	0.00%	11.11%
56	I	I	0	0.00%	11.11%
58	I****	I	2	2.02%	9.09%
60	I	I	0	0.00%	9.09%
62	I**	I	1	1.01%	8.08%
64	I	I	0	0.00%	8.08%
66	I**	I	1	1.01%	7.07%
68	I**	I	1	1.01%	6.06%
70	I**	I	1	1.01%	5.05%
72	I	I	0	0.00%	5.05%
74	I	I	0	0.00%	5.05%
76	I	I	0	0.00%	5.05%
78	I	I	0	0.00%	5.05%
80	I	I	0	0.00%	5.05%
82	I**	I	1	1.01%	4.04%
84	I	I	0	0.00%	4.04%
86	I**	I	1	1.01%	3.03%
88	I	I	0	0.00%	3.03%
90	I**	I	1	1.01%	2.02%
92	I	I	0	0.00%	2.02%
94	I	I	0	0.00%	2.02%
96	I	I	0	0.00%	2.02%
98	I	I	0	0.00%	2.02%

100	I +	I	C	0.00%	2.02%
102	I +	I	C	0.00%	2.02%
104	I +	I	C	0.00%	2.02%
106	I +	I	C	0.00%	2.02%
108	I +	I	C	0.00%	2.02%
110	I +	I	C	0.00%	2.02%
112	I +	I	C	0.00%	2.02%
114	I +	I	C	0.00%	2.02%
116	I+*	I	1	1.01%	1.01%
118	I+	I	C	0.00%	1.01%
120	I+	I	C	0.00%	1.01%
122	***	I	1	1.01%	0.00%

PPM	I	5	10	15	20	25	30	35	40	45	50	I	N.	FREQ.	PROB.
MO	G														CUM.
***** FREQUENCY (%) *****															
	I	10	20	30	40	50	60	70	80	90	100	I			
***** CUMULATIVE PROBABILITY (%) *****															
													TOTAL SAMPLES= 99		

+++++ CUMULATIVE PROBABILITY (%) +++++											TOTAL SAMPLES= 99			
0 10 20 30 40 50 60 70 80 90 100														
***** FREQUENCY (%) *****														
FE	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	N.	FREQ.	CUM. PROB.
%	I			
0.0	I	0	0.00%	100.00%
0.2	I	0	0.00%	100.00%
0.4	I	0	0.00%	100.00%
0.6	I	0	0.00%	100.00%
0.8	I	0	0.00%	100.00%
1.0	I	0	0.00%	100.00%
1.2	I	0	0.00%	100.00%
1.4	I	0	0.00%	100.00%
1.6	I	0	0.00%	100.00%
1.8	I	0	0.00%	100.00%
2.0	I	0	0.00%	100.00%
2.2	I	0	0.00%	100.00%
2.4	I	0	0.00%	100.00%
2.6	I	0	0.00%	100.00%
2.8	I	0	0.00%	100.00%
3.0	I	*****	2	2.02%	97.97%
3.2	I	0	0.00%	97.97%
3.4	I	*****	1	1.01%	96.96%
3.6	I	0	0.00%	96.96%
3.8	I	0	0.00%	96.96%
4.0	I	0	0.00%	96.96%
4.2	I	0	0.00%	96.96%
4.4	I	0	0.00%	96.96%
4.6	I	0	0.00%	96.96%
4.8	I	0	0.00%	96.96%
5.0	I	0	0.00%	96.96%
5.2	I	0	0.00%	96.96%
5.4	I	0	0.00%	96.96%
5.6	I	*****	1	1.01%	95.95%
5.8	I	0	0.00%	95.95%
6.0	I	0	0.00%	95.95%
6.2	I	*****	1	1.01%	94.94%
6.4	I	0	0.00%	94.94%
6.6	I	*****	1	1.01%	93.93%
6.8	I	*****	1	1.01%	92.92%
7.0	I	*****	1	1.01%	91.91%
7.2	I	0	0.00%	91.91%
7.4	I	0	0.00%	91.91%
7.6	I	0	0.00%	91.91%
7.8	I	0	0.00%	91.91%
8.0	I	0	0.00%	91.91%
8.2	I	*****	2	2.02%	89.89%
8.4	I	*****	1	1.01%	88.88%
8.6	I	0	0.00%	88.88%
8.8	I	*****	1	1.01%	87.87%
9.0	I	*****	2	2.02%	85.85%
9.2	I	*****	2	2.02%	83.83%
9.4	I	*****	1	1.01%	82.82%
9.6	I	*****	1	1.01%	81.81%
9.8	I	0	0.00%	81.81%

22.0	I	+	I	C	0.00%	49.49%
22.2	I	+	I	C	0.00%	49.49%
22.4	I	+	I	C	0.00%	49.49%
22.6	I	*****	.	.	.	+	I	1	1.01%	48.48%
22.8	I	+	I	C	0.00%	48.48%
23.0	I	*****	.	.	.	+	I	2	2.02%	46.46%
23.2	I	+	I	C	0.00%	46.46%
23.4	I	+	I	C	0.00%	46.46%
23.6	I	+	I	C	0.00%	46.46%
23.8	I	+	I	C	0.00%	46.46%
24.0	I	+	I	C	0.00%	46.46%
24.2	I	*****	.	.	.	+	I	2	2.02%	44.44%
24.4	I	+	I	C	0.00%	44.44%
24.6	I	+	I	C	0.00%	44.44%
24.8	I	+	I	C	0.00%	44.44%
25.0	I	*****	.	.	.	+	I	1	1.01%	43.43%
25.2	I	+	I	C	0.00%	43.43%
25.4	I	+	I	C	0.00%	43.43%
25.6	I	+	I	C	0.00%	43.43%
25.8	I	+	I	C	0.00%	43.43%
26.0	I	*****	.	.	.	+	I	2	2.02%	41.41%
26.2	I	+	I	C	0.00%	41.41%
26.4	I	*****	.	.	.	+	I	2	2.02%	39.39%
26.6	I	*****	.	.	.	+	I	1	1.01%	38.38%
26.8	I	+	I	C	0.00%	38.38%
27.0	I	*****	.	.	.	+	I	1	1.01%	37.37%
27.2	I	*****	.	.	.	+	I	1	1.01%	36.36%
27.4	I	+	I	C	0.00%	36.36%
27.6	I	*****	.	.	.	+	I	1	1.01%	35.35%
27.8	I	*****	.	.	.	+	I	1	1.01%	34.34%
28.0	I	+	I	C	0.00%	34.34%
28.2	I	+	I	C	0.00%	34.34%
28.4	I	*****	.	.	.	+	I	1	1.01%	33.33%
28.6	I	+	I	C	0.00%	33.33%
28.8	I	*****	.	.	.	+	I	1	1.01%	32.32%
29.0	I	*****	.	.	.	+	I	1	1.01%	31.31%
29.2	I	*****	.	.	.	+	I	2	2.02%	29.29%
29.4	I	+	I	C	0.00%	29.29%
29.6	I	*****	.	.	.	+	I	1	1.01%	28.28%
29.8	I	+	I	C	0.00%	28.28%
30.0	I	+	I	C	0.00%	28.28%
30.2	I	+	I	C	0.00%	28.28%
30.4	I	+	I	C	0.00%	28.28%
30.6	I	+	I	C	0.00%	28.28%
30.8	I	+	I	C	0.00%	28.28%
31.0	I	+	I	C	0.00%	28.28%
31.2	I	+	I	C	0.00%	28.28%
31.4	I	*****	.	.	.	+	I	1	1.01%	27.27%
31.6	I	+	I	C	0.00%	27.27%
31.8	I	*****	.	.	.	+	I	1	1.01%	26.26%
32.0	I	*****	.	.	.	+	I	1	1.01%	25.25%
32.2	I	+	I	C	0.00%	25.25%
32.4	I	*****	.	.	.	+	I	1	1.01%	24.24%
32.6	I	*****	.	.	.	+	I	1	1.01%	23.23%
32.8	I	*****	.	.	.	+	I	1	1.01%	22.22%
33.0	I	*****	.	.	.	+	I	2	2.02%	20.20%
33.2	I	+	I	C	0.00%	20.20%

33.4	I	.	+	I	0	0.00%	20.20%
33.6	I	*****								I	2	2.02%	18.18%
33.8	I	.	+	I	0	0.00%	18.18%
34.0	I	*****								I	2	2.02%	16.16%
34.2	I	.	+	I	0	0.00%	16.16%
34.4	I	.	+	I	0	0.00%	16.16%
34.6	I	.	+	I	0	0.00%	16.16%
34.8	I	.	+	I	0	0.00%	16.16%
35.0	I	*****								I	1	1.01%	15.15%
35.2	I	.	+	I	0	0.00%	15.15%
35.4	I	.	+	I	0	0.00%	15.15%
35.6	I	*****								I	1	1.01%	14.14%
35.8	I	.	+	I	0	0.00%	14.14%
36.0	I	*****								I	3	3.03%	11.11%
36.2	I	.	+	I	0	0.00%	11.11%
36.4	I	.	+	I	0	0.00%	11.11%
36.6	I	*****								I	1	1.01%	10.10%
36.8	I	.	+	I	0	0.00%	10.10%
37.0	I	*****								I	2	2.02%	8.08%
37.2	I	.	+	I	0	0.00%	8.08%
37.4	I	*****								I	2	2.02%	6.06%
37.6	I	.	+	I	0	0.00%	6.06%
37.8	I	.	+	I	0	0.00%	6.06%
38.0	I	.	+	I	0	0.00%	6.06%
38.2	I	.	+	I	0	0.00%	6.06%
38.4	I	*****								I	1	1.01%	5.05%
38.6	I	.	+	I	0	0.00%	5.05%
38.8	I	.	+	I	0	0.00%	5.05%
39.0	I	.	+	I	0	0.00%	5.05%
39.2	I	.	+	I	0	0.00%	5.05%
39.4	I	.	+	I	0	0.00%	5.05%
39.6	I	.	+	I	0	0.00%	5.05%
39.8	I	.	+	I	0	0.00%	5.05%
40.0	I	*****								I	1	1.01%	4.04%
40.2	I	.	+	I	0	0.00%	4.04%
40.4	I	.	+	I	0	0.00%	4.04%
40.6	I	.	+	I	0	0.00%	4.04%
40.8	I	.	+	I	0	0.00%	4.04%
41.0	I	*****								I	2	2.02%	2.02%
41.2	I	.	+	I	0	0.00%	2.02%
41.4	I	.	+	I	0	0.00%	2.02%
41.6	I	.	+	I	0	0.00%	2.02%
41.3	I	.	+	I	0	0.00%	2.02%
42.0	I	*****								I	1	1.01%	1.01%
42.2	I	.	+	I	0	0.00%	1.01%
42.4	I	.	+	I	0	0.00%	1.01%
42.6	I	.	+	I	0	0.00%	1.01%
42.8	I	.	+	I	0	0.00%	1.01%
43.0	I	.	+	I	0	0.00%	1.01%
43.2	I	.	+	I	0	0.00%	1.01%
43.4	I	.	+	I	0	0.00%	1.01%
43.6	I	.	+	I	0	0.00%	1.01%
43.8	I	.	+	I	0	0.00%	1.01%
44.0	I	.	+	I	0	0.00%	1.01%
44.2	I	.	+	I	0	0.00%	1.01%
44.4	I	.	+	I	0	0.00%	1.01%
44.6	I	.	+	I	0	0.00%	1.01%

44.8	I+	I	0	0.00%	1.01%
45.0	*****	I	1	1.01%	0.00%

%	I									I	N.	FREQ.	PROB.
FE 0.0	0.0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0		CUM.
***** FREQUENCY (%) *****													

I											I
0	10	20	30	40	50	60	70	80	90	100	
***** CUMULATIVE PROBABILITY (%) *****											
											TOTAL SAMPLES= 99

```
*****
*
*   C Y P R U S   A N V I L   M I N I N G   C O R P O R A T I O N
*
*****
*
*           SYSTEM = HVYMNL
*           PROGRAM = EX101
*
*           MON, AUG 30, 1982, 3:05 PM
*
*****
*
*           LISTING OF HEAVY-MINERALS TEST DATA BY
*           PROJECT AND EXTRACTION CODE
*
*****
```

EXTRACTION-CODE = -60 HN TOT (3342)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM
81T0092	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	537
81T0093	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	67
81T0094	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	61
81T0095	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	8300
81T0096	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	20
81T0097	650	0.8	190	500	1.2	480	2	N.S.S.	N.S.S.	12.00	270	1200	2.4		570	
81T0098	400	2.1	520	205	0.4	332	2	49	N.S.S.	4.19	210	1220	4.8		220	
81T0099	N.S.S.	2.4	120	250	0.2	390	2	N.S.S.	N.S.S.	4.39	160	260	1.5	> 10000		
81T0100	375	4.8	800	385	2.0	156	2	10	4	10.00	230	640	6.3		110	
81T0232	70000	1.2	42	7100	60.0	860	18	1	4	22.00	80	160	3.1		40	
81T0233	N.S.S.	7.0	44	325	2.4	284	14	N.S.S.	N.S.S.	7.69	110	300	N.S.S.		250	
81T0235	75000	1.5	16	9000	76.0	930	16	1	4	20.00	100	160	5.5		30	
81T0236	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		105	
81T0237	55000	11.0	52	670	3.5	364	10	N.S.S.	N.S.S.	15.10	140	3000	6.3		2100	
81T0238	> 80000	1.2	6	5560	48.0	820	10	90	4	12.69	50	160	2.4		40	
81T0239	8500	3.4	134	1540	9.3	570	8	40	N.S.S.	15.60	160	940	5.5		2160	
81T0240	37000	11.0	56	3000	26.0	660	10	800	16	9.10	70	270	3.1		7640	
81T0241	N.S.S.	3.0	16	8700	76.0	1160	22	N.S.S.	N.S.S.	19.20	140	340	1.5		120	
81T0242	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		24	
81T0243	55000	1.3	36	6000	56.0	905	16	400	12	16.20	90	520	4.0	> 10000		
81T0244	34000	1.3	40	3300	28.0	520	12	160	4	5.80	120	200	4.0		3780	
81T0245	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		44	
81T0401	400	4.3	940	184	1.3	2300	2	700	10000	7.69	480	16400	20.7		3180	
81T0402	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		2920	
81T0403	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		10	
81T0404	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	> 10000		
81T0405	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	< 50		
81T0406	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		167	
81T0407	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		111	
81T0408	350	0.2	6	68	0.4	24	4	160	8	2.00	620	46	0.8		120	
81T0409	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	< 145		
81T0410	250	0.2	4	82	0.2	82	2	18	12	1.09	570	22	0.4	< 10		
81T0411	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	< 11		
81T0412	200	0.2	12	114	0.4	24	6	70	40	1.20	730	22	0.4	< 10		
81T0413	250	0.2	4	60	0.2	160	370	500	4	0.90	420	30	0.4	< 10		
81T0414	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		21	
81T0415	600	1.0	140	168	0.4	96	28	N.S.S.	N.S.S.	3.00	400	260	0.4		20	
81T0416	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	> 10000		
81T0417	200	0.2	66	48	0.2	30	4	600	1520	2.69	760	35	18.3		20	
81T0418	200	0.4	128	265	1.2	370	6	6	4	3.19	980	27	2.4		60	
81T0419	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		950	
81T0420	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	> 10000		
81T0515	N.S.S.	1.0	36	144	0.4	284	2	N.S.S.	N.S.S.	2.90	280	520	0.4	> 10000		
81T0516	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	> 10000		
81T0517	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	> 10000		
81T0518	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	> 10000		
81T0519	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	> 10000		
81T0520	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		1200	
81T0521	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		38	
81T0522	900	0.4	22	108	0.2	32	4	1	4	4.00	290	10	0.8	< 10		

EXTRACTION-CODE = -60 HN TOT (3342)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM
81T0523	200	0.2	14	70	0.2	18	6	750	272	1.29	560	11	0.4		10	
81T0524	200	3.1	120	205	0.6	350	6	2700	840	3.29	1160	1020	5.5		30	
81T0525	250	0.2	30	96	0.2	8	6	800	1360	1.70	960	23	0.4		20	
81T0526	1500	1.2	4400	950	6.0	320	6	200	224	1.39	430	180	0.8		20	
81T0527	1100	1.0	270	445	3.4	170	32	4	12	10.60	210	1820	11.1	<	10	
81T0528	2200	0.8	800	565	4.0	244	14	160	540	4.59	280	1360	4.8		20	
81T0529	N.S.S.	2.0	1200	520	2.7	330	8	N.S.S.	N.S.S.	3.90	470	1260	7.1		110	
81T0530	1100	0.6	200	195	0.4	156	4	100	120	5.50	290	280	4.0		10	
81T0531	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		4500	
81T0532	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	<	500	
81T0533	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		133	
81T0534	900	1.8	500	465	1.2	470	4	90	N.S.S.	4.00	190	1200	4.0		180	
81T0535	350	1.5	172	230	0.2	390	2	30	4	8.00	250	670	14.3		50	
81T0536	N.S.S.	0.6	130	134	0.2	270	48	N.S.S.	N.S.S.	3.00	370	260	N.S.S.	>	10000	
81T0537	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	<	40	
81T0538	300	1.8	370	118	0.2	275	2	60	16	5.00	180	2100	14.3		610	
81T0539	N.S.S.	0.2	37	50	0.2	35	2	N.S.S.	N.S.S.	1.89	525	48	N.S.S.		8940	
81T0540	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		22	
81T0541	500	0.4	100	82	0.4	440	2	70	4	3.09	140	32	0.8		10	
81T0543	N.S.S.	0.6	116	102	0.6	160	4	N.S.S.	N.S.S.	1.70	110	16	N.S.S.		30	
81T0544	N.S.S.	0.2	55	110	0.5	215	2	N.S.S.	N.S.S.	2.75	275	25	N.S.S.	<	10	
81T0545	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		16	
81T0546	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		3818	
81T0609	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		3321	
81T0618	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		6500	
81T0620	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		36	
81T0621	N.S.S.	0.4	200	86	0.2	196	4	N.S.S.	N.S.S.	3.19	660	200	0.8		40	
81T0622	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		14	
81T0812	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		31	
81T0813	N.S.S.	0.2	60	195	0.2	95	2	N.S.S.	N.S.S.	6.50	550	190	N.S.S.		950	
81T0814	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		7350	
81T0815	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		167	
81T0816	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	>	10000	
81T0817	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	>	10000	
81T0818	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		250	
81T0819	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		91	
81T0820	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	<	250	
81T0821	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		1330	
81T0822	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		32	
81T0823	200	0.2	22	66	0.8	72	2	150	256	3.59	960	33	0.8		10	
81T0824	N.S.S.	0.2	160	104	0.2	28	2	N.S.S.	N.S.S.	3.59	1000	152	N.S.S.		130	
81T0825	N.S.S.	0.4	24	122	0.6	70	6	N.S.S.	N.S.S.	4.19	850	77	N.S.S.		4010	
81T0826	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	>	10000	
81T0827	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		333	
81T0828	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	>	10000	
81T0829	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		1286	
81T0830	N.S.S.	0.4	36	60	0.4	24	2	N.S.S.	N.S.S.	2.09	360	11	1.2	>	10000	
81T0831	N.S.S.	0.4	56	180	0.2	208	2	N.S.S.	N.S.S.	3.09	200	152	N.S.S.		5330	
81T0832	N.S.S.	1.0	92	109	0.2	155	2	N.S.S.	N.S.S.	4.80	165	180	N.S.S.		20	
81T0833	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.		32	

EXTRACTION-CODE = -60 HN TOT (3342)

SAMPLE *****	A S S A Y R E S U L T S															
	BA PPM	AG PPM	PB PPM	ZN PPM	CD PPM	CU PPM	MO PPM	W PPM	SN PPM	FE %	MN PPM	AS PPM	SB PPM	HG PPB	AU PPB	WT GM

RECORDS

# 'NSS' =	68	52	52	52	52	52	52	71	74	52	52	52	62	0	0	0
# '<X' =	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11	0
# '>X' =	1	0	0	0	0	0	0	0	0	0	0	0	0	0	16	0
# 'NA' =	0	0	0	0	0	0	0	0	0	0	0	0	0	100	0	100
# 'OK' =	31	48	48	48	48	48	48	29	26	48	48	48	38	0	73	0

STATISTICS

N =	31	48	48	48	48	48	48	29	26	48	48	48	38	0	73	0
MINIMUM =	200	0.2	4	48	0.2	8	2	1	4	0.90	50	10	0.4	0	10	0.00
MAXIMUM =	75000	11.0	4400	9000	76.0	2300	370	2700	10000	22.00	1160	16400	20.7	0	8940	0.00
RANGE =	74800	10.7	4396	8952	75.8	2292	368	2699	9996	21.09	1110	16390	20.3	0	8930	0.00
MEAN =	11228	1.670	262.37	1104.8	8.710	344.41	15.458	300.68	588.00	6.157	387.60	792.54	4.399	0.000	1162.1	0.000
STD.DEV. =	22566	2.408	664.06	2265.2	19.894	397.39	53.047	533.00	1963.4	5.398	293.18	2385.8	5.101	0.000	2190.2	0.000
SKEWNESS =	1.767	2.653	5.120	2.397	2.389	2.743	6.216	3.174	4.225	1.412	0.972	5.838	1.720	0.000	2.116	0.000
KURTOSIS =	4.582	10.036	31.531	7.547	7.406	12.987	41.572	14.279	20.317	3.995	2.864	38.172	5.287	0.000	6.551	0.000

TOTAL SAMPLES= 48

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 48				
		0	10	20	30	40	50	60	70	80	90	100	N.	FREQ.	CUM. PROB.	

		FREQUENCY (%)														

CU PPM		0	1	2	3	4	5	6	7	8	9	10				
	I	I	I	I	I	I	I	I	I	I	I	I				
0	I	C	0.00%	100.00%	
10	I	*****	I	1	2.08%	97.91%
20	I	*****	I	4	8.33%	89.58%
30	I	*****	I	4	8.33%	81.25%
40	I	I	0	0.00%	81.25%
50	I	I	0	0.00%	81.25%
60	I	I	0	0.00%	81.25%
70	I	*****	I	2	4.16%	77.08%
80	I	*****	I	1	2.08%	75.00%
90	I	*****	I	1	2.08%	72.91%
100	I	*****	I	1	2.08%	70.83%
110	I	I	0	0.00%	70.83%
120	I	I	0	0.00%	70.83%
130	I	I	0	0.00%	70.83%
140	I	I	0	0.00%	70.83%
150	I	*****	I	1	2.08%	68.75%
160	I	*****	I	4	8.33%	60.41%
170	I	*****	I	1	2.08%	58.33%
180	I	I	0	0.00%	58.33%
190	I	I	0	0.00%	58.33%
200	I	*****	I	1	2.08%	56.25%
210	I	*****	I	2	4.16%	52.08%
220	I	I	0	0.00%	52.08%
230	I	I	0	0.00%	52.08%
240	I	*****	I	1	2.08%	50.00%
250	I	I	0	0.00%	50.00%
260	I	I	0	0.00%	50.00%
270	I	*****	I	2	4.16%	45.83%
280	I	*****	I	2	4.16%	41.66%
290	I	I	0	0.00%	41.66%
300	I	I	0	0.00%	41.66%
310	I	I	0	0.00%	41.66%
320	I	*****	I	1	2.08%	39.58%
330	I	*****	I	2	4.16%	35.41%
340	I	I	0	0.00%	35.41%
350	I	*****	I	1	2.08%	33.33%
360	I	*****	I	1	2.08%	31.25%
370	I	*****	I	1	2.08%	29.16%
380	I	I	0	0.00%	29.16%
390	I	*****	I	2	4.16%	25.00%
400	I	I	0	0.00%	25.00%
410	I	I	0	0.00%	25.00%
420	I	I	0	0.00%	25.00%
430	I	I	0	0.00%	25.00%
440	I	*****	I	1	2.08%	22.91%
450	I	I	0	0.00%	22.91%
460	I	I	0	0.00%	22.91%
470	I	*****	I	1	2.08%	20.83%
480	I	*****	I	1	2.08%	18.75%
490	I	I	0	0.00%	18.75%

500	I	I	C	0.00%	18.75%
510	I	I	C	0.00%	18.75%
520	I	*****+*****	I	1	2.08%	16.66%
530	I	I	0	0.00%	16.66%
540	I	I	0	0.00%	16.66%
550	I	I	0	0.00%	16.66%
560	I	I	0	0.00%	16.66%
570	I	*****+*****	I	1	2.08%	14.58%
580	I	I	C	0.00%	14.58%
590	I	I	C	0.00%	14.58%
600	I	I	C	0.00%	14.58%
610	I	I	C	0.00%	14.58%
620	I	I	C	0.00%	14.58%
630	I	I	C	0.00%	14.58%
640	I	I	C	0.00%	14.58%
650	I	I	C	0.00%	14.58%
660	I	*****+*****	I	1	2.08%	12.50%
670	I	I	C	0.00%	12.50%
680	I	I	C	0.00%	12.50%
690	I	I	C	0.00%	12.50%
700	I	I	C	0.00%	12.50%
710	I	I	C	0.00%	12.50%
720	I	I	C	0.00%	12.50%
730	I	I	C	0.00%	12.50%
740	I	I	C	0.00%	12.50%
750	I	I	C	0.00%	12.50%
760	I	I	0	0.00%	12.50%
770	I	I	0	0.00%	12.50%
780	I	I	C	0.00%	12.50%
790	I	I	C	0.00%	12.50%
800	I	I	C	0.00%	12.50%
810	I	I	C	0.00%	12.50%
820	I	*****+*****	I	1	2.08%	10.41%
830	I	I	0	0.00%	10.41%
840	I	I	0	0.00%	10.41%
850	I	I	0	0.00%	10.41%
860	I	*****+*****	I	1	2.08%	8.33%
870	I	I	C	0.00%	8.33%
880	I	I	0	0.00%	8.33%
890	I	I	C	0.00%	8.33%
900	I	*****+*****	I	1	2.08%	6.25%
910	I	I	0	0.00%	6.25%
920	I	I	0	0.00%	6.25%
930	I	*****+*****	I	1	2.08%	4.16%
940	I	I	C	0.00%	4.16%
950	I	I	0	0.00%	4.16%
960	I	I	0	0.00%	4.16%
970	I	I	C	0.00%	4.16%
980	I	I	0	0.00%	4.16%
990	I	I	0	0.00%	4.16%
1000	I	I	C	0.00%	4.16%
1010	I	I	0	0.00%	4.16%
1020	I	I	C	0.00%	4.16%
1030	I	I	0	0.00%	4.16%
1040	I	I	0	0.00%	4.16%
1050	I	I	C	0.00%	4.16%
1060	I	I	C	0.00%	4.16%
1070	I	I	C	0.00%	4.16%
1080	I	I	C	0.00%	4.16%
1090	I	I	C	0.00%	4.16%

1670	I +	I	G	0.00%	2.08%
1680	I +	I	O	0.00%	2.08%
1690	I +	I	O	0.00%	2.08%

1700	I +	I	C	0.00%	2.08%
1710	I +	I	C	0.00%	2.08%
1720	I +	I	C	0.00%	2.08%
1730	I +	I	C	0.00%	2.08%
1740	I +	I	C	0.00%	2.08%
1750	I +	I	C	0.00%	2.08%
1760	I +	I	C	0.00%	2.08%
1770	I +	I	C	0.00%	2.08%
1780	I +	I	C	0.00%	2.08%
1790	I +	I	C	0.00%	2.08%
1800	I +	I	C	0.00%	2.08%
1810	I +	I	C	0.00%	2.08%
1820	I +	I	C	0.00%	2.08%
1830	I +	I	C	0.00%	2.08%
1840	I +	I	C	0.00%	2.08%
1850	I +	I	C	0.00%	2.08%
1860	I +	I	C	0.00%	2.08%
1870	I +	I	C	0.00%	2.08%
1880	I +	I	C	0.00%	2.08%
1890	I +	I	O	0.00%	2.08%
1900	I +	I	C	0.00%	2.08%
1910	I +	I	C	0.00%	2.08%
1920	I +	I	C	0.00%	2.08%
1930	I +	I	C	0.00%	2.08%
1940	I +	I	C	0.00%	2.08%
1950	I +	I	C	0.00%	2.08%
1960	I +	I	C	0.00%	2.08%
1970	I +	I	C	0.00%	2.08%
1980	I +	I	C	0.00%	2.08%
1990	I +	I	C	0.00%	2.08%
2000	I +	I	C	0.00%	2.08%
2010	I +	I	C	0.00%	2.08%
2020	I +	I	C	0.00%	2.08%
2030	I +	I	C	0.00%	2.08%
2040	I +	I	C	0.00%	2.08%
2050	I +	I	O	0.00%	2.08%
2060	I +	I	C	0.00%	2.08%
2070	I +	I	C	0.00%	2.08%
2080	I +	I	C	0.00%	2.08%
2090	I +	I	C	0.00%	2.08%
2100	I +	I	G	0.00%	2.08%
2110	I +	I	C	0.00%	2.08%
2120	I +	I	C	0.00%	2.08%
2130	I +	I	G	0.00%	2.08%
2140	I +	I	C	0.00%	2.08%
2150	I +	I	O	0.00%	2.08%
2160	I +	I	G	0.00%	2.08%
2170	I +	I	G	0.00%	2.08%
2180	I +	I	C	0.00%	2.08%
2190	I +	I	C	0.00%	2.08%
2200	I +	I	O	0.00%	2.08%
2210	I +	I	C	0.00%	2.08%
2220	I +	I	O	0.00%	2.08%
2230	I +	I	C	0.00%	2.08%

2240	I +	I	0	0.00%	2.08%
2250	I +	I	0	0.00%	2.08%
2260	I +	I	0	0.00%	2.08%
2270	I +	I	0	0.00%	2.08%
2280	I +	I	0	0.00%	2.08%
2290	I +	I	0	0.00%	2.08%

2300	*****	I	1	2.08%	0.00%
PPM	I	I	N.	FREQ.	PROB.
CU	0	1	2	3	4	5	6	7	8	9	10		CUM.
***** FREQUENCY (%) *****													
I	I		
0	10	20	30	40	50	60	70	80	90	100		TOTAL SAMPLES=	48
***** CUMULATIVE PROBABILITY (%) *****													

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 48			
		0	10	20	30	40	50	60	70	80	90	100			

		FREQUENCY (%)													
PB	PPM	0	2	4	6	8	10	12	14	16	18	20	N.	FREQ.	CUM. PROB.
0	I	*****	2	4.16%	95.83%
10	I	*****	4	8.33%	87.50%
20	I	*****	5	10.41%	77.08%
30	I	*****	1	2.08%	75.00%
40	I	*****	7	14.58%	60.41%
50	I	*****	2	4.16%	56.25%
60	I	*****	3	6.25%	50.00%
70	I	*****	1	2.08%	47.91%
80	I	*****	0	0.00%	47.91%
90	I	*****	1	2.08%	45.83%
100	I	*****	1	2.08%	43.74%
110	I	*****	0	0.00%	43.74%
120	I	*****	3	6.25%	37.49%
130	I	*****	3	6.25%	31.24%
140	I	*****	1	2.08%	29.16%
150	I	*****	0	0.00%	29.16%
160	I	*****	1	2.08%	27.08%
170	I	*****	1	2.08%	24.99%
180	I	*****	0	0.00%	24.99%
190	I	*****	1	2.08%	22.91%
200	I	*****	2	4.16%	18.75%
210	I	*****	0	0.00%	18.75%
220	I	*****	0	0.00%	18.75%
230	I	*****	0	0.00%	18.75%
240	I	*****	0	0.00%	18.75%
250	I	*****	0	0.00%	18.75%
260	I	*****	0	0.00%	18.75%
270	I	*****	1	2.08%	16.66%
280	I	*****	0	0.00%	16.66%
290	I	*****	0	0.00%	16.66%
300	I	*****	0	0.00%	16.66%
310	I	*****	0	0.00%	16.66%
320	I	*****	0	0.00%	16.66%
330	I	*****	0	0.00%	16.66%
340	I	*****	0	0.00%	16.66%
350	I	*****	0	0.00%	16.66%
360	I	*****	0	0.00%	16.66%
370	I	*****	1	2.08%	14.58%
380	I	*****	0	0.00%	14.58%
390	I	*****	0	0.00%	14.58%
400	I	*****	0	0.00%	14.58%
410	I	*****	0	0.00%	14.58%
420	I	*****	0	0.00%	14.58%
430	I	*****	0	0.00%	14.58%
440	I	*****	0	0.00%	14.58%
450	I	*****	0	0.00%	14.58%
460	I	*****	0	0.00%	14.58%
470	I	*****	0	0.00%	14.58%
480	I	*****	0	0.00%	14.58%
490	I	*****	0	0.00%	14.58%

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES = 48			
		0	10	20	30	40	50	60	70	80	90	100	N.	FREQ.	CUM. PROB.
ZN PPM		FREQUENCY (%)													
		0	2	4	6	8	10	12	14	16	18	20			
0	I	0	0.00%	100.00%
30	I	0	0.00%	100.00%
60	I	7	14.58%	85.41%
90	I	6	12.50%	72.91%
120	I	7	14.58%	58.33%
150	I	1	2.08%	56.25%
180	I	5	10.41%	45.83%
210	I	2	4.16%	41.66%
240	I	2	4.16%	37.50%
270	I	1	2.08%	35.41%
300	I	0	0.00%	35.41%
330	I	1	2.08%	33.33%
360	I	0	0.00%	33.33%
390	I	1	2.08%	31.25%
420	I	0	0.00%	31.25%
450	I	2	4.16%	27.08%
480	I	0	0.00%	27.08%
510	I	2	4.16%	22.91%
540	I	0	0.00%	22.91%
570	I	1	2.08%	20.83%
600	I	0	0.00%	20.83%
630	I	0	0.00%	20.83%
660	I	1	2.08%	18.75%
690	I	0	0.00%	18.75%
720	I	0	0.00%	18.75%
750	I	0	0.00%	18.75%
780	I	0	0.00%	18.75%
810	I	0	0.00%	18.75%
840	I	0	0.00%	18.75%
870	I	0	0.00%	18.75%
900	I	0	0.00%	18.75%
930	I	0	0.00%	18.75%
960	I	1	2.08%	16.66%
990	I	0	0.00%	16.66%
1020	I	0	0.00%	16.66%
1050	I	0	0.00%	16.66%
1080	I	0	0.00%	16.66%
1110	I	0	0.00%	16.66%
1140	I	0	0.00%	16.66%
1170	I	0	0.00%	16.66%
1200	I	0	0.00%	16.66%
1230	I	0	0.00%	16.66%
1260	I	0	0.00%	16.66%
1290	I	0	0.00%	16.66%
1320	I	0	0.00%	16.66%
1350	I	0	0.00%	16.66%
1380	I	0	0.00%	16.66%
1410	I	0	0.00%	16.66%
1440	I	0	0.00%	16.66%
1470	I	0	0.00%	16.66%

3950	I +	I	C	0.00%	2.08%
3960	I +	I	C	0.00%	2.08%
3970	I +	I	C	0.00%	2.08%
3980	I +	I	C	0.00%	2.08%
3990	I +	I	C	0.00%	2.08%

PPM	I	2	4	6	8	10	12	14	16	18	20	I	N.	FREQ.	PROB.
PE	0														CUM.
***** FREQUENCY (%) *****															
I	0	10	20	30	40	50	60	70	80	90	100	I			
***** CUMULATIVE PROBABILITY (%) *****															
														TOTAL SAMPLES=	48

1670	I +	I	C	0.00%	2.08%
1680	I +	I	C	0.00%	2.08%
1690	I +	I	C	0.00%	2.08%
1700	I +	I	C	0.00%	2.08%
1710	I +	I	C	0.00%	2.08%
1720	I +	I	C	0.00%	2.08%
1730	I +	I	C	0.00%	2.08%
1740	I +	I	C	0.00%	2.08%
1750	I +	I	C	0.00%	2.08%
1760	I +	I	C	0.00%	2.08%
1770	I +	I	C	0.00%	2.08%
1780	I +	I	C	0.00%	2.08%
1790	I +	I	C	0.00%	2.08%
1800	I +	I	C	0.00%	2.08%
1810	I +	I	C	0.00%	2.08%
1820	I +	I	C	0.00%	2.08%
1830	I +	I	C	0.00%	2.08%
1840	I +	I	C	0.00%	2.08%
1850	I +	I	C	0.00%	2.08%
1860	I +	I	C	0.00%	2.08%
1870	I +	I	C	0.00%	2.08%
1880	I +	I	C	0.00%	2.08%
1890	I +	I	C	0.00%	2.08%
1900	I +	I	C	0.00%	2.08%
1910	I +	I	C	0.00%	2.08%
1920	I +	I	C	0.00%	2.08%
1930	I +	I	C	0.00%	2.08%
1940	I +	I	C	0.00%	2.08%
1950	I +	I	C	0.00%	2.08%
1960	I +	I	C	0.00%	2.08%
1970	I +	I	C	0.00%	2.08%
1980	I +	I	C	0.00%	2.08%
1990	I +	I	C	0.00%	2.08%
2000	I +	I	C	0.00%	2.08%
2010	I +	I	C	0.00%	2.08%
2020	I +	I	C	0.00%	2.08%
2030	I +	I	C	0.00%	2.08%
2040	I +	I	C	0.00%	2.08%
2050	I +	I	C	0.00%	2.08%
2060	I +	I	C	0.00%	2.08%
2070	I +	I	C	0.00%	2.08%
2080	I +	I	C	0.00%	2.08%
2090	I +	I	C	0.00%	2.08%
2100	I +	I	C	0.00%	2.08%
2110	I +	I	C	0.00%	2.08%
2120	I +	I	C	0.00%	2.08%
2130	I +	I	C	0.00%	2.08%
2140	I +	I	C	0.00%	2.08%
2150	I +	I	C	0.00%	2.08%
2160	I +	I	C	0.00%	2.08%
2170	I +	I	C	0.00%	2.08%
2180	I +	I	C	0.00%	2.08%
2190	I +	I	C	0.00%	2.08%
2200	I +	I	C	0.00%	2.08%
2210	I +	I	C	0.00%	2.08%
2220	I +	I	C	0.00%	2.08%
2230	I +	I	C	0.00%	2.08%

2240	I +	I	C	0.00%	2.08%
2250	I +	I	G	0.00%	2.08%
2260	I +	I	O	0.00%	2.08%
2270	I +	I	O	0.00%	2.08%
2280	I +	I	C	0.00%	2.08%
2290	I +	I	C	0.00%	2.08%

2300	I +	I	C	0.00%	2.08%
2310	I +	I	O	0.00%	2.08%
2320	I +	I	C	0.00%	2.08%
2330	I +	I	O	0.00%	2.08%
2340	I +	I	C	0.00%	2.08%
2350	I +	I	O	0.00%	2.08%
2360	I +	I	O	0.00%	2.08%
2370	I +	I	C	0.00%	2.08%
2380	I +	I	C	0.00%	2.08%
2390	I +	I	O	0.00%	2.08%
2400	I +	I	O	0.00%	2.08%
2410	I +	I	C	0.00%	2.08%
2420	I +	I	O	0.00%	2.08%
2430	I +	I	C	0.00%	2.08%
2440	I +	I	C	0.00%	2.08%
2450	I +	I	C	0.00%	2.08%
2460	I +	I	C	0.00%	2.08%
2470	I +	I	C	0.00%	2.08%
2480	I +	I	C	0.00%	2.08%
2490	I +	I	O	0.00%	2.08%
2500	I +	I	O	0.00%	2.08%
2510	I +	I	C	0.00%	2.08%
2520	I +	I	O	0.00%	2.08%
2530	I +	I	C	0.00%	2.08%
2540	I +	I	O	0.00%	2.08%
2550	I +	I	C	0.00%	2.08%
2560	I +	I	C	0.00%	2.08%
2570	I +	I	O	0.00%	2.08%
2580	I +	I	C	0.00%	2.08%
2590	I +	I	O	0.00%	2.08%
2600	I +	I	C	0.00%	2.08%
2610	I +	I	O	0.00%	2.08%
2620	I +	I	C	0.00%	2.08%
2630	I +	I	C	0.00%	2.08%
2640	I +	I	O	0.00%	2.08%
2650	I +	I	O	0.00%	2.08%
2660	I +	I	C	0.00%	2.08%
2670	I +	I	O	0.00%	2.08%
2680	I +	I	O	0.00%	2.08%
2690	I +	I	O	0.00%	2.08%
2700	I +	I	C	0.00%	2.08%
2710	I +	I	C	0.00%	2.08%
2720	I +	I	C	0.00%	2.08%
2730	I +	I	O	0.00%	2.08%
2740	I +	I	C	0.00%	2.08%
2750	I +	I	O	0.00%	2.08%
2760	I +	I	O	0.00%	2.08%
2770	I +	I	O	0.00%	2.08%
2780	I +	I	O	0.00%	2.08%
2790	I +	I	C	0.00%	2.08%
2800	I +	I	O	0.00%	2.08%

2810	I	+	I	C	0.00%	2.08%
2820	I	+	I	C	0.00%	2.08%
2830	I	+	I	C	0.00%	2.08%
2840	I	+	I	C	0.00%	2.08%
2850	I	+	I	C	0.00%	2.08%
2860	I	+	I	C	0.00%	2.08%
2870	I	+	I	C	0.00%	2.08%
2880	I	+	I	C	0.00%	2.08%
2890	I	+	I	C	0.00%	2.08%

2900	I	+	I	C	0.00%	2.08%
2910	I	+	I	C	0.00%	2.08%
2920	I	+	I	C	0.00%	2.08%
2930	I	+	I	C	0.00%	2.08%
2940	I	+	I	C	0.00%	2.08%
2950	I	+	I	C	0.00%	2.08%
2960	I	+	I	C	0.00%	2.08%
2970	I	+	I	C	0.00%	2.08%
2980	I	+	I	C	0.00%	2.08%
2990	I	+	I	C	0.00%	2.08%
3000	I	+	I	C	0.00%	2.08%
3010	I	+	I	C	0.00%	2.08%
3020	I	+	I	C	0.00%	2.08%
3030	I	+	I	C	0.00%	2.08%
3040	I	+	I	C	0.00%	2.08%
3050	I	+	I	C	0.00%	2.08%
3060	I	+	I	C	0.00%	2.08%
3070	I	+	I	C	0.00%	2.08%
3080	I	+	I	C	0.00%	2.08%
3090	I	+	I	C	0.00%	2.08%
3100	I	+	I	C	0.00%	2.08%
3110	I	+	I	C	0.00%	2.08%
3120	I	+	I	C	0.00%	2.08%
3130	I	+	I	C	0.00%	2.08%
3140	I	+	I	C	0.00%	2.08%
3150	I	+	I	C	0.00%	2.08%
3160	I	+	I	C	0.00%	2.08%
3170	I	+	I	C	0.00%	2.08%
3180	I	+	I	C	0.00%	2.08%
3190	I	+	I	C	0.00%	2.08%
3200	I	+	I	C	0.00%	2.08%
3210	I	+	I	C	0.00%	2.08%
3220	I	+	I	C	0.00%	2.08%
3230	I	+	I	C	0.00%	2.08%
3240	I	+	I	C	0.00%	2.08%
3250	I	+	I	C	0.00%	2.08%
3260	I	+	I	C	0.00%	2.08%
3270	I	+	I	C	0.00%	2.08%
3280	I	+	I	C	0.00%	2.08%
3290	I	+	I	C	0.00%	2.08%
3300	I	+	I	C	0.00%	2.08%
3310	I	+	I	C	0.00%	2.08%
3320	I	+	I	C	0.00%	2.08%
3330	I	+	I	C	0.00%	2.08%
3340	I	+	I	C	0.00%	2.08%
3350	I	+	I	C	0.00%	2.08%
3360	I	+	I	C	0.00%	2.08%
3370	I	+	I	C	0.00%	2.08%

3380	I +	I	O	0.00%	2.08%
3390	I +	I	C	0.00%	2.08%
3400	I +	I	O	0.00%	2.08%
3410	I +	I	O	0.00%	2.08%
3420	I +	I	C	0.00%	2.08%
3430	I +	I	O	0.00%	2.08%
3440	I +	I	O	0.00%	2.08%
3450	I +	I	O	0.00%	2.08%
3460	I +	I	O	0.00%	2.08%
3470	I +	I	O	0.00%	2.08%
3480	I +	I	C	0.00%	2.08%
3490	I +	I	O	0.00%	2.08%

3500	I +	I	O	0.00%	2.08%
3510	I +	I	C	0.00%	2.08%
3520	I +	I	C	0.00%	2.08%
3530	I +	I	C	0.00%	2.08%
3540	I +	I	C	0.00%	2.08%
3550	I +	I	C	0.00%	2.08%
3560	I +	I	C	0.00%	2.08%
3570	I +	I	O	0.00%	2.08%
3580	I +	I	C	0.00%	2.08%
3590	I +	I	O	0.00%	2.08%
3600	I +	I	O	0.00%	2.08%
3610	I +	I	O	0.00%	2.08%
3620	I +	I	O	0.00%	2.08%
3630	I +	I	C	0.00%	2.08%
3640	I +	I	O	0.00%	2.08%
3650	I +	I	O	0.00%	2.08%
3660	I +	I	O	0.00%	2.08%
3670	I +	I	C	0.00%	2.08%
3680	I +	I	C	0.00%	2.08%
3690	I +	I	C	0.00%	2.08%
3700	I +	I	C	0.00%	2.08%
3710	I +	I	C	0.00%	2.08%
3720	I +	I	C	0.00%	2.08%
3730	I +	I	C	0.00%	2.08%
3740	I +	I	O	0.00%	2.08%
3750	I +	I	C	0.00%	2.08%
3760	I +	I	C	0.00%	2.08%
3770	I +	I	O	0.00%	2.08%
3780	I +	I	C	0.00%	2.08%
3790	I +	I	C	0.00%	2.08%
3800	I +	I	C	0.00%	2.08%
3810	I +	I	O	0.00%	2.08%
3820	I +	I	C	0.00%	2.08%
3830	I +	I	O	0.00%	2.08%
3840	I +	I	C	0.00%	2.08%
3850	I +	I	C	0.00%	2.08%
3860	I +	I	C	0.00%	2.08%
3870	I +	I	O	0.00%	2.08%
3880	I +	I	C	0.00%	2.08%
3890	I +	I	C	0.00%	2.08%
3900	I +	I	C	0.00%	2.08%
3910	I +	I	C	0.00%	2.08%
3920	I +	I	C	0.00%	2.08%
3930	I +	I	O	0.00%	2.08%
3940	I +	I	C	0.00%	2.08%

1500	I	.	+	I	C	0.00%	16.66%
1530	I*****	.	+	I	1	2.08%	14.58%
1560	I	.	+	I	0	0.00%	14.58%
1590	I	.	+	I	C	0.00%	14.58%
1620	I	.	+	I	C	0.00%	14.58%
1650	I	.	+	I	C	0.00%	14.58%
1680	I	.	+	I	C	0.00%	14.58%
1710	I	.	+	I	C	0.00%	14.58%
1740	I	.	+	I	C	0.00%	14.58%
1770	I	.	+	I	0	0.00%	14.58%
1800	I	.	+	I	C	0.00%	14.58%
1830	I	.	+	I	C	0.00%	14.58%
1860	I	.	+	I	C	0.00%	14.58%
1890	I	.	+	I	C	0.00%	14.58%
1920	I	.	+	I	0	0.00%	14.58%
1950	I	.	+	I	C	0.00%	14.58%
1980	I	.	+	I	C	0.00%	14.58%
2010	I	.	+	I	C	0.00%	14.58%
2040	I	.	+	I	C	0.00%	14.58%
2070	I	.	+	I	C	0.00%	14.58%
2100	I	.	+	I	0	0.00%	14.58%
2130	I	.	+	I	C	0.00%	14.58%
2160	I	.	+	I	C	0.00%	14.58%
2190	I	.	+	I	C	0.00%	14.58%
2220	I	.	+	I	C	0.00%	14.58%
2250	I	.	+	I	C	0.00%	14.58%
2280	I	.	+	I	C	0.00%	14.58%
2310	I	.	+	I	C	0.00%	14.58%
2340	I	.	+	I	0	0.00%	14.58%
2370	I	.	+	I	C	0.00%	14.58%
2400	I	.	+	I	C	0.00%	14.58%
2430	I	.	+	I	C	0.00%	14.58%
2460	I	.	+	I	0	0.00%	14.58%
2490	I	.	+	I	C	0.00%	14.58%
2520	I	.	+	I	C	0.00%	14.58%
2550	I	.	+	I	C	0.00%	14.58%
2580	I	.	+	I	0	0.00%	14.58%
2610	I	.	+	I	C	0.00%	14.58%
2640	I	.	+	I	C	0.00%	14.58%
2670	I	.	+	I	C	0.00%	14.58%
2700	I	.	+	I	0	0.00%	14.58%
2730	I	.	+	I	C	0.00%	14.58%
2760	I	.	+	I	C	0.00%	14.58%
2790	I	.	+	I	C	0.00%	14.58%
2820	I	.	+	I	C	0.00%	14.58%
2850	I	.	+	I	0	0.00%	14.58%
2880	I	.	+	I	C	0.00%	14.58%
2910	I	.	+	I	C	0.00%	14.58%
2940	I	.	+	I	C	0.00%	14.58%
2970	I	.	+	I	C	0.00%	14.58%
3000	I*****	.	+	I	1	2.08%	12.50%
3030	I	.	+	I	C	0.00%	12.50%
3060	I	.	+	I	C	0.00%	12.50%
3090	I	.	+	I	C	0.00%	12.50%
3120	I	.	+	I	C	0.00%	12.50%
3150	I	.	+	I	0	0.00%	12.50%
3180	I	.	+	I	C	0.00%	12.50%
3210	I	.	+	I	C	0.00%	12.50%
3240	I	.	+	I	C	0.00%	12.50%
3270	I	.	+	I	0	0.00%	12.50%

3300	I*****+.	I	1	2.08%	10.41%
3330	I +.	I	C	0.00%	10.41%
3360	I +.	I	C	0.00%	10.41%
3390	I +.	I	C	0.00%	10.41%
3420	I +.	I	C	0.00%	10.41%
3450	I +.	I	C	0.00%	10.41%
3480	I +.	I	C	0.00%	10.41%
3510	I +.	I	C	0.00%	10.41%
3540	I +.	I	C	0.00%	10.41%
3570	I +.	I	C	0.00%	10.41%
3600	I +.	I	O	0.00%	10.41%
3630	I +.	I	O	0.00%	10.41%
3660	I +.	I	O	0.00%	10.41%
3690	I +.	I	C	0.00%	10.41%
3720	I +.	I	O	0.00%	10.41%
3750	I +.	I	O	0.00%	10.41%
3780	I +.	I	O	0.00%	10.41%
3810	I +.	I	C	0.00%	10.41%
3840	I +.	I	O	0.00%	10.41%
3870	I +.	I	O	0.00%	10.41%
3900	I +.	I	C	0.00%	10.41%
3930	I +.	I	C	0.00%	10.41%
3960	I +.	I	O	0.00%	10.41%
3990	I +.	I	O	0.00%	10.41%
4020	I +.	I	O	0.00%	10.41%
4050	I +.	I	O	0.00%	10.41%
4080	I +.	I	C	0.00%	10.41%
4110	I +.	I	C	0.00%	10.41%
4140	I +.	I	O	0.00%	10.41%
4170	I +.	I	O	0.00%	10.41%
4200	I +.	I	O	0.00%	10.41%
4230	I +.	I	C	0.00%	10.41%
4260	I +.	I	C	0.00%	10.41%
4290	I +.	I	C	0.00%	10.41%
4320	I +.	I	C	0.00%	10.41%
4350	I +.	I	O	0.00%	10.41%
4380	I +.	I	C	0.00%	10.41%
4410	I +.	I	O	0.00%	10.41%
4440	I +.	I	C	0.00%	10.41%
4470	I +.	I	O	0.00%	10.41%
4500	I +.	I	C	0.00%	10.41%
4530	I +.	I	O	0.00%	10.41%
4560	I +.	I	O	0.00%	10.41%
4590	I +.	I	O	0.00%	10.41%
4620	I +.	I	C	0.00%	10.41%
4650	I +.	I	C	0.00%	10.41%
4680	I +.	I	C	0.00%	10.41%
4710	I +.	I	C	0.00%	10.41%
4740	I +.	I	C	0.00%	10.41%
4770	I +.	I	C	0.00%	10.41%
4800	I +.	I	C	0.00%	10.41%
4830	I +.	I	C	0.00%	10.41%
4860	I +.	I	C	0.00%	10.41%
4890	I +.	I	C	0.00%	10.41%
4920	I +.	I	C	0.00%	10.41%
4950	I +.	I	C	0.00%	10.41%
4980	I +.	I	C	0.00%	10.41%


5010	I	+	I	0	0.00%	10.41%
5040	I	+	I	0	0.00%	10.41%
5070	I	+	I	0	0.00%	10.41%
5100	I	+	I	0	0.00%	10.41%
5130	I	+	I	0	0.00%	10.41%
5160	I	+	I	C	0.00%	10.41%
5190	I	+	I	0	0.00%	10.41%
5220	I	+	I	C	0.00%	10.41%
5250	I	+	I	C	0.00%	10.41%
5280	I	+	I	0	0.00%	10.41%
5310	I	+	I	C	0.00%	10.41%
5340	I	+	I	C	0.00%	10.41%
5370	I	+	I	C	0.00%	10.41%
5400	I	+	I	C	0.00%	10.41%
5430	I	+	I	C	0.00%	10.41%
5460	I	+	I	C	0.00%	10.41%
5490	I	+	I	0	0.00%	10.41%
5520	I	+	I	C	0.00%	10.41%
5550	I	*****	I	1	2.08%	8.33%
5580	I	+	I	0	0.00%	8.33%
5610	I	+	I	C	0.00%	8.33%
5640	I	+	I	C	0.00%	8.33%
5670	I	+	I	C	0.00%	8.33%
5700	I	+	I	C	0.00%	8.33%
5730	I	+	I	C	0.00%	8.33%
5760	I	+	I	C	0.00%	8.33%
5790	I	+	I	0	0.00%	8.33%
5820	I	+	I	0	0.00%	8.33%
5850	I	+	I	C	0.00%	8.33%
5880	I	+	I	C	0.00%	8.33%
5910	I	+	I	0	0.00%	8.33%
5940	I	+	I	C	0.00%	8.33%
5970	I	+	I	C	0.00%	8.33%
6000	I	*****	I	1	2.08%	6.25%
6030	I	+	I	C	0.00%	6.25%
6060	I	+	I	C	0.00%	6.25%
6090	I	+	I	C	0.00%	6.25%
6120	I	+	I	C	0.00%	6.25%
6150	I	+	I	C	0.00%	6.25%
6180	I	+	I	C	0.00%	6.25%
6210	I	+	I	C	0.00%	6.25%
6240	I	+	I	C	0.00%	6.25%
6270	I	+	I	0	0.00%	6.25%
6300	I	+	I	C	0.00%	6.25%
6330	I	+	I	C	0.00%	6.25%
6360	I	+	I	0	0.00%	6.25%
6390	I	+	I	0	0.00%	6.25%
6420	I	+	I	C	0.00%	6.25%
6450	I	+	I	0	0.00%	6.25%
6480	I	+	I	0	0.00%	6.25%
6510	I	+	I	C	0.00%	6.25%
6540	I	+	I	C	0.00%	6.25%
6570	I	+	I	C	0.00%	6.25%
6600	I	+	I	0	0.00%	6.25%
6630	I	+	I	0	0.00%	6.25%
6660	I	+	I	C	0.00%	6.25%
6690	I	+	I	C	0.00%	6.25%

6720	I	+	I	C	0.00%	6.25%
6750	I	+	I	C	0.00%	6.25%
6780	I	+	I	C	0.00%	6.25%
6810	I	+	I	C	0.00%	6.25%
6840	I	+	I	C	0.00%	6.25%
6870	I	+	I	C	0.00%	6.25%

6900	I	+	I	C	0.00%	6.25%
6930	I	+	I	C	0.00%	6.25%
6960	I	+	I	C	0.00%	6.25%
6990	I	+	I	C	0.00%	6.25%
7020	I	+	I	C	0.00%	6.25%
7050	I	+	I	C	0.00%	6.25%
7080	I	+	I	C	0.00%	6.25%
7110	I	*****	I	1	2.08%	4.16%
7140	I	+	I	C	0.00%	4.16%
7170	I	+	I	C	0.00%	4.16%
7200	I	+	I	C	0.00%	4.16%
7230	I	+	I	C	0.00%	4.16%
7260	I	+	I	C	0.00%	4.16%
7290	I	+	I	C	0.00%	4.16%
7320	I	+	I	C	0.00%	4.16%
7350	I	+	I	C	0.00%	4.16%
7380	I	+	I	C	0.00%	4.16%
7410	I	+	I	C	0.00%	4.16%
7440	I	+	I	C	0.00%	4.16%
7470	I	+	I	C	0.00%	4.16%
7500	I	+	I	C	0.00%	4.16%
7530	I	+	I	C	0.00%	4.16%
7560	I	+	I	C	0.00%	4.16%
7590	I	+	I	C	0.00%	4.16%
7620	I	+	I	C	0.00%	4.16%
7650	I	+	I	C	0.00%	4.16%
7680	I	+	I	C	0.00%	4.16%
7710	I	+	I	C	0.00%	4.16%
7740	I	+	I	C	0.00%	4.16%
7770	I	+	I	C	0.00%	4.16%
7800	I	+	I	C	0.00%	4.16%
7830	I	+	I	C	0.00%	4.16%
7860	I	+	I	C	0.00%	4.16%
7890	I	+	I	C	0.00%	4.16%
7920	I	+	I	C	0.00%	4.16%
7950	I	+	I	C	0.00%	4.16%
7980	I	+	I	C	0.00%	4.16%
8010	I	+	I	C	0.00%	4.16%
8040	I	+	I	C	0.00%	4.16%
8070	I	+	I	C	0.00%	4.16%
8100	I	+	I	C	0.00%	4.16%
8130	I	+	I	C	0.00%	4.16%
8160	I	+	I	C	0.00%	4.16%
8190	I	+	I	C	0.00%	4.16%
8220	I	+	I	C	0.00%	4.16%
8250	I	+	I	C	0.00%	4.16%
8280	I	+	I	C	0.00%	4.16%
8310	I	+	I	C	0.00%	4.16%
8340	I	+	I	C	0.00%	4.16%
8370	I	+	I	C	0.00%	4.16%
8400	I	+	I	C	0.00%	4.16%

8430	I	+	I	0	0.00%	4.16%
8460	I	+	I	C	0.00%	4.16%
8490	I	+	I	0	0.00%	4.16%
8520	I	+	I	0	0.00%	4.16%
8550	I	+	I	0	0.00%	4.16%
8580	I	+	I	0	0.00%	4.16%
8610	I	+	I	C	0.00%	4.16%
8640	I	+	I	0	0.00%	4.16%
8670	I	+	I	C	0.00%	4.16%

8700	I	*****	I	1	2.08%	2.08%
8730	I	+	I	C	0.00%	2.08%
8760	I	+	I	C	0.00%	2.08%
8790	I	+	I	0	0.00%	2.08%
8820	I	+	I	C	0.00%	2.08%
8850	I	+	I	C	0.00%	2.08%
8880	I	+	I	C	0.00%	2.08%
8910	I	+	I	C	0.00%	2.08%
8940	I	+	I	C	0.00%	2.08%
8970	I	+	I	0	0.00%	2.08%
9000	I	*****	I	1	2.08%	0.00%



		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 73				
		0	10	20	30	40	50	60	70	80	90	100				

		FREQUENCY (%)														
AU	PPB	0	5	10	15	20	25	30	35	40	45	50	N.	FREQ.	CUM. PROB.	
0	I*****	I	6	8.21%	91.78%
20	I*****	I	15	20.54%	71.23%
40	I*****	I	10	13.69%	57.53%
60	I*****	I	3	4.10%	53.42%
80	I	I	0	0.00%	53.42%
100	I*****	I	4	5.47%	47.94%
120	I*****	I	4	5.47%	42.46%
140	I***	I	1	1.36%	41.09%
160	I*****	I	2	2.73%	38.35%
180	I***	I	1	1.36%	36.98%
200	I	I	0	0.00%	36.98%
220	I***	I	1	1.36%	35.61%
240	I*****	I	2	2.73%	32.87%
260	I	I	0	0.00%	32.87%
280	I	I	0	0.00%	32.87%
300	I	I	0	0.00%	32.87%
320	I	I	0	0.00%	32.87%
340	I***	I	1	1.36%	31.50%
360	I	I	0	0.00%	31.50%
380	I	I	0	0.00%	31.50%
400	I	I	0	0.00%	31.50%
420	I	I	0	0.00%	31.50%
440	I	I	0	0.00%	31.50%
460	I	I	0	0.00%	31.50%
480	I	I	0	0.00%	31.50%
500	I	I	0	0.00%	31.50%
520	I	I	0	0.00%	31.50%
540	I***	I	1	1.36%	30.13%
560	I***	I	1	1.36%	28.76%
580	I	I	0	0.00%	28.76%
600	I***	I	1	1.36%	27.39%
620	I	I	0	0.00%	27.39%
640	I	I	0	0.00%	27.39%
660	I	I	0	0.00%	27.39%
680	I	I	0	0.00%	27.39%
700	I	I	0	0.00%	27.39%
720	I	I	0	0.00%	27.39%
740	I	I	0	0.00%	27.39%
760	I	I	0	0.00%	27.39%
780	I	I	0	0.00%	27.39%
800	I	I	0	0.00%	27.39%
820	I	I	0	0.00%	27.39%
840	I	I	0	0.00%	27.39%
860	I	I	0	0.00%	27.39%
880	I	I	0	0.00%	27.39%
900	I	I	0	0.00%	27.39%
920	I	I	0	0.00%	27.39%
940	I*****	I	2	2.73%	24.65%
960	I	I	0	0.00%	24.65%
980	I	I	0	0.00%	24.65%

1000	I	.	.	+	I	C	0.00%	24.65%
1020	I	.	.	+	I	C	0.00%	24.65%
1040	I	.	.	+	I	C	0.00%	24.65%
1060	I	.	.	+	I	C	0.00%	24.65%
1080	I	.	.	+	I	C	0.00%	24.65%
1100	I	.	.	+	I	C	0.00%	24.65%
1120	I	.	.	+	I	C	0.00%	24.65%
1140	I	.	.	+	I	C	0.00%	24.65%
1160	I	.	.	+	I	C	0.00%	24.65%
1180	I	.	.	+	I	C	0.00%	24.65%
1200	I***	.	.	+	I	1	1.36%	23.28%
1220	I	.	.	+	I	C	0.00%	23.28%
1240	I	.	.	+	I	C	0.00%	23.28%
1260	I	.	.	+	I	C	0.00%	23.28%
1280	I***	.	.	+	I	1	1.36%	21.91%
1300	I	.	.	+	I	C	0.00%	21.91%
1320	I***	.	.	+	I	1	1.36%	20.54%
1340	I	.	.	+	I	C	0.00%	20.54%
1360	I	.	.	+	I	C	0.00%	20.54%
1380	I	.	.	+	I	C	0.00%	20.54%
1400	I	.	.	+	I	C	0.00%	20.54%
1420	I	.	.	+	I	C	0.00%	20.54%
1440	I	.	.	+	I	C	0.00%	20.54%
1460	I	.	.	+	I	C	0.00%	20.54%
1480	I	.	.	+	I	C	0.00%	20.54%
1500	I	.	.	+	I	C	0.00%	20.54%
1520	I	.	.	+	I	C	0.00%	20.54%
1540	I	.	.	+	I	C	0.00%	20.54%
1560	I	.	.	+	I	C	0.00%	20.54%
1580	I	.	.	+	I	C	0.00%	20.54%
1600	I	.	.	+	I	C	0.00%	20.54%
1620	I	.	.	+	I	C	0.00%	20.54%
1640	I	.	.	+	I	C	0.00%	20.54%
1660	I	.	.	+	I	C	0.00%	20.54%
1680	I	.	.	+	I	C	0.00%	20.54%
1700	I	.	.	+	I	C	0.00%	20.54%
1720	I	.	.	+	I	C	0.00%	20.54%
1740	I	.	.	+	I	C	0.00%	20.54%
1760	I	.	.	+	I	C	0.00%	20.54%
1780	I	.	.	+	I	C	0.00%	20.54%
1800	I	.	.	+	I	C	0.00%	20.54%
1820	I	.	.	+	I	C	0.00%	20.54%
1840	I	.	.	+	I	C	0.00%	20.54%
1860	I	.	.	+	I	C	0.00%	20.54%
1880	I	.	.	+	I	C	0.00%	20.54%
1900	I	.	.	+	I	C	0.00%	20.54%
1920	I	.	.	+	I	C	0.00%	20.54%
1940	I	.	.	+	I	C	0.00%	20.54%
1960	I	.	.	+	I	C	0.00%	20.54%
1980	I	.	.	+	I	C	0.00%	20.54%
2000	I	.	.	+	I	C	0.00%	20.54%
2020	I	.	.	+	I	C	0.00%	20.54%
2040	I	.	.	+	I	C	0.00%	20.54%
2060	I	.	.	+	I	C	0.00%	20.54%
2080	I	.	.	+	I	C	0.00%	20.54%
2100	I***	.	.	+	I	1	1.36%	19.17%
2120	I	.	.	+	I	C	0.00%	19.17%
2140	I	.	.	+	I	C	0.00%	19.17%
2160	I***	.	.	+	I	1	1.36%	17.80%
2180	I	.	.	+	I	C	0.00%	17.80%

2200	I	.	+	I	C	0.00%	17.80%
2220	I	.	+	I	O	0.00%	17.80%
2240	I	.	+	I	C	0.00%	17.80%
2260	I	.	+	I	C	0.00%	17.80%
2280	I	.	+	I	C	0.00%	17.80%
2300	I	.	+	I	C	0.00%	17.80%
2320	I	.	+	I	C	0.00%	17.80%
2340	I	.	+	I	O	0.00%	17.80%
2360	I	.	+	I	G	0.00%	17.80%
2380	I	.	+	I	C	0.00%	17.80%
2400	I	.	+	I	C	0.00%	17.80%
2420	I	.	+	I	O	0.00%	17.80%
2440	I	.	+	I	C	0.00%	17.80%
2460	I	.	+	I	O	0.00%	17.80%
2480	I	.	+	I	C	0.00%	17.80%
2500	I	.	+	I	C	0.00%	17.80%
2520	I	.	+	I	C	0.00%	17.80%
2540	I	.	+	I	C	0.00%	17.80%
2560	I	.	+	I	C	0.00%	17.80%
2580	I	.	+	I	C	0.00%	17.80%
2600	I	.	+	I	O	0.00%	17.80%
2620	I	.	+	I	C	0.00%	17.80%
2640	I	.	+	I	C	0.00%	17.80%
2660	I	.	+	I	C	0.00%	17.80%
2680	I	.	+	I	C	0.00%	17.80%
2700	I	.	+	I	C	0.00%	17.80%
2720	I	.	+	I	O	0.00%	17.80%
2740	I	.	+	I	C	0.00%	17.80%
2760	I	.	+	I	O	0.00%	17.80%
2780	I	.	+	I	C	0.00%	17.80%
2800	I	.	+	I	C	0.00%	17.80%
2820	I	.	+	I	O	0.00%	17.80%
2840	I	.	+	I	C	0.00%	17.80%
2860	I	.	+	I	C	0.00%	17.80%
2880	I	.	+	I	C	0.00%	17.80%
2900	I	.	+	I	C	0.00%	17.80%
2920	I***	.	+	I	1	1.36%	16.43%
2940	I	.	+	I	C	0.00%	16.43%
2960	I	.	+	I	O	0.00%	16.43%
2980	I	.	+	I	O	0.00%	16.43%
3000	I	.	+	I	O	0.00%	16.43%
3020	I	.	+	I	O	0.00%	16.43%
3040	I	.	+	I	O	0.00%	16.43%
3060	I	.	+	I	O	0.00%	16.43%
3080	I	.	+	I	O	0.00%	16.43%
3100	I	.	+	I	C	0.00%	16.43%
3120	I	.	+	I	C	0.00%	16.43%
3140	I	.	+	I	C	0.00%	16.43%
3160	I	.	+	I	C	0.00%	16.43%
3180	I***	.	+	I	1	1.36%	15.06%
3200	I	.	+	I	C	0.00%	15.06%
3220	I	.	+	I	C	0.00%	15.06%
3240	I	.	+	I	C	0.00%	15.06%
3260	I	.	+	I	C	0.00%	15.06%
3280	I	.	+	I	C	0.00%	15.06%
3300	I	.	+	I	C	0.00%	15.06%
3320	I***	.	+	I	1	1.36%	13.69%

3340	I	.	+	I	C	0.00%	13.69%
3360	I	.	+	I	C	0.00%	13.69%
3380	I	.	+	I	C	0.00%	13.69%

3400	I	.	+	I	C	0.00%	13.69%
3420	I	.	+	I	C	0.00%	13.69%
3440	I	.	+	I	C	0.00%	13.69%
3460	I	.	+	I	C	0.00%	13.69%
3480	I	.	+	I	C	0.00%	13.69%
3500	I	.	+	I	C	0.00%	13.69%
3520	I	.	+	I	C	0.00%	13.69%
3540	I	.	+	I	C	0.00%	13.69%
3560	I	.	+	I	C	0.00%	13.69%
3580	I	.	+	I	C	0.00%	13.69%
3600	I	.	+	I	C	0.00%	13.69%
3620	I	.	+	I	C	0.00%	13.69%
3640	I	.	+	I	C	0.00%	13.69%
3660	I	.	+	I	C	0.00%	13.69%
3680	I	.	+	I	C	0.00%	13.69%
3700	I	.	+	I	C	0.00%	13.69%
3720	I	.	+	I	C	0.00%	13.69%
3740	I	.	+	I	C	0.00%	13.69%
3760	I	.	+	I	C	0.00%	13.69%
3780	I***	.	+	I	1	1.36%	12.32%
3800	I	.	+	I	C	0.00%	12.32%
3820	I***	.	+	I	1	1.36%	10.95%
3840	I	.	+	I	C	0.00%	10.95%
3860	I	.	+	I	C	0.00%	10.95%
3880	I	.	+	I	C	0.00%	10.95%
3900	I	.	+	I	C	0.00%	10.95%
3920	I	.	+	I	C	0.00%	10.95%
3940	I	.	+	I	C	0.00%	10.95%
3960	I	.	+	I	C	0.00%	10.95%
3980	I	.	+	I	C	0.00%	10.95%
4000	I***	.	+	I	1	1.36%	9.58%
4020	I	.	+	I	C	0.00%	9.58%
4040	I	.	+	I	C	0.00%	9.58%
4060	I	.	+	I	C	0.00%	9.58%
4080	I	.	+	I	C	0.00%	9.58%
4100	I	.	+	I	C	0.00%	9.58%
4120	I	.	+	I	C	0.00%	9.58%
4140	I	.	+	I	C	0.00%	9.58%
4160	I	.	+	I	C	0.00%	9.58%
4180	I	.	+	I	C	0.00%	9.58%
4200	I	.	+	I	C	0.00%	9.58%
4220	I	.	+	I	C	0.00%	9.58%
4240	I	.	+	I	C	0.00%	9.58%
4260	I	.	+	I	C	0.00%	9.58%
4280	I	.	+	I	C	0.00%	9.58%
4300	I	.	+	I	C	0.00%	9.58%
4320	I	.	+	I	C	0.00%	9.58%
4340	I	.	+	I	C	0.00%	9.58%
4360	I	.	+	I	C	0.00%	9.58%
4380	I	.	+	I	C	0.00%	9.58%
4400	I	.	+	I	C	0.00%	9.58%
4420	I	.	+	I	C	0.00%	9.58%
4440	I	.	+	I	C	0.00%	9.58%
4460	I	.	+	I	C	0.00%	9.58%

4480	I	+	I	0	0.00%	9.58%
4500	I***	+	I	1	1.36%	8.21%
4520	I	+	I	0	0.00%	8.21%
4540	I	+	I	0	0.00%	8.21%
4560	I	+	I	0	0.00%	8.21%
4580	I	+	I	0	0.00%	8.21%

4600	I	+	I	0	0.00%	8.21%
4620	I	+	I	0	0.00%	8.21%
4640	I	+	I	0	0.00%	8.21%
4660	I	+	I	0	0.00%	8.21%
4680	I	+	I	0	0.00%	8.21%
4700	I	+	I	0	0.00%	8.21%
4720	I	+	I	0	0.00%	8.21%
4740	I	+	I	0	0.00%	8.21%
4760	I	+	I	0	0.00%	8.21%
4780	I	+	I	0	0.00%	8.21%
4800	I	+	I	0	0.00%	8.21%
4820	I	+	I	0	0.00%	8.21%
4840	I	+	I	0	0.00%	8.21%
4860	I	+	I	0	0.00%	8.21%
4880	I	+	I	0	0.00%	8.21%
4900	I	+	I	0	0.00%	8.21%
4920	I	+	I	0	0.00%	8.21%
4940	I	+	I	0	0.00%	8.21%
4960	I	+	I	0	0.00%	8.21%
4980	I	+	I	0	0.00%	8.21%
5000	I	+	I	0	0.00%	8.21%
5020	I	+	I	0	0.00%	8.21%
5040	I	+	I	0	0.00%	8.21%
5060	I	+	I	0	0.00%	8.21%
5080	I	+	I	0	0.00%	8.21%
5100	I	+	I	0	0.00%	8.21%
5120	I	+	I	0	0.00%	8.21%
5140	I	+	I	0	0.00%	8.21%
5160	I	+	I	0	0.00%	8.21%
5180	I	+	I	0	0.00%	8.21%
5200	I	+	I	0	0.00%	8.21%
5220	I	+	I	0	0.00%	8.21%
5240	I	+	I	0	0.00%	8.21%
5260	I	+	I	0	0.00%	8.21%
5280	I	+	I	0	0.00%	8.21%
5300	I	+	I	0	0.00%	8.21%
5320	I***	+	I	1	1.36%	6.84%
5340	I	+	I	0	0.00%	6.84%
5360	I	+	I	0	0.00%	6.84%
5380	I	+	I	0	0.00%	6.84%
5400	I	+	I	0	0.00%	6.84%
5420	I	+	I	0	0.00%	6.84%
5440	I	+	I	0	0.00%	6.84%
5460	I	+	I	0	0.00%	6.84%
5480	I	+	I	0	0.00%	6.84%
5500	I	+	I	0	0.00%	6.84%
5520	I	+	I	0	0.00%	6.84%
5540	I	+	I	0	0.00%	6.84%
5560	I	+	I	0	0.00%	6.84%
5580	I	+	I	0	0.00%	6.84%
5600	I	+	I	0	0.00%	6.84%

5620	I	+	I	C	0.00%	6.84%
5640	I	+	I	C	0.00%	6.84%
5660	I	+	I	C	0.00%	6.84%
5680	I	+	I	C	0.00%	6.84%
5700	I	+	I	C	0.00%	6.84%
5720	I	+	I	C	0.00%	6.84%
5740	I	+	I	C	0.00%	6.84%
5760	I	+	I	C	0.00%	6.84%
5780	I	+	I	C	0.00%	6.84%

5800	I	+	I	C	0.00%	6.84%
5820	I	+	I	C	0.00%	6.84%
5840	I	+	I	C	0.00%	6.84%
5860	I	+	I	C	0.00%	6.84%
5880	I	+	I	C	0.00%	6.84%
5900	I	+	I	C	0.00%	6.84%
5920	I	+	I	C	0.00%	6.84%
5940	I	+	I	C	0.00%	6.84%
5960	I	+	I	C	0.00%	6.84%
5980	I	+	I	C	0.00%	6.84%
6000	I	+	I	C	0.00%	6.84%
6020	I	+	I	C	0.00%	6.84%
6040	I	+	I	C	0.00%	6.84%
6060	I	+	I	C	0.00%	6.84%
6080	I	+	I	C	0.00%	6.84%
6100	I	+	I	C	0.00%	6.84%
6120	I	+	I	C	0.00%	6.84%
6140	I	+	I	C	0.00%	6.84%
6160	I	+	I	C	0.00%	6.84%
6180	I	+	I	C	0.00%	6.84%
6200	I	+	I	C	0.00%	6.84%
6220	I	+	I	C	0.00%	6.84%
6240	I	+	I	C	0.00%	6.84%
6260	I	+	I	C	0.00%	6.84%
6280	I	+	I	C	0.00%	6.84%
6300	I	+	I	C	0.00%	6.84%
6320	I	+	I	C	0.00%	6.84%
6340	I	+	I	C	0.00%	6.84%
6360	I	+	I	C	0.00%	6.84%
6380	I	+	I	C	0.00%	6.84%
6400	I	+	I	C	0.00%	6.84%
6420	I	+	I	C	0.00%	6.84%
6440	I	+	I	C	0.00%	6.84%
6460	I	+	I	C	0.00%	6.84%
6480	I	+	I	C	0.00%	6.84%
6500	I***	+	I	1	1.36%	5.47%
6520	I	+	I	C	0.00%	5.47%
6540	I	+	I	C	0.00%	5.47%
6560	I	+	I	C	0.00%	5.47%
6580	I	+	I	C	0.00%	5.47%
6600	I	+	I	C	0.00%	5.47%
6620	I	+	I	C	0.00%	5.47%
6640	I	+	I	C	0.00%	5.47%
6660	I	+	I	C	0.00%	5.47%
6680	I	+	I	C	0.00%	5.47%
6700	I	+	I	C	0.00%	5.47%
6720	I	+	I	C	0.00%	5.47%
6740	I	+	I	C	0.00%	5.47%

6760	I	+	I	C	0.00%	5.47%
6780	I	+	I	C	0.00%	5.47%
6800	I	+	I	C	0.00%	5.47%
6820	I	+	I	C	0.00%	5.47%
6840	I	+	I	O	0.00%	5.47%
6860	I	+	I	O	0.00%	5.47%
6880	I	+	I	O	0.00%	5.47%
6900	I	+	I	C	0.00%	5.47%
6920	I	+	I	C	0.00%	5.47%
6940	I	+	I	C	0.00%	5.47%
6960	I	+	I	O	0.00%	5.47%
6980	I	+	I	C	0.00%	5.47%

7000	I	+	I	C	0.00%	5.47%
7020	I	+	I	C	0.00%	5.47%
7040	I	+	I	G	0.00%	5.47%
7060	I	+	I	C	0.00%	5.47%
7080	I	+	I	C	0.00%	5.47%
7100	I	+	I	C	0.00%	5.47%
7120	I	+	I	C	0.00%	5.47%
7140	I	+	I	O	0.00%	5.47%
7160	I	+	I	G	0.00%	5.47%
7180	I	+	I	C	0.00%	5.47%
7200	I	+	I	C	0.00%	5.47%
7220	I	+	I	C	0.00%	5.47%
7240	I	+	I	O	0.00%	5.47%
7260	I	+	I	C	0.00%	5.47%
7280	I	+	I	C	0.00%	5.47%
7300	I	+	I	O	0.00%	5.47%
7320	I	+	I	O	0.00%	5.47%
7340	I****	+	I	1	1.36%	4.10%
7360	I	+	I	C	0.00%	4.10%
7380	I	+	I	C	0.00%	4.10%
7400	I	+	I	O	0.00%	4.10%
7420	I	+	I	O	0.00%	4.10%
7440	I	+	I	C	0.00%	4.10%
7460	I	+	I	C	0.00%	4.10%
7480	I	+	I	G	0.00%	4.10%
7500	I	+	I	C	0.00%	4.10%
7520	I	+	I	C	0.00%	4.10%
7540	I	+	I	O	0.00%	4.10%
7560	I	+	I	C	0.00%	4.10%
7580	I	+	I	C	0.00%	4.10%
7600	I	+	I	O	0.00%	4.10%
7620	I	+	I	G	0.00%	4.10%
7640	I***	+	I	1	1.36%	2.73%
7660	I	+	I	O	0.00%	2.73%
7680	I	+	I	O	0.00%	2.73%
7700	I	+	I	C	0.00%	2.73%
7720	I	+	I	C	0.00%	2.73%
7740	I	+	I	C	0.00%	2.73%
7760	I	+	I	C	0.00%	2.73%
7780	I	+	I	C	0.00%	2.73%
7800	I	+	I	O	0.00%	2.73%
7820	I	+	I	C	0.00%	2.73%
7840	I	+	I	O	0.00%	2.73%
7860	I	+	I	C	0.00%	2.73%
7880	I	+	I	C	0.00%	2.73%

7900	I	+	I	0	0.00%	2.73%
7920	I	+	I	0	0.00%	2.73%
7940	I	+	I	0	0.00%	2.73%
7960	I	+	I	0	0.00%	2.73%
7980	I	+	I	0	0.00%	2.73%

PPB	I	I	N.	FREQ.	PROB.
AU	0	5	10	15	20	25	30	35	40	45	50	I			CUM.
***** FREQUENCY (%) *****															
I	I			
0	10	20	30	40	50	60	70	80	90	100	I				
+++++ CUMULATIVE PROBABILITY (%) +++++															
														TOTAL SAMPLES=	73

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 48			
		0	10	20	30	40	50	60	70	80	90	100	N.	FREQ.	CUM. PROB.
AG	PPM	***** FREQUENCY (%) *****													
		0	5	10	15	20	25	30	35	40	45	50			
0.0	I	0	0.00%	100.00%
0.2	I	*****	12	25.00%	75.00%
0.4	I	*****	7	14.58%	60.41%
0.6	I	*****	3	6.25%	54.16%
0.8	I	*****	2	4.16%	50.00%
1.0	I	*****	4	8.33%	41.66%
1.2	I	*****	3	6.25%	35.41%
1.4	I	*****	2	4.16%	31.25%
1.6	I	*****	2	4.16%	27.08%
1.8	I	*****	2	4.16%	22.91%
2.0	I	****	1	2.08%	20.83%
2.2	I	****	1	2.08%	18.75%
2.4	I	****	1	2.08%	16.66%
2.6	I	0	0.00%	16.66%
2.8	I	0	0.00%	16.66%
3.0	I	****	1	2.08%	14.58%
3.2	I	****	1	2.08%	12.50%
3.4	I	****	1	2.08%	10.41%
3.6	I	0	0.00%	10.41%
3.8	I	0	0.00%	10.41%
4.0	I	0	0.00%	10.41%
4.2	I	0	0.00%	10.41%
4.4	I	****	1	2.08%	8.33%
4.6	I	0	0.00%	8.33%
4.8	I	****	1	2.08%	6.25%
5.0	I	0	0.00%	6.25%
5.2	I	0	0.00%	6.25%
5.4	I	0	0.00%	6.25%
5.6	I	0	0.00%	6.25%
5.8	I	0	0.00%	6.25%
6.0	I	0	0.00%	6.25%
6.2	I	0	0.00%	6.25%
6.4	I	0	0.00%	6.25%
6.6	I	0	0.00%	6.25%
6.8	I	0	0.00%	6.25%
7.0	I	****	1	2.08%	4.16%
7.2	I	0	0.00%	4.16%
7.4	I	0	0.00%	4.16%
7.6	I	0	0.00%	4.16%
7.8	I	0	0.00%	4.16%
8.0	I	0	0.00%	4.16%
8.2	I	0	0.00%	4.16%
8.4	I	0	0.00%	4.16%
8.6	I	0	0.00%	4.16%
8.8	I	0	0.00%	4.16%
9.0	I	0	0.00%	4.16%
9.2	I	0	0.00%	4.16%
9.4	I	0	0.00%	4.16%
9.6	I	0	0.00%	4.16%
9.8	I	0	0.00%	4.16%

10.0	I	+	I	0	0.00%	4.16%
10.2	I	+	I	0	0.00%	4.16%
10.4	I	+	I	0	0.00%	4.16%
10.6	I	+	I	0	0.00%	4.16%
10.8	I	+	I	0	0.00%	4.16%
11.0	+	*****	I	2	4.16%	0.00%

PPM	I	I	N.	FREQ.	PROB.
AG	0	5	10	15	20	25	30	35	40	45	50	50				CUM.
***** FREQUENCY (%) *****																
I	I			
0	10	20	30	40	50	60	70	80	90	100	100					
+++++ CUMULATIVE PROBABILITY (%) +++++																
															TOTAL SAMPLES=	48

+++++ CUMULATIVE PROBABILITY (%) +++++										TOTAL SAMPLES = 48				
0 10 20 30 40 50 60 70 80 90 100														
***** FREQUENCY (%) *****														
AS	0	2	4	6	8	10	12	14	16	18	20	N.	FREQ.	CUM. PROB.
PPM	I	I	I	I	I	I	I	I	I	I	I			
0	I	0	0.00%	100.00%
10	I	*****	3	6.25%	93.75%
20	I	*****	5	10.41%	83.33%
30	I	*****	5	10.41%	72.91%
40	I	0	0.00%	72.91%
50	I	*****	2	4.16%	68.74%
60	I	0	0.00%	68.74%
70	I	0	0.00%	68.74%
80	I	*****	1	2.08%	66.66%
90	I	0	0.00%	66.66%
100	I	0	0.00%	66.66%
110	I	0	0.00%	66.66%
120	I	0	0.00%	66.66%
130	I	0	0.00%	66.66%
140	I	0	0.00%	66.66%
150	I	*****	2	4.16%	62.49%
160	I	*****	3	6.25%	56.24%
170	I	0	0.00%	56.24%
180	I	*****	2	4.16%	52.08%
190	I	*****	1	2.08%	49.99%
200	I	*****	2	4.16%	45.83%
210	I	0	0.00%	45.83%
220	I	0	0.00%	45.83%
230	I	0	0.00%	45.83%
240	I	0	0.00%	45.83%
250	I	0	0.00%	45.83%
260	I	*****	3	6.25%	39.58%
270	I	*****	1	2.08%	37.49%
280	I	*****	1	2.08%	35.41%
290	I	0	0.00%	35.41%
300	I	*****	1	2.08%	33.33%
310	I	0	0.00%	33.33%
320	I	0	0.00%	33.33%
330	I	0	0.00%	33.33%
340	I	*****	1	2.08%	31.24%
350	I	0	0.00%	31.24%
360	I	0	0.00%	31.24%
370	I	0	0.00%	31.24%
380	I	0	0.00%	31.24%
390	I	0	0.00%	31.24%
400	I	0	0.00%	31.24%
410	I	0	0.00%	31.24%
420	I	0	0.00%	31.24%
430	I	0	0.00%	31.24%
440	I	0	0.00%	31.24%
450	I	0	0.00%	31.24%
460	I	0	0.00%	31.24%
470	I	0	0.00%	31.24%
480	I	0	0.00%	31.24%
490	I	0	0.00%	31.24%

1100	I	.	+	I	C	0.00%	18.74%
1110	I	.	+	I	C	0.00%	18.74%
1120	I	.	+	I	C	0.00%	18.74%
1130	I	.	+	I	C	0.00%	18.74%
1140	I	.	+	I	C	0.00%	18.74%
1150	I	.	+	I	C	0.00%	18.74%
1160	I	.	+	I	C	0.00%	18.74%
1170	I	.	+	I	C	0.00%	18.74%
1180	I	.	+	I	C	0.00%	18.74%
1190	I	.	+	I	C	0.00%	18.74%
1200	I	*****	*****	I	2	4.16%	14.58%
1210	I	.	+	I	C	0.00%	14.58%
1220	I	*****	+	I	1	2.08%	12.49%
1230	I	.	+	I	C	0.00%	12.49%
1240	I	.	+	I	C	0.00%	12.49%
1250	I	.	+	I	C	0.00%	12.49%
1260	I	*****	+	I	1	2.08%	10.41%
1270	I	.	+	I	C	0.00%	10.41%
1280	I	.	+	I	C	0.00%	10.41%
1290	I	.	+	I	C	0.00%	10.41%
1300	I	.	+	I	C	0.00%	10.41%
1310	I	.	+	I	C	0.00%	10.41%
1320	I	.	+	I	C	0.00%	10.41%
1330	I	.	+	I	C	0.00%	10.41%
1340	I	.	+	I	C	0.00%	10.41%
1350	I	.	+	I	C	0.00%	10.41%
1360	I	*****	+	I	1	2.08%	8.33%
1370	I	.	+	I	C	0.00%	8.33%
1380	I	.	+	I	C	0.00%	8.33%
1390	I	.	+	I	C	0.00%	8.33%
1400	I	.	+	I	C	0.00%	8.33%
1410	I	.	+	I	C	0.00%	8.33%
1420	I	.	+	I	C	0.00%	8.33%
1430	I	.	+	I	C	0.00%	8.33%
1440	I	.	+	I	C	0.00%	8.33%
1450	I	.	+	I	C	0.00%	8.33%
1460	I	.	+	I	C	0.00%	8.33%
1470	I	.	+	I	C	0.00%	8.33%
1480	I	.	+	I	C	0.00%	8.33%
1490	I	.	+	I	C	0.00%	8.33%
1500	I	.	+	I	C	0.00%	8.33%
1510	I	.	+	I	C	0.00%	8.33%
1520	I	.	+	I	C	0.00%	8.33%
1530	I	.	+	I	C	0.00%	8.33%
1540	I	.	+	I	C	0.00%	8.33%
1550	I	.	+	I	C	0.00%	8.33%
1560	I	.	+	I	C	0.00%	8.33%
1570	I	.	+	I	C	0.00%	8.33%
1580	I	.	+	I	C	0.00%	8.33%
1590	I	.	+	I	C	0.00%	8.33%
1600	I	.	+	I	C	0.00%	8.33%
1610	I	.	+	I	C	0.00%	8.33%
1620	I	.	+	I	C	0.00%	8.33%
1630	I	.	+	I	C	0.00%	8.33%
1640	I	.	+	I	C	0.00%	8.33%
1650	I	.	+	I	C	0.00%	8.33%
1660	I	.	+	I	C	0.00%	8.33%


1670	I	+	I	0	0.00%	8.33%
1680	I	+	I	0	0.00%	8.33%
1690	I	+	I	0	0.00%	8.33%
1700	I	+	I	0	0.00%	8.33%
1710	I	+	I	0	0.00%	8.33%
1720	I	+	I	0	0.00%	8.33%
1730	I	+	I	0	0.00%	8.33%
1740	I	+	I	0	0.00%	8.33%
1750	I	+	I	0	0.00%	8.33%
1760	I	+	I	0	0.00%	8.33%
1770	I	+	I	0	0.00%	8.33%
1780	I	+	I	0	0.00%	8.33%
1790	I	+	I	0	0.00%	8.33%
1800	I	+	I	0	0.00%	8.33%
1810	I	+	I	0	0.00%	8.33%
1820	I	*****+	I	1	2.08%	6.25%
1830	I	+	I	0	0.00%	6.25%
1840	I	+	I	0	0.00%	6.25%
1850	I	+	I	0	0.00%	6.25%
1860	I	+	I	0	0.00%	6.25%
1870	I	+	I	0	0.00%	6.25%
1880	I	+	I	0	0.00%	6.25%
1890	I	+	I	0	0.00%	6.25%
1900	I	+	I	0	0.00%	6.25%
1910	I	+	I	0	0.00%	6.25%
1920	I	+	I	0	0.00%	6.25%
1930	I	+	I	0	0.00%	6.25%
1940	I	+	I	0	0.00%	6.25%
1950	I	+	I	0	0.00%	6.25%
1960	I	+	I	0	0.00%	6.25%
1970	I	+	I	0	0.00%	6.25%
1980	I	+	I	0	0.00%	6.25%
1990	I	+	I	0	0.00%	6.25%
2000	I	+	I	0	0.00%	6.25%
2010	I	+	I	0	0.00%	6.25%
2020	I	+	I	0	0.00%	6.25%
2030	I	+	I	0	0.00%	6.25%
2040	I	+	I	0	0.00%	6.25%
2050	I	+	I	0	0.00%	6.25%
2060	I	+	I	0	0.00%	6.25%
2070	I	+	I	0	0.00%	6.25%
2080	I	+	I	0	0.00%	6.25%
2090	I	+	I	0	0.00%	6.25%
2100	I	*****+	I	1	2.08%	4.16%
2110	I	+	I	0	0.00%	4.16%
2120	I	+	I	0	0.00%	4.16%
2130	I	+	I	0	0.00%	4.16%
2140	I	+	I	0	0.00%	4.16%
2150	I	+	I	0	0.00%	4.16%
2160	I	+	I	0	0.00%	4.16%
2170	I	+	I	0	0.00%	4.16%
2180	I	+	I	0	0.00%	4.16%
2190	I	+	I	0	0.00%	4.16%
2200	I	+	I	0	0.00%	4.16%
2210	I	+	I	0	0.00%	4.16%
2220	I	+	I	0	0.00%	4.16%
2230	I	+	I	0	0.00%	4.16%

2240	I	+	I	O	0.00%	4.16%
2250	I	+	I	O	0.00%	4.16%
2260	I	+	I	C	0.00%	4.16%
2270	I	+	I	C	0.00%	4.16%
2280	I	+	I	O	0.00%	4.16%
2290	I	+	I	O	0.00%	4.16%

2300	I	+	I	O	0.00%	4.16%
2310	I	+	I	C	0.00%	4.16%
2320	I	+	I	C	0.00%	4.16%
2330	I	+	I	C	0.00%	4.16%
2340	I	+	I	C	0.00%	4.16%
2350	I	+	I	C	0.00%	4.16%
2360	I	+	I	O	0.00%	4.16%
2370	I	+	I	O	0.00%	4.16%
2380	I	+	I	C	0.00%	4.16%
2390	I	+	I	O	0.00%	4.16%
2400	I	+	I	O	0.00%	4.16%
2410	I	+	I	O	0.00%	4.16%
2420	I	+	I	O	0.00%	4.16%
2430	I	+	I	C	0.00%	4.16%
2440	I	+	I	C	0.00%	4.16%
2450	I	+	I	C	0.00%	4.16%
2460	I	+	I	C	0.00%	4.16%
2470	I	+	I	C	0.00%	4.16%
2480	I	+	I	O	0.00%	4.16%
2490	I	+	I	C	0.00%	4.16%
2500	I	+	I	O	0.00%	4.16%
2510	I	+	I	O	0.00%	4.16%
2520	I	+	I	C	0.00%	4.16%
2530	I	+	I	O	0.00%	4.16%
2540	I	+	I	O	0.00%	4.16%
2550	I	+	I	C	0.00%	4.16%
2560	I	+	I	C	0.00%	4.16%
2570	I	+	I	O	0.00%	4.16%
2580	I	+	I	C	0.00%	4.16%
2590	I	+	I	O	0.00%	4.16%
2600	I	+	I	C	0.00%	4.16%
2610	I	+	I	C	0.00%	4.16%
2620	I	+	I	C	0.00%	4.16%
2630	I	+	I	C	0.00%	4.16%
2640	I	+	I	C	0.00%	4.16%
2650	I	+	I	O	0.00%	4.16%
2660	I	+	I	C	0.00%	4.16%
2670	I	+	I	O	0.00%	4.16%
2680	I	+	I	C	0.00%	4.16%
2690	I	+	I	O	0.00%	4.16%
2700	I	+	I	C	0.00%	4.16%
2710	I	+	I	O	0.00%	4.16%
2720	I	+	I	O	0.00%	4.16%
2730	I	+	I	O	0.00%	4.16%
2740	I	+	I	C	0.00%	4.16%
2750	I	+	I	C	0.00%	4.16%
2760	I	+	I	C	0.00%	4.16%
2770	I	+	I	O	0.00%	4.16%
2780	I	+	I	C	0.00%	4.16%
2790	I	+	I	O	0.00%	4.16%
2800	I	+	I	O	0.00%	4.16%

2810	I	+	I	C	0.00%	4.16%
2820	I	+	I	C	0.00%	4.16%
2830	I	+	I	C	0.00%	4.16%
2840	I	+	I	C	0.00%	4.16%
2850	I	+	I	C	0.00%	4.16%
2860	I	+	I	C	0.00%	4.16%
2870	I	+	I	C	0.00%	4.16%
2880	I	+	I	C	0.00%	4.16%
2890	I	+	I	C	0.00%	4.16%

2900	I	+	I	C	0.00%	4.16%
2910	I	+	I	C	0.00%	4.16%
2920	I	+	I	C	0.00%	4.16%
2930	I	+	I	C	0.00%	4.16%
2940	I	+	I	C	0.00%	4.16%
2950	I	+	I	C	0.00%	4.16%
2960	I	+	I	C	0.00%	4.16%
2970	I	+	I	C	0.00%	4.16%
2980	I	+	I	C	0.00%	4.16%
2990	I	+	I	C	0.00%	4.16%
3000	I	*****	I	1	2.08%	2.08%



+++++ CUMULATIVE PROBABILITY (%) +++++										TOTAL SAMPLES= 38				
	0	10	20	30	40	50	60	70	80	90	100			
	I	I			
	***** FREQUENCY (%) *****													
SB	0	2	4	6	8	10	12	14	16	18	20			
PPM	I	I	N.	FREQ.	CUM. PROB.
0.0	I	+	0	0.00% 100.00%
0.4	I	*****										I	7	18.42% 81.57%
0.8	I	*****										I	6	15.78% 65.78%
1.2	I	*****										I	1	2.63% 63.15%
1.6	I	*****					+					I	2	5.26% 57.89%
2.0	I	+					I	0	0.00% 57.89%
2.4	I	*****					+					I	3	7.89% 50.00%
2.8	I	+					I	0	0.00% 50.00%
3.2	I	*****					+					I	2	5.26% 44.73%
3.6	I	+					I	0	0.00% 44.73%
4.0	I	*****										I	4	10.52% 34.21%
4.4	I	.	.	.	+	I	0	0.00% 34.21%
4.8	I	*****			+	I	2	5.26% 28.94%
5.2	I	.	.	.	+	I	0	0.00% 28.94%
5.6	I	*****										I	3	7.89% 21.05%
6.0	I	.	.	.	+	I	0	0.00% 21.05%
6.4	I	*****										I	2	5.26% 15.78%
6.8	I	.	+	I	0	0.00% 15.78%
7.2	I	*****										I	1	2.63% 13.15%
7.6	I	.	+	I	0	0.00% 13.15%
8.0	I	.	+	I	0	0.00% 13.15%
8.4	I	.	+	I	0	0.00% 13.15%
8.8	I	.	+	I	0	0.00% 13.15%
9.2	I	.	+	I	0	0.00% 13.15%
9.6	I	.	+	I	0	0.00% 13.15%
10.0	I	.	+	I	0	0.00% 13.15%
10.4	I	.	+	I	0	0.00% 13.15%
10.8	I	.	+	I	0	0.00% 13.15%
11.2	I	*****										I	1	2.63% 10.52%
11.6	I	.	+	I	0	0.00% 10.52%
12.0	I	.	+	I	0	0.00% 10.52%
12.4	I	.	+	I	0	0.00% 10.52%
12.8	I	.	+	I	0	0.00% 10.52%
13.2	I	.	+	I	0	0.00% 10.52%
13.6	I	.	+	I	0	0.00% 10.52%
14.0	I	.	+	I	0	0.00% 10.52%
14.4	I	*****										I	2	5.26% 5.26%
14.8	I	.	+	I	0	0.00% 5.26%
15.2	I	.	+	I	0	0.00% 5.26%
15.6	I	.	+	I	0	0.00% 5.26%
16.0	I	.	+	I	0	0.00% 5.26%
16.4	I	.	+	I	0	0.00% 5.26%
16.8	I	.	+	I	0	0.00% 5.26%
17.2	I	.	+	I	0	0.00% 5.26%
17.6	I	.	+	I	0	0.00% 5.26%
18.0	I	.	+	I	0	0.00% 5.26%
18.4	I	*****										I	1	2.63% 2.63%
18.8	I	.	+	I	0	0.00% 2.63%
19.2	I	.	+	I	0	0.00% 2.63%
19.6	I	.	+	I	0	0.00% 2.63%

20.0	I	+	I	0	0.00%	2.63%
20.4	I	+	I	0	0.00%	2.63%
20.8	+	*****	I	1	2.63%	0.00%

PPM	I		I	N.	FREQ.	PROB.
SB	C		2	4	6	8	10	12	14	16	18	20			CUM.	
***** FREQUENCY (%) *****																
I			10	20	30	40	50	60	70	80	90	100	I			
0																
+++++ CUMLLATIVE PROBABILITY (%) +++++																

TOTAL SAMPLES= 38

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 31			
		0	10	20	30	40	50	60	70	80	90	100			

		FREQUENCY (%)													
BA	PPM	0	5	10	15	20	25	30	35	40	45	50	N.	FREQ.	CUM. PROB.
0	I	0	0.00%	100.00%
200	I	*****	10	32.25%	67.74%
400	I	*****	6	19.35%	48.38%
600	I	*****	2	6.45%	41.93%
800	I	*****	2	6.45%	35.48%
1000	I	*****	2	6.45%	29.03%
1200	I	0	0.00%	29.03%
1400	I	*****	1	3.22%	25.80%
1600	I	0	0.00%	25.80%
1800	I	0	0.00%	25.80%
2000	I	0	0.00%	25.80%
2200	I	*****	1	3.22%	22.58%
2400	I	0	0.00%	22.58%
2600	I	0	0.00%	22.58%
2800	I	0	0.00%	22.58%
3000	I	0	0.00%	22.58%
3200	I	0	0.00%	22.58%
3400	I	0	0.00%	22.58%
3600	I	0	0.00%	22.58%
3800	I	0	0.00%	22.58%
4000	I	0	0.00%	22.58%
4200	I	0	0.00%	22.58%
4400	I	0	0.00%	22.58%
4600	I	0	0.00%	22.58%
4800	I	0	0.00%	22.58%
5000	I	0	0.00%	22.58%
5200	I	0	0.00%	22.58%
5400	I	0	0.00%	22.58%
5600	I	0	0.00%	22.58%
5800	I	0	0.00%	22.58%
6000	I	0	0.00%	22.58%
6200	I	0	0.00%	22.58%
6400	I	0	0.00%	22.58%
6600	I	0	0.00%	22.58%
6800	I	0	0.00%	22.58%
7000	I	0	0.00%	22.58%
7200	I	0	0.00%	22.58%
7400	I	0	0.00%	22.58%
7600	I	0	0.00%	22.58%
7800	I	0	0.00%	22.58%
8000	I	0	0.00%	22.58%
8200	I	0	0.00%	22.58%
8400	I	*****	1	3.22%	19.35%
8600	I	0	0.00%	19.35%
8800	I	0	0.00%	19.35%
9000	I	0	0.00%	19.35%
9200	I	0	0.00%	19.35%
9400	I	0	0.00%	19.35%
9600	I	0	0.00%	19.35%
9800	I	0	0.00%	19.35%

10000	I	.	+	I	O	0.00%	19.35%
10200	I	.	+	I	C	0.00%	19.35%
10400	I	.	+	I	C	0.00%	19.35%
10600	I	.	+	I	C	0.00%	19.35%
10800	I	.	+	I	C	0.00%	19.35%
11000	I	.	+	I	C	0.00%	19.35%
11200	I	.	+	I	C	0.00%	19.35%
11400	I	.	+	I	O	0.00%	19.35%
11600	I	.	+	I	C	0.00%	19.35%
11800	I	.	+	I	C	0.00%	19.35%
12000	I	.	+	I	O	0.00%	19.35%
12200	I	.	+	I	O	0.00%	19.35%
12400	I	.	+	I	O	0.00%	19.35%
12600	I	.	+	I	C	0.00%	19.35%
12800	I	.	+	I	C	0.00%	19.35%
13000	I	.	+	I	O	0.00%	19.35%
13200	I	.	+	I	C	0.00%	19.35%
13400	I	.	+	I	C	0.00%	19.35%
13600	I	.	+	I	C	0.00%	19.35%
13800	I	.	+	I	C	0.00%	19.35%
14000	I	.	+	I	C	0.00%	19.35%
14200	I	.	+	I	C	0.00%	19.35%
14400	I	.	+	I	O	0.00%	19.35%
14600	I	.	+	I	C	0.00%	19.35%
14800	I	.	+	I	C	0.00%	19.35%
15000	I	.	+	I	O	0.00%	19.35%
15200	I	.	+	I	C	0.00%	19.35%
15400	I	.	+	I	C	0.00%	19.35%
15600	I	.	+	I	C	0.00%	19.35%
15800	I	.	+	I	C	0.00%	19.35%
16000	I	.	+	I	O	0.00%	19.35%
16200	I	.	+	I	C	0.00%	19.35%
16400	I	.	+	I	O	0.00%	19.35%
16600	I	.	+	I	C	0.00%	19.35%
16800	I	.	+	I	O	0.00%	19.35%
17000	I	.	+	I	O	0.00%	19.35%
17200	I	.	+	I	C	0.00%	19.35%
17400	I	.	+	I	C	0.00%	19.35%
17600	I	.	+	I	C	0.00%	19.35%
17800	I	.	+	I	C	0.00%	19.35%
18000	I	.	+	I	C	0.00%	19.35%
18200	I	.	+	I	C	0.00%	19.35%
18400	I	.	+	I	C	0.00%	19.35%
18600	I	.	+	I	O	0.00%	19.35%
18800	I	.	+	I	O	0.00%	19.35%
19000	I	.	+	I	O	0.00%	19.35%
19200	I	.	+	I	C	0.00%	19.35%
19400	I	.	+	I	C	0.00%	19.35%
19600	I	.	+	I	C	0.00%	19.35%
19800	I	.	+	I	O	0.00%	19.35%
20000	I	.	+	I	C	0.00%	19.35%
20200	I	.	+	I	C	0.00%	19.35%
20400	I	.	+	I	O	0.00%	19.35%
20600	I	.	+	I	O	0.00%	19.35%
20800	I	.	+	I	C	0.00%	19.35%
21000	I	.	+	I	C	0.00%	19.35%
21200	I	.	+	I	C	0.00%	19.35%
21400	I	.	+	I	C	0.00%	19.35%
21600	I	.	+	I	C	0.00%	19.35%
21800	I	.	+	I	O	0.00%	19.35%

22000	I	.	+	I	0	0.00%	19.35%
22200	I	.	+	I	0	0.00%	19.35%
22400	I	.	+	I	C	0.00%	19.35%
22600	I	.	+	I	C	0.00%	19.35%
22800	I	.	+	I	C	0.00%	19.35%
23000	I	.	+	I	C	0.00%	19.35%
23200	I	.	+	I	C	0.00%	19.35%
23400	I	.	+	I	C	0.00%	19.35%
23600	I	.	+	I	C	0.00%	19.35%
23800	I	.	+	I	C	0.00%	19.35%
24000	I	.	+	I	C	0.00%	19.35%
24200	I	.	+	I	C	0.00%	19.35%
24400	I	.	+	I	C	0.00%	19.35%
24600	I	.	+	I	C	0.00%	19.35%
24800	I	.	+	I	C	0.00%	19.35%
25000	I	.	+	I	C	0.00%	19.35%
25200	I	.	+	I	C	0.00%	19.35%
25400	I	.	+	I	C	0.00%	19.35%
25600	I	.	+	I	C	0.00%	19.35%
25800	I	.	+	I	C	0.00%	19.35%
26000	I	.	+	I	C	0.00%	19.35%
26200	I	.	+	I	C	0.00%	19.35%
26400	I	.	+	I	C	0.00%	19.35%
26600	I	.	+	I	C	0.00%	19.35%
26800	I	.	+	I	C	0.00%	19.35%
27000	I	.	+	I	C	0.00%	19.35%
27200	I	.	+	I	C	0.00%	19.35%
27400	I	.	+	I	C	0.00%	19.35%
27600	I	.	+	I	C	0.00%	19.35%
27800	I	.	+	I	C	0.00%	19.35%
28000	I	.	+	I	C	0.00%	19.35%
28200	I	.	+	I	C	0.00%	19.35%
28400	I	.	+	I	C	0.00%	19.35%
28600	I	.	+	I	C	0.00%	19.35%
28800	I	.	+	I	C	0.00%	19.35%
29000	I	.	+	I	C	0.00%	19.35%
29200	I	.	+	I	C	0.00%	19.35%
29400	I	.	+	I	C	0.00%	19.35%
29600	I	.	+	I	C	0.00%	19.35%
29800	I	.	+	I	C	0.00%	19.35%
30000	I	.	+	I	C	0.00%	19.35%
30200	I	.	+	I	C	0.00%	19.35%
30400	I	.	+	I	C	0.00%	19.35%
30600	I	.	+	I	C	0.00%	19.35%
30800	I	.	+	I	C	0.00%	19.35%
31000	I	.	+	I	C	0.00%	19.35%
31200	I	.	+	I	C	0.00%	19.35%
31400	I	.	+	I	C	0.00%	19.35%
31600	I	.	+	I	C	0.00%	19.35%
31800	I	.	+	I	C	0.00%	19.35%
32000	I	.	+	I	C	0.00%	19.35%
32200	I	.	+	I	C	0.00%	19.35%
32400	I	.	+	I	C	0.00%	19.35%
32600	I	.	+	I	C	0.00%	19.35%
32800	I	.	+	I	C	0.00%	19.35%
33000	I	.	+	I	C	0.00%	19.35%
33200	I	.	+	I	C	0.00%	19.35%

33400	I	.	+	I	C	0.00%	19.35%
33600	I	.	+	I	C	0.00%	19.35%
33800	I	.	+	I	C	0.00%	19.35%


34000	I*****	.	+	I	1	3.22%	16.12%
34200	I	.	+	I	0	0.00%	16.12%
34400	I	.	+	I	0	0.00%	16.12%
34600	I	.	+	I	C	0.00%	16.12%
34800	I	.	+	I	C	0.00%	16.12%
35000	I	.	+	I	C	0.00%	16.12%
35200	I	.	+	I	0	0.00%	16.12%
35400	I	.	+	I	C	0.00%	16.12%
35600	I	.	+	I	C	0.00%	16.12%
35800	I	.	+	I	C	0.00%	16.12%
36000	I	.	+	I	C	0.00%	16.12%
36200	I	.	+	I	C	0.00%	16.12%
36400	I	.	+	I	C	0.00%	16.12%
36600	I	.	+	I	C	0.00%	16.12%
36800	I	.	+	I	0	0.00%	16.12%
37000	I*****	.	+	I	1	3.22%	12.90%
37200	I	.	+	I	0	0.00%	12.90%
37400	I	.	+	I	C	0.00%	12.90%
37600	I	.	+	I	C	0.00%	12.90%
37800	I	.	+	I	C	0.00%	12.90%
38000	I	.	+	I	C	0.00%	12.90%
38200	I	.	+	I	0	0.00%	12.90%
38400	I	.	+	I	0	0.00%	12.90%
38600	I	.	+	I	C	0.00%	12.90%
38800	I	.	+	I	C	0.00%	12.90%
39000	I	.	+	I	C	0.00%	12.90%
39200	I	.	+	I	C	0.00%	12.90%
39400	I	.	+	I	C	0.00%	12.90%
39600	I	.	+	I	C	0.00%	12.90%
39800	I	.	+	I	0	0.00%	12.90%
40000	I	.	+	I	C	0.00%	12.90%
40200	I	.	+	I	C	0.00%	12.90%
40400	I	.	+	I	C	0.00%	12.90%
40600	I	.	+	I	C	0.00%	12.90%
40800	I	.	+	I	0	0.00%	12.90%
41000	I	.	+	I	C	0.00%	12.90%
41200	I	.	+	I	C	0.00%	12.90%
41400	I	.	+	I	C	0.00%	12.90%
41600	I	.	+	I	C	0.00%	12.90%
41800	I	.	+	I	C	0.00%	12.90%
42000	I	.	+	I	0	0.00%	12.90%
42200	I	.	+	I	C	0.00%	12.90%
42400	I	.	+	I	C	0.00%	12.90%
42600	I	.	+	I	C	0.00%	12.90%
42800	I	.	+	I	0	0.00%	12.90%
43000	I	.	+	I	C	0.00%	12.90%
43200	I	.	+	I	C	0.00%	12.90%
43400	I	.	+	I	C	0.00%	12.90%
43600	I	.	+	I	C	0.00%	12.90%
43800	I	.	+	I	0	0.00%	12.90%
44000	I	.	+	I	C	0.00%	12.90%
44200	I	.	+	I	C	0.00%	12.90%
44400	I	.	+	I	C	0.00%	12.90%
44600	I	.	+	I	C	0.00%	12.90%

44800	I	.	+	I	O	0.00%	12.90%
45000	I	.	+	I	O	0.00%	12.90%
45200	I	.	+	I	C	0.00%	12.90%
45400	I	.	+	I	C	0.00%	12.90%
45600	I	.	+	I	C	0.00%	12.90%
45800	I	.	+	I	C	0.00%	12.90%

46000	I	.	+	I	C	0.00%	12.90%
46200	I	.	+	I	C	0.00%	12.90%
46400	I	.	+	I	C	0.00%	12.90%
46600	I	.	+	I	C	0.00%	12.90%
46800	I	.	+	I	C	0.00%	12.90%
47000	I	.	+	I	C	0.00%	12.90%
47200	I	.	+	I	C	0.00%	12.90%
47400	I	.	+	I	C	0.00%	12.90%
47600	I	.	+	I	C	0.00%	12.90%
47800	I	.	+	I	C	0.00%	12.90%
48000	I	.	+	I	C	0.00%	12.90%
48200	I	.	+	I	O	0.00%	12.90%
48400	I	.	+	I	C	0.00%	12.90%
48600	I	.	+	I	C	0.00%	12.90%
48800	I	.	+	I	O	0.00%	12.90%
49000	I	.	+	I	C	0.00%	12.90%
49200	I	.	+	I	O	0.00%	12.90%
49400	I	.	+	I	O	0.00%	12.90%
49600	I	.	+	I	C	0.00%	12.90%
49800	I	.	+	I	C	0.00%	12.90%
50000	I	.	+	I	C	0.00%	12.90%
50200	I	.	+	I	C	0.00%	12.90%
50400	I	.	+	I	C	0.00%	12.90%
50600	I	.	+	I	C	0.00%	12.90%
50800	I	.	+	I	C	0.00%	12.90%
51000	I	.	+	I	C	0.00%	12.90%
51200	I	.	+	I	C	0.00%	12.90%
51400	I	.	+	I	C	0.00%	12.90%
51600	I	.	+	I	C	0.00%	12.90%
51800	I	.	+	I	C	0.00%	12.90%
52000	I	.	+	I	C	0.00%	12.90%
52200	I	.	+	I	C	0.00%	12.90%
52400	I	.	+	I	C	0.00%	12.90%
52600	I	.	+	I	C	0.00%	12.90%
52800	I	.	+	I	C	0.00%	12.90%
53000	I	.	+	I	C	0.00%	12.90%
53200	I	.	+	I	O	0.00%	12.90%
53400	I	.	+	I	C	0.00%	12.90%
53600	I	.	+	I	O	0.00%	12.90%
53800	I	.	+	I	O	0.00%	12.90%
54000	I	.	+	I	C	0.00%	12.90%
54200	I	.	+	I	C	0.00%	12.90%
54400	I	.	+	I	C	0.00%	12.90%
54600	I	.	+	I	C	0.00%	12.90%
54800	I	.	+	I	C	0.00%	12.90%
55000	I*****+*****	I	2	6.45%	6.45%
55200	I	.	+	I	C	0.00%	6.45%
55400	I	.	+	I	C	0.00%	6.45%
55600	I	.	+	I	C	0.00%	6.45%
55800	I	.	+	I	C	0.00%	6.45%
56000	I	.	+	I	O	0.00%	6.45%

67600	I	+	I	C	0.00%	6.45%
67800	I	+	I	C	0.00%	6.45%
68000	I	+	I	C	0.00%	6.45%
68200	I	+	I	C	0.00%	6.45%
68400	I	+	I	C	0.00%	6.45%
68600	I	+	I	C	0.00%	6.45%
68800	I	+	I	C	0.00%	6.45%
69000	I	+	I	C	0.00%	6.45%
69200	I	+	I	C	0.00%	6.45%
69400	I	+	I	C	0.00%	6.45%
69600	I	+	I	C	0.00%	6.45%
69800	I	+	I	C	0.00%	6.45%

70000	I	*****	I	1	3.22%	3.22%
70200	I	+	I	C	0.00%	3.22%
70400	I	+	I	C	0.00%	3.22%
70600	I	+	I	C	0.00%	3.22%
70800	I	+	I	C	0.00%	3.22%
71000	I	+	I	C	0.00%	3.22%
71200	I	+	I	C	0.00%	3.22%
71400	I	+	I	C	0.00%	3.22%
71600	I	+	I	C	0.00%	3.22%
71800	I	+	I	C	0.00%	3.22%
72000	I	+	I	C	0.00%	3.22%
72200	I	+	I	C	0.00%	3.22%
72400	I	+	I	C	0.00%	3.22%
72600	I	+	I	C	0.00%	3.22%
72800	I	+	I	C	0.00%	3.22%
73000	I	+	I	C	0.00%	3.22%
73200	I	+	I	C	0.00%	3.22%
73400	I	+	I	C	0.00%	3.22%
73600	I	+	I	C	0.00%	3.22%
73800	I	+	I	C	0.00%	3.22%
74000	I	+	I	C	0.00%	3.22%
74200	I	+	I	C	0.00%	3.22%
74400	I	+	I	C	0.00%	3.22%
74600	I	+	I	C	0.00%	3.22%
74800	I	+	I	C	0.00%	3.22%
75000	I	*****	I	1	3.22%	0.00%



+++++ CUMULATIVE PROBABILITY (%) +++++											TOTAL SAMPLES= 48				
		0	10	20	30	40	50	60	70	80	90	100			
		***** FREQUENCY (%) *****													
CD	PPM	0	5	10	15	20	25	30	35	40	45	50	N.	FREQ.	CUM. PROB.
0.0	I	0	0.00%	100.00%
0.2	I	*****	16	33.33%	66.66%
0.4	I	*****	9	18.75%	47.91%
0.6	I	*****	3	6.25%	41.66%
0.8	I	****	1	2.08%	39.58%
1.0	I	0	0.00%	39.58%
1.2	I	*****	3	6.25%	33.33%
1.4	I	****	1	2.08%	31.25%
1.6	I	0	0.00%	31.25%
1.8	I	0	0.00%	31.25%
2.0	I	****	1	2.08%	29.16%
2.2	I	0	0.00%	29.16%
2.4	I	****	1	2.08%	27.08%
2.6	I	0	0.00%	27.08%
2.8	I	****	1	2.08%	25.00%
3.0	I	0	0.00%	25.00%
3.2	I	0	0.00%	25.00%
3.4	I	****	1	2.08%	22.91%
3.6	I	****	1	2.08%	20.83%
3.8	I	0	0.00%	20.83%
4.0	I	****	1	2.08%	18.75%
4.2	I	0	0.00%	18.75%
4.4	I	0	0.00%	18.75%
4.6	I	0	0.00%	18.75%
4.8	I	0	0.00%	18.75%
5.0	I	0	0.00%	18.75%
5.2	I	0	0.00%	18.75%
5.4	I	0	0.00%	18.75%
5.6	I	0	0.00%	18.75%
5.8	I	0	0.00%	18.75%
6.0	I	****	1	2.08%	16.66%
6.2	I	0	0.00%	16.66%
6.4	I	0	0.00%	16.66%
6.6	I	0	0.00%	16.66%
6.8	I	0	0.00%	16.66%
7.0	I	0	0.00%	16.66%
7.2	I	0	0.00%	16.66%
7.4	I	0	0.00%	16.66%
7.6	I	0	0.00%	16.66%
7.8	I	0	0.00%	16.66%
8.0	I	0	0.00%	16.66%
8.2	I	0	0.00%	16.66%
8.4	I	0	0.00%	16.66%
8.6	I	0	0.00%	16.66%
8.8	I	0	0.00%	16.66%
9.0	I	0	0.00%	16.66%
9.2	I	0	0.00%	16.66%
9.4	I	****	1	2.08%	14.58%
9.6	I	0	0.00%	14.58%
9.8	I	0	0.00%	14.58%

22.0	I	.	+	I	C	0.00%	14.58%
22.2	I	.	+	I	C	0.00%	14.58%
22.4	I	.	+	I	C	0.00%	14.58%
22.6	I	.	+	I	C	0.00%	14.58%
22.8	I	.	+	I	C	0.00%	14.58%
23.0	I	.	+	I	C	0.00%	14.58%
23.2	I	.	+	I	C	0.00%	14.58%
23.4	I	.	+	I	C	0.00%	14.58%
23.6	I	.	+	I	C	0.00%	14.58%
23.8	I	.	+	I	C	0.00%	14.58%
24.0	I	.	+	I	C	0.00%	14.58%
24.2	I	.	+	I	C	0.00%	14.58%
24.4	I	.	+	I	C	0.00%	14.58%
24.6	I	.	+	I	C	0.00%	14.58%
24.8	I	.	+	I	C	0.00%	14.58%
25.0	I	.	+	I	C	0.00%	14.58%
25.2	I	.	+	I	C	0.00%	14.58%
25.4	I	.	+	I	C	0.00%	14.58%
25.6	I	.	+	I	C	0.00%	14.58%
25.8	I	.	+	I	C	0.00%	14.58%
26.0	I****	.	+	I	1	2.08%	12.50%
26.2	I	.	+	I	C	0.00%	12.50%
26.4	I	.	+	I	C	0.00%	12.50%
26.6	I	.	+	I	C	0.00%	12.50%
26.8	I	.	+	I	C	0.00%	12.50%
27.0	I	.	+	I	C	0.00%	12.50%
27.2	I	.	+	I	C	0.00%	12.50%
27.4	I	.	+	I	C	0.00%	12.50%
27.6	I	.	+	I	C	0.00%	12.50%
27.8	I	.	+	I	C	0.00%	12.50%
28.0	I****	+	I	1	2.08%	10.41%
28.2	I	+	I	C	0.00%	10.41%
28.4	I	+	I	C	0.00%	10.41%
28.6	I	+	I	C	0.00%	10.41%
28.8	I	+	I	C	0.00%	10.41%
29.0	I	+	I	C	0.00%	10.41%
29.2	I	+	I	C	0.00%	10.41%
29.4	I	+	I	C	0.00%	10.41%
29.6	I	+	I	C	0.00%	10.41%
29.8	I	+	I	C	0.00%	10.41%
30.0	I	+	I	C	0.00%	10.41%
30.2	I	+	I	C	0.00%	10.41%
30.4	I	+	I	C	0.00%	10.41%
30.6	I	+	I	C	0.00%	10.41%
30.8	I	+	I	C	0.00%	10.41%
31.0	I	+	I	C	0.00%	10.41%
31.2	I	+	I	C	0.00%	10.41%
31.4	I	+	I	C	0.00%	10.41%
31.6	I	+	I	C	0.00%	10.41%
31.8	I	+	I	C	0.00%	10.41%
32.0	I	+	I	C	0.00%	10.41%
32.2	I	+	I	C	0.00%	10.41%
32.4	I	+	I	C	0.00%	10.41%
32.6	I	+	I	C	0.00%	10.41%
32.8	I	+	I	C	0.00%	10.41%
33.0	I	+	I	C	0.00%	10.41%
33.2	I	+	I	C	0.00%	10.41%

33.4	I	+	I	O	0.00%	10.41%
33.6	I	+	I	O	0.00%	10.41%
33.8	I	+	I	O	0.00%	10.41%

34.0	I	+	I	O	0.00%	10.41%
34.2	I	+	I	C	0.00%	10.41%
34.4	I	+	I	C	0.00%	10.41%
34.6	I	+	I	C	0.00%	10.41%
34.8	I	+	I	C	0.00%	10.41%
35.0	I	+	I	C	0.00%	10.41%
35.2	I	+	I	C	0.00%	10.41%
35.4	I	+	I	C	0.00%	10.41%
35.6	I	+	I	C	0.00%	10.41%
35.8	I	+	I	C	0.00%	10.41%
36.0	I	+	I	C	0.00%	10.41%
36.2	I	+	I	O	0.00%	10.41%
36.4	I	+	I	O	0.00%	10.41%
36.6	I	+	I	C	0.00%	10.41%
36.8	I	+	I	C	0.00%	10.41%
37.0	I	+	I	C	0.00%	10.41%
37.2	I	+	I	C	0.00%	10.41%
37.4	I	+	I	C	0.00%	10.41%
37.6	I	+	I	O	0.00%	10.41%
37.8	I	+	I	C	0.00%	10.41%
38.0	I	+	I	C	0.00%	10.41%
38.2	I	+	I	C	0.00%	10.41%
38.4	I	+	I	C	0.00%	10.41%
38.6	I	+	I	C	0.00%	10.41%
38.8	I	+	I	C	0.00%	10.41%
39.0	I	+	I	C	0.00%	10.41%
39.2	I	+	I	C	0.00%	10.41%
39.4	I	+	I	C	0.00%	10.41%
39.6	I	+	I	C	0.00%	10.41%
39.8	I	+	I	C	0.00%	10.41%
40.0	I	+	I	O	0.00%	10.41%
40.2	I	+	I	C	0.00%	10.41%
40.4	I	+	I	C	0.00%	10.41%
40.6	I	+	I	C	0.00%	10.41%
40.8	I	+	I	C	0.00%	10.41%
41.0	I	+	I	O	0.00%	10.41%
41.2	I	+	I	O	0.00%	10.41%
41.4	I	+	I	C	0.00%	10.41%
41.6	I	+	I	C	0.00%	10.41%
41.8	I	+	I	C	0.00%	10.41%
42.0	I	+	I	C	0.00%	10.41%
42.2	I	+	I	C	0.00%	10.41%
42.4	I	+	I	O	0.00%	10.41%
42.6	I	+	I	C	0.00%	10.41%
42.8	I	+	I	C	0.00%	10.41%
43.0	I	+	I	C	0.00%	10.41%
43.2	I	+	I	C	0.00%	10.41%
43.4	I	+	I	C	0.00%	10.41%
43.6	I	+	I	C	0.00%	10.41%
43.8	I	+	I	C	0.00%	10.41%
44.0	I	+	I	C	0.00%	10.41%
44.2	I	+	I	C	0.00%	10.41%
44.4	I	+	I	C	0.00%	10.41%
44.6	I	+	I	C	0.00%	10.41%

44.8	I	+	I	C	0.00%	10.41%
45.0	I	+	I	C	0.00%	10.41%
45.2	I	+	I	C	0.00%	10.41%
45.4	I	+	I	C	0.00%	10.41%
45.6	I	+	I	C	0.00%	10.41%
45.8	I	+	I	C	0.00%	10.41%

46.0	I	+	I	C	0.00%	10.41%
46.2	I	+	I	C	0.00%	10.41%
46.4	I	+	I	C	0.00%	10.41%
46.6	I	+	I	C	0.00%	10.41%
46.8	I	+	I	C	0.00%	10.41%
47.0	I	+	I	C	0.00%	10.41%
47.2	I	+	I	C	0.00%	10.41%
47.4	I	+	I	C	0.00%	10.41%
47.6	I	+	I	C	0.00%	10.41%
47.8	I	+	I	C	0.00%	10.41%
48.0	I****	+	I	1	2.08%	8.33%
48.2	I	+	I	C	0.00%	8.33%
48.4	I	+	I	C	0.00%	8.33%
48.6	I	+	I	C	0.00%	8.33%
48.8	I	+	I	C	0.00%	8.33%
49.0	I	+	I	C	0.00%	8.33%
49.2	I	+	I	C	0.00%	8.33%
49.4	I	+	I	C	0.00%	8.33%
49.6	I	+	I	C	0.00%	8.33%
49.8	I	+	I	C	0.00%	8.33%
50.0	I	+	I	C	0.00%	8.33%
50.2	I	+	I	C	0.00%	8.33%
50.4	I	+	I	C	0.00%	8.33%
50.6	I	+	I	C	0.00%	8.33%
50.8	I	+	I	C	0.00%	8.33%
51.0	I	+	I	C	0.00%	8.33%
51.2	I	+	I	C	0.00%	8.33%
51.4	I	+	I	C	0.00%	8.33%
51.6	I	+	I	C	0.00%	8.33%
51.8	I	+	I	C	0.00%	8.33%
52.0	I	+	I	C	0.00%	8.33%
52.2	I	+	I	C	0.00%	8.33%
52.4	I	+	I	C	0.00%	8.33%
52.6	I	+	I	C	0.00%	8.33%
52.8	I	+	I	C	0.00%	8.33%
53.0	I	+	I	C	0.00%	8.33%
53.2	I	+	I	C	0.00%	8.33%
53.4	I	+	I	C	0.00%	8.33%
53.6	I	+	I	C	0.00%	8.33%
53.8	I	+	I	C	0.00%	8.33%
54.0	I	+	I	C	0.00%	8.33%
54.2	I	+	I	C	0.00%	8.33%
54.4	I	+	I	C	0.00%	8.33%
54.6	I	+	I	C	0.00%	8.33%
54.8	I	+	I	C	0.00%	8.33%
55.0	I	+	I	C	0.00%	8.33%
55.2	I	+	I	C	0.00%	8.33%
55.4	I	+	I	C	0.00%	8.33%
55.6	I	+	I	C	0.00%	8.33%
55.8	I	+	I	C	0.00%	8.33%
56.0	I*****	+	I	1	2.08%	6.25%

56.2	I	+	I	C	0.00%	6.25%
56.4	I	+	I	C	0.00%	6.25%
56.6	I	+	I	C	0.00%	6.25%
56.8	I	+	I	C	0.00%	6.25%
57.0	I	+	I	C	0.00%	6.25%
57.2	I	+	I	C	0.00%	6.25%
57.4	I	+	I	C	0.00%	6.25%
57.6	I	+	I	C	0.00%	6.25%
57.8	I	+	I	C	0.00%	6.25%

58.0	I	+	I	C	0.00%	6.25%
58.2	I	+	I	C	0.00%	6.25%
58.4	I	+	I	C	0.00%	6.25%
58.6	I	+	I	C	0.00%	6.25%
58.8	I	+	I	G	0.00%	6.25%
59.0	I	+	I	O	0.00%	6.25%
59.2	I	+	I	O	0.00%	6.25%
59.4	I	+	I	O	0.00%	6.25%
59.6	I	+	I	O	0.00%	6.25%
59.8	I	+	I	C	0.00%	6.25%
60.0	I****		I	1	2.08%	4.16%
60.2	I	+	I	O	0.00%	4.16%
60.4	I	+	I	O	0.00%	4.16%
60.6	I	+	I	C	0.00%	4.16%
60.8	I	+	I	O	0.00%	4.16%
61.0	I	+	I	O	0.00%	4.16%
61.2	I	+	I	C	0.00%	4.16%
61.4	I	+	I	C	0.00%	4.16%
61.6	I	+	I	O	0.00%	4.16%
61.8	I	+	I	C	0.00%	4.16%
62.0	I	+	I	C	0.00%	4.16%
62.2	I	+	I	C	0.00%	4.16%
62.4	I	+	I	O	0.00%	4.16%
62.6	I	+	I	C	0.00%	4.16%
62.8	I	+	I	C	0.00%	4.16%
63.0	I	+	I	C	0.00%	4.16%
63.2	I	+	I	C	0.00%	4.16%
63.4	I	+	I	C	0.00%	4.16%
63.6	I	+	I	C	0.00%	4.16%
63.8	I	+	I	C	0.00%	4.16%
64.0	I	+	I	C	0.00%	4.16%
64.2	I	+	I	O	0.00%	4.16%
64.4	I	+	I	O	0.00%	4.16%
64.6	I	+	I	O	0.00%	4.16%
64.8	I	+	I	O	0.00%	4.16%
65.0	I	+	I	C	0.00%	4.16%
65.2	I	+	I	C	0.00%	4.16%
65.4	I	+	I	C	0.00%	4.16%
65.6	I	+	I	C	0.00%	4.16%
65.8	I	+	I	O	0.00%	4.16%
66.0	I	+	I	O	0.00%	4.16%
66.2	I	+	I	C	0.00%	4.16%
66.4	I	+	I	C	0.00%	4.16%
66.6	I	+	I	C	0.00%	4.16%
66.8	I	+	I	C	0.00%	4.16%
67.0	I	+	I	C	0.00%	4.16%
67.2	I	+	I	O	0.00%	4.16%
67.4	I	+	I	C	0.00%	4.16%

67.6	I	+	I	C	0.00%	4.16%
67.8	I	+	I	C	0.00%	4.16%
68.0	I	+	I	C	0.00%	4.16%
68.2	I	+	I	C	0.00%	4.16%
68.4	I	+	I	C	0.00%	4.16%
68.6	I	+	I	C	0.00%	4.16%
68.8	I	+	I	C	0.00%	4.16%
69.0	I	+	I	C	0.00%	4.16%
69.2	I	+	I	C	0.00%	4.16%
69.4	I	+	I	C	0.00%	4.16%
69.6	I	+	I	C	0.00%	4.16%
69.8	I	+	I	C	0.00%	4.16%

70.0	I	+	I	C	0.00%	4.16%
70.2	I	+	I	C	0.00%	4.16%
70.4	I	+	I	C	0.00%	4.16%
70.6	I	+	I	C	0.00%	4.16%
70.8	I	+	I	C	0.00%	4.16%
71.0	I	+	I	C	0.00%	4.16%
71.2	I	+	I	C	0.00%	4.16%
71.4	I	+	I	C	0.00%	4.16%
71.6	I	+	I	C	0.00%	4.16%
71.8	I	+	I	C	0.00%	4.16%
72.0	I	+	I	C	0.00%	4.16%
72.2	I	+	I	C	0.00%	4.16%
72.4	I	+	I	C	0.00%	4.16%
72.6	I	+	I	C	0.00%	4.16%
72.8	I	+	I	C	0.00%	4.16%
73.0	I	+	I	C	0.00%	4.16%
73.2	I	+	I	C	0.00%	4.16%
73.4	I	+	I	C	0.00%	4.16%
73.6	I	+	I	C	0.00%	4.16%
73.8	I	+	I	C	0.00%	4.16%
74.0	I	+	I	C	0.00%	4.16%
74.2	I	+	I	C	0.00%	4.16%
74.4	I	+	I	C	0.00%	4.16%
74.6	I	+	I	C	0.00%	4.16%
74.8	I	+	I	C	0.00%	4.16%
75.0	I	+	I	C	0.00%	4.16%
75.2	I	+	I	C	0.00%	4.16%
75.4	I	+	I	C	0.00%	4.16%
75.6	I	+	I	C	0.00%	4.16%
75.8	I	+	I	C	0.00%	4.16%
76.0	+	*****	I	2	4.16%	0.00%


PPM	I														I	N.	FREQ.	PROB.
CD	0	5	10	15	20	25	30	35	40	45	50							CUM.
	***** FREQUENCY (%) *****																	
	I														I			
	0	10	20	30	40	50	60	70	80	90	100							
	***** CUMLLATIVE PROBABILITY (%) *****																	
																	TOTAL SAMPLES=	48

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 48			
		0	10	20	30	40	50	60	70	80	90	100	N.	FREQ.	CUM. PROB.
MN	PPM	FREQUENCY (%)													
		0	5	10	15	20	25	30	35	40	45	50			
0	I****	1	2.08%	97.91%
100	I*****	10	20.83%	77.08%
200	I*****	10	20.83%	56.25%
300	I*****	6	12.50%	43.75%
400	I*****	5	10.41%	33.33%
500	I*****	4	8.33%	25.00%
600	I*****	3	6.25%	18.75%
700	I*****	2	4.16%	14.58%
800	I*****	2	4.16%	10.41%
900	I*****	0	0.00%	10.41%
1000	I*****	4	8.33%	2.08%
1100	I*****	0	0.00%	2.08%
1200	I*****	1	2.08%	0.00%
1300	I*****	0	0.00%	0.00%
1400	I*****	0	0.00%	0.00%
1500	I*****	0	0.00%	0.00%
1600	I*****	0	0.00%	0.00%
1700	I*****	0	0.00%	0.00%
1800	I*****	0	0.00%	0.00%
1900	I*****	0	0.00%	0.00%
2000	I*****	0	0.00%	0.00%
2100	I*****	0	0.00%	0.00%
2200	I*****	0	0.00%	0.00%
2300	I*****	0	0.00%	0.00%
2400	I*****	0	0.00%	0.00%
2500	I*****	0	0.00%	0.00%
2600	I*****	0	0.00%	0.00%
2700	I*****	0	0.00%	0.00%
2800	I*****	0	0.00%	0.00%
2900	I*****	0	0.00%	0.00%
3000	I*****	0	0.00%	0.00%
3100	I*****	0	0.00%	0.00%
3200	I*****	0	0.00%	0.00%
3300	I*****	0	0.00%	0.00%
3400	I*****	0	0.00%	0.00%
3500	I*****	0	0.00%	0.00%
3600	I*****	0	0.00%	0.00%
3700	I*****	0	0.00%	0.00%
3800	I*****	0	0.00%	0.00%
3900	I*****	0	0.00%	0.00%

CUMULATIVE PROBABILITY (%)											TOTAL SAMPLES = 48			
*****											*****			
	0	10	20	30	40	50	60	70	80	90	100			
	I	I			
	*****											*****		
	FREQUENCY (%)											*****		
MO	0	5	10	15	20	25	30	35	40	45	50			
PPM	I	I	N.	FREQ.	CUM. PROB.
0	I	I	0	0.00%	100.00%
2	I	*****	*****	*****	*****	*****	*****	*****	*****	*****	I	18	37.50%	62.50%
4	I	*****	*****	*****	*****	*****	*****	*****	*****	*****	I	7	14.58%	47.91%
6	I	*****	*****	*****	*****	*****	*****	*****	*****	*****	I	7	14.58%	33.33%
8	I	*****	.	+	I	2	4.16%	29.16%
10	I	*****	I	3	6.25%	22.91%
12	I	****	.	+	I	1	2.08%	20.83%
14	I	*****	.	+	I	2	4.16%	16.66%
16	I	*****	.	+	I	2	4.16%	12.50%
18	I	****	I	1	2.08%	10.41%
20	I	I	0	0.00%	10.41%
22	I	****	I	1	2.08%	8.33%
24	I	I	0	0.00%	8.33%
26	I	I	0	0.00%	8.33%
28	I	****	I	1	2.08%	6.25%
30	I	I	0	0.00%	6.25%
32	I	****	I	1	2.08%	4.16%
34	I	I	0	0.00%	4.16%
36	I	I	0	0.00%	4.16%
38	I	I	0	0.00%	4.16%
40	I	I	0	0.00%	4.16%
42	I	I	0	0.00%	4.16%
44	I	I	0	0.00%	4.16%
46	I	I	0	0.00%	4.16%
48	I	****	I	1	2.08%	2.08%
50	I	I	0	0.00%	2.08%
52	I	I	0	0.00%	2.08%
54	I	I	0	0.00%	2.08%
56	I	I	0	0.00%	2.08%
58	I	I	0	0.00%	2.08%
60	I	I	0	0.00%	2.08%
62	I	I	0	0.00%	2.08%
64	I	I	0	0.00%	2.08%
66	I	I	0	0.00%	2.08%
68	I	I	0	0.00%	2.08%
70	I	I	0	0.00%	2.08%
72	I	I	0	0.00%	2.08%
74	I	I	0	0.00%	2.08%
76	I	I	0	0.00%	2.08%
78	I	I	0	0.00%	2.08%
80	I	I	0	0.00%	2.08%
82	I	I	0	0.00%	2.08%
84	I	I	0	0.00%	2.08%
86	I	I	0	0.00%	2.08%
88	I	I	0	0.00%	2.08%
90	I	I	0	0.00%	2.08%
92	I	I	0	0.00%	2.08%
94	I	I	0	0.00%	2.08%
96	I	I	0	0.00%	2.08%
98	I	I	0	0.00%	2.08%

220	I	+	I	O	0.00%	2.08%
222	I	+	I	C	0.00%	2.08%
224	I	+	I	O	0.00%	2.08%
226	I	+	I	C	0.00%	2.08%
228	I	+	I	O	0.00%	2.08%
230	I	+	I	C	0.00%	2.08%
232	I	+	I	C	0.00%	2.08%
234	I	+	I	C	0.00%	2.08%
236	I	+	I	C	0.00%	2.08%
238	I	+	I	C	0.00%	2.08%
240	I	+	I	O	0.00%	2.08%
242	I	+	I	C	0.00%	2.08%
244	I	+	I	C	0.00%	2.08%
246	I	+	I	C	0.00%	2.08%
248	I	+	I	C	0.00%	2.08%
250	I	+	I	O	0.00%	2.08%
252	I	+	I	O	0.00%	2.08%
254	I	+	I	C	0.00%	2.08%
256	I	+	I	C	0.00%	2.08%
258	I	+	I	C	0.00%	2.08%
260	I	+	I	C	0.00%	2.08%
262	I	+	I	C	0.00%	2.08%
264	I	+	I	C	0.00%	2.08%
266	I	+	I	C	0.00%	2.08%
268	I	+	I	C	0.00%	2.08%
270	I	+	I	C	0.00%	2.08%
272	I	+	I	C	0.00%	2.08%
274	I	+	I	C	0.00%	2.08%
276	I	+	I	C	0.00%	2.08%
278	I	+	I	C	0.00%	2.08%
280	I	+	I	C	0.00%	2.08%
282	I	+	I	C	0.00%	2.08%
284	I	+	I	C	0.00%	2.08%
286	I	+	I	C	0.00%	2.08%
288	I	+	I	C	0.00%	2.08%
290	I	+	I	C	0.00%	2.08%
292	I	+	I	C	0.00%	2.08%
294	I	+	I	C	0.00%	2.08%
296	I	+	I	C	0.00%	2.08%
298	I	+	I	C	0.00%	2.08%
300	I	+	I	C	0.00%	2.08%
302	I	+	I	C	0.00%	2.08%
304	I	+	I	C	0.00%	2.08%
306	I	+	I	O	0.00%	2.08%
308	I	+	I	O	0.00%	2.08%
310	I	+	I	O	0.00%	2.08%
312	I	+	I	O	0.00%	2.08%
314	I	+	I	C	0.00%	2.08%
316	I	+	I	C	0.00%	2.08%
318	I	+	I	C	0.00%	2.08%
320	I	+	I	C	0.00%	2.08%
322	I	+	I	C	0.00%	2.08%
324	I	+	I	C	0.00%	2.08%
326	I	+	I	C	0.00%	2.08%
328	I	+	I	C	0.00%	2.08%
330	I	+	I	C	0.00%	2.08%
332	I	+	I	C	0.00%	2.08%

334	I +	I	0	0.00%	2.08%
336	I +	I	0	0.00%	2.08%
338	I +	I	0	0.00%	2.08%
340	I +	I	0	0.00%	2.08%
342	I +	I	0	0.00%	2.08%
344	I +	I	0	0.00%	2.08%
346	I +	I	0	0.00%	2.08%
348	I +	I	0	0.00%	2.08%
350	I +	I	0	0.00%	2.08%
352	I +	I	0	0.00%	2.08%
354	I +	I	0	0.00%	2.08%
356	I +	I	0	0.00%	2.08%
358	I +	I	0	0.00%	2.08%
360	I +	I	0	0.00%	2.08%
362	I +	I	0	0.00%	2.08%
364	I +	I	0	0.00%	2.08%
366	I +	I	0	0.00%	2.08%
368	I +	I	0	0.00%	2.08%
370	+*****	I	1	2.08%	0.00%



+++++ CUMULATIVE PROBABILITY (%) +++++										TOTAL SAMPLES= 48				
	0	10	20	30	40	50	60	70	80	90	100			
	I	I			
	***** FREQUENCY (%) *****													
FE	0	1	2	3	4	5	6	7	8	9	10	N.	FREQ.	CUM. PROB.
%	I	I			
0.0	I	+	C	0.00% 100.00%
0.2	I	+	C	0.00% 100.00%
0.4	I	+	C	0.00% 100.00%
0.6	I	+	C	0.00% 100.00%
0.8	I	*****	+	I	1 2.08% 97.91%
1.0	I	*****	+	I	1 2.08% 95.83%
1.2	I	*****	+	I	2 4.16% 91.66%
1.4	I	*****	+	I	1 2.08% 89.58%
1.6	I	*****	+	I	2 4.16% 85.41%
1.8	I	*****	+	I	1 2.08% 83.33%
2.0	I	*****	+	I	2 4.16% 79.16%
2.2	I	+	I	0 0.00% 79.16%
2.4	I	+	I	0 0.00% 79.16%
2.6	I	*****	+	I	1 2.08% 77.08%
2.8	I	*****	+	I	2 4.16% 72.91%
3.0	I	*****	+	I	4 8.33% 64.58%
3.2	I	*****	+	I	3 6.25% 58.33%
3.4	I	+	I	0 0.00% 58.33%
3.6	I	*****	+	I	2 4.16% 54.16%
3.8	I	*****	+	I	1 2.08% 52.08%
4.0	I	*****	+	I	2 4.16% 47.91%
4.2	I	*****	+	I	2 4.16% 43.75%
4.4	I	*****	+	I	1 2.08% 41.66%
4.6	I	*****	+	I	1 2.08% 39.58%
4.8	I	*****	+	I	1 2.08% 37.50%
5.0	I	*****	+	I	1 2.08% 35.41%
5.2	I	+	I	0 0.00% 35.41%
5.4	I	*****	+	I	1 2.08% 33.33%
5.6	I	+	I	0 0.00% 33.33%
5.8	I	*****	+	I	1 2.08% 31.25%
6.0	I	+	I	0 0.00% 31.25%
6.2	I	+	I	0 0.00% 31.25%
6.4	I	*****	+	I	1 2.08% 29.16%
6.6	I	+	I	0 0.00% 29.16%
6.8	I	+	I	0 0.00% 29.16%
7.0	I	+	I	0 0.00% 29.16%
7.2	I	+	I	0 0.00% 29.16%
7.4	I	+	I	0 0.00% 29.16%
7.6	I	*****	+	I	2 4.16% 25.00%
7.8	I	+	I	0 0.00% 25.00%
8.0	I	*****	+	I	1 2.08% 22.91%
8.2	I	+	I	0 0.00% 22.91%
8.4	I	+	I	0 0.00% 22.91%
8.6	I	+	I	0 0.00% 22.91%
8.8	I	+	I	0 0.00% 22.91%
9.0	I	*****	+	I	1 2.08% 20.83%
9.2	I	+	I	0 0.00% 20.83%
9.4	I	+	I	0 0.00% 20.83%
9.6	I	+	I	0 0.00% 20.83%
9.8	I	+	I	0 0.00% 20.83%

10.0	I*****+***	I	1	2.08%	18.75%
10.2	I	I	0	0.00%	18.75%
10.4	I	I	0	0.00%	18.75%
10.6	I*****+***	I	1	2.08%	16.66%
10.8	I	I	0	0.00%	16.66%
11.0	I	I	0	0.00%	16.66%
11.2	I	I	0	0.00%	16.66%
11.4	I	I	0	0.00%	16.66%
11.6	I	I	0	0.00%	16.66%
11.8	I	I	0	0.00%	16.66%
12.0	I*****+***	I	1	2.08%	14.58%
12.2	I	I	0	0.00%	14.58%
12.4	I	I	0	0.00%	14.58%
12.6	I*****+***	I	1	2.08%	12.50%
12.8	I	I	0	0.00%	12.50%
13.0	I	I	0	0.00%	12.50%
13.2	I	I	0	0.00%	12.50%
13.4	I	I	0	0.00%	12.50%
13.6	I	I	0	0.00%	12.50%
13.8	I	I	0	0.00%	12.50%
14.0	I	I	0	0.00%	12.50%
14.2	I	I	0	0.00%	12.50%
14.4	I	I	0	0.00%	12.50%
14.6	I	I	0	0.00%	12.50%
14.8	I	I	0	0.00%	12.50%
15.0	I*****+***	I	1	2.08%	10.41%
15.2	I	I	0	0.00%	10.41%
15.4	I	I	0	0.00%	10.41%
15.6	I*****+***	I	1	2.08%	8.33%
15.8	I	I	0	0.00%	8.33%
16.0	I	I	0	0.00%	8.33%
16.2	I*****+***	I	1	2.08%	6.25%
16.4	I	I	0	0.00%	6.25%
16.6	I	I	0	0.00%	6.25%
16.8	I	I	0	0.00%	6.25%
17.0	I	I	0	0.00%	6.25%
17.2	I	I	0	0.00%	6.25%
17.4	I	I	0	0.00%	6.25%
17.6	I	I	0	0.00%	6.25%
17.8	I	I	0	0.00%	6.25%
18.0	I	I	0	0.00%	6.25%
18.2	I	I	0	0.00%	6.25%
18.4	I	I	0	0.00%	6.25%
18.6	I	I	0	0.00%	6.25%
18.8	I	I	0	0.00%	6.25%
19.0	I	I	0	0.00%	6.25%
19.2	I*****+***	I	1	2.08%	4.16%
19.4	I	I	0	0.00%	4.16%
19.6	I	I	0	0.00%	4.16%
19.8	I	I	0	0.00%	4.16%
20.0	I*****+***	I	1	2.08%	2.08%
20.2	I	I	0	0.00%	2.08%
20.4	I	I	0	0.00%	2.08%
20.6	I	I	0	0.00%	2.08%
20.8	I	I	0	0.00%	2.08%
21.0	I	I	0	0.00%	2.08%
21.2	I	I	0	0.00%	2.08%
21.4	I	I	0	0.00%	2.08%
21.6	I	I	0	0.00%	2.08%
21.8	I	I	0	0.00%	2.08%

```

22.0 *****
-----
% I      .      .      .      .      .      .      .      .      .      .      I
FE 0      1      2      3      4      5      6      7      8      9      10  N.  FREQ.  PROB.
***** FREQUENCY (%) *****
I      .      .      .      .      .      .      .      .      .      .      I
0      10     20     30     40     50     60     70     80     90     100  CUM.
***** CUMULATIVE PROBABILITY (%) *****
TOTAL SAMPLES= 48

```