



# CHEMEX LABS LTD.

016114

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

*E- Feb 17/82*  
TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115229-001-B  
INVOICE # : I8115229  
DATE : 27-NOV-81  
P.O. # : NONE

ATTN: GREG JILSEN (OXALIC ACID LEACH)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0079-35+60IP	0	1.88	820	20	--	--	--
81G-0081-35+60IP	0	1.28	920	4	--	--	--
81G-0090-35+60IP	0	1.40	280	10	--	--	--
81G-0136-35+60IP	0	1.95	665	9	--	--	--
81G-0140-35+60IP	0	2.00	1150	27	--	--	--
81G-0259-35+60IP	0	0.55	52	3	--	--	--
81G-0260-35+60IP	0	0.37	50	5	--	--	--
81G-0261-35+60IP	0	1.03	300	10	--	--	--
81G-0264-35+60IP	0	0.63	95	3	--	--	--
81G-0266-35+60IP	0	0.38	45	2	--	--	--
81G-0268-35+60IP	0	0.63	125	2	--	--	--
81G-0269-35+60IP	0	0.72	150	6	--	--	--
81G-0270-35+60IP	0	0.83	128	9	--	--	--
81G-0271-35+60IP	0	0.20	28	1	--	--	--
81G-0273-35+60IP	0	1.45	350	2	--	--	--
81G-0285-35+60IP	0	0.93	142	10	--	--	--
81G-0306-35+60IP	0	1.38	505	14	--	--	--
81G-0312-35+60IP	0	1.07	510	20	--	--	--
81G-0313-35+60IP	0	1.02	325	20	--	--	--
81G-0314-35+60IP	0	1.33	440	53	--	--	--
81G-0319-35+60IP	0	0.86	115	9	--	--	--
81G-0320-35+60IP	0	1.03	133	10	--	--	--
81G-0321-35+60IP	0	0.98	255	12	--	--	--
81G-0323-35+60IP	0	1.05	472	17	--	--	--
81G 0368-35+60IP	0	0.66	130	22	--	--	--
81G 0371-35+60IP	0	1.07	278	16	--	--	--
81G 0372-35+60IP	0	1.03	118	2	--	--	--
81G 0373-35+60IP	0	1.18	205	6	--	--	--
81G 0374-35+60IP	0	1.13	205	4	--	--	--
81G 0375-35+60IP	0	0.95	215	4	--	--	--
81G 0376-35+60IP	0	1.08	233	4	--	--	--
81G 0377-35+60IP	0	0.86	162	2	--	--	--
81G 0378-35+60IP	0	1.26	240	7	--	--	--
81G 0380-35+60IP	0	0.96	106	6	--	--	--
81G 0381-35+60IP	0	1.00	102	6	--	--	--
81G 0382-35+60IP	0	1.00	82	7	--	--	--
81G 0383-35+60IP	0	0.50	84	2	--	--	--
81G 0384-35+60IP	0	1.05	116	5	--	--	--
81G 0385-35+60IP	0	0.72	75	6	--	--	--
81G 0386-35+60IP	0	0.68	97	5	--	--	--

Certified by *Hart Bichler*



MEMBER  
CANADIAN TESTING  
ASSOCIATION



*Grass 4/5*

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

- ANALYTICAL CHEMISTS
- GEOCHEMISTS
- REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115229-001-A  
INVOICE # : I8115229  
DATE : 27-NOV-81  
P.O. # : NONE

ATTN: GREG JILSEN (OXALIC ACID LEACH)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0079-35+60IP	0	22	1	10	76	0.1	0.1
81G-0081-35+60IP	0	10	1	6	61	0.1	0.1
81G-0090-35+60IP	0	20	1	10	60	0.1	0.1
81G-0136-35+60IP	0	13	1	3	535	0.1	3.7
81G-0140-35+60IP	0	13	1	2	550	0.1	1.8
81G-0259-35+60IP	0	6	1	2	6	0.1	0.1
81G-0260-35+60IP	0	10	1	2	11	0.1	0.1
81G-0261-35+60IP	0	16	1	19	55	0.1	0.3
81G-0264-35+60IP	0	10	1	3	16	0.1	0.1
81G-0266-35+60IP	0	15	1	2	11	0.1	0.1
81G-0268-35+60IP	0	7	1	2	9	0.1	0.1
81G-0269-35+60IP	0	14	1	5	30	0.1	0.1
81G-0270-35+60IP	0	16	1	3	24	0.1	0.1
81G-0271-35+60IP	0	8	1	1	8	0.1	0.1
81G-0273-35+60IP	0	42	1	20	125	0.1	0.2
81G-0285-35+60IP	0	9	2	4	17	0.1	0.1
81G-0306-35+60IP	0	9	1	8	34	0.1	0.2
81G-0312-35+60IP	0	9	1	3	38	0.1	0.1
81G-0313-35+60IP	0	7	1	3	36	0.1	0.1
81G-0314-35+60IP	0	9	1	3	46	0.1	0.3
81G-0319-35+60IP	0	9	2	1	24	0.1	0.1
81G-0320-35+60IP	0	5	1	3	30	0.1	0.1
81G-0321-35+60IP	0	12	1	2	28	0.1	0.1
81G-0323-35+60IP	0	8	1	2	36	0.1	0.2
81G-0368-35+60IP	0	7	1	3	20	0.1	0.1
81G-0371-35+60IP	0	10	1	5	31	0.1	0.1
81G-0372-35+60IP	0	9	1	3	21	0.1	0.1
81G-0373-35+60IP	0	16	1	5	32	0.1	0.1
81G-0374-35+60IP	0	10	1	4	26	0.1	0.1
81G-0375-35+60IP	0	15	1	3	19	0.1	0.1
81G-0376-35+60IP	0	11	1	3	23	0.1	0.1
81G-0377-35+60IP	0	10	1	3	23	0.1	0.1
81G-0378-35+60IP	0	21	1	3	42	0.1	0.1
81G-0380-35+60IP	0	11	1	4	26	0.1	0.1
81G-0381-35+60IP	0	9	1	5	22	0.1	0.1
81G-0382-35+60IP	0	11	1	5	19	0.1	0.1
81G-0383-35+60IP	0	4	1	3	11	0.1	0.1
81G-0384-35+60IP	0	7	1	3	16	0.1	0.1
81G-0385-35+60IP	0	6	1	5	20	0.2	0.1
81G-0386-35+60IP	0	15	1	4	15	0.1	0.1



Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8115229-002-A  
 INVOICE # : I8115229  
 DATE : 27-NOV-81  
 P.O. # : NONE

ATTN: GREG JILSEN (OXALIC ACID LEACH)


Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G 0387-35+60IP	0	6	1	4	10	0.1	0.1
81G 0388-35+60IP	0	10	1	4	27	0.1	0.1
81G 0389-35+60IP	0	12	1	6	35	0.1	0.1
81G 0391-35+60IP	0	6	1	7	15	0.1	0.1
81G 0399-35+60IP	0	9	1	3	24	0.1	0.1
81G 0401-35+60IP	0	8	1	9	63	0.1	0.1
81G 0404-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G 0405-35+60IP	0	11	1	4	38	0.1	0.1
81G 0408-35+60IP	0	7	1	5	27	0.1	0.1
81G 0409-35+60IP	0	15	1	9	51	0.1	0.1
81G 0410-35+60IP	0	21	1	13	405	0.2	0.8
81G 0411-35+60IP	0	12	1	9	35	0.2	0.1
81G 0413-35+60IP	0	MISSING	MISSING	MISSING	MISSING	MISSING	MISSING
81G 0414-35+60IP	0	9	1	5	26	0.1	0.1
81G 0416-35+60IP	0	10	1	4	23	0.1	0.1
81G 0418-35+60IP	0	31	1	5	50	0.2	0.1
81G 0419-35+60IP	0	14	1	6	32	0.1	0.1
81G 0421-35+60IP	0	9	1	4	14	0.1	0.1
81G 0422-35+60IP	0	8	1	7	22	0.1	0.1
81G 0426-35+60IP	0	12	1	7	49	0.1	0.1
81G 0427-35+60IP	0	6	1	1	22	0.1	0.1
81G 0429-35+60IP	0	11	1	4	36	0.1	0.1
81G 0430-35+60IP	0	20	1	3	26	0.1	0.1
81G 0431-35+60IP	0	5	1	7	35	0.1	0.1
81G 0433-35+60IP	0	6	1	5	23	0.1	0.1
81G 0436-35+60IP	0	8	1	12	46	0.1	0.1
81G 0437-35+60IP	0	6	1	7	20	0.1	0.1
81G 0438-35+60IP	0	5	1	12	24	0.1	0.1
81G 0439-35+60IP	0	5	1	13	31	0.1	0.1
81G 0440-35+60IP	0	7	1	21	31	0.1	0.1
81G 0441-35+60IP	0	5	1	12	26	0.1	0.1
81G 0442-35+60IP	0	11	1	12	36	0.1	0.2
81G 0448-35+60IP	0	40	1	1	21	0.1	0.1
81G 0451-35+60IP	0	42	1	14	150	0.1	0.5
81G 0452-35+60IP	0	27	1	7	50	0.1	0.1
81G 0453-35+60IP	0	17	1	13	63	0.1	0.1
81G 0454-35+60IP	0	14	1	11	38	0.1	0.1
81G 0455-35+60IP	0	10	1	9	38	0.1	0.1
81G 0461-35+60IP	0	13	1	10	60	0.1	0.1
81G 0462-35+60IP	0	16	1	18	42	0.1	0.1

*Hart Buchler*

Certified by .....



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115229-002-B  
INVOICE # : I8115229  
DATE : 27-NOV-81  
P.O. # : NONE

ATTN: GREG JILSEN (OXALIC ACID LEACH)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G 0387-35+60IP	0	0.56	100	4	--	--	--
81G 0388-35+60IP	0	0.92	120	3	--	--	--
81G 0389-35+60IP	0	1.07	268	3	--	--	--
81G 0391-35+60IP	0	0.70	104	6	--	--	--
81G 0399-35+60IP	0	1.00	160	7	--	--	--
81G 0401-35+60IP	0	1.60	620	10	--	--	--
81G 0404-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G 0405-35+60IP	0	1.35	470	17	--	--	--
81G 0408-35+60IP	0	0.86	242	6	--	--	--
81G 0409-35+60IP	0	1.55	470	30	--	--	--
81G 0410-35+60IP	0	1.48	480	17	--	--	--
81G 0411-35+60IP	0	1.13	172	3	--	--	--
81G 0413-35+60IP	0	MISSING	MISSING	MISSING	--	--	--
81G 0414-35+60IP	0	0.75	110	10	--	--	--
81G 0416-35+60IP	0	0.70	90	11	--	--	--
81G 0418-35+60IP	0	1.56	140	6	--	--	--
81G 0419-35+60IP	0	0.99	94	6	--	--	--
81G 0421-35+60IP	0	0.78	110	3	--	--	--
81G 0422-35+60IP	0	0.88	110	3	--	--	--
81G 0426-35+60IP	0	1.14	130	3	--	--	--
81G 0427-35+60IP	0	0.94	75	3	--	--	--
81G 0429-35+60IP	0	1.02	102	10	--	--	--
81G 0430-35+60IP	0	0.86	76	2	--	--	--
81G 0431-35+60IP	0	1.06	125	12	--	--	--
81G 0433-35+60IP	0	1.18	333	7	--	--	--
81G 0436-35+60IP	0	1.34	140	4	--	--	--
81G 0437-35+60IP	0	1.14	165	6	--	--	--
81G 0438-35+60IP	0	1.36	196	4	--	--	--
81G 0439-35+60IP	0	1.38	232	4	--	--	--
81G 0440-35+60IP	0	1.43	208	5	--	--	--
81G 0441-35+60IP	0	0.98	140	3	--	--	--
81G 0442-35+60IP	0	1.52	172	4	--	--	--
81G 0448-35+60IP	0	0.68	125	2	--	--	--
81G 0451-35+60IP	0	1.73	320	6	--	--	--
81G 0452-35+60IP	0	1.46	198	10	--	--	--
81G 0453-35+60IP	0	1.15	90	5	--	--	--
81G 0454-35+60IP	0	1.40	138	4	--	--	--
81G 0455-35+60IP	0	0.91	95	3	--	--	--
81G 0461-35+60IP	0	1.40	543	17	--	--	--
81G 0462-35+60IP	0	1.52	320	7	--	--	--

Certified by *Hart Bichler*



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115229-003-B  
INVOICE # : I8115229  
DATE : 27-NOV-81  
P.O. # : NONE


ATTN: GREG JILSEN (OXALIC ACID LEACH)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0466-35+60IP	0	0.85	153	5	--	--	--
81G-0474-35+60IP	0	0.78	148	4	--	--	--
81G-0485-35+60IP	0	1.45	650	5	--	--	--
81G-0486-35+60IP	0	2.25	775	8	--	--	--
81G-0491-35+60IP	0	1.10	325	3	--	--	--
81G-0493-35+60IP	0	1.00	318	3	--	--	--
81G-0499-35+60IP	0	0.72	63	5	--	--	--
81G-0500-35+60IP	0	1.60	332	24	--	--	--
81G-0503-35+60IP	0	1.60	265	20	--	--	--
81G-0517-35+60IP	0	0.59	50	4	--	--	--
81G-0528-35+60IP	0	1.28	440	8	--	--	--
81G-0529-35+60IP	0	0.90	155	5	--	--	--
81G-0553-35+60IP	0	2.75	336	41	--	--	--
81G-0573-35+60IP	0	1.42	780	23	--	--	--
81G-0574-35+60IP	0	1.62	318	12	--	--	--
81G-0577-35+60IP	0	3.85	595	59	--	--	--
81G-0584-35+60IP	0	1.45	200	15	--	--	--
81G-0586-35+60IP	0	1.53	640	16	--	--	--
81G-0587-35+60IP	0	1.22	170	9	--	--	--
81G-0592-35+60IP	0	1.10	305	5	--	--	--
81G-0597-35+60IP	0	1.90	420	83	--	--	--
81G-0097-35+60IP	0	1.80	710	20	--	--	--

Certified by *Hart Bichler*



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115229-003-A  
INVOICE # : I8115229  
DATE : 27-NOV-81  
P.O. # : NONE

ATTN: GREG JILSEN (OXALIC ACID LEACH)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0466-35+60IP	0	6	1	1	10	0.1	0.1
81G-0474-35+60IP	0	15	1	3	22	0.1	0.1
81G-0485-35+60IP	0	14	1	3	38	0.1	0.1
81G-0486-35+60IP	0	16	1	6	80	0.1	0.1
81G-0491-35+60IP	0	8	1	1	26	0.1	0.1
81G-0493-35+60IP	0	6	1	2	21	0.1	0.1
81G-0499-35+60IP	0	6	1	4	10	0.1	0.1
81G-0500-35+60IP	0	17	1	4	27	0.1	0.1
81G-0503-35+60IP	0	16	1	5	32	0.1	0.1
81G-0517-35+60IP	0	4	1	6	15	0.1	0.1
81G-0528-35+60IP	0	14	1	6	64	0.1	0.1
81G-0529-35+60IP	0	3	1	3	13	0.1	0.1
81G-0553-35+60IP	0	20	5	13	145	0.1	0.3
81G-0573-35+60IP	0	11	1	6	44	0.1	0.1
81G-0574-35+60IP	0	9	2	5	68	0.1	0.1
81G-0577-35+60IP	0	27	7	2	348	0.1	0.7
81G-0584-35+60IP	0	6	1	7	45	0.1	0.1
81G-0586-35+60IP	0	9	1	9	63	0.1	0.1
81G-0587-35+60IP	0	8	1	4	40	0.1	0.1
81G-0592-35+60IP	0	6	1	3	47	0.1	0.1
81G-0597-35+60IP	0	52	3	9	129	0.1	0.2
81G-0097-35+60IP	0	32	1	14	236	0.1	0.1

Certified by *Hart Bichler*



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

ANALYTICAL CHEMISTS

GEOCHEMISTS

REGISTERED ASSAYERS

*8-Feb-17/82*

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115398-001-A  
INVOICE # : 18115398  
DATE : 04-DEC-81  
P.O. # : NONE


ATTN: GREG JILSEN (OXALIC ACID LEACH)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0093	35+60IP 0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	0.1
81G-0423	35+60IP 0	11	1	6	20	0.1	0.1
81G-0494	35+60IP 0	15	1	2	14	0.1	0.1
81G-0495	35+60IP 0	25	1	7	45	0.1	0.1
81G-0536	35+60IP 0	8	1	15	58	0.1	0.1
81G-0704	35+60IP 0	19	1	3	17	0.1	0.1
81G-0716	35+60IP 0	12	1	6	23	0.1	0.1
81G-0719	35+60IP 0	16	1	26	36	0.2	0.2
81G-0720	35+60IP 0	11	1	8	23	0.1	0.1
81G-0722	35+60IP 0	7	1	4	19	0.1	0.1
81G-0723	35+60IP 0	9	1	9	25	0.1	0.1
81G-0724	35+60IP 0	21	1	18	62	0.1	0.1
81G-0725	35+60IP 0	7	1	4	69	0.1	0.1
81G-0726	35+60IP 0	3	1	3	21	0.1	0.1
81G-0727	35+60IP 0	11	1	6	40	0.1	0.1
81G-0731	35+60IP 0	10	1	11	50	0.1	0.1
81G-0735	35+60IP 0	12	1	3	38	0.1	0.1
81G-0738	35+60IP 0	11	1	5	35	0.1	0.1
81G-0739	35+60IP 0	36	1	10	77	0.1	0.1
81G-0740	35+60IP 0	31	1	4	55	0.1	0.1
81G-0745	35+60IP 0	5	1	5	42	0.1	0.1
81G-0746	35+60IP 0	5	1	6	35	0.1	0.1

Certified by *Hart Bichler*



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115398-001-8  
INVOICE # : I8115398  
DATE : 04-DEC-81  
P.O. # : NONE


ATTN: GREG JILSEN (OXALIC ACID LEACH)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0093 35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0423 35+60IP	0	0.66	101	4	--	--	--
81G-0494 35+60IP	0	0.74	127	2	--	--	--
81G-0495 35+60IP	0	1.30	390	4	--	--	--
81G-0536 35+60IP	0	1.20	200	4	--	--	--
81G-0704 35+60IP	0	0.85	96	4	--	--	--
81G-0716 35+60IP	0	0.83	144	2	--	--	--
81G-0719 35+60IP	0	0.94	120	8	--	--	--
81G-0720 35+60IP	0	1.02	280	5	--	--	--
81G-0722 35+60IP	0	0.72	280	6	--	--	--
81G-0723 35+60IP	0	0.80	245	5	--	--	--
81G-0724 35+60IP	0	1.30	750	11	--	--	--
81G-0725 35+60IP	0	1.17	750	14	--	--	--
81G-0726 35+60IP	0	0.96	123	3	--	--	--
81G-0727 35+60IP	0	1.40	905	6	--	--	--
81G-0731 35+60IP	0	1.68	795	10	--	--	--
81G-0735 35+60IP	0	0.80	480	4	--	--	--
81G-0738 35+60IP	0	1.05	270	4	--	--	--
81G-0739 35+60IP	0	2.05	715	11	--	--	--
81G-0740 35+60IP	0	1.50	620	7	--	--	--
81G-0745 35+60IP	0	1.14	345	3	--	--	--
81G-0746 35+60IP	0	1.08	275	3	--	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8


CERT. # : A8210125-001-A  
INVOICE # : I8210125  
DATE : 01-FEB-82  
P.O. # : NONE  
81-G

CC: G. JILSON ; OXALIC ACID LEACH

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-G0413-35+60IP	0	12	1	1	30	0.1	0.1
81-G0514-35+60IP	0	2	1	2	16	0.1	0.1
81-G0520-35+60IP	0	5	1	5	17	0.1	0.1
X 81-G0698-35+60IP	0	106	2	35	250	0.2	0.2
81-G0801-35+60IP	0	1	1	1	80	0.1	0.1
81-G0802-35+60IP	0	4	2	2	26	0.2	0.2
81-G0803-35+60IP	0	5	1	2	22	0.1	0.1
81-G0804-35+60IP	0	10	1	1	29	0.1	0.1
81-G0805-35+60IP	0	14	1	10	62	0.1	0.1
81-G0806-35+60IP	0	21	2	60	87	0.1	0.9
81-G0807-35+60IP	0	29	2	11	69	0.1	0.4
81-G0808-35+60IP	0	10	1	1	24	0.1	0.1
81-G0809-35+60IP	0	9	1	5	52	0.1	0.2
81-G0810-35+60IP	0	1	1	3	8	0.1	0.1
81-G0811-35+60IP	0	1	1	2	11	0.1	0.1
81-G0812-35+60IP	0	5	1	3	17	0.1	0.1
81-G0813-35+60IP	0	1	1	2	7	0.1	0.1
81-G0814-35+60IP	0	1	1	1	9	0.1	0.1
81-G0815-35+60IP	0	5	1	3	23	0.1	0.1
81-G0816-35+60IP	0	1	1	1	8	0.1	0.1
81-G0817-35+60IP	0	5	2	15	33	0.1	0.1
81-G0818-35+60IP	0	5	1	5	25	0.1	0.1
81-G0819-35+60IP	0	4	1	1	16	0.1	0.1
81-G0820-35+60IP	0	4	1	2	12	0.1	0.1



Certified by ..... *Hart Bichler* .....



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604) 984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210125-001-B  
 INVOICE # : I8210125  
 DATE : 01-FEB-82  
 P.O. # : NONE  
 81-G

*E-  
Feb 17/82*

CC: G. JILSON ; OXALIC ACID LEACH

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81-G0413-35+60IP	0	0.95	150	3	--	--	--
81-G0514-35+60IP	0	0.95	140	3	--	--	--
81-G0520-35+60IP	0	1.70	470	14	--	--	--
X 81-G0698-35+60IP	0	9.00	1050	25	--	--	--
81-G0801-35+60IP	0	0.60	115	5	--	--	--
81-G0802-35+60IP	0	1.10	120	4	--	--	--
81-G0803-35+60IP	0	1.70	255	7	--	--	--
81-G0804-35+60IP	0	1.95	570	14	--	--	--
81-G0805-35+60IP	0	2.50	740	14	--	--	--
81-G0806-35+60IP	0	1.90	600	36	--	--	--
81-G0807-35+60IP	0	2.75	1880	23	--	--	--
81-G0808-35+60IP	0	2.30	620	17	--	--	--
81-G0809-35+60IP	0	2.20	600	14	--	--	--
81-G0810-35+60IP	0	0.40	90	2	--	--	--
81-G0811-35+60IP	0	0.75	255	4	--	--	--
81-G0812-35+60IP	0	1.20	360	6	--	--	--
81-G0813-35+60IP	0	0.65	145	3	--	--	--
81-G0814-35+60IP	0	0.75	275	4	--	--	--
81-G0815-35+60IP	0	1.45	350	7	--	--	--
81-G0816-35+60IP	0	0.60	130	3	--	--	--
81-G0817-35+60IP	0	2.60	560	15	--	--	--
81-G0818-35+60IP	0	1.70	380	10	--	--	--
81-G0819-35+60IP	0	1.50	570	10	--	--	--
81-G0820-35+60IP	0	1.60	380	7	--	--	--



Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210596-001-A  
 INVOICE # : I8210596  
 DATE : 18-MAR-82  
 P.O. # : NONE

ATTN: GREG JILSEN

(OXALIC LEACH)<sup>2</sup>

3

4

5

6

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0460-35+60IP	0	3	1	31	6	0.1	0.1
81G-0593-35+60IP	0	3	1	1	18	0.1	0.1
81G-0594-35+60IP	0	2	1	1	11	0.1	0.1
81G-0595-35+60IP	0	2	1	1	6	0.1	0.1
81G-0596-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0598-35+60IP	0	5	3	1	14	0.1	0.1
81G-0599-35+60IP	0	10	4	1	40	0.1	0.1
81G-0602-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0609-35+60IP	0	2	1	1	2	0.1	0.1
81G-0610-35+60IP	0	2	1	1	17	0.1	0.1
81G-0612-35+60IP	0	5	1	1	22	0.1	0.1
81G-0613-35+60IP	0	3	1	1	25	0.1	0.1
81G-0615-35+60IP	0	3	1	1	15	0.1	0.1
81G-0617-35+60IP	0	40	10	31	4000	0.1	8.5
81G-0618-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0619-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0620-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0621-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0622-35+60IP	0	4	1	1	25	0.1	0.1
81G-0623-35+60IP	0	9	1	1	24	0.1	0.1
81G-0624-35+60IP	0	8	1	1	16	0.1	0.1
81G-0625-35+60IP	0	2	1	1	10	0.1	0.1
81G-0626-35+60IP	0	2	2	1	8	0.1	0.1
81G-0627-35+60IP	0	7	5	25	55	0.1	1.2
81G-0628-35+60IP	0	3	3	1	6	0.1	0.1
81G-0629-35+60IP	0	2	1	1	13	0.1	0.1
81G-0630-35+60IP	0	4	3	1	15	0.1	0.1
81G-0631-35+60IP	0	4	2	1	30	0.1	0.1
81G-0632-35+60IP	0	28	10	26	290	0.1	1.4
81G-0633-35+60IP	0	2	6	1	14	0.1	0.1
81G-0634-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0635-35+60IP	0	10	8	10	60	0.2	0.8
81G-0636-35+60IP	0	2	1	1	6	0.1	0.1
81G-0637-35+60IP	0	4	3	14	32	0.1	0.4
81G-0638-35+60IP	0	2	2	2	62	0.2	0.2
81G-0639-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0640-35+60IP	0	42	8	22	220	0.2	0.2
81G-0642-35+60IP	0	4	6	7	18	0.1	0.3
81G-0643-35+60IP	0	2	8	1	8	0.1	0.1
81G-0644-35+60IP	0	3	5	1	23	0.1	0.1

Certified by *Hart Bichler*



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210596-001-B  
 INVOICE # : I8210596  
 DATE : 18-MAR-82  
 P.O. # : NONE

ATTN: GREG JILSEN (OXALIC LEACH)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0460-35+60IP	0	1.92	295	22	--	--	--
81G-0593-35+60IP	0	2.10	315	9	--	--	--
81G-0594-35+60IP	0	0.80	225	3	--	--	--
81G-0595-35+60IP	0	1.85	460	6	--	--	--
81G-0596-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0598-35+60IP	0	2.75	400	54	--	--	--
81G-0599-35+60IP	0	3.40	335	80	--	--	--
81G-0602-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0609-35+60IP	0	0.40	178	5	--	--	--
81G-0610-35+60IP	0	2.20	470	22	--	--	--
81G-0612-35+60IP	0	1.32	395	7	--	--	--
81G-0613-35+60IP	0	1.68	182	12	--	--	--
81G-0615-35+60IP	0	1.20	310	6	--	--	--
81G-0617-35+60IP	0	8.80	1900	44	--	--	--
81G-0618-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0619-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0620-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0621-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0622-35+60IP	0	1.15	390	5	--	--	--
81G-0623-35+60IP	0	1.03	265	4	--	--	--
81G-0624-35+60IP	0	0.93	232	5	--	--	--
81G-0625-35+60IP	0	1.48	310	4	--	--	--
81G-0626-35+60IP	0	2.70	455	44	--	--	--
81G-0627-35+60IP	0	6.70	1200	54	--	--	--
81G-0628-35+60IP	0	3.60	765	88	--	--	--
81G-0629-35+60IP	0	2.40	605	10	--	--	--
81G-0630-35+60IP	0	2.80	510	16	--	--	--
81G-0631-35+60IP	0	3.32	970	12	--	--	--
81G-0632-35+60IP	0	6.60	600	24	--	--	--
81G-0633-35+60IP	0	4.45	790	28	--	--	--
81G-0634-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0635-35+60IP	0	6.90	1600	30	--	--	--
81G-0636-35+60IP	0	0.75	165	1	--	--	--
81G-0637-35+60IP	0	3.95	695	21	--	--	--
81G-0638-35+60IP	0	1.50	856	5	--	--	--
81G-0639-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0640-35+60IP	0	9.70	2650	24	--	--	--
81G-0642-35+60IP	0	4.50	840	21	--	--	--
81G-0643-35+60IP	0	5.20	510	37	--	--	--
81G-0644-35+60IP	0	4.45	1000	18	--	--	--

Certified by *Hart Bichler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BARRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210596-002-A  
 INVOICE # : I8210596  
 DATE : 18-MAR-82  
 P.O. # : NONE

ATTN: GREG JILSEN (OXALIC LEACH)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0645-35+60IP	0	1	2	1	9	0.1	0.1
81G-0646-35+60IP	0	4	4	1	31	0.1	0.1
81G-0647-35+60IP	0	2	120	2	2	0.2	4.7
81G-0648-35+60IP	0	6	4	1	27	0.1	0.1
81G-0649-35+60IP	0	6	7	1	23	0.1	0.1
81G-0650-35+60IP	0	6	6	2	42	0.2	0.2
81G-0651-35+60IP	0	2	6	1	13	0.1	0.2
81G-0652-35+60IP	0	3	6	1	25	0.1	0.1
81G-0653-35+60IP	0	4	4	1	26	0.1	0.1
81G-0654-35+60IP	0	1	1	3	8	0.1	0.1
81G-0656-35+60IP	0	1	1	1	8	0.1	0.1
81G-0657-35+60IP	0	1	3	1	3	0.1	0.1
81G-0658-35+60IP	0	2	4	1	7	0.1	0.1
81G-0659-35+60IP	0	48	13	26	500	0.2	1.9
81G-0660-35+60IP	0	4	1	1	22	0.1	0.1
81G-0661-35+60IP	0	7	1	5	22	0.1	0.1
81G-0662-35+60IP	0	8	1	5	24	0.1	0.1
81G-0663-35+60IP	0	9	1	6	25	0.1	0.1
81G-0664-35+60IP	0	9	1	9	21	0.1	0.1
81G-0665-35+60IP	0	2	1	15	10	0.1	0.1
81G-0666-35+60IP	0	8	2	12	76	0.2	0.2
81G-0667-35+60IP	0	3	2	19	9	0.2	0.2
81G-0668-35+60IP	0	3	1	8	15	0.1	0.1
81G-0669-35+60IP	0	3	1	8	15	0.1	0.1
81G-0670-35+60IP	0	13	3	14	45	0.2	0.2
81G-0673-35+60IP	0	2	1	7	20	0.1	0.1
81G-0674-35+60IP	0	2	2	2	53	0.2	0.2
81G-0676-35+60IP	0	14	2	5	24	0.2	0.2
81G-0677-35+60IP	0	6	1	4	14	0.1	0.1
81G-0678-35+60IP	0	3	1	2	15	0.1	0.1
81G-0679-35+60IP	0	4	1	7	15	0.1	0.1
81G-0680-35+60IP	0	18	2	23	77	0.2	0.2
81G-0681-35+60IP	0	45	5	21	107	0.1	0.6
81G-0682-35+60IP	0	28	5	46	98	0.1	0.9
81G-0683-35+60IP	0	13	4	23	43	0.1	0.4
81G-0684-35+60IP	0	3	1	11	23	0.1	0.1
81G-0685-35+60IP	0	5	1	2	14	0.1	0.1
81G-0686-35+60IP	0	58	1	46	147	0.1	0.6
81G-0687-35+60IP	0	3	1	9	22	0.1	0.1
81G-0688-35+60IP	0	9	1	15	30	0.1	0.2

Certified by *Hart Buchler* .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BARRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8


CERT. # : A8210596-002-B  
 INVOICE # : I8210596  
 DATE : 18-MAR-82  
 P.O. # : NONE

ATTN: GREG JILSEN (OXALIC LEACH)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0645-35+60IP	0	2.70	870	12	--	--	--
81G-0646-35+60IP	0	5.55	1180	28	--	--	--
81G-0647-35+60IP	0	5.00	129500	30	--	--	--
81G-0648-35+60IP	0	3.95	840	20	--	--	--
81G-0649-35+60IP	0	4.80	960	29	--	--	--
81G-0650-35+60IP	0	4.20	710	20	--	--	--
81G-0651-35+60IP	0	4.15	820	25	--	--	--
81G-0652-35+60IP	0	3.20	615	25	--	--	--
81G-0653-35+60IP	0	2.75	380	18	--	--	--
81G-0654-35+60IP	0	2.30	480	12	--	--	--
81G-0656-35+60IP	0	2.00	395	8	--	--	--
81G-0657-35+60IP	0	3.25	405	16	--	--	--
81G-0658-35+60IP	0	1.45	165	12	--	--	--
81G-0659-35+60IP	0	6.60	980	61	--	--	--
81G-0660-35+60IP	0	2.20	310	12	--	--	--
81G-0661-35+60IP	0	1.18	385	10	--	--	--
81G-0662-35+60IP	0	1.30	360	12	--	--	--
81G-0663-35+60IP	0	1.30	335	11	--	--	--
81G-0664-35+60IP	0	1.30	440	16	--	--	--
81G-0665-35+60IP	0	3.00	540	46	--	--	--
81G-0666-35+60IP	0	2.90	750	72	--	--	--
81G-0667-35+60IP	0	1.90	300	20	--	--	--
81G-0668-35+60IP	0	1.85	295	20	--	--	--
81G-0669-35+60IP	0	1.95	520	19	--	--	--
81G-0670-35+60IP	0	3.25	1150	20	--	--	--
81G-0673-35+60IP	0	1.05	285	15	--	--	--
81G-0674-35+60IP	0	2.60	470	18	--	--	--
81G-0676-35+60IP	0	1.70	430	39	--	--	--
81G-0677-35+60IP	0	1.50	345	25	--	--	--
81G-0678-35+60IP	0	0.80	205	6	--	--	--
81G-0679-35+60IP	0	1.86	370	17	--	--	--
81G-0680-35+60IP	0	3.40	1100	49	--	--	--
81G-0681-35+60IP	0	3.90	2000	75	--	--	--
81G-0682-35+60IP	0	6.60	3050	135	--	--	--
81G-0683-35+60IP	0	4.55	2200	77	--	--	--
81G-0684-35+60IP	0	1.04	590	7	--	--	--
81G-0685-35+60IP	0	1.67	390	12	--	--	--
81G-0686-35+60IP	0	3.00	400	73	--	--	--
81G-0687-35+60IP	0	0.62	145	17	--	--	--
81G-0688-35+60IP	0	1.50	418	19	--	--	--

Certified by *Hart Bichler* .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BARRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210596-003-A  
 INVOICE # : I8210596  
 DATE : 18-MAR-82  
 P.O. # : NONE

ATTN: GREG JILSEN (OXALIC LEACH)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0689-35+60IP	0	4	2	7	22	0.1	0.1
81G-0690-35+60IP	0	1	2	1	20	0.1	0.1
81G-0691-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0692-35+60IP	0	3	2	19	26	0.1	0.3
81G-0693-35+60IP	0	16	3	19	50	0.1	0.3
81G-0694-35+60IP	0	23	2	26	68	0.1	0.2
81G-0695-35+60IP	0	2	1	3	18	0.1	0.1
81G-0696-35+60IP	0	12	1	6	39	0.1	0.2
81G-0697-35+60IP	0	11	2	8	37	0.1	0.1
81G-0698-35+60IP	0	12	2	5	40	0.1	0.1
81G-0699-35+60IP	0	9	1	10	26	0.1	0.1
81G-0700-35+60IP	0	3	1	5	10	0.1	0.1
81G-0701-35+60IP	0	8	2	10	72	0.1	0.1
81G-0702-35+60IP	0	12	3	11	30	0.1	0.3
81G-0703-35+60IP	0	12	2	18	32	0.1	0.3
81G-0705-35+60IP	0	47	5	20	162	0.1	0.2
81G-0706-35+60IP	0	23	2	7	42	0.1	0.1
81G-0707-35+60IP	0	30	1	15	42	0.1	0.1
81G-0708-35+60IP	0	40	3	12	77	0.1	0.3
81G-0709-35+60IP	0	47	1	11	62	0.1	0.3
81G-0710-35+60IP	0	90	8	33	180	0.2	0.5
81G-0711-35+60IP	0	145	16	55	290	0.1	1.9
81G-0712-35+60IP	0	42	3	45	136	0.1	0.1
81G-0713-35+60IP	0	52	2	48	135	0.1	0.1
81G-0714-35+60IP	0	147	19	95	250	0.1	2.4
81G-0715-35+60IP	0	243	28	160	1100	0.2	4.3
81G-0717-35+60IP	0	9	1	6	15	0.1	0.1
81G-0718-35+60IP	0	14	1	8	26	0.1	0.1
81G-0721-35+60IP	0	11	1	5	37	0.1	0.1
81G-0728-35+60IP	0	17	1	1	14	0.1	0.1
81G-0729-35+60IP	0	3	1	1	11	0.1	0.1
81G-0730-35+60IP	0	4	1	1	10	0.1	0.1
81G-0732-35+60IP	0	5	1	2	30	0.1	0.1
81G-0733-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0734-35+60IP	0	11	2	1	39	0.1	0.1
81G-0737-35+60IP	0	2	1	1	30	0.1	0.1
81G-0741-35+60IP	0	13	1	1	32	0.1	0.1
81G-0743-35+60IP	0	23	1	1	33	0.1	0.1
81G-0744-35+60IP	0	3	1	1	12	0.1	0.1
81G-0747-35+60IP	0	7	2	10	33	0.1	0.1

Certified by *Hart Bichler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BARRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210596-003-6  
 INVOICE # : I8210596  
 DATE : 18-MAR-82  
 P.O. # : NONE

ATTN: GREG JILSEN (OXALIC LEACH)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0689-35+60IP	0	1.22	200	10	--	--	--
81G-0690-35+60IP	0	0.46	120	2	--	--	--
81G-0691-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0692-35+60IP	0	1.46	285	9	--	--	--
81G-0693-35+60IP	0	2.23	550	41	--	--	--
81G-0694-35+60IP	0	2.23	640	36	--	--	--
81G-0695-35+60IP	0	0.57	130	5	--	--	--
81G-0696-35+60IP	0	1.05	290	9	--	--	--
81G-0697-35+60IP	0	1.30	300	12	--	--	--
81G-0698-35+60IP	0	1.12	355	9	--	--	--
81G-0699-35+60IP	0	1.33	230	11	--	--	--
81G-0700-35+60IP	0	1.58	580	9	--	--	--
81G-0701-35+60IP	0	2.18	425	32	--	--	--
81G-0702-35+60IP	0	2.28	310	30	--	--	--
81G-0703-35+60IP	0	1.98	305	15	--	--	--
81G-0705-35+60IP	0	2.68	285	94	--	--	--
81G-0706-35+60IP	0	2.13	255	15	--	--	--
81G-0707-35+60IP	0	3.20	380	23	--	--	--
81G-0708-35+60IP	0	2.80	325	11	--	--	--
81G-0709-35+60IP	0	2.30	310	6	--	--	--
81G-0710-35+60IP	0	5.00	510	165	--	--	--
81G-0711-35+60IP	0	4.45	415	265	--	--	--
81G-0712-35+60IP	0	3.20	370	79	--	--	--
81G-0713-35+60IP	0	4.10	520	77	--	--	--
81G-0714-35+60IP	0	6.80	455	180	--	--	--
81G-0715-35+60IP	0	10.50	825	363	--	--	--
81G-0717-35+60IP	0	0.92	145	4	--	--	--
81G-0718-35+60IP	0	1.90	260	11	--	--	--
81G-0721-35+60IP	0	1.15	218	10	--	--	--
81G-0728-35+60IP	0	1.08	148	5	--	--	--
81G-0729-35+60IP	0	0.62	85	4	--	--	--
81G-0730-35+60IP	0	0.83	98	6	--	--	--
81G-0732-35+60IP	0	1.20	340	17	--	--	--
81G-0733-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0734-35+60IP	0	1.25	275	6	--	--	--
81G-0737-35+60IP	0	0.50	100	2	--	--	--
81G-0741-35+60IP	0	1.25	428	9	--	--	--
81G-0743-35+60IP	0	1.43	388	9	--	--	--
81G-0744-35+60IP	0	2.15	585	23	--	--	--
81G-0747-35+60IP	0	2.30	440	5	--	--	--

Certified by *Hart Bichler* .....





