



Ent  
2/15/82

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210139-001-  
INVOICE # : I8210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G

016120


### C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-000X -60HP	205	22	3	64	280	0.5	1.3
81G-0001 -60HP	205	27	2	195	235	0.2	0.2
81G-0002 -60HP	205	32	1	195	165	0.2	0.2
81G-0003 -60HP	205	15	2	15	90	0.1	0.1
81G-0004 -60HP	205	17	2	25	140	0.1	0.2
81G-0004B -60HP	205	68	1	28	125	0.1	0.2
81G-0005 -60HP	205	24	3	42	87	0.1	0.1
81G-0006 -60HP	205	8	2	66	110	0.1	0.2
81G-0007 -60HP	205	110	3	28	190	0.1	0.9
81G-0008 -60HP	205	20	2	29	115	0.1	0.1
81G-0008B -60HP	205	14	1	24	78	0.1	0.1
81G-0009 -60HP	205	29	2	47	145	0.1	0.3
81G-0010 -60HP	205	8	2	10	105	0.1	0.1
81G-0011 -60HP	205	12	1	17	72	0.1	0.1
81G-0012 -60HP	205	11	1	5	85	0.1	0.1
81G-0013 -60HP	205	25	2	38	130	0.1	0.1
81G-0014 -60HP	205	500	37	50	1250	0.6	5.2
81G-0015 -60HP	205	180	6	73	280	0.5	1.7
81G-0016 -60HP	205	23	2	16	125	0.1	0.2
81G-0017 -60HP	205	56	2	50	200	0.1	0.9
81G-0018 -60HP	205	30	2	28	155	0.1	0.3
81G-0019 -60HP	205	10	3	18	85	0.1	0.1
81G-0020 -60HP	205	9	3	35	55	0.1	0.7
81G-0021 -60HP	205	22	3	23	118	0.1	0.1
81G-0022 -60HP	205	37	1	27	215	0.1	0.1
81G-0023 -60HP	205	28	2	44	120	0.1	0.1
81G-0024 -60HP	205	20	1	27	95	0.1	4.1
81G-0025 -60HP	205	30	2	42	116	0.1	0.5
81G-0026 -60HP	205	22	3	22	115	0.1	0.5
81G-0027 -60HP	205	13	3	15	115	0.1	0.1
81G-0028 -60HP	205	24	3	30	115	0.1	0.6
81G-0029A+B-60HP	205	22	2	24	95	0.1	0.4
81G-0030 -60HP	205	12	2	8	62	0.1	0.1
81G-0031 -60HP	205	5	2	44	115	0.1	0.1
81G-0032 -60HP	205	16	2	11	270	0.1	0.3
81G-0033 -60HP	205	18	1	5	125	0.1	0.1
81G-0034 -60HP	205	11	1	6	88	0.1	0.1
81G-0036 -60HP	205	11	1	12	110	0.1	0.1
81G-0037 -60HP	205	5	2	21	76	0.1	0.1
81G-0038 -60HP	205	8	1	8	80	0.1	0.1



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210139-001-  
INVOICE # : I8210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G


### C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-000X -60HP	205	6.00	5450	16	8.0	--	--
81G-0001 -60HP	205	4.60	2650	30	0.6	--	--
81G-0002 -60HP	205	4.32	2280	27	0.6	--	--
81G-0003 -60HP	205	4.48	2700	4	0.2	--	--
81G-0004 -60HP	205	6.65	7000	15	3.6	--	--
81G-0004B -60HP	205	4.90	4630	15	2.4	--	--
81G-0005 -60HP	205	4.68	3700	12	1.0	--	--
81G-0006 -60HP	205	3.95	3750	15	0.6	--	--
81G-0007 -60HP	205	9.55	3250	45	9.0	--	--
81G-0008 -60HP	205	5.55	2960	14	1.2	--	--
81G-0008B -60HP	205	3.65	2730	10	0.6	--	--
81G-0009 -60HP	205	4.80	3650	23	3.0	--	--
81G-0010 -60HP	205	4.15	3590	5	0.4	--	--
81G-0011 -60HP	205	3.03	2900	9	0.2	--	--
81G-0012 -60HP	205	3.20	2330	2	0.1	--	--
81G-0013 -60HP	205	5.00	2740	30	1.0	--	--
81G-0014 -60HP	205	32.00	1090	120	25.0	--	--
81G-0015 -60HP	205	15.00	2390	57	31.0	--	--
81G-0016 -60HP	205	7.00	6750	22	2.0	--	--
81G-0017 -60HP	205	12.20	>10000	36	6.4	--	--
81G-0018 -60HP	205	8.40	7900	22	4.2	--	--
81G-0019 -60HP	205	4.00	2900	5	0.8	--	--
81G-0020 -60HP	205	3.75	3740	3	0.1	--	--
81G-0021 -60HP	205	4.30	1680	6	2.8	--	--
81G-0022 -60HP	205	5.65	4600	16	1.2	--	--
81G-0023 -60HP	205	5.68	2500	17	1.2	--	--
81G-0024 -60HP	205	5.25	4350	14	0.4	--	--
81G-0025 -60HP	205	6.65	3450	24	1.8	--	--
81G-0026 -60HP	205	6.00	4780	16	1.8	--	--
81G-0027 -60HP	205	3.00	2000	5	0.4	--	--
81G-0028 -60HP	205	4.55	1880	30	1.4	--	--
81G-0029A+B-60HP	205	4.10	2460	15	1.0	--	--
81G-0030 -60HP	205	2.65	1850	5	0.2	--	--
81G-0031 -60HP	205	2.33	1900	16	0.4	--	--
81G-0032 -60HP	205	4.10	3250	10	0.2	--	--
81G-0033 -60HP	205	3.28	2000	10	0.1	--	--
81G-0034 -60HP	205	2.20	1540	4	0.1	--	--
81G-0036 -60HP	205	4.15	2430	4	0.2	--	--
81G-0037 -60HP	205	2.98	2010	4	0.1	--	--
81G-0038 -60HP	205	3.90	2120	3	0.1	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Buchler*



ent.  
3/15/92

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210139-002-  
INVOICE # : I8210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0039 -60HP	205	7	1	18	100	0.1	0.1
81G-0040 -60HP	205	26	2	75	235	0.1	0.7
81G-0041 -60HP	205	19	2	18	88	0.1	0.3
81G-0042 -60HP	205	24	1	44	170	0.1	1.0
81G-0043 -60HP	205	21	1	50	180	0.1	0.6
81G-0044 -60HP	205	11	1	38	135	0.1	0.1
81G-0044A -60HP	205	8	1	46	105	0.1	0.1
81G-0047 -60HP	205	13	1	6	85	0.1	0.1
81G-0049 -60HP	205	8	1	5	75	0.1	0.1
81G-0050 -60HP	205	7	1	11	108	0.1	0.1
81G-0055A -60HP	205	180	3	650	670	1.0	1.0
81G-0055B -60HP	205	160	3	640	580	1.0	1.0
81G-0056A -60HP	205	60	3	410	415	0.5	0.7
81G-0056B -60HP	205	115	3	510	460	0.9	0.8
81G-0056E -60HP	205	86	2	475	470	0.7	0.8
81G-0056G -60HP	205	90	2	550	510	0.9	1.0
81G-0056H -60HP	205	80	2	450	490	0.6	0.8
81G-0063A -60HP	205	85	3	400	590	0.6	1.0
81G-0063B -60HP	205	100	3	495	670	0.7	1.2
81G-0063C -60HP	205	72	2	275	430	0.3	0.8
81G-0064 -60HP	205	19	2	10	200	0.1	0.1
81G-0065 -60HP	205	20	2	13	225	0.1	0.1
81G-0066 -60HP	205	27	3	64	325	0.1	0.1
81G-0067 -60HP	205	17	2	35	340	0.1	0.2
81G-0068 -60HP	205	32	2	6	45	0.1	0.1
81G-0069 -60HP	205	18	2	4	280	0.1	0.1
81G-0070 -60HP	205	30	2	12	500	0.1	0.1
81G-0071 -60HP	205	23	4	3	55	0.1	0.1
81G-0072 -60HP	205	90	4	16	64	0.1	0.1
81G-0073 -60HP	205	30	3	7	95	0.1	0.1
81G-0074 -60HP	205	37	2	10	40	0.1	0.1
81G-0075 -60HP	205	60	3	16	70	0.1	0.1
81G-0076 -60HP	205	90	10	17	440	0.1	0.1
81G-0077 -60HP	205	45	1	1	190	0.1	0.1
81G-0078 -60HP	205	53	1	3	200	0.1	0.1
81G-0079 -60HP	205	45	2	115	170	0.1	0.1
81G-0080 -60HP	205	80	4	15	220	0.1	0.1
81G-0081 -60HP	205	22	2	4	220	0.1	0.1
81G-0082 -60HP	205	125	6	8	380	0.1	0.1
81G-0083 -60HP	205	57	2	1	110	0.1	0.1

Certified by

*Hartwichler*



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8


CERT. # : A8210139-002-1  
INVOICE # : I8210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0039 -60HP	205	3.15	2230	5	0.2	--	--
81G-0040 -60HP	205	6.90	2100	19	1.0	--	--
81G-0041 -60HP	205	3.20	1730	11	0.6	--	--
81G-0042 -60HP	205	7.65	2720	24	1.4	--	--
81G-0043 -60HP	205	5.45	1580	15	0.8	--	--
81G-0044 -60HP	205	7.05	1690	5	0.2	--	--
81G-0044A -60HP	205	5.55	5100	3	0.1	--	--
81G-0047 -60HP	205	2.68	2150	7	0.2	--	--
81G-0049 -60HP	205	4.10	1340	2	0.1	--	--
81G-0050 -60HP	205	4.45	2450	3	0.1	--	--
81G-0055A -60HP	205	10.80	3560	195	7.6	--	--
81G-0055B -60HP	205	9.10	2820	165	6.4	--	--
81G-0056A -60HP	205	7.90	4290	94	5.0	--	--
81G-0056B -60HP	205	6.95	3630	101	5.8	--	--
81G-0056E -60HP	205	8.10	4500	97	5.6	--	--
81G-0056G -60HP	205	7.90	3040	150	6.8	--	--
81G-0056H -60HP	205	7.65	3120	115	5.8	--	--
81G-0063A -60HP	205	7.50	2800	115	4.4	--	--
81G-0063B -60HP	205	9.75	4580	101	4.6	--	--
81G-0063C -60HP	205	7.00	2700	85	3.0	--	--
81G-0064 -60HP	205	6.00	3370	5	0.8	--	--
81G-0065 -60HP	205	6.40	3050	6	0.8	--	--
81G-0066 -60HP	205	9.15	5120	9	1.2	--	--
81G-0067 -60HP	205	6.80	3100	5	0.6	--	--
81G-0068 -60HP	205	6.20	1140	3	0.1	--	--
81G-0069 -60HP	205	5.58	2400	4	0.2	--	--
81G-0070 -60HP	205	8.90	3430	4	0.8	--	--
81G-0071 -60HP	205	7.30	2370	2	0.1	--	--
81G-0072 -60HP	205	5.72	1950	23	1.4	--	--
81G-0073 -60HP	205	6.90	1150	3	0.4	--	--
81G-0074 -60HP	205	7.05	950	4	0.2	--	--
81G-0075 -60HP	205	7.80	1610	12	2.2	--	--
81G-0076 -60HP	205	7.90	3770	22	5.8	--	--
81G-0077 -60HP	205	4.60	1200	3	0.2	--	--
81G-0078 -60HP	205	4.60	3250	5	0.8	--	--
81G-0079 -60HP	205	7.85	2550	16	1.6	--	--
81G-0080 -60HP	205	8.60	5450	19	3.0	--	--
81G-0081 -60HP	205	7.00	2600	6	1.0	--	--
81G-0082 -60HP	205	8.10	1980	20	4.0	--	--
81G-0083 -60HP	205	2.05	635	3	2.0	--	--



Certified by ... *Hart Bichler* ...



ent.  
3/5/82

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210139-003-  
INVOICE # : I8210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0084 -60HP	205	38	4	14	300	1.2	0.2
81G-0085 -60HP	205	390	6	310	500	0.6	0.2
81G-0087 -60HP	205	270	18	78	1650	0.3	3.9
81G-0088 -60HP	205	15	1	5	82	0.1	0.1
81G-0089 -60HP	205	16	26	3	220	0.1	0.1
81G-0090 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0091 -60HP	205	135	9	75	890	0.3	1.2
81G-0092 -60HP	205	48	4	36	350	0.1	0.9
81G-0093 -60HP	205	19	3	20	220	0.1	0.6
81G-0094 -60HP	205	45	4	22	170	0.1	0.1
81G-0095 -60HP	205	23	3	11	95	0.1	0.1
81G-0096 -60HP	205	32	3	18	215	0.1	0.5
<del>81G-0097 -60HP</del>	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0098 -60HP	205	58	5	50	135	0.1	0.2
81G-0099 -60HP	205	70	3	68	80	0.1	0.1
81G-0100 -60HP	205	95	6	54	170	0.1	0.2
81G-0101 -60HP	205	53	19	76	98	0.1	0.1
81G-0102 -60HP	205	45	4	68	125	0.1	0.1
81G-0103 -60HP	205	14	2	30	135	0.1	0.1
81G-0104 -60HP	205	12	3	26	138	0.1	0.1
81G-0105 -60HP	205	16	2	28	270	0.1	0.4
81G-0106 -60HP	205	16	20	16	320	0.2	0.4
81G-0107 -60HP	205	23	1	30	115	0.1	0.1
81G-0108 -60HP	205	40	2	35	225	0.1	0.2
81G-0109 -60HP	205	21	1	36	145	0.1	0.1
81G-0110 -60HP	205	15	3	23	175	0.1	0.1
81G-0111 -60HP	205	22	2	8	60	0.1	0.1
81G-0113 -60HP	205	36	3	5	54	0.1	0.1
81G-0114 -60HP	205	29	2	22	260	0.1	0.3
81G-0115 -60HP	205	36	3	19	175	0.1	0.7
81G-0116 -60HP	205	40	2	10	125	0.1	0.2
81G-0117 -60HP	205	205	6	26	690	0.8	3.3
81G-0118 -60HP	205	14	3	10	350	0.1	0.7
81G-0119 -60HP	205	46	2	22	510	0.1	0.4
81G-0121 -60HP	205	47	>250	20	360	0.1	0.1
81G-0122 -60HP	205	28	3	9	240	0.1	0.3
81G-0123 -60HP	205	33	4	7	390	0.1	0.1
81G-0124 -60HP	205	36	3	4	145	0.1	0.1
81G-0125 -60HP	205	57	7	17	300	0.1	0.1
81G-0127 -60HP	205	51	3	16	480	0.1	0.1



Certified by Hart Bichler



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210139-003-1  
INVOICE # : I8210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0084 -60HP	205	5.64	1560	10	0.4	--	--
81G-0085 -60HP	205	26.00	2540	230	9.0	--	--
81G-0087 -60HP	205	26.10	6000	210	N.S.S.	--	--
81G-0088 -60HP	205	1.63	450	4	0.2	--	--
81G-0089 -60HP	205	2.72	970	5	0.2	--	--
81G-0090 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81G-0091 -60HP	205	14.50	4650	94	11.8	--	--
81G-0092 -60HP	205	8.50	550	36	4.6	--	--
81G-0093 -60HP	205	7.80	2280	20	2.8	--	--
81G-0094 -60HP	205	9.30	1900	9	4.2	--	--
81G-0095 -60HP	205	5.90	1150	1	1.4	--	--
81G-0096 -60HP	205	9.00	4380	15	2.6	--	--
81G-0097 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81G-0098 -60HP	205	8.40	4090	39	2.8	--	--
81G-0099 -60HP	205	9.95	6100	46	3.4	--	--
81G-0100 -60HP	205	13.50	7920	65	4.2	--	--
81G-0101 -60HP	205	9.10	5100	29	3.0	--	--
81G-0102 -60HP	205	7.70	3500	25	2.4	--	--
81G-0103 -60HP	205	12.30	1240	11	3.6	--	--
81G-0104 -60HP	205	4.50	3100	6	1.2	--	--
81G-0105 -60HP	205	5.40	3200	11	1.2	--	--
81G-0106 -60HP	205	5.40	2320	15	0.2	--	--
81G-0107 -60HP	205	15.00	800	29	5.6	--	--
81G-0108 -60HP	205	9.90	2880	61	5.4	--	--
81G-0109 -60HP	205	17.00	1190	19	5.2	--	--
81G-0110 -60HP	205	9.10	1620	12	3.0	--	--
81G-0111 -60HP	205	4.70	1650	4	0.4	--	--
81G-0113 -60HP	205	7.35	1530	4	0.2	--	--
81G-0114 -60HP	205	7.90	2040	10	1.2	--	--
81G-0115 -60HP	205	6.00	1730	10	1.4	--	--
81G-0116 -60HP	205	6.35	1280	7	0.6	--	--
81G-0117 -60HP	205	10.80	2460	36	6.6	--	--
81G-0118 -60HP	205	7.05	5100	9	0.8	--	--
81G-0119 -60HP	205	8.90	2750	15	4.8	--	--
81G-0121 -60HP	205	6.90	1650	15	2.0	--	--
81G-0122 -60HP	205	6.50	1380	3	0.6	--	--
81G-0123 -60HP	205	8.15	1940	4	0.8	--	--
81G-0124 -60HP	205	7.30	2000	6	1.0	--	--
81G-0125 -60HP	205	6.80	1320	22	3.2	--	--
81G-0127 -60HP	205	7.85	1910	7	2.6	--	--



Certified by *Hart Bichler*



ENT.  
3/5/82

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210139-004-  
INVOICE # : I8210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G

C.C. G. JILSEN

Sample description	Prep code	1 Cu ppm	2 Mo ppm	3 Pb ppm	4 Zn ppm	5 Ag ppm	6 Cd ppm
81G-0128 -60HP	205	38	3	7	210	0.1	0.1
81G-0129 -60HP	205	57	5	26	260	0.1	0.4
81G-0130 -60HP	205	38	4	17	250	0.1	0.2
81G-0131 -60HP	205	36	4	8	510	0.1	0.1
81G-0132 -60HP	205	50	5	10	170	0.1	0.1
81G-0133 -60HP	205	39	4	20	200	0.1	0.1
81G-0134 -60HP	205	75	4	18	430	0.1	0.4
81G-0135 -60HP	205	53	4	28	500	0.1	0.4
81G-0136 -60HP	205	95	6	29	1700	0.1	7.2
81G-0137 -60HP	205	43	5	30	1550	0.1	8.8
81G-0138 -60HP	205	450	10	128	680	0.2	0.2
81G-0139 -60HP	205	110	3	60	490	0.1	1.2
81G-0140 -60HP	205	68	6	44	1100	0.2	2.6
81G-0142 -60HP	205	38	2	16	550	0.1	0.1
81G-0143 -60HP	205	85	10	37	500	0.1	0.1
81G-0144 -60HP	205	24	2	40	280	0.2	0.2
81G-0145 -60HP	205	27	2	15	530	0.1	0.1
81G-0146 -60HP	205	36	23	23	280	0.1	0.2
81G-0147 -60HP	205	570	7	460	3650	15.0	21.0
81G-0148 -60HP	205	150	6	84	430	0.9	1.3
81G-0149 -60HP	205	45	5	35	79	0.1	0.1
81G-0200 -60HP	205	40	6	40	190	0.2	0.6
81G-0201 -60HP	205	27	2	43	155	0.1	0.8
81G-0202 -60HP	205	25	6	26	135	0.1	1.0
81G-0203 -60HP	205	11	1	10	87	0.1	0.1
81G-0204 -60HP	205	13	4	14	120	0.1	0.1
81G-0206 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0207 -60HP	205	12	1	11	105	0.1	0.3
81G-0208 -60HP	205	11	1	14	62	0.1	0.1
81G-0209 -60HP	205	20	2	16	120	0.1	0.3
81G-0210 -60HP	205	25	4	18	85	0.1	0.3
81G-0211 -60HP	205	35	2	14	110	0.1	0.1
81G-0213 -60HP	205	80	5	19	88	0.1	0.3
81G-0214 -60HP	205	23	2	14	240	0.1	0.2
81G-0215 -60HP	205	16	2	11	150	0.1	0.3
81G-0216 -60HP	205	24	2	10	190	0.1	0.2
81G-0217 -60HP	205	21	4	9	110	0.1	0.6
81G-0218 -60HP	205	12	3	13	80	0.1	0.2
81G-0219 -60HP	205	31	4	21	85	0.1	0.4
81G-0220 -60HP	205	11	2	9	40	0.1	0.1

*Hart Buchler*

Certified by .....



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210139-004-  
INVOICE # : I8210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G

C.C. G. JILSEN

7

8

9

10

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0128 -60HP	205	5.50	940	5	1.0	--	--
81G-0129 -60HP	205	9.20	1940	24	3.2	--	--
81G-0130 -60HP	205	7.20	1720	11	1.2	--	--
81G-0131 -60HP	205	5.50	1640	9	0.4	--	--
81G-0132 -60HP	205	7.40	1280	7	1.0	--	--
81G-0133 -60HP	205	6.80	1150	3	1.0	--	--
81G-0134 -60HP	205	11.00	1920	38	6.0	--	--
81G-0135 -60HP	205	9.00	1620	25	4.8	--	--
81G-0136 -60HP	205	10.90	3470	38	8.2	--	--
81G-0137 -60HP	205	9.20	5200	30	5.6	--	--
81G-0138 -60HP	205	23.00	15400	86	6.0	--	--
81G-0139 -60HP	205	12.50	3050	33	5.2	--	--
81G-0140 -60HP	205	11.40	3160	38	5.4	--	--
81G-0142 -60HP	205	7.40	1900	14	2.8	--	--
81G-0143 -60HP	205	8.40	1960	39	3.8	--	--
81G-0144 -60HP	205	6.40	2050	8	2.4	--	--
81G-0145 -60HP	205	7.25	2150	9	3.2	--	--
81G-0146 -60HP	205	7.30	2900	16	5.0	--	--
81G-0147 -60HP	205	37.50	2050	600	132.0	--	--
81G-0148 -60HP	205	13.00	2300	120	1.6	--	--
81G-0149 -60HP	205	9.10	7300	48	1.8	--	--
81G-0200 -60HP	205	7.00	4000	12	1.6	--	--
81G-0201 -60HP	205	6.20	3420	10	1.2	--	--
81G-0202 -60HP	205	6.00	3250	7	1.2	--	--
81G-0203 -60HP	205	5.00	3610	2	1.0	--	--
81G-0204 -60HP	205	6.80	7380	2	0.2	--	--
81G-0206 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81G-0207 -60HP	205	6.00	4750	3	0.2	--	--
81G-0208 -60HP	205	3.95	3450	2	0.1	--	--
81G-0209 -60HP	205	4.85	6230	3	0.2	--	--
81G-0210 -60HP	205	5.80	4200	4	0.1	--	--
81G-0211 -60HP	205	5.30	5020	4	0.1	--	--
81G-0213 -60HP	205	6.10	3200	4	0.1	--	--
81G-0214 -60HP	205	7.00	5670	9	0.2	--	--
81G-0215 -60HP	205	6.85	7180	4	0.2	--	--
81G-0216 -60HP	205	6.50	4880	4	0.1	--	--
81G-0217 -60HP	205	6.50	6600	2	0.1	--	--
81G-0218 -60HP	205	5.00	5890	3	0.2	--	--
81G-0219 -60HP	205	6.50	6050	6	0.4	--	--
81G-0220 -60HP	205	1.80	2820	2	0.1	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by ... *Hart Bichler* ...



Ent.  
3/5/82

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8


CERT. # : A8210139-005-  
INVOICE # : I8210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0221 -60HP	205	78	5	38	175	0.1	0.5
81G-0222 -60HP	205	76	4	47	540	0.4	1.2
81G-0223 -60HP	205	22	2	17	170	0.1	1.1
81G-0224 -60HP	205	27	3	26	160	0.1	0.7
81G-0225 -60HP	205	29	3	24	215	0.1	1.4
81G-0226 -60HP	205	128	3	115	1200	0.1	1.5
81G-0227 -60HP	205	40	4	20	115	0.1	0.6
81G-0228 -60HP	205	17	4	30	82	0.1	0.1
81G-0229 -60HP	205	47	4	40	97	0.1	0.1
81G-0230 -60HP	205	34	5	35	58	0.1	0.1
81G-0231 -60HP	205	34	3	18	57	0.1	0.1
81G-0232 -60HP	205	18	4	23	50	0.1	0.1
81G-0233 -60HP	205	15	3	31	125	0.1	0.7
81G-0234 -60HP	205	80	9	50	520	0.9	4.3
81G-0235 -60HP	205	760	34	1500	4600	7.5	45.0
81G-0236 -60HP	205	350	26	120	1300	2.3	11.8
81G-0237 -60HP	205	410	34	160	3400	6.8	32.0
81G-0238 -60HP	205	40	6	43	165	0.1	2.2
81G-0239 -60HP	205	50	6	45	320	0.2	3.9
81G-0240 -60HP	205	100	10	63	230	0.8	3.2
81G-0241 -60HP	205	180	9	90	460	0.8	2.3
81G-0242 -60HP	205	280	14	130	270	1.0	2.1
81G-0243 -60HP	205	15	4	44	45	0.1	0.3
81G-0244 -60HP	205	500	24	185	390	2.5	4.6
81G-0245 -60HP	205	42	4	33	165	0.2	0.2
81G-0246 -60HP	205	135	7	115	140	0.5	1.2
81G-0247 -60HP	205	350	17	250	650	4.8	15.6
81G-0248 -60HP	205	38	7	54	110	0.1	0.5
81G-0249 -60HP	205	65	7	87	68	0.4	0.5
81G-0250 -60HP	205	37	5	80	47	0.2	0.4
81G-0251 -60HP	205	185	12	95	230	1.2	2.4
81G-0252 -60HP	205	90	9	86	110	0.6	0.8
81G-0253 -60HP	205	32	3	45	70	0.1	0.1
81G-0254 -60HP	205	32	1	45	90	0.1	0.3
81G-0255 -60HP	205	58	4	60	105	0.3	0.6
81G-0256 -60HP	205	33	3	57	80	0.1	0.4
81G-0257 -60HP	205	23	3	23	40	0.1	0.2
81G-0258 -60HP	205	30	4	63	43	0.1	0.2
81G-0259 -60HP	205	22	5	11	100	0.1	0.1
81G-0260 -60HP	205	40	2	21	150	0.1	0.1



Certified by Hart Bichler



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210139-005-  
INVOICE # : 18210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0221 -60HP	205	9.15	1760	12	0.8	--	--
81G-0222 -60HP	205	10.20	3800	35	2.8	--	--
81G-0223 -60HP	205	5.15	3400	5	0.2	--	--
81G-0224 -60HP	205	6.20	2970	7	0.6	--	--
81G-0225 -60HP	205	8.55	8800	7	3.8	--	--
81G-0226 -60HP	205	13.80	>10000	53	6.6	--	--
81G-0227 -60HP	205	7.00	2550	10	0.6	--	--
81G-0228 -60HP	205	6.50	1920	6	0.4	--	--
81G-0229 -60HP	205	8.80	1020	27	1.6	--	--
81G-0230 -60HP	205	8.30	1650	11	1.0	--	--
81G-0231 -60HP	205	5.15	820	6	0.2	--	--
81G-0232 -60HP	205	7.20	1310	6	0.2	--	--
81G-0233 -60HP	205	6.45	1420	5	0.2	--	--
81G-0234 -60HP	205	9.15	3630	65	8.8	--	--
81G-0235 -60HP	205	31.00	1720	230	47.0	--	--
81G-0236 -60HP	205	25.50	1170	170	19.2	--	--
81G-0237 -60HP	205	27.50	3000	500	58.0	--	--
81G-0238 -60HP	205	5.90	3070	22	1.4	--	--
81G-0239 -60HP	205	7.30	3170	35	3.6	--	--
81G-0240 -60HP	205	7.28	4980	45	2.2	--	--
81G-0241 -60HP	205	15.00	2440	135	8.0	--	--
81G-0242 -60HP	205	14.30	3880	105	3.6	--	--
81G-0243 -60HP	205	4.60	3200	5	0.2	--	--
81G-0244 -60HP	205	19.30	3500	135	8.0	--	--
81G-0245 -60HP	205	7.35	1600	38	4.6	--	--
81G-0246 -60HP	205	10.60	3120	38	2.6	--	--
81G-0247 -60HP	205	19.80	8700	170	2.6	--	--
81G-0248 -60HP	205	10.20	3530	22	1.2	--	--
81G-0249 -60HP	205	9.20	4930	12	0.4	--	--
81G-0250 -60HP	205	4.90	4500	17	0.4	--	--
81G-0251 -60HP	205	11.00	8100	50	1.0	--	--
81G-0252 -60HP	205	10.00	7450	25	0.6	--	--
81G-0253 -60HP	205	6.25	6400	29	0.4	--	--
81G-0254 -60HP	205	8.00	8800	3	0.4	--	--
81G-0255 -60HP	205	7.40	5800	19	0.2	--	--
81G-0256 -60HP	205	8.15	7150	9	0.2	--	--
81G-0257 -60HP	205	5.40	2600	6	0.1	--	--
81G-0258 -60HP	205	7.05	3500	3	0.1	--	--
81G-0259 -60HP	205	6.60	1160	3	0.2	--	--
81G-0260 -60HP	205	6.50	1660	7	0.8	--	--



Certified by *Hart Bichler*



ENT. 3/5/82

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210139-006-  
INVOICE # : I8210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0261 -60HP	205	80	5	180	500	0.8	2.0
81G-0262 -60HP	205	710	6	22	360	0.5	1.2
81G-0263 -60HP	205	55	4	27	105	0.1	0.2
81G-0264 -60HP	205	64	5	33	130	0.2	0.1
81G-0265 -60HP	205	72	5	48	200	0.3	0.5
81G-0266 -60HP	205	61	6	44	105	0.1	0.1
81G-0267 -60HP	205	50	3	26	135	0.3	0.4
81G-0268 -60HP	205	61	3	32	145	0.1	0.2
81G-0269 -60HP	205	30	3	15	120	0.1	0.3
81G-0270 -60HP	205	68	4	45	165	0.3	0.8
81G-0271 -60HP	205	40	3	11	415	0.1	0.3
81G-0272 -60HP	205	72	4	17	560	0.2	0.6
81G-0273 -60HP	205	205	6	85	480	0.5	2.0
81G-0274 -60HP	205	40	5	27	98	0.2	0.3
81G-0275 -60HP	205	22	5	100	175	0.1	0.6
81G-0276 -60HP	205	30	4	8	160	0.1	0.3
81G-0277 -60HP	205	34	2	7	55	0.1	0.1
81G-0278 -60HP	205	34	3	13	115	0.1	0.1
81G-0279 -60HP	205	110	6	45	300	0.3	1.7
81G-0280 -60HP	205	14	2	5	55	0.1	0.1
81G-0281 -60HP	205	16	2	12	96	0.1	0.3
81G-0282 -60HP	205	190	8	50	335	0.7	1.0
81G-0283 -60HP	205	40	2	27	105	0.1	0.2
81G-0284 -60HP	205	60	3	38	160	0.1	0.6
81G-0285 -60HP	205	28	2	15	46	0.1	0.1
81G-0286 -60HP	205	43	3	21	50	0.1	0.1
81G-0287 -60HP	205	23	3	39	180	0.1	0.6
81G-0288 -60HP	205	54	3	38	250	0.2	1.0
81G-0289 -60HP	205	78	2	75	440	0.3	2.0
81G-0290 -60HP	205	72	3	35	460	0.5	1.5
81G-0291 -60HP	205	70	2	23	280	0.3	0.9
81G-0292 -60HP	205	20	2	10	160	0.1	0.1
81G-0293 -60HP	205	24	2	16	110	0.1	0.2
81G-0294 -60HP	205	10	1	7	175	0.1	0.1
81G-0296 -60HP	205	40	2	25	210	0.1	0.1
81G-0297 -60HP	205	18	2	15	105	0.1	0.1
81G-0298 -60HP	205	80	5	36	290	0.1	0.3
81G-0299 -60HP	205	37	3	29	150	0.1	0.3
81G-0300 -60HP	205	86	8	36	350	0.2	0.4
81G-0301 -60HP	205	33	5	21	180	0.1	0.2



Certified by Hart Buchler



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210139-006-  
INVOICE # : I8210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G


C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0261 -60HP	205	7.80	1880	33	2.0	--	--
81G-0262 -60HP	205	10.00	1630	24	0.6	--	--
81G-0263 -60HP	205	6.70	4330	10	0.4	--	--
81G-0264 -60HP	205	9.00	2230	17	1.0	--	--
81G-0265 -60HP	205	10.10	>10000	5	0.6	--	--
81G-0266 -60HP	205	12.30	2020	7	2.6	--	--
81G-0267 -60HP	205	7.50	>10000	2	0.2	--	--
81G-0268 -60HP	205	7.90	4660	3	0.2	--	--
81G-0269 -60HP	205	5.70	4500	3	0.1	--	--
81G-0270 -60HP	205	8.85	>10000	23	0.2	--	--
81G-0271 -60HP	205	6.40	6280	3	0.1	--	--
81G-0272 -60HP	205	8.30	5700	6	0.2	--	--
81G-0273 -60HP	205	10.00	>10000	12	1.0	--	--
81G-0274 -60HP	205	6.90	>10000	6	0.1	--	--
81G-0275 -60HP	205	8.30	3100	3	0.2	--	--
81G-0276 -60HP	205	6.45	2060	4	0.1	--	--
81G-0277 -60HP	205	6.05	1900	4	0.2	--	--
81G-0278 -60HP	205	3.85	645	5	0.1	--	--
81G-0279 -60HP	205	9.00	4780	23	1.0	--	--
81G-0280 -60HP	205	2.70	2020	2	0.1	--	--
81G-0281 -60HP	205	3.80	2680	3	0.2	--	--
81G-0282 -60HP	205	13.10	1320	130	4.6	--	--
81G-0283 -60HP	205	5.90	2190	27	0.6	--	--
81G-0284 -60HP	205	6.10	1800	36	0.4	--	--
81G-0285 -60HP	205	5.40	3570	14	0.1	--	--
81G-0286 -60HP	205	5.80	4820	19	0.1	--	--
81G-0287 -60HP	205	7.15	3150	12	0.2	--	--
81G-0288 -60HP	205	8.00	1280	14	0.6	--	--
81G-0289 -60HP	205	8.00	985	39	0.4	--	--
81G-0290 -60HP	205	8.20	1670	19	1.0	--	--
81G-0291 -60HP	205	7.40	1870	45	2.6	--	--
81G-0292 -60HP	205	5.65	1810	12	1.4	--	--
81G-0293 -60HP	205	6.80	4280	3	0.2	--	--
81G-0294 -60HP	205	4.00	2800	3	0.4	--	--
81G-0296 -60HP	205	6.20	2970	12	4.6	--	--
81G-0297 -60HP	205	4.55	3100	7	1.4	--	--
81G-0298 -60HP	205	9.60	2630	73	6.2	--	--
81G-0299 -60HP	205	5.70	1780	20	4.2	--	--
81G-0300 -60HP	205	11.00	1600	107	16.6	--	--
81G-0301 -60HP	205	5.85	1850	22	4.6	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler*



ENT. 315/82

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210139-007-  
INVOICE # : I8210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0035 -60HP	205	12	1	11	53	0.1	0.1
81G-0141 -60HP	205	100	3	28	425	0.1	0.9



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604) 984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210139-007-  
INVOICE # : 18210139  
DATE : 12-FEB-82  
P.O. # : NONE  
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0035 -60HP	205	4.00	2500	2	1.0	--	--
81G-0141 -60HP	205	10.70	2610	23	0.6	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler*

*Certificate A 8210139-001-A*

<del>81C000X</del>	-60	HP TOT	22.00 8.00	3.00	64.00	280.00	.50	1.30	6.00	5,450.00	16.00
<del>81C0001</del>	-60	HP TOT	27.00 .60	2.00	195.00	235.00	.20	.20	4.60	2,650.00	30.00
<del>81C0002</del>	-60	HP TOT	32.00 .60	1.00	195.00	165.00	.20	.20	4.32	2,280.00	27.00
<del>81C0001</del>	-60	HP TOT	27.00 .60	2.00	195.00	235.00	.20	.20	4.60	2,650.00	30.00
<del>81C0002</del>	-60	HP TOT	32.00 .60	1.00	195.00	165.00	.20	.20	4.32	2,280.00	27.00
<del>81C0003</del>	-60	HP TOT	15.00 .20	2.00	15.00	90.00	.10	.10	4.48	2,700.00	4.00
<del>81C0004</del>	-60	HP TOT	17.00 3.60	2.00	25.00	140.00	.10	.20	6.65	7,000.00	15.00
<del>81C0004(B)</del>	-60	HP TOT	68.00 2.40	1.00	28.00	125.00	.10	.20	4.90	4,630.00	15.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210139-001-A								
<del>81G0005</del>	-60	HP TOT	24.00 1.00	3.00	42.00	87.00	.10	.10	4.68	3,700.00	12.00
<del>81G0006</del>	-60	HP TOT	8.00 .60	2.00	66.00	110.00	.10	.20	3.95	3,750.00	15.00
<del>81G0007</del>	-60	HP TOT	110.00 9.00	3.00	28.00	190.00	.10	.90	9.55	3,250.00	45.00
<del>81G0008</del>	-60	HP TOT	20.00 1.20	2.00	29.00	115.00	.10	.10	5.55	2,960.00	14.00
<del>81G0008(B)</del>	-60	HP TOT	14.00 .60	1.00	24.00	78.00	.10	.10	3.65	2,730.00	10.00
<del>81G0009</del>	-60	HP TOT	29.00 3.00	2.00	47.00	145.00	.10	.30	4.80	3,650.00	23.00
<del>81G0010</del>	-60	HP TOT	8.00 .40	2.00	10.00	105.00	.10	.10	4.15	3,590.00	5.00
<del>81G0011</del>	-60	HP TOT	12.00 .20	1.00	17.00	72.00	.10	.10	3.03	2,900.00	9.00
<del>81G0012</del>	-60	HP TOT	11.00 .10	1.00	5.00	85.00	.10	.10	3.20	2,330.00	2.00
<del>81G0013</del>	-60	HP TOT	25.00 1.00	2.00	38.00	130.00	.10	.10	5.00	2,740.00	30.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX		CERTIFICATE: A8210139-001-A								
<del>81C0014</del>	-60 HP TOT	500.00 25.00	37.00	50.00	1,250.00	.60	5.20	32.00	1,090.00	120.00
<del>81C0015</del>	-60 HP TOT	180.00 31.00	6.00	73.00	280.00	.50	1.70	15.00	2,390.00	57.00
<del>81C0016</del>	-60 HP TOT	23.00 2.00	2.00	16.00	125.00	.10	.20	7.00	6,750.00	22.00
<del>81C0017</del>	-60 HP TOT	56.00 6.40	2.00	50.00	200.00	.10	.90	12.20	>10,000.00	36.00
<del>81C0018</del>	-60 HP TOT	30.00 4.20	2.00	28.00	155.00	.10	.30	8.40	7,900.00	22.00
<del>81C0019</del>	-60 HP TOT	10.00 .80	3.00	18.00	85.00	.10	.10	4.00	2,900.00	5.00
<del>81C0020</del>	-60 HP TOT	9.00 .10	3.00	35.00	55.00	.10	.70	3.75	3,740.00	3.00
<del>81C0021</del>	-60 HP TOT	22.00 2.80	3.00	23.00	118.00	.10	.10	4.30	1,680.00	6.00
<del>81C0022</del>	-60 HP TOT	37.00 1.20	1.00	27.00	215.00	.10	.10	5.65	4,600.00	16.00
<del>81C0023</del>	-60 HP TOT	28.00 1.20	2.00	44.00	120.00	.10	.10	5.68	2,500.00	17.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210139-001-A								
<del>81G0024</del>	-60	HP TOT	20.00 .40	1.00	27.00	95.00	.10	4.10	5.25	4,350.00	14.00
<del>81G0025</del>	-60	HP TOT	30.00 1.80	2.00	42.00	116.00	.10	.50	6.65	3,450.00	24.00
<del>81G0026</del>	-60	HP TOT	22.00 1.80	3.00	22.00	115.00	.10	.50	6.00	4,780.00	16.00
<del>81G0027</del>	-60	HP TOT	13.00 .40	3.00	15.00	115.00	.10	.10	3.00	2,000.00	5.00
<del>81G0028</del>	-60	HP TOT	24.00 1.40	3.00	30.00	115.00	.10	.60	4.55	1,880.00	30.00
<del>81G0029</del>	-60	HP TOT	22.00 1.00	2.00	24.00	95.00	.10	.40	4.10	2,460.00	15.00
<del>81G0030</del>	-60	HP TOT	12.00 .20	2.00	8.00	62.00	.10	.10	2.65	1,850.00	5.00
<del>81G0031</del>	-60	HP TOT	5.00 .40	2.00	44.00	115.00	.10	.10	2.33	1,900.00	16.00
<del>81G0032</del>	-60	HP TOT	16.00 .20	2.00	11.00	270.00	.10	.30	4.10	3,250.00	10.00
<del>81G0033</del>	-60	HP TOT	18.00 .10	1.00	5.00	125.00	.10	.10	3.28	2,000.00	10.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210139-001-A

<del>81C0034</del>	-60	HP TOT	11.00 .10	1.00	6.00	88.00	.10	.10	2.20	1,540.00	4.00
<del>81C0036</del>	-60	HP TOT	11.00 .20	1.00	12.00	110.00	.10	.10	4.15	2,430.00	4.00
<del>81C0037</del>	-60	HP TOT	5.00 .10	2.00	21.00	76.00	.10	.10	2.98	2,010.00	4.00
<del>81C0038</del>	-60	HP TOT	8.00 .10	1.00	8.00	80.00	.10	.10	3.90	2,120.00	3.00
<del>81C0039</del>	-60	HP TOT	7.00 .20	1.00	18.00	100.00	.10	.10	3.15	2,230.00	5.00
<del>81C0040</del>	-60	HP TOT	26.00 1.00	2.00	75.00	235.00	.10	.70	6.90	2,100.00	19.00
<u>81C0040</u>	-60	HP TOT	26.00 1.00	2.00	75.00	235.00	.10	.70	6.90	2,100.00	19.00
<del>81C0041</del>	-60	HP TOT	19.00 .60	2.00	18.00	88.00	.10	.30	3.20	1,730.00	11.00
<del>81C0042</del>	-60	HP TOT	24.00 1.40	1.00	44.00	170.00	.10	1.00	7.65	2,720.00	24.00
<del>81C0043</del>	-60	HP TOT	21.00 .80	1.00	50.00	180.00	.10	.60	5.45	1,580.00	15.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX      CERTIFICATE: A8210139-002-A

<del>81G0044</del>	-60	HP TOT	11.00 .20	1.00	38.00	135.00	.10	.10	7.05	1,690.00	5.00
<del>81G0044(A)</del>	-60	HP TOT	8.00 .10	1.00	46.00	105.00	.10	.10	5.55	5,100.00	3.00
<del>81G0047</del>	-60	HP TOT	13.00 .20	1.00	6.00	85.00	.10	.10	2.68	2,150.00	7.00
<del>81G0049</del>	-60	HP TOT	8.00 .10	1.00	5.00	75.00	.10	.10	4.10	1,340.00	2.00
<del>81G0050</del>	-60	HP TOT	7.00 .10	1.00	11.00	108.00	.10	.10	4.45	2,450.00	3.00
<del>81G0055(A)</del>	-60	HP TOT	180.00 7.60	3.00	650.00	670.00	1.00	1.00	10.80	3,560.00	195.00
<del>81G0055(B)</del>	-60	HP TOT	160.00 6.40	3.00	640.00	580.00	1.00	1.00	9.10	2,820.00	165.00
<del>81G0056(A)</del>	-60	HP TOT	60.00 5.00	3.00	410.00	415.00	.50	.70	7.90	4,290.00	94.00
<del>81G0056(B)</del>	-60	HP TOT	115.00 5.80	3.00	510.00	460.00	.90	.80	6.95	3,630.00	101.00
<del>81G0056(E)</del>	-60	HP TOT	86.00 5.60	2.00	475.00	470.00	.70	.80	8.10	4,500.00	97.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210139-002-A

<del>81C0056(G)</del> -60	HP TOT	90.00 6.80	2.00	550.00	510.00	.90	1.00	7.90	3,040.00	150.00
<del>81C0056(H)</del> -60	HP TOT	80.00 5.80	2.00	450.00	490.00	.60	.80	7.65	3,120.00	115.00
<del>81C0063(A)</del> -60	HP TOT	85.00 4.40	3.00	400.00	590.00	.60	1.00	7.50	2,800.00	115.00
<del>81C0063(B)</del> -60	HP TOT	100.00 4.60	3.00	495.00	670.00	.70	1.20	9.75	4,580.00	101.00
81C0063(C)-60	HP TOT	72.00 3.00	2.00	275.00	430.00	.30	.80	7.00	2,700.00	85.00
<del>81C0064</del> -60	HP TOT	19.00 .90	2.00	10.00	200.00	.10	.10	6.00	3,370.00	5.00
<del>81C0065</del> -60	HP TOT	20.00 .80	2.00	13.00	225.00	.10	.10	6.40	3,050.00	6.00
<del>81C0066</del> -60	HP TOT	27.00 1.20	3.00	64.00	325.00	.10	.10	9.15	5,120.00	9.00
<del>81C0067</del> -60	HP TOT	17.00 .60	2.00	35.00	340.00	.10	.20	6.80	3,100.00	5.00
<del>81C0068</del> -60	HP TOT	32.00 .10	2.00	6.00	45.00	.10	.10	6.20	1,140.00	3.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
----------------	--------------	--	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210139-002-A

<del>81G0069</del>	-60	HP TOT	18.00 .20	2.00	4.00	280.00	.10	.10	5.58	2,400.00	4.00
<del>81G0070</del>	-60	HP TOT	30.00 .80	2.00	12.00	500.00	.10	.10	8.90	3,430.00	4.00
<del>81G0071</del>	-60	HP TOT	23.00 .10	4.00	3.00	55.00	.10	.10	7.30	2,370.00	2.00
<del>81G0072</del>	-60	HP TOT	90.00 1.40	4.00	16.00	64.00	.10	.10	5.72	1,950.00	23.00
<del>81G0073</del>	-60	HP TOT	30.00 .40	3.00	7.00	95.00	.10	.10	6.90	1,150.00	3.00
<del>81G0074</del>	-60	HP TOT	37.00 .20	2.00	10.00	40.00	.10	.10	7.05	950.00	4.00
<del>81G0075</del>	-60	HP TOT	60.00 2.20	3.00	16.00	70.00	.10	.10	7.80	1,640.00	12.00
<del>81G0076</del>	-60	HP TOT	90.00 5.80	10.00	17.00	440.00	.10	.10	7.90	3,770.00	22.00
<del>81G0077</del>	-60	HP TOT	45.00 .20	1.00	1.00	190.00	.10	.10	4.60	1,200.00	3.00
<del>81G0078</del>	-60	HP TOT	53.00 .80	1.00	3.00	200.00	.10	.10	4.60	3,250.00	5.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210139-002-A

<del>81G0079</del>	-60	HP TOT	45.00 1.60	2.00	115.00	170.00	.10	.10	7.85	2,550.00	16.00
<del>81G0080</del>	-60	HP TOT	80.00 3.00	4.00	15.00	220.00	.10	.10	8.60	5,450.00	19.00
<del>81G0081</del>	-60	HP TOT	22.00 1.00	2.00	4.00	220.00	.10	.10	7.00	2,600.00	6.00
<del>81G0082</del>	-60	HP TOT	125.00 4.00	6.00	8.00	380.00	.10	.10	8.10	1,980.00	20.00
<del>81G0083</del>	-60	HP TOT	57.00 2.00	2.00	1.00	110.00	.10	.10	2.05	635.00	3.00
<del>81G0084</del>	-60	HP TOT	38.00 .40	4.00	14.00	300.00	1.20	.20	5.64	1,560.00	10.00
<del>81G0085</del>	-60	HP TOT	390.00 9.00	6.00	310.00	500.00	.60	.20	26.00	2,540.00	230.00
<del>81G0087</del>	-60	HP TOT	270.00	18.00	78.00	1,650.00	.30	3.90	26.10	6,000.00	210.00
<del>81G0088</del>	-60	HP TOT	15.00 .20	1.00	5.00	82.00	.10	.10	1.63	450.00	4.00
<del>81G0089</del>	-60	HP TOT	16.00 .20	26.00	3.00	220.00	.10	.10	2.72	970.00	5.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX      CERTIFICATE: A8210139-003-A

~~81G0090~~ -60 HP TOT

~~81G0091~~ -60 HP TOT      135.00      9.00      75.00      890.00      .30      1.20      14.50      4,650.00      94.00  
11.80

~~81G0092~~ -60 HP TOT      48.00      4.00      36.00      350.00      .10      .90      8.50      550.00      36.00  
4.60

~~81G0093~~ -60 HP TOT      19.00      3.00      20.00      220.00      .10      .60      7.80      2,280.00      20.00  
2.80

~~81G0094~~ -60 HP TOT      45.00      4.00      22.00      170.00      .10      .10      9.30      1,900.00      9.00  
4.20

~~81G0095~~ -60 HP TOT      23.00      3.00      11.00      95.00      .10      .10      5.90      1,150.00      1.00  
1.40

~~81G0096~~ -60 HP TOT      32.00      3.00      18.00      215.00      .10      .50      9.00      4,380.00      15.00  
2.60

~~81G0098~~ -60 HP TOT      58.00      5.00      50.00      135.00      .10      .20      8.40      4,090.00      39.00  
2.80

~~81G0099~~ -60 HP TOT      70.00      3.00      68.00      80.00      .10      .10      9.95      6,100.00      46.00  
3.40

~~81G0100~~ -60 HP TOT      95.00      6.00      54.00      170.00      .10      .20      13.50      7,920.00      65.00  
4.20

? 81 G 90 97

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
----------------	--------------	--	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210139-003-A

<del>81G0101</del>	-60	HP TOT	53.00 3.00	19.00	76.00	98.00	.10	.10	9.10	5,100.00	29.00
<del>81G0102</del>	-60	HP TOT	45.00 2.40	4.00	68.00	125.00	.10	.10	7.70	3,500.00	25.00
<del>81G0103</del>	-60	HP TOT	14.00 3.60	2.00	30.00	135.00	.10	.10	12.30	1,240.00	11.00
<del>81G0104</del>	-60	HP TOT	12.00 1.20	3.00	26.00	138.00	.10	.10	4.50	3,100.00	6.00
<del>81G0105</del>	-60	HP TOT	16.00 1.20	2.00	28.00	270.00	.10	.40	5.40	3,200.00	11.00
<del>81G0106</del>	-60	HP TOT	16.00 .20	20.00	16.00	320.00	.20	.40	5.40	2,320.00	15.00
<del>81G0107</del>	-60	HP TOT	23.00 5.60	1.00	30.00	115.00	.10	.10	15.00	800.00	29.00
<del>81G0108</del>	-60	HP TOT	40.00 5.40	2.00	35.00	225.00	.10	.20	9.90	2,880.00	61.00
<del>81G0109</del>	-60	HP TOT	21.00 5.20	1.00	36.00	145.00	.10	.10	17.00	1,190.00	19.00
<del>81G0110</del>	-60	HP TOT	15.00 3.00	3.00	23.00	175.00	.10	.10	9.10	1,620.00	12.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX		CERTIFICATE: A8210139-003-A								
<del>81G0111</del>	-60 HP TOT	22.00 .40	2.00	8.00	60.00	.10	.10	4.70	1,650.00	4.00
<del>81G0113</del>	-60 HP TOT	36.00 .20	3.00	5.00	54.00	.10	.10	7.35	1,530.00	4.00
<del>81G0114</del>	-60 HP TOT	29.00 1.20	2.00	22.00	260.00	.10	.30	7.90	2,040.00	10.00
<del>81G0115</del>	-60 HP TOT	36.00 1.40	3.00	19.00	175.00	.10	.70	6.00	1,730.00	10.00
<del>81G0116</del>	-60 HP TOT	40.00 .60	2.00	10.00	125.00	.10	.20	6.35	1,280.00	7.00
<del>81G0117</del>	-60 HP TOT	205.00 6.60	6.00	26.00	690.00	.80	3.30	10.80	2,460.00	36.00
<del>81G0118</del>	-60 HP TOT	14.00 .80	3.00	10.00	350.00	.10	.70	7.05	5,100.00	9.00
<del>81G0119</del>	-60 HP TOT	46.00 4.80	2.00	22.00	510.00	.10	.40	8.90	2,750.00	15.00
<del>81G0121</del>	-60 HP TOT	47.00 2.00	250.00	20.00	360.00	.10	.10	6.90	1,650.00	15.00
<del>81G0122</del>	-60 HP TOT	28.00 .60	3.00	9.00	240.00	.10	.30	6.50	1,380.00	3.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210139-003-A								
<del>81G0123</del>	-60	HP TOT	33.00 .80	4.00	7.00	390.00	.10	.10	8.15	1,940.00	4.00
<del>81G0124</del>	-60	HP TOT	36.00 1.00	3.00	4.00	145.00	.10	.10	7.30	2,000.00	6.00
<del>81G0125</del>	-60	HP TOT	57.00 3.20	7.00	17.00	300.00	.10	.10	6.80	1,320.00	22.00
<del>81G0127</del>	-60	HP TOT	51.00 2.60	3.00	16.00	480.00	.10	.10	7.85	1,910.00	7.00
<del>81G0128</del>	-60	HP TOT	38.00 1.00	3.00	7.00	210.00	.10	.10	5.50	940.00	5.00
<del>81G0129</del>	-60	HP TOT	57.00 3.20	5.00	26.00	260.00	.10	.40	9.20	1,940.00	24.00
<del>81G0130</del>	-60	HP TOT	38.00 1.20	4.00	17.00	250.00	.10	.20	7.20	1,720.00	11.00
<del>81G0131</del>	-60	HP TOT	36.00 .40	4.00	8.00	510.00	.10	.10	5.50	1,640.00	9.00
<del>81G0132</del>	-60	HP TOT	50.00 1.00	5.00	10.00	170.00	.10	.10	7.40	1,280.00	7.00
<del>81G0133</del>	-60	HP TOT	39.00 1.00	4.00	20.00	200.00	.10	.10	6.80	1,150.00	3.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: AB210139-004-A								
<del>81G0134</del>	-60	HP TOT	75.00 6.00	4.00	18.00	430.00	.10	.40	11.00	1,920.00	38.00
<del>81G0135</del>	-60	HP TOT	53.00 4.80	4.00	28.00	500.00	.10	.40	9.00	1,620.00	25.00
<del>81G0136</del>	-60	HP TOT	95.00 8.20	6.00	29.00	1,700.00	.10	7.20	10.90	3,470.00	38.00
<del>81G0137</del>	-60	HP TOT	43.00 5.60	5.00	30.00	1,550.00	.10	8.80	9.20	5,200.00	30.00
<del>81G0138</del>	-60	HP TOT	450.00 6.00	10.00	128.00	680.00	.20	.20	23.00	15,400.00	86.00
<del>81G0139</del>	-60	HP TOT	110.00 5.20	3.00	60.00	490.00	.10	1.20	12.50	3,050.00	33.00
<del>81G0140</del>	-60	HP TOT	68.00 5.40	6.00	44.00	1,100.00	.20	2.60	11.40	3,160.00	38.00
<del>81G0142</del>	-60	HP TOT	38.00 2.80	2.00	16.00	550.00	.10	.10	7.40	1,900.00	14.00
<del>81G0143</del>	-60	HP TOT	85.00 3.80	10.00	37.00	500.00	.10	.10	8.40	1,960.00	39.00
<del>81G0144</del>	-60	HP TOT	24.00 2.40	2.00	40.00	280.00	.20	.20	6.40	2,050.00	8.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX      CERTIFICATE: A8210139-004-A

<del>81C0145</del>	-60	HP TOT	27.00 3.20	2.00	15.00	530.00	.10	.10	7.25	2,150.00	9.00
<del>81C0146</del>	-60	HP TOT	36.00 5.00	23.00	23.00	280.00	.10	.20	7.30	2,900.00	16.00
<del>81C0147</del>	-60	HP TOT	570.00 132.00	7.00	460.00	3,650.00	15.00	21.00	37.50	2,050.00	600.00
<del>81C0148</del>	-60	HP TOT	150.00 1.60	6.00	84.00	430.00	.90	1.30	13.00	2,300.00	120.00
<del>81C0149</del>	-60	HP TOT	45.00 1.80	5.00	35.00	79.00	.10	.10	9.10	7,300.00	48.00
<del>81C0200</del>	-60	HP TOT	40.00 1.60	6.00	40.00	190.00	.20	.60	7.00	4,000.00	12.00
<del>81C0201</del>	-60	HP TOT	27.00 1.20	2.00	43.00	155.00	.10	.80	6.20	3,420.00	10.00
<del>81C0202</del>	-60	HP TOT	25.00 1.20	6.00	26.00	135.00	.10	1.00	6.00	3,250.00	7.00
<del>81C0203</del>	-60	HP TOT	11.00 1.00	1.00	10.00	87.00	.10	.10	5.00	3,610.00	2.00
<del>81C0204</del>	-60	HP TOT	13.00 .20	4.00	14.00	120.00	.10	.10	6.80	7,380.00	2.00

ADD 81  
81C0148

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210139-004-A								
<del>81G0207</del>	-60	HP TOT	12.00 .20	1.00	11.00	105.00	.10	.30	6.00	4,750.00	3.00
<del>81G0208</del>	-60	HP TOT	11.00 .10	1.00	14.00	62.00	.10	.10	3.95	3,450.00	2.00
<del>81G0209</del>	-60	HP TOT	20.00 .20	2.00	16.00	120.00	.10	.30	4.85	6,230.00	3.00
<del>81G0210</del>	-60	HP TOT	25.00 .10	4.00	18.00	85.00	.10	.30	5.80	4,200.00	4.00
<del>81G0211</del>	-60	HP TOT	35.00 .10	2.00	14.00	110.00	.10	.10	5.30	5,020.00	4.00
<del>81G0213</del>	-60	HP TOT	80.00 .10	5.00	19.00	88.00	.10	.30	6.10	3,200.00	4.00
<del>81G0214</del>	-60	HP TOT	23.00 .20	2.00	14.00	240.00	.10	.20	7.00	5,670.00	9.00
<del>81G0215</del>	-60	HP TOT	16.00 .20	2.00	11.00	150.00	.10	.30	6.85	7,180.00	4.00
<del>81G0216</del>	-60	HP TOT	24.00 .10	2.00	10.00	190.00	.10	.20	6.50	4,880.00	4.00
<del>81G0217</del>	-60	HP TOT	21.00 .10	4.00	9.00	110.00	.10	.60	6.50	6,600.00	2.00

05MAR82  
EX021

CYPRUS ANVIL MINING CORPORATION  
HEAVY MINERALS DATA ENTRY

PAGE 31

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX      CERTIFICATE: A8210139-004-A

<del>81G0218</del>	-60	HP TOT	12.00 .20	3.00	13.00	80.00	.10	.20	5.00	5,890.00	3.00
--------------------	-----	--------	--------------	------	-------	-------	-----	-----	------	----------	------

<del>81G0219</del>	-60	HP TOT	31.00 .40	4.00	21.00	85.00	.10	.40	6.50	6,050.00	6.00
--------------------	-----	--------	--------------	------	-------	-------	-----	-----	------	----------	------

<del>81G0220</del>	-60	HP TOT	11.00 .10	2.00	9.00	40.00	.10	.10	1.80	2,820.00	2.00
--------------------	-----	--------	--------------	------	------	-------	-----	-----	------	----------	------

\*\*THIS DATA WAS ENTERED BY: MONICA .EXPLORE      POSTED AT: 11:45:04

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: AB210139-005-A								
<del>81G0221</del>	-60	HP TOT	78.00 .80	5.00	38.00	175.00	.10	.50	9.15	1,760.00	12.00
<del>81G0222</del>	-60	HP TOT	76.00 2.80	4.00	47.00	540.00	.40	1.20	10.20	3,800.00	35.00
<del>81G0223</del>	-60	HP TOT	22.00 .20	2.00	17.00	170.00	.10	1.10	5.15	3,400.00	5.00
<del>81G0224</del>	-60	HP TOT	27.00 .60	3.00	26.00	160.00	.10	.70	6.20	2,970.00	7.00
<del>81G0225</del>	-60	HP TOT	29.00 3.80	3.00	24.00	215.00	.10	1.40	8.55	8,800.00	7.00
<del>81G0226</del>	-60	HP TOT	128.00 6.60	3.00	115.00	1,200.00	.10	1.50	13.80	>10,000.00	53.00
<del>81G0227</del>	-60	HP TOT	40.00 .60	4.00	20.00	115.00	.10	.60	7.00	2,550.00	10.00
<del>81G0228</del>	-60	HP TOT	17.00 .40	4.00	30.00	82.00	.10	.10	6.50	1,920.00	6.00
<del>81G0229</del>	-60	HP TOT	47.00 1.60	4.00	40.00	97.00	.10	.10	8.80	1,020.00	27.00
<del>81G0230</del>	-60	HP TOT	34.00 1.00	5.00	35.00	58.00	.10	.10	8.30	1,650.00	11.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX      CERTIFICATE: A8210139-005-A

<del>81G0231</del>	-60	HP TOT	34.00 .20	3.00	18.00	57.00	.10	.10	5.15	820.00	6.00
<del>81G0232</del>	-60	HP TOT	18.00 .20	4.00	23.00	50.00	.10	.10	7.20	1,310.00	6.00
<del>81G0233</del>	-60	HP TOT	15.00 .20	3.00	31.00	125.00	.10	.70	6.45	1,420.00	5.00
<del>81G0234</del>	-60	HP TOT	80.00 8.80	9.00	50.00	520.00	.90	4.30	9.15	3,630.00	65.00
<del>81G0235</del>	-60	HP TOT	760.00 47.00	34.00	1,500.00	4,600.00	7.50	45.00	31.00	1,720.00	230.00
<del>81G0236</del>	-60	HP TOT	350.00 19.20	26.00	120.00	1,300.00	2.30	11.80	25.50	1,170.00	170.00
<del>81G0237</del>	-60	HP TOT	410.00 58.00	34.00	160.00	3,400.00	6.80	32.00	27.50	3,000.00	500.00
<del>81G0238</del>	-60	HP TOT	40.00 1.40	6.00	43.00	165.00	.10	2.20	5.90	3,070.00	22.00
<del>81G0239</del>	-60	HP TOT	50.00 3.60	6.00	45.00	320.00	.20	3.90	7.30	3,170.00	35.00
<del>81G0240</del>	-60	HP TOT	100.00 2.20	10.00	63.00	230.00	.80	3.20	7.28	4,980.00	45.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
----------------	--------------	--	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210139-005-A

<del>81G0241</del>	-60	HP TOT	180.00 8.00	9.00	90.00	460.00	.80	2.30	15.00	2,440.00	135.00
<del>81G0242</del>	-60	HP TOT	280.00 3.60	14.00	130.00	270.00	1.00	2.10	14.30	3,880.00	105.00
<del>81G0243</del>	-60	HP TOT	15.00 .20	4.00	44.00	45.00	.10	.30	4.60	3,200.00	5.00
<del>81G0244</del>	-60	HP TOT	500.00 8.00	24.00	185.00	390.00	2.50	4.60	19.30	3,500.00	135.00
<del>81G0245</del>	-60	HP TOT	42.00 4.60	4.00	33.00	165.00	.20	.20	7.35	1,600.00	38.00
<del>81G0246</del>	-60	HP TOT	135.00 2.60	7.00	115.00	140.00	.50	1.20	10.60	3,120.00	38.00
<del>81G0247</del>	-60	HP TOT	350.00 2.60	17.00	250.00	650.00	4.80	15.60	19.80	8,700.00	170.00
<del>81G0248</del>	-60	HP TOT	38.00 1.20	7.00	54.00	110.00	.10	.50	10.20	3,530.00	22.00
<del>81G0249</del>	-60	HP TOT	65.00 .40	7.00	87.00	68.00	.40	.50	9.20	4,930.00	12.00
<del>81G0250</del>	-60	HP TOT	37.00 .40	5.00	80.00	47.00	.20	.40	4.90	4,500.00	17.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
----------------	--------------	--	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX      CERTIFICATE: A8210139-005-A

81G0251	-60	HP TOT	185.00 1.00	12.00	95.00	230.00	1.20	2.40	11.00	8,100.00	50.00
81G0252	-60	HP TOT	90.00 .60	9.00	86.00	110.00	.60	.80	10.00	7,450.00	25.00
81G0253	-60	HP TOT	32.00 .40	3.00	45.00	70.00	.10	.10	6.25	6,400.00	29.00
81G0254	-60	HP TOT	32.00 .40	1.00	45.00	90.00	.10	.30	8.00	8,800.00	3.00
81G0255	-60	HP TOT	58.00 .20	4.00	60.00	105.00	.30	.60	7.40	5,800.00	19.00
81G0256	-60	HP TOT	33.00 .20	3.00	57.00	80.00	.10	.40	8.15	7,150.00	9.00
81G0257	-60	HP TOT	23.00 .10	3.00	23.00	40.00	.10	.20	5.40	2,600.00	6.00
81G0258	-60	HP TOT	30.00 .10	4.00	63.00	43.00	.10	.20	7.05	3,500.00	3.00
81G0259	-60	HP TOT	22.00 .20	5.00	11.00	100.00	.10	.10	6.60	1,160.00	3.00
81G0260	-60	HP TOT	40.00 .80	2.00	21.00	150.00	.10	.10	6.50	1,660.00	7.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
----------------	--------------	--	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX      CERTIFICATE: A8210139-006-A

<del>81G0261</del>	-60	HP TOT	80.00 2.00	5.00	180.00	500.00	.80	2.00	7.80	1,880.00	33.00
<del>81G0262</del>	-60	HP TOT	710.00 .60	6.00	22.00	360.00	.50	1.20	10.00	1,630.00	24.00
<del>81G0263</del>	-60	HP TOT	55.00 .40	4.00	27.00	105.00	.10	.20	6.70	4,330.00	10.00
<del>81G0264</del>	-60	HP TOT	64.00 1.00	5.00	33.00	130.00	.20	.10	9.00	2,230.00	17.00
<del>81G0265</del>	-60	HP TOT	72.00 .60	5.00	48.00	200.00	.30	.50	10.10	>10,000.00	5.00
<del>81G0266</del>	-60	HP TOT	61.00 2.60	6.00	44.00	105.00	.10	.10	12.30	2,020.00	7.00
<del>81G0267</del>	-60	HP TOT	50.00 .20	3.00	26.00	135.00	.30	.40	7.50	>10,000.00	2.00
<del>81G0268</del>	-60	HP TOT	61.00 .20	3.00	32.00	145.00	.10	.20	7.90	4,660.00	3.00
<del>81G0269</del>	-60	HP TOT	30.00 .10	3.00	15.00	120.00	.10	.30	5.70	4,500.00	3.00
<del>81G0270</del>	-60	HP TOT	68.00 .20	4.00	45.00	-165.00	.30	.80	8.85	>10,000.00	23.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210139-006-A

<del>81G0271</del>	-60	HP TOT	40.00 .10	3.00	11.00	415.00	.10	.30	6.40	6,280.00	3.00
<del>81G0272</del>	-60	HP TOT	72.00 .20	4.00	17.00	560.00	.20	.60	8.30	5,700.00	6.00
<del>81G0273</del>	-60	HP TOT	205.00 1.00	6.00	85.00	480.00	.50	2.00	10.00	>10,000.00	12.00
<del>81G0274</del>	-60	HP TOT	40.00 .10	5.00	27.00	98.00	.20	.30	6.90	>10,000.00	6.00
<del>81G0275</del>	-60	HP TOT	22.00 .20	5.00	100.00	175.00	.10	.60	8.30	3,100.00	3.00
<del>81G0276</del>	-60	HP TOT	30.00 .10	4.00	8.00	160.00	.10	.30	6.45	2,060.00	4.00
<del>81G0277</del>	-60	HP TOT	34.00 .20	2.00	7.00	55.00	.10	.10	6.05	1,900.00	4.00
<del>81G0278</del>	-60	HP TOT	34.00 .10	3.00	13.00	115.00	.10	.10	3.85	645.00	5.00
<del>81G0279</del>	-60	HP TOT	110.00 1.00	6.00	45.00	300.00	.30	1.70	9.00	4,780.00	23.00
<del>81G0280</del>	-60	HP TOT	14.00 .10	2.00	5.00	55.00	.10	.10	2.70	2,020.00	2.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210139-006-A

<del>81G0281</del>	-60	HP TOT	16.00 .20	2.00	12.00	96.00	.10	.30	3.80	2,680.00	3.00
<del>81G0282</del>	-60	HP TOT	190.00 4.60	8.00	50.00	335.00	.70	1.00	13.10	1,320.00	130.00
<del>81G0283</del>	-60	HP TOT	40.00 .60	2.00	27.00	105.00	.10	.20	5.90	2,190.00	27.00
<del>81G0284</del>	-60	HP TOT	60.00 .40	3.00	38.00	160.00	.10	.60	6.10	1,800.00	36.00
<del>81G0285</del>	-60	HP TOT	28.00 .10	2.00	15.00	46.00	.10	.10	5.40	3,570.00	14.00
<del>81G0286</del>	-60	HP TOT	43.00 .10	3.00	21.00	50.00	.10	.10	5.80	4,820.00	19.00
<del>81G0287</del>	-60	HP TOT	23.00 .20	3.00	39.00	180.00	.10	.60	7.15	3,150.00	12.00
<del>81G0287</del>	-60	HP TOT	23.00 .20	3.00	39.00	180.00	.10	.60	7.15	3,150.00	12.00
<del>81G0288</del>	-60	HP TOT	54.00 .60	3.00	38.00	250.00	.20	1.00	8.00	1,280.00	14.00
<del>81G0289</del>	-60	HP TOT	78.00 .40	2.00	75.00	440.00	.30	2.00	8.00	985.00	390.00

81G0287  
R.D.D.

05MAR82  
EX021

CYPRUS ANVIL MINING CORPORATION  
HEAVY MINERALS DATA ENTRY

PAGE 8

SAMPLE TEST            Cu            Mo            Pb            Zn            Ag            Cd            Fe            Mn            As  
CODE            CODE            Sb

---

LAB: CHEMEX            CERTIFICATE: A8210139-006-A

<del>81G0290</del>	-60	HP TOT	72.00 1.00	3.00	35.00	460.00	.50	1.50	8.20	1,670.00	19.00
<del>81G0291</del>	-60	HP TOT	70.00 2.60	2.00	23.00	280.00	.30	.90	7.40	1,870.00	45.00
<del>81G0292</del>	-60	HP TOT	20.00 1.40	2.00	10.00	160.00	.10	.10	5.65	1,810.00	12.00
<del>81G0293</del>	-60	HP TOT	24.00 .20	2.00	16.00	110.00	.10	.20	6.80	4,280.00	3.00
<del>81G0294</del>	-60	HP TOT	10.00 .40	1.00	7.00	175.00	.10	.10	4.00	2,800.00	3.00
<del>81G0296</del>	-60	HP TOT	40.00 4.60	2.00	25.00	210.00	.10	.10	6.20	2,970.00	12.00
<del>81G0297</del>	-60	HP TOT	18.00 1.40	2.00	15.00	105.00	.10	.10	4.55	3,100.00	7.00
<del>81G0298</del>	-60	HP TOT	80.00 6.20	5.00	36.00	290.00	.10	.30	9.60	2,630.00	73.00
<del>81G0299</del>	-60	HP TOT	37.00 4.20	3.00	29.00	150.00	.10	.30	5.70	1,780.00	20.00
<del>81G0300</del>	-60	HP TOT	86.00 16.60	8.00	36.00	350.00	.20	.40	11.00	1,600.00	107.00

05MAR82  
EX021

CYPRUS ANVIL MINING CORPORATION  
HEAVY MINERALS DATA ENTRY

PAGE 9

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210139-006-A

<del>81G0301</del>	<del>-60</del>	<del>HP-TOT</del>	<del>33.00</del> 4.60	<del>5.00</del>	<del>21.00</del>	<del>180.00</del>	<del>.10</del>	<del>.20</del>	<del>5.85</del>	<del>1,850.00</del>	<del>22.00</del>
--------------------	----------------	-------------------	--------------------------	-----------------	------------------	-------------------	----------------	----------------	-----------------	---------------------	------------------

<del>81G0035</del>	<del>-60</del>	<del>HP TOT</del>	<del>12.00</del> 1.00	<del>1.00</del>	<del>11.00</del>	<del>53.00</del>	<del>.10</del>	<del>.10</del>	<del>4.00</del>	<del>2,500.00</del>	<del>2.00</del>
--------------------	----------------	-------------------	--------------------------	-----------------	------------------	------------------	----------------	----------------	-----------------	---------------------	-----------------

<del>81G0141</del>	<del>-60</del>	<del>HP TOT</del>	<del>100.00</del> .60	<del>3.00</del>	<del>28.00</del>	<del>425.00</del>	<del>.10</del>	<del>.90</del>	<del>10.70</del>	<del>2,610.00</del>	<del>23.00</del>
--------------------	----------------	-------------------	--------------------------	-----------------	------------------	-------------------	----------------	----------------	------------------	---------------------	------------------