

Ext. 341/32

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

016121

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-001-
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN


Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0302 -60HP	205	45	3	22	210	0.2	0.2
81G-0303 -60HP	205	29	3	22	175	0.1	0.1
81G-0304 -60HP	205	41	5	27	190	0.1	1.4
81G-0305 -60HP	205	54	5	64	215	0.1	0.1
81G-0306 -60HP	205	68	6	42	280	0.2	0.2
81G-0307 -60HP	205	37	4	12	170	0.1	0.1
81G-0308 -60HP	205	28	3	23	140	0.1	0.1
81G-0309 -60HP	205	34	5	16	200	0.1	0.1
81G-0310 -60HP	205	36	4	19	200	0.1	0.5
81G-0311 -60HP	205	23	3	21	115	0.1	0.1
81G-0312 -60HP	205	33	4	20	130	0.1	0.2
81G-0313 -60HP	205	50	10	55	1850	0.5	0.5
81G-0314 -60HP	205	34	3	19	145	0.1	0.2
81G-0315 -60HP	205	20	4	9	240	0.2	0.1
81G-0316 -60HP	205	21	3	10	82	0.1	0.1
81G-0317 -60HP	205	22	4	13	110	0.1	0.1
81G-0319 -60HP	205	22	3	5	95	0.1	0.1
81G-0320 -60HP	205	22	3	10	110	0.1	0.1
81G-0321 -60HP	205	40	3	13	155	0.1	0.1
81G-0323 -60HP	205	19	3	7	88	0.1	0.1
81G-0324 -60HP	205	41	3	13	170	0.1	0.1
81G-0326 -60HP	205	37	4	13	140	0.1	0.1
81G-0327 -60HP	205	40	3	10	120	0.1	0.1
81G-0335 -60HP	205	21	6	11	110	0.1	0.1
81G-0336 -60HP	205	115	4	63	460	1.1	1.9
81G-0338 -60HP	205	60	3	28	120	0.2	0.1
81G-0341 -60HP	205	20	2	9	90	0.1	0.1
81G-0342 -60HP	205	23	2	14	120	0.1	0.1
81G-0343 -60HP	205	74	2	24	115	0.1	0.1
81G-0347 -60HP	205	44	3	16	130	0.3	0.3
81G-0351 -60HP	205	17	2	5	70	0.1	0.1
81G-0352 -60HP	205	32	3	12	100	0.2	0.1
81G-0353 -60HP	205	45	2	36	135	0.1	0.2
81G-0354 -60HP	205	23	3	14	95	2.7	0.1
81G-0357 -60HP	205	19	2	13	80	0.1	0.1
81G-0358 -60HP	205	15	1	5	65	0.1	0.1
81G-0359 -60HP	205	34	2	23	90	0.1	0.4
81G-0360 -60HP	205	37	3	60	125	0.2	0.1
81G-0361 -60HP	205	40	4	90	140	0.2	0.2
81G-0362 -60HP	205	88	8	300	260	0.4	0.2

Hart Buchler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210140-001-
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0302 -60HP	205	9.00	3170	27	4.2	--	--
81G-0303 -60HP	205	8.10	3120	29	3.2	--	--
81G-0304 -60HP	205	8.00	2480	22	3.4	--	--
81G-0305 -60HP	205	8.70	4600	24	6.2	--	--
81G-0306 -60HP	205	9.80	3460	44	8.0	--	--
81G-0307 -60HP	205	8.10	2550	32	3.6	--	--
81G-0308 -60HP	205	6.55	1920	14	2.4	--	--
81G-0309 -60HP	205	7.20	2600	22	3.2	--	--
81G-0310 -60HP	205	6.25	2180	19	3.8	--	--
81G-0311 -60HP	205	9.35	4000	6	1.2	--	--
81G-0312 -60HP	205	9.20	3400	12	1.8	--	--
81G-0313 -60HP	205	13.00	4000	25	N.S.S.	--	--
81G-0314 -60HP	205	9.10	4020	27	1.4	--	--
81G-0315 -60HP	205	12.30	6000	6	1.2	--	--
81G-0316 -60HP	205	8.25	4250	10	0.4	--	--
81G-0317 -60HP	205	13.60	5700	7	0.6	--	--
81G-0319 -60HP	205	4.35	1400	6	1.0	--	--
81G-0320 -60HP	205	7.25	2900	9	1.2	--	--
81G-0321 -60HP	205	9.95	3270	24	2.6	--	--
81G-0323 -60HP	205	6.48	3000	10	0.8	--	--
81G-0324 -60HP	205	9.70	3680	27	2.6	--	--
81G-0326 -60HP	205	12.50	4700	38	2.0	--	--
81G-0327 -60HP	205	12.20	3780	10	1.2	--	--
81G-0335 -60HP	205	10.20	2700	16	0.8	--	--
81G-0336 -60HP	205	25.80	1520	480	23.0	--	--
81G-0338 -60HP	205	15.30	2700	75	1.2	--	--
81G-0341 -60HP	205	10.70	4100	38	0.2	--	--
81G-0342 -60HP	205	11.50	3930	20	0.1	--	--
81G-0343 -60HP	205	14.50	3700	23	1.2	--	--
81G-0347 -60HP	205	8.80	3540	95	0.6	--	--
81G-0351 -60HP	205	9.20	2910	29	0.1	--	--
81G-0352 -60HP	205	9.50	4200	94	0.2	--	--
81G-0353 -60HP	205	11.20	3100	160	1.0	--	--
81G-0354 -60HP	205	11.30	3600	99	0.2	--	--
81G-0357 -60HP	205	8.90	5400	22	0.2	--	--
81G-0358 -60HP	205	9.00	3880	7	0.1	--	--
81G-0359 -60HP	205	7.30	>10000	35	0.6	--	--
81G-0360 -60HP	205	6.40	3880	190	0.8	--	--
81G-0361 -60HP	205	7.00	3200	250	2.0	--	--
81G-0362 -60HP	205	14.80	4500	480	3.2	--	--



Certified by *Hart Bichler*



ent.
3/4/92

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210140-002-
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0363 -60HP	205	30	11	56	88	0.2	0.2
81G-0364 -60HP	205	96	8	166	200	1.0	0.8
81G-0365 -60HP	205	30	4	36	100	0.1	0.2
81G-0366 -60HP	205	27	2	30	75	0.1	0.3
81G-0367 -60HP	205	38	2	23	64	0.1	0.1
81G-0368 -60HP	205	22	2	14	50	0.1	0.1
81G-0369 -60HP	205	15	2	9	76	0.1	0.1
81G-0370 -60HP	205	47	3	16	77	0.1	0.1
81G-0371 -60HP	205	48	2	20	64	0.1	0.3
81G-0372 -60HP	205	30	4	20	51	0.1	0.1
81G-0373 -60HP	205	40	3	12	86	0.1	0.1
81G-0374 -60HP	205	27	2	4	73	0.1	0.1
81G-0375 -60HP	205	46	4	6	60	0.1	0.1
81G-0376 -60HP	205	25	4	3	58	0.1	0.1
81G-0377 -60HP	205	19	3	3	54	0.1	0.1
81G-0378 -60HP	205	70	4	18	96	0.1	0.6
81G-0379 -60HP	205	300	7	30	630	1.2	2.6
81G-0380 -60HP	205	35	2	6	82	0.1	0.3
81G-0381 -60HP	205	30	3	15	105	0.1	0.6
81G-0382 -60HP	205	47	4	24	92	0.1	0.5
81G-0383 -60HP	205	27	2	9	108	0.1	0.2
81G-0384 -60HP	205	15	3	4	98	0.1	1.3
81G-0385 -60HP	205	38	4	34	76	0.1	0.3
81G-0386 -60HP	205	35	3	24	99	0.1	0.2
81G-0387 -60HP	205	42	3	50	100	0.1	0.1
81G-0388 -60HP	205	23	3	8	80	0.1	0.4
81G-0389 -60HP	205	28	3	9	90	0.1	0.4
81G-0390 -60HP	205	17	2	2	98	0.1	0.4
81G-0391 -60HP	205	62	5	60	97	0.1	0.2
81G-0392 -60HP	205	37	4	32	350	0.1	0.3
81G-0393 -60HP	205	57	5	43	245	0.1	0.6
81G-0394 -60HP	205	27	3	14	160	0.1	0.1
81G-0395 -60HP	205	23	2	11	155	0.1	0.2
81G-0396 -60HP	205	38	4	30	210	0.1	0.5
81G-0397 -60HP	205	28	2	21	200	0.1	0.1
81G-0398 -60HP	205	70	3	24	400	0.1	0.5
81G-0399 -60HP	205	68	2	21	250	0.1	0.1
81G-0400 -60HP	205	26	2	15	320	0.1	0.1
81G-0401 -60HP	205	60	26	24	550	0.2	0.4
81G-0402 -60HP	205	21	3	16	550	0.1	0.1



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210140-002-
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0363 -60HP	205	5.40	2450	100	N.S.S.	--	--
81G-0364 -60HP	205	12.00	4900	200	0.9	--	--
81G-0365 -60HP	205	9.95	4000	45	0.1	--	--
81G-0366 -60HP	205	8.00	7400	10	0.2	--	--
81G-0367 -60HP	205	5.45	3000	29	0.2	--	--
81G-0368 -60HP	205	8.80	7200	11	0.1	--	--
81G-0369 -60HP	205	8.80	5050	10	0.1	--	--
81G-0370 -60HP	205	9.75	4000	30	0.1	--	--
81G-0371 -60HP	205	6.40	7400	15	0.2	--	--
81G-0372 -60HP	205	8.10	3300	6	0.1	--	--
81G-0373 -60HP	205	9.00	5270	7	0.1	--	--
81G-0374 -60HP	205	8.90	2250	3	0.1	--	--
81G-0375 -60HP	205	7.85	4450	5	0.1	--	--
81G-0376 -60HP	205	8.85	4230	5	0.1	--	--
81G-0377 -60HP	205	8.00	4230	2	0.1	--	--
81G-0378 -60HP	205	8.40	4100	3	0.1	--	--
81G-0379 -60HP	205	15.00	1720	2	0.2	--	--
81G-0380 -60HP	205	9.10	3080	1	0.2	--	--
81G-0381 -60HP	205	9.20	7600	3	0.2	--	--
81G-0382 -60HP	205	10.80	7800	19	0.8	--	--
81G-0383 -60HP	205	7.70	3800	3	0.1	--	--
81G-0384 -60HP	205	10.20	9880	2	0.2	--	--
81G-0385 -60HP	205	7.20	490	1	1.2	--	--
81G-0386 -60HP	205	8.10	6400	6	0.6	--	--
81G-0387 -60HP	205	7.15	4400	15	0.4	--	--
81G-0388 -60HP	205	6.00	9450	3	0.1	--	--
81G-0389 -60HP	205	7.10	8200	2	0.1	--	--
81G-0390 -60HP	205	6.05	7100	1	0.1	--	--
81G-0391 -60HP	205	10.20	7850	45	2.8	--	--
81G-0392 -60HP	205	8.60	5050	16	6.4	--	--
81G-0393 -60HP	205	10.80	5120	24	9.0	--	--
81G-0394 -60HP	205	7.15	1900	1	2.8	--	--
81G-0395 -60HP	205	7.50	3300	4	2.6	--	--
81G-0396 -60HP	205	6.70	2680	17	3.2	--	--
81G-0397 -60HP	205	9.95	3700	7	3.0	--	--
81G-0398 -60HP	205	9.95	5050	24	6.0	--	--
81G-0399 -60HP	205	8.00	1300	22	5.6	--	--
81G-0400 -60HP	205	5.70	1660	11	2.8	--	--
81G-0401 -60HP	205	12.00	2700	50	10.5	--	--
81G-0402 -60HP	205	6.40	1480	9	2.4	--	--



Certified by *Hart Bichler*



Ent 3/4/82

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

ANALYTICAL CHEMISTS

GEOCHEMISTS

REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-003-
INVOICE # : 18210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0403 -60HP	205	60	10	38	390	0.2	0.2
81G-0404 -60HP	205	72	4	8	300	0.3	0.3
81G-0405 -60HP	205	55	4	13	185	0.1	0.1
81G-0407 -60HP	205	28	5	10	670	0.1	0.1
81G-0408 -60HP	205	23	2	8	135	0.1	0.1
81G-0409 -60HP	205	55	1	27	250	0.1	0.3
81G-0410 -60HP	205	32	4	30	375	0.1	1.9
81G-0411 -60HP	205	30	3	40	110	0.1	0.3
81G-0412 -60HP	205	29	2	33	90	0.1	0.1
81G-0413 -60HP	205	50	2	13	120	0.8	0.5
81G-0414 -60HP	205	36	3	21	97	0.1	0.2
81G-0416 -60HP	205	40	3	30	85	0.1	0.3
81G-0418 -60HP	205	75	2	12	160	0.1	0.7
81G-0419 -60HP	205	35	1	14	110	0.1	0.7
81G-0420 -60HP	205	85	4	53	160	0.1	0.9
81G-0421 -60HP	205	42	4	24	135	0.1	0.2
81G-0422 -60HP	205	45	3	28	82	0.1	1.0
81G-0423 -60HP	205	27	3	30	78	0.1	0.4
81G-0426 -60HP	205	29	3	14	110	0.1	0.7
81G-0427 -60HP	205	21	2	11	65	0.1	0.5
81G-0429 -60HP	205	23	3	16	100	0.1	0.7
81G-0430 -60HP	205	27	3	9	70	0.1	1.0
81G-0431 -60HP	205	12	1	17	65	0.1	0.1
81G-0433 -60HP	205	16	2	6	85	0.1	0.1
81G-0436 -60HP	205	10	2	4	63	0.1	0.1
81G-0437 -60HP	205	16	3	9	68	0.1	0.1
81G-0438 -60HP	205	18	4	11	78	0.1	0.1
81G-0439 -60HP	205	82	8	105	280	0.1	0.7
81G-0440 -60HP	205	100	8	116	260	0.2	0.2
81G-0441 -60HP	205	53	3	38	155	0.1	0.1
81G-0442 -60HP	205	22	3	14	110	0.1	0.2
81G-0448 -60HP	205	250	4	5	80	1.0	0.2
81G-0451 -60HP	205	95	4	42	230	1.6	2.0
81G-0452 -60HP	205	65	3	38	130	0.2	1.4
81G-0453 -60HP	205	40	2	125	135	0.2	1.4
81G-0454 -60HP	205	45	3	40	95	0.2	1.0
81G-0455 -60HP	205	20	2	19	88	0.1	0.4
81G-0456 -60HP	205	11	3	9	100	0.1	0.1
81G-0460 -60HP	205	70	4	68	510	0.1	0.1
81G-0461 -60HP	205	63	2	58	230	0.1	0.1

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-003-
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0403 -60HP	205	10.00	2200	28	5.2	--	--
81G-0404 -60HP	205	9.00	9600	17	N.S.S.	--	--
81G-0405 -60HP	205	15.80	5980	16	2.6	--	--
81G-0407 -60HP	205	6.70	2660	11	3.4	--	--
81G-0408 -60HP	205	7.20	3550	11	1.2	--	--
81G-0409 -60HP	205	16.20	4480	22	4.8	--	--
81G-0410 -60HP	205	7.90	3380	16	3.2	--	--
81G-0411 -60HP	205	8.10	7850	3	0.2	--	--
81G-0412 -60HP	205	6.40	2800	1	1.0	--	--
81G-0413 -60HP	205	7.45	>10000	4	0.4	--	--
81G-0414 -60HP	205	9.30	7850	12	1.0	--	--
81G-0416 -60HP	205	10.00	9100	12	1.2	--	--
81G-0418 -60HP	205	10.00	6000	10	1.0	--	--
81G-0419 -60HP	205	7.90	5380	2	0.2	--	--
81G-0420 -60HP	205	12.50	6560	14	0.8	--	--
81G-0421 -60HP	205	9.65	3780	5	0.4	--	--
81G-0422 -60HP	205	9.90	7800	7	0.6	--	--
81G-0423 -60HP	205	8.70	6600	5	0.6	--	--
81G-0426 -60HP	205	9.70	7550	2	0.4	--	--
81G-0427 -60HP	205	9.40	6200	2	0.4	--	--
81G-0429 -60HP	205	10.00	4850	9	1.2	--	--
81G-0430 -60HP	205	7.30	4200	2	0.4	--	--
81G-0431 -60HP	205	6.40	4570	5	0.8	--	--
81G-0433 -60HP	205	9.60	3720	3	0.4	--	--
81G-0436 -60HP	205	10.50	3320	1	0.2	--	--
81G-0437 -60HP	205	9.95	3220	7	0.4	--	--
81G-0438 -60HP	205	13.00	2730	2	0.4	--	--
81G-0439 -60HP	205	17.80	2800	65	2.4	--	--
81G-0440 -60HP	205	13.00	2780	46	1.6	--	--
81G-0441 -60HP	205	12.80	3800	19	1.4	--	--
81G-0442 -60HP	205	12.00	3200	6	0.2	--	--
81G-0448 -60HP	205	7.80	2090	4	0.4	--	--
81G-0451 -60HP	205	11.30	8000	10	0.8	--	--
81G-0452 -60HP	205	9.80	>10000	11	0.8	--	--
81G-0453 -60HP	205	6.60	7150	2	1.0	--	--
81G-0454 -60HP	205	7.00	8280	3	0.8	--	--
81G-0455 -60HP	205	8.10	5880	3	0.6	--	--
81G-0456 -60HP	205	11.00	3250	3	0.4	--	--
81G-0460 -60HP	205	10.20	2080	63	5.0	--	--
81G-0461 -60HP	205	10.70	2400	24	4.6	--	--



Certified by *Hart Bichler*



ENT. 3/4/72

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210140-004-
INVOICE # : 18210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0462 -60HP	205	100	33	140	445	0.1	0.6
81G-0466 -60HP	205	25	3	5	650	0.1	0.1
81G-0472 -60HP	205	23	2	14	360	0.1	0.2
81G-0474 -60HP	205	200	4	43	250	0.1	0.7
81G-0479 -60HP	205	20	2	11	100	0.1	0.1
81G-0481 -60HP	205	210	11	155	110	1.2	0.7
81G-0482 -60HP	205	25	3	14	330	0.1	0.1
81G-0484 -60HP	205	79	4	18	270	0.1	0.1
81G-0485 -60HP	205	106	8	70	350	0.2	0.2
81G-0486 -60HP	205	32	44	20	170	0.2	0.2
81G-0487 -60HP	205	23	6	19	165	0.1	0.1
81G-0488 -60HP	205	140	7	36	750	0.1	1.2
81G-0490 -60HP	205	72	3	17	560	0.1	0.6
81G-0491 -60HP	205	30	4	11	230	0.1	0.1
81G-0493 -60HP	205	22	8	1160	520	0.2	0.2
81G-0494 -60HP	205	33	3	10	590	0.1	0.1
81G-0495 -60HP	205	25	3	13	120	0.1	0.1
81G-0499 -60HP	205	34	3	25	240	0.1	0.1
81G-0500 -60HP	205	77	3	11	470	0.4	0.2
81G-0503 -60HP	205	54	3	19	320	0.1	0.3
81G-0504 -60HP	205	20	2	27	170	0.1	0.2
81G-0505 -60HP	205	12	2	19	265	0.1	0.1
81G-0507 -60HP	205	14	2	40	620	0.1	0.1
81G-0508 -60HP	205	20	3	45	440	0.1	0.1
81G-0511 -60HP	205	20	2	20	700	0.1	0.1
81G-0517 -60HP	205	14	1	43	115	0.1	0.2
81G-0518 -60HP	205	135	10	250	310	1.0	2.4
81G-0528 -60HP	205	290	6	110	720	0.2	2.4
81G-0529 -60HP	205	24	2	28	130	0.2	0.6
81G-0536 -60HP	205	13	4	23	120	0.1	0.1
81G-0553 -60HP	205	50	5	29	250	0.1	0.5
81G-0573 -60HP	205	28	2	12	125	0.1	0.1
81G-0574 -60HP	205	28	2	12	175	0.1	0.1
81G-0577 -60HP	205	200	22	205	1300	1.3	3.0
81G-0584 -60HP	205	20	2	10	100	0.1	0.1
81G-0586 -60HP	205	39	4	23	390	0.1	0.2
81G-0587 -60HP	205	45	3	21	290	0.1	0.6
81G-0592 -60HP	205	40	3	15	610	0.1	0.2
81G-0593 -60HP	205	34	4	12	740	0.1	0.2
81G-0594 -60HP	205	16	6	11	670	0.1	0.1



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-004-
INVOICE # : 18210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0462 -60HP	205	11.50	3470	45	7.0	--	--
81G-0466 -60HP	205	6.40	2050	6	2.0	--	--
81G-0472 -60HP	205	5.80	3380	3	1.4	--	--
81G-0474 -60HP	205	13.50	2440	81	5.2	--	--
81G-0479 -60HP	205	6.05	5530	7	0.6	--	--
81G-0481 -60HP	205	19.50	2000	190	14.4	--	--
81G-0482 -60HP	205	6.10	2500	9	1.8	--	--
81G-0484 -60HP	205	6.90	2550	15	4.0	--	--
81G-0485 -60HP	205	10.10	3400	30	7.6	--	--
81G-0486 -60HP	205	5.30	1620	8	2.4	--	--
81G-0487 -60HP	205	5.20	2500	16	2.4	--	--
81G-0488 -60HP	205	12.80	2000	39	19.6	--	--
81G-0490 -60HP	205	9.80	5100	7	3.6	--	--
81G-0491 -60HP	205	6.70	2320	7	2.0	--	--
81G-0493 -60HP	205	7.40	2850	8	3.2	--	--
81G-0494 -60HP	205	7.80	2720	4	2.0	--	--
81G-0495 -60HP	205	4.35	1520	5	1.0	--	--
81G-0499 -60HP	205	9.60	4500	27	4.0	--	--
81G-0500 -60HP	205	10.80	7900	22	3.2	--	--
81G-0503 -60HP	205	9.10	5350	24	3.2	--	--
81G-0504 -60HP	205	7.30	5500	7	2.2	--	--
81G-0505 -60HP	205	7.90	8300	4	2.6	--	--
81G-0507 -60HP	205	4.85	2680	14	1.6	--	--
81G-0508 -60HP	205	5.30	2800	11	1.8	--	--
81G-0511 -60HP	205	5.90	2980	7	2.0	--	--
81G-0517 -60HP	205	5.30	4050	11	2.0	--	--
81G-0518 -60HP	205	20.00	4050	220	20.0	--	--
81G-0528 -60HP	205	10.50	4200	55	12.0	--	--
81G-0529 -60HP	205	5.20	1710	18	2.0	--	--
81G-0536 -60HP	205	4.80	2010	6	1.2	--	--
81G-0553 -60HP	205	13.00	3050	46	8.8	--	--
81G-0573 -60HP	205	15.30	5300	15	3.4	--	--
81G-0574 -60HP	205	8.90	2350	13	2.6	--	--
81G-0577 -60HP	205	23.80	1760	180	38.0	--	--
81G-0584 -60HP	205	9.60	4260	11	1.2	--	--
81G-0586 -60HP	205	10.00	3350	30	5.6	--	--
81G-0587 -60HP	205	11.70	5890	22	6.2	--	--
81G-0592 -60HP	205	10.00	2900	19	7.0	--	--
81G-0593 -60HP	205	9.75	2350	20	7.0	--	--
81G-0594 -60HP	205	8.20	2780	5	1.8	--	--



Certified by *Hart Buchler*



ENT. 3/5/92 ✓

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-005-
INVOICE # : 18210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0595 -60HP	205	30	5	16	160	0.1	0.2
81G-0596 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0597 -60HP	205	155	2	45	430	0.1	0.9
81G-0598 -60HP	205	40	1	14	240	0.1	0.1
81G-0599 -60HP	205	140	10	56	760	0.2	1.8
81G-0602 -60HP	205	70	20	40	400	0.4	0.3
81G-0609 -60HP	205	50	4	4	200	0.1	0.3
81G-0610 -60HP	205	26	2	12	245	0.1	0.1
81G-0612 -60HP	205	28	3	8	315	0.1	0.1
81G-0613 -60HP	205	20	1	18	360	0.1	0.1
81G-0615 -60HP	205	25	1	8	310	0.1	0.1
81G-0617 -60HP	205	56	41	33	6800	0.1	8.3
81G-0618 -60HP	205	120	15	120	1260	0.2	3.3
81G-0619 -60HP	205	140	22	80	1240	0.2	3.8
81G-0620 -60HP	205	MISSING	MISSING	MISSING	MISSING	MISSING	MISSING
81G-0621 -60HP	205	26	1	6	280	0.1	0.1
81G-0622 -60HP	205	21	1	9	330	0.1	0.1
81G-0623 -60HP	205	37	2	10	450	0.1	0.1
81G-0624 -60HP	205	40	1	9	305	0.1	0.1
81G-0625 -60HP	205	130	2	9	140	0.1	0.1
81G-0626 -60HP	205	20	3	8	420	0.1	0.1
81G-0627 -60HP	205	110	7	34	460	0.1	1.0
81G-0628 -60HP	205	160	5	22	430	0.1	0.1
81G-0629 -60HP	205	24	22	54	190	0.2	0.2
81G-0630 -60HP	205	50	5	25	245	0.1	0.4
81G-0631 -60HP	205	50	5	20	460	0.1	0.7
81G-0632 -60HP	205	42	6	160	500	0.2	0.2
81G-0633 -60HP	205	240	10	100	880	0.8	2.8
81G-0634 -60HP	205	250	12	240	700	0.9	3.6
81G-0635 -60HP	205	92	17	20	445	0.1	0.8
81G-0636 -60HP	205	10	2	6	520	0.2	0.2
81G-0637 -60HP	205	85	11	32	870	0.1	3.3
81G-0638 -60HP	205	10	1	5	100	0.1	0.1
81G-0639 -60HP	205	50	2	28	310	0.2	0.2
81G-0640 -60HP	205	100	4	40	460	0.2	1.4
81G-0642 -60HP	205	88	6	36	490	0.2	2.4
81G-0643 -60HP	205	85	10	15	515	0.1	2.0
81G-0644 -60HP	205	40	3	18	300	0.1	0.7
81G-0645 -60HP	205	38	3	23	250	0.1	0.5
81G-0646 -60HP	205	108	20	30	620	0.2	1.6

Hart Bichler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-005-
INVOICE # : 18210140
DATE : 11-FEB-82
P.O. # : NONE
81-G


C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0595 -60HP	205	10.00	3980	12	3.0	--	--
81G-0596 -60HP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81G-0597 -60HP	205	13.40	2630	94	20.0	--	--
81G-0598 -60HP	205	10.50	1970	20	3.6	--	--
81G-0599 -60HP	205	16.60	1700	162	34.0	--	--
81G-0602 -60HP	205	12.20	3000	10	N.S.S.	--	--
81G-0609 -60HP	205	7.85	2150	20	1.0	--	--
81G-0610 -60HP	205	7.85	2000	5	3.0	--	--
81G-0612 -60HP	205	8.70	2350	3	2.0	--	--
81G-0613 -60HP	205	9.65	2470	6	2.2	--	--
81G-0615 -60HP	205	8.80	2280	4	1.8	--	--
81G-0617 -60HP	205	35.80	1880	120	15.0	--	--
81G-0618 -60HP	205	13.00	3600	80	N.S.S.	--	--
81G-0619 -60HP	205	15.70	5700	86	30.0	--	--
81G-0620 -60HP	205	MISSING	MISSING	MISSING	MISSING	--	--
81G-0621 -60HP	205	7.30	1560	2	1.2	--	--
81G-0622 -60HP	205	7.65	1700	2	1.6	--	--
81G-0623 -60HP	205	8.50	1710	7	2.4	--	--
81G-0624 -60HP	205	9.00	1840	4	2.6	--	--
81G-0625 -60HP	205	9.30	1700	4	2.0	--	--
81G-0626 -60HP	205	12.00	3250	27	2.8	--	--
81G-0627 -60HP	205	16.00	3230	90	12.4	--	--
81G-0628 -60HP	205	17.00	3930	90	14.0	--	--
81G-0629 -60HP	205	8.50	4700	10	4.0	--	--
81G-0630 -60HP	205	9.20	3550	24	6.4	--	--
81G-0631 -60HP	205	9.50	3880	24	6.8	--	--
81G-0632 -60HP	205	9.40	5100	22	8.2	--	--
81G-0633 -60HP	205	18.90	4300	78	26.0	--	--
81G-0634 -60HP	205	19.80	6500	117	N.S.S.	--	--
81G-0635 -60HP	205	10.60	>10000	45	13.4	--	--
81G-0636 -60HP	205	8.40	4080	4	2.8	--	--
81G-0637 -60HP	205	15.20	4170	73	14.4	--	--
81G-0638 -60HP	205	5.50	2950	4	0.8	--	--
81G-0639 -60HP	205	12.20	3180	10	4.8	--	--
81G-0640 -60HP	205	17.00	3800	30	4.4	--	--
81G-0642 -60HP	205	14.20	5040	44	13.2	--	--
81G-0643 -60HP	205	19.00	5150	83	16.0	--	--
81G-0644 -60HP	205	8.60	4080	24	5.2	--	--
81G-0645 -60HP	205	9.40	3430	25	7.0	--	--
81G-0646 -60HP	205	17.40	8300	72	14.0	--	--

Hart Buchler

Certified by





ENT
3/1/75

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210140-006-
INVOICE # : 18210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0647 -60HP	205	56	2	10	200	0.2	10.0
81G-0648 -60HP	205	110	10	40	420	0.2	1.8
81G-0649 -60HP	205	130	14	52	680	0.2	2.8
81G-0650 -60HP	205	120	6	38	380	0.2	1.8
81G-0651 -60HP	205	58	22	24	340	0.2	1.2
81G-0652 -60HP	205	54	6	42	300	0.2	1.2
81G-0653 -60HP	205	31	3	19	210	0.2	0.6
81G-0654 -60HP	205	70	4	30	330	0.2	0.6
81G-0656 -60HP	205	33	38	44	780	0.1	0.3
81G-0657 -60HP	205	22	2	14	280	0.1	0.6
81G-0658 -60HP	205	45	2	34	240	0.1	1.1
81G-0659 -60HP	205	60	8	39	540	0.1	1.9
81G-0660 -60HP	205	31	2	20	235	0.1	0.2
81G-0661 -60HP	205	40	2	23	165	0.1	0.4
81G-0662 -60HP	205	33	5	22	250	0.1	0.3
81G-0663 -60HP	205	37	8	27	530	0.1	0.3
81G-0664 -60HP	205	51	2	40	250	0.1	0.6
81G-0665 -60HP	205	17	1	15	110	0.1	0.2
81G-0666 -60HP	205	8	1	16	100	0.1	0.6
81G-0667 -60HP	205	9	1	9	84	0.1	0.2
81G-0668 -60HP	205	8	1	8	79	0.1	0.2
81G-0669 -60HP	205	9	1	8	72	0.1	0.2
81G-0670 -60HP	205	20	1	50	160	0.2	0.5
81G-0673 -60HP	205	9	1	23	130	0.1	0.3
81G-0674 -60HP	205	24	30	16	140	0.2	0.6
81G-0676 -60HP	205	27	1	15	100	0.1	0.6
81G-0677 -60HP	205	12	2	12	78	0.1	0.2
81G-0678 -60HP	205	15	1	13	105	0.1	0.2
81G-0679 -60HP	205	22	46	10	144	0.2	0.2
81G-0680 -60HP	205	35	3	35	160	0.1	0.6
81G-0681 -60HP	205	48	2	44	180	0.1	0.4
81G-0682 -60HP	205	90	6	44	290	0.1	0.7
81G-0683 -60HP	205	47	4	24	185	0.1	0.3
81G-0684 -60HP	205	12	3	22	100	0.1	0.2
81G-0685 -60HP	205	45	2	24	115	0.1	0.2
81G-0686 -60HP	205	145	3	95	360	0.1	0.3
81G-0687 -60HP	205	12	8	24	150	0.1	0.1
81G-0688 -60HP	205	29	3	27	165	0.1	0.4
81G-0689 -60HP	205	22	4	260	144	0.2	0.2
81G-0690 -60HP	205	14	4	14	295	0.1	0.2



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210140-006-
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0647 -60HP	205	9.00	>10000	2	N.S.S.	--	--
81G-0648 -60HP	205	13.30	4960	58	15.0	--	--
81G-0649 -60HP	205	18.60	4960	96	22.0	--	--
81G-0650 -60HP	205	9.80	4200	30	8.6	--	--
81G-0651 -60HP	205	13.40	6300	38	N.S.S.	--	--
81G-0652 -60HP	205	12.00	3560	60	11.6	--	--
81G-0653 -60HP	205	8.85	3250	25	6.6	--	--
81G-0654 -60HP	205	10.40	5440	20	6.0	--	--
81G-0656 -60HP	205	9.90	2460	12	5.4	--	--
81G-0657 -60HP	205	8.40	4330	6	3.8	--	--
81G-0658 -60HP	205	8.55	2280	16	7.2	--	--
81G-0659 -60HP	205	9.55	2120	53	13.2	--	--
81G-0660 -60HP	205	10.50	3400	5	4.2	--	--
81G-0661 -60HP	205	7.20	3750	24	3.8	--	--
81G-0662 -60HP	205	10.00	6480	17	3.4	--	--
81G-0663 -60HP	205	9.50	4870	24	3.6	--	--
81G-0664 -60HP	205	11.30	6920	19	4.0	--	--
81G-0665 -60HP	205	7.45	3000	9	1.6	--	--
81G-0666 -60HP	205	5.65	2730	2	1.0	--	--
81G-0667 -60HP	205	6.60	3150	3	0.8	--	--
81G-0668 -60HP	205	6.45	3800	2	0.8	--	--
81G-0669 -60HP	205	5.90	3250	2	0.8	--	--
81G-0670 -60HP	205	8.80	5100	3	1.6	--	--
81G-0673 -60HP	205	3.70	3000	4	1.2	--	--
81G-0674 -60HP	205	5.00	2200	34	2.2	--	--
81G-0676 -60HP	205	8.50	2550	4	6.6	--	--
81G-0677 -60HP	205	5.15	2400	9	2.6	--	--
81G-0678 -60HP	205	7.30	3250	22	1.0	--	--
81G-0679 -60HP	205	8.60	5000	4	2.0	--	--
81G-0680 -60HP	205	8.60	2850	33	5.0	--	--
81G-0681 -60HP	205	11.50	6680	53	16.0	--	--
81G-0682 -60HP	205	13.60	4300	145	21.0	--	--
81G-0683 -60HP	205	11.70	5580	33	9.0	--	--
81G-0684 -60HP	205	5.75	2930	6	2.0	--	--
81G-0685 -60HP	205	9.50	4900	10	3.2	--	--
81G-0686 -60HP	205	9.00	2040	94	12.0	--	--
81G-0687 -60HP	205	4.80	2320	6	1.2	--	--
81G-0688 -60HP	205	7.65	2270	27	3.4	--	--
81G-0689 -60HP	205	6.50	2580	6	2.0	--	--
81G-0690 -60HP	205	3.80	3520	10	1.2	--	--



Certified by *Hart Bichler*



ENT. 3/5/92

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-007-
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0691 -60HP	205	12	4	17	110	0.1	0.4
81G-0692 -60HP	205	14	3	37	225	0.1	0.7
81G-0693 -60HP	205	54	8	70	230	0.2	0.8
81G-0694 -60HP	205	68	9	95	275	0.3	0.8
81G-0695 -60HP	205	15	16	20	470	0.1	0.2
81G-0696 -60HP	205	77	5	350	1500	5.8	9.3
81G-0697 -60HP	205	28	5	25	120	0.1	0.5
81G-0698 -60HP	205	30	3	25	115	0.1	0.4
81G-0699 -60HP	205	40	3	34	125	0.1	0.2
81G-0700 -60HP	205	22	12	15	87	0.1	0.1
81G-0701 -60HP	205	22	4	21	150	0.1	0.7
81G-0702 -60HP	205	90	7	50	200	0.3	1.3
81G-0703 -60HP	205	65	12	50	190	0.2	1.5
81G-0704 -60HP	205	44	3	11	250	0.1	0.2
81G-0705 -60HP	205	145	14	100	390	0.5	1.9
81G-0706 -60HP	205	58	4	24	135	0.1	0.7
81G-0707 -60HP	205	145	6	100	130	0.1	0.2
81G-0708 -60HP	205	40	4	16	115	0.1	0.6
81G-0709 -60HP	205	57	17	17	135	0.1	0.8
81G-0710 -60HP	205	140	11	83	260	0.6	1.5
81G-0711 -60HP	205	270	37	180	580	1.1	4.7
81G-0712 -60HP	205	90	6	115	210	0.5	0.6
81G-0713 -60HP	205	120	10	125	260	0.2	0.6
81G-0714 -60HP	205	190	31	170	770	0.8	2.8
81G-0715 -60HP	205	400	61	320	1550	1.8	6.3
81G-0716 -60HP	205	56	4	33	105	0.2	1.0
81G-0717 -60HP	205	90	5	37	90	0.7	0.6
81G-0718 -60HP	205	72	5	35	100	0.3	0.6
81G-0719 -60HP	205	40	6	104	120	0.2	0.4
81G-0720 -60HP	205	37	43	35	165	0.1	0.2
81G-0721 -60HP	205	27	3	24	115	0.1	0.3
81G-0722 -60HP	205	25	7	15	135	0.1	0.3
81G-0723 -60HP	205	58	4	55	140	0.1	0.3
81G-0724 -60HP	205	63	2	49	240	0.1	0.3
81G-0725 -60HP	205	23	3	52	210	0.1	0.1
81G-0726 -60HP	205	16	3	23	235	0.1	0.1
81G-0727 -60HP	205	26	3	15	195	0.1	0.1
81G-0728 -60HP	205	30	3	3	85	0.1	0.1
81G-0729 -60HP	205	16	5	16	235	0.1	0.1
81G-0730 -60HP	205	17	4	10	155	0.1	0.2

Certified by *Hart Buchler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-007-
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0691 -60HP	205	5.50	3280	11	1.2	--	--
81G-0692 -60HP	205	5.20	5000	6	1.2	--	--
81G-0693 -60HP	205	15.10	3200	64	9.6	--	--
81G-0694 -60HP	205	15.50	2800	77	9.6	--	--
81G-0695 -60HP	205	5.50	4440	7	2.0	--	--
81G-0696 -60HP	205	7.45	4670	24	18.2	--	--
81G-0697 -60HP	205	5.70	3550	14	2.2	--	--
81G-0698 -60HP	205	5.30	3380	11	1.6	--	--
81G-0699 -60HP	205	6.70	2980	24	3.0	--	--
81G-0700 -60HP	205	5.75	2450	7	1.8	--	--
81G-0701 -60HP	205	8.00	5660	20	10.4	--	--
81G-0702 -60HP	205	11.50	5100	92	10.6	--	--
81G-0703 -60HP	205	9.00	4600	45	6.6	--	--
81G-0704 -60HP	205	5.85	2880	6	1.6	--	--
81G-0705 -60HP	205	17.50	2880	215	21.0	--	--
81G-0706 -60HP	205	8.30	4500	39	5.8	--	--
81G-0707 -60HP	205	15.90	3000	94	30.0	--	--
81G-0708 -60HP	205	7.00	5100	10	1.0	--	--
81G-0709 -60HP	205	8.00	6100	11	0.8	--	--
81G-0710 -60HP	205	16.90	3750	240	25.0	--	--
81G-0711 -60HP	205	28.50	1700	760	43.0	--	--
81G-0712 -60HP	205	15.50	4560	180	21.0	--	--
81G-0713 -60HP	205	18.80	3500	240	18.2	--	--
81G-0714 -60HP	205	24.50	1900	400	55.0	--	--
81G-0715 -60HP	205	41.50	1190	840	130.0	--	--
81G-0716 -60HP	205	9.60	3730	22	2.0	--	--
81G-0717 -60HP	205	10.00	3150	20	0.8	--	--
81G-0718 -60HP	205	10.00	3280	38	2.4	--	--
81G-0719 -60HP	205	7.40	1520	32	6.0	--	--
81G-0720 -60HP	205	7.10	2000	30	2.6	--	--
81G-0721 -60HP	205	6.50	5750	12	1.8	--	--
81G-0722 -60HP	205	8.75	7980	14	2.0	--	--
81G-0723 -60HP	205	11.20	5780	35	4.4	--	--
81G-0724 -60HP	205	7.15	675	10	3.8	--	--
81G-0725 -60HP	205	8.50	3430	5	3.2	--	--
81G-0726 -60HP	205	10.00	2120	5	3.4	--	--
81G-0727 -60HP	205	5.55	1410	12	2.2	--	--
81G-0728 -60HP	205	6.10	7600	2	0.4	--	--
81G-0729 -60HP	205	7.10	7150	4	0.8	--	--
81G-0730 -60HP	205	6.20	6150	5	1.0	--	--

Hant Buchler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



ent 4/5/82

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-008-
INVOICE # : 18210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0731 -60HP	205	40	5	130	330	0.1	0.1
81G-0732 -60HP	205	16	3	25	175	0.1	0.1
81G-0733 -60HP	205	27	3	19	160	0.1	0.3
81G-0734 -60HP	205	25	4	11	85	0.1	0.1
81G-0735 -60HP	205	25	4	6	95	0.1	0.2
81G-0736 -60HP	205	7	4	17	120	0.1	0.2
81G-0737 -60HP	205	8	4	14	150	0.1	0.5
81G-0738 -60HP	205	24	4	12	92	0.1	0.5
81G-0739 -60HP	205	160	10	55	280	0.4	1.4
81G-0740 -60HP	205	175	8	33	250	0.1	0.7
81G-0741 -60HP	205	33	2	16	170	0.1	0.1
81G-0743 -60HP	205	52	3	18	88	0.1	0.2
81G-0744 -60HP	205	20	6	14	290	0.1	0.1
81G-0745 -60HP	205	12	2	22	97	0.1	0.3
81G-0746 -60HP	205	15	1	18	100	0.1	0.2
81G-0747 -60HP	205	17	1	16	100	0.1	0.2
81G-0748 -60HP	205	22	1	20	70	0.1	0.1
81G-0749 -60HP	205	15	1	21	75	0.1	0.1
81G-0750 -60HP	205	40	3	21	83	0.1	0.1



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210140-008-
INVOICE # : I8210140
DATE : 11-FEB-82
P.O. # : NONE
81-G

C.C. G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0731 -60HP	205	6.40	2300	23	2.8	--	--
81G-0732 -60HP	205	5.70	2520	7	2.4	--	--
81G-0733 -60HP	205	4.30	485	3	2.6	--	--
81G-0734 -60HP	205	5.25	2680	3	0.6	--	--
81G-0735 -60HP	205	6.30	5000	5	0.6	--	--
81G-0736 -60HP	205	2.70	1120	3	0.8	--	--
81G-0737 -60HP	205	3.50	4700	3	0.6	--	--
81G-0738 -60HP	205	5.35	3750	6	0.8	--	--
81G-0739 -60HP	205	10.20	3850	28	7.4	--	--
81G-0740 -60HP	205	9.50	3300	30	8.4	--	--
81G-0741 -60HP	205	7.20	4150	7	1.2	--	--
81G-0743 -60HP	205	7.00	1130	10	1.2	--	--
81G-0744 -60HP	205	6.50	3350	11	1.8	--	--
81G-0745 -60HP	205	5.75	5720	3	0.4	--	--
81G-0746 -60HP	205	6.80	7300	3	0.4	--	--
81G-0747 -60HP	205	5.00	3850	5	0.6	--	--
81G-0748 -60HP	205	5.90	2100	4	0.8	--	--
81G-0749 -60HP	205	6.30	1850	5	0.8	--	--
81G-0750 -60HP	205	8.20	1650	10	1.4	--	--

Hart Bichler

Certified by



certificate

A 8210140-001-A

PROGRAM PROBLEM (value is new cert. #)

A 8210140-001-A

<i>81G0302</i>	<i>-60</i>	<i>HP TOT</i>	<i>45.00 / 4.20 /</i>	<i>3.00 ✓</i>	<i>22.00 /</i>	<i>210.00 ✓</i>	<i>.20 /</i>	<i>.20 ✓</i>	<i>9.00 /</i>	<i>3,170.00 ✓</i>	<i>27.00 ✓</i>
<i>81G0303</i>	<i>-60</i>	<i>HP TOT</i>	<i>29.00 / 3.20 ✓</i>	<i>3.00 /</i>	<i>22.00 /</i>	<i>175.00 /</i>	<i>.10 /</i>	<i>.10 ✓</i>	<i>8.10 ✓</i>	<i>3,120.00 ✓</i>	<i>29.00 ✓</i>
<i>81G0304</i>	<i>-60</i>	<i>HP TOT</i>	<i>41.00 / 3.40 /</i>	<i>5.00 /</i>	<i>27.00 /</i>	<i>190.00 /</i>	<i>.10 /</i>	<i>1.40 /</i>	<i>8.00 /</i>	<i>2,480.00 ✓</i>	<i>22.00 /</i>
<i>81G0305</i>	<i>-60</i>	<i>HP TOT</i>	<i>54.00 / 6.20 ✓</i>	<i>5.00 /</i>	<i>64.00 /</i>	<i>215.00 /</i>	<i>.10 /</i>	<i>.10 /</i>	<i>8.70 /</i>	<i>4,600.00 ✓</i>	<i>24.00 ✓</i>

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A9210140-001-A

81G0306	-60	HP TOT	68.00 ✓ 8.00 ✓	6.00 ✓	42.00 ✓	280.00 ✓	.20 ✓	.20 ✓	9.80 ✓	3,460.00 ✓	44.00 ✓
81G0307	-60	HP TOT	37.00 ✓ 3.60 ✓	4.00 ✓	12.00 ✓	170.00 ✓	.10 ✓	.10 ✓	8.10 ✓	2,550.00 ✓	32.00 ✓
81G0308	-60	HP TOT	28.00 ✓ 2.40 ✓	3.00 ✓	23.00 ✓	140.00 ✓	.10 ✓	.10 ✓	6.55 ✓	1,920.00 ✓	14.00 ✓
81G0309	-60	HP TOT	34.00 ✓ 3.20 ✓	5.00 ✓	16.00 ✓	200.00 ✓	.10 ✓	.10 ✓	7.20 ✓	2,600.00 ✓	22.00 ✓
81G0310	-60	HP TOT	36.00 ✓ 3.80 ✓	4.00 ✓	19.00 ✓	200.00 ✓	.10 ✓	.50 ✓	6.25 ✓	2,180.00 ✓	19.00 ✓
81G0311	-60	HP TOT	23.00 ✓ 1.20 ✓	3.00 ✓	21.00 ✓	115.00 ✓	.10 ✓	.10 ✓	9.35 ✓	4,000.00 ✓	6.00 ✓
81G0312	-60	HP TOT	33.00 ✓ 1.80 ✓	4.00 ✓	20.00 ✓	130.00 ✓	.10 ✓	.20 ✓	9.20 ✓	3,400.00 ✓	12.00 ✓
81G0313	-60	HP TOT	50.00 ✓	10.00 ✓	55.00 ✓	1,850.00 ✓	.50 ✓	.50 ✓	13.00 ✓	4,000.00 ✓	25.00 ✓
81G0314	-60	HP TOT	34.00 ✓ 1.40 ✓	3.00 ✓	19.00 ✓	145.00 ✓	.10 ✓	.20 ✓	9.10 ✓	4,020.00 ✓	27.00 ✓
81G0315	-60	HP TOT	20.00 ✓ 1.20 ✓	4.00 ✓	9.00 ✓	240.00 ✓	.20 ✓	.10 ✓	12.30 ✓	6,000.00 ✓	6.00 ✓

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX CERTIFICATE: AB210140-001-A											
81G0316	-60	HP TOT	21.00 .40	3.00	10.00	82.00	.10	.10	8.25	4,250.00	10.00
81G0317	-60	HP TOT	22.00 .60	4.00	13.00	110.00	.10	.10	13.60	5,700.00	7.00
81G0319	-60	HP TOT	22.00 1.00	3.00	5.00	95.00	.10	.10	4.35	1,400.00	6.00
81G0320	-60	HP TOT	22.00 1.20	3.00	10.00	110.00	.10	.10	7.25	2,900.00	9.00
81G0321	-60	HP TOT	40.00 2.60	3.00	13.00	155.00	.10	.10	9.95	3,270.00	24.00
81G0323	-60	HP TOT	19.00 .80	3.00	7.00	88.00	.10	.10	6.48	3,000.00	10.00
81G0324	-60	HP TOT	41.00 2.60	3.00	13.00	170.00	.10	.10	9.70	3,680.00	27.00
81G0326	-60	HP TOT	37.00 2.00	4.00	13.00	140.00	.10	.10	12.50	4,700.00	38.00
81G0327	-60	HP TOT	40.00 1.20	3.00	10.00	120.00	.10	.10	12.20	3,780.00	10.00
81G0335	-60	HP TOT	21.00 .80	6.00	11.00	110.00	.10	.10	10.20	2,700.00	16.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210140-001-A

81G0336	-60	HP TOT	115.00 23.00	4.00	63.00	460.00	1.10	1.90	25.80	1,520.00	480.00
81G0338	-60	HP TOT	60.00 1.20	3.00	28.00	120.00	.20	.10	15.30	2,700.00	75.00
81G0341	-60	HP TOT	20.00 .20	2.00	9.00	90.00	.10	.10	10.70	4,100.00	38.00
81G0342	-60	HP TOT	23.00 .10	2.00	14.00	120.00	.10	.10	11.50	3,930.00	20.00
81G0343	-60	HP TOT	74.00 1.20	2.00	24.00	115.00	.10	.10	14.50	3,700.00	23.00
81G0347	-60	HP TOT	44.00 .60	3.00	16.00	130.00	.30	.30	8.80	3,540.00	95.00
81G0351	-60	HP TOT	17.00 .10	2.00	5.00	70.00	.10	.10	9.20	2,910.00	29.00
81G0352	-60	HP TOT	32.00 .20	3.00	12.00	100.00	.20	.10	9.50	4,200.00	94.00
81G0353	-60	HP TOT	45.00 1.00	2.00	36.00	135.00	.10	.20	11.20	3,100.00	160.00
81G0354	-60	HP TOT	23.00 .20	3.00	14.00	95.00	2.70	.10	11.30	3,600.00	99.00

04MAR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

SAMPLE TEST Cu Mo Pb Zn Ag Cd Fe Mn As
CODE CODE Sb

LAB: CHEMEX CERTIFICATE: A8210140-001-A

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As	
81G0357	-60	HP TOT	19.00 .20	2.00	13.00	80.00	.10	.10	8.90	5,400.00	22.00
81G0358	-60	HP TOT	15.00 .10	1.00	5.00	65.00	.10	.10	9.00	3,880.00	7.00
81G0359	-60	HP TOT	34.00 .60	2.00	23.00	90.00	.10	.40	7.30	10,000.00	35.00
81G0360	-60	HP TOT	37.00 .80	3.00	60.00	125.00	.20	.10	6.40	3,880.00	190.00
81G0361	-60	HP TOT	40.00 2.00	4.00	90.00	140.00	.20	.20	7.00	3,200.00	250.00
81G0362	-60	HP TOT	88.00 3.20	8.00	300.00	260.00	.40	.20	14.80	4,500.00	480.00
81G0363	-60	HP TOT	30.00	11.00	56.00	88.00	.20	.20	5.40	2,450.00	100.00
81G0364	-60	HP TOT	96.00 .90	8.00	166.00	200.00	1.00	.80	12.00	4,900.00	200.00
81G0365	-60	HP TOT	30.00 .10	4.00	36.00	100.00	.10	.20	9.95	4,000.00	45.00
81G0366	-60	HP TOT	27.00 .20	2.00	30.00	75.00	.10	.30	8.00	7,400.00	10.00

A 8210140-002-A



SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210140-002-A

81G0367	-60	HP TOT	38.00 / .20 /	2.00 /	23.00 /	64.00 /	.10 /	.10 /	5.45 / 3,000.00 /	29.00 /
81G0368	-60	HP TOT	22.00 / .10 /	2.00 /	14.00 /	50.00 /	.10 /	.10 /	8.80 / 7,200.00 /	11.00 /
81G0369	-60	HP TOT	15.00 / .10 /	2.00 /	9.00 /	76.00 /	.10 /	.10 /	8.80 / 5,050.00 /	10.00 /
81G0370	-60	HP TOT	47.00 / .10 /	3.00 /	16.00 /	77.00 /	.10 /	.10 /	9.75 / 4,000.00 /	30.00 /
81G0371	-60	HP TOT	48.00 / .20 /	2.00 /	20.00 /	64.00 /	.10 /	.30 /	6.40 / 7,400.00 /	15.00 /
81G0372	-60	HP TOT	30.00 / .10 /	4.00 /	20.00 /	51.00 /	.10 /	.10 /	8.10 / 3,300.00 /	6.00 /
81G0373	-60	HP TOT	40.00 / .10 /	3.00 /	12.00 /	86.00 /	.10 /	.10 /	9.00 / 5,270.00 /	7.00 /
81G0374	-60	HP TOT	27.00 / .10 /	2.00 /	4.00 /	73.00 /	.10 /	.10 /	8.90 / 2,250.00 /	3.00 /
81G0375	-60	HP TOT	46.00 / .10 /	4.00 /	6.00 /	60.00 /	.10 /	.10 /	7.85 / 4,450.00 /	5.00 /
81G0376	-60	HP TOT	25.00 / .10 /	4.00 /	3.00 /	58.00 /	.10 /	.10 /	8.85 / 4,230.00 /	5.00 /

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210140-002-A								
81G0377	-60	HP TOT	19.00 .10	3.00	3.00	54.00	.10	.10	8.00	4,230.00	2.00
81G0378	-60	HP TOT	70.00 .10	4.00	18.00	96.00	.10	.60	8.40	4,100.00	3.00
81G0379	-60	HP TOT	300.00 .20	7.00	30.00	630.00	1.20	2.60	15.00	1,720.00	2.00
81G0380	-60	HP TOT	35.00 .20	2.00	6.00	82.00	.10	.30	9.10	3,080.00	1.00
81G0381	-60	HP TOT	30.00 .20	3.00	15.00	105.00	.10	.60	9.20	7,600.00	3.00
81G0382	-60	HP TOT	47.00 .80	4.00	24.00	92.00	.10	.50	10.80	7,800.00	19.00
81G0383	-60	HP TOT	27.00 .10	2.00	9.00	108.00	.10	.20	7.70	3,800.00	3.00
81G0384	-60	HP TOT	15.00 .20	3.00	4.00	98.00	.10	1.30	10.20	9,880.00	2.00
81G0385	-60	HP TOT	38.00 1.20	4.00	34.00	76.00	.10	.30	7.20	490.00	1.00
81G0386	-60	HP TOT	35.00 .60	3.00	24.00	99.00	.10	.20	8.10	6,400.00	6.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210140-002-A								
81G0387	-60	HP TOT	42.00 .40	3.00	50.00	100.00	.10	.10	7.15	4,400.00	15.00
81G0388	-60	HP TOT	23.00 .10	3.00	8.00	80.00	.10	.40	6.00	9,450.00	3.00
81G0389	-60	HP TOT	28.00 .10	3.00	9.00	90.00	.10	.40	7.10	8,200.00	2.00
81G0390	-60	HP TOT	17.00 .10	2.00	2.00	98.00	.10	.40	6.05	7,100.00	1.00
81G0391	-60	HP TOT	62.00 2.80	5.00	60.00	97.00	.10	.20	10.20	7,850.00	45.00
81G0392	-60	HP TOT	37.00 6.40	4.00	32.00	350.00	.10	.30	8.60	5,050.00	16.00
81G0393	-60	HP TOT	57.00 9.00	5.00	43.00	245.00	.10	.60	10.80	5,120.00	24.00
81G0394	-60	HP TOT	27.00 2.80	3.00	14.00	160.00	.10	.10	7.15	1,900.00	1.00
81G0395	-60	HP TOT	23.00 2.60	2.00	11.00	155.00	.10	.20	7.50	3,300.00	4.00
81G0396	-60	HP TOT	38.00 3.20	4.00	30.00	210.00	.10	.50	6.70	2,680.00	17.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210140-002-A

81G0397	-60	HP TOT	28.00 / 3.00 /	2.00 /	21.00 /	200.00 /	.10 /	.10 /	9.95 /	3,700.00 /	7.00 /
81G0398	-60	HP TOT	70.00 / 6.00 /	3.00 /	24.00 /	400.00 /	.10 /	.50 /	9.95 /	5,050.00 /	24.00 /
81G0399	-60	HP TOT	68.00 / 5.60 /	2.00 /	21.00 /	250.00 /	.10 /	.10 /	8.00 /	1,300.00 /	22.00 /
81G0400	-60	HP TOT	26.00 / 2.80 /	2.00 /	15.00 /	320.00 /	.10 /	.10 /	5.70 /	1,660.00 /	11.00 /
81G0401	-60	HP TOT	60.00 / 10.50 /	26.00 /	24.00 /	550.00 /	.20 /	.40 /	12.00 /	2,700.00 /	50.00 /
81G0402	-60	HP TOT	21.00 / 2.40 /	3.00 /	16.00 /	550.00 /	.10 /	.10 /	6.40 /	1,480.00 /	9.00 /
A8210140-003-A											
81G0403	-60	HP TOT	60.00 / 5.20 /	10.00 /	38.00 /	390.00 /	.20 /	.20 /	10.00 /	2,200.00 /	28.00 /
81G0404	-60	HP TOT	72.00 /	4.00 /	8.00 /	300.00 /	.30 /	.30 /	9.00 /	9,600.00 /	17.00 /
81G0405	-60	HP TOT	55.00 / 2.60 /	4.00 /	13.00 /	185.00 /	.10 /	.10 /	15.80 /	5,980.00 /	16.00 /
81G0407	-60	HP TOT	28.00 / 3.40 /	5.00 /	10.00 /	670.00 /	.10 /	.10 /	6.70 /	2,660.00 /	11.00 /

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CIEMEX			CERTIFICATE: A8210140-003-A								
81G0408	-60	HP TOT	23.00 1.20	2.00	8.00	135.00	.10	.10	7.20	3,550.00	11.00
81G0409	-60	HP TOT	55.00 4.80	1.00	27.00	250.00	.10	.30	16.20	4,480.00	22.00
81G0410	-60	HP TOT	32.00 3.20	4.00	30.00	375.00	.10	1.90	7.90	3,380.00	16.00
81G0411	-60	HP TOT	30.00 .20	3.00	40.00	110.00	.10	.30	8.10	7,850.00	3.00
81G0412	-60	HP TOT	29.00 1.00	2.00	33.00	90.00	.10	.10	6.40	2,800.00	1.00
81G0413	-60	HP TOT	50.00 .40	2.00	13.00	120.00	.80	.50	7.45	1,000.00	4.00
81G0414	-60	HP TOT	36.00 1.00	3.00	21.00	97.00	.10	.20	9.30	7,850.00	12.00
81G0416	-60	HP TOT	40.00 1.20	3.00	30.00	85.00	.10	.30	10.00	9,100.00	12.00
81G0418	-60	HP TOT	75.00 1.00	2.00	12.00	160.00	.10	.70	10.00	6,000.00	10.00
81G0419	-60	HP TOT	35.00 .20	1.00	14.00	110.00	.10	.70	7.90	5,380.00	2.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210140-003-A								
81G0420	-60	HP TOT	85.00 .80	4.00	53.00	160.00	.10	.90	12.50	6,560.00	14.00
81G0421	-60	HP TOT	42.00 .40	4.00	24.00	135.00	.10	.20	9.65	3,780.00	5.00
81G0422	-60	HP TOT	45.00 .60	3.00	28.00	82.00	.10	1.00	9.90	7,800.00	7.00
81G0423	-60	HP TOT	27.00 .60	3.00	30.00	78.00	.10	.40	8.70	6,600.00	5.00
81G0426	-60	HP TOT	29.00 .40	3.00	14.00	110.00	.10	.70	9.70	7,550.00	2.00
81G0427	-60	HP TOT	21.00 .40	2.00	11.00	65.00	.10	.50	9.40	6,200.00	2.00
81G0429	-60	HP TOT	23.00 1.20	3.00	16.00	100.00	.10	.70	10.00	4,850.00	9.00
81G0430	-60	HP TOT	27.00 .40	3.00	9.00	70.00	.10	1.00	7.30	4,200.00	2.00
81G0431	-60	HP TOT	12.00 .80	1.00	17.00	65.00	.10	.10	6.40	4,570.00	5.00
81G0433	-60	HP TOT	16.00 .40	2.00	6.00	85.00	.10	.10	9.60	3,720.00	3.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210140-003-A								
81G0436	-60	HP TOT	10.00 .20	2.00	4.00	63.00	.10	.10	10.50	3,320.00	1.00
81G0437	-60	HP TOT	16.00 .40	3.00	9.00	68.00	.10	.10	9.95	3,220.00	7.00
81G0438	-60	HP TOT	18.00 .40	4.00	11.00	78.00	.10	.10	13.00	2,730.00	2.00
81G0439	-60	HP TOT	82.00 2.40	8.00	105.00	280.00	.10	.70	17.80	2,800.00	65.00
81G0440	-60	HP TOT	100.00 1.60	8.00	116.00	260.00	.20	.20	13.00	2,780.00	46.00
81G0441	-60	HP TOT	53.00 1.40	3.00	38.00	155.00	.10	.10	12.80	3,800.00	19.00
81G0442	-60	HP TOT	22.00 .20	3.00	14.00	110.00	.10	.20	12.00	3,200.00	6.00
81G0448	-60	HP TOT	250.00 .40	4.00	5.00	80.00	1.00	.20	7.80	2,090.00	4.00
81G0451	-60	HP TOT	95.00 .80	4.00	42.00	230.00	1.60	2.00	11.30	8,000.00	10.00
81G0452	-60	HP TOT	65.00 .80	3.00	38.00	130.00	.20	1.40	9.80	1,000.00	11.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CREMEX		CERTIFICATE: A8210140-003-A								
81G0453	-60 HP TOT	40.00 ✓ 1.00 ✓	2.00 ✓	125.00 ✓	135.00 ✓	.20 ✓	1.40 ✓	6.60 ✓	7,150.00 ✓	2.00 ✓
81G0454	-60 HP TOT	45.00 ✓ .80 ✓	3.00 ✓	40.00 ✓	95.00 ✓	.20 ✓	1.00 ✓	7.00 ✓	8,280.00 ✓	3.00 ✓
81G0455	-60 HP TOT	20.00 ✓ .60 ✓	2.00 ✓	19.00 ✓	88.00 ✓	.10 ✓	.40 ✓	8.10 ✓	5,880.00 ✓	3.00 ✓
81G0456	-60 HP TOT	11.00 ✓ .40 ✓	3.00 ✓	9.00 ✓	100.00 ✓	.10 ✓	.10 ✓	11.00 ✓	3,250.00 ✓	3.00 ✓
81G0460	-60 HP TOT	70.00 ✓ 5.00 ✓	4.00 ✓	68.00 ✓	510.00 ✓	.10 ✓	.10 ✓	10.20 ✓	2,080.00 ✓	63.00 ✓
81G0461	-60 HP TOT	63.00 ✓ 4.60 ✓	2.00 ✓	58.00 ✓	230.00 ✓	.10 ✓	.10 ✓	10.70 ✓	2,400.00 ✓	24.00 ✓
81G0462	-60 HP TOT	100.00 7.00	33.00	140.00	445.00	.10	.60	11.50	3,470.00	45.00
81G0466	-60 HP TOT	25.00 2.00	3.00	5.00	650.00	.10	.10	6.40	2,050.00	6.00
? 81G0472	-60 HP TOT	200.00 5.20	4.00	43.00	250.00	.10	.70	13.50	2,440.00	81.00
81G0479	-60 HP TOT	20.00 .60	2.00	11.00	100.00	.10	.10	6.05	5,530.00	7.00

04MAR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 15

SAMPLE TEST Cu Mo Pb Zn Ag Cd Fe Mn As
CODE CODE Sb

LAB: CHEMEX CERTIFICATE: A8210140-004-A

81G0481	-60	HP TOT	210.00 14.40	11.00	155.00	110.00	1.20	.70	19.50	2,000.00	190.00
81G0482	-60	HP TOT	25.00 1.80	3.00	14.00	330.00	.10	.10	6.10	2,500.00	9.00
81G0484	-60	HP TOT	79.00 4.00	4.00	18.00	270.00	.10	.10	6.90	2,550.00	15.00
81G0485	-60	HP TOT	106.00 7.60	8.00	70.00	350.00	.20	.20	10.10	3,400.00	30.00
81G0486	-60	HP TOT	32.00 2.40	44.00	20.00	170.00	.20	.20	5.30	1,620.00	8.00
81G0487	-60	HP TOT	23.00 2.40	6.00	19.00	165.00	.10	.10	5.20	2,500.00	16.00
81G0488	-60	HP TOT	140.00 19.60	7.00	36.00	750.00	.10	1.20	12.80	2,000.00	39.00
81G0490	-60	HP TOT	72.00 3.60	3.00	17.00	560.00	.10	.60	9.80	5,100.00	7.00
81G0491	-60	HP TOT	30.00 2.00	4.00	11.00	230.00	.10	.10	6.70	2,320.00	7.00
81G0493	-60	HP TOT	22.00 3.20	8.00	1,160.00	520.00	.20	.20	7.40	2,850.00	8.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210140-004-A								
81G0494	-60	HP TOT	33.00 2.00	3.00	10.00	590.00	.10	.10	7.80	2,720.00	4.00
81G0495	-60	HP TOT	25.00 1.00	3.00	13.00	120.00	.10	.10	4.35	1,520.00	5.00
81G0499	-60	HP TOT	34.00 4.00	3.00	25.00	240.00	.10	.10	9.60	4,500.00	27.00
81G0500	-60	HP TOT	77.00 3.20	3.00	11.00	470.00	.40	.20	10.80	7,900.00	22.00
81G0503	-60	HP TOT	54.00 3.20	3.00	19.00	320.00	.10	.30	9.10	5,350.00	24.00
81G0504	-60	HP TOT	20.00 2.20	2.00	27.00	170.00	.10	.20	7.30	5,500.00	7.00
81G0505	-60	HP TOT	12.00 2.60	2.00	19.00	265.00	.10	.10	7.90	8,300.00	4.00
81G0507	-60	HP TOT	14.00 1.60	2.00	40.00	620.00	.10	.10	4.85	2,680.00	14.00
81G0508	-60	HP TOT	20.00 1.80	3.00	45.00	440.00	.10	.10	5.30	2,800.00	11.00
81G0511	-60	HP TOT	20.00 2.00	2.00	20.00	700.00	.10	.10	5.90	2,980.00	7.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	--	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210140-004-A

81G0517	-60	HP TOT	14.00 2.00	1.00	43.00	115.00	.10	.20	5.30	4,050.00	11.00
81G0518	-60	HP TOT	135.00 20.00	10.00	250.00	310.00	1.00	2.40	20.00	4,050.00	220.00
81G0528	-60	HP TOT	290.00 12.00	6.00	110.00	720.00	.20	2.40	10.50	4,200.00	55.00
81G0529	-60	HP TOT	24.00 2.00	2.00	28.00	130.00	.20	.60	5.20	1,710.00	18.00
81G0536	-60	HP TOT	13.00 1.20	4.00	23.00	120.00	.10	.10	4.80	2,010.00	6.00
81G0553	-60	HP TOT	50.00 8.80	5.00	29.00	250.00	.10	.50	13.00	3,050.00	46.00
81G0573	-60	HP TOT	28.00 3.40	2.00	12.00	125.00	.10	.10	15.30	5,300.00	15.00
81G0574	-60	HP TOT	28.00 2.60	2.00	12.00	175.00	.10	.10	8.90	2,350.00	13.00
81G0577	-60	HP TOT	200.00 38.00	22.00	205.00	1,300.00	1.30	3.00	23.80	1,760.00	180.00
81G0584	-60	HP TOT	20.00 1.20	2.00	10.00	100.00	.10	.10	9.60	4,260.00	11.00

SAMPLE CODE	TEST CODE		Co Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210140-004-A								
SIG0586	-60	HP TOT	39.00 5.60	4.00	23.00	390.00	.10	.20	10.00	3,350.00	30.00
SIG0587	-60	HP TOT	45.00 6.20	3.00	21.00	290.00	.10	.60	11.70	5,890.00	22.00
SIG0592	-60	HP TOT	40.00 7.00	3.00	15.00	610.00	.10	.20	10.00	2,900.00	19.00
SIG0593	-60	HP TOT	34.00 7.00	4.00	12.00	740.00	.10	.20	9.75	2,350.00	20.00
SIG0594	-60	HP TOT	16.00 1.80	6.00	11.00	670.00	.10	.10	8.20	2,780.00	5.00
SIG0595	-60	HP TOT	30.00 3.00	5.00	16.00	160.00	.10	.20	10.00	3,980.00	12.00
SIG0596	-60	HP TOT									
SIG0597	-60	HP TOT	155.00 20.00	2.00	45.00	430.00	.10	.90	13.40	2,630.00	94.00
SIG0598	-60	HP TOT	40.00 3.60	1.00	14.00	240.00	.10	.10	10.50	1,970.00	20.00
SIG0599	-60	HP TOT	140.00 34.00	10.00	56.00	760.00	.20	1.80	16.60	1,700.00	162.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: AB210140-005-A

81G0602	-60	HP TOT	70.00	20.00	40.00	400.00	.40	.30	12.20	3,000.00	10.00
81G0609	-60	HP TOT	50.00 1.00	4.00	4.00	200.00	.10	.30	7.85	2,150.00	20.00
81G0610	-60	HP TOT	26.00 3.00	2.00	12.00	245.00	.10	.10	7.85	2,000.00	5.00
81G0612	-60	HP TOT	28.00 2.00	3.00	8.00	315.00	.10	.10	8.70	2,350.00	3.00
81G0613	-60	HP TOT	20.00 2.20	1.00	18.00	360.00	.10	.10	9.65	2,470.00	6.00
81G0615	-60	HP TOT	25.00 1.80	1.00	8.00	310.00	.10	.10	8.80	2,280.00	4.00
81G0617	-60	HP TOT	56.00 15.00	41.00	33.00	6,800.00	.10	8.30	35.80	1,880.00	120.00
81G0618	-60	HP TOT	120.00	15.00	120.00	1,260.00	.20	3.30	13.00	3,600.00	80.00
81G0619	-60	HP TOT	140.00 30.00	22.00	80.00	1,240.00	.20	3.80	15.70	5,700.00	86.00
? 81G0620											
81G0621	-60	HP TOT	26.00 1.20	1.00	6.00	280.00	.10	.10	7.30	1,560.00	2.00

SAMPLE TEST Cu Mo Pb Zn Ag Cd Fe Mn As
CODE CODE Sb

LAB: CHEMEX CERTIFICATE: A8210140-005-A

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
81G0622	-60	HP TOT	21.00 1.60	1.00	9.00	330.00	.10	.10	7.65	1,700.00	2.00
81G0623	-60	HP TOT	37.00 2.40	2.00	10.00	450.00	.10	.10	8.50	1,710.00	7.00
81G0624	-60	HP TOT	40.00 2.60	1.00	9.00	305.00	.10	.10	9.00	1,840.00	4.00
81G0625	-60	HP TOT	130.00 2.00	2.00	9.00	140.00	.10	.10	9.30	1,700.00	4.00

**THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 15:49:31

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX		CERTIFICATE: AB210140-005-A								
81C0626	-60 HP TOT	20.00 2.80	3.00	8.00	420.00	.10	.10	12.00	3,250.00	27.00
81C0627	-60 HP TOT	110.00 12.40	7.00	34.00	460.00	.10	1.00	16.00	3,230.00	90.00
81C0628	-60 HP TOT	160.00 14.00	5.00	22.00	430.00	.10	.10	17.00	3,930.00	90.00
81C0629	-60 HP TOT	24.00 4.00	22.00	54.00	190.00	.20	.20	8.50	4,700.00	10.00
81C0630	-60 HP TOT	50.00 6.40	5.00	25.00	245.00	.10	.40	9.20	3,550.00	24.00
81C0631	-60 HP TOT	50.00 6.80	5.00	20.00	460.00	.10	.70	9.50	3,880.00	24.00
81C0632	-60 HP TOT	42.00 8.20	6.00	160.00	500.00	.20	.20	9.40	5,100.00	22.00
81C0633	-60 HP TOT	240.00 26.00	10.00	100.00	880.00	.80	2.80	18.90	4,300.00	78.00
81C0634	-60 HP TOT	250.00	12.00	240.00	700.00	.90	3.60	19.80	6,500.00	117.00
81C0635	-60 HP TOT	92.00 13.40	17.00	20.00	445.00	.10	.80	10.60	> 1,000.00	45.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210140-005-A								
81C0636	-60	HP TOT	10.00 2.80	2.00	6.00	520.00	.20	.20	8.40	4,080.00	4.00
81C0637	-60	HP TOT	85.00 14.40	11.00	32.00	870.00	.10	3.30	15.20	4,170.00	73.00
81C0638	-60	HP TOT	10.00 .80	1.00	5.00	100.00	.10	.10	5.50	2,950.00	4.00
81C0639	-60	HP TOT	50.00 4.80	2.00	28.00	310.00	.20	.20	12.20	3,180.00	10.00
81C0640	-60	HP TOT	100.00 4.40	4.00	40.00	460.00	.20	1.40	17.00	3,800.00	30.00
81C0642	-60	HP TOT	88.00 13.20	6.00	36.00	490.00	.20	2.40	14.20	5,040.00	44.00
81C0643	-60	HP TOT	85.00 16.00	10.00	15.00	515.00	.10	2.00	19.00	5,150.00	83.00
81C0644	-60	HP TOT	40.00 5.20	3.00	18.00	300.00	.10	.70	8.60	4,080.00	24.00
100645	-60	HP TOT	38.00 7.00	3.00	23.00	250.00	.10	.50	9.40	3,430.00	25.00
81C0646	-60	HP TOT	108.00 14.00	20.00	30.00	620.00	.20	1.60	17.40	8,300.00	72.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210140-006-A

81C0647	-60	HP TOT	56.00	2.00	10.00	200.00	.20	10.00	9.00	> 1,000.00	2.00
81C0648	-60	HP TOT	110.00 15.00	10.00	40.00	420.00	.20	1.80	13.30	4,960.00	58.00
81C0649	-60	HP TOT	130.00 22.00	14.00	52.00	680.00	.20	2.80	18.60	4,960.00	96.00
81C0650	-60	HP TOT	120.00 8.60	6.00	38.00	380.00	.20	1.80	9.80	4,200.00	30.00
81C0651	-60	HP TOT	58.00	22.00	24.00	340.00	.20	1.20	13.40	6,300.00	38.00
81C0652	-60	HP TOT	54.00 11.60	6.00	42.00	300.00	.20	1.20	12.00	3,560.00	60.00
81C0653	-60	HP TOT	31.00 6.60	3.00	19.00	210.00	.20	.60	8.85	3,250.00	25.00
81C0654	-60	HP TOT	70.00 6.00	4.00	30.00	330.00	.20	.60	10.40	5,440.00	20.00
81C0656	-60	HP TOT	33.00 5.40	38.00	44.00	780.00	.10	.30	9.90	2,460.00	12.00
81C0657	-60	HP TOT	22.00 3.80	2.00	14.00	280.00	.10	.60	8.40	4,330.00	6.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As	

LAB: CHEMEX	CERTIFICATE: A8210140-006-A										
81C0658	-60	HP TOT	45.00 7.20	2.00	34.00	240.00	.10	1.10	8.55	2,280.00	16.00
81C0659	-60	HP TOT	60.00 13.20	8.00	39.00	540.00	.10	1.90	9.55	2,120.00	53.00
81C0660	-60	HP TOT	31.00 4.20	2.00	20.00	235.00	.10	.20	10.50	3,400.00	5.00
81C0661	-60	HP TOT	40.00 3.80	2.00	23.00	165.00	.10	.40	7.20	3,750.00	24.00
81C0662	-60	HP TOT	33.00 3.40	5.00	22.00	250.00	.10	.30	10.00	6,480.00	17.00
81C0663	-60	HP TOT	37.00 3.60	8.00	27.00	530.00	.10	.30	9.50	4,870.00	24.00
81C0664	-60	HP TOT	51.00 4.00	2.00	40.00	250.00	.10	.60	11.30	6,920.00	19.00
81C0665	-60	HP TOT	17.00 1.60	1.00	15.00	110.00	.10	.20	7.45	3,000.00	9.00
81C0666	-60	HP TOT	8.00 1.00	1.00	16.00	100.00	.10	.60	5.65	2,730.00	2.00
81C0667	-60	HP TOT	9.00 .80	1.00	9.00	84.00	.10	.20	6.60	3,150.00	3.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210140-006-A								
81C0668	-60	HP TOT	8.00 .80	1.00	8.00	79.00	.10	.20	6.45	3,800.00	2.00
81C0669	-60	HP TOT	9.00 .80	1.00	8.00	72.00	.10	.20	5.90	3,250.00	2.00
81C0670	-60	HP TOT	20.00 1.60	1.00	50.00	160.00	.20	.50	8.80	5,100.00	3.00
81C0673	-60	HP TOT	9.00 1.20	1.00	23.00	130.00	.10	.30	3.70	3,000.00	4.00
81C0674	-60	HP TOT	24.00 2.20	30.00	16.00	140.00	.20	.60	5.00	2,200.00	34.00
81C0676	-60	HP TOT	27.00 6.60	1.00	15.00	100.00	.10	.60	8.50	2,550.00	4.00
81C0677	-60	HP TOT	12.00 2.60	2.00	12.00	78.00	.10	.20	5.15	2,400.00	9.00
81C0678	-60	HP TOT	15.00 1.00	1.00	13.00	105.00	.10	.20	7.30	3,250.00	22.00
81C0679	-60	HP TOT	22.00 2.00	46.00	10.00	144.00	.20	.20	8.60	5,000.00	4.00
81C0680	-60	HP TOT	35.00 5.00	3.00	35.00	160.00	.10	.60	8.60	2,850.00	33.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX		CERTIFICATE: A8210140-006-A								
81G0681	-60 HP TOT	48.00 16.00	2.00	44.00	180.00	.10	.40	11.50	6,680.00	53.00
81G0682	-60 HP TOT	90.00 21.00	6.00	44.00	290.00	.10	.70	13.60	4,300.00	145.00
81G0683	-60 HP TOT	47.00 9.00	4.00	24.00	185.00	.10	.30	11.70	5,580.00	33.00
81G0684	-60 HP TOT	12.00 2.00	3.00	22.00	100.00	.10	.20	5.75	2,930.00	6.00
81G0685	-60 HP TOT	45.00 3.20	2.00	24.00	115.00	.10	.20	9.50	4,900.00	10.00
81G0686	-60 HP TOT	145.00 12.00	3.00	95.00	360.00	.10	.30	9.00	2,040.00	94.00
81G0687	-60 HP TOT	12.00 1.20	8.00	24.00	150.00	.10	.10	4.80	2,320.00	6.00
81G0688	-60 HP TOT	29.00 3.40	3.00	27.00	165.00	.10	.40	7.65	2,270.00	27.00
81G0689	-60 HP TOT	22.00 2.00	4.00	260.00	144.00	.20	.20	6.50	2,580.00	6.00
81G0690	-60 HP TOT	14.00 1.20	4.00	14.00	295.00	.10	.20	3.80	3,520.00	10.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210140-007-A								
81G0691	-60	HP TOT	12.00 1.20	4.00	17.00	110.00	.10	.40	5.50	3,280.00	11.00
81G0692	-60	HP TOT	14.00 1.20	3.00	37.00	225.00	.10	.70	5.20	5,000.00	6.00
81G0693	-60	HP TOT	54.00 9.60	8.00	70.00	230.00	.20	.80	15.10	3,200.00	64.00
81G0694	-60	HP TOT	68.00 9.60	9.00	95.00	275.00	.30	.80	15.50	2,800.00	77.00
81G0695	-60	HP TOT	15.00 2.00	16.00	20.00	470.00	.10	.20	5.50	4,440.00	7.00
81G0696	-60	HP TOT	77.00 18.20	5.00	350.00	1,500.00	5.80	9.30	7.45	4,670.00	24.00
81G0697	-60	HP TOT	28.00 2.20	5.00	25.00	120.00	.10	.50	5.70	3,550.00	14.00
81G0698	-60	HP TOT	30.00 1.60	3.00	25.00	115.00	.10	.40	5.30	3,380.00	11.00
81G0699	-60	HP TOT	40.00 3.00	3.00	34.00	125.00	.10	.20	6.70	2,980.00	24.00
81G0700	-60	HP TOT	22.00 1.80	12.00	15.00	87.00	.10	.10	5.75	2,450.00	7.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX		CERTIFICATE: A8210140-007-A								
81C0701	-60 HP TOT	22.00 10.40	4.00	21.00	150.00	.10	.70	8.00	5,660.00	20.00
81C0702	-60 HP TOT	90.00 10.60	7.00	50.00	200.00	.30	1.30	11.50	5,100.00	92.00
81C0703	-60 HP TOT	65.00 6.60	12.00	50.00	190.00	.20	1.50	9.00	4,600.00	45.00
81C0704	-60 HP TOT	44.00 1.60	3.00	11.00	250.00	.10	.20	5.85	2,880.00	6.00
81C0705	-60 HP TOT	145.00 21.00	14.00	100.00	390.00	.50	1.90	17.50	2,880.00	215.00
81C0706	-60 HP TOT	58.00 5.80	4.00	24.00	135.00	.10	.70	8.30	4,500.00	39.00
81C0707	-60 HP TOT	145.00 30.00	6.00	100.00	130.00	.10	.20	15.90	3,000.00	94.00
81C0708	-60 HP TOT	40.00 1.00	4.00	16.00	115.00	.10	.60	7.00	5,100.00	10.00
81C0709	-60 HP TOT	57.00 .80	17.00	17.00	135.00	.10	.80	8.00	6,100.00	11.00
81C0710	-60 HP TOT	140.00 25.00	11.00	83.00	260.00	.60	1.50	16.90	3,750.00	240.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As	
LAB: CHEMEX CERTIFICATE: A8210140-007-A											
81G0711	-60	HP TOT	270.00 43.00	37.00	180.00	580.00	1.10	4.70	28.50	1,700.00	760.00
81G0712	-60	HP TOT	90.00 21.00	6.00	115.00	210.00	.50	.60	15.50	4,560.00	180.00
81G0713	-60	HP TOT	120.00 18.20	10.00	125.00	260.00	.20	.60	18.80	3,500.00	240.00
81G0714	-60	HP TOT	190.00 55.00	31.00	170.00	770.00	.80	2.80	24.50	1,900.00	400.00
81G0715	-60	HP TOT	400.00 130.00	61.00	320.00	1,550.00	1.80	6.30	41.50	1,190.00	840.00
81G0716	-60	HP TOT	56.00 2.00	4.00	33.00	105.00	.20	1.00	9.60	3,730.00	22.00
81G0717	-60	HP TOT	90.00 .80	5.00	37.00	90.00	.70	.60	10.00	3,150.00	20.00
81G0718	-60	HP TOT	72.00 2.40	5.00	35.00	100.00	.30	.60	10.00	3,280.00	38.00
81G0719	-60	HP TOT	40.00 6.00	6.00	104.00	120.00	.20	.40	7.40	1,520.00	32.00
81G0720	-60	HP TOT	37.00 2.60	43.00	35.00	165.00	.10	.20	7.10	2,000.00	30.00

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As	
LAB: CHEMEX		CERTIFICATE: A8210140-007-A									
81G0721	-60 HP TOT	27.00 1.80	3.00	24.00	115.00	.10	.30	6.50	5,750.00	12.00	
81G0722	-60 HP TOT	25.00 2.00	7.00	15.00	135.00	.10	.30	8.75	7,980.00	14.00	
81G0723	-60 HP TOT	58.00 4.40	4.00	55.00	140.00	.10	.30	11.20	5,780.00	35.00	
81G0724	-60 HP TOT	63.00 3.80	2.00	49.00	240.00	.10	.30	7.15	675.00	10.00	
81G0725	-60 HP TOT	23.00 3.20	3.00	52.00	210.00	.10	.10	8.50	3,430.00	5.00	
81G0726	-60 HP TOT	16.00 3.40	3.00	23.00	235.00	.10	.10	10.00	2,120.00	5.00	
81G0727	-60 HP TOT	26.00 2.20	3.00	15.00	195.00	.10	.10	5.55	1,410.00	12.00	
81G0728	-60 HP TOT	30.00 .40	3.00	3.00	85.00	.10	.10	6.10	7,600.00	2.00	
81G0729	-60 HP TOT	16.00 .80	5.00	16.00	235.00	.10	.10	7.10	7,150.00	4.00	
81G0730	-60 HP TOT	17.00 1.00	4.00	10.00	155.00	.10	.20	6.20	6,150.00	5.00	

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: A8210140-008-A								
81G0731	-60	HP TOT	40.00 2.80	5.00	130.00	330.00	.10	.10	6.40	2,300.00	23.00
81G0732	-60	HP TOT	16.00 2.40	3.00	25.00	175.00	.10	.10	5.70	2,520.00	7.00
81G0733	-60	HP TOT	27.00 2.60	3.00	19.00	160.00	.10	.30	4.30	485.00	3.00
81G0734	-60	HP TOT	25.00 .60	4.00	11.00	85.00	.10	.10	5.25	2,680.00	3.00
81G0735	-60	HP TOT	25.00 .60	4.00	6.00	95.00	.10	.20	6.30	5,000.00	5.00
81G0736	-60	HP TOT	7.00 .80	4.00	17.00	120.00	.10	.20	2.70	1,120.00	3.00
81G0737	-60	HP TOT	8.00 .60	4.00	14.00	150.00	.10	.50	3.50	4,700.00	3.00
81G0738	-60	HP TOT	24.00 .90	4.00	12.00	92.00	.10	.50	5.35	3,750.00	6.00
81G0739	-60	HP TOT	160.00 7.40	10.00	55.00	280.00	.40	1.40	10.20	3,850.00	28.00
81G0740	-60	HP TOT	175.00 8.40	8.00	33.00	250.00	.10	.70	9.50	3,300.00	30.00

SAMPLE CODE	TEST CODE		Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX			CERTIFICATE: AB210140-008-A								
81G0741	-60	HP TOT	33.00 1.20	2.00	16.00	170.00	.10	.10	7.20	4,150.00	7.00
81G0743	-60	HP TOT	52.00 1.20	3.00	18.00	88.00	.10	.20	7.00	1,130.00	10.00
81G0744	-60	HP TOT	20.00 1.80	6.00	14.00	290.00	.10	.10	6.50	3,350.00	11.00
81G0745	-60	HP TOT	12.00 .40	2.00	22.00	97.00	.10	.30	5.75	5,720.00	3.00
81G0746	-60	HP TOT	15.00 .40	1.00	18.00	100.00	.10	.20	6.80	7,300.00	3.00
81G0747	-60	HP TOT	17.00 .60	1.00	16.00	100.00	.10	.20	5.00	3,850.00	5.00
81G0748	-60	HP TOT	22.00 .80	1.00	20.00	70.00	.10	.10	5.90	2,100.00	4.00
81G0749	-60	HP TOT	15.00 .80	1.00	21.00	75.00	.10	.10	6.30	1,850.00	5.00
81G0750	-60	HP TOT	40.00	3.00	21.00	83.00	.10	.10	8.20	1,650.00	10.00