

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


016122

CERT. # : A8210597-001-
 INVOICE # : I8210597
 DATE : 18-MAR-82
 P.O. # : NONE


ATTN: GREG JILSEN

Total

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0318 -60HP	205	40	2	16	140	0.2	0.2
81G-0325 -60HP	205	26	10	6	184	0.2	0.2
81G-0328 -60HP	205	24	4	4	164	0.2	0.2
81G-0329 -60HP	205	32	2	12	180	0.2	0.2
81G-0330 -60HP	205	32	4	20	176	0.2	0.2
81G-0331 -60HP	205	46	2	20	260	0.2	0.2
81G-0332 -60HP	205	20	2	8	370	0.2	0.2
81G-0337 -60HP	205	36	2	12	156	0.2	0.2
81G-0339 -60HP	205	22	2	4	116	0.2	0.2
81G-0340 -60HP	205	18	2	4	164	0.2	0.2
81G-0344 -60HP	205	126	2	66	300	0.6	0.8
81G-0345 -60HP	205	18	2	10	120	0.2	0.2
81G-0346 -60HP	205	24	2	6	130	0.2	0.2
81G-0348 -60HP	205	28	2	16	106	0.2	0.4
81G-0349 -60HP	205	18	2	4	90	0.2	0.2
81G-0350 -60HP	205	26	2	20	140	0.2	0.2
81G-0355 -60HP	205	30	2	42	188	0.2	0.6
81G-0356 -60HP	205	6	2	10	82	0.2	0.2
81G-0415 -60HP	205	54	4	54	120	0.2	0.2
81G-0417 -60HP	205	20	4	4	130	0.2	3.4
81G-0424 -60HP	205	26	4	22	126	0.2	1.0
81G-0425 -60HP	205	20	2	8	120	0.2	1.4
81G-0428 -60HP	205	60	6	42	160	0.2	1.0
81G-0432 -60HP	205	12	2	2	68	0.2	0.2
81G-0434 -60HP	205	30	2	2	102	0.2	0.2
81G-0435 -60HP	205	12	2	2	76	0.2	0.2
81G-0443 -60HP	205	18	4	6	120	0.2	0.2
81G-0444 -60HP	205	36	6	16	68	0.2	0.2
81G-0445 -60HP	205	102	6	16	106	0.2	0.2
81G-0446 -60HP	205	16	2	2	64	0.2	0.2
81G-0447 -60HP	205	26	2	2	84	0.2	0.2
81G-0449 -60HP	205	24	2	2	54	0.2	0.2
81G-0450 -60HP	205	14	2	2	56	0.2	0.2
81G-0458 -60HP	205	26	4	6	152	0.2	0.2
81G-0459 -60HP	205	38	4	16	264	0.2	0.2
81G-0463 -60HP	205	270	16	60	790	0.6	0.2
81G-0464 -60HP	205	340	4	14	1000	0.2	0.4
81G-0465 -60HP	205	190	6	24	1040	0.2	0.2
81G-0467 -60HP	205	38	4	38	260	0.2	0.2
81G-0468 -60HP	205	60	6	24	260	0.2	0.2



Certified by *Hart Bichler*



CHEMEX LABS LTD.

✓ 212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210597-001-
 INVOICE # : I8210597
 DATE : 18-MAR-82
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0318 -60HP	205	8.00	3000	30	1.6	--	--
81G-0325 -60HP	205	6.75	2260	17	1.6	--	--
81G-0328 -60HP	205	14.70	3900	11	2.4	--	--
81G-0329 -60HP	205	13.60	3000	10	2.4	--	--
81G-0330 -60HP	205	14.30	2450	7	3.2	--	--
81G-0331 -60HP	205	16.80	4500	23	4.0	--	--
81G-0332 -60HP	205	12.90	3600	5	2.4	--	--
81G-0337 -60HP	205	13.00	3500	53	0.8	--	--
81G-0339 -60HP	205	11.40	3900	50	0.8	--	--
81G-0340 -60HP	205	11.70	4500	50	0.4	--	--
81G-0344 -60HP	205	16.90	2200	150	12.8	--	--
81G-0345 -60HP	205	9.70	3300	19	1.6	--	--
81G-0346 -60HP	205	7.20	2350	20	0.4	--	--
81G-0348 -60HP	205	8.20	4200	41	0.4	--	--
81G-0349 -60HP	205	6.65	2150	7	0.4	--	--
81G-0350 -60HP	205	7.40	3550	150	0.8	--	--
81G-0355 -60HP	205	12.10	3000	107	1.6	--	--
81G-0356 -60HP	205	5.80	2750	14	0.8	--	--
81G-0415 -60HP	205	11.30	7300	39	3.6	--	--
81G-0417 -60HP	205	11.60	16700	7	0.4	--	--
81G-0424 -60HP	205	11.60	7900	4	0.8	--	--
81G-0425 -60HP	205	11.90	9800	2	0.8	--	--
81G-0428 -60HP	205	15.50	6000	14	1.6	--	--
81G-0432 -60HP	205	8.50	3400	1	0.8	--	--
81G-0434 -60HP	205	8.60	3400	2	0.8	--	--
81G-0435 -60HP	205	10.10	3150	3	0.8	--	--
81G-0443 -60HP	205	12.60	3600	85	1.6	--	--
81G-0444 -60HP	205	8.30	3450	3	0.8	--	--
81G-0445 -60HP	205	11.85	4600	5	0.8	--	--
81G-0446 -60HP	205	8.55	3300	3	0.4	--	--
81G-0447 -60HP	205	8.00	2000	3	0.4	--	--
81G-0449 -60HP	205	5.90	1900	2	0.4	--	--
81G-0450 -60HP	205	5.40	2450	1	0.4	--	--
81G-0458 -60HP	205	10.80	3400	15	2.4	--	--
81G-0459 -60HP	205	10.20	2700	12	0.4	--	--
81G-0463 -60HP	205	15.20	2450	113	15.2	--	--
81G-0464 -60HP	205	10.80	2000	23	2.4	--	--
81G-0465 -60HP	205	11.40	2000	103	13.6	--	--
81G-0467 -60HP	205	11.10	2700	5	2.4	--	--
81G-0468 -60HP	205	11.10	1100	14	2.4	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C..
 V6E 2G8

CERT. # : A8210597-002-
 INVOICE # : I8210597
 DATE : 18-MAR-82
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0469 -60HP	205	22	8	2	132	0.2	0.2
81G-0470 -60HP	205	16	6	10	270	0.2	0.2
81G-0471 -60HP	205	18	6	2	184	0.2	0.2
81G-0473 -60HP	205	52	8	12	164	0.2	0.2
81G-0475 -60HP	205	42	6	2	80	0.2	0.2
81G-0476 -60HP	205	134	6	190	300	0.2	0.2
81G-0477 -60HP	205	320	14	440	380	1.0	3.2
81G-0480 -60HP	205	54	2	12	370	0.2	0.2
81G-0483 -60HP	205	980	58	230	560	2.4	1.2
81G-0489 -60HP	205	120	8	64	640	0.4	1.0
81G-0492 -60HP	205	12	2	4	540	0.2	2.2
81G-0496 -60HP	205	40	6	42	490	0.2	0.2
81G-0497 -60HP	205	60	6	80	260	0.2	0.2
81G-0498 -60HP	205	10	2	18	260	0.2	0.2
81G-0501 -60HP	205	10	2	8	210	0.2	0.2
81G-0502 -60HP	205	94	6	88	320	0.2	1.2
81G-0506 -60HP	205	18	2	44	360	0.2	0.2
81G-0509 -60HP	205	60	2	40	560	0.2	0.2
81G-0510 -60HP	205	18	2	10	860	0.2	0.2
81G-0512 -60HP	205	20	52	26	610	0.2	0.2
81G-0513 -60HP	205	20	6	8	1240	0.2	0.2
81G-0515 -60HP	205	24	4	16	220	0.2	0.2
81G-0516 -60HP	205	90	8	126	220	0.2	0.8
81G-0519 -60HP	205	124	10	100	320	0.2	0.6
81G-0521 -60HP	205	20	4	26	200	0.2	0.2
81G-0522 -60HP	205	52	4	26	170	0.2	0.2
81G-0523 -60HP	205	180	8	190	360	1.0	1.2
81G-0524 -60HP	205	200	12	440	580	2.0	3.2
81G-0525 -60HP	205	68	8	16	160	0.2	0.2
81G-0526 -60HP	205	22	2	10	210	0.2	0.2
81G-0527 -60HP	205	18	2	6	160	0.2	0.2
81G-0530 -60HP	205	12	4	10	148	0.2	0.2
81G-0531 -60HP	205	36	4	28	220	0.2	1.0
81G-0533 -60HP	205	10	4	6	158	0.2	0.2
81G-0534 -60HP	205	8	6	4	190	0.2	0.2
81G-0535 -60HP	205	12	4	34	152	0.2	0.2
81G-0537 -60HP	205	52	4	68	240	0.2	0.6
81G-0538 -60HP	205	174	10	220	360	1.4	2.8
81G-0539 -60HP	205	24	10	66	260	0.2	0.4
81G-0540 -60HP	205	22	4	18	146	0.2	0.4

Certified by

Hart Bichler



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210597-002-
 INVOICE # : I8210597
 DATE : 18-MAR-82
 P.O. # : NONE


ATTN: GREG JILSEN

7 8 10

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0469 -60HP	205	3.40	960	3	0.8	---	---
81G-0470 -60HP	205	3.80	1500	3	1.2	---	---
81G-0471 -60HP	205	3.80	1400	4	0.8	---	---
81G-0473 -60HP	205	7.40	1800	9	1.6	---	---
81G-0475 -60HP	205	3.20	650	5	1.6	---	---
81G-0476 -60HP	205	14.20	1100	83	7.2	---	---
81G-0477 -60HP	205	19.80	1700	315	13.6	---	---
81G-0480 -60HP	205	5.90	1350	36	4.8	---	---
81G-0483 -60HP	205	14.30	2050	205	17.8	---	---
81G-0489 -60HP	205	13.20	2400	36	12.8	---	---
81G-0492 -60HP	205	6.60	3300	6	2.4	---	---
81G-0496 -60HP	205	11.00	3550	29	8.0	---	---
81G-0497 -60HP	205	13.00	5900	29	7.2	---	---
81G-0498 -60HP	205	16.90	5600	4	2.4	---	---
81G-0501 -60HP	205	7.50	4800	4	1.6	---	---
81G-0502 -60HP	205	14.80	4950	39	3.2	---	---
81G-0506 -60HP	205	6.70	2600	15	2.4	---	---
81G-0509 -60HP	205	8.80	2300	29	5.6	---	---
81G-0510 -60HP	205	6.80	3800	10	2.4	---	---
81G-0512 -60HP	205	7.00	3150	16	2.4	---	---
81G-0513 -60HP	205	9.80	5050	5	3.6	---	---
81G-0515 -60HP	205	8.40	5650	4	2.4	---	---
81G-0516 -60HP	205	9.20	7000	110	5.6	---	---
81G-0519 -60HP	205	17.00	3050	115	11.2	---	---
81G-0521 -60HP	205	10.70	4600	10	3.2	---	---
81G-0522 -60HP	205	13.20	2400	16	4.0	---	---
81G-0523 -60HP	205	22.00	3400	190	31.0	---	---
81G-0524 -60HP	205	17.60	4550	230	15.2	---	---
81G-0525 -60HP	205	6.00	2600	19	4.4	---	---
81G-0526 -60HP	205	9.90	1550	20	4.0	---	---
81G-0527 -60HP	205	8.20	1950	14	3.6	---	---
81G-0530 -60HP	205	7.80	4200	4	1.6	---	---
81G-0531 -60HP	205	8.40	3100	23	4.0	---	---
81G-0533 -60HP	205	9.10	4250	4	1.6	---	---
81G-0534 -60HP	205	11.70	1550	67	2.8	---	---
81G-0535 -60HP	205	6.50	4800	4	1.6	---	---
81G-0537 -60HP	205	10.10	2700	53	6.0	---	---
81G-0538 -60HP	205	15.10	9550	94	6.4	---	---
81G-0539 -60HP	205	8.60	5900	9	2.4	---	---
81G-0540 -60HP	205	5.70	1750	9	2.0	---	---



Certified by Hart Bichler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210597-003-
INVOICE # : 18210597
DATE : 18-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0541 -60HP	205	20	4	16	156	0.2	0.2
81G-0542 -60HP	205	30	4	8	166	0.2	0.2
81G-0543 -60HP	205	34	4	14	200	0.2	0.2
81G-0544 -60HP	205	110	8	34	310	0.2	0.2
81G-0545 -60HP	205	8	2	12	96	0.2	0.2
81G-0546 -60HP	205	54	4	24	160	0.2	0.2
81G-0547 -60HP	205	18	8	4	100	0.2	0.2
81G-0548 -60HP	205	38	10	16	150	0.2	0.2
81G-0549 -60HP	205	32	8	22	192	0.2	0.2
81G-0550 -60HP	205	38	10	16	160	0.2	0.2
81G-0551 -60HP	205	870	72	200	2300	6.0	9.2
81G-0552 -60HP	205	54	10	84	190	0.2	0.2
81G-0554 -60HP	205	36	8	4	150	0.2	0.2
81G-0555 -60HP	205	36	6	2	136	0.2	0.2
81G-0556 -60HP	205	42	8	20	192	0.2	0.2
81G-0557 -60HP	205	22	26	36	128	0.2	0.2
81G-0558 -60HP	205	8	10	2	116	0.2	0.2
81G-0559 -60HP	205	32	8	2	136	0.2	0.2
81G-0561 -60HP	205	40	8	40	176	0.2	0.2
81G-0562 -60HP	205	60	10	8	220	0.2	0.2
81G-0563 -60HP	205	36	2	10	166	0.2	0.2
81G-0564 -60HP	205	16	4	6	160	0.2	0.2
81G-0565 -60HP	205	14	6	2	136	0.2	0.2
81G-0566 -60HP	205	18	6	2	160	0.2	0.2
81G-0569 -60HP	205	4	8	2	80	0.2	0.2
81G-0570 -60HP	205	20	6	6	100	0.2	0.2
81G-0572 -60HP	205	20	6	2	136	0.2	0.2
81G-0575 -60HP	205	360	92	136	1620	2.4	5.2
81G-0576 -60HP	205	100	20	30	410	0.2	0.8
81G-0578 -60HP	205	4	8	2	140	0.2	0.2
81G-0579 -60HP	205	36	8	30	200	0.2	0.2
81G-0580 -60HP	205	40	10	120	196	0.2	0.2
81G-0582 -60HP	205	18	8	4	96	0.2	0.2
81G-0588 -60HP	205	60	10	24	310	0.2	0.8
81G-0589 -60HP	205	22	6	6	460	0.2	0.2
81G-0590 -60HP	205	10	102	12	410	0.2	0.2
81G-0591 -60HP	205	24	6	4	530	0.2	0.2

Certified by *Hart Buchler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210597-003-
 INVOICE # : I8210597
 DATE : 18-MAR-82
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81G-0541 -60HP	205	7.80	3600	9	3.2	--	--
81G-0542 -60HP	205	10.00	1900	7	4.0	--	--
81G-0543 -60HP	205	10.45	1700	73	22.0	--	--
81G-0544 -60HP	205	16.90	2350	120	31.0	--	--
81G-0545 -60HP	205	6.80	1420	7	2.4	--	--
81G-0546 -60HP	205	14.60	2900	14	6.4	--	--
81G-0547 -60HP	205	4.40	1250	7	2.0	--	--
81G-0548 -60HP	205	11.10	2750	19	6.8	--	--
81G-0549 -60HP	205	15.80	2750	63	22.0	--	--
81G-0550 -60HP	205	10.40	2850	39	12.0	--	--
81G-0551 -60HP	205	39.60	1850	495	61.0	--	--
81G-0552 -60HP	205	20.00	4950	33	5.6	--	--
81G-0554 -60HP	205	11.40	3450	10	3.2	--	--
81G-0555 -60HP	205	11.30	3650	5	1.6	--	--
81G-0556 -60HP	205	19.80	4800	12	3.2	--	--
81G-0557 -60HP	205	16.30	4450	9	1.6	--	--
81G-0558 -60HP	205	12.80	4550	3	1.6	--	--
81G-0559 -60HP	205	16.20	3900	11	1.6	--	--
81G-0561 -60HP	205	18.00	4900	11	1.6	--	--
81G-0562 -60HP	205	12.40	3400	27	4.0	--	--
81G-0563 -60HP	205	7.80	2300	32	2.4	--	--
81G-0564 -60HP	205	11.60	3700	10	0.8	--	--
81G-0565 -60HP	205	6.85	3750	11	1.6	--	--
81G-0566 -60HP	205	14.00	5300	5	0.8	--	--
81G-0569 -60HP	205	9.60	2950	2	0.4	--	--
81G-0570 -60HP	205	10.20	3500	9	1.6	--	--
81G-0572 -60HP	205	13.20	3750	6	1.2	--	--
81G-0575 -60HP	205	17.00	1700	205	46.0	--	--
81G-0576 -60HP	205	9.60	1300	51	8.8	--	--
81G-0578 -60HP	205	6.50	1800	2	0.8	--	--
81G-0579 -60HP	205	7.20	2050	12	2.4	--	--
81G-0580 -60HP	205	7.30	1950	24	3.2	--	--
81G-0582 -60HP	205	13.80	7800	4	1.6	--	--
81G-0588 -60HP	205	9.10	3600	43	6.4	--	--
81G-0589 -60HP	205	9.60	3250	7	2.4	--	--
81G-0590 -60HP	205	5.90	3900	4	2.4	--	--
81G-0591 -60HP	205	10.50	2550	10	3.6	--	--



Certified by *Hart Buchler*

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 1

SAMPLE TEST CU MO PB ZN AG CD
CODE CODE

LAB: CHEMEX CERTIFICATE: A8210597-001-A

81G0318	-60	HP TOT	40.00	2.00	16.00	140.00	.20	.20
81G0325	-60	HP TOT	26.00	10.00	6.00	184.00	.20	.20
81G0328	-60	HP TOT	24.00	4.00	4.00	164.00	.20	.20
81G0329	-60	HP TOT	32.00	1.00	12.00	180.00	.20	.20
81G0330	-60	HP TOT	32.00	4.00	20.00	176.00	.20	.20
81G0331	-60	HP TOT	46.00	2.00	20.00	260.00	.20	.20
81G0332	-60	HP TOT	20.00	2.00	8.00	370.00	.20	.20
81G0337	-60	HP TOT	36.00	2.00	12.00	156.00	.20	.20
81G0339	-60	HP TOT	22.00	2.00	4.00	116.00	.20	.20
81G0340	-60	HP TOT	18.00	2.00	4.00	164.00	.20	.20

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 2

SAMPLE TEST CU MO PB ZN AG CD
CODE CODE

LAB: CHEMEX CERTIFICATE: A8210597-001-A

81G0344	-60	HP TOT	126.00	2.00	66.00	300.00	.60	.80
81G0345	-60	HP TOT	18.00	2.00	10.00	120.00	.20	.20
81G0346	-60	HP TOT	24.00	2.00	6.00	130.00	.20	.20
81G0348	-60	HP TOT	28.00	2.00	16.00	106.00	.20	.40
81G0349	-60	HP TOT	18.00	2.00	4.00	90.00	.20	.20
81G0350	-60	HP TOT	26.00	2.00	20.00	140.00	.20	.20
81G0355	-60	HP TOT	30.00	2.00	42.00	188.00	.20	.60
81G0356	-60	HP TOT	6.00	2.00	10.00	82.00	.20	.20
81G0415	-60	HP TOT	54.00	4.00	54.00	120.00	.20	.20
81G0417	-60	HP TOT	20.00	4.00	4.00	130.00	.20	3.40

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 3

SAMPLE TEST CU MO PB ZN AG CD
CODE CODE

LAB: CHEMEX CERTIFICATE: A8210597-001-A

81G0424	-60	HP TOT	26.00	4.00	22.00	126.00	.20	1.00
81G0425	-60	HP TOT	20.00	2.00	8.00	120.00	.20	1.40
81G0428	-60	HP TOT	60.00	6.00	42.00	160.00	.20	1.00
81G0432	-60	HP TOT	12.00	2.00	2.00	68.00	.20	.20
81G0434	-60	HP TOT	30.00	2.00	2.00	102.00	.20	.20
81G0435	-60	HP TOT	12.00	2.00	2.00	76.00	.20	.20
81G0443	-60	HP TOT	18.00	4.00	6.00	120.00	.20	.20
81G0444	-60	HP TOT	36.00	6.00	16.00	68.00	.20	.20
81G0445	-60	HP TOT	102.00	6.00	16.00	106.00	.20	.20
81G0446	-60	HP TOT	16.00	2.00	2.00	64.00	.20	.20

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 4

SAMPLE TEST CU MO PB ZN AG CD
CODE CODE

LAB: CHEMEX CERTIFICATE: A8210597-001-A

81G0447	-60	HP TOT	26.00	2.00	2.00	84.00	.20	.20
81G0449	-60	HP TOT	24.00	2.00	2.00	54.00	.20	.20
81G0450	-60	HP TOT	14.00	2.00	2.00	56.00	.20	.20
81G0458	-60	HP TOT	26.00	4.00	6.00	152.00	.20	.20
81G0459	-60	HP TOT	38.00	4.00	16.00	264.00	.20	.20
81G0463	-60	HP TOT	270.00	16.00	60.00	790.00	.60	.20
81G0464	-60	HP TOT	340.00	4.00	14.00	1,000.00	.20	.40
81G0465	-60	HP TOT	190.00	6.00	24.00	1,040.00	.20	.20
81G0465	-60	HP TOT	190.00	6.00	24.00	1,040.00	.20	.20
81G0467	-60	HP TOT	38.00	4.00	38.00	260.00	.20	.20

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 5

SAMPLE TEST CU MO PB ZN AG CD
CODE CODE

LAB: CHEMEX CERTIFICATE: A8210597-001-A

81G0468	-60	HP TOT	60.00	6.00	24.00	260.00	.20	.20
81G0318	-60	HP TOT	8.00	3,000.00	30.00	1.60		
81G0325	-60	HP TOT	6.75	2,260.00	17.00	1.60		
81G0328	-60	HP TOT	14.70	3,900.00	11.00	2.40		
81G0329	-60	HP TOT	13.60	3,000.00	10.00	2.40		
81G0330	-60	HP TOT	14.30	2,450.00	7.00	3.20		
81G0331	-60	HP TOT	16.80	4,500.00	23.00	4.00		
81G0332	-60	HP TOT	12.90	3,600.00	5.00	2.40		
81G0337	-60	HP TOT	13.00	3,500.00	53.00	.80		
81G0339	-60	HP TOT	11.40	3,900.00	50.00	.80		

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 6

SAMPLE CODE	TEST CODE		FE	MN	AS	SB

LAB: CHEMEX	CERTIFICATE: A8210597-001-8					
81G0340	-60	HP TOT	11.70	4,500.00	50.00	.40
81G0344	-60	HP TOT	16.90	2,200.00	150.00	12.80
81G0345	-60	HP TOT	9.70	3,300.00	19.00	1.60
81G0346	-60	HP TOT	7.20	2,350.00	20.00	.40
81G0348	-60	HP TOT	8.20	4,200.00	41.00	.40
81G0349	-60	HP TOT	6.65	2,150.00	7.00	.40
81G0350	-60	HP TOT	7.40	3,550.00	150.00	.80
81G0355	-60	HP TOT	12.10	3,000.00	107.00	1.60
81G0356	-60	HP TOT	5.80	2,750.00	14.00	.80
81G0415	-60	HP TOT	11.30	7,300.00	39.00	3.60

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 7

SAMPLE CODE	TEST CODE	FE	MN	AS	SB
----------------	--------------	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210597-001-B

81G0417	-60	HP TOT	11.60	16,700.00	7.00	.40
81G0424	-60	HP TOT	11.60	7,900.00	4.00	.80
81G0425	-60	HP TOT	11.90	9,800.00	2.00	.80
81G0428	-60	HP TOT	15.50	6,000.00	14.00	1.60
81G0432	-60	HP TOT	8.50	3,400.00	1.00	.80
81G0434	-60	HP TOT	8.60	3,400.00	2.00	.80
81G0435	-60	HP TOT	10.10	3,150.00	3.00	.80
81G0443	-60	HP TOT	12.60	3,600.00	85.00	1.60
81G0444	-60	HP TOT	8.30	3,450.00	3.00	.80
81G0445	-60	HP TOT	11.85	4,600.00	5.00	.80

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 8

SAMPLE CODE	TEST CODE	FE	MN	AS	SB
----------------	--------------	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210597-001-B

81G0446	-60	HP TOT	8.55	3,300.00	3.00	.40
81G0447	-60	HP TOT	8.00	2,000.00	3.00	.40
81G0449	-60	HP TOT	5.90	1,900.00	2.00	.40
81G0450	-60	HP TOT	5.40	2,450.00	1.00	.40
81G0458	-60	HP TOT	10.80	3,400.00	15.00	2.40
81G0459	-60	HP TOT	10.20	2,700.00	12.00	.40
81G0463	-60	HP TOT	15.20	2,450.00	113.00	15.20
81G0464	-60	HP TOT	10.80	2,000.00	23.00	2.40
81G0465	-60	HP TOT	11.40	2,000.00	103.00	13.60
81G0467	-60	HP TOT	11.10	2,700.00	5.00	2.40

SAMPLE CODE	TEST CODE	FE	MN	AS	SB						

LAB: CHEMEX	CERTIFICATE: A8210597-001-B										
81G0468	-60	HP TOT	11.10	1,100.00	14.00	2.40					
81G0469	-60	HP TOT	22.00 .80	8.00	2.00	132.00	.20	.20	3.40	960.00	3.00
81G0470	-60	HP TOT	16.00 1.20	6.00	10.00	270.00	.20	.20	3.80	1,500.00	3.00
81G0471	-60	HP TOT	18.00 .80	6.00	2.00	184.00	.20	.20	3.80	1,400.00	4.00
81G0473	-60	HP TOT	52.00 1.60	8.00	12.00	164.00	.20	.20	7.40	1,800.00	9.00
81G0475	-60	HP TOT	42.00 1.60	6.00	2.00	80.00	.20	.20	3.20	650.00	5.00
81G0476	-60	HP TOT	134.00 7.20	6.00	190.00	300.00	.20	.20	14.20	1,100.00	83.00
81G0477	-60	HP TOT	320.00 13.60	14.00	440.00	380.00	1.00	3.20	19.80	1,700.00	315.00
81G0480	-60	HP TOT	54.00 4.80	2.00	12.00	370.00	.20	.20	5.90	1,350.00	36.00
81G0483	-60	HP TOT	980.00 17.80	58.00	230.00	560.00	2.40	1.20	14.30	2,050.00	205.00

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 10

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SB

LAB: CHEMEX CERTIFICATE: A8210597-002-A

81G0489	-60	HP TOT	120.00 12.80	8.00	64.00	640.00	.40	1.00	13.20	2,400.00	36.00
81G0492	-60	HP TOT	12.00 2.40	2.00	4.00	540.00	.20	2.20	6.60	3,300.00	6.00
81G0496	-60	HP TOT	40.00 8.00	6.00	42.00	490.00	.20	.20	11.00	3,550.00	29.00
81G0497	-60	HP TOT	60.00 7.20	6.00	80.00	260.00	.20	.20	13.00	5,900.00	29.00
81G0498	-60	HP TOT	10.00 2.40	2.00	18.00	260.00	.20	.20	16.90	5,600.00	4.00
81G0501	-60	HP TOT	10.00 1.60	2.00	8.00	210.00	.20	.20	7.50	4,800.00	4.00
81G0502	-60	HP TOT	94.00 3.20	6.00	88.00	320.00	.20	1.20	14.80	4,950.00	39.00
81G0506	-60	HP TOT	18.00 2.40	2.00	44.00	360.00	.20	.20	6.70	2,600.00	15.00
81G0509	-60	HP TOT	60.00 5.60	2.00	40.00	560.00	.20	.20	8.80	2,300.00	29.00
81G0510	-60	HP TOT	18.00 2.40	2.00	10.00	860.00	.20	.20	6.80	3,800.00	10.00

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION.
HEAVY MINERALS DATA ENTRY

PAGE 11

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SB

LAB: CHEMEX CERTIFICATE: A8210597-002-A

81G0512	-60	HP TOT	20.00 2.40	52.00	26.00	610.00	.20	.20	7.00	3,150.00	16.00
81G0513	-60	HP TOT	20.00 3.60	6.00	8.00	1,240.00	.20	.20	9.80	5,050.00	5.00
81G0515	-60	HP TOT	24.00 2.40	4.00	16.00	220.00	.20	.20	8.40	5,650.00	4.00
81G0516	-60	HP TOT	90.00 5.60	8.00	126.00	220.00	.20	.80	9.20	7,000.00	110.00
81G0519	-60	HP TOT	124.00 11.20	10.00	100.00	320.00	.20	.60	17.00	3,050.00	115.00
81G0521	-60	HP TOT	20.00 3.20	4.00	26.00	200.00	.20	.20	10.70	4,600.00	10.00
81G0522	-60	HP TOT	52.00 4.00	4.00	26.00	170.00	.20	.20	13.20	2,400.00	16.00
81G0523	-60	HP TOT	180.00 31.00	8.00	190.00	360.00	1.00	1.20	22.00	3,400.00	190.00
81G0524	-60	HP TOT	200.00 15.20	12.00	440.00	580.00	2.00	3.20	17.60	4,550.00	230.00
81G0525	-60	HP TOT	68.00 4.40	8.00	16.00	160.00	.20	.20	6.00	2,600.00	19.00

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CD	FE	MN	AS
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210597-002-A

81G0526	-60	HP TOT	22.00 4.00	2.00	10.00	210.00	.20	.20	9.90	1,550.00	20.00
81G0527	-60	HP TOT	18.00 3.60	2.00	6.00	160.00	.20	.20	8.20	1,950.00	14.00
81G0530	-60	HP TOT	12.00 1.60	4.00	10.00	148.00	.20	.20	7.80	4,200.00	4.00
81G0531	-60	HP TOT	36.00 4.00	4.00	28.00	220.00	.20	1.00	8.40	3,100.00	23.00
81G0533	-60	HP TOT	10.00 1.60	4.00	6.00	158.00	.20	.20	9.10	4,250.00	4.00
81G0534	-60	HP TOT	8.00 2.80	6.00	4.00	190.00	.20	.20	11.70	1,550.00	67.00
81G0535	-60	HP TOT	12.00 1.60	4.00	34.00	152.00	.20	.20	6.50	4,800.00	4.00
81G0537	-60	HP TOT	52.00 6.00	4.00	68.00	240.00	.20	.60	10.10	2,700.00	53.00
81G0538	-60	HP TOT	174.00 6.40	10.00	220.00	360.00	1.40	2.80	15.10	9,550.00	94.00
81G0539	-60	HP TOT	24.00 2.40	10.00	66.00	260.00	.20	.40	8.60	5,900.00	9.00

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 13

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SB

LAB: CHEMEX CERTIFICATE: A8210597-002-A

81G0540	-60	HP TOT	22.00 2.00	4.00	18.00	146.00	.20	.40	5.70	1,750.00	9.00
81G0541	-60	HP TOT	20.00 3.20	4.00	16.00	156.00	.20	.20	7.80	3,600.00	9.00
81G0542	-60	HP TOT	30.00 4.00	4.00	8.00	166.00	.20	.20	10.00	1,900.00	7.00
81G0543	-60	HP TOT	34.00 22.00	4.00	14.00	200.00	.20	.20	10.45	1,700.00	73.00
81G0544	-60	HP TOT	110.00 31.00	8.00	34.00	310.00	.20	.20	16.90	2,350.00	120.00
81G0545	-60	HP TOT	8.00 2.40	2.00	12.00	96.00	.20	.20	6.80	1,420.00	7.00
81G0546	-60	HP TOT	54.00 6.40	4.00	24.00	160.00	.20	.20	14.60	2,900.00	14.00
81G0547	-60	HP TOT	18.00 2.00	8.00	4.00	100.00	.20	.20	4.40	1,250.00	7.00
81G0548	-60	HP TOT	38.00 2.00	10.00	16.00	150.00	.20	.20	11.10	2,750.00	7.00
G0549	-60	HP TOT	32.00 22.00	8.00	22.00	192.00	.20	.20	15.80	2,750.00	63.00

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 14

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SB

LAB: CHEMEX CERTIFICATE: A8210597-002-A

81G0550	-60	HP TOT	38.00 12.00	10.00	16.00	160.00	.20	.20	10.40	2,850.00	39.00
81G0551	-60	HP TOT	870.00 61.00	72.00	200.00	2,300.00	6.00	9.20	39.60	1,850.00	495.00
81G0552	-60	HP TOT	54.00 5.60	10.00	84.00	190.00	.20	.20	20.00	4,950.00	33.00
81G0554	-60	HP TOT	36.00 3.20	8.00	4.00	150.00	.20	.20	11.40	3,450.00	10.00
81G0555	-60	HP TOT	36.00 1.60	6.00	2.00	136.00	.20	.20	11.30	3,650.00	5.00
81G0556	-60	HP TOT	42.00 3.20	8.00	20.00	192.00	.20	.20	19.80	4,800.00	12.00
81G0557	-60	HP TOT	22.00 1.60	26.00	36.00	128.00	.20	.20	16.30	4,450.00	9.00
81G0558	-60	HP TOT	8.00 1.60	10.00	2.00	116.00	.20	.20	12.80	4,550.00	3.00
81G0559	-60	HP TOT	32.00 1.60	8.00	2.00	136.00	.20	.20	16.20	3,900.00	11.00
81G0561	-60	HP TOT	40.00 1.60	8.00	40.00	176.00	.20	.20	18.00	4,900.00	11.00

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 15

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SB

LAB: CHEMEX CERTIFICATE: A8210597-002-A

81G0562	-60	HP TOT	60.00 4.00	10.00	8.00	220.00	.20	.20	12.40	3,400.00	27.00
81G0563	-60	HP TOT	36.00 2.40	2.00	10.00	166.00	.20	.20	7.80	2,300.00	32.00
81G0564	-60	HP TOT	16.00 .80	4.00	6.00	160.00	.20	.20	11.60	3,700.00	10.00
81G0565	-60	HP TOT	14.00 1.60	6.00	2.00	136.00	.20	.20	6.85	3,750.00	11.00
81G0566	-60	HP TOT	18.00 .80	6.00	2.00	160.00	.20	.20	14.00	5,300.00	5.00
81G0569	-60	HP TOT	4.00 .40	8.00	2.00	80.00	.20	.20	9.60	2,950.00	2.00
81G0570	-60	HP TOT	20.00 1.60	6.00	6.00	100.00	.20	.20	10.20	3,500.00	9.00
81G0572	-60	HP TOT	20.00 1.20	6.00	2.00	136.00	.20	.20	13.20	3,750.00	6.00
81G0575	-60	HP TOT	360.00 46.00	92.00	136.00	1,620.00	2.40	5.20	17.00	1,700.00	205.00
81G0576	-60	HP TOT	100.00 8.80	20.00	30.00	410.00	.20	.80	9.60	1,300.00	51.00

22APR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 16

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SB

LAB: CHEMEX CERTIFICATE: A8210597-002-A

81G0578	-60	HP TOT	4.00 .80	8.00	2.00	140.00	.20	.20	6.50	1,800.00	2.00
81G0579	-60	HP TOT	36.00 2.40	8.00	30.00	200.00	.20	.20	7.20	2,050.00	12.00
81G0580	-60	HP TOT	40.00 3.20	10.00	120.00	196.00	.20	.20	7.30	1,950.00	24.00
81G0582	-60	HP TOT	18.00 1.60	8.00	4.00	96.00	.20	.20	13.80	7,800.00	4.00
81G0588	-60	HP TOT	60.00 6.40	10.00	24.00	310.00	.20	.80	9.10	3,600.00	43.00
81G0589	-60	HP TOT	22.00 2.40	6.00	6.00	460.00	.20	.20	9.60	3,250.00	7.00
81G0590	-60	HP TOT	10.00 2.40	102.00	12.00	410.00	.20	.20	5.90	3,900.00	4.00
81G0591	-60	HP TOT	24.00 3.60	6.00	4.00	530.00	.20	.20	10.50	2,550.00	10.00
81G0460	-35+60	IP TOT	3.00	1.00	31.00	6.00	.10	.10	1.92	295.00	22.00
81G0593	-35+60	IP TOT	3.00	1.00	1.00	18.00	.10	.10	2.10	315.00	9.00

```
*****  
*  
*   C Y P R U S   A N V I L   M I N I N G   C O R P O R A T I O N   *  
*  
*****  
*  
*           SYSTEM = HUYMNL   *  
*           PROGRAM = EX101   *  
*  
*           MON, MAR  8, 1982,  5:21 PM   *  
*  
*****  
*  
*           LISTING OF HEAVY-MINERALS TEST DATA BY   *  
*           PROJECT AND EXTRACTION CODE   *  
*  
*****
```

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
81G0001		0.2	195	235	0.2	27	2			4.59	2650	30	0.6			
81G0002		0.2	195	165	0.2	32	1			4.31	2280	27	0.6			
81G0003		0.1	15	90	0.1	15	2			4.47	2700	4	0.2			
81G0004		0.1	25	140	0.2	17	2			6.64	7000	15	3.5			
81G0004B		0.1	28	125	0.2	68	1			4.89	4630	15	2.4			
81G0005		0.1	42	87	0.1	24	3			4.68	3700	12	1.0			
81G0006		0.1	66	110	0.2	8	2			3.94	3750	15	0.6			
81G0007		0.1	28	190	0.9	110	3			9.54	3250	45	9.0			
81G0008		0.1	29	115	0.1	20	2			5.55	2960	14	1.2			
81G0008B		0.1	24	78	0.1	14	1			3.65	2730	10	0.6			
81G0009		0.1	47	145	0.3	29	2			4.80	3650	23	3.0			
81G000X		0.5	64	280	1.2	22	3			6.00	5450	16	8.0			
81G0010		0.1	10	105	0.1	8	2			4.14	3590	5	0.4			
81G0011		0.1	17	72	0.1	12	1			3.02	2900	9	0.2			
81G0012		0.1	5	85	0.1	11	1			3.19	2330	2	0.1			
81G0013		0.1	38	130	0.1	25	2			5.00	2740	30	1.0			
81G0014		0.6	50	1250	5.1	500	37			32.00	1090	120	25.0			
81G0015		0.5	73	280	1.7	180	6			15.00	2390	57	31.0			
81G0016		0.1	16	125	0.2	23	2			7.00	6750	22	2.0			
81G0017		0.1	50	200	0.9	56	2			12.19	10000	36	6.3			
81G0018		0.1	28	155	0.3	30	2			8.39	7900	22	4.1			
81G0019		0.1	18	85	0.1	10	3			4.00	2900	5	0.8			
81G0020		0.1	35	55	0.6	9	3			3.75	3740	3	0.1			
81G0021		0.1	23	118	0.1	22	3			4.30	1680	6	2.7			
81G0022		0.1	27	215	0.1	37	1			5.64	4600	16	1.2			
81G0023		0.1	44	120	0.1	28	2			5.68	2500	17	1.2			
81G0024		0.1	27	95	4.1	20	1			5.25	4350	14	0.4			
81G0025		0.1	42	116	0.5	30	2			6.64	3450	24	1.8			
81G0026		0.1	22	115	0.5	22	3			6.00	4780	16	1.8			
81G0027		0.1	15	115	0.1	13	3			3.00	2000	5	0.4			
81G0028		0.1	30	115	0.6	24	3			4.55	1880	30	1.3			
81G0029		0.1	24	95	0.4	22	2			4.10	2460	15	1.0			
81G0030		0.1	8	62	0.1	12	2			2.65	1850	5	0.2			
81G0031		0.1	44	115	0.1	5	2			2.32	1900	16	0.4			
81G0032		0.1	11	270	0.3	16	2			4.10	3250	10	0.2			
81G0033		0.1	5	125	0.1	18	1			3.27	2000	10	0.1			
81G0034		0.1	6	88	0.1	11	1			2.19	1540	4	0.1			
81G0035		0.1	11	53	0.1	12	1			4.00	2500	2	1.0			
81G0036		0.1	12	110	0.1	11	1			4.14	2430	4	0.2			
81G0037		0.1	21	76	0.1	5	2			2.98	2010	4	0.1			
81G0038		0.1	8	80	0.1	8	1			3.90	2120	3	0.1			
81G0039		0.1	18	100	0.1	7	1			3.15	2230	5	0.2			
81G0040		0.1	75	235	0.6	26	2			6.89	2100	19	1.0			
81G0041		0.1	18	88	0.3	19	2			3.19	1730	11	0.6			
81G0042		0.1	44	170	1.0	24	1			7.64	2720	24	1.3			
81G0043		0.1	50	180	0.6	21	1			5.44	1580	15	0.8			
81G0044		0.1	38	135	0.1	11	1			7.05	1690	5	0.2			
81G0044A		0.1	46	105	0.1	8	1			5.55	5100	3	0.1			
81G0047		0.1	6	85	0.1	13	1			2.67	2150	7	0.2			
81G0049		0.1	5	75	0.1	8	1			4.10	1340	2	0.1			

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
81G0050		0.1	11	108	0.1	7	1			4.44	2450	3	0.1			
81G0055A		1.0	650	670	1.0	180	3			10.79	3560	195	7.5			
81G0055B		1.0	640	580	1.0	160	3			9.10	2820	165	6.3			
81G0056A		0.5	410	415	0.6	60	3			7.89	4290	94	5.0			
81G0056B		0.9	510	460	0.8	115	3			6.94	3630	101	5.8			
81G0056E		0.6	475	470	0.8	86	2			8.10	4500	97	5.5			
81G0056G		0.9	550	510	1.0	90	2			7.89	3040	150	6.8			
81G0056H		0.6	450	490	0.8	80	2			7.64	3120	115	5.8			
81G0063A		0.6	400	590	1.0	85	3			7.50	2800	115	4.3			
81G0063B		0.6	495	670	1.2	100	3			9.75	4580	101	4.5			
81G0063C		0.3	275	430	0.8	72	2			7.00	2700	85	3.0			
81G0064		0.1	10	200	0.1	19	2			6.00	3370	5	0.8			
81G0065		0.1	13	225	0.1	20	2			6.39	3050	6	0.8			
81G0066		0.1	64	325	0.1	27	3			9.14	5120	9	1.2			
81G0067		0.1	35	340	0.2	17	2			6.80	3100	5	0.6			
81G0068		0.1	6	45	0.1	32	2			6.19	1140	3	0.1			
81G0069		0.1	4	280	0.1	18	2			5.57	2400	4	0.2			
81G0070		0.1	12	500	0.1	30	2			8.89	3430	4	0.8			
81G0071		0.1	3	55	0.1	23	4			7.30	2370	2	0.1			
81G0072		0.1	16	64	0.1	90	4			5.72	1950	23	1.3			
81G0073		0.1	7	95	0.1	30	3			6.89	1150	3	0.4			
81G0074		0.1	10	40	0.1	37	2			7.05	950	4	0.2			
81G0075		0.1	16	70	0.1	60	3			7.80	1610	12	2.1			
81G0076		0.1	17	440	0.1	90	10			7.89	3770	22	5.8			
81G0077		0.1	1	190	0.1	45	1			4.59	1200	3	0.2			
81G0078		0.1	3	200	0.1	53	1			4.59	3250	5	0.8			
81G0079		0.1	115	170	0.1	45	2			7.84	2550	16	1.5			
81G0080		0.1	15	220	0.1	80	4			8.60	5450	19	3.0			
81G0081		0.1	4	220	0.1	22	2			7.00	2600	6	1.0			
81G0082		0.1	8	380	0.1	125	6			8.10	1980	20	4.0			
81G0083		0.1	1	110	0.1	57	2			2.05	635	3	2.0			
81G0084		1.2	14	300	0.2	38	4			5.64	1560	10	0.4			
81G0085		0.6	310	500	0.2	390	6			26.00	2540	230	9.0			
81G0087		0.3	78	1650	3.9	270	18			26.09	6000	210	0.0			
81G0088		0.1	5	82	0.1	15	1			1.62	450	4	0.2			
81G0089		0.1	3	220	0.1	16	26			2.71	970	5	0.2			
81G0090		<i>N/S</i>	<i>N/S</i>	<i>N/S</i>	<i>N/S</i>	<i>N/S</i>	<i>N/S</i>			<i>N/S</i>	<i>N/S</i>	<i>N/S</i>	<i>N/S</i>			
81G0091		0.3	75	890	1.2	135	9			14.50	4650	94	11.7			
81G0092		0.1	36	350	0.9	48	4			8.50	550	36	4.5			
81G0093		0.1	20	220	0.6	19	3			7.80	2280	20	2.7			
81G0094		0.1	22	170	0.1	45	4			9.29	1900	9	4.1			
81G0095		0.1	11	95	0.1	23	3			5.89	1150	1	1.3			
81G0096		0.1	18	215	0.5	32	3			9.00	4380	15	2.5			
81G0098		0.1	50	135	0.2	58	5			8.39	4090	39	2.7			
81G0099		0.1	68	80	0.1	70	3			9.94	6100	46	3.4			
81G0100		0.1	54	170	0.2	95	6			13.50	7920	65	4.1			
81G0101		0.1	76	98	0.1	53	19			9.10	5100	29	3.0			
81G0102		0.1	68	125	0.1	45	4			7.69	3500	25	2.4			
81G0103		0.1	30	135	0.1	14	2			12.29	1240	11	3.5			
81G0104		0.1	26	138	0.1	12	3			4.50	3100	6	1.2			

*Should be
 910097
 was
 N/S across
 the board.*

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
81G0105		0.1	28	270	0.4	16	2			5.39	3200	11	1.2			
81G0106		0.2	16	320	0.4	16	20			5.39	2320	15	0.2			
81G0107		0.1	30	115	0.1	23	1			15.00	800	29	5.5			
81G0108		0.1	35	225	0.2	40	2			9.89	2880	61	5.3			
81G0109		0.1	36	145	0.1	21	1			17.00	1190	19	5.1			
81G0110		0.1	23	175	0.1	15	3			9.10	1620	12	3.0			
81G0111		0.1	8	60	0.1	22	2			4.69	1650	4	0.4			
81G0113		0.1	5	54	0.1	36	3			7.34	1530	4	0.2			
81G0114		0.1	22	260	0.3	29	2			7.89	2040	10	1.2			
81G0115		0.1	19	175	0.6	36	3			6.00	1730	10	1.3			
81G0116		0.1	10	125	0.2	40	2			6.34	1280	7	0.6			
81G0117		0.8	26	690	3.2	205	6			10.79	2460	36	6.5			
81G0118		0.1	10	350	0.6	14	3			7.05	5100	9	0.8			
81G0119		0.1	22	510	0.4	46	2			8.89	2750	15	4.8			
81G0121		0.1	20	360	0.1	47	250			6.89	1650	15	2.0			
81G0122		0.1	9	240	0.3	28	3			6.50	1380	3	0.6			
81G0123		0.1	7	390	0.1	33	4			8.14	1940	4	0.8			
81G0124		0.1	4	145	0.1	36	3			7.30	2000	6	1.0			
81G0125		0.1	17	300	0.1	57	7			6.80	1320	22	3.1			
81G0127		0.1	16	480	0.1	51	3			7.84	1910	7	2.5			
81G0128		0.1	7	210	0.1	38	3			5.50	940	5	1.0			
81G0129		0.1	26	260	0.4	57	5			9.19	1940	24	3.1			
81G0130		0.1	17	250	0.2	38	4			7.19	1720	11	1.2			
81G0131		0.1	8	510	0.1	36	4			5.50	1640	9	0.4			
81G0132		0.1	10	170	0.1	50	5			7.39	1280	7	1.0			
81G0133		0.1	20	200	0.1	39	4			6.80	1150	3	1.0			
81G0134		0.1	18	430	0.4	75	4			11.00	1920	38	6.0			
81G0135		0.1	28	500	0.4	53	4			9.00	1620	25	4.8			
81G0136		0.1	29	1700	7.1	95	6			10.89	3470	38	8.2			
81G0137		0.1	30	1550	8.7	43	5			9.19	5200	30	5.5			
81G0138		0.2	128	680	0.2	450	10			23.00	15400	86	6.0			
81G0139		0.1	60	490	1.2	110	3			12.50	3050	33	5.1			
81G0140		0.2	44	1100	2.5	68	6			11.39	3160	38	5.3			
81G0141		0.1	28	425	0.9	100	3			10.69	2610	23	0.6			
81G0142		0.1	16	550	0.1	38	2			7.39	1900	14	2.7			
81G0143		0.1	37	500	0.1	85	10			8.39	1960	39	3.7			
81G0144		0.2	40	280	0.2	24	2			6.39	2050	8	2.4			
81G0145		0.1	15	530	0.1	27	2			7.25	2150	9	3.1			
81G0146		0.1	23	280	0.2	36	23			7.30	2900	16	5.0			
81G0147		15.0	460	3650	21.0	570	7			37.50	2050	600	132.0			
81G0149		0.1	35	79	0.1	45	5			9.10	7300	48	1.8			
81G0200		0.2	40	190	0.6	40	6			7.00	4000	12	1.5			
81G0201		0.1	43	155	0.8	27	2			6.19	3420	10	1.2			
81G0202		0.1	26	135	1.0	25	6			6.00	3250	7	1.2			
81G0203		0.1	10	87	0.1	11	1			5.00	3610	2	1.0			
81G0204		0.1	14	120	0.1	13	4			6.80	7380	2	0.2			
81G0207		0.1	11	105	0.3	12	1			6.00	4750	3	0.2			
81G0208		0.1	14	62	0.1	11	1			3.94	3450	2	0.1			
81G0209		0.1	16	120	0.3	20	2			4.84	6230	3	0.2			
81G0210		0.1	18	85	0.3	25	4			5.80	4200	4	0.1			

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
81G0211		0.1	14	110	0.1	35	2			5.30	5020	4	0.1			
81G0213		0.1	19	88	0.3	80	5			6.09	3200	4	0.1			
81G0214		0.1	14	240	0.2	23	2			7.00	5670	9	0.2			
81G0215		0.1	11	150	0.3	16	2			6.84	7180	4	0.2			
81G0216		0.1	10	190	0.2	24	2			6.50	4880	4	0.1			
81G0217		0.1	9	110	0.6	21	4			6.50	6600	2	0.1			
81G0218		0.1	13	80	0.2	12	3			5.00	5890	3	0.2			
81G0219		0.1	21	85	0.4	31	4			6.50	6050	6	0.4			
81G0220		0.1	9	40	0.1	11	2			1.80	2820	2	0.1			
81G0221		0.1	38	175	0.5	78	5			9.14	1760	12	0.8			
81G0222		0.4	47	540	1.2	76	4			10.19	3800	35	2.7			
81G0223		0.1	17	170	1.0	22	2			5.14	3400	5	0.2			
81G0224		0.1	26	160	0.6	27	3			6.19	2970	7	0.6			
81G0225		0.1	24	215	1.3	29	3			8.54	8800	7	3.7			
81G0226		0.1	115	1200	1.5	128	3			13.79	10000	53	6.5			
81G0227		0.1	20	115	0.6	40	4			7.00	2550	10	0.6			
81G0228		0.1	30	82	0.1	17	4			6.50	1920	6	0.4			
81G0229		0.1	40	97	0.1	47	4			8.79	1020	27	1.5			
81G0230		0.1	35	58	0.1	34	5			8.29	1650	11	1.0			
81G0231		0.1	18	57	0.1	34	3			5.14	820	6	0.2			
81G0232		0.1	23	50	0.1	18	4			7.19	1310	6	0.2			
81G0233		0.1	31	125	0.6	15	3			6.44	1420	5	0.2			
81G0234		0.9	50	520	4.3	80	9			9.14	3630	65	8.7			
81G0235		7.5	1500	4600	45.0	760	34			31.00	1720	230	47.0			
81G0236		2.2	120	1300	11.7	350	26			25.50	1170	170	19.2			
81G0237		6.8	160	3400	32.0	410	34			27.50	3000	500	58.0			
81G0238		0.1	43	165	2.1	40	6			5.89	3070	22	1.3			
81G0239		0.2	45	320	3.9	50	6			7.30	3170	35	3.5			
81G0240		0.8	63	230	3.1	100	10			7.27	4980	45	2.1			
81G0241		0.8	90	460	2.2	180	9			15.00	2440	135	8.0			
81G0242		1.0	130	270	2.0	280	14			14.29	3880	105	3.5			
81G0243		0.1	44	45	0.3	15	4			4.59	3200	5	0.2			
81G0244		2.5	185	390	4.5	500	24			19.29	3500	135	8.0			
81G0245		0.2	33	165	0.2	42	4			7.34	1600	38	4.5			
81G0246		0.5	115	140	1.2	135	7			10.60	3120	38	2.5			
81G0247		4.8	250	650	15.6	350	17			19.79	8700	170	2.5			
81G0248		0.1	54	110	0.5	38	7			10.19	3530	22	1.2			
81G0249		0.4	87	68	0.5	65	7			9.19	4930	12	0.4			
81G0250		0.2	80	47	0.4	37	5			4.89	4500	17	0.4			
81G0251		1.2	95	230	2.4	185	12			11.00	9100	50	1.0			
81G0252		0.6	86	110	0.8	90	9			10.00	7450	25	0.6			
81G0253		0.1	45	70	0.1	32	3			6.25	6400	29	0.4			
81G0254		0.1	45	90	0.3	32	1			8.00	8800	3	0.4			
81G0255		0.3	60	105	0.6	58	4			7.39	5800	19	0.2			
81G0256		0.1	57	80	0.4	33	3			8.14	7150	9	0.2			
81G0257		0.1	23	40	0.2	23	3			5.39	2600	6	0.1			
81G0258		0.1	63	43	0.2	30	4			7.05	3500	3	0.1			
81G0259		0.1	11	100	0.1	22	5			6.59	1160	3	0.2			
81G0260		0.1	21	150	0.1	40	2			6.50	1660	7	0.8			
81G0261		0.8	180	500	2.0	80	5			7.80	1880	33	2.0			

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
81G0262		0.5	22	360	1.2	710	6			10.00	1630	24	0.6			
81G0263		0.1	27	105	0.2	55	4			6.69	4330	10	0.4			
81G0264		0.2	33	130	0.1	64	5			9.00	2230	17	1.0			
81G0265		0.3	48	200	0.5	72	5			10.10	10000	5	0.6			
81G0266		0.1	44	105	0.1	61	6			12.29	2020	7	2.5			
81G0267		0.3	26	135	0.4	50	3			7.50	10000	2	0.2			
81G0268		0.1	32	145	0.2	61	3			7.89	4660	3	0.2			
81G0269		0.1	15	120	0.3	30	3			5.69	4500	3	0.1			
81G0270		0.3	45	165	0.8	68	4			8.85	10000	23	0.2			
81G0271		0.1	11	415	0.3	40	3			6.39	6280	3	0.1			
81G0272		0.2	17	560	0.6	72	4			8.29	5700	6	0.2			
81G0273		0.5	85	480	2.0	205	6			10.00	10000	12	1.0			
81G0274		0.2	27	98	0.3	40	5			6.89	10000	6	0.1			
81G0275		0.1	100	175	0.6	22	5			8.29	3100	3	0.2			
81G0276		0.1	8	160	0.3	30	4			6.44	2060	4	0.1			
81G0277		0.1	7	55	0.1	34	2			6.05	1900	4	0.2			
81G0278		0.1	13	115	0.1	34	3			3.84	645	5	0.1			
81G0279		0.3	45	300	1.7	110	6			9.00	4780	23	1.0			
81G0280		0.1	5	55	0.1	14	2			2.69	2020	2	0.1			
81G0281		0.1	12	96	0.3	16	2			3.79	2680	3	0.2			
81G0282		0.6	50	335	1.0	190	8			13.10	1320	130	4.5			
81G0283		0.1	27	105	0.2	40	2			5.89	2190	27	0.6			
81G0284		0.1	38	160	0.6	60	3			6.09	1800	36	0.4			
81G0285		0.1	15	46	0.1	28	2			5.39	3570	14	0.1			
81G0286		0.1	21	50	0.1	43	3			5.80	4820	19	0.1			
81G0287		0.1	39	180	0.6	23	3			7.14	3150	12	0.2			
81G0288		0.2	38	250	1.0	54	3			8.00	1280	14	0.6			
81G0289		0.3	75	440	2.0	78	2			8.00	985	390	0.4			
81G0290		0.5	35	460	1.5	72	3			8.20	1670	19	1.0			
81G0291		0.3	23	280	0.9	70	2			7.39	1870	45	2.5			
81G0292		0.1	10	160	0.1	20	2			5.64	1810	12	1.3			
81G0293		0.1	16	110	0.2	24	2			6.80	4280	3	0.2			
81G0294		0.1	7	175	0.1	10	1			4.00	2800	3	0.4			
81G0296		0.1	25	210	0.1	40	2			6.19	2970	12	4.5			
81G0297		0.1	15	105	0.1	18	2			4.55	3100	7	1.3			
81G0298		0.1	36	290	0.3	80	5			9.60	2630	73	6.1			
81G0299		0.1	29	150	0.3	37	3			5.69	1780	20	4.1			
81G0300		0.2	36	350	0.4	86	8			11.00	1600	107	16.5			
81G0301		0.1	21	180	0.2	33	5			5.84	1850	22	4.5			
81G0302		0.2	22	210	0.2	45	3			9.00	3170	27	4.1			
81G0303		0.1	22	175	0.1	29	3			8.10	3120	29	3.1			
81G0304		0.1	27	190	1.3	41	5			8.00	2480	22	3.4			
81G0305		0.1	64	215	0.1	54	5			8.69	4600	24	6.1			
81G0306		0.2	42	280	0.2	68	6			9.79	3460	44	8.0			
81G0307		0.1	12	170	0.1	37	4			8.10	2550	32	3.5			
81G0308		0.1	23	140	0.1	28	3			6.55	1920	14	2.4			
81G0309		0.1	16	200	0.1	34	5			7.19	2600	22	3.1			
81G0310		0.1	19	200	0.5	36	4			6.25	2180	19	3.7			
81G0311		0.1	21	115	0.1	23	3			9.35	4000	6	1.2			
81G0312		0.1	20	130	0.2	33	4			9.19	3400	12	1.8			

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
81G0313		0.5	55	1850	0.5	50	10			13.00	4000	25	0.0			
81G0314		0.1	19	145	0.2	34	3			9.10	4020	27	1.3			
81G0315		0.2	9	240	0.1	20	4			12.29	6000	6	1.2			
81G0316		0.1	10	82	0.1	21	3			8.25	4250	10	0.4			
81G0317		0.1	13	110	0.1	22	4			13.60	5700	7	0.6			
81G0319		0.1	5	95	0.1	22	3			4.34	1400	6	1.0			
81G0320		0.1	10	110	0.1	22	3			7.25	2900	9	1.2			
81G0321		0.1	13	155	0.1	40	3			9.94	3270	24	2.5			
81G0323		0.1	7	88	0.1	19	3			6.47	3000	10	0.8			
81G0324		0.1	13	170	0.1	41	3			9.69	3680	27	2.5			
81G0326		0.1	13	140	0.1	37	4			12.50	4700	38	2.0			
81G0327		0.1	10	120	0.1	40	3			12.19	3780	10	1.2			
81G0335		0.1	11	110	0.1	21	6			10.19	2700	16	0.8			
81G0336		1.0	63	460	1.8	115	4			25.79	1520	480	23.0			
81G0338		0.2	28	120	0.1	60	3			15.29	2700	75	1.2			
81G0341		0.1	9	90	0.1	20	2			10.69	4100	38	0.2			
81G0342		0.1	14	120	0.1	23	2			11.50	3930	20	0.1			
81G0343		0.1	24	115	0.1	74	2			14.50	3700	23	1.2			
81G0347		0.3	16	130	0.3	44	3			8.79	3540	95	0.6			
81G0351		0.1	5	70	0.1	17	2			9.19	2910	29	0.1			
81G0352		0.2	12	100	0.1	32	3			9.50	4200	94	0.2			
81G0353		0.1	36	135	0.2	45	2			11.19	3100	160	1.0			
81G0354		2.6	14	95	0.1	23	3			11.29	3600	99	0.2			
81G0357		0.1	13	80	0.1	19	2			8.89	5400	22	0.2			
81G0358		0.1	5	65	0.1	15	1			9.00	3880	7	0.1			
81G0359		0.1	23	90	0.4	34	2			7.30	10000	35	0.6			
81G0360		0.2	60	125	0.1	37	3			6.39	3880	190	0.8			
81G0361		0.2	90	140	0.2	40	4			7.00	3200	250	2.0			
81G0362		0.4	300	260	0.2	88	8			14.79	4500	480	3.1			
81G0363		0.2	56	88	0.2	30	11			5.39	2450	100	0.0			
81G0364		1.0	166	200	0.8	96	8			12.00	4900	200	0.9			
81G0365		0.1	36	100	0.2	30	4			9.94	4000	45	0.1			
81G0366		0.1	30	75	0.3	27	2			8.00	7400	10	0.2			
81G0367		0.1	23	64	0.1	38	2			5.44	3000	29	0.2			
81G0368		0.1	14	50	0.1	22	2			8.79	7200	11	0.1			
81G0369		0.1	9	76	0.1	15	2			8.79	5050	10	0.1			
81G0370		0.1	16	77	0.1	47	3			9.75	4000	30	0.1			
81G0371		0.1	20	64	0.3	48	2			6.39	7400	15	0.2			
81G0372		0.1	20	51	0.1	30	4			8.10	3300	6	0.1			
81G0373		0.1	12	86	0.1	40	3			9.00	5270	7	0.1			
81G0374		0.1	4	73	0.1	27	2			8.89	2250	3	0.1			
81G0375		0.1	6	60	0.1	46	4			7.84	4450	5	0.1			
81G0376		0.1	3	58	0.1	25	4			8.85	4230	5	0.1			
81G0377		0.1	3	54	0.1	19	3			8.00	4230	2	0.1			
81G0378		0.1	18	96	0.6	70	4			8.39	4100	3	0.1			
81G0379		1.2	30	630	2.5	300	7			15.00	1720	2	0.2			
81G0380		0.1	6	82	0.3	35	2			9.10	3080	1	0.2			
81G0381		0.1	15	105	0.6	30	3			9.19	7600	3	0.2			
81G0382		0.1	24	92	0.5	47	4			10.79	7800	19	0.8			
81G0383		0.1	9	108	0.2	27	2			7.69	3800	3	0.1			

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
81G0384		0.1	4	98	1.2	15	3			10.19	9880	2	0.2			
81G0385		0.1	34	76	0.3	38	4			7.19	490	1	1.2			
81G0386		0.1	24	99	0.2	35	3			8.10	6400	6	0.6			
81G0387		0.1	50	100	0.1	42	3			7.14	4400	15	0.4			
81G0388		0.1	8	80	0.4	23	3			6.00	9450	3	0.1			
81G0389		0.1	9	90	0.4	28	3			7.09	8200	2	0.1			
81G0390		0.1	2	98	0.4	17	2			6.05	7100	1	0.1			
81G0391		0.1	60	97	0.2	62	5			10.19	7850	45	2.7			
81G0392		0.1	32	350	0.3	37	4			8.60	5050	16	6.3			
81G0393		0.1	43	245	0.6	57	5			10.79	5120	24	9.0			
81G0394		0.1	14	160	0.1	27	3			7.14	1900	1	2.7			
81G0395		0.1	11	155	0.2	23	2			7.50	3300	4	2.5			
81G0396		0.1	30	210	0.5	38	4			6.69	2680	17	3.1			
81G0397		0.1	21	200	0.1	28	2			9.94	3700	7	3.0			
81G0398		0.1	24	400	0.5	70	3			9.94	5050	24	6.0			
81G0399		0.1	21	250	0.1	68	2			8.00	1300	22	5.5			
81G0400		0.1	15	320	0.1	26	2			5.69	1660	11	2.7			
81G0401		0.2	24	550	0.4	60	26			12.00	2700	50	10.5			
81G0402		0.1	16	550	0.1	21	3			6.39	1480	9	2.4			
81G0403		0.2	38	390	0.2	60	10			10.00	2200	28	5.1			
81G0404		0.3	8	300	0.3	72	4			9.00	9600	17	0.0			
81G0405		0.1	13	185	0.1	55	4			15.79	5980	16	2.5			
81G0407		0.1	10	670	0.1	28	5			6.69	2660	11	3.4			
81G0408		0.1	8	135	0.1	23	2			7.19	3550	11	1.2			
81G0409		0.1	27	250	0.3	55	1			16.20	4480	22	4.8			
81G0410		0.1	30	375	1.8	32	4			7.89	3380	16	3.1			
81G0411		0.1	40	110	0.3	30	3			8.10	7850	3	0.2			
81G0412		0.1	33	90	0.1	29	2			6.39	2800	1	1.0			
81G0413		0.8	13	120	0.5	50	2			7.44	1000	4	0.4			
81G0414		0.1	21	97	0.2	36	3			9.29	7850	12	1.0			
81G0416		0.1	30	85	0.3	40	3			10.00	9100	12	1.2			
81G0418		0.1	12	160	0.6	75	2			10.00	6000	10	1.0			
81G0419		0.1	14	110	0.6	35	1			7.89	5380	2	0.2			
81G0420		0.1	53	160	0.9	85	4			12.50	6560	14	0.8			
81G0421		0.1	24	135	0.2	42	4			9.64	3780	5	0.4			
81G0422		0.1	28	82	1.0	45	3			9.89	7800	7	0.6			
81G0423		0.1	30	78	0.4	27	3			8.69	6600	5	0.6			
81G0426		0.1	14	110	0.6	29	3			9.69	7550	2	0.4			
81G0427		0.1	11	65	0.5	21	2			9.39	6200	2	0.4			
81G0429		0.1	16	100	0.6	23	3			10.00	4850	9	1.2			
81G0430		0.1	9	70	1.0	27	3			7.30	4200	2	0.4			
81G0431		0.1	17	65	0.1	12	1			6.39	4570	5	0.8			
81G0433		0.1	6	85	0.1	16	2			9.60	3720	3	0.4			
81G0436		0.1	4	63	0.1	10	2			10.50	3320	1	0.2			
81G0437		0.1	9	68	0.1	16	3			9.94	3220	7	0.4			
81G0438		0.1	11	78	0.1	18	4			13.00	2730	2	0.4			
81G0439		0.1	105	280	0.6	82	8			17.79	2800	65	2.4			
81G0440		0.2	116	260	0.2	100	8			13.00	2780	46	1.5			
81G0441		0.1	38	155	0.1	53	3			12.79	3800	19	1.3			
81G0442		0.1	14	110	0.2	22	3			12.00	3200	6	0.2			

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
81G0448		1.0	5	80	0.2	250	4			7.80	2090	4	0.4			
81G0451		1.5	42	230	2.0	95	4			11.29	8000	10	0.8			
81G0452		0.2	38	130	1.3	65	3			9.79	1000	11	0.8			
81G0453		0.2	125	135	1.3	40	2			6.59	7150	2	1.0			
81G0454		0.2	40	95	1.0	45	3			7.00	8280	3	0.8			
81G0455		0.1	19	88	0.4	20	2			8.10	5880	3	0.6			
81G0456		0.1	9	100	0.1	11	3			11.00	3250	3	0.4			
81G0460		0.1	68	510	0.1	70	4			10.19	2080	63	5.0			
81G0461		0.1	58	230	0.1	63	2			10.69	2400	24	4.5			
81G0462		0.1	140	445	0.6	100	33			11.50	3470	45	7.0			
81G0466		0.1	5	650	0.1	25	3			6.39	2050	6	2.0			
81G0474		0.1	43	250	0.6	200	4			13.50	2440	81	5.1			
81G0479		0.1	11	100	0.1	20	2			6.05	5530	7	0.6			
81G0481		1.2	155	110	0.6	210	11			19.50	2000	190	14.3			
81G0482		0.1	14	330	0.1	25	3			6.09	2500	9	1.8			
81G0484		0.1	18	270	0.1	79	4			6.89	2550	15	4.0			
81G0485		0.2	70	350	0.2	106	8			10.10	3400	30	7.5			
81G0486		0.2	20	170	0.2	32	44			5.30	1620	8	2.4			
81G0487		0.1	19	165	0.1	23	6			5.19	2500	16	2.4			
81G0488		0.1	36	750	1.2	140	7			12.79	2000	39	19.5			
81G0490		0.1	17	560	0.6	72	3			9.79	5100	7	3.5			
81G0491		0.1	11	230	0.1	30	4			6.69	2320	7	2.0			
81G0493		0.2	1160	520	0.2	22	8			7.39	2850	8	3.1			
81G0494		0.1	10	590	0.1	33	3			7.80	2720	4	2.0			
81G0495		0.1	13	120	0.1	25	3			4.34	1520	5	1.0			
81G0499		0.1	25	240	0.1	34	3			9.60	4500	27	4.0			
81G0500		0.4	11	470	0.2	77	3			10.79	7900	22	3.1			
81G0503		0.1	19	320	0.3	54	3			9.10	5350	24	3.1			
81G0504		0.1	27	170	0.2	20	2			7.30	5500	7	2.1			
81G0505		0.1	19	265	0.1	12	2			7.89	8300	4	2.5			
81G0507		0.1	40	620	0.1	14	2			4.84	2680	14	1.5			
81G0508		0.1	45	440	0.1	20	3			5.30	2800	11	1.8			
81G0511		0.1	20	700	0.1	20	2			5.89	2980	7	2.0			
81G0514		0.2	6	192	0.2	10	2			3.79	890	1	0.2			
81G0517		0.1	43	115	0.2	14	1			5.30	4050	11	2.0			
81G0518		1.0	250	310	2.4	135	10			20.00	4050	220	20.0			
81G0520		0.2	20	164	0.2	28	4			10.39	3100	9	3.5			
81G0528		0.2	110	720	2.4	290	6			10.50	4200	55	12.0			
81G0529		0.2	28	130	0.6	24	2			5.19	1710	18	2.0			
81G0536		0.1	23	120	0.1	13	4			4.80	2010	6	1.2			
81G0553		0.1	29	250	0.5	50	5			13.00	3050	46	8.7			
81G0573		0.1	12	125	0.1	28	2			15.29	5300	15	3.4			
81G0574		0.1	12	175	0.1	28	2			8.89	2350	13	2.5			
81G0577		1.2	205	1300	3.0	200	22			23.79	1760	180	38.0			
81G0584		0.1	10	100	0.1	20	2			9.60	4260	11	1.2			
81G0586		0.1	23	390	0.2	39	4			10.00	3350	30	5.5			
81G0587		0.1	21	290	0.6	45	3			11.69	5890	22	6.1			
81G0592		0.1	15	610	0.2	40	3			10.00	2900	19	7.0			
81G0593		0.1	12	740	0.2	34	4			9.75	2350	20	7.0			
81G0594		0.1	11	670	0.1	16	6			8.20	2780	5	1.8			

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
81G0595		0.1	16	160	0.2	30	5			10.00	3980	12	3.0			
81G0596		0.0	0	0	0.0	0	0			0.00	0	0	0.0			
81G0597		0.1	45	430	0.9	155	2			13.39	2630	94	20.0			
81G0598		0.1	14	240	0.1	40	1			10.50	1970	20	3.5			
81G0599		0.2	56	760	1.8	140	10			16.59	1700	162	34.0			
81G0602		0.4	40	400	0.3	70	20			12.19	3000	10	0.0			
81G0609		0.1	4	200	0.3	50	4			7.84	2150	20	1.0			
81G0610		0.1	12	245	0.1	26	2			7.84	2000	5	3.0			
81G0612		0.1	8	315	0.1	28	3			8.69	2350	3	2.0			
81G0613		0.1	18	360	0.1	20	1			9.64	2470	6	2.1			
81G0615		0.1	8	310	0.1	25	1			8.79	2280	4	1.8			
81G0617		0.1	33	6800	8.2	56	41			35.79	1880	120	15.0			
81G0618		0.2	120	1260	3.2	120	15			13.00	3600	80	0.0			
81G0619		0.2	80	1240	3.7	140	22			15.69	5700	86	30.0			
81G0621		0.1	6	280	0.1	26	1			7.30	1560	2	1.2			
81G0622		0.1	9	330	0.1	21	1			7.64	1700	2	1.5			
81G0623		0.1	10	450	0.1	37	2			8.50	1710	7	2.4			
81G0624		0.1	9	305	0.1	40	1			9.00	1840	4	2.5			
81G0625		0.1	9	140	0.1	130	2			9.29	1700	4	2.0			
81G0626		0.1	8	420	0.1	20	3			12.00	3250	27	2.7			
81G0627		0.1	34	460	1.0	110	7			16.00	3230	90	12.3			
81G0629		0.2	54	190	0.2	24	22			8.50	4700	10	4.0			
81G0630		0.1	25	245	0.4	50	5			9.19	3550	24	6.3			
81G0631		0.1	20	460	0.6	50	5			9.50	3880	24	6.8			
81G0632		0.2	160	500	0.2	42	6			9.39	5100	22	8.2			
81G0633		0.8	100	880	2.7	240	10			18.89	4300	78	26.0			
81G0634		0.9	240	700	3.5	250	12			19.79	6500	117	0.0			
81G0635		0.1	20	445	0.8	92	17			10.60	1000	45	13.3			
81G0636		0.2	6	520	0.2	10	2			8.39	4080	4	2.7			
81G0637		0.1	32	870	3.2	85	11			15.19	4170	73	14.3			
81G0638		0.1	5	100	0.1	10	1			5.50	2950	4	0.8			
81G0639		0.2	28	310	0.2	50	2			12.19	3180	10	4.8			
81G0640		0.2	40	460	1.3	100	4			17.00	3800	30	4.3			
81G0642		0.2	36	490	2.4	88	6			14.19	5040	44	13.1			
81G0643		0.1	15	515	2.0	85	10			19.00	5150	83	16.0			
81G0644		0.1	18	300	0.6	40	3			8.60	4080	24	5.1			
81G0646		0.2	30	620	1.5	108	20			17.39	8300	72	14.0			
81G0647		0.2	10	200	10.0	56	2			9.00	1000	2	0.0			
81G0648		0.2	40	420	1.8	110	10			13.29	4960	58	15.0			
81G0649		0.2	52	680	2.7	130	14			18.59	4960	96	22.0			
81G0650		0.2	38	380	1.8	120	6			9.79	4200	30	8.6			
81G0651		0.2	24	340	1.2	58	22			13.39	6300	38	0.0			
81G0652		0.2	42	300	1.2	54	6			12.00	3560	60	11.6			
81G0653		0.2	19	210	0.6	31	3			8.85	3250	25	6.5			
81G0654		0.2	30	330	0.6	70	4			10.39	5440	20	6.0			
81G0656		0.1	44	780	0.3	33	38			9.89	2460	12	5.3			
81G0657		0.1	14	280	0.6	22	2			8.39	4330	6	3.7			
81G0658		0.1	34	240	1.0	45	2			8.54	2280	16	7.1			
81G0659		0.1	39	540	1.8	60	8			9.54	2120	53	13.1			
81G0660		0.1	20	235	0.2	31	2			10.50	3400	5	4.1			

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
81G0661		0.1	23	165	0.4	40	2			7.19	3750	24	3.7			
81G0662		0.1	22	250	0.3	33	5			10.00	6480	17	3.4			
81G0663		0.1	27	530	0.3	37	8			9.50	4870	24	3.5			
81G0664		0.1	40	250	0.6	51	2			11.29	6920	19	4.0			
81G0665		0.1	15	110	0.2	17	1			7.44	3000	9	1.5			
81G0666		0.1	16	100	0.6	8	1			5.64	2730	2	1.0			
81G0667		0.1	9	84	0.2	9	1			6.59	3150	3	0.8			
81G0668		0.1	8	79	0.2	8	1			6.44	3800	2	0.8			
81G0669		0.1	8	72	0.2	9	1			5.89	3250	2	0.8			
81G0670		0.2	50	160	0.5	20	1			8.79	5100	3	1.5			
81G0673		0.1	23	130	0.3	9	1			3.69	3000	4	1.2			
81G0674		0.2	16	140	0.6	24	30			5.00	2200	34	2.1			
81G0676		0.1	15	100	0.6	27	1			8.50	2550	4	6.5			
81G0677		0.1	12	78	0.2	12	2			5.14	2400	9	2.5			
81G0678		0.1	13	105	0.2	15	1			7.30	3250	22	1.0			
81G0679		0.2	10	144	0.2	22	46			8.60	5000	4	2.0			
81G0680		0.1	35	160	0.6	35	3			8.60	2850	33	5.0			
81G0681		0.1	44	180	0.4	48	2			11.50	6680	53	16.0			
81G0682		0.1	44	290	0.6	90	6			13.60	4300	145	21.0			
81G0683		0.1	24	185	0.3	47	4			11.69	5580	33	9.0			
81G0684		0.1	22	100	0.2	12	3			5.75	2930	6	2.0			
81G0685		0.1	24	115	0.2	45	2			9.50	4900	10	3.1			
81G0686		0.1	95	360	0.3	145	3			9.00	2040	94	12.0			
81G0687		0.1	24	150	0.1	12	8			4.80	2320	6	1.2			
81G0688		0.1	27	165	0.4	29	3			7.64	2270	27	3.4			
81G0689		0.2	260	144	0.2	22	4			6.50	2580	6	2.0			
81G0690		0.1	14	295	0.2	14	4			3.79	3520	10	1.2			
81G0691		0.1	17	110	0.4	12	4			5.50	3280	11	1.2			
81G0692		0.1	37	225	0.6	14	3			5.19	5000	6	1.2			
81G0693		0.2	70	230	0.8	54	8			15.10	3200	64	9.6			
81G0694		0.3	95	275	0.8	68	9			15.50	2800	77	9.6			
81G0695		0.1	20	470	0.2	15	16			5.50	4440	7	2.0			
81G0696		5.8	350	1500	9.2	77	5			7.44	4670	24	18.2			
81G0697		0.1	25	120	0.5	28	5			5.69	3550	14	2.1			
81G0698		0.4	300	1100	22.0	555	20			42.00	1230	70	0.0			
81G0699		0.1	34	125	0.2	40	3			6.69	2980	24	3.0			
81G0700		0.1	15	87	0.1	22	12			5.75	2450	7	1.8			
81G0701		0.1	21	150	0.6	22	4			8.00	5660	20	10.3			
81G0702		0.3	50	200	1.2	90	7			11.50	5100	92	10.6			
81G0703		0.2	50	190	1.5	65	12			9.00	4600	45	6.5			
81G0704		0.1	11	250	0.2	44	3			5.84	2880	6	1.5			
81G0705		0.5	100	390	1.8	145	14			17.50	2880	215	21.0			
81G0706		0.1	24	135	0.6	58	4			8.29	4500	39	5.8			
81G0707		0.1	100	130	0.2	145	6			15.89	3000	94	30.0			
81G0708		0.1	16	115	0.6	40	4			7.00	5100	10	1.0			
81G0709		0.1	17	135	0.8	57	17			8.00	6100	11	0.8			
81G0710		0.6	83	260	1.5	140	11			16.90	3750	240	25.0			
81G0711		1.0	180	580	4.6	270	37			28.50	1700	760	43.0			
81G0712		0.5	115	210	0.6	90	6			15.50	4560	180	21.0			
81G0713		0.2	125	260	0.6	120	10			18.79	3500	240	18.2			

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
81G0714		0.8	170	770	2.7	190	31			24.50	1900	400	55.0			
81G0715		1.8	320	1550	6.3	400	61			41.50	1190	840	130.0			
81G0716		0.2	33	105	1.0	56	4			9.60	3730	22	2.0			
81G0717		0.6	37	90	0.6	90	5			10.00	3150	20	0.8			
81G0718		0.3	35	100	0.6	72	5			10.00	3280	38	2.4			
81G0719		0.2	104	120	0.4	40	6			7.39	1520	32	6.0			
81G0720		0.1	35	165	0.2	37	43			7.09	2000	30	2.5			
81G0721		0.1	24	115	0.3	27	3			6.50	5750	12	1.8			
81G0722		0.1	15	135	0.3	25	7			8.75	7980	14	2.0			
81G0723		0.1	55	140	0.3	58	4			11.19	5780	35	4.3			
81G0724		0.1	49	240	0.3	63	2			7.14	675	10	3.7			
81G0725		0.1	52	210	0.1	23	3			8.50	3430	5	3.1			
81G0726		0.1	23	235	0.1	16	3			10.00	2120	5	3.4			
81G0727		0.1	15	195	0.1	26	3			5.55	1410	12	2.1			
81G0728		0.1	3	85	0.1	30	3			6.09	7600	2	0.4			
81G0729		0.1	16	235	0.1	16	5			7.09	7150	4	0.8			
81G0730		0.1	10	155	0.2	17	4			6.19	6150	5	1.0			
81G0731		0.1	130	330	0.1	40	5			6.39	2300	23	2.7			
81G0732		0.1	25	175	0.1	16	3			5.69	2520	7	2.4			
81G0733		0.1	19	160	0.3	27	3			4.30	485	3	2.5			
81G0734		0.1	11	85	0.1	25	4			5.25	2680	3	0.6			
81G0735		0.1	6	95	0.2	25	4			6.30	5000	5	0.6			
81G0736		0.1	17	120	0.2	7	4			2.69	1120	3	0.8			
81G0737		0.1	14	150	0.5	8	4			3.50	4700	3	0.6			
81G0738		0.1	12	92	0.5	24	4			5.34	3750	6	0.8			
81G0739		0.4	55	280	1.3	160	10			10.19	3850	28	7.3			
81G0740		0.1	33	250	0.6	175	8			9.50	3300	30	8.3			
81G0741		0.1	16	170	0.1	33	2			7.19	4150	7	1.2			
81G0743		0.1	18	88	0.2	52	3			7.00	1130	10	1.2			
81G0744		0.1	14	290	0.1	20	6			6.50	3350	11	1.8			
81G0745		0.1	22	97	0.3	12	2			5.75	5720	3	0.4			
81G0746		0.1	18	100	0.2	15	1			6.80	7300	3	0.4			
81G0747		0.1	16	100	0.2	17	1			5.00	3850	5	0.6			
81G0748		0.1	20	70	0.1	22	1			5.89	2100	4	0.8			
81G0749		0.1	21	75	0.1	15	1			6.30	1850	5	0.8			
81G0750		0.1	21	83	0.1	40	3			8.20	1650	10	1.3			
81G0801		0.2	18	150	0.2	12	6			5.69	1880	10	1.2			
81G0802		0.2	10	210	0.2	26	6			8.39	3600	3	1.3			
81G0803		0.2	16	198	0.2	34	2			12.19	5400	7	3.5			
81G0804		0.4	30	216	0.2	50	4			10.00	1920	23	8.6			
81G0805		0.2	36	174	0.2	48	4			7.80	1800	16	4.1			
81G0806		2.7	490	580	3.5	200	20			23.59	3800	180	28.0			
81G0807		0.4	36	280	0.2	76	4			14.00	3400	36	16.2			
81G0808		0.2	32	370	0.2	70	4			17.79	3200	32	20.0			
81G0809		0.4	16	230	0.2	32	4			8.39	3100	15	7.8			
81G0810		0.2	12	170	0.2	10	2			4.80	2800	2	1.2			
81G0811		0.2	10	146	0.2	12	2			4.00	2100	11	1.3			
81G0812		0.2	32	250	0.2	28	2			5.50	1500	7	6.0			
81G0813		0.2	16	168	0.2	20	8			5.89	3200	3	1.8			
81G0814		0.2	12	106	0.2	10	2			4.00	2000	2	0.6			

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S													WT gm	
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm		Hg ppb
81G0815		0.2	16	180	0.2	26	4			8.39	4400	6	3.4		
81G0816		0.2	18	136	0.2	12	4			4.89	3600	6	0.8		
81G0817		0.6	32	152	0.2	18	2			9.19	4300	4	1.5		
81G0818		0.2	14	180	0.2	24	2			7.80	2800	6	2.7		
81G0819		0.2	10	240	0.2	36	2			12.00	3400	12	4.0		
81G0820		0.2	14	136	0.2	18	2			7.19	2100	5	2.1		
<i>V</i> <i>81G0828</i>		0.1	22	430	0.1	160	5			17.00	3930	90	14.0		

EXTRACTION-CODE = -60 HP TOT (3322)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
# RECORDS *****																
# 'NSS' =	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
# '<x' =	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
# '>x' =	0	0	0	0	0	0	1	0	0	0	12	0	0	0	0	0
# 'NA' =	557	0	0	0	0	0	0	557	557	0	0	0	0	557	557	557
# 'OK' =	0	557	557	557	557	557	556	0	0	557	545	557	557	0	0	0

STATISTICS

N =	0	557	557	557	557	557	557	0	0	557	557	557	557	0	0	0
MINIMUM =	0	0.0	0	0	0.0	0	0	0	0	0.00	0	0	0.0	0	0	0.00
MAXIMUM =	0	15.0	1500	6800	45.0	760	250	0	0	42.00	15400	840	132.0	0	0	0.00
RANGE =	0	15.0	1500	6800	45.0	760	250	0	0	42.00	15400	840	132.0	0	0	0.00
MEAN =	0.000	0.274	50.552	283.02	0.862	58.596	5.552	0.000	0.000	8.934	3601.4	35.448	4.185	0.000	0.000	0.000
STD. DEV. =	0.000	0.864	111.91	459.58	2.947	81.827	12.366	0.000	0.000	4.972	2039.2	78.035	10.095	0.000	0.000	0.000
SKEWNESS =	0.000	11.605	7.268	8.293	9.912	4.532	14.488	0.000	0.000	2.788	1.336	5.858	8.238	0.000	0.000	0.000
KURTOSIS =	0.000	170.67	74.599	96.690	123.32	29.172	275.98	0.000	0.000	14.907	5.601	47.088	93.958	0.000	0.000	0.000