



ENT.
13/5/92

CHEMEX LABS LTD.

016123

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210123-001-
INVOICE # : 18210123
DATE : 12-FEB-82
P.O. # : NONE
81-G

CC: G JILSON

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-G 0514 -60HP	205	10	2	6	192	0.2	0.2
81-G 0520 -60HP	205	28	4	20	164	0.2	0.2
81-G 0698 -60HP	205	555	20	300	1100	0.4	22.0
81-G 0801 -60HP	205	12	6	18	150	0.2	0.2
81-G 0802 -60HP	205	26	6	10	210	0.2	0.2
81-G 0803 -60HP	205	34	2	16	198	0.2	0.2
81-G 0804 -60HP	205	50	4	30	216	0.4	0.2
81-G 0805 -60HP	205	48	4	36	174	0.2	0.2
81-G 0806 -60HP	205	200	20	490	580	2.8	3.6
81-G 0807 -60HP	205	76	4	36	280	0.4	0.2
81-G 0808 -60HP	205	70	4	32	370	0.2	0.2
81-G 0809 -60HP	205	32	4	16	230	0.4	0.2
81-G 0810 -60HP	205	10	2	12	170	0.2	0.2
81-G 0811 -60HP	205	12	2	10	146	0.2	0.2
81-G 0812 -60HP	205	28	2	32	250	0.2	0.2
81-G 0813 -60HP	205	20	8	16	168	0.2	0.2
81-G 0814 -60HP	205	10	2	12	106	0.2	0.2
81-G 0815 -60HP	205	26	4	16	180	0.2	0.2
81-G 0816 -60HP	205	12	4	18	136	0.2	0.2
81-G 0817 -60HP	205	18	2	32	152	0.6	0.2
81-G 0818 -60HP	205	24	2	14	180	0.2	0.2
81-G 0819 -60HP	205	36	2	10	240	0.2	0.2
81-G 0820 -60HP	205	18	2	14	136	0.2	0.2



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210123-001-
INVOICE # : I8210123
DATE : 12-FEB-82
P.O. # : NONE
81-G

CC: G JILSON

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-G 0514 -60HP	205	3.80	890	1	0.2	--	--
81-G 0520 -60HP	205	10.40	3100	9	3.6	--	--
81-G 0698 -60HP	205	42.00	1230	70	N.S.S.	--	--
81-G 0801 -60HP	205	5.70	1880	10	1.2	--	--
81-G 0802 -60HP	205	8.40	3600	3	1.4	--	--
81-G 0803 -60HP	205	12.20	5400	7	3.6	--	--
81-G 0804 -60HP	205	10.00	1920	23	8.6	--	--
81-G 0805 -60HP	205	7.80	1800	16	4.2	--	--
81-G 0806 -60HP	205	23.60	3800	180	28.0	--	--
81-G 0807 -60HP	205	14.00	3400	36	16.2	--	--
81-G 0808 -60HP	205	17.80	3200	32	20.0	--	--
81-G 0809 -60HP	205	8.40	3100	15	7.8	--	--
81-G 0810 -60HP	205	4.80	2800	2	1.2	--	--
81-G 0811 -60HP	205	4.00	2100	11	1.4	--	--
81-G 0812 -60HP	205	5.50	1500	7	6.0	--	--
81-G 0813 -60HP	205	5.90	3200	3	1.8	--	--
81-G 0814 -60HP	205	4.00	2000	2	0.6	--	--
81-G 0815 -60HP	205	8.40	4400	6	3.4	--	--
81-G 0816 -60HP	205	4.90	3600	6	0.8	--	--
81-G 0817 -60HP	205	9.20	4300	4	1.6	--	--
81-G 0818 -60HP	205	7.80	2800	6	2.8	--	--
81-G 0819 -60HP	205	12.00	3400	12	4.0	--	--
81-G 0820 -60HP	205	7.20	2100	5	2.2	--	--



Certified by *Hart Bichler*

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210123-001-A

81C0520	-60	HP TOT	28.00 3.60	4.00	20.00	164.00	.20	.20	10.40	3,100.00	9.00
81C0698	-60	HP TOT	555.00	20.00	300.00	1,100.00	.40	22.00	42.00	1,230.00	70.00
81C0801	-60	HP TOT	12.00 1.20	6.00	18.00	150.00	.20	.20	5.70	1,880.00	10.00
81C0802	-60	HP TOT	26.00 1.40	6.00	10.00	210.00	.20	.20	8.40	3,600.00	3.00
81C0803	-60	HP TOT	34.00 3.60	2.00	16.00	198.00	.20	.20	12.20	5,400.00	7.00
81C0804	-60	HP TOT	50.00 8.60	4.00	30.00	216.00	.40	.20	10.00	1,920.00	23.00
81C0805	-60	HP TOT	48.00 4.20	4.00	36.00	174.00	.20	.20	7.80	1,800.00	16.00
81C0806	-60	HP TOT	200.00 28.00	20.00	490.00	580.00	2.80	3.60	23.60	3,800.00	180.00
81C0807	-60	HP TOT	76.00 16.20	4.00	36.00	280.00	.40	.20	14.00	3,400.00	36.00
81C0808	-60	HP TOT	70.00 20.00	4.00	32.00	370.00	.20	.20	17.80	3,200.00	32.00

05MAR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 15

SAMPLE CODE	TEST CODE	Cu Sb	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: AB210123-001-A

810819	-60	HP TOT	36.00 4.00	2.00	10.00	240.00	.20	.20	12.00	3,400.00	12.00
-------------------	-----	--------	---------------	------	-------	--------	-----	-----	-------	----------	-------

810820	-60	HP TOT	18.00	2.00	14.00	136.00	.20	.20	7.20	2,100.00	5.00
-------------------	-----	--------	-------	------	-------	--------	-----	-----	------	----------	------