

-20 + 35 HN TOT

```
*****  
*  
*   C Y P R U S   A N V I L   M I N I N G   C O R P O R A T I O N   *  
*  
*****  
*  
*           SYSTEM =  HVYMNL           *  
*           PROGRAM =  EX101           *  
*  
*           TUE, MAR  9, 1982,  5:23 PM   *  
*  
*****  
*  
*           LISTING OF HEAVY-MINERALS TEST DATA BY           *  
*           PROJECT AND EXTRACTION CODE                       *  
*  
*****
```

016129

EXTRACTION-CODE = -20+35 HN TOT (1342)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
81G0026	1800	0.6	38	64	0.2	34	6			2.79	790	8				
81G0027	3200	0.2	4	62	0.2	12	4			1.59	360	4				
81G0028	5100	0.2	20	80	0.2	18	4			3.00	680	14				
81G0029	3000	0.2	24	60	0.2	10	6			2.40	680	32				
81G0044	400	0.2	118	68	0.2	18	4			2.40	470	114				
81G0055	✓ 6%	10.0	1160	424	0.2	340	4			4.39	600	198				
81G0055B	✓ 9%	9.7	1280	440	1.5	320	2			4.19	480	226				
81G0056	20000	2.5	2300	640	0.2	128	2			3.90	720	202				
81G0056A	20000	3.5	1340	230	0.2	300	2			3.59	650	206				
81G0056B	13000	3.4	1260	234	0.2	172	2			3.59	640	162				
81G0056C	8000	2.5	1420	276	0.2	60	2			4.10	650	138				
81G0056H	15000	2.0	1100	230	0.2	120	2			3.59	660	126				
81G0063A	25000	3.5	780	510	0.2	190	2			4.00	660	194				
81G0063B	37000	4.3	1300	336	0.2	100	2			4.00	530	118				
81G0063C	✓ 8%	9.0	2600	505	0.2	370	4			4.00	500	70				

EXTRACTION-CODE = -20+35 HN TOT (1342)

SAMPLE *****	A S S A Y R E S U L T S															
	Ba ppm	Ag ppm	Pb ppm	Zn ppm	Cd ppm	Cu ppm	Mo ppm	W ppm	Sn ppm	Fe %	Mn ppm	As ppm	Sb ppm	Hg ppb	Au ppb	WT gm
# RECORDS *****																
# 'NSS' =	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
# '<x' =	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
# '>x' =	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
# 'NA' =	0	0	0	0	0	0	0	15	15	0	0	0	15	15	15	15
# 'OK' =	15	15	15	15	15	15	15	0	0	15	15	15	0	0	0	0
STATISTICS *****																
N =	15	15	15	15	15	15	15	0	0	15	15	15	0	0	0	0
MINIMUM =	6	0.2	4	60	0.2	10	2	0	0	1.59	360	4	0.0	0	0	0.00
MAXIMUM =	37000	10.0	2600	640	1.5	370	6	0	0	4.39	790	226	0.0	0	0	0.00
RANGE =	36993	9.7	2596	580	1.3	360	4	0	0	2.79	430	222	0.0	0	0	0.00
MEAN =	10101	3.493	982.93	277.26	0.293	146.13	3.199	0.000	0.000	3.440	604.66	120.80	0.000	0.000	0.000	0.000
STD. DEV. =	11244	3.473	822.27	192.19	0.361	130.02	1.473	0.000	0.000	0.815	113.56	78.626	0.000	0.000	0.000	0.000
SKEWNESS =	0.912	0.830	0.301	0.307	3.132	0.491	0.680	0.000	0.000	0.807	0.512	0.251	0.000	0.000	0.000	0.000
KURTOSIS =	2.680	2.218	2.027	1.661	11.386	1.592	2.001	0.000	0.000	2.366	2.305	1.452	0.000	0.000	0.000	0.000

TOTAL SAMPLES= 15

		CUMULATIVE PROBABILITY (%)															
		0	10	20	30	40	50	60	70	80	90	100					

		FREQUENCY (%)															

Cu ppm	I	0	2	4	6	8	10	12	14	16	18	20	N.	FREQ.	CUM. PROB.		
0	I	+	0	0.00%	100.00%	
10	I	I	2	13.33%	86.66%
20	I	I	2	13.33%	73.33%
30	I	I	1	6.66%	66.66%
40	I	I	0	0.00%	66.66%
50	I	I	0	0.00%	66.66%
60	I	I	1	6.66%	60.00%
70	I	I	0	0.00%	60.00%
80	I	I	0	0.00%	60.00%
90	I	I	0	0.00%	60.00%
100	I	I	1	6.66%	53.33%
110	I	I	0	0.00%	53.33%
120	I	I	1	6.66%	46.66%
130	I	I	1	6.66%	40.00%
140	I	I	0	0.00%	40.00%
150	I	I	0	0.00%	40.00%
160	I	I	0	0.00%	40.00%
170	I	I	1	6.66%	33.33%
180	I	I	0	0.00%	33.33%
190	I	I	1	6.66%	26.66%
200	I	I	0	0.00%	26.66%
210	I	I	0	0.00%	26.66%
220	I	I	0	0.00%	26.66%
230	I	I	0	0.00%	26.66%
240	I	I	0	0.00%	26.66%
250	I	I	0	0.00%	26.66%
260	I	I	0	0.00%	26.66%
270	I	I	0	0.00%	26.66%
280	I	I	0	0.00%	26.66%
290	I	I	0	0.00%	26.66%
300	I	I	1	6.66%	20.00%
310	I	I	0	0.00%	20.00%
320	I	I	1	6.66%	13.33%
330	I	I	0	0.00%	13.33%
340	I	I	1	6.66%	6.66%
350	I	I	0	0.00%	6.66%
360	I	I	0	0.00%	6.66%
370	I	I	1	6.66%	0.00%
380	I	I	0	0.00%	0.00%
390	I	I	0	0.00%	0.00%

+++++ CUMULATIVE PROBABILITY (%) +++++											TOTAL SAMPLES= 15				
0 10 20 30 40 50 60 70 80 90 100															
I I															
***** FREQUENCY (%) *****															
Zn	0	5	10	15	20	25	30	35	40	45	50	N.	FREQ.	CUM. PROB.	
ppm	I	I				
0	I	+	0	0.00%	100.00%
30	I	+	0	0.00%	100.00%
60	I	*****	I	4	26.66%	73.33%
90	I	*****	I	1	6.66%	66.66%
120	I	I	0	0.00%	66.66%
150	I	I	0	0.00%	66.66%
180	I	I	0	0.00%	66.66%
210	I	I	0	0.00%	66.66%
240	I	*****	I	3	20.00%	46.66%
270	I	*****	I	1	6.66%	40.00%
300	I	I	0	0.00%	40.00%
330	I	*****	I	1	6.66%	33.33%
360	I	I	0	0.00%	33.33%
390	I	I	0	0.00%	33.33%
420	I	*****	I	1	6.66%	26.66%
450	I	*****	I	1	6.66%	20.00%
480	I	I	0	0.00%	20.00%
510	I	*****	I	2	13.33%	6.66%
540	I	I	0	0.00%	6.66%
570	I	I	0	0.00%	6.66%
600	I	I	0	0.00%	6.66%
630	I	*****	I	1	6.66%	0.00%
660	I	I	0	0.00%	0.00%
690	I	I	0	0.00%	0.00%
720	I	I	0	0.00%	0.00%
750	I	I	0	0.00%	0.00%
780	I	I	0	0.00%	0.00%
810	I	I	0	0.00%	0.00%
840	I	I	0	0.00%	0.00%
870	I	I	0	0.00%	0.00%
900	I	I	0	0.00%	0.00%
930	I	I	0	0.00%	0.00%
960	I	I	0	0.00%	0.00%
990	I	I	0	0.00%	0.00%
1020	I	I	0	0.00%	0.00%
1050	I	I	0	0.00%	0.00%
1080	I	I	0	0.00%	0.00%
1110	I	I	0	0.00%	0.00%
1140	I	I	0	0.00%	0.00%
1170	I	I	0	0.00%	0.00%

TOTAL SAMPLES= 15

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 15			
		0	10	20	30	40	50	60	70	80	90	100	N.	FREQ.	CUM. PROB.
		***** FREQUENCY (%) *****													
Ag ppm	I	0	5	10	15	20	25	30	35	40	45	50			
0.0	I	0	0.00%	100.00%
0.2	I	*****	4	26.66%	73.33%
0.4	I	0	0.00%	73.33%
0.6	I	*****	1	6.66%	66.66%
0.8	I	0	0.00%	66.66%
1.0	I	0	0.00%	66.66%
1.2	I	0	0.00%	66.66%
1.4	I	0	0.00%	66.66%
1.6	I	0	0.00%	66.66%
1.8	I	0	0.00%	66.66%
2.0	I	*****	1	6.66%	60.00%
2.2	I	0	0.00%	60.00%
2.4	I	0	0.00%	60.00%
2.6	I	*****	2	13.33%	46.66%
2.8	I	0	0.00%	46.66%
3.0	I	0	0.00%	46.66%
3.2	I	0	0.00%	46.66%
3.4	I	*****	1	6.66%	40.00%
3.6	I	*****	2	13.33%	26.66%
3.8	I	0	0.00%	26.66%
4.0	I	0	0.00%	26.66%
4.2	I	0	0.00%	26.66%
4.4	I	*****	1	6.66%	20.00%
4.6	I	0	0.00%	20.00%
4.8	I	0	0.00%	20.00%
5.0	I	0	0.00%	20.00%
5.2	I	0	0.00%	20.00%
5.4	I	0	0.00%	20.00%
5.6	I	0	0.00%	20.00%
5.8	I	0	0.00%	20.00%
6.0	I	0	0.00%	20.00%
6.2	I	0	0.00%	20.00%
6.4	I	0	0.00%	20.00%
6.6	I	0	0.00%	20.00%
6.8	I	0	0.00%	20.00%
7.0	I	0	0.00%	20.00%
7.2	I	0	0.00%	20.00%
7.4	I	0	0.00%	20.00%
7.6	I	0	0.00%	20.00%
7.8	I	0	0.00%	20.00%
8.0	I	0	0.00%	20.00%
8.2	I	0	0.00%	20.00%
8.4	I	0	0.00%	20.00%
8.6	I	0	0.00%	20.00%
8.8	I	0	0.00%	20.00%
9.0	I	*****	1	6.66%	13.33%
9.2	I	0	0.00%	13.33%
9.4	I	0	0.00%	13.33%
9.6	I	0	0.00%	13.33%
9.8	I	*****	1	6.66%	6.66%

```

10.0 *****
-----
ppm  I      .      .      .      .      .      .      .      .      .      I
Ag   0      5      10     15     20     25     30     35     40     45     50
***** FREQUENCY (%) *****
I      .      .      .      .      .      .      .      .      .      I
0      10     20     30     40     50     60     70     80     90     100
***** CUMULATIVE PROBABILITY (%) *****
TOTAL SAMPLES= 15

```

```

I 1 6.66% 0.00%
N.  FREQ.  PROB.
   CUM.

```

TOTAL SAMPLES= 15

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 15			
		0	10	20	30	40	50	60	70	80	90	100	N.	FREQ.	CUM. PROB.

		FREQUENCY (%)													
		0	2	4	6	8	10	12	14	16	18	20			
As ppm	I	*****													
0	I	*****									+	I	1	6.66%	93.33%
10	I	*****								+		I	2	13.33%	80.00%
20	I										+	I	0	0.00%	80.00%
30	I	*****							+			I	1	6.66%	73.33%
40	I								+			I	0	0.00%	73.33%
50	I								+			I	0	0.00%	73.33%
60	I								+			I	0	0.00%	73.33%
70	I	*****							+			I	1	6.66%	66.66%
80	I								+			I	0	0.00%	66.66%
90	I								+			I	0	0.00%	66.66%
100	I								+			I	0	0.00%	66.66%
110	I	*****						+				I	1	6.66%	59.99%
120	I	*****					+					I	1	6.66%	53.33%
130	I	*****					+					I	1	6.66%	46.66%
140	I	*****				+						I	1	6.66%	40.00%
150	I					+						I	0	0.00%	40.00%
160	I	*****										I	1	6.66%	33.33%
170	I										+	I	0	0.00%	33.33%
180	I										+	I	0	0.00%	33.33%
190	I	*****										I	1	6.66%	26.66%
200	I	*****										I	2	13.33%	13.33%
210	I	*****										I	1	6.66%	6.66%
220	I	+										I	0	0.00%	6.66%
230	I	*****										I	1	6.66%	0.00%
240	I	+										I	0	0.00%	0.00%
250	I	+										I	0	0.00%	0.00%
260	I	+										I	0	0.00%	0.00%
270	I	+										I	0	0.00%	0.00%
280	I	+										I	0	0.00%	0.00%
290	I	+										I	0	0.00%	0.00%
300	I	+										I	0	0.00%	0.00%
310	I	+										I	0	0.00%	0.00%
320	I	+										I	0	0.00%	0.00%
330	I	+										I	0	0.00%	0.00%
340	I	+										I	0	0.00%	0.00%
350	I	+										I	0	0.00%	0.00%
360	I	+										I	0	0.00%	0.00%
370	I	+										I	0	0.00%	0.00%
380	I	+										I	0	0.00%	0.00%
390	I	+										I	0	0.00%	0.00%

TOTAL SAMPLES= 15

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 15			
		0	10	20	30	40	50	60	70	80	90	100			

		FREQUENCY (%)													
		0	2	4	6	8	10	12	14	16	18	20	N.	FREQ.	CUM. PROB.
Ba ppm	I														
0	I*****												3	20.00%	80.00%
200	I												0	0.00%	80.00%
400	I*****												1	6.66%	73.33%
600	I												0	0.00%	73.33%
800	I												0	0.00%	73.33%
1000	I												0	0.00%	73.33%
1200	I												0	0.00%	73.33%
1400	I												0	0.00%	73.33%
1600	I												0	0.00%	73.33%
1800	I*****												1	6.66%	66.66%
2000	I												0	0.00%	66.66%
2200	I												0	0.00%	66.66%
2400	I												0	0.00%	66.66%
2600	I												0	0.00%	66.66%
2800	I												0	0.00%	66.66%
3000	I*****												1	6.66%	59.99%
3200	I*****												1	6.66%	53.33%
3400	I												0	0.00%	53.33%
3600	I												0	0.00%	53.33%
3800	I												0	0.00%	53.33%
4000	I												0	0.00%	53.33%
4200	I												0	0.00%	53.33%
4400	I												0	0.00%	53.33%
4600	I												0	0.00%	53.33%
4800	I												0	0.00%	53.33%
5000	I*****												1	6.66%	46.66%
5200	I												0	0.00%	46.66%
5400	I												0	0.00%	46.66%
5600	I												0	0.00%	46.66%
5800	I												0	0.00%	46.66%
6000	I												0	0.00%	46.66%
6200	I												0	0.00%	46.66%
6400	I												0	0.00%	46.66%
6600	I												0	0.00%	46.66%
6800	I												0	0.00%	46.66%
7000	I												0	0.00%	46.66%
7200	I												0	0.00%	46.66%
7400	I												0	0.00%	46.66%
7600	I												0	0.00%	46.66%
7800	I												0	0.00%	46.66%
8000	I*****												1	6.66%	40.00%
8200	I												0	0.00%	40.00%
8400	I												0	0.00%	40.00%
8600	I												0	0.00%	40.00%
8800	I												0	0.00%	40.00%
9000	I												0	0.00%	40.00%
9200	I												0	0.00%	40.00%
9400	I												0	0.00%	40.00%
9600	I												0	0.00%	40.00%
9800	I												0	0.00%	40.00%

34000	I	+	I	0	0.00%	6.66%
34200	I	+	I	0	0.00%	6.66%
34400	I	+	I	0	0.00%	6.66%
34600	I	+	I	0	0.00%	6.66%
34800	I	+	I	0	0.00%	6.66%
35000	I	+	I	0	0.00%	6.66%
35200	I	+	I	0	0.00%	6.66%
35400	I	+	I	0	0.00%	6.66%
35600	I	+	I	0	0.00%	6.66%
35800	I	+	I	0	0.00%	6.66%
36000	I	+	I	0	0.00%	6.66%
36200	I	+	I	0	0.00%	6.66%
36400	I	+	I	0	0.00%	6.66%
36600	I	+	I	0	0.00%	6.66%
36800	I	+	I	0	0.00%	6.66%
37000	I	+	I	1	6.66%	0.00%

ppm	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	N.	FREQ.	PROB.	
Ba	0	2	4	6	8	10	12	14	16	18	20											
***** FREQUENCY (%) *****																						
I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
0	10	20	30	40	50	60	70	80	90	100												
***** CUMULATIVE PROBABILITY (%) *****																						
																					TOTAL SAMPLES=	15

TOTAL SAMPLES= 15

		CUMULATIVE PROBABILITY (%)										TOTAL SAMPLES= 15			
		0	10	20	30	40	50	60	70	80	90	100			
		I	I			

		FREQUENCY (%)													
		0	10	20	30	40	50	60	70	80	90	100			
		I	I	N.	FREQ.	CUM. PROB.
0.0	I	I	0	0.00%	100.00%
0.2	I	*****	I	14	93.33%	6.66%
0.4	I	+	I	0	0.00%	6.66%
0.6	I	+	I	0	0.00%	6.66%
0.8	I	+	I	0	0.00%	6.66%
1.0	I	+	I	0	0.00%	6.66%
1.2	I	+	I	0	0.00%	6.66%
1.4	I	+	I	0	0.00%	6.66%
1.6	I	*****	I	1	6.66%	0.00%
1.8	I	+	I	0	0.00%	0.00%
2.0	I	+	I	0	0.00%	0.00%
2.2	I	+	I	0	0.00%	0.00%
2.4	I	+	I	0	0.00%	0.00%
2.6	I	+	I	0	0.00%	0.00%
2.8	I	+	I	0	0.00%	0.00%
3.0	I	+	I	0	0.00%	0.00%
3.2	I	+	I	0	0.00%	0.00%
3.4	I	+	I	0	0.00%	0.00%
3.6	I	+	I	0	0.00%	0.00%
3.8	I	+	I	0	0.00%	0.00%
4.0	I	+	I	0	0.00%	0.00%
4.2	I	+	I	0	0.00%	0.00%
4.4	I	+	I	0	0.00%	0.00%
4.6	I	+	I	0	0.00%	0.00%
4.8	I	+	I	0	0.00%	0.00%
5.0	I	+	I	0	0.00%	0.00%
5.2	I	+	I	0	0.00%	0.00%
5.4	I	+	I	0	0.00%	0.00%
5.6	I	+	I	0	0.00%	0.00%
5.8	I	+	I	0	0.00%	0.00%
6.0	I	+	I	0	0.00%	0.00%
6.2	I	+	I	0	0.00%	0.00%
6.4	I	+	I	0	0.00%	0.00%
6.6	I	+	I	0	0.00%	0.00%
6.8	I	+	I	0	0.00%	0.00%
7.0	I	+	I	0	0.00%	0.00%
7.2	I	+	I	0	0.00%	0.00%
7.4	I	+	I	0	0.00%	0.00%
7.6	I	+	I	0	0.00%	0.00%
7.8	I	+	I	0	0.00%	0.00%

TOTAL SAMPLES= 15

		CUMULATIVE PROBABILITY (%)													
		0	10	20	30	40	50	60	70	80	90	100			

		FREQUENCY (%)													
		0	5	10	15	20	25	30	35	40	45	50	N.	FREQ.	CUM. PROB.
Mn ppm	I											I			
0	I	0	0.00%	100.00%
100	I	0	0.00%	100.00%
200	I	0	0.00%	100.00%
300	I	0	0.00%	100.00%
400	I	*****	1	6.66%	93.33%
500	I	*****	4	26.66%	66.66%
600	I	*****	4	26.66%	40.00%
700	I	*****	5	33.33%	6.66%
800	I	*****	1	6.66%	0.00%
900	I	0	0.00%	0.00%
1000	I	0	0.00%	0.00%
1100	I	0	0.00%	0.00%
1200	I	0	0.00%	0.00%
1300	I	0	0.00%	0.00%
1400	I	0	0.00%	0.00%
1500	I	0	0.00%	0.00%
1600	I	0	0.00%	0.00%
1700	I	0	0.00%	0.00%
1800	I	0	0.00%	0.00%
1900	I	0	0.00%	0.00%
2000	I	0	0.00%	0.00%
2100	I	0	0.00%	0.00%
2200	I	0	0.00%	0.00%
2300	I	0	0.00%	0.00%
2400	I	0	0.00%	0.00%
2500	I	0	0.00%	0.00%
2600	I	0	0.00%	0.00%
2700	I	0	0.00%	0.00%
2800	I	0	0.00%	0.00%
2900	I	0	0.00%	0.00%
3000	I	0	0.00%	0.00%
3100	I	0	0.00%	0.00%
3200	I	0	0.00%	0.00%
3300	I	0	0.00%	0.00%
3400	I	0	0.00%	0.00%
3500	I	0	0.00%	0.00%
3600	I	0	0.00%	0.00%
3700	I	0	0.00%	0.00%
3800	I	0	0.00%	0.00%
3900	I	0	0.00%	0.00%

CUMULATIVE PROBABILITY (%)											TOTAL SAMPLES= 15				
	0	10	20	30	40	50	60	70	80	90	100				

	FREQUENCY (%)														
Mo	0	10	20	30	40	50	60	70	80	90	100	N.	FREQ.	CUM. PROB.	
ppm	*****														
0	I	+	0	0.00%	100.00%
2	I	*****	I	8	53.33%	46.66%
4	I	*****	*****	I	5	33.33%	13.33%
6	I	*****	I	2	13.33%	0.00%
8	I	I	0	0.00%	0.00%
10	I	I	0	0.00%	0.00%
12	I	I	0	0.00%	0.00%
14	I	I	0	0.00%	0.00%
16	I	I	0	0.00%	0.00%
18	I	I	0	0.00%	0.00%
20	I	I	0	0.00%	0.00%
22	I	I	0	0.00%	0.00%
24	I	I	0	0.00%	0.00%
26	I	I	0	0.00%	0.00%
28	I	I	0	0.00%	0.00%
30	I	I	0	0.00%	0.00%
32	I	I	0	0.00%	0.00%
34	I	I	0	0.00%	0.00%
36	I	I	0	0.00%	0.00%
38	I	I	0	0.00%	0.00%
40	I	I	0	0.00%	0.00%
42	I	I	0	0.00%	0.00%
44	I	I	0	0.00%	0.00%
46	I	I	0	0.00%	0.00%
48	I	I	0	0.00%	0.00%
50	I	I	0	0.00%	0.00%
52	I	I	0	0.00%	0.00%
54	I	I	0	0.00%	0.00%
56	I	I	0	0.00%	0.00%
58	I	I	0	0.00%	0.00%
60	I	I	0	0.00%	0.00%
62	I	I	0	0.00%	0.00%
64	I	I	0	0.00%	0.00%
66	I	I	0	0.00%	0.00%
68	I	I	0	0.00%	0.00%
70	I	I	0	0.00%	0.00%
72	I	I	0	0.00%	0.00%
74	I	I	0	0.00%	0.00%
76	I	I	0	0.00%	0.00%
78	I	I	0	0.00%	0.00%

+++++ CUMULATIVE PROBABILITY (%) +++++												TOTAL SAMPLES= 15			
0 10 20 30 40 50 60 70 80 90 100															
***** FREQUENCY (%) *****															
Fe %	0	5	10	15	20	25	30	35	40	45	50	N.	FREQ.	CUM. PROB.	
0.0	I	+	0	0.00%	100.00%
0.2	I	+	0	0.00%	100.00%
0.4	I	+	0	0.00%	100.00%
0.6	I	+	0	0.00%	100.00%
0.8	I	+	0	0.00%	100.00%
1.0	I	+	0	0.00%	100.00%
1.2	I	+	0	0.00%	100.00%
1.4	I	+	0	0.00%	100.00%
1.6	I*****	I	1	6.66%	93.33%
1.8	I	I	0	0.00%	93.33%
2.0	I	I	0	0.00%	93.33%
2.2	I	I	0	0.00%	93.33%
2.4	I*****	I	2	13.33%	80.00%
2.6	I	I	0	0.00%	80.00%
2.8	I*****	I	1	6.66%	73.33%
3.0	I*****	I	1	6.66%	66.66%
3.2	I	I	0	0.00%	66.66%
3.4	I	I	0	0.00%	66.66%
3.6	I*****	I	3	20.00%	46.66%
3.8	I*****	I	1	6.66%	39.99%
4.0	I*****+*****	I	4	26.66%	13.33%
4.2	I*****+*****	I	1	6.66%	6.66%
4.4	+*****	I	1	6.66%	0.00%
4.6	+	I	0	0.00%	0.00%
4.8	+	I	0	0.00%	0.00%
5.0	+	I	0	0.00%	0.00%
5.2	+	I	0	0.00%	0.00%
5.4	+	I	0	0.00%	0.00%
5.6	+	I	0	0.00%	0.00%
5.8	+	I	0	0.00%	0.00%
6.0	+	I	0	0.00%	0.00%
6.2	+	I	0	0.00%	0.00%
6.4	+	I	0	0.00%	0.00%
6.6	+	I	0	0.00%	0.00%
6.8	+	I	0	0.00%	0.00%
7.0	+	I	0	0.00%	0.00%
7.2	+	I	0	0.00%	0.00%
7.4	+	I	0	0.00%	0.00%
7.6	+	I	0	0.00%	0.00%
7.8	+	I	0	0.00%	0.00%