

-150 HN TOT

016131

Note common errors
in last decimal
place.
entry or program?

```
*****  
*  
*   C Y P R U S   A N V I L   M I N I N G   C O R P O R A T I O N   *  
*  
*****  
*  
*           SYSTEM =  HUYMNL   *  
*           PROGRAM =  EX101   *  
*  
*           TUE, MAR  9, 1982, 10:26 AM   *  
*  
*****  
*  
*           LISTING OF HEAVY-MINERALS TEST DATA BY   *  
*           PROJECT AND EXTRACTION CODE   *  
*  
*****
```

EXTRACTION-CODE = -150 HN TOT (5342)

| SAMPLE ***** | A S S A Y R E S U L T S | | | | | | | | | | | | | | | |
|-----------------|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|
| | Ba ppm | Ag ppm | Pb ppm | Zn ppm | Cd ppm | Cu ppm | Mo ppm | W ppm | Sn ppm | Fe % | Mn ppm | As ppm | Sb ppm | Hg ppb | Au ppb | WT gm |
| 81G0026 | NBS | 0.6 | 54 | 108 | 0.2 | 30 | 6 | NBS | NBS | 1.20 | 240 | 22 | NBS | | 120 | |
| 81G0027 | 3400 | 0.2 | 96 | 156 | 0.2 | 30 | 2 | 250 | NBS | 1.59/1.60 | 500 | 10 | 2.0 | | 2370 | |
| 81G0028 | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | 4770 | |
| 81G0029 | NBS | 0.3 | 135 | 105 | 0.3 | 27 | 3 | NBS | NBS | 1.64/1.65 | 430 | 66 | NBS | | 70 | |
| 81G0044A | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | | 20 | |
| 81G0044B | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | | 420 | |
| 81G0055A | NBS | 7.1/7.2 | 900 | 1600 | 0.8 | 460 | 8 | NBS | NBS | 4.39/4.40 | 360 | 520 | NBS | | 4330 | |
| 81G0055B | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | | 60 | |
| 81G0056A | 25000 | 2.1/2.2 | 380 | 268 | 0.2 | 220 | 4 | NBS | NBS | 2.19/2.20 | 340 | 75 | NBS | | 27800 | |
| 81G0056B | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | | 4530 | |
| 81G0056E | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | | 8070 | |
| 81G0056G | NBS | 6.3/6.4 | 600 | 500 | 0.4 | 400 | 8 | NBS | NBS | 3.40 | 340 | 248 | NBS | | 5500 | |
| 81G0056H | 42000 | 2.0 | 360 | 324 | 0.2 | 250 | 4 | 250 | NBS | 2.19/2.20 | 310 | 63 | 4.0 | | 4140 | |
| 81G0063A | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | NBS | | 1570 | |
| 81G0063B | NBS | 5.3 | 970 | 3500 | 6.5 | 375 | 3 | NBS | NBS | 4.80 | 350 | 900 | NBS | | 2830 | |
| 81G0063C | NBS | 6.3 | 1230 | 3000 | 3.0 | 330 | 3 | NBS | NBS | 4.00 | 370 | 1000 | NBS | | 110 | |

EXTRACTION-CODE = -150 HN TOT (5342)

| SAMPLE ***** | A S S A Y R E S U L T S. | | | | | | | | | | | | | | | |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|---------|-----------|-----------|-----------|-----------|-----------|----------|
| | Ba ppm | Ag ppm | Pb ppm | Zn ppm | Cd ppm | Cu ppm | Mo ppm | W ppm | Sn ppm | Fe % | Mn ppm | As ppm | Sb ppm | Hg ppb | Au ppb | WT gm |
| # RECORDS ***** | | | | | | | | | | | | | | | | |
| # 'NSS' = | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| # '<x' = | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| # '>x' = | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| # 'NA' = | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 0 | 16 |
| # 'OK' = | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 0 | 15 | 0 |

STATISTICS

| | | | | | | | | | | | | | | | | |
|-------------|--------|-------|--------|--------|-------|--------|-------|--------|-------|-------|--------|--------|-------|-------|--------|-------|
| N = | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 0 | 16 | 0 |
| MINIMUM = | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0 | 0 | 0 | 0.00 | 0 | 0 | 0.0 | 0 | 20 | 0.00 |
| MAXIMUM = | 42000 | 7.1 | 1230 | 3500 | 6.5 | 460 | 8 | 250 | 0 | 4.80 | 500 | 1000 | 4.0 | 0 | 27800 | 0.00 |
| RANGE = | 42000 | 7.1 | 1230 | 3500 | 6.5 | 460 | 8 | 250 | 0 | 4.80 | 500 | 1000 | 4.0 | 0 | 27780 | 0.00 |
| MEAN = | 4400.0 | 1.906 | 295.31 | 597.56 | 0.737 | 132.62 | 2.562 | 31.250 | 0.000 | 1.590 | 202.50 | 181.50 | 0.375 | 0.000 | 4169.3 | 0.000 |
| STD. DEV. = | 11806 | 2.729 | 410.91 | 1112.6 | 1.704 | 173.80 | 2.851 | 85.391 | 0.000 | 1.748 | 191.95 | 329.58 | 1.087 | 0.000 | 6760.3 | 0.000 |
| SKEWNESS = | 2.308 | 0.931 | 1.051 | 1.699 | 2.514 | 0.699 | 0.675 | 2.058 | 0.000 | 0.553 | 0.015 | 1.576 | 2.485 | 0.000 | 2.596 | 0.000 |
| KURTOSIS = | 7.024 | 2.036 | 2.568 | 4.336 | 8.370 | 1.666 | 2.079 | 5.398 | 0.000 | 1.722 | 1.151 | 3.909 | 8.030 | 0.000 | 9.387 | 0.000 |

TOTAL SAMPLES= 16

| | | CUMULATIVE PROBABILITY (%) | | | | | | | | | | TOTAL SAMPLES= 16 | | | | |
|-----|--------|----------------------------|----|----|----|----|----|----|----|----|----|-------------------|----|-------|------------|--------|
| | | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | | |
| | | ***** | | | | | | | | | | | | | | |
| | | FREQUENCY (%) | | | | | | | | | | | | | | |
| | | ***** | | | | | | | | | | | | | | |
| Cu | | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | N. | FREQ. | CUM. PROB. | |
| ppm | I | ***** | | | | | | | | | | I | | | | |
| 0 | I***** | | | | | | | | | | | | I | 7 | 43.75% | 56.25% |
| 10 | I | | | | | | | + | | | | | I | 0 | 0.00% | 56.25% |
| 20 | I | | | | | | | + | | | | | I | 0 | 0.00% | 56.25% |
| 30 | I***** | | | | | | | | | | | | I | 3 | 18.75% | 37.50% |
| 40 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 50 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 60 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 70 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 80 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 90 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 100 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 110 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 120 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 130 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 140 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 150 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 160 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 170 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 180 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 190 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 200 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 210 | I | | | | | | | + | | | | | I | 0 | 0.00% | 37.50% |
| 220 | I***** | | | | | | | + | | | | | I | 1 | 6.25% | 31.25% |
| 230 | I | | | | | | | + | | | | | I | 0 | 0.00% | 31.25% |
| 240 | I | | | | | | | + | | | | | I | 0 | 0.00% | 31.25% |
| 250 | I***** | | | | | | | + | | | | | I | 1 | 6.25% | 25.00% |
| 260 | I | | | | | | | + | | | | | I | 0 | 0.00% | 25.00% |
| 270 | I | | | | | | | + | | | | | I | 0 | 0.00% | 25.00% |
| 280 | I | | | | | | | + | | | | | I | 0 | 0.00% | 25.00% |
| 290 | I | | | | | | | + | | | | | I | 0 | 0.00% | 25.00% |
| 300 | I | | | | | | | + | | | | | I | 0 | 0.00% | 25.00% |
| 310 | I | | | | | | | + | | | | | I | 0 | 0.00% | 25.00% |
| 320 | I | | | | | | | + | | | | | I | 0 | 0.00% | 25.00% |
| 330 | I***** | | | | | | | + | | | | | I | 1 | 6.25% | 18.75% |
| 340 | I | | | | | | | + | | | | | I | 0 | 0.00% | 18.75% |
| 350 | I | | | | | | | + | | | | | I | 0 | 0.00% | 18.75% |
| 360 | I | | | | | | | + | | | | | I | 0 | 0.00% | 18.75% |
| 370 | I***** | | | | | | | + | | | | | I | 1 | 6.25% | 12.50% |
| 380 | I | | | | | | | + | | | | | I | 0 | 0.00% | 12.50% |
| 390 | I | | | | | | | + | | | | | I | 0 | 0.00% | 12.50% |
| 400 | I***** | | | | | | | + | | | | | I | 1 | 6.25% | 6.25% |
| 410 | I | | | | | | | + | | | | | I | 0 | 0.00% | 6.25% |
| 420 | I | | | | | | | + | | | | | I | 0 | 0.00% | 6.25% |
| 430 | I | | | | | | | + | | | | | I | 0 | 0.00% | 6.25% |
| 440 | I | | | | | | | + | | | | | I | 0 | 0.00% | 6.25% |
| 450 | I | | | | | | | + | | | | | I | 0 | 0.00% | 6.25% |
| 460 | I***** | | | | | | | + | | | | | I | 1 | 6.25% | 0.00% |

TOTAL SAMPLES= 16

| | | CUMULATIVE PROBABILITY (%) | | | | | | | | | | | | | |
|-----|--------|----------------------------|----|----|----|----|----|----|----|----|----|-----|----|--------|------------|
| | | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | |
| | | ***** | | | | | | | | | | | | | |
| | | FREQUENCY (%) | | | | | | | | | | | | | |
| | | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | | | |
| Pb | ppm | I | I | I | I | I | I | I | I | I | I | I | N. | FREQ. | CUM. PROB. |
| 0 | I***** | I | | | | | | | | | | | 7 | 43.75% | 56.25% |
| 10 | I | I | | | | | | + | | | | | 0 | 0.00% | 56.25% |
| 20 | I | I | | | | | | + | | | | | 0 | 0.00% | 56.25% |
| 30 | I | I | | | | | | + | | | | | 0 | 0.00% | 56.25% |
| 40 | I | I | | | | | | + | | | | | 0 | 0.00% | 56.25% |
| 50 | I***** | I | | | | | | + | | | | | 1 | 6.25% | 50.00% |
| 60 | I | I | | | | | | + | | | | | 0 | 0.00% | 50.00% |
| 70 | I | I | | | | | | + | | | | | 0 | 0.00% | 50.00% |
| 80 | I | I | | | | | | + | | | | | 0 | 0.00% | 50.00% |
| 90 | I | I | | | | | | + | | | | | 0 | 0.00% | 50.00% |
| 100 | I***** | I | | | | | + | | | | | | 1 | 6.25% | 43.75% |
| 110 | I | I | | | | | + | | | | | | 0 | 0.00% | 43.75% |
| 120 | I | I | | | | | + | | | | | | 0 | 0.00% | 43.75% |
| 130 | I***** | I | | | | | + | | | | | | 1 | 6.25% | 37.50% |
| 140 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 150 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 160 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 170 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 180 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 190 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 200 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 210 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 220 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 230 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 240 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 250 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 260 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 270 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 280 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 290 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 300 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 310 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 320 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 330 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 340 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 350 | I | I | | | | | + | | | | | | 0 | 0.00% | 37.50% |
| 360 | I***** | I | | | | | + | | | | | | 1 | 6.25% | 31.25% |
| 370 | I | I | | | | | + | | | | | | 0 | 0.00% | 31.25% |
| 380 | I***** | I | | | | | + | | | | | | 1 | 6.25% | 25.00% |
| 390 | I | I | | | | | + | | | | | | 0 | 0.00% | 25.00% |
| 400 | I | I | | | | | + | | | | | | 0 | 0.00% | 25.00% |
| 410 | I | I | | | | | + | | | | | | 0 | 0.00% | 25.00% |
| 420 | I | I | | | | | + | | | | | | 0 | 0.00% | 25.00% |
| 430 | I | I | | | | | + | | | | | | 0 | 0.00% | 25.00% |
| 440 | I | I | | | | | + | | | | | | 0 | 0.00% | 25.00% |
| 450 | I | I | | | | | + | | | | | | 0 | 0.00% | 25.00% |
| 460 | I | I | | | | | + | | | | | | 0 | 0.00% | 25.00% |
| 470 | I | I | | | | | + | | | | | | 0 | 0.00% | 25.00% |
| 480 | I | I | | | | | + | | | | | | 0 | 0.00% | 25.00% |
| 490 | I | I | | | | | + | | | | | | 0 | 0.00% | 25.00% |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|--------|
| 500 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 510 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 520 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 530 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 540 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 550 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 560 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 570 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 580 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 590 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 600 | I | ***** | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 610 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 1 | 6.25% | 18.75% |
| 620 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 630 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 640 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 650 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 660 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 670 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 680 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 690 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 700 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 710 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 720 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 730 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 740 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 750 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 760 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 770 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 780 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 790 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 800 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 810 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 820 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 830 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 840 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 850 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 860 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 870 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 880 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 890 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 900 | I | ***** | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 1 | 6.25% | 12.50% |
| 910 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 920 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 930 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 940 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 950 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 960 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 970 | I | ***** | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 1 | 6.25% | 6.25% |
| 980 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 990 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1000 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1010 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1020 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1030 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1040 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1050 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1060 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1070 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1080 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1090 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|-------|
| 1100 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1110 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1120 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1130 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1140 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1150 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1160 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1170 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1180 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1190 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1200 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1210 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1220 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 1230 | +***** | | | | | | | | | | | | | | | | | | | | I | 1 | 6.25% | 0.00% |

| ppm Pb | I | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | I | N. | FREQ. | PROB. CUM. |
|--|---|----|----|----|----|----|----|----|----|----|-----|----|-------------------|----|-------|------------|
| ***** FREQUENCY (%) ***** | | | | | | | | | | | | | | | | |
| I | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | I | | | | |
| ***** CUMULATIVE PROBABILITY (%) ***** | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | TOTAL SAMPLES= 16 | | | |

TOTAL SAMPLES= 16

| | | CUMULATIVE PROBABILITY (%) | | | | | | | | | | | | | | |
|--------|--------|----------------------------|----|----|----|----|----|----|----|----|----|-----|----|-------|------------|--------|
| | | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | | |
| | | ***** | | | | | | | | | | | | | | |
| | | FREQUENCY (%) | | | | | | | | | | | | | | |
| | | ***** | | | | | | | | | | | | | | |
| Zn ppm | I | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | N. | FREQ. | CUM. PROB. | |
| 0 | I***** | . | . | . | . | . | . | . | . | . | . | . | I | 7 | 43.75% | 56.25% |
| 30 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 56.25% |
| 60 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 56.25% |
| 90 | I***** | . | . | . | . | . | . | . | . | . | . | . | I | 1 | 6.25% | 50.00% |
| 120 | I***** | . | . | . | . | . | . | . | . | . | . | . | I | 1 | 6.25% | 43.75% |
| 150 | I***** | . | . | . | . | . | . | . | . | . | . | . | I | 1 | 6.25% | 37.50% |
| 180 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 37.50% |
| 210 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 37.50% |
| 240 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 37.50% |
| 270 | I***** | . | . | . | . | . | . | . | . | . | . | . | I | 1 | 6.25% | 31.25% |
| 300 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 31.25% |
| 330 | I***** | . | . | . | . | . | . | . | . | . | . | . | I | 1 | 6.25% | 25.00% |
| 360 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 390 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 420 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 450 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 480 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 510 | I***** | . | . | . | . | . | . | . | . | . | . | . | I | 1 | 6.25% | 18.75% |
| 540 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 570 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 600 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 630 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 660 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 690 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 720 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 750 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 780 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 810 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 840 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 870 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 900 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 930 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 960 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 990 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1020 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1050 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1080 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1110 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1140 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1170 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1200 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1230 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1260 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1290 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1320 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1350 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1380 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1410 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1440 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1470 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|-------|-------|
| 3300 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 3330 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 3360 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 3390 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 3420 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 3450 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 3480 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 3510 | +***** | | | | | | | | | | | | | | | | | | | I | 1 | 6.25% | 0.00% | |

| ppm Zn | I | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | I | N. | FREQ. | PROB. CUM. |
|--|---|----|----|----|----|----|----|----|----|----|-----|----|-------------------|----|-------|------------|
| ***** FREQUENCY (%) ***** | | | | | | | | | | | | | | | | |
| I | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | I | TOTAL SAMPLES= 16 | | | |
| ***** CUMULATIVE PROBABILITY (%) ***** | | | | | | | | | | | | | | | | |

| +++++ CUMULATIVE PROBABILITY (%) +++++ | | | | | | | | | | | TOTAL SAMPLES= 16 | | | |
|--|---|-------|----|----|----|----|----|----|----|----|-------------------|----|--------|------------|
| | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | |
| | I | | | | | | | | | | I | | | |
| ***** FREQUENCY (%) ***** | | | | | | | | | | | | | | |
| Au | 0 | 2 | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | N. | FREQ. | CUM. PROB. |
| ppb | I | | | | | | | | | | I | | | |
| 0 | I | | | | | | | | | | + | 0 | 0.00% | 100.00% |
| 20 | I | ***** | | | | | | | | | + | 1 | 6.25% | 93.75% |
| 40 | I | | | | | | | | | | + | 0 | 0.00% | 93.75% |
| 60 | I | ***** | | | | | | | | | + | 2 | 12.50% | 81.25% |
| 80 | I | | | | | | | | | | + | 0 | 0.00% | 81.25% |
| 100 | I | ***** | | | | | | | | + | | 1 | 6.25% | 75.00% |
| 120 | I | ***** | | | | | | | | | + | 1 | 6.25% | 68.75% |
| 140 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 160 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 180 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 200 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 220 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 240 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 260 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 280 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 300 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 320 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 340 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 360 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 380 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 400 | I | | | | | | | | | | + | 0 | 0.00% | 68.75% |
| 420 | I | ***** | | | | | | | | | + | 1 | 6.25% | 62.50% |
| 440 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 460 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 480 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 500 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 520 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 540 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 560 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 580 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 600 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 620 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 640 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 660 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 680 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 700 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 720 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 740 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 760 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 780 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 800 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 820 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 840 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 860 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 880 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 900 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 920 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 940 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 960 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |
| 980 | I | | | | | | | | | | + | 0 | 0.00% | 62.50% |

| | | | | | | | | | | | | | | | | | | | | | |
|------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---|---|-------|--------|
| 4600 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 4620 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 4640 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 4660 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 4680 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 4700 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 4720 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 4740 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 4760 | I | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | I | 1 | 6.25% | 18.75% |
| 4780 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 4800 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 4820 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 4840 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 4860 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 4880 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 4900 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 4920 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 4940 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 4960 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 4980 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5000 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5020 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5040 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5060 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5080 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5100 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5120 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5140 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5160 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5180 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5200 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5220 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5240 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5260 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5280 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5300 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5320 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5340 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5360 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5380 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5400 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5420 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5440 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5460 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5480 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 5500 | I | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | I | 1 | 6.25% | 12.50% |
| 5520 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5540 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5560 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5580 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5600 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5620 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5640 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5660 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5680 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5700 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5720 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5740 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5760 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5780 | I | . | . | + | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |

| | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|--------|
| 7000 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7020 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7040 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7060 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7080 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7100 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7120 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7140 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7160 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7180 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7200 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7220 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7240 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7260 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7280 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7300 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7320 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7340 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7360 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7380 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7400 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7420 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7440 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7460 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7480 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7500 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7520 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7540 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7560 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7580 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7600 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7620 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7640 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7660 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7680 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7700 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7720 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7740 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7760 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7780 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7800 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7820 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7840 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7860 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7880 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7900 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7920 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7940 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7960 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7980 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |

| ppb Au | I | 0 | 2 | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | I | N. | FREQ. | PROB. | CUM. |
|--|---|----|----|----|----|----|----|----|----|----|-----|----|---|----------------|-------|-------|------|
| ***** FREQUENCY (%) ***** | | | | | | | | | | | | | | | | | |
| I | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | I | | | | | |
| ***** CUMULATIVE PROBABILITY (%) ***** | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | TOTAL SAMPLES= | 16 | | |

TOTAL SAMPLES= 16

| | | CUMULATIVE PROBABILITY (%) | | | | | | | | | | TOTAL SAMPLES= 16 | | | | |
|-----|--------|----------------------------|----|----|----|----|----|----|----|----|----|-------------------|----|-------|------------|--------|
| | | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | | |
| | | ***** | | | | | | | | | | | | | | |
| | | FREQUENCY (%) | | | | | | | | | | | | | | |
| | | ***** | | | | | | | | | | | | | | |
| Ag | | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | N. | FREQ. | CUM. PROB. | |
| ppm | I | | | | | | | | | | | I | | | | |
| 0.0 | I***** | | | | | | | | | | | | I | 7 | 43.75% | 56.25% |
| 0.2 | I***** | | | | | | | | | | | | I | 2 | 12.50% | 43.75% |
| 0.4 | I | | | | | | | | | | | | I | 0 | 0.00% | 43.75% |
| 0.6 | I***** | | | | | | | | | | | | I | 1 | 6.25% | 37.50% |
| 0.8 | I | | | | | | | | | | | | I | 0 | 0.00% | 37.50% |
| 1.0 | I | | | | | | | | | | | | I | 0 | 0.00% | 37.50% |
| 1.2 | I | | | | | | | | | | | | I | 0 | 0.00% | 37.50% |
| 1.4 | I | | | | | | | | | | | | I | 0 | 0.00% | 37.50% |
| 1.6 | I | | | | | | | | | | | | I | 0 | 0.00% | 37.50% |
| 1.8 | I | | | | | | | | | | | | I | 0 | 0.00% | 37.50% |
| 2.0 | I***** | | | | | | | | | | | | I | 1 | 6.25% | 31.25% |
| 2.2 | I***** | | | | | | | | | | | | I | 1 | 6.25% | 25.00% |
| 2.4 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 2.6 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 2.8 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 3.0 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 3.2 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 3.4 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 3.6 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 3.8 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 4.0 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 4.2 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 4.4 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 4.6 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 4.8 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 5.0 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 5.2 | I***** | | | | | | | | | | | | I | 1 | 6.25% | 18.75% |
| 5.4 | I | | | | | | | | | | | | I | 0 | 0.00% | 18.75% |
| 5.6 | I | | | | | | | | | | | | I | 0 | 0.00% | 18.75% |
| 5.8 | I | | | | | | | | | | | | I | 0 | 0.00% | 18.75% |
| 6.0 | I | | | | | | | | | | | | I | 0 | 0.00% | 18.75% |
| 6.2 | I***** | | | | | | | | | | | | I | 1 | 6.25% | 12.50% |
| 6.4 | I***** | | | | | | | | | | | | I | 1 | 6.25% | 6.25% |
| 6.6 | I + | | | | | | | | | | | | I | 0 | 0.00% | 6.25% |
| 6.8 | I + | | | | | | | | | | | | I | 0 | 0.00% | 6.25% |
| 7.0 | I + | | | | | | | | | | | | I | 0 | 0.00% | 6.25% |
| 7.2 | I***** | | | | | | | | | | | | I | 1 | 6.25% | 0.00% |
| 7.4 | I + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 7.6 | I + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 7.8 | I + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |

TOTAL SAMPLES= 16

| | | CUMULATIVE PROBABILITY (%) | | | | | | | | | | | | | | |
|-----|--------|----------------------------|----|----|----|----|----|----|----|----|----|-----|----|-------|------------|--------|
| | | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | | |
| | | ***** | | | | | | | | | | | | | | |
| | | FREQUENCY (%) | | | | | | | | | | | | | | |
| | | ***** | | | | | | | | | | | | | | |
| As | | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | N. | FREQ. | CUM. PROB. | |
| ppm | I | I | I | I | I | I | I | I | I | I | I | I | I | I | I | |
| 0 | I***** | . | . | . | . | . | . | . | . | . | . | . | I | 7 | 43.75% | 56.25% |
| 10 | I***** | . | . | . | . | . | + | . | . | . | . | . | I | 1 | 6.25% | 50.00% |
| 20 | I***** | . | . | . | . | . | + | . | . | . | . | . | I | 1 | 6.25% | 43.75% |
| 30 | I | . | . | . | . | . | + | . | . | . | . | . | I | 0 | 0.00% | 43.75% |
| 40 | I | . | . | . | . | . | + | . | . | . | . | . | I | 0 | 0.00% | 43.75% |
| 50 | I | . | . | . | . | . | + | . | . | . | . | . | I | 0 | 0.00% | 43.75% |
| 60 | I***** | . | . | . | . | . | + | . | . | . | . | . | I | 1 | 6.25% | 37.50% |
| 70 | I***** | . | . | . | . | . | . | . | . | . | . | . | I | 2 | 12.50% | 25.00% |
| 80 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 90 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 100 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 110 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 120 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 130 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 140 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 150 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 160 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 170 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 180 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 190 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 200 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 210 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 220 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 230 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 240 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 25.00% |
| 250 | I***** | . | . | . | . | . | . | . | . | . | . | . | I | 1 | 6.25% | 18.75% |
| 260 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 270 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 280 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 290 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 300 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 310 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 320 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 330 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 340 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 350 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 360 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 370 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 380 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 390 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 400 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 410 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 420 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 430 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 440 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 450 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 460 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 470 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 480 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 490 | I | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |

| +++++ CUMULATIVE PROBABILITY (%) +++++ | | | | | | | | | | | TOTAL SAMPLES= 16 | | | | |
|--|---------------------------|----|----|----|----|----|----|----|----|----|-------------------|---|----|--------|------------|
| | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | | |
| | ***** FREQUENCY (%) ***** | | | | | | | | | | | | | | |
| Sb ppm | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | I | N. | FREQ. | CUM. PROB. |
| 0.0 | I*****+ | | | | | | | | | | | I | 14 | 87.50% | 12.50% |
| 0.4 | I | + | | | | | | | | | | I | 0 | 0.00% | 12.50% |
| 0.8 | I | + | | | | | | | | | | I | 0 | 0.00% | 12.50% |
| 1.2 | I | + | | | | | | | | | | I | 0 | 0.00% | 12.50% |
| 1.6 | I | + | | | | | | | | | | I | 0 | 0.00% | 12.50% |
| 2.0 | I*****+ | | | | | | | | | | | I | 1 | 6.25% | 6.25% |
| 2.4 | I | + | | | | | | | | | | I | 0 | 0.00% | 6.25% |
| 2.8 | I | + | | | | | | | | | | I | 0 | 0.00% | 6.25% |
| 3.2 | I | + | | | | | | | | | | I | 0 | 0.00% | 6.25% |
| 3.6 | I | + | | | | | | | | | | I | 0 | 0.00% | 6.25% |
| 4.0 | I*****+ | | | | | | | | | | | I | 1 | 6.25% | 0.00% |
| 4.4 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 4.8 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 5.2 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 5.6 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 6.0 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 6.4 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 6.8 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 7.2 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 7.6 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 8.0 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 8.4 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 8.8 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 9.2 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 9.6 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 10.0 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 10.4 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 10.8 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 11.2 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 11.6 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 12.0 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 12.4 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 12.8 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 13.2 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 13.6 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 14.0 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 14.4 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 14.8 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 15.2 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 15.6 | I | + | | | | | | | | | | I | 0 | 0.00% | 0.00% |

TOTAL SAMPLES= 16

| | | CUMULATIVE PROBABILITY (%) | | | | | | | | | | TOTAL SAMPLES= 16 | | | | |
|--------|--------|----------------------------|----|----|----|----|----|----|----|----|----|-------------------|----|-------|------------|--------|
| | | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | N. | FREQ. | CUM. PROB. | |
| | | ***** FREQUENCY (%) ***** | | | | | | | | | | | | | | |
| Ba ppm | I | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | I | | | |
| 0 | I***** | . | . | . | . | . | . | . | . | . | . | . | I | 13 | 81.25% | 18.75% |
| 200 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 400 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 600 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 800 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1000 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1200 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1400 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1600 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 1800 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 2000 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 2200 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 2400 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 2600 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 2800 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 3000 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 3200 | I | . | . | + | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 18.75% |
| 3400 | I***** | . | + | . | . | . | . | . | . | . | . | . | I | 1 | 6.25% | 12.50% |
| 3600 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 3800 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 4000 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 4200 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 4400 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 4600 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 4800 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5000 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5200 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5400 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5600 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 5800 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 6000 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 6200 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 6400 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 6600 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 6800 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7000 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7200 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7400 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7600 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 7800 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 8000 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 8200 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 8400 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 8600 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 8800 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 9000 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 9200 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 9400 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 9600 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |
| 9800 | I | . | + | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 12.50% |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|-------|
| 34000 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 34200 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 34400 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 34600 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 34800 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 35000 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 35200 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 35400 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 35600 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 35800 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 36000 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 36200 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 36400 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 36600 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 36800 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 37000 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 37200 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 37400 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 37600 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 37800 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 38000 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 38200 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 38400 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 38600 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 38800 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 39000 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 39200 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 39400 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 39600 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 39800 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 40000 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 40200 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 40400 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 40600 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 40800 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 41000 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 41200 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 41400 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 41600 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 41800 | I | + | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 0 | 0.00% | 6.25% |
| 42000 | I | ***** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | I | 1 | 6.25% | 0.00% |

| ppm Ba | I | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | N. | FREQ. | PROB. CUM. |
|--|---|----|----|----|----|----|----|----|----|----|-----|----|----------------|------------|
| ***** FREQUENCY (%) ***** | | | | | | | | | | | | | | |
| I | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | |
| ***** CUMULATIVE PROBABILITY (%) ***** | | | | | | | | | | | | | | |
| I | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | |
| | | | | | | | | | | | | | TOTAL SAMPLES= | 16 |

TOTAL SAMPLES= 16

| | | CUMULATIVE PROBABILITY (%) | | | | | | | | | | TOTAL SAMPLES= 16 | | | | | | | | | | | | | | | | | | | |
|--------|--------|----------------------------|----|----|----|----|----|----|----|----|----|-------------------|----|--------|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|
| | | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | | | | | | | | | | | | | | | | | |
| | | ***** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | FREQUENCY (%) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | N. | FREQ. | CUM. PROB. | | | | | | | | | | | | | | | | |
| Cd ppm | I | | | | | | | | | | | I | | | | | | | | | | | | | | | | | | | |
| 0.0 | I***** | | | | | | | | | | | I | 7 | 43.75% | 56.25% | | | | | | | | | | | | | | | | |
| 0.2 | I***** | | | | | | | | | | | I | 5 | 31.25% | 25.00% | | | | | | | | | | | | | | | | |
| 0.4 | I***** | | + | | | | | | | | | | I | 1 | 6.25% | 18.75% | | | | | | | | | | | | | | | |
| 0.6 | I | | | + | | | | | | | | | | I | 0 | 0.00% | 18.75% | | | | | | | | | | | | | | |
| 0.8 | I***** | | | | | | | | | | | I | 1 | 6.25% | 12.50% | | | | | | | | | | | | | | | | |
| 1.0 | I | | | | + | | | | | | | | | | I | 0 | 0.00% | 12.50% | | | | | | | | | | | | | |
| 1.2 | I | | | | | + | | | | | | | | | | I | 0 | 0.00% | 12.50% | | | | | | | | | | | | |
| 1.4 | I | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 12.50% | | | | | | | | | | | |
| 1.6 | I | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 12.50% | | | | | | | | | | |
| 1.8 | I | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 12.50% | | | | | | | | | |
| 2.0 | I | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 12.50% | | | | | | | | |
| 2.2 | I | | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 12.50% | | | | | | | |
| 2.4 | I | | | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 12.50% | | | | | | |
| 2.6 | I | | | | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 12.50% | | | | | |
| 2.8 | I | | | | | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 12.50% | | | | |
| 3.0 | I***** | | | | | | | | | | | I | 1 | 6.25% | 6.25% | | | | | | | | | | | | | | | | |
| 3.2 | I | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | | | | | | | | | | | | | |
| 3.4 | I | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | | | | | | | | | | | | |
| 3.6 | I | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | | | | | | | | | | | |
| 3.8 | I | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | | | | | | | | | | |
| 4.0 | I | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | | | | | | | | | |
| 4.2 | I | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | | | | | | | | |
| 4.4 | I | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | | | | | | | |
| 4.6 | I | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | | | | | | |
| 4.8 | I | | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | | | | | |
| 5.0 | I | | | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | | | | |
| 5.2 | I | | | | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | | | |
| 5.4 | I | | | | | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | | |
| 5.6 | I | | | | | | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | | |
| 5.8 | I | | | | | | | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | | |
| 6.0 | I | | | | | | | | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% | |
| 6.2 | I | | | | | | | | | | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 6.25% |
| 6.4 | I***** | | | | | | | | | | | I | 1 | 6.25% | 0.00% | | | | | | | | | | | | | | | | |
| 6.6 | I | | + | | | | | | | | | | I | 0 | 0.00% | 0.00% | | | | | | | | | | | | | | | |
| 6.8 | I | | | + | | | | | | | | | | I | 0 | 0.00% | 0.00% | | | | | | | | | | | | | | |
| 7.0 | I | | | | + | | | | | | | | | | I | 0 | 0.00% | 0.00% | | | | | | | | | | | | | |
| 7.2 | I | | | | | + | | | | | | | | | | I | 0 | 0.00% | 0.00% | | | | | | | | | | | | |
| 7.4 | I | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 0.00% | | | | | | | | | | | |
| 7.6 | I | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 0.00% | | | | | | | | | | |
| 7.8 | I | | | | | | | | + | | | | | | | | | | I | 0 | 0.00% | 0.00% | | | | | | | | | |

| | | CUMULATIVE PROBABILITY (%) | | | | | | | | | | TOTAL SAMPLES= 16 | | | | |
|--------|---|----------------------------|----|----|----|----|----|----|----|----|----|-------------------|----|-------|------------|--------|
| | | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | | |
| | | ***** | | | | | | | | | | | | | | |
| | | FREQUENCY (%) | | | | | | | | | | | | | | |
| | | ***** | | | | | | | | | | | | | | |
| Mn ppm | I | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | N. | FREQ. | CUM. PROB. | |
| 0 | I | ***** | | | | | | | | | | | I | 7 | 43.75% | 56.25% |
| 100 | I | | | | | | | | | | | | I | 0 | 0.00% | 56.25% |
| 200 | I | ***** | | | | | | | | | | | I | 1 | 6.25% | 50.00% |
| 300 | I | ***** | | | | | | | | | | | I | 4 | 25.00% | 25.00% |
| 400 | I | ***** | | | | | | | | | | | I | 3 | 18.75% | 6.25% |
| 500 | I | ***** | | | | | | | | | | | I | 1 | 6.25% | 0.00% |
| 600 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 700 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 800 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 900 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 1000 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 1100 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 1200 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 1300 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 1400 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 1500 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 1600 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 1700 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 1800 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 1900 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 2000 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 2100 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 2200 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 2300 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 2400 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 2500 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 2600 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 2700 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 2800 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 2900 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 3000 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 3100 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 3200 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 3300 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 3400 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 3500 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 3600 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 3700 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 3800 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 3900 | I | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |

TOTAL SAMPLES= 16

| | | CUMULATIVE PROBABILITY (%) | | | | | | | | | | TOTAL SAMPLES= 16 | | | |
|----|-----|----------------------------|----|----|----|----|----|----|----|----|----|-------------------|----|--------|------------|
| | | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | |
| | | ***** | | | | | | | | | | | | | |
| | | FREQUENCY (%) | | | | | | | | | | | | | |
| | | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | N. | FREQ. | CUM. PROB. |
| Mo | ppm | ***** | | | | | | | | | | | | | |
| 0 | I | ***** | | | | | | | | | | I | 7 | 43.75% | 56.25% |
| 2 | I | ***** | | | | | | | | | | I | 4 | 25.00% | 31.25% |
| 4 | I | ***** | | | | | | | | | | I | 2 | 12.50% | 18.75% |
| 6 | I | ***** | | | | | | | | | | I | 1 | 6.25% | 12.50% |
| 8 | I | ***** | | | | | | | | | | I | 2 | 12.50% | 0.00% |
| 10 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 12 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 14 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 16 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 18 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 20 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 22 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 24 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 26 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 28 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 30 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 32 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 34 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 36 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 38 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 40 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 42 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 44 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 46 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 48 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 50 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 52 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 54 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 56 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 58 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 60 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 62 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 64 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 66 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 68 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 70 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 72 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 74 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 76 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 78 | I | | | | | | | | | | | I | 0 | 0.00% | 0.00% |

TOTAL SAMPLES= 16

| | | CUMULATIVE PROBABILITY (%) | | | | | | | | | | | | | | |
|-----|---------|----------------------------|----|----|----|----|----|----|----|----|----|-----|----|-------|------------|--------|
| | | 0 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | | | | |
| | | ***** | | | | | | | | | | | | | | |
| | | FREQUENCY (%) | | | | | | | | | | | | | | |
| | | ***** | | | | | | | | | | | | | | |
| Fe | % | 0 | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | N. | FREQ. | CUM. PROB. | |
| 0.0 | I***** | | | | | | | | | | | | I | 7 | 43.75% | 56.25% |
| 0.2 | I | | | | | | | + | | | | | I | 0 | 0.00% | 56.25% |
| 0.4 | I | | | | | | | + | | | | | I | 0 | 0.00% | 56.25% |
| 0.6 | I | | | | | | | + | | | | | I | 0 | 0.00% | 56.25% |
| 0.8 | I | | | | | | | + | | | | | I | 0 | 0.00% | 56.25% |
| 1.0 | I | | | | | | | + | | | | | I | 0 | 0.00% | 56.25% |
| 1.2 | I***** | | | | | | | + | | | | | I | 1 | 6.25% | 50.00% |
| 1.4 | I | | | | | | | + | | | | | I | 0 | 0.00% | 50.00% |
| 1.6 | I***** | | | | | + | | | | | | | I | 2 | 12.50% | 37.50% |
| 1.8 | I | | | | | + | | | | | | | I | 0 | 0.00% | 37.50% |
| 2.0 | I | | | | | + | | | | | | | I | 0 | 0.00% | 37.50% |
| 2.2 | I*****+ | | | | | | | | | | | | I | 2 | 12.50% | 25.00% |
| 2.4 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 2.6 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 2.8 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 3.0 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 3.2 | I | | | | | | | | | | | | I | 0 | 0.00% | 25.00% |
| 3.4 | I***** | | | | | | | | | | | | I | 1 | 6.25% | 18.75% |
| 3.6 | I | | | | | | | | | | | | I | 0 | 0.00% | 18.75% |
| 3.8 | I | | | | | | | | | | | | I | 0 | 0.00% | 18.75% |
| 4.0 | I*****+ | | | | | | | | | | | | I | 1 | 6.25% | 12.50% |
| 4.2 | I | | | | | | | | | | | | I | 0 | 0.00% | 12.50% |
| 4.4 | I*****+ | | | | | | | | | | | | I | 1 | 6.25% | 6.25% |
| 4.6 | I | | | | | | | | | | | | I | 0 | 0.00% | 6.25% |
| 4.8 | I***** | | | | | | | | | | | | I | 1 | 6.25% | 0.00% |
| 5.0 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 5.2 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 5.4 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 5.6 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 5.8 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 6.0 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 6.2 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 6.4 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 6.6 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 6.8 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 7.0 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 7.2 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 7.4 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 7.6 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |
| 7.8 | + | | | | | | | | | | | | I | 0 | 0.00% | 0.00% |