

Q- Feb 18/82
L

016135

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115313-001-A
INVOICE # : I8115313
DATE : 15-DEC-81
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0318-60HN	205	30	2	16	40	0.2	0.2
81G-0325-60HN	205	18	2	4	58	0.2	0.2
81G-0328-60HN	205	104	2	12	113	0.6	1.0
81G-0329-60HN	205	136	2	30	440	0.4	3.6
81G-0330-60HN	205	50	2	32	96	0.2	1.2
81G-0331-60HN	205	30	2	38	110	0.2	1.0
81G-0332-60HN	205	100	2	12	100	0.2	0.8
81G-0337-60HN	205	32	2	26	64	0.2	0.4
81G-0339-60HN	205	20	2	14	58	0.4	0.4
81G-0340-60HN	205	26	2	14	96	0.2	0.6
81G-0344-60HN	205	78	2	42	132	0.4	1.6
81G-0345-60HN	205	64	2	20	72	0.2	0.4
81G-0346-60HN	205	28	2	4	44	0.2	0.4
81G-0348-60HN	205	46	2	18	58	1.6	0.2
81G-0349-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0350-60HN	205	12	2	2	150	0.2	0.2
81G-0355-60HN	205	30	2	54	108	1.4	1.6
81G-0356-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0415-60HN	205	110	2	22	54	1.6	0.2
81G-0417-60HN	205	20	2	44	44	5.8	0.6
81G-0423-60HN	205	36	2	170	40	0.2	0.2
81G-0424-60HN	205	14	2	32	42	0.4	0.2
81G-0425-60HN	205	42	2	20	36	0.2	0.4
81G-0428-60HN	205	84	2	36	70	0.2	0.8
81G-0432-60HN	205	60	2	10	58	0.2	0.2
81G-0434-60HN	205	48	2	10	64	0.2	0.2
81G-0435-60HN	205	24	2	16	64	0.2	0.2
81G-0443-60HN	205	44	2	68	92	0.4	0.6
81G-0444-60HN	205	44	2	10	40	1.8	0.2
81G-0445-60HN	205	38	2	18	34	0.2	0.2
81G-0446-60HN	205	54	2	16	48	0.2	0.2
81G-0447-60HN	205	152	2	8	40	0.2	0.2
81G-0449-60HN	205	174	2	26	56	0.2	0.2
81G-0450-60HN	205	50	2	20	40	0.2	0.2
81G-0458-60HN	205	230	2	70	104	1.4	0.4
81G-0459-60HN	205	82	2	20	62	0.4	0.4
81G-0463-60HN	205	154	2	12	76	11.6	0.4
81G-0464-60HN	205	590	2	16	186	0.2	0.2
81G-0465-60HN	205	182	2	10	30	0.2	0.2
81G-0467-60HN	205	20	2	54	56	0.2	0.4

Certified by

Hart Buchler



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8115313-001-B
 INVOICE # : I8115313
 DATE : 15-DEC-81
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81G-0318-60HN	205	2.06	416	8	90	2	0.4
81G-0325-60HN	205	1.36	296	22	80	8	0.2
81G-0328-60HN	205	2.48	700	30	350	188	0.4
81G-0329-60HN	205	3.80	396	46	450	124	0.8
81G-0330-60HN	205	3.04	310	6	80	4	0.4
81G-0331-60HN	205	3.64	350	14	150	32	2.4
81G-0332-60HN	205	2.20	212	14	250	20	0.8
81G-0337-60HN	205	3.00	392	24	350	4	0.4
81G-0339-60HN	205	2.56	424	72	1500	32	0.4
81G-0340-60HN	205	2.96	460	154	700	68	0.4
81G-0344-60HN	205	4.60	516	54	180	4	1.2
81G-0345-60HN	205	2.28	280	44	400	12	0.4
81G-0346-60HN	205	1.32	200	18	150	4	0.2
81G-0348-60HN	205	1.60	300	6	4200	112	0.2
81G-0349-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0350-60HN	205	4.30	1180	250	840	2	0.8
81G-0355-60HN	205	2.90	396	134	1080	176	0.4
81G-0356-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0415-60HN	205	2.12	510	270	170	2	0.2
81G-0417-60HN	205	1.04	300	2	N.S.S.	N.S.S.	0.4
81G-0423-60HN	205	1.44	310	2	N.S.S.	N.S.S.	N.S.S.
81G-0424-60HN	205	1.10	190	6	900	N.S.S.	0.4
81G-0425-60HN	205	0.72	166	4	900	N.S.S.	0.4
81G-0428-60HN	205	2.70	208	18	800	216	0.4
81G-0432-60HN	205	2.04	210	4	350	4	0.2
81G-0434-60HN	205	2.06	268	8	900	2	0.2
81G-0435-60HN	205	2.12	296	8	600	8	0.4
81G-0443-60HN	205	2.86	460	240	2100	232	0.2
81G-0444-60HN	205	1.94	300	2	90	2	0.2
81G-0445-60HN	205	2.86	400	2	60	2	0.2
81G-0446-60HN	205	2.90	680	18	200	2	0.4
81G-0447-60HN	205	2.96	270	8	220	2	0.2
81G-0449-60HN	205	2.52	256	8	100	2	0.2
81G-0450-60HN	205	2.20	292	2	550	152	0.2
81G-0458-60HN	205	2.24	336	126	400	390	0.2
81G-0459-60HN	205	2.70	320	4	300	44	0.2
81G-0463-60HN	205	3.70	400	12	150	4	0.4
81G-0464-60HN	205	3.14	332	10	36	N.S.S.	0.2
81G-0465-60HN	205	3.44	448	24	6	N.S.S.	0.2
81G-0467-60HN	205	2.60	336	8	80	24	0.2

Hart Zichler
 Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8115313-001-C
 INVOICE # : I8115313
 DATE : 15-DEC-81
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Ba ppm	Au NAA ppb				
81G-0318-60HN	205	3400	<10	--	--	--	--
81G-0325-60HN	205	3600	740	--	--	--	--
81G-0328-60HN	205	22000	680	--	--	--	--
81G-0329-60HN	205	22000	50	--	--	--	--
81G-0330-60HN	205	5500	50	--	--	--	--
81G-0331-60HN	205	10500	<10	--	--	--	--
81G-0332-60HN	205	2700	520	--	--	--	--
81G-0337-60HN	205	700	750	--	--	--	--
81G-0339-60HN	205	750	<10	--	--	--	--
81G-0340-60HN	205	700	<10	--	--	--	--
81G-0344-60HN	205	1200	<10	--	--	--	--
81G-0345-60HN	205	400	<10	--	--	--	--
81G-0346-60HN	205	400	140	--	--	--	--
81G-0348-60HN	205	300	2080	--	--	--	--
81G-0349-60HN	205	N.S.S.	<15	--	--	--	--
81G-0350-60HN	205	300	<10	--	--	--	--
81G-0355-60HN	205	650	170	--	--	--	--
81G-0356-60HN	205	N.S.S.	4640	--	--	--	--
81G-0415-60HN	205	350	67300	--	--	--	--
81G-0417-60HN	205	700	29220	--	--	--	--
81G-0423-60HN	205	1200	7440	--	--	--	--
81G-0424-60HN	205	300	30	--	--	--	--
81G-0425-60HN	205	1800	<10	--	--	--	--
81G-0428-60HN	205	1500	<10	--	--	--	--
81G-0432-60HN	205	600	10	--	--	--	--
81G-0434-60HN	205	550	<10	--	--	--	--
81G-0435-60HN	205	400	<10	--	--	--	--
81G-0443-60HN	205	500	10	--	--	--	--
81G-0444-60HN	205	350	10	--	--	--	--
81G-0445-60HN	205	400	<10	--	--	--	--
81G-0446-60HN	205	600	10	--	--	--	--
81G-0447-60HN	205	300	210	--	--	--	--
81G-0449-60HN	205	900	<10	--	--	--	--
81G-0450-60HN	205	600	3610	--	--	--	--
81G-0458-60HN	205	16000	3340	--	--	--	--
81G-0459-60HN	205	3600	250	--	--	--	--
81G-0463-60HN	205	3300	17320	--	--	--	--
81G-0464-60HN	205	1000	650	--	--	--	--
81G-0465-60HN	205	3000	760	--	--	--	--
81G-0467-60HN	205	3300	<10	--	--	--	--



Certified by *Hart Buchler*

Cent # A8115313-001-A

p. 14 Sample # 8160447 is entered twice with one of
the entries (top or first one) with Au incorrect
Au should be 210.0

A2115313-00A-A

81G0318	3342	3,400.00 ✓	30.00 ✓	16.00 ✓ 90.00 ✓	40.00 ✓ .20 ✓	2.00 < 416.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.06 ✓	8.00 ✓	.40 ✓
81G0325	3342	3,600.00 ✓	18.00 ✓	4.00 ✓ 80.00 ✓	58.00 ✓ .20 ✓	8.00 296.00 ✓	740.00 ✓ 2.00 ✓	.20 ✓ 1.36 ✓	22.00 ✓	.20 ✓
81G0328	3342	22,000.00 ✓	104.00 ✓	12.00 ✓ 350.00 ✓	118.00 ✓ 1.00 ✓	188.00 700.00 ✓	680.00 ✓ 2.00 ✓	.60 ✓ 2.48 ✓	30.00 ✓	.40 ✓
81G0329	3342	22,000.00 ✓	136.00 ✓	30.00 ✓ 450.00 ✓	440.00 ✓ 3.60 ✓	124.00 396.00 ✓	50.00 ✓ 2.00 ✓	.40 ✓ 3.80 ✓	46.00 ✓	.80 ✓
81G0330	3342	5,500.00 ✓	50.00 ✓	32.00 ✓ 80.00 ✓	96.00 ✓ 1.20 ✓	4.00 310.00 ✓	50.00 ✓ 2.00 ✓	.20 ✓ 3.04 ✓	6.00 ✓	.40 ✓
81G0331	3342	10,500.00 ✓	30.00 ✓	38.00 ✓ 150.00 ✓	110.00 ✓ 1.00 ✓	32.00 < 350.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 3.64 ✓	14.00 ✓	2.40 ✓
81G0332	3342	2,700.00 ✓	100.00 ✓	12.00 ✓ 250.00 ✓	100.00 ✓ .80 ✓	20.00 212.00 ✓	520.00 ✓ 2.00 ✓	.20 ✓ 2.20 ✓	14.00 ✓	.80 ✓
81G0337	3342	700.00 ✓	32.00 ✓	26.00 ✓ 350.00 ✓	64.00 ✓ .40 ✓	4.00 392.00 ✓	750.00 ✓ 2.00 ✓	.20 ✓ 3.00 ✓	24.00 ✓	.40 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu [✓] Hg Bi	Pb [✓] W [✓]	Zn [✓] Cd [✓]	Sn Mn [✓]	Au [✓] Mo [✓]	Ag [✓] Fe [✓]	As [✓] Th	Sb [✓] Ce
-------------	-----------	---------	-----------------------	--------------------------------	---------------------------------	--------------------	---------------------------------	---------------------------------	--------------------	--------------------

LAB: CHEMEX CERTIFICATE: A8115313-001-A

81G0339	3342	750.00 [✓]	20.00 [✓]	14.00 [✓]	58.00 [✓]	32.00 <	10.00 [✓]	.40 [✓]	72.00 [✓]	.40 [✓]
				1,500.00 [✓]	.40 [✓]	424.00 [✓]	2.00 [✓]	2.56 [✓]		
81G0340	3342	700.00 [✓]	26.00 [✓]	14.00 [✓]	96.00 [✓]	68.00 <	10.00 [✓]	.20 [✓]	154.00 [✓]	.40 [✓]
				700.00 [✓]	.60 [✓]	460.00 [✓]	2.00 [✓]	2.96 [✓]		
81G0344	3342	1,200.00 [✓]	78.00 [✓]	42.00 [✓]	132.00 [✓]	4.00 <	10.00 [✓]	.40 [✓]	54.00 [✓]	1.20 [✓]
				180.00 [✓]	1.60 [✓]	516.00 [✓]	2.00 [✓]	4.60 [✓]		
81G0345	3342	400.00 [✓]	64.00 [✓]	20.00 [✓]	72.00 [✓]	12.00 <	10.00 [✓]	.20 [✓]	44.00 [✓]	.40 [✓]
				400.00 [✓]	.40 [✓]	280.00 [✓]	2.00 [✓]	2.28 [✓]		
81G0346	3342	400.00 [✓]	28.00 [✓]	4.00 [✓]	44.00 [✓]	4.00	140.00 [✓]	.20 [✓]	18.00 [✓]	.20 [✓]
				150.00 [✓]	.40 [✓]	200.00 [✓]	2.00 [✓]	1.32 [✓]		
81G0348	3342	300.00 [✓]	46.00 [✓]	18.00 [✓]	58.00 [✓]	112.00	2,080.00 [✓]	1.60	6.00 [✓]	.20 [✓]
				4,200.00 [✓]	.20 [✓]	300.00 [✓]	2.00 [✓]	1.60 [✓]		
81G0349	3342					<	15.00 [✓]			
81G0350	3342	300.00 [✓]	12.00 [✓]	2.00 [✓]	150.00 [✓]	2.00 <	10.00 [✓]	.20 [✓]	250.00 [✓]	.80 [✓]
				840.00 [✓]	.20 [✓]	1,180.00 [✓]	2.00 [✓]	4.30 [✓]		
81G0355	3342	650.00 [✓]	30.00 [✓]	54.00 [✓]	108.00 [✓]	176.00	170.00 [✓]	1.40 [✓]	134.00 [✓]	.40 [✓]
				1,080.00 [✓]	1.60 [✓]	396.00 [✓]	2.00 [✓]	2.90 [✓]		
81G0356	3342						4,640.00 [✓]			

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115313-001-A								
81G0415	3342	350.00 ✓	110.00 ✓	22.00 ✓ 170.00 ✓	54.00 ✓ .20 ✓	2.00 510.00 ✓	67,300.00 ✓ 2.00 ✓	1.60 ✓ 2.12 ✓	270.00 ✓	.20 ✓
81G0417	3342	700.00 ✓	20.00 ✓	44.00 ✓	44.00 ✓ .60 ✓	300.00 ✓	29,220.00 ✓ 2.00 ✓	5.80 ✓ 1.04 ✓	2.00 ✓	.40 ✓
81G0423	3342	1,200.00 ✓	36.00 ✓	170.00 ✓	40.00 ✓ .20 ✓	310.00 ✓	7,440.00 ✓ 2.00 ✓	.20 ✓ 1.44 ✓	2.00 ✓	
81G0424	3342	300.00 ✓	14.00 ✓	32.00 ✓ 900.00 ✓	42.00 ✓ .20 ✓	190.00 ✓	30.00 ✓ 2.00 ✓	.40 ✓ 1.10 ✓	6.00 ✓	.40 ✓
81G0425	3342	1,800.00 ✓	42.00 ✓	20.00 ✓ 900.00 ✓	36.00 ✓ .40 ✓	166.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ .72 ✓	4.00 ✓	.40 ✓
81G0428	3342	1,500.00 ✓	84.00 ✓	36.00 ✓ 800.00 ✓	70.00 ✓ .80 ✓	216.00 < 208.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.70 ✓	18.00 ✓	.40 ✓
81G0432	3342	600.00 ✓	60.00 ✓	10.00 ✓ 350.00 ✓	58.00 ✓ .20 ✓	4.00 210.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.04 ✓	4.00 ✓	.20 ✓
81G0434	3342	550.00 ✓	48.00 ✓	10.00 ✓ 900.00 ✓	64.00 ✓ .20 ✓	2.00 < 268.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.06 ✓	8.00 ✓	.20 ✓
81G0435	3342	400.00 ✓	24.00 ✓	16.00 ✓ 600.00 ✓	64.00 ✓ .20 ✓	8.00 < 296.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.12 ✓	8.00 ✓	.40 ✓
81G0443	3342	500.00 ✓	44.00 ✓	68.00 ✓ 2,100.00 ✓	92.00 ✓ .60 ✓	232.00 460.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 2.86 ✓	240.00 ✓	.20 ✓

SAMPLE CODE	TEST CODE	WT Ra ✓ U	Cu ✓ Hg Bi	Pb W ✓	Zn ✓ Cd ✓	Sn ✓ Mn ✓	Au ✓ Mo ✓	Ag ✓ Fe ✓	As ✓ Th	Sb ✓ Ce
LAB: CHEMEX		CERTIFICATE: A8115313-001-A								
81G0444	3342	350.00 ✓	44.00 ✓	10.00 ✓ 90.00 ✓	40.00 ✓ .20 ✓	2.00 ✓ 300.00 ✓	10.00 ✓ 2.00 ✓	1.80 ✓ 1.94 ✓	2.00 ✓	.20 ✓
81G0445	3342	400.00 ✓	38.00 ✓	18.00 ✓ 60.00 ✓	34.00 ✓ .20 ✓	2.00 ✓ 400.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.86 ✓	2.00 ✓	.20 ✓
81G0446	3342	600.00	54.00 ✓	16.00 ✓ 200.00 ✓	48.00 ✓ .20 ✓	2.00 ✓ 680.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.90 ✓	18.00 ✓	.40 ✓
81G0447	3342	600.00 ✓	152.00 ✓	8.00 ✓ 220.00 ✓	40.00 ✓ .20 ✓	2.00 ✓ 270.00 ✓	10.00 2.00 ✓	.20 ✓ 2.96 ✓	8.00 ✓	.20 ✓
81G0449	3342	900.00 ✓	174.00 ✓	26.00 ✓ 100.00 ✓	56.00 ✓ .20 ✓	2.00 ✓ 256.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.52 ✓	8.00 ✓	.20 ✓
81G0447	3342	300.00	152.00 ✓	8.00 220.00	40.00 .20	2.00 ✓ 270.00 ✓	210.00 2.00 ✓	.20 ✓ 2.96 ✓	8.00	.20 ✓
81G0450	3342	600.00 ✓	50.00 ✓	20.00 ✓ 550.00 ✓	40.00 ✓ .20 ✓	152.00 ✓ 292.00 ✓	3,610.00 ✓ 2.00 ✓	.20 ✓ 2.20 ✓	2.00 ✓	.20 ✓
81G0458	3342	16,000.00 ✓	230.00 ✓	70.00 ✓ 400.00 ✓	104.00 ✓ .40 ✓	390.00 ✓ 336.00 ✓	3,340.00 ✓ 2.00 ✓	1.40 ✓ 2.24 ✓	126.00 ✓	.20 ✓
81G0459	3342	3,600.00 ✓	82.00 ✓	20.00 ✓ 300.00 ✓	62.00 ✓ .40 ✓	44.00 ✓ 320.00 ✓	250.00 ✓ 2.00 ✓	.40 ✓ 2.70 ✓	4.00 ✓	.20 ✓
81G0463	3342	3,300.00 ✓	154.00 ✓	12.00 ✓ 150.00 ✓	76.00 ✓ .40 ✓	4.00 ✓ 400.00 ✓	17,320.00 ✓ 2.00 ✓	11.60 ✓ 3.70 ✓	12.00 ✓	.40 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115313-001-A								
81G0464	3342	1,000.00 ✓	590.00 ✓	16.00 ✓ 36.00 ✓	186.00 ✓ .20 ✓	332.00 ✓	650.00 ✓ 2.00 ✓	.20 ✓ 3.14 ✓	10.00 ✓	.20 ✓
81G0465	3342	3,000.00 ✓	182.00 ✓	10.00 ✓ 6.00 ✓	30.00 ✓ .20 ✓	448.00 ✓	760.00 ✓ 2.00 ✓	.20 ✓ 3.44 ✓	24.00 ✓	.20 ✓
81G0467	3342	3,300.00 ✓	20.00 ✓	54.00 ✓ 80.00 ✓	56.00 ✓ .40 ✓	24.00 ✓ 336.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.60 ✓	8.00 ✓	.20 ✓

**THIS DATA WAS ENTERED BY: LYNNT EXPLORE POSTED AT: 11:50:46