

016136

Chemex

(18 Feb. 82)

Cert. # A8115225-001-A

EX 021

-002-A

-003-A

p. 4	#8160382	Zn	should be	24.0
	"	Cd	" "	0.2
	"	Fe	" "	2.0
	"	Mn	" "	426.0
	"	As	" "	188.0
	"	W	" "	450.0

p. 5 #8160389 Cu, Mo, Pb, Ag, Mn, As, W, Sn, Sb,
Ba & Au are ~~missing~~ not N.S.S.

p. 1 #8160090 Cu, Mo, Pb, Zn, Ag, Mn, As & Au are
missing not N.S.S.


p. 5 #8160404 Au is missing not N.S.S.

p. 5, 6, 7, 8, Cert # should be ~~A8115225-002-A~~ (not-001)

p. ~~9, 10~~ 9, 10, Cert # should be ~~A8115225-003-A~~ (not-001)

p. 8 #8160461 Ba should be 53,000.0
Au " " 1850.0

p. 9 #8160485 Ba should be 53,000.0



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8115225-001-A
INVOICE # : 18115225
DATE : 14-DEC-81
P.O. # : NONE


E-Feb/1982

ATTN: GREG JILSEN

Sample description	Prep code	1 Cu ppm	2 Mo ppm	3 Pb ppm	4 Zn ppm	5 Ag ppm	6 Cd ppm
81G-0079-60HN	205	130	2	10	90	0.2	0.2
81G-0081-60HN	205	30	2	10	50	0.2	0.2
81G-0090-60HN	205	MISSING	MISSING	MISSING	MISSING	MISSING	N.S.S.
81G-0136-60HN	205	84	2	4	570	0.8	2.8
81G-0140-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0259-60HN	205	50	2	8	28	0.2	0.2
81G-0260-60HN	205	124	2	10	36	1.6	0.2
81G-0261-60HN	205	166	2	74	72	0.2	1.0
81G-0264-60HN	205	132	2	30	54	0.4	0.2
81G-0266-60HN	205	800	2	18	48	0.2	2.0
81G-0268-60HN	205	1060	2	4	26	0.2	0.2
81G-0269-60HN	205	96	2	12	46	0.4	0.2
81G-0270-60HN	205	170	2	18	40	0.2	0.2
81G-0271-60HN	205	288	2	12	38	2.6	0.2
81G-0273-60HN	205	590	2	56	406	1.0	2.6
81G-0285-60HN	205	50	2	24	22	0.2	0.2
81G-0306-60HN	205	148	2	34	64	0.2	0.2
81G-0312-60HN	205	24	2	6	48	0.2	0.8
81G-0313-60HN	205	32	2	10	54	0.2	0.2
81G-0314-60HN	205	38	2	14	56	3.2	0.2
81G-0319-60HN	205	12	2	2	16	0.2	0.2
81G-0320-60HN	205	66	2	4	40	0.2	0.2
81G-0321-60HN	205	30	2	6	34	0.2	0.2
81G-0323-60HN	205	16	2	2	38	5.2	0.2
81G-0368-60HN	205	20	2	24	42	1.0	0.2
81G-0371-60HN	205	136	2	28	58	0.2	0.2
81G-0372-60HN	205	44	2	20	24	1.6	0.2
81G-0373-60HN	205	36	2	20	42	0.2	0.2
81G-0374-60HN	205	42	2	12	50	0.2	0.2
81G-0375-60HN	205	170	2	20	42	0.4	0.2
81G-0376-60HN	205	42	2	26	36	0.2	0.2
81G-0377-60HN	205	28	2	14	36	0.2	0.2
81G-0378-60HN	205	210	2	24	64	0.2	0.2
81G-0380-60HN	205	30	2	14	44	0.2	0.2
81G-0381-60HN	205	32	4	34	30	0.2	0.2
81G-0382-60HN	205	42	2	24	24	0.2	0.2
81G-0383-60HN	205	24	4	40	14	0.2	0.2
81G-0384-60HN	205	74	2	16	36	1.0	0.2
81G-0385-60HN	205	20	2	20	28	0.2	0.2
81G-0386-60HN	205	34	4	40	34	0.4	0.2

Certified by *J. F. McKay*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8115225-001-B
 INVOICE # : 18115225
 DATE : 14-DEC-81
 P.O. # : NONE


ATTN: GREG JILSEN

7 8 9 10 11 12

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81G-0079-60HN	205	2.00	360	18	N.S.S.	N.S.S.	N.S.S.
81G-0081-60HN	205	1.60	510	9	N.S.S.	N.S.S.	N.S.S.
81G-0090-60HN	205	N.S.S.	MISSING	MISSING	N.S.S.	N.S.S.	N.S.S.
81G-0136-60HN	205	1.36	272	18	90	16	0.4
81G-0140-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0259-60HN	205	2.50	460	10	170	2	0.4
81G-0260-60HN	205	2.36	356	12	140	8	0.2
81G-0261-60HN	205	3.00	456	10	800	2	0.4
81G-0264-60HN	205	3.90	478	32	400	28	0.2
81G-0266-60HN	205	3.26	304	14	1080	N.S.S.	N.S.S.
81G-0268-60HN	205	1.66	180	4	2400	N.S.S.	N.S.S.
81G-0269-60HN	205	3.04	500	8	200	2	0.2
81G-0270-60HN	205	2.68	560	6	200	2	0.2
81G-0271-60HN	205	1.26	312	4	2100	20	0.2
81G-0273-60HN	205	1.96	524	4	1500	112	0.4
81G-0285-60HN	205	2.48	360	96	50	2	0.2
81G-0306-60HN	205	1.68	450	46	N.S.S.	N.S.S.	N.S.S.
81G-0312-60HN	205	1.82	470	8	90	48	0.4
81G-0313-60HN	205	2.00	510	4	300	64	0.8
81G-0314-60HN	205	2.70	576	10	250	20	0.4
81G-0319-60HN	205	0.58	90	4	18	2	0.2
81G-0320-60HN	205	1.32	232	6	100	16	0.4
81G-0321-60HN	205	1.26	226	12	110	12	0.2
81G-0323-60HN	205	1.22	370	8	350	4	0.2
81G-0368-60HN	205	2.50	504	8	650	8	0.4
81G-0371-60HN	205	2.90	530	18	170	4	0.2
81G-0372-60HN	205	2.16	310	4	140	8	0.4
81G-0373-60HN	205	2.80	500	6	420	2	0.4
81G-0374-60HN	205	2.04	270	8	300	2	0.4
81G-0375-60HN	205	2.74	440	8	150	2	0.2
81G-0376-60HN	205	2.54	420	6	200	2	0.4
81G-0377-60HN	205	2.04	350	4	160	2	0.4
81G-0378-60HN	205	3.10	420	8	100	2	0.2
81G-0380-60HN	205	2.04	372	10	600	N.S.S.	0.4
81G-0381-60HN	205	2.80	596	8	500	8	0.4
81G-0382-60HN	205	2.00	426	188	450	2	0.2
81G-0383-60HN	205	0.82	326	4	2400	N.S.S.	0.2
81G-0384-60HN	205	2.48	670	4	750	2	0.4
81G-0385-60HN	205	2.08	480	18	100	16	0.2
81G-0386-60HN	205	2.58	616	4	300	4	0.4

Certified by *J.F. Eric/Kay*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8115225-001-C
 INVOICE # : I8115225
 DATE : 14-DEC-81
 P.O. # : NONE

ATTN: GREG JILSEN (3) 14

Sample description	Prep code	Ba ppm	Au NAA ppb				
81G-0079-60HN	205	N.S.S.	3710	--	--	--	--
81G-0081-60HN	205	N.S.S.	<10	--	--	--	--
81G-0090-60HN	205	N.S.S.	MISSING	--	--	--	--
81G-0136-60HN	205	60000	3300	--	--	--	--
81G-0140-60HN	205	N.S.S.	2050	--	--	--	--
81G-0259-60HN	205	700	650	--	--	--	--
81G-0260-60HN	205	12400	<10	--	--	--	--
81G-0261-60HN	205	2700	4610	--	--	--	--
81G-0264-60HN	205	3200	2310	--	--	--	--
81G-0266-60HN	205	24000	<10	--	--	--	--
81G-0268-60HN	205	2200	<10	--	--	--	--
81G-0269-60HN	205	950	2440	--	--	--	--
81G-0270-60HN	205	2250	<10	--	--	--	--
81G-0271-60HN	205	1150	160	--	--	--	--
81G-0273-60HN	205	10000	280	--	--	--	--
81G-0285-60HN	205	400	<10	--	--	--	--
81G-0306-60HN	205	N.S.S.	2480	--	--	--	--
81G-0312-60HN	205	6400	<10	--	--	--	--
81G-0313-60HN	205	10000	4850	--	--	--	--
81G-0314-60HN	205	4400	<10	--	--	--	--
81G-0319-60HN	205	500	<10	--	--	--	--
81G-0320-60HN	205	6700	<10	--	--	--	--
81G-0321-60HN	205	4800	<10	--	--	--	--
81G-0323-60HN	205	1600	20	--	--	--	--
81G-0368-60HN	205	400	<10	--	--	--	--
81G-0371-60HN	205	1100	<10	--	--	--	--
81G-0372-60HN	205	350	<10	--	--	--	--
81G-0373-60HN	205	750	13700	--	--	--	--
81G-0374-60HN	205	850	<10	--	--	--	--
81G-0375-60HN	205	850	100	--	--	--	--
81G-0376-60HN	205	550	<10	--	--	--	--
81G-0377-60HN	205	1000	<10	--	--	--	--
81G-0378-60HN	205	900	20	--	--	--	--
81G-0380-60HN	205	600	310	--	--	--	--
81G-0381-60HN	205	600	230	--	--	--	--
81G-0382-60HN	205	400	11200	--	--	--	--
81G-0383-60HN	205	500	<10	--	--	--	--
81G-0384-60HN	205	700	310	--	--	--	--
81G-0385-60HN	205	400	50	--	--	--	--
81G-0386-60HN	205	400	1010	--	--	--	--

Certified by *J.F. McNamee*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

GERT. # : A8115225-002-A
 INVOICE # : I8115225
 DATE : 14-DEC-81
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0387-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0388-60HN	205	30	4	66	52	0.4	0.2
81G-0389-60HN	205	MISSING	MISSING	MISSING	N.S.S.	MISSING	N.S.S.
81G-0391-60HN	205	18	2	46	28	0.2	0.2
81G-0399-60HN	205	74	2	8	66	1.0	0.2
81G-0401-60HN	205	30	2	50	80	0.2	0.2
81G-0404-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0405-60HN	205	310	2	20	80	0.8	0.2
81G-0408-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0409-60HN	205	90	2	44	96	0.2	0.6
81G-0410-60HN	205	24	2	4	196	0.2	0.8
81G-0411-60HN	205	72	2	240	54	0.2	0.2
81G-0413-60HN	205	244	2	18	68	0.8	0.2
81G-0414-60HN	205	26	2	18	36	0.2	0.2
81G-0416-60HN	205	32	2	24	34	0.2	0.2
81G-0418-60HN	205	78	2	112	86	2.2	0.2
81G-0419-60HN	205	32	2	16	80	0.4	0.2
81G-0421-60HN	205	26	2	8	44	0.2	0.2
81G-0422-60HN	205	32	2	40	32	0.2	0.2
81G-0426-60HN	205	28	2	20	64	0.2	0.2
81G-0427-60HN	205	108	2	44	26	7.8	0.2
81G-0429-60HN	205	18	2	76	56	0.2	0.2
81G-0430-60HN	205	52	2	6	46	0.2	0.2
81G-0431-60HN	205	24	2	52	40	0.2	0.2
81G-0433-60HN	205	60	2	136	82	0.2	0.2
81G-0436-60HN	205	12	2	22	36	0.2	0.2
81G-0437-60HN	205	40	2	26	80	0.2	0.2
81G-0438-60HN	205	12	2	16	50	0.2	0.4
81G-0439-60HN	205	20	2	10	30	0.2	0.2
81G-0440-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0441-60HN	205	24	2	30	66	0.2	0.2
81G-0442-60HN	205	18	2	18	60	0.2	0.4
81G-0448-60HN	205	680	2	2	66	0.4	0.2
81G-0451-60HN	205	288	2	124	180	6.2	0.6
81G-0452-60HN	205	364	2	56	126	3.6	0.4
81G-0453-60HN	205	132	2	96	144	3.6	0.6
81G-0454-60HN	205	120	2	80	72	2.0	0.2
81G-0455-60HN	205	46	2	24	64	9.4	0.2
81G-0461-60HN	205	100	2	32	156	1.4	0.2
81G-0462-60HN	205	18	2	32	56	8.2	0.2

Certified by *J. F. McKay*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221

TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115225-002-B
INVOICE # : I8115225
DATE : 14-DEC-81
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81G-0387-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0388-60HN	205	2.00	920	4	550	32	0.4
81G-0389-60HN	205	N.S.S.	MISSING	MISSING	MISSING	MISSING	MISSING
81G-0391-60HN	205	2.32	460	38	160	8	0.8
81G-0399-60HN	205	1.94	420	4	N.S.S.	N.S.S.	0.4
81G-0401-60HN	205	5.70	730	36	N.S.S.	N.S.S.	N.S.S.
81G-0404-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0405-60HN	205	4.40	312	270	120	204	0.8
81G-0408-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0409-60HN	205	3.04	460	90	170	56	2.0
81G-0410-60HN	205	2.40	630	12	90	24	2.0
81G-0411-60HN	205	1.80	450	6	N.S.S.	N.S.S.	N.S.S.
81G-0413-60HN	205	2.52	590	2	170	8	0.8
81G-0414-60HN	205	2.88	474	10	36	4	0.4
81G-0416-60HN	205	2.70	520	6	150	2	0.8
81G-0418-60HN	205	2.50	272	8	800	N.S.S.	0.4
81G-0419-60HN	205	2.90	444	12	540	8	0.4
81G-0421-60HN	205	2.74	412	4	140	4	0.4
81G-0422-60HN	205	1.60	400	2	800	N.S.S.	0.2
81G-0426-60HN	205	1.16	270	2	N.S.S.	N.S.S.	0.2
81G-0427-60HN	205	1.64	350	4	750	20	0.4
81G-0429-60HN	205	1.34	218	8	350	164	0.8
81G-0430-60HN	205	1.44	212	4	130	2	0.2
81G-0431-60HN	205	2.12	670	20	250	12	0.4
81G-0433-60HN	205	2.66	476	18	110	20	0.4
81G-0436-60HN	205	1.60	300	4	300	12	0.2
81G-0437-60HN	205	2.20	490	6	400	48	0.2
81G-0438-60HN	205	1.60	270	4	800	N.S.S.	0.4
81G-0439-60HN	205	2.96	292	4	840	40	0.2
81G-0440-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0441-60HN	205	1.80	324	4	750	16	0.4
81G-0442-60HN	205	1.90	340	4	1500	680	0.4
81G-0448-60HN	205	3.24	260	6	140	4	0.4
81G-0451-60HN	205	3.66	290	126	2250	60	0.2
81G-0452-60HN	205	3.20	444	78	1560	N.S.S.	0.4
81G-0453-60HN	205	2.80	256	14	1800	N.S.S.	0.2
81G-0454-60HN	205	2.06	126	96	2400	1240	0.4
81G-0455-60HN	205	2.04	284	10	1920	520	0.4
81G-0461-60HN	205	1.98	254	34	160	116	0.8
81G-0462-60HN	205	2.26	312	4	120	N.S.S.	0.2



Certified by *J. F. McC Kay*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8115225-002-C
 INVOICE # : 18115225
 DATE : 14-DEC-81
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Ba ppm	Au NAA ppb				
81G-0387-60HN	205	N.S.S.	80	--	--	--	--
81G-0388-60HN	205	7000	15700	--	--	--	--
81G-0389-60HN	205	MISSING	MISSING	--	--	--	--
81G-0391-60HN	205	400	2370	--	--	--	--
81G-0399-60HN	205	30000	170	--	--	--	--
81G-0401-60HN	205	N.S.S.	13700	--	--	--	--
81G-0404-60HN	205	N.S.S.	MISSING	--	--	--	--
81G-0405-60HN	205	6000	50930	--	--	--	--
81G-0408-60HN	205	N.S.S.	58	--	--	--	--
81G-0409-60HN	205	4900	140	--	--	--	--
81G-0410-60HN	205	12	530	--	--	--	--
81G-0411-60HN	205	N.S.S.	<10	--	--	--	--
81G-0413-60HN	205	3200	1580	--	--	--	--
81G-0414-60HN	205	6300	1910	--	--	--	--
81G-0416-60HN	205	3100	290	--	--	--	--
81G-0418-60HN	205	2100	350	--	--	--	--
81G-0419-60HN	205	1300	1100	--	--	--	--
81G-0421-60HN	205	1100	670	--	--	--	--
81G-0422-60HN	205	1000	9070	--	--	--	--
81G-0426-60HN	205	500	<10	--	--	--	--
81G-0427-60HN	205	700	8830	--	--	--	--
81G-0429-60HN	205	600	<10	--	--	--	--
81G-0430-60HN	205	700	40	--	--	--	--
81G-0431-60HN	205	450	<10	--	--	--	--
81G-0433-60HN	205	550	<10	--	--	--	--
81G-0436-60HN	205	300	500	--	--	--	--
81G-0437-60HN	205	650	360	--	--	--	--
81G-0438-60HN	205	300	22600	--	--	--	--
81G-0439-60HN	205	550	<10	--	--	--	--
81G-0440-60HN	205	N.S.S.	<14	--	--	--	--
81G-0441-60HN	205	500	<10	--	--	--	--
81G-0442-60HN	205	650	<10	--	--	--	--
81G-0448-60HN	205	1300	920	--	--	--	--
81G-0451-60HN	205	1350	3380	--	--	--	--
81G-0452-60HN	205	1100	17600	--	--	--	--
81G-0453-60HN	205	1300	25300	--	--	--	--
81G-0454-60HN	205	5600	<10	--	--	--	--
81G-0455-60HN	205	3800	49400	--	--	--	--
81G-0461-60HN	205	53000	1850	--	--	--	--
81G-0462-60HN	205	4200	17200	--	--	--	--



Certified by *J. F. McCarty*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115225-003-A
INVOICE # : I8115225
DATE : 14-DEC-81
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0466-60HN	205	84	2	4	60	2.4	0.2
81G-0474-60HN	205	160	2	40	156	6.4	0.2
81G-0485-60HN	205	104	2	16	108	0.2	0.2
81G-0486-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0491-60HN	205	55	2	15	106	0.5	0.2
81G-0493-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0499-60HN	205	34	2	72	28	2.2	0.2
81G-0500-60HN	205	610	2	16	190	9.6	0.2
81G-0503-60HN	205	180	2	20	86	1.6	0.2
81G-0517-60HN	205	55	2	40	45	0.2	0.2
81G-0528-60HN	205	100	2	2	124	0.2	0.2
81G-0529-60HN	205	63	2	33	69	0.2	0.2
81G-0553-60HN	205	50	2	16	80	1.2	0.2
81G-0573-60HN	205	274	2	30	84	1.0	0.2
81G-0574-60HN	205	172	2	42	168	0.2	0.2
81G-0577-60HN	205	124	2	12	740	0.6	3.0
81G-0584-60HN	205	56	2	20	60	1.2	0.2
81G-0586-60HN	205	120	2	34	140	1.6	0.2
81G-0587-60HN	205	180	2	16	180	1.6	0.2
81G-0592-60HN	205	48	2	6	88	0.8	0.2
81G-0597-60HN	205	128	2	26	104	1.0	0.2
81G-0097-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *J. F. McMan*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8115225-003-B
 INVOICE # : I8115225
 DATE : 14-DEC-81
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81G-0466-60HN	205	1.62	350	2	N.S.S.	N.S.S.	N.S.S.
81G-0474-60HN	205	5.40	436	40	N.S.S.	N.S.S.	N.S.S.
81G-0485-60HN	205	1.84	208	12	50	24	0.4
81G-0486-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0491-60HN	205	3.65	500	35	N.S.S.	N.S.S.	N.S.S.
81G-0493-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0499-60HN	205	1.30	300	4	360	N.S.S.	0.8
81G-0500-60HN	205	4.00	620	60	3000	28	0.8
81G-0503-60HN	205	2.78	760	72	2100	16	0.4
81G-0517-60HN	205	2.25	360	9	N.S.S.	N.S.S.	N.S.S.
81G-0528-60HN	205	2.26	280	38	400	8	0.8
81G-0529-60HN	205	3.73	363	33	N.S.S.	N.S.S.	N.S.S.
81G-0553-60HN	205	1.92	232	18	800	510	4.0
81G-0573-60HN	205	3.30	440	500	360	176	1.6
81G-0574-60HN	205	2.42	266	60	N.S.S.	N.S.S.	N.S.S.
81G-0577-60HN	205	1.66	156	44	70	20	5.6
81G-0584-60HN	205	1.24	140	30	250	32	0.8
81G-0586-60HN	205	2.00	370	58	200	44	0.8
81G-0587-60HN	205	3.32	290	34	150	76	1.2
81G-0592-60HN	205	1.84	424	8	50	24	0.8
81G-0597-60HN	205	3.08	290	44	100	36	1.2
81G-0097-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.



MEMBER
 CANADIAN TESTING
 ASSOCIATION

Certified by *J.F. McMay*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115225-003-C
INVOICE # : I8115225
DATE : 14-DEC-81
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Ba ppm	Au NAA ppb				
81G-0466-60HN	205	3100	MISSING	---	---	---	---
81G-0474-60HN	205	N.S.S.	MISSING	---	---	---	---
81G-0485-60HN	205	53000	240	---	---	---	---
81G-0486-60HN	205	N.S.S.	3020	---	---	---	---
81G-0491-60HN	205	N.S.S.	130	---	---	---	---
81G-0493-60HN	205	N.S.S.	16330	---	---	---	---
81G-0499-60HN	205	1600	1470	---	---	---	---
81G-0500-60HN	205	42000	56950	---	---	---	---
81G-0503-60HN	205	2600	1410	---	---	---	---
81G-0517-60HN	205	N.S.S.	10	---	---	---	---
81G-0528-60HN	205	13	26990	---	---	---	---
81G-0529-60HN	205	N.S.S.	<10	---	---	---	---
81G-0553-60HN	205	54000	1150	---	---	---	---
81G-0573-60HN	205	7800	13250	---	---	---	---
81G-0574-60HN	205	N.S.S.	<10	---	---	---	---
81G-0577-60HN	205	12	80	---	---	---	---
81G-0584-60HN	205	16000	3420	---	---	---	---
81G-0586-60HN	205	39000	22950	---	---	---	---
81G-0587-60HN	205	42000	2330	---	---	---	---
81G-0592-60HN	205	48000	750	---	---	---	---
81G-0597-60HN	205	35000	1860	---	---	---	---
81G-0097-60HN	205	N.S.S.	N.S.S.	---	---	---	---



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *J. F. McKay*

Pi - Pis all ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu ✓ Hg Bi	Pb ✓ W ✓	Zn ✓ Cd	Sn ✓ Mn ✓	Au Mo ✓	Ag Fe ✓	As ✓ Th	Sb ✓ Ce
LAB: CHEMEX		CERTIFICATE: A8115225-001-A ✓								
81G0079	3342		130.00 ✓	10.00 ✓	90.00 ✓ .20 ✓		3,710.00 2.00 ✓	.20 ✓ 2.00 ✓	18.00 ✓	
81G0081	3342		30.00 ✓	10.00 ✓	50.00 ✓ .20 ✓		10.00 ✓ 2.00 ✓	.20 ✓ 1.60 ✓	9.00 ✓	
81G0090	3342		MISSING	MISSING N.S.S.	missing N.S.S.	N.S.S. missing	MISSING	missing N.S.S.	missing	
81G0136	3342	60,000.00 ✓	84.00 ✓	4.00 ✓ 90.00 ✓	570.00 ✓ 2.80 ✓	16.00 ✓ 272.00 ✓	3,300.00 2.00 ✓	.80 ✓ 1.36 ✓	18.00 ✓	.40 ✓
81G0140	3342						2,050.00			
81G0259	3342	700.00 ✓	50.00 ✓	8.00 ✓ 170.00 ✓	28.00 ✓ .20 ✓	2.00 ✓ 460.00 ✓	650.00 2.00 ✓	.20 ✓ 2.50 ✓	10.00 ✓	.40 ✓
81G0260	3342	12,400.00 ✓	124.00 ✓	10.00 ✓ 140.00 ✓	36.00 ✓ .20 ✓	8.00 ✓ 356.00 ✓	10.00 2.00 ✓	1.60 ✓ 2.36 ✓	12.00 ✓	.20 ✓
81G0261	3342	2,700.00 ✓	166.00 ✓	74.00 ✓ 800.00 ✓	72.00 ✓ 1.00 ✓	2.00 ✓ 456.00 ✓	4,610.00 2.00 ✓	.20 ✓ 3.00 ✓	10.00 ✓	.40 ✓
81G0264	3342	3,200.00 ✓	132.00 ✓	30.00 ✓ 400.00 ✓	54.00 ✓ .20 ✓	28.00 ✓ 478.00 ✓	2,310.00 2.00 ✓	.40 ✓ 3.90 ✓	32.00 ✓	.20 ✓
81G0266	3342	24,000.00 ✓	800.00 ✓	18.00 ✓ 1,080.00 ✓	48.00 ✓ 2.00 ✓		10.00 2.00 ✓	.20 ✓ 3.26 ✓	14.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: AB115225-001-A								
81G0268	3342	2,200.00 ✓	1,060.00 ✓	4.00 ✓ 2,400.00 ✓	26.00 ✓ .20 ✓	< 180.00 ✓	10.00 2.00 ✓	.20 ✓ 1.66 ✓	4.00 ✓	
81G0269	3342	950.00 ✓	96.00 ✓	12.00 ✓ 200.00 ✓	46.00 ✓ .20 ✓	2.00 ✓ 500.00 ✓	2,440.00 2.00 ✓	.40 ✓ 3.04 ✓	8.00 ✓	.20 ✓
81G0270	3342	2,250.00 ✓	170.00 ✓	18.00 ✓ 200.00 ✓	40.00 ✓ .20 ✓	2.00 ✓ 560.00 ✓	10.00 2.00 ✓	.20 ✓ 2.68 ✓	6.00 ✓	.20 ✓
81G0271	3342	1,150.00 ✓	288.00 ✓	12.00 ✓ 2,100.00 ✓	38.00 ✓ .20 ✓	20.00 ✓ 312.00 ✓	160.00 2.00 ✓	2.60 ✓ 1.26 ✓	4.00 ✓	.20 ✓
81G0273	3342	10,000.00 ✓	590.00 ✓	56.00 ✓ 1,500.00 ✓	406.00 ✓ 2.60 ✓	112.00 ✓ 524.00 ✓	280.00 2.00 ✓	1.00 ✓ 1.96 ✓	4.00 ✓	.40 ✓
81G0285	3342	400.00 ✓	50.00 ✓	24.00 ✓ 50.00 ✓	22.00 ✓ .20 ✓	2.00 ✓ 360.00 ✓	10.00 2.00 ✓	.20 ✓ 2.48 ✓	96.00 ✓	.20 ✓
81G0306	3342		148.00 ✓	34.00 ✓	64.00 ✓ .20 ✓	450.00 ✓	2,480.00 2.00 ✓	.20 ✓ 1.68 ✓	46.00 ✓	
81G0312	3342	6,400.00 ✓	24.00 ✓	6.00 ✓ 90.00 ✓	48.00 ✓ .80 ✓	48.00 ✓ 470.00 ✓	10.00 2.00 ✓	.20 ✓ 1.82 ✓	8.00 ✓	.40 ✓
81G0313	3342	10,000.00 ✓	32.00 ✓	10.00 ✓ 300.00 ✓	54.00 ✓ .20 ✓	64.00 ✓ 510.00 ✓	4,850.00 2.00 ✓	.20 ✓ 2.00 ✓	4.00 ✓	.80 ✓
81G0314	3342	4,400.00 ✓	38.00 ✓	14.00 ✓ 250.00 ✓	56.00 ✓ .20 ✓	20.00 ✓ 576.00 ✓	10.00 2.00 ✓	3.20 ✓ 2.70 ✓	10.00 ✓	.40 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115225-001-A								
81G0319	3342	500.00 ✓	12.00 ✓	2.00 ✓ 18.00 ✓	16.00 ✓ .20 ✓	2.00 ✓ 90.00 ✓	10.00 2.00 ✓	.20 ✓ .58 ✓	4.00 ✓	.20 ✓
81G0320	3342	6,700.00 ✓	66.00 ✓	4.00 ✓ 100.00 ✓	40.00 ✓ .20 ✓	16.00 ✓ 232.00 ✓	10.00 2.00 ✓	.20 ✓ 1.32 ✓	6.00 ✓	.40 ✓
81G0321	3342	4,800.00 ✓	30.00 ✓	6.00 ✓ 110.00 ✓	34.00 ✓ .20	12.00 ✓ 226.00 ✓	10.00 2.00 ✓	.20 ✓ 1.26 ✓	12.00 ✓	.20 ✓
81G0323	3342	1,600.00 ✓	16.00 ✓	2.00 ✓ 350.00 ✓	38.00 ✓ .20 ✓	4.00 ✓ 370.00 ✓	20.00 2.00 ✓	5.20 ✓ 1.22 ✓	8.00 ✓	.20 ✓
81G0368	3342	400.00 ✓	20.00 ✓	24.00 ✓ 650.00 ✓	42.00 ✓ .20 ✓	8.00 ✓ 504.00 ✓	10.00 2.00 ✓	1.00 ✓ 2.50 ✓	8.00 ✓	.40 ✓
81G0371	3342	1,100.00 ✓	136.00 ✓	28.00 ✓ 170.00 ✓	58.00 ✓ .20 ✓	4.00 ✓ 530.00 ✓	10.00 2.00 ✓	.20 ✓ 2.90 ✓	18.00 ✓	.20 ✓
81G0372	3342	350.00 ✓	44.00 ✓	20.00 ✓ 140.00 ✓	24.00 ✓ .20 ✓	8.00 ✓ 310.00 ✓	10.00 2.00 ✓	1.60 ✓ 2.16 ✓	4.00 ✓	.40 ✓
81G0373	3342	750.00 ✓	36.00 ✓	20.00 ✓ 420.00 ✓	42.00 ✓ .20 ✓	2.00 ✓ 500.00 ✓	13,700.00 2.00 ✓	.20 ✓ 2.80 ✓	6.00 ✓	.40 ✓
81G0374	3342	850.00 ✓	42.00 ✓	12.00 ✓ 300.00 ✓	50.00 ✓ .20 ✓	2.00 ✓ 270.00 ✓	10.00 2.00 ✓	.20 ✓ 2.04 ✓	8.00 ✓	.40 ✓
81G0375	3342	850.00 ✓	170.00 ✓	20.00 ✓ 150.00 ✓	42.00 ✓ .20 ✓	2.00 ✓ 440.00 ✓	100.00 2.00 ✓	.40 ✓ 2.74 ✓	8.00 ✓	.20 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115225-001-A								
81G0376	3342	550.00 ✓	42.00 ✓	26.00 ✓ 200.00 ✓	36.00 ✓ .20 ✓	2.00 ✓ 420.00 ✓	10.00 2.00 ✓	.20 ✓ 2.54 ✓	6.00 ✓	.40 ✓
81G0377	3342	1,000.00 ✓	28.00 ✓	14.00 ✓ 160.00 ✓	36.00 ✓ .20 ✓	2.00 ✓ 350.00 ✓	10.00 2.00 ✓	.20 ✓ 2.04 ✓	4.00 ✓	.40 ✓
81G0378	3342	900.00 ✓	210.00 ✓	24.00 ✓ 100.00 ✓	64.00 ✓ .20 ✓	2.00 ✓ 420.00 ✓	20.00 2.00 ✓	.20 ✓ 3.10 ✓	8.00 ✓	.20 ✓
81G0380	3342	600.00 ✓	30.00 ✓	14.00 ✓ 600.00 ✓	44.00 ✓ .20 ✓	310.00 372.00 ✓	2.00 ✓	.20 ✓ 2.04 ✓	10.00 ✓	.40 ✓
81G0381	3342	600.00 ✓	32.00 ✓	34.00 ✓ 500.00 ✓	30.00 ✓ .20 ✓	8.00 ✓ 596.00 ✓	230.00 4.00 ✓	.20 ✓ 2.80 ✓	8.00 ✓	.40 ✓
81G0382	3342	400.00 ✓	42.00 ✓	24.00 ✓ 2.00 ✓ 450	20 ✓ 2.00 ✓ Should be 24.0	2.00 ✓ 11,200.00 188.00 ✓ Should be 426.0	2.00 ✓	20 ✓ 426.00 ✓ Should be 2.0	450.00 ✓ 188	.20 ✓
81G0383	3342	500.00 ✓	24.00 ✓	40.00 ✓ 2,400.00 ✓	14.00 ✓ .20 ✓	326.00 ✓	10.00 4.00 ✓	.20 ✓ .82 ✓	4.00 ✓	.20 ✓
81G0384	3342	700.00 ✓	74.00 ✓	16.00 ✓ 750.00 ✓	36.00 ✓ .20 ✓	2.00 ✓ 670.00 ✓	310.00 2.00 ✓	1.00 ✓ 2.48 ✓	4.00 ✓	.40 ✓
81G0385	3342	400.00 ✓	20.00 ✓	20.00 ✓ 100.00 ✓	28.00 ✓ .20 ✓	16.00 ✓ 480.00 ✓	50.00 2.00 ✓	.20 ✓ 2.08 ✓	18.00 ✓	.20 ✓
81G0386	3342	400.00 ✓	34.00 ✓	40.00 ✓ 300.00 ✓	34.00 ✓ .20 ✓	4.00 ✓ 616.00 ✓	1,010.00 4.00 ✓	.40 ✓ 2.58 ✓	4.00 ✓	.40 ✓

SAMPLE CODE	TEST CODE	WT Ba ✓ U	Cu ✓ Hg Bi	Pb ✓ W ✓	Zn ✓ Cd ✓	Sn ✓ Mn ✓	Au Mo ✓	Ag ✓ Fe ✓	As ✓ Th	Sb ✓ Ce
-------------	-----------	-----------------	------------------	-------------	--------------	--------------	------------	--------------	------------	------------

LAB: CHEMEX CERTIFICATE: A8115225-001-A 002

81G0387	3342						80.00 ✓			
81G0388	3342	7,000.00 ✓	30.00 ✓	66.00 ✓ 550.00 ✓	52.00 ✓ .20 ✓	32.00 ✓ 920.00 ✓	15,700.00 ✓ 4.00 ✓	.40 ✓ 2.00 ✓	4.00 ✓	.40 ✓
81G0389	3342	missing	missing	missing	N.S.S. N.S.S.	missing missing	missing missing	missing N.S.S.	missing	missing
81G0391	3342	400.00 ✓	18.00 ✓	46.00 ✓ 160.00 ✓	28.00 ✓ .20 ✓	8.00 ✓ 460.00 ✓	2,370.00 ✓ 2.00 ✓	.20 ✓ 2.32 ✓	38.00 ✓	.80 ✓
81G0399	3342	30,000.00 ✓	74.00 ✓	8.00 ✓	66.00 ✓ .20 ✓	420.00 ✓	170.00 ✓ 2.00 ✓	1.00 ✓ 1.94 ✓	4.00 ✓	.40 ✓
81G0401	3342		30.00 ✓	50.00 ✓	80.00 ✓ .20 ✓	730.00 ✓	13,700.00 ✓ 2.00 ✓	.20 ✓ 5.70 ✓	36.00 ✓	
81G0404	3342						missing N.S.S.			
81G0405	3342	6,000.00 ✓	310.00 ✓	20.00 ✓ 120.00 ✓	80.00 ✓ .20 ✓	204.00 ✓ 312.00 ✓	50,930.00 ✓ 2.00 ✓	.80 ✓ 4.40 ✓	270.00 ✓	.80 ✓
81G0408	3342						58.00 ✓			
81G0409	3342	4,900.00 ✓	90.00 ✓	44.00 ✓ 170.00 ✓	96.00 ✓ .60 ✓	56.00 ✓ 460.00 ✓	140.00 ✓ 2.00 ✓	.20 ✓ 3.04 ✓	90.00 ✓	2.00 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115225-001-A								
81G0410	3342	12.00 ✓	24.00 ✓	4.00 ✓ 90.00 ✓	196.00 ✓ .80 ✓	24.00 ✓ 630.00 ✓	530.00 ✓ 2.00 ✓	.20 ✓ 2.40 ✓	12.00 ✓	2.00 ✓
81G0411	3342		72.00 ✓	240.00 ✓	54.00 ✓ .20 ✓	< 450.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.80 ✓	6.00 ✓	
81G0413	3342	3,200.00 ✓	244.00 ✓	18.00 ✓ 170.00 ✓	68.00 ✓ .20 ✓	8.00 ✓ 590.00 ✓	1,580.00 ✓ 2.00 ✓	.80 ✓ 2.52 ✓	2.00 ✓	.80 ✓
81G0414	3342	6,300.00 ✓	26.00 ✓	18.00 ✓ 36.00 ✓	36.00 ✓ .20 ✓	4.00 ✓ 474.00 ✓	1,910.00 ✓ 2.00 ✓	.20 ✓ 2.88 ✓	10.00 ✓	.40 ✓
81G0416	3342	3,100.00 ✓	32.00 ✓	24.00 ✓ 150.00 ✓	34.00 ✓ .20 ✓	2.00 ✓ 520.00 ✓	290.00 ✓ 2.00 ✓	.20 ✓ 2.70 ✓	6.00 ✓	.80 ✓
81G0418	3342	2,100.00 ✓	78.00 ✓	112.00 ✓ 800.00 ✓	86.00 ✓ .20 ✓	272.00 ✓	350.00 ✓ 2.00 ✓	2.20 ✓ 2.50 ✓	8.00 ✓	.40 ✓
81G0419	3342	1,300.00 ✓	32.00 ✓	16.00 ✓ 540.00 ✓	80.00 ✓ .20 ✓	8.00 ✓ 444.00 ✓	1,100.00 ✓ 2.00 ✓	.40 ✓ 2.90 ✓	12.00 ✓	.40 ✓
81G0421	3342	1,100.00 ✓	26.00 ✓	8.00 ✓ 140.00 ✓	44.00 ✓ .20 ✓	4.00 ✓ 412.00 ✓	670.00 ✓ 2.00 ✓	.20 ✓ 2.74 ✓	4.00 ✓	.40 ✓
81G0422	3342	1,000.00 ✓	32.00 ✓	40.00 ✓ 800.00 ✓	32.00 ✓ .20 ✓	400.00 ✓	9,070.00 ✓ 2.00 ✓	.20 ✓ 1.60 ✓	2.00 ✓	.20 ✓
81G0426	3342	500.00 ✓	28.00 ✓	20.00 ✓	64.00 ✓ .20 ✓	< 270.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.16 ✓	2.00 ✓	.20 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu ✓ Hg Bi	Pb ✓ W ✓	Zn ✓ Cd ✓	Sn ✓ Mn ✓	Au ✓ Mo ✓	Ag ✓ Fe ✓	As ✓ Th ✓	Sb ✓ Ce ✓
LAB: CHEMEX		CERTIFICATE: A8115225- ⁰⁰² 001-A								
81G0427	3342	700.00 ✓	108.00 ✓	44.00 ✓ 750.00 ✓	26.00 ✓ .20 ✓	20.00 ✓ 350.00 ✓	8,830.00 ✓ 2.00 ✓	7.80 ✓ 1.64 ✓	4.00 ✓	.40 ✓
81G0429	3342	600.00 ✓	18.00 ✓	76.00 ✓ 350.00 ✓	56.00 ✓ .20 ✓	164.00 ✓ 218.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.34 ✓	8.00 ✓	.80 ✓
81G0430	3342	700.00 ✓	52.00 ✓	6.00 ✓ 130.00 ✓	46.00 ✓ .20 ✓	2.00 ✓ 212.00 ✓	40.00 ✓ 2.00 ✓	.20 ✓ 1.44 ✓	4.00 ✓	.20 ✓
81G0431	3342	450.00 ✓	24.00 ✓	52.00 ✓ 250.00 ✓	40.00 ✓ .20 ✓	12.00 ✓ 670.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.12 ✓	20.00 ✓	.40 ✓
81G0433	3342	550.00 ✓	60.00 ✓	136.00 ✓ 110.00 ✓	82.00 ✓ .20 ✓	20.00 ✓ 476.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.66 ✓	18.00 ✓	.40 ✓
81G0436	3342	300.00 ✓	12.00 ✓	22.00 ✓ 300.00 ✓	36.00 ✓ .20 ✓	12.00 ✓ 300.00 ✓	500.00 ✓ 2.00 ✓	.20 ✓ 1.60 ✓	4.00 ✓	.20 ✓
81G0437	3342	650.00 ✓	40.00 ✓	26.00 ✓ 400.00 ✓	80.00 ✓ .20 ✓	48.00 ✓ 490.00 ✓	360.00 ✓ 2.00 ✓	.20 ✓ 2.20 ✓	6.00 ✓	.20 ✓
81G0438	3342	300.00 ✓	12.00 ✓	16.00 ✓ 800.00 ✓	50.00 ✓ .40 ✓	270.00 ✓ 22,600.00 ✓	2.00 ✓	.20 ✓ 1.60 ✓	4.00 ✓	.40 ✓
81G0439	3342	550.00 ✓	20.00 ✓	10.00 ✓ 840.00 ✓	30.00 ✓ .20 ✓	40.00 ✓ 292.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.96 ✓	4.00 ✓	.20 ✓
81G0440	3342						14.00 ✓			

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce	
LAB: CHEMEX		CERTIFICATE: A8115225-001-A ⁰⁰²									
81G0441	3342	500.00 ✓	24.00 ✓	30.00 ✓ 750.00 ✓	66.00 ✓ .20 ✓	16.00 ✓ 324.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.80 ✓	4.00 ✓	.40 ✓	
81G0442	3342	650.00 ✓	18.00 ✓	18.00 ✓ 1,500.00 ✓	60.00 ✓ .40 ✓	680.00 ✓ 340.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.90 ✓	4.00 ✓	.40 ✓	
81G0448	3342	1,300.00 ✓	680.00 ✓	2.00 ✓ 140.00 ✓	66.00 ✓ .20 ✓	4.00 ✓ 260.00 ✓	920.00 ✓ 2.00 ✓	.40 ✓ 3.24 ✓	6.00 ✓	.40 ✓	
81G0451	3342	1,350.00 ✓	288.00 ✓	124.00 ✓ 2,250.00 ✓	180.00 ✓ .60 ✓	60.00 ✓ 290.00 ✓	3,380.00 ✓ 2.00 ✓	6.20 ✓ 3.66 ✓	126.00 ✓	.20 ✓	
81G0452	3342	1,100.00 ✓	364.00 ✓	56.00 ✓ 1,560.00 ✓	126.00 ✓ .40 ✓	444.00 ✓ 17,600.00 ✓	2.00 ✓	3.60 ✓ 3.20 ✓	78.00 ✓	.40 ✓	
81G0453	3342	1,300.00 ✓	132.00 ✓	96.00 ✓ 1,800.00 ✓	144.00 ✓ .60 ✓	25,300.00 ✓ 256.00 ✓	2.00 ✓	3.60 ✓ 2.80 ✓	14.00 ✓	.20 ✓	
81G0454	3342	5,600.00 ✓	120.00 ✓	80.00 ✓ 2,400.00 ✓	72.00 ✓ .20 ✓	1,240.00 ✓ 126.00 ✓	10.00 ✓ 2.00 ✓	2.00 ✓ 2.06 ✓	96.00 ✓	.40 ✓	
81G0455	3342	3,800.00 ✓	46.00 ✓	24.00 ✓ 1,920.00 ✓	64.00 ✓ .20 ✓	520.00 ✓ 284.00 ✓	49,400.00 ✓ 2.00 ✓	9.40 ✓ 2.04 ✓	10.00 ✓	.40 ✓	
81G0461	3342	53,000.00 53,000.00	100.00 ✓	32.00 ✓ 160.00 ✓	156.00 ✓ .20 ✓	116.00 ✓ 254.00 ✓	49,400.00 2.00 ✓	1.40 ✓ 1.98 ✓	34.00 ✓	.80 ✓	
81G0462	3342	4,200.00 ✓	18.00 ✓	32.00 ✓ 120.00 ✓	56.00 ✓ .20 ✓	17,200.00 ✓ 312.00 ✓	2.00 ✓	8.20 ✓ 2.26 ✓	4.00 ✓	.20 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu ✓ Hg Bi	Pb ✓ W ✓	Zn ✓ Cd	Sn ✓ Mn ✓	Au Mo ✓	Ag Fe ✓	As Th	Sb ✓ Ce
LAB: CHEMEX		CERTIFICATE: A8115225-001-A								
81G0466	3342	3,100.00 ✓	84.00 ✓	4.00 ✓	60.00 ✓ .20 ✓	350.00 ✓	<i>missing</i> 2.00 ✓	2.40 ✓ 1.62 ✓	2.00 ✓	
81G0474	3342		160.00 ✓	40.00 ✓	156.00 ✓ .20 ✓	436.00 ✓	<i>missing</i> 2.00 ✓	6.40 ✓ 5.40 ✓	40.00 ✓	
81G0485	3342	<i>53,000.0</i>	104.00 ✓	16.00 ✓ 50.00 ✓	108.00 ✓ .20 ✓	24.00 ✓ 208.00 ✓	<i>240.0</i> 2.00 ✓	.20 ✓ 1.84 ✓	12.00 ✓	.40 ✓
81G0486	3342						3,020.00 ✓			
81G0491	3342		55.00 ✓	15.00 ✓	106.00 ✓ .20 ✓	500.00 ✓	130.00 ✓ 2.00 ✓	.50 ✓ 3.65 ✓	35.00 ✓	
81G0493	3342						16,330.00 ✓			
81G0499	3342	1,600.00 ✓	34.00 ✓	72.00 ✓ 360.00 ✓	28.00 ✓ .20 ✓	300.00 ✓	1,470.00 ✓ 2.00 ✓	2.20 ✓ 1.30 ✓	4.00 ✓	.80 ✓
81G0500	3342	42,000.00 ✓	610.00 ✓	16.00 ✓ 3,000.00 ✓	190.00 ✓ .20 ✓	28.00 ✓ 620.00 ✓	56,950.00 ✓ 2.00 ✓	9.60 ✓ 4.00 ✓	60.00 ✓	.80 ✓
81G0503	3342	2,600.00 ✓	180.00 ✓	20.00 ✓ 2,100.00 ✓	86.00 ✓ .20 ✓	16.00 ✓ 760.00 ✓	1,410.00 ✓ 2.00 ✓	1.60 ✓ 2.78 ✓	72.00 ✓	.40 ✓
81G0517	3342		55.00 ✓	40.00 ✓	45.00 ✓ .20 ✓	360.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.25 ✓	9.00 ✓	

