

Chemex, Cert. A8114675-001-A, Sample # 816218

Ba should be 550.0

016137

Chemex, Cert. A8114675-001-A should be changed to -002-A  
on pages 5, 6 & 7

\$

Chemex, Cert. A8114675-001-A Sample # 816241 is missing.  
all elements are N.S.S. except for Au NAA which is <25.0



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

**CERTIFICATE OF ANALYSIS**

TO CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # A8114675-001-A  
 INVOICE # I8114675  
 DATE 27-NOV-81  
 P.O. # NONE

ATTN: GREG JILSON

Sample description	Prep code	Cu ✓ ppm	Mo ✓ ppm	Pb ✓ ppm	Zn ✓ ppm	Ag ✓ ppm	Cd ✓ ppm
81 G 149 60HN	205	34	2	44	80	0.2	0.2
81 G 200 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 201 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 202 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 203 60HN	205	24	2	26	56	0.2	0.4
81 G 204 60HN	205	140	2	36	64	0.2	0.2
81 G 206 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 207 60HN	205	14	2	20	38	0.2	0.2
81 G 208 60HN	205	20	2	12	44	0.2	0.2
81 G 209 60HN	205	36	2	32	66	0.2	0.2
81 G 210 60HN	205	16	4	14	80	0.2	0.6
81 G 211 60HN	205	38	8	12	66	0.2	0.2
81 G 213 60HN	205	110	6	16	64	0.2	0.2
81 G 214 60HN	205	28	4	8	60	0.2	0.2
81 G 215 60HN	205	22	4	10	60	0.2	0.2
81 G 216 60HN	205	16	2	36	52	0.2	0.2
81 G 217 60HN	205	14	4	16	96	0.2	0.6
81 G 218 60HN	205	8	2	12	40	0.2	0.2
81 G 219 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 220 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 221 60HN	205	44	4	26	88	0.2	0.8
81 G 222 60HN	205	104	2	36	160	0.8	0.4
81 G 223 60HN	205	26	4	40	88	0.2	1.2
81 G 224 60HN	205	36	4	42	80	0.2	0.8
81 G 225 60HN	205	20	2	56	82	0.2	3.0
81 G 226 60HN	205	14	4	138	620	1.0	7.4
81 G 227 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 228 60HN	205	50	6	52	102	0.6	0.2
81 G 229 60HN	205	540	16	72	172	1.6	1.0
81 G 230 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 231 60HN	205	32	2	14	34	0.4	0.2
81 G 232 60HN	205	28	6	56	30	0.2	0.2
81 G 233 60HN	205	20	4	28	96	0.2	0.2
81 G 234 60HN	205	30	4	2	120	0.6	0.4
81 G 235 60HN	205	290	10	70	1500	4.8	19.6
81 G 236 60HN	205	88	4	4	272	0.8	1.6
81 G 237 60HN	205	84	12	2	660	2.0	6.8
81 G 238 60HN	205	140	6	64	170	0.4	1.6
81 G 239 60HN	205	112	6	18	138	0.4	1.4
81 G 240 60HN	205	292	8	4	440	2.0	2.4



Certified by Hart Buchler



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # AB114675-001-B  
 INVOICE # 18114675  
 DATE 27-NOV-81  
 P.O. # NONE

ATTN: GREG JILSON

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81 G 149 60HN	205	3.40	510	6	22	28	6.4
81 G 200 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 201 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 202 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 203 60HN	205	1.50	460	2	1200	32	0.8
81 G 204 60HN	205	1.80	500	2	400	N.S.S.	0.4
81 G 206 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 207 60HN	205	1.60	405	2	400	N.S.S.	N.S.S.
81 G 208 60HN	205	2.95	1770	2	2320	104	0.8
81 G 209 60HN	205	2.35	690	24	2000	N.S.S.	0.4
81 G 210 60HN	205	3.35	990	4	740	32	0.8
81 G 211 60HN	205	3.70	1050	12	2400	440	1.6
81 G 213 60HN	205	2.55	630	2	550	36	0.4
81 G 214 60HN	205	2.60	700	2	2080	108	0.8
81 G 215 60HN	205	2.50	790	2	800	88	1.6
81 G 216 60HN	205	2.20	1180	2	800	16	1.6
81 G 217 60HN	205	3.50	1190	4	420	N.S.S.	2.4
81 G 218 60HN	205	2.20	630	2	520	N.S.S.	N.S.S.
81 G 219 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 220 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	12	N.S.S.
81 G 221 60HN	205	3.10	700	2	390	20	1.6
81 G 222 60HN	205	5.80	760	30	420	36	1.6
81 G 223 60HN	205	2.40	580	4	390	44	2.4
81 G 224 60HN	205	2.40	540	2	315	40	N.S.S.
81 G 225 60HN	205	1.65	430	4	270	N.S.S.	4.0
81 G 226 60HN	205	4.60	890	150	1000	N.S.S.	N.S.S.
81 G 227 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 228 60HN	205	3.90	650	12	170	40	0.8
81 G 229 60HN	205	3.50	490	66	90	N.S.S.	N.S.S.
81 G 230 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 231 60HN	205	2.65	425	6	45	4	1.6
81 G 232 60HN	205	4.35	660	10	2	N.S.S.	0.8
81 G 233 60HN	205	4.90	840	12	35	4	1.6
81 G 234 60HN	205	1.50	650	30	90	24	1.6
81 G 235 60HN	205	3.50	505	204	N.S.S.	N.S.S.	N.S.S.
81 G 236 60HN	205	3.00	370	20	N.S.S.	N.S.S.	N.S.S.
81 G 237 60HN	205	3.45	1360	118	2	32	5.6
81 G 238 60HN	205	4.10	685	92	170	36	2.4
81 G 239 60HN	205	3.50	800	106	300	N.S.S.	3.0
81 G 240 60HN	205	3.30	315	192	N.S.S.	N.S.S.	N.S.S.



Certified by *Hart Buchler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604)984-0221

TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # A8114675-001-C  
INVOICE # I8114675  
DATE 27-NOV-81  
P.O. # NONE

ATTN: GREG JILSON

Sample description	Prep code	Ba ppm	Au NAA ppb				
81 G 149 60HN	205	23000	60	--	--	--	--
81 G 200 60HN	205	N.S.S.✓	<100	--	--	--	--
81 G 201 60HN	205	N.S.S.✓	<20	--	--	--	--
81 G 202 60HN	205	N.S.S.✓	<20	--	--	--	--
81 G 203 60HN	205	1250	3480	--	--	--	--
81 G 204 60HN	205	950	<10	--	--	--	--
81 G 206 60HN	205	N.S.S.✓	7250	--	--	--	--
81 G 207 60HN	205	1000	<10	--	--	--	--
81 G 208 60HN	205	1000	10	--	--	--	--
81 G 209 60HN	205	950	<10	--	--	--	--
81 G 210 60HN	205	1600	10	--	--	--	--
81 G 211 60HN	205	900	<10	--	--	--	--
81 G 213 60HN	205	1000	<10	--	--	--	--
81 G 214 60HN	205	1250	<10	--	--	--	--
81 G 215 60HN	205	650	20	--	--	--	--
81 G 216 60HN	205	4200	20	--	--	--	--
81 G 217 60HN	205	750	<10	--	--	--	--
81 G 218 60HN	205	550	<10	--	--	--	--
81 G 219 60HN	205	550	<10	--	--	--	--
81 G 220 60HN	205	1400	380	--	--	--	--
81 G 221 60HN	205	800	10	--	--	--	--
81 G 222 60HN	205	3800	5110	--	--	--	--
81 G 223 60HN	205	800	40	--	--	--	--
81 G 224 60HN	205	2100	780	--	--	--	--
81 G 225 60HN	205	20000	610	--	--	--	--
81 G 226 60HN	205	11000	36500	--	--	--	--
81 G 227 60HN	205	N.S.S.✓	67	--	--	--	--
81 G 228 60HN	205	650	<1	--	--	--	--
81 G 229 60HN	205	8600	7230	--	--	--	--
81 G 230 60HN	205	N.S.S.✓	<20	--	--	--	--
81 G 231 60HN	205	400	10	--	--	--	--
81 G 232 60HN	205	500	<10	--	--	--	--
81 G 233 60HN	205	900	<10	--	--	--	--
81 G 234 60HN	205	>50000	10	--	--	--	--
81 G 235 60HN	205	>50000	40	--	--	--	--
81 G 236 60HN	205	N.S.S.✓	<10	--	--	--	--
81 G 237 60HN	205	>50000	50	--	--	--	--
81 G 238 60HN	205	45000	10	--	--	--	--
81 G 239 60HN	205	50000	<10	--	--	--	--
81 G 240 60HN	205	N.S.S.✓	<10	--	--	--	--

Certified by *Haut Bichler* .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8


CERT. # A8114675-002-A  
INVOICE # I8114675  
DATE 27-NOV-81  
P.O. # NONE

ATTN: GREG JILSON

Sample description	Prep code	Cu <sup>v</sup> ppm	Mo <sup>v</sup> ppm	Pb <sup>v</sup> ppm	Zn <sup>v</sup> ppm	Ag <sup>v</sup> ppm	Cd <sup>v</sup> ppm
81 G 241 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 242 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 243 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 244 60HN	205	640	18	10	420	3.0	8.4
81 G 245 60HN	205	36	2	72	126	0.4	0.2
81 G 246 60HN	205	60	12	118	90	0.2	0.2
81 G 247 60HN	205	620	12	72	720	4.0	19.0
81 G 248 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 249 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 250 60HN	205	165	21	115	80	1.0	0.2
81 G 251 60HN	205	540	42	160	320	3.0	5.2
81 G 252 60HN	205	150	22	96	120	11.0	0.2
81 G 253 60HN	205	64	4	40	40	1.8	0.2
81 G 254 60HN	205	36	2	26	46	0.4	0.2
81 G 255 60HN	205	166	8	56	90	0.4	0.2
81 G 256 60HN	205	44	2	28	68	0.4	0.2
81 G 257 60HN	205	48	10	78	44	0.8	0.2
81 G 258 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 262 60HN	205	5700	6	16	390	4.4	4.2
81 G 263 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	0.2
81 G 265 60HN	205	160	2	108	104	3.4	0.2
81 G 267 60HN	205	140	2	76	148	2.0	0.2
81 G 272 60HN	205	160	2	44	132	0.2	0.2
81 G 274 60HN	205	46	2	20	40	0.2	0.2
81 G 275 60HN	205	68	2	22	94	0.2	0.2
81 G 276 60HN	205	78	4	40	400	0.4	0.2
81 G 277 60HN	205	112	2	36	60	0.2	0.2
81 G 278 60HN	205	24	2	14	56	0.2	0.2
81 G 279 60HN	205	160	6	36	114	0.2	0.2
81 G 280 60HN	205	190	4	46	84	0.4	0.2
81 G 281 60HN	205	20	4	18	62	0.2	0.2
81 G 282 60HN	205	60	2	46	112	0.2	0.2
81 G 283 60HN	205	42	4	22	54	0.2	0.2
81 G 284 60HN	205	24	6	26	62	0.4	0.2
81 G 286 60HN	205	140	6	18	28	0.2	0.2
81 G 287 60HN	205	16	2	24	68	0.2	0.2
81 G 288 60HN	205	116	2	60	180	0.2	0.4
81 G 289 60HN	205	48	8	176	300	0.2	3.2
81 G 290 60HN	205	74	6	40	300	0.4	2.0
81 G 291 60HN	205	36	4	26	116	0.2	0.4



Certified by Hart Buchler



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # A8114675-002-B  
INVOICE # 18114675  
DATE 27-NOV-81  
P.O. # NONE

ATTN: GREG JILSON

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81 G 241 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 242 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 243 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 244 60HN	205	4.90	370	82	220	52	3.2
81 G 245 60HN	205	3.25	710	12	50	N.S.S.	N.S.S.
81 G 246 60HN	205	2.55	460	6	1000	N.S.S.	N.S.S.
81 G 247 60HN	205	5.20	850	250	185	40	2.4
81 G 248 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 249 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 250 60HN	205	6.05	475	28	200	48	3.2
81 G 251 60HN	205	7.50	410	64	600	36	2.4
81 G 252 60HN	205	5.10	450	28	620	N.S.S.	2.4
81 G 253 60HN	205	4.00	440	44	350	32	1.6
81 G 254 60HN	205	2.95	435	46	50	24	1.6
81 G 255 60HN	205	3.50	450	170	220	12	0.8
81 G 256 60HN	205	2.40	410	10	N.S.S.	N.S.S.	N.S.S.
81 G 257 60HN	205	3.80	450	44	320	8	1.6
81 G 258 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 262 60HN	205	4.50	335	24	800	176	0.4
81 G 263 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 265 60HN	205	2.35	500	14	675	N.S.S.	N.S.S.
81 G 267 60HN	205	2.10	680	4	335	176	0.8
81 G 272 60HN	205	2.60	550	14	2600	N.S.S.	N.S.S.
81 G 274 60HN	205	2.70	1110	6	75	16	0.8
81 G 275 60HN	205	2.80	410	4	60	4	0.4
81 G 276 60HN	205	8.50	1640	14	2	12	0.8
81 G 277 60HN	205	3.15	360	10	60	20	1.6
81 G 278 60HN	205	2.40	340	4	2	8	1.6
81 G 279 60HN	205	3.40	525	10	105	20	0.8
81 G 280 60HN	205	3.00	410	10	390	24	0.8
81 G 281 60HN	205	2.20	530	4	200	8	0.8
81 G 282 60HN	205	3.75	430	22	75	76	3.2
81 G 283 60HN	205	2.40	350	10	70	48	1.6
81 G 284 60HN	205	2.05	290	12	30	12	1.6
81 G 286 60HN	205	2.10	320	66	20	312	0.8
81 G 287 60HN	205	2.80	420	18	25	4	0.8
81 G 288 60HN	205	1.85	410	8	40	8	0.8
81 G 289 60HN	205	3.20	350	38	280	100	0.8
81 G 290 60HN	205	4.30	730	6	310	8	0.8
81 G 291 60HN	205	3.40	520	4	200	8	0.8

*Hart Bichler*

Certified by .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # A8114675-002-C  
 INVOICE # I8114675  
 DATE 27-NOV-81  
 P.O. # NONE

ATTN: GREG JILSON

Sample description	Prep code	Ba ppm	Au ppb	NAA				
81 G 241 60HN	205	N.S.S.	<25		--	--	--	--
81 G 242 60HN	205	N.S.S.	25		--	--	--	--
81 G 243 60HN	205	N.S.S.	<20		--	--	--	--
81 G 244 60HN	205	40000	630		--	--	--	--
81 G 245 60HN	205	7100	<10		--	--	--	--
81 G 246 60HN	205	2800	<10		--	--	--	--
81 G 247 60HN	205	6100	370		--	--	--	--
81 G 248 60HN	205	N.S.S.	<20		--	--	--	--
81 G 249 60HN	205	2650	10		--	--	--	--
81 G 250 60HN	205	5800	840		--	--	--	--
81 G 251 60HN	205	650	50		--	--	--	--
81 G 252 60HN	205	1500	8000		--	--	--	--
81 G 253 60HN	205	7000	640		--	--	--	--
81 G 254 60HN	205	400	<10		--	--	--	--
81 G 255 60HN	205	1100	<10		--	--	--	--
81 G 256 60HN	205	550	<10		--	--	--	--
81 G 257 60HN	205	350	<10		--	--	--	--
81 G 258 60HN	205	N.S.S.	1500		--	--	--	--
81 G 262 60HN	205	4500	15400		--	--	--	--
81 G 263 60HN	205	N.S.S.	.71		--	--	--	--
81 G 265 60HN	205	50000	<10		--	--	--	--
81 G 267 60HN	205	4700	<10		--	--	--	--
81 G 272 60HN	205	8800	<10		--	--	--	--
81 G 274 60HN	205	1700	30		--	--	--	--
81 G 275 60HN	205	600	<10		--	--	--	--
81 G 276 60HN	205	500	<10		--	--	--	--
81 G 277 60HN	205	650	<10		--	--	--	--
81 G 278 60HN	205	1000	<10		--	--	--	--
81 G 279 60HN	205	3600	<10		--	--	--	--
81 G 280 60HN	205	500	6850		--	--	--	--
81 G 281 60HN	205	700	10		--	--	--	--
81 G 282 60HN	205	1800	3610		--	--	--	--
81 G 283 60HN	205	700	<10		--	--	--	--
81 G 284 60HN	205	400	<10		--	--	--	--
81 G 286 60HN	205	300	<10		--	--	--	--
81 G 287 60HN	205	400	30		--	--	--	--
81 G 288 60HN	205	750	20		--	--	--	--
81 G 289 60HN	205	850	130		--	--	--	--
81 G 290 60HN	205	900	7630		--	--	--	--
81 G 291 60HN	205	1600	60		--	--	--	--



Certified by *Hart Buchler*

19FEB82  
EX021

CYPRUS ANVIL MINING CORPORATION  
HEAVY MINERALS DATA ENTRY

PAGE

1

*alt* ✓ *P1 - P7*

SAMPLE CODE	TEST CODE	WT Ba✓ U	Cu✓ Hg Bi	Pb✓ W✓	Zn✓ Cd✓	Sn✓ Mn✓	Au Mo✓	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: AB114675-001-A✓								
<del>81G0149</del>	3342	23,000.00✓	34.00✓	44.00✓ 22.00✓	80.00✓ .20✓	28.00✓ 510.00✓	60.00✓ 2.00✓	.20✓ 3.40✓	6.00✓	6.40✓
<del>81G0200</del>	3342					<	100.00✓			
<del>81G0201</del>	3342					<	20.00✓			
<del>81G0202</del>	3342					<	20.00✓			
<del>81G0203</del>	3342	1,250.00✓	24.00✓	26.00✓ 1,200.00✓	56.00✓ .40✓	32.00✓ 460.00✓	3,480.00✓ 2.00✓	.20✓ 1.50✓	2.00✓	.80✓
<del>81G0204</del>	3342	950.00✓	140.00✓	36.00✓ 400.00✓	64.00✓ .20✓	500.00✓	10.00✓ 2.00✓	.20✓ 1.80✓	2.00✓	.40✓
<del>81G0206</del>	3342						7,250.00✓			
<del>81G0207</del>	3342	1,000.00✓	14.00✓	20.00✓ 400.00✓	38.00✓ .20✓	405.00✓	10.00✓ 2.00✓	.20✓ 1.60✓	2.00✓	
<del>81G0208</del>	3342	1,000.00✓	20.00✓	12.00✓ 2,320.00✓	44.00✓ .20✓	104.00✓ 1,770.00✓	10.00✓ 2.00✓	.20✓ 2.95✓	2.00✓	.80✓
<del>81G0209</del>	3342	950.00✓	36.00✓	32.00✓ 2,000.00✓	66.00✓ .20✓	690.00✓	10.00✓ 2.00✓	.20✓ 2.35✓	24.00✓	.40✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: AB114675-001-A								
<del>81G0210</del>	3342	1,600.00 ✓	16.00 ✓	14.00 ✓ 740.00 ✓	80.00 ✓ .60 ✓	32.00 ✓ 990.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 3.35 ✓	4.00 ✓	.80 ✓
<del>81G0211</del>	3342	900.00 ✓	38.00 ✓	12.00 ✓ 2,400.00 ✓	66.00 ✓ .20 ✓	440.00 ✓ 1,050.00 ✓	10.00 ✓ 8.00 ✓	.20 ✓ 3.70 ✓	12.00 ✓	1.60 ✓
<del>81G0213</del>	3342	1,000.00 ✓	110.00 ✓	16.00 ✓ 550.00 ✓	64.00 ✓ .20 ✓	36.00 ✓ 630.00 ✓	10.00 ✓ 6.00 ✓	.20 ✓ 2.55 ✓	2.00 ✓	.40 ✓
<del>81G0214</del>	3342	1,250.00 ✓	28.00 ✓	8.00 ✓ 2,080.00 ✓	60.00 ✓ .20 ✓	108.00 ✓ 700.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 2.60 ✓	2.00 ✓	.80 ✓
<del>81G0215</del>	3342	650.00 ✓	22.00 ✓	10.00 ✓ 800.00 ✓	60.00 ✓ .20 ✓	88.00 ✓ 790.00 ✓	20.00 ✓ 4.00 ✓	.20 ✓ 2.50 ✓	2.00 ✓	1.60 ✓
<del>81G0216</del>	3342	4,200.00 ✓	16.00 ✓	36.00 ✓ 800.00 ✓	52.00 ✓ .20 ✓	16.00 ✓ 1,180.00 ✓	20.00 ✓ 2.00 ✓	.20 ✓ 2.20 ✓	2.00 ✓	1.60 ✓
<del>81G0217</del>	3342	750.00 ✓	14.00 ✓	16.00 ✓ 420.00 ✓	96.00 ✓ .60 ✓	1,190.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 3.50 ✓	4.00 ✓	2.40 ✓
<del>81G0218</del>	3342	500.00 ✓	8.00 ✓	12.00 ✓ 520.00 ✓	40.00 ✓ .20 ✓	630.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.20 ✓	2.00 ✓	
<del>81G0219</del>	3342	550.00 ✓					10.00 ✓			
<del>81G0220</del>	3342	1,400.00 ✓				12.00 ✓	380.00 ✓			

500.00 ✓  
*Should be 550.*

SAMPLE CODE	TEST CODE	WT. Ba U	Cu ✓ Hg Bi	Pb ✓ W	Zn ✓ Cd ✓	Sn ✓ Mn ✓	Au Mo ✓	Ag ✓ Fe ✓	As ✓ Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114675-001-A								
81G0221	3342	800.00 ✓	44.00 ✓	26.00 ✓ 390.00	88.00 ✓ .80 ✓	20.00 700.00 ✓	10.00 4.00 ✓	.20 ✓ 3.10 ✓	2.00 ✓	1.60 ✓
81G0222	3342	3,800.00 ✓	104.00 ✓	36.00 ✓ 420.00	160.00 ✓ .40 ✓	36.00 760.00 ✓	5,110.00 2.00 ✓	.80 ✓ 5.80 ✓	30.00 ✓	1.60 ✓
81G0223	3342	800.00 ✓	26.00 ✓	40.00 ✓ 390.00	88.00 ✓ 1.20 ✓	44.00 580.00 ✓	40.00 4.00 ✓	.20 ✓ 2.40 ✓	4.00 ✓	2.40 ✓
81G0224	3342	2,100.00 ✓	36.00 ✓	42.00 ✓ 315.00	80.00 ✓ .80 ✓	40.00 540.00 ✓	780.00 4.00 ✓	.20 ✓ 2.40 ✓	2.00 ✓	
81G0225	3342	20,000.00 ✓	20.00 ✓	56.00 ✓ 270.00	82.00 ✓ 3.00 ✓	430.00 ✓	610.00 2.00 ✓	.20 ✓ 1.65 ✓	4.00 ✓	4.00 ✓
81G0226	3342	11,000.00 ✓	14.00 ✓	138.00 ✓ 1,000.00	620.00 ✓ 7.40 ✓	890.00 ✓	36,500.00 4.00 ✓	1.00 ✓ 4.60 ✓	150.00 ✓	
81G0227	3342						67.00			
81G0228	3342	650.00 ✓	50.00 ✓	52.00 ✓ 170.00	102.00 ✓ .20 ✓	40.00 < 650.00 ✓	1.00 6.00 ✓	.60 ✓ 3.90 ✓	12.00 ✓	.80 ✓
81G0229	3342	8,600.00 ✓	540.00 ✓	72.00 ✓ 90.00	172.00 ✓ 1.00 ✓	490.00 ✓	7,230.00 16.00 ✓	1.60 ✓ 3.50 ✓	66.00 ✓	
81G0230	3342					<	20.00			

19FEB82  
EX021

CYPRUS ANVIL MINING CORPORATION.  
HEAVY MINERALS DATA ENTRY

PAGE 4

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: AB114675-001-A								
81G0231	3342	400.00 ✓	32.00 ✓	14.00 ✓ 45.00	34.00 ✓ .20 ✓	4.00 425.00 ✓	10.00 2.00 ✓	.40 ✓ 2.65 ✓	6.00 ✓	1.60 ✓
81G0232	3342	500.00 ✓	28.00 ✓	56.00 ✓ 2.00	30.00 ✓ .20 ✓	< 660.00 ✓	10.00 6.00 ✓	.20 ✓ 4.35 ✓	10.00 ✓	.80 ✓
81G0233	3342	900.00 ✓	20.00 ✓	28.00 ✓ 35.00	96.00 ✓ .20 ✓	4.00 < 840.00 ✓	10.00 4.00 ✓	.20 ✓ 4.90 ✓	12.00 ✓	1.60 ✓
81G0234	3342	> 50,000.00 ✓	30.00 ✓	2.00 ✓ 90.00	120.00 ✓ .40 ✓	24.00 650.00 ✓	10.00 4.00 ✓	.60 ✓ 1.50 ✓	30.00 ✓	1.60 ✓
81G0235	3342	> 50,000.00 ✓	290.00 ✓	70.00 ✓	1,500.00 ✓ 19.60 ✓	505.00 ✓	40.00 10.00 ✓	4.80 ✓ 3.50 ✓	204.00 ✓	
81G0236	3342		88.00 ✓	4.00 ✓	272.00 ✓ 1.60 ✓	< 370.00 ✓	10.00 4.00 ✓	.80 ✓ 3.00 ✓	20.00 ✓	
81G0237	3342	> 50,000.00 ✓	84.00 ✓	2.00 ✓ 2.00	660.00 ✓ 6.80 ✓	32.00 1,360.00 ✓	50.00 12.00 ✓	2.00 ✓ 3.45 ✓	118.00 ✓	5.60 ✓
81G0238	3342	45,000.00 ✓	140.00 ✓	64.00 ✓ 170.00	170.00 ✓ 1.60 ✓	36.00 685.00 ✓	10.00 6.00 ✓	.40 ✓ 4.10 ✓	92.00 ✓	2.40 ✓
81G0239	3342	50,000.00 ✓	112.00 ✓	18.00 ✓ 300.00	138.00 ✓ 1.40 ✓	< 800.00 ✓	10.00 6.00 ✓	.40 ✓ 3.50 ✓	106.00 ✓	3.00 ✓
81G0240	3342		292.00 ✓	4.00 ✓	440.00 ✓ 2.40 ✓	< 315.00 ✓	10.00 8.00 ✓	2.00 ✓ 3.30 ✓	192.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------	----------	------	-------	-------	-------	-------	-------	-------

LAB: CHEMEX

CERTIFICATE: A8114675-001-A-002

81G0241	3342						<	25.00 ✓		
81G0242	3342							25.00 ✓		
81G0243	3342						<	20.00 ✓		
81G0244	3342	40,000.00 ✓	640.00 ✓	10.00 ✓ 220.00 ✓	420.00 ✓ 8.40 ✓	52.00 ✓ 370.00 ✓	630.00 ✓ 18.00 ✓	3.00 ✓ 4.90 ✓	82.00 ✓	3.20 ✓
81G0245	3342	7,100.00 ✓	36.00 ✓	72.00 ✓ 50.00 ✓	126.00 ✓ .20 ✓	710.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 3.25 ✓	12.00 ✓	
81G0246	3342	2,800.00 ✓	60.00 ✓	118.00 ✓ 1,000.00 ✓	90.00 ✓ .20 ✓	460.00 ✓	10.00 ✓ 12.00 ✓	.20 ✓ 2.55 ✓	6.00 ✓	
81G0247	3342	6,100.00 ✓	620.00 ✓	72.00 ✓ 185.00 ✓	720.00 ✓ 19.00 ✓	40.00 ✓ 850.00 ✓	370.00 ✓ 12.00 ✓	4.00 ✓ 5.20 ✓	250.00 ✓	2.40 ✓
81G0248	3342						<	20.00 ✓		
81G0249	3342	2,650.00 ✓						10.00 ✓		
81G0250	3342	5,800.00 ✓	165.00 ✓	115.00 ✓ 200.00 ✓	80.00 ✓ .20 ✓	48.00 ✓ 475.00 ✓	840.00 ✓ 21.00 ✓	1.00 ✓ 6.05 ✓	28.00 ✓	3.20 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: AB114675-001-A <b>002</b>								
81G0251	3342	650.00 ✓	540.00 ✓	160.00 ✓ 600.00 ✓	320.00 ✓ 5.20 ✓	36.00 ✓ 410.00 ✓	50.00 ✓ 42.00 ✓	3.00 ✓ 7.50 ✓	64.00 ✓	2.40 ✓
81G0252	3342	1,500.00 ✓	150.00 ✓	96.00 ✓ 620.00 ✓	120.00 ✓ .20 ✓	450.00 ✓	8,000.00 ✓ 22.00 ✓	11.00 ✓ 5.10 ✓	28.00 ✓	2.40 ✓
81G0253	3342	7,000.00 ✓	64.00 ✓	40.00 ✓ 350.00 ✓	40.00 ✓ .20 ✓	32.00 ✓ 440.00 ✓	640.00 ✓ 4.00 ✓	1.80 ✓ 4.00 ✓	44.00 ✓	1.60 ✓
81G0254	3342	400.00 ✓	36.00 ✓	26.00 ✓ 50.00 ✓	46.00 ✓ .20 ✓	24.00 ✓ 435.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 2.95 ✓	46.00 ✓	1.60 ✓
81G0255	3342	1,100.00 ✓	166.00 ✓	56.00 ✓ 220.00 ✓	90.00 ✓ .20 ✓	12.00 ✓ 450.00 ✓	10.00 ✓ 8.00 ✓	.40 ✓ 3.50 ✓	170.00 ✓	.80 ✓
81G0256	3342	550.00 ✓	44.00 ✓	28.00 ✓	68.00 ✓ .20 ✓	410.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 2.40 ✓	10.00 ✓	
81G0257	3342	350.00 ✓	48.00 ✓	78.00 ✓ 320.00 ✓	44.00 ✓ .20 ✓	8.00 ✓ 450.00 ✓	10.00 ✓ 10.00 ✓	.80 ✓ 3.80 ✓	44.00 ✓	1.60 ✓
81G0258	3342						1,500.00 ✓			
81G0262	3342	4,500.00 ✓	5,700.00 ✓	16.00 ✓ 800.00 ✓	390.00 ✓ 4.20 ✓	176.00 ✓ 335.00 ✓	15,400.00 ✓ 6.00 ✓	4.40 ✓ 4.50 ✓	24.00 ✓	.40 ✓
81G0263	3342				.20 ✓		71.00 ✓			

19FEB82  
EX021

CYPRUS ANVIL MINING CORPORATION  
HEAVY MINERALS DATA ENTRY

PAGE 7

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
----------------	--------------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX

CERTIFICATE: A8114675-001-A

0-002

~~81C0265~~ 3342

50,000.00 ✓

160.00 ✓

108.00 ✓

104.00 ✓

500.00 ✓

10.00 ✓

3.40 ✓

14.00 ✓

675.00 ✓

.20 ✓

2.00 ✓

2.35 ✓

\*\*THIS DATA WAS ENTERED BY:

LYNNT

.EXPLORE

POSTED AT:

11:49:34