



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

016138


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8114674-002-A
 INVOICE # : I8114674
 DATE : 27-NOV-81
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81 G 042 60HN	205	60	2	104	60	0.2	0.2
81 G 043 60HN	205	40	2	28	74	0.2	0.2
81 G 047 60HN	205	104	2	212	144	1.2	0.8
81 G 049 60HN	205	20	2	36	70	1.0	0.2
81 G 050 60HN	205	12	4	72	76	0.6	0.6
81 G 064 60HN	205	64	2	60	104	0.8	0.2
81 G 065 60HN	205	66	2	60	86	0.2	0.2
81 G 066 60HN	205	40	2	126	60	0.2	0.4
81 G 067 60HN	205	20	2	12	36	0.6	0.2
81 G 068 60HN	205	1060	2	10	44	0.4	0.2
81 G 069 60HN	205	24	4	18	46	0.2	0.2
81 G 070 60HN	205	260	2	10	54	0.2	0.2
81 G 071 60HN	205	18	2	22	36	1.0	0.2
81 G 072 60HN	205	48	2	8	36	0.2	0.2
81 G 073 60HN	205	40	2	14	70	0.2	0.2
81 G 074 60HN	205	110	4	26	78	0.2	0.2
81 G 075 60HN	205	96	2	18	56	0.4	0.2
81 G 076 60HN	205	96	2	10	54	0.2	0.2
81 G 077 60HN	205	210	4	10	30	0.2	0.2
81 G 078 60HN	205	140	2	4	54	0.4	0.2
81 G 080 60HN	205	100	2	4	104	0.4	0.2
81 G 082 60HN	205	34	2	2	36	0.2	0.2
81 G 083 60HN	205	26	2	2	26	0.4	0.2
81 G 084 60HN	205	16	2	2	26	0.2	0.2
81 G 085 60HN	205	200	2	140	64	1.6	0.2
81 G 087 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 088 60HN	205	18	2	112	44	0.2	0.2
81 G 089 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 091 60HN	205	64	2	2	96	0.4	0.6
81 G 092 60HN	205	18	2	10	128	0.2	2.6
81 G 094 60HN	205	58	2	68	62	0.4	0.2
81 G 095 60HN	205	18	2	4	30	0.4	0.2
81 G 096 60HN	205	20	2	16	60	0.6	0.2
81 G 098 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 099 60HN	205	32	6	58	40	0.4	0.2
81 G 100 60HN	205	34	4	22	40	0.2	0.2
81 G 101 60HN	205	24	4	126	44	0.2	0.2
81 G 102 60HN	205	18	4	60	44	0.4	0.2
81 G 103 60HN	205	18	2	20	60	0.4	0.4
81 G 104 60HN	205	10	2	96	46	3.0	0.2

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8114674-002-B
 INVOICE # : I8114674
 DATE : 27-NOV-81
 P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81 G 042 60HN	205	3.00	580	12	N.S.S.	N.S.S.	N.S.S.
81 G 043 60HN	205	4.30	570	10	80	4	1.6
81 G 047 60HN	205	3.75	660	180	390	8	0.4
81 G 049 60HN	205	2.30	790	4	280	N.S.S.	0.4
81 G 050 60HN	205	2.60	440	2	170	12	0.4
81 G 064 60HN	205	2.40	340	8	95	N.S.S.	N.S.S.
81 G 065 60HN	205	1.85	244	4	195	16	0.4
81 G 066 60HN	205	1.45	250	4	275	N.S.S.	0.4
81 G 067 60HN	205	1.65	270	2	105	N.S.S.	0.9
81 G 068 60HN	205	3.50	235	2	250	N.S.S.	N.S.S.
81 G 069 60HN	205	1.95	290	2	275	N.S.S.	N.S.S.
81 G 070 60HN	205	2.25	365	8	20	4	0.4
81 G 071 60HN	205	3.20	340	4	220	24	0.4
81 G 072 60HN	205	2.60	260	2	2	N.S.S.	1.0
81 G 073 60HN	205	2.35	320	4	N.S.S.	N.S.S.	N.S.S.
81 G 074 60HN	205	6.85	680	4	2	4	0.4
81 G 075 60HN	205	3.60	430	6	25	4	0.8
81 G 076 60HN	205	3.10	420	10	40	16	0.4
81 G 077 60HN	205	2.65	325	6	18	4	1.6
81 G 078 60HN	205	3.40	660	6	10	4	0.8
81 G 080 60HN	205	3.50	340	24	16	4	0.8
81 G 082 60HN	205	1.50	240	28	2	4	0.8
81 G 083 60HN	205	1.10	210	4	2	4	0.4
81 G 084 60HN	205	0.90	120	4	2	12	0.4
81 G 085 60HN	205	4.20	180	58	60	4	1.6
81 G 087 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 088 60HN	205	1.25	170	6	14	4	1.6
81 G 089 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 091 60HN	205	0.70	150	14	35	N.S.S.	N.S.S.
81 G 092 60HN	205	1.20	110	8	60	N.S.S.	3.0
81 G 094 60HN	205	1.70	270	8	30	28	1.6
81 G 095 60HN	205	2.60	310	6	2	4	1.6
81 G 096 60HN	205	2.40	405	4	65	20	0.8
81 G 098 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 099 60HN	205	4.50	600	46	190	8	1.6
81 G 100 60HN	205	3.80	450	14	50	8	1.6
81 G 101 60HN	205	2.90	430	6	30	8	0.4
81 G 102 60HN	205	2.75	415	6	55	84	0.8
81 G 103 60HN	205	2.50	240	8	25	4	0.8
81 G 104 60HN	205	2.60	450	4	30	16	0.8

Certified by *Hart Bichler*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8114674-002-C
INVOICE # : I8114674
DATE : 27-NOV-81
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Ba ppm	Au NAA pob				
81 G 042 60HN	205	6100	<10	--	--	--	--
81 G 043 60HN	205	2000	<10	--	--	--	--
81 G 047 60HN	205	850	<10	--	--	--	--
81 G 049 60HN	205	450	2650	--	--	--	--
81 G 050 60HN	205	450	<10	--	--	--	--
81 G 064 60HN	205	22000	29000	--	--	--	--
81 G 065 60HN	205	16000	<10	--	--	--	--
81 G 066 60HN	205	25000	65200	--	--	--	--
81 G 067 60HN	205	15000	12600	--	--	--	--
81 G 068 60HN	205	4000	10	--	--	--	--
81 G 069 60HN	205	2300	<10	--	--	--	--
81 G 070 60HN	205	>50000	4330	--	--	--	--
81 G 071 60HN	205	800	3280	--	--	--	--
81 G 072 60HN	205	400	4910	--	--	--	--
81 G 073 60HN	205	750	2970	--	--	--	--
81 G 074 60HN	205	2850	90	--	--	--	--
81 G 075 60HN	205	1100	<10	--	--	--	--
81 G 076 60HN	205	35000	1750	--	--	--	--
81 G 077 60HN	205	13000	<10	--	--	--	--
81 G 078 60HN	205	27000	<10	--	--	--	--
81 G 080 60HN	205	>50000	210	--	--	--	--
81 G 082 60HN	205	18500	360	--	--	--	--
81 G 083 60HN	205	2600	1730	--	--	--	--
81 G 084 60HN	205	12000	<10	--	--	--	--
81 G 085 60HN	205	10000	<10	--	--	--	--
81 G 087 60HN	205	>50000	<10	--	--	--	--
81 G 088 60HN	205	6600	3140	--	--	--	--
81 G 089 60HN	205	15000	<10	--	--	--	--
81 G 091 60HN	205	>50000	<10	--	--	--	--
81 G 092 60HN	205	>50000	120	--	--	--	--
81 G 094 60HN	205	>50000	<10	--	--	--	--
81 G 095 60HN	205	7000	<10	--	--	--	--
81 G 096 60HN	205	4600	4070	--	--	--	--
81 G 098 60HN	205	N.S.S.	11900	--	--	--	--
81 G 099 60HN	205	700	190	--	--	--	--
81 G 100 60HN	205	1000	<10	--	--	--	--
81 G 101 60HN	205	950	30	--	--	--	--
81 G 102 60HN	205	600	5880	--	--	--	--
81 G 103 60HN	205	1250	10	--	--	--	--
81 G 104 60HN	205	800	10	--	--	--	--

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8114674-003-A
 INVOICE # : I8114674
 DATE : 27-NOV-81
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81 G 105 60HN	205	16	4	30	100	0.6	0.2
81 G 106 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 107 60HN	205	40	2	22	60	0.2	0.2
81 G 108 60HN	205	28	2	20	70	0.2	0.4
81 G 109 60HN	205	30	2	86	90	0.2	0.2
81 G 110 60HN	205	12	2	30	96	0.2	0.4
81 G 111 60HN	205	20	4	4	38	0.2	0.2
81 G 112 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 113 60HN	205	20	2	4	40	0.2	0.2
81 G 114 60HN	205	20	6	184	98	3.2	0.6
81 G 115 60HN	205	40	2	20	92	0.2	0.2
81 G 116 60HN	205	62	4	10	74	1.0	0.2
81 G 117 60HN	205	72	4	16	200	0.4	1.0
81 G 118 60HN	205	210	4	46	70	0.2	1.2
81 G 119 60HN	205	40	4	18	110	0.2	0.2
81 G 121 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 122 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 123 60HN	205	32	2	14	70	0.2	0.2
81 G 124 60HN	205	36	2	100	56	0.2	0.2
81 G 125 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 127 60HN	205	60	2	12	68	0.2	0.2
81 G 128 60HN	205	88	6	8	64	0.2	0.2
81 G 129 60HN	205	80	4	22	180	0.4	0.8
81 G 130 60HN	205	118	2	18	1200	0.4	27.8
81 G 131 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 132 60HN	205	40	4	8	100	0.2	0.2
81 G 133 60HN	205	40	2	4	96	0.2	0.2
81 G 134 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 135 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 137 60HN	205	116	2	12	620	0.2	3.6
81 G 138 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 139 60HN	205	48	2	8	76	0.2	0.2
81 G 141 60HN	205	60	2	10	140	0.2	0.2
81 G 142 60HN	205	164	2	52	156	0.2	0.2
81 G 143 60HN	205	230	2	34	186	3.0	0.2
81 G 144 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 145 60HN	205	58	2	44	80	0.2	0.2
81 G 146 60HN	205	40	2	16	56	0.2	0.2
81 G 147 60HN	205	54	4	2	200	3.0	0.8
81 G 148 60HN	205	44	2	56	98	1.6	0.2

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8114674-003-B
 INVOICE # : I8114674
 DATE : 27-NOV-81
 P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81 G 105 60HN	205	3.00	430	10	45	N.S.S.	N.S.S.
81 G 106 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 107 60HN	205	4.45	300	12	40	12	1.6
81 G 108 60HN	205	2.40	450	8	75	N.S.S.	N.S.S.
81 G 109 60HN	205	4.00	570	10	40	8	4.0
81 G 110 60HN	205	1.55	300	8	30	16	2.4
81 G 111 60HN	205	3.20	390	6	2	4	1.6
81 G 112 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 113 60HN	205	3.75	400	6	110	4	0.8
81 G 114 60HN	205	2.75	300	10	2400	100	1.6
81 G 115 60HN	205	2.90	285	6	640	4	2.4
81 G 116 60HN	205	2.65	345	6	110	20	0.8
81 G 117 60HN	205	2.75	405	12	120	36	2.4
81 G 118 60HN	205	2.75	530	12	270	72	2.4
81 G 119 60HN	205	2.60	400	8	450	40	1.6
81 G 121 60HN	205	N.S.S.	N.S.S.	N.S.S.	90	N.S.S.	N.S.S.
81 G 122 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 123 60HN	205	3.10	410	6	N.S.S.	N.S.S.	N.S.S.
81 G 124 60HN	205	2.65	375	10	N.S.S.	N.S.S.	N.S.S.
81 G 125 60HN	205	N.S.S.	N.S.S.	N.S.S.	75	N.S.S.	N.S.S.
81 G 127 60HN	205	2.25	290	8	30	205	1.6
81 G 128 60HN	205	4.75	565	8	2	4	0.4
81 G 129 60HN	205	2.55	450	28	60	N.S.S.	3.0
81 G 130 60HN	205	2.25	385	12	N.S.S.	N.S.S.	N.S.S.
81 G 131 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 132 60HN	205	4.55	660	6	40	4	1.6
81 G 133 60HN	205	4.40	720	8	8	4	0.8
81 G 134 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 135 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 137 60HN	205	1.20	390	6	170	20	0.4
81 G 138 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 139 60HN	205	1.10	305	2	30	580	0.8
81 G 141 60HN	205	0.90	280	12	75	N.S.S.	2.7
81 G 142 60HN	205	2.05	350	28	85	N.S.S.	1.6
81 G 143 60HN	205	4.10	305	98	30	20	1.6
81 G 144 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 145 60HN	205	2.25	475	12	40	4	1.6
81 G 146 60HN	205	1.40	360	8	85	72	1.6
81 G 147 60HN	205	3.10	105	58	30	28	4.0
81 G 148 60HN	205	3.85	485	6	30	28	15.2

Certified by *Hart Buchler*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8114674-003-C
 INVOICE # : I8114674
 DATE : 27-NOV-81
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Ba ppm	Au NAA ppb				
81 G 105 60HN	205	2100	11500	--	--	--	--
81 G 106 60HN	205	N.S.S.	<50	--	--	--	--
81 G 107 60HN	205	16000	10	--	--	--	--
81 G 108 60HN	205	19000	<10	--	--	--	--
81 G 109 60HN	205	7200	<10	--	--	--	--
81 G 110 60HN	205	2450	<10	--	--	--	--
81 G 111 60HN	205	1100	470	--	--	--	--
81 G 112 60HN	205	N.S.S.	<20	--	--	--	--
81 G 113 60HN	205	300	7880	--	--	--	--
81 G 114 60HN	205	8900	16200	--	--	--	--
81 G 115 60HN	205	25000	10	--	--	--	--
81 G 116 60HN	205	>50000	<10	--	--	--	--
81 G 117 60HN	205	>50000	1540	--	--	--	--
81 G 118 60HN	205	18000	<10	--	--	--	--
81 G 119 60HN	205	18000	5460	--	--	--	--
81 G 121 60HN	205	2600	<10	--	--	--	--
81 G 122 60HN	205	N.S.S.	3770	--	--	--	--
81 G 123 60HN	205	1700	2980	--	--	--	--
81 G 124 60HN	205	8400	<10	--	--	--	--
81 G 125 60HN	205	>50000	1020	--	--	--	--
81 G 127 60HN	205	44000	110	--	--	--	--
81 G 128 60HN	205	7100	670	--	--	--	--
81 G 129 60HN	205	29000	1800	--	--	--	--
81 G 130 60HN	205	N.S.S.	80	--	--	--	--
81 G 131 60HN	205	N.S.S.	<50	--	--	--	--
81 G 132 60HN	205	2900	<10	--	--	--	--
81 G 133 60HN	205	950	550	--	--	--	--
81 G 134 60HN	205	N.S.S.	20200	--	--	--	--
81 G 135 60HN	205	N.S.S.	34500	--	--	--	--
81 G 137 60HN	205	>50000	<10	--	--	--	--
81 G 138 60HN	205	N.S.S.	457	--	--	--	--
81 G 139 60HN	205	>50000	290	--	--	--	--
81 G 141 60HN	205	>50000	2230	--	--	--	--
81 G 142 60HN	205	>50000	10500	--	--	--	--
81 G 143 60HN	205	40000	18500	--	--	--	--
81 G 144 60HN	205	N.S.S.	<14	--	--	--	--
81 G 145 60HN	205	15000	<10	--	--	--	--
81 G 146 60HN	205	32000	<10	--	--	--	--
81 G 147 60HN	205	>50000	10	--	--	--	--
81 G 148 60HN	205	28000	<10	--	--	--	--

Certified by *Hart Buchler*



SAMPLE CODE	TEST CODE	WT Ba U	Co ✓ Hg Bi	Pb ✓ W	Zn ✓ Cd ✓	Sn ✓ Mn ✓	Au ✓ Mo ✓	Ag ✓ Fe ✓	As ✓ Th	Sb ✓ Ce
-------------	-----------	---------	------------------	-----------	--------------	--------------	--------------	--------------	------------	------------

LAB: CHEMEX CERTIFICATE: A1184674-002-A

81G0042	3342	6,100.00 ✓	60.00 ✓	104.00 ✓	60.00 ✓ .20 ✓	580.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 3.00 ✓	12.00 ✓	
81G0043	3342	2,000.00 ✓	40.00 ✓	28.00 ✓ 80.00 ✓	74.00 ✓ .20 ✓	4.00 ✓ 570.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 4.30 ✓	10.00 ✓	1.60 ✓
81G0047	3342	850.00 ✓	104.00 ✓	212.00 ✓ 390.00 ✓	144.00 ✓ .80 ✓	8.00 ✓ 660.00 ✓	10.00 ✓ 2.00 ✓	1.20 ✓ 3.75 ✓	180.00 ✓	.40 ✓
81G0049	3342	450.00 ✓	20.00 ✓	36.00 ✓ 280.00 ✓	70.00 ✓ .20 ✓	790.00 ✓	2,650.00 ✓ 2.00 ✓	1.00 ✓ 2.30 ✓	4.00 ✓	.40 ✓
81G0050	3342	450.00 ✓	12.00 ✓	72.00 ✓ 170.00 ✓	76.00 ✓ .60 ✓	12.00 ✓ 440.00 ✓	10.00 ✓ 4.00 ✓	.60 ✓ 2.60 ✓	2.00 ✓	.40 ✓
81G0064	3342	22,000.00 ✓	64.00 ✓	60.00 ✓ 95.00 ✓	104.00 ✓ .20 ✓	340.00 ✓	29,000.00 ✓ 2.00 ✓	.80 ✓ 2.40 ✓	8.00 ✓	
81G0065	3342	16,000.00 ✓	66.00 ✓	60.00 ✓ 195.00 ✓	86.00 ✓ .20 ✓	16.00 ✓ 244.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.85 ✓	4.00 ✓	.40 ✓
81G0066	3342	25,000.00 ✓	40.00 ✓	126.00 ✓ 275.00 ✓	60.00 ✓ .40 ✓	250.00 ✓	65,200.00 ✓ 2.00 ✓	.20 ✓ 1.45 ✓	4.00 ✓	.40 ✓
81G0067	3342	15,000.00 ✓	20.00 ✓	12.00 ✓ 105.00 ✓	36.00 ✓ .20 ✓	270.00 ✓	12,600.00 ✓ 2.00 ✓	.60 ✓ 1.65 ✓	2.00 ✓	.90 ✓
81G0068	3342	4,000.00 ✓	1,060.00 ✓	10.00 ✓ 250.00 ✓	44.00 ✓ .20 ✓	235.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 3.50 ✓	2.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A1184674-002-A								
81G0069	3342	2,300.00 ✓	24.00 ✓	18.00 ✓ 275.00 ✓	46.00 ✓ .20 ✓	< 290.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 1.95 ✓	2.00 ✓	
81G0070	3342	> 50,000.00 ✓	260.00 ✓	10.00 ✓ 20.00 ✓	54.00 ✓ .20 ✓	4.00 ✓ 365.00 ✓	4,330.00 ✓ 2.00 ✓	.20 ✓ 2.25 ✓	8.00 ✓	.40 ✓
81G0071	3342	800.00 ✓	18.00 ✓	22.00 ✓ 220.00 ✓	36.00 ✓ .20 ✓	24.00 ✓ 340.00 ✓	3,280.00 ✓ 2.00 ✓	1.00 ✓ 3.20 ✓	4.00 ✓	.40 ✓
81G0072	3342	400.00 ✓	48.00 ✓	8.00 ✓ 2.00 ✓	36.00 ✓ .20 ✓	260.00 ✓	4,910.00 ✓ 2.00 ✓	.20 ✓ 2.60 ✓	2.00 ✓	1.00 ✓
81G0073	3342	750.00 ✓	40.00 ✓	14.00 ✓	70.00 ✓ .20 ✓	320.00 ✓	2,970.00 ✓ 2.00 ✓	.20 ✓ 2.35 ✓	4.00 ✓	
81G0074	3342	2,850.00 ✓	110.00 ✓	26.00 ✓ 2.00 ✓	78.00 ✓ .20 ✓	4.00 ✓ 680.00 ✓	90.00 ✓ 4.00 ✓	.20 ✓ 6.85 ✓	4.00 ✓	.40 ✓
81G0075	3342	1,100.00 ✓	96.00 ✓	18.00 ✓ 25.00 ✓	56.00 ✓ .20 ✓	4.00 ✓ 430.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 3.60 ✓	6.00 ✓	.80 ✓
81G0076	3342	35,000.00 ✓	96.00 ✓	10.00 ✓ 40.00 ✓	54.00 ✓ .20 ✓	16.00 ✓ 420.00 ✓	1,750.00 ✓ 2.00 ✓	.20 ✓ 3.10 ✓	10.00 ✓	.40 ✓
81G0077	3342	13,000.00 ✓	210.00 ✓	10.00 ✓ 18.00 ✓	30.00 ✓ .20 ✓	4.00 ✓ 325.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 2.65 ✓	6.00 ✓	1.60 ✓
81G0078	3342	27,000.00 ✓	140.00 ✓	4.00 ✓ 10.00 ✓	54.00 ✓ .20 ✓	4.00 ✓ 660.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 3.40 ✓	6.00 ✓	.80 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A1184674-002-A								
81G0080	3342	> 50,000.00 ✓	100.00 ✓	4.00 ✓ 16.00 ✓	104.00 ✓ .20 ✓	4.00 ✓ 340.00 ✓	210.00 ✓ 2.00 ✓	.40 ✓ 3.50 ✓	24.00 ✓	.80 ✓
81G0082	3342	18,500.00 ✓	34.00 ✓	2.00 ✓ 2.00 ✓	36.00 ✓ .20 ✓	4.00 ✓ 240.00 ✓	360.00 ✓ 2.00 ✓	.20 ✓ 1.50 ✓	28.00 ✓	.80 ✓
81G0083	3342	2,600.00 ✓	26.00 ✓	2.00 ✓ 2.00 ✓	26.00 ✓ .20 ✓	4.00 ✓ 210.00 ✓	1,730.00 ✓ 2.00 ✓	.40 ✓ 1.10 ✓	4.00 ✓	.40 ✓
81G0084	3342	12,000.00 ✓	16.00 ✓	2.00 ✓ 2.00 ✓	26.00 ✓ .20 ✓	12.00 ✓ 120.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ .90 ✓	4.00 ✓	.40 ✓
81G0085	3342	10,000.00 ✓	200.00 ✓	140.00 ✓ 60.00 ✓	64.00 ✓ .20 ✓	4.00 ✓ 180.00 ✓	10.00 ✓ 2.00 ✓	1.60 ✓ 4.20 ✓	58.00 ✓	1.60 ✓
81G0087	3342	> 50,000.00 ✓				<	10.00 ✓			
81G0088	3342	6,600.00 ✓	18.00 ✓	112.00 ✓ 14.00 ✓	44.00 ✓ .20 ✓	4.00 ✓ 170.00 ✓	3,140.00 ✓ 2.00 ✓	.20 ✓ 1.25 ✓	6.00 ✓	1.60 ✓
81G0089	3342	15,000.00 ✓				<	10.00 ✓			
81G0091	3342	> 50,000.00 ✓	64.00 ✓	2.00 ✓ 35.00 ✓	96.00 ✓ .60 ✓	150.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ .70 ✓	14.00 ✓	
81G0092	3342	> 50,000.00 ✓	18.00 ✓	10.00 ✓ 60.00 ✓	128.00 ✓ 2.60 ✓	110.00 ✓	120.00 ✓ 2.00 ✓	.20 ✓ 1.20 ✓	8.00 ✓	3.00 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A1184674-002-A								
81G0094	3342	> 50,000.00 ✓	58.00 ✓	68.00 ✓ 30.00 ✓	62.00 ✓ .20 ✓	28.00 ✓ 270.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 1.70 ✓	8.00 ✓	1.60 ✓
81G0095	3342	7,000.00 ✓	18.00 ✓	4.00 ✓ 2.00 ✓	30.00 ✓ .20 ✓	4.00 ✓ 310.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 2.60 ✓	6.00 ✓	1.60 ✓
81G0096	3342	4,600.00 ✓	20.00 ✓	16.00 ✓ 65.00 ✓	60.00 ✓ .20 ✓	20.00 ✓ 405.00 ✓	4,070.00 ✓ 2.00 ✓	.60 ✓ 2.40 ✓	4.00 ✓	.80 ✓
81G0098	3342					11,900.00 ✓				
81G0099	3342	700.00 ✓	32.00 ✓	58.00 ✓ 190.00 ✓	40.00 ✓ .20 ✓	8.00 ✓ 600.00 ✓	190.00 ✓ 6.00 ✓	.40 ✓ 4.50 ✓	46.00 ✓	1.60 ✓
81G0100	3342	1,000.00 ✓	34.00 ✓	22.00 ✓ 50.00 ✓	40.00 ✓ .20 ✓	8.00 ✓ 450.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 3.80 ✓	14.00 ✓	1.60 ✓
81G0101	3342	950.00 ✓	24.00 ✓	126.00 ✓ 30.00 ✓	44.00 ✓ .20 ✓	8.00 ✓ 430.00 ✓	30.00 ✓ 4.00 ✓	.20 ✓ 2.90 ✓	6.00 ✓	.40 ✓
81G0102	3342	600.00 ✓	18.00 ✓	60.00 ✓ 55.00 ✓	44.00 ✓ .20 ✓	84.00 ✓ 415.00 ✓	5,880.00 ✓ 4.00 ✓	.40 ✓ 2.75 ✓	6.00 ✓	.80 ✓
81G0103	3342	1,250.00 ✓	18.00 ✓	20.00 ✓ 25.00 ✓	60.00 ✓ .40 ✓	4.00 ✓ 240.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 2.50 ✓	8.00 ✓	.80 ✓
81G0104	3342	800.00 ✓	10.00 ✓	96.00 ✓ 30.00 ✓	46.00 ✓ .20 ✓	16.00 ✓ 450.00 ✓	10.00 ✓ 2.00 ✓	3.00 ✓ 2.60 ✓	4.00 ✓	.80 ✓