

016139

Chemex

Cart # A8210122-001-C

Sample # 81-G-0806

Ba is 30% ??

That's what it says.



ENT. 2/27/82

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210122-001-
INVOICE # : I8210122
DATE : 17-FEB-82
P.O. # : NONE
81-G

CC: G. JILSON

Sample description	Prep code	1 Cu ppm	2 Mo ppm	3 Pb ppm	4 Zn ppm	5 Ag ppm	6 Cd ppm
81-G 0389 -60HN	205	40	6	54	68	34.0	0.2
81-G 0514 -60HN	205	8	2	4	34	0.2	0.2
81-G 0520 -60HN	205	60	4	40	130	0.6	0.2
81-G 0698 -60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0801 -60HN	205	12	6	21	69	0.3	0.3
81-G 0802 -60HN	205	26	2	24	70	2.8	0.2
81-G 0803 -60HN	205	44	2	30	62	0.4	0.2
81-G 0804 -60HN	205	60	2	28	86	0.2	0.2
81-G 0805 -60HN	205	10	6	44	56	2.2	0.2
81-G 0806 -60HN	205	32	16	16	110	0.2	0.2
81-G 0807 -60HN	205	38	4	24	74	2.0	0.2
81-G 0808 -60HN	205	24	4	20	64	0.2	0.2
81-G 0809 -60HN	205	48	12	20	92	0.2	0.2
81-G 0810 -60HN	205	14	6	24	62	1.0	0.2
81-G 0811 -60HN	205	20	8	18	60	0.6	0.2
81-G 0812 -60HN	205	12	9	27	75	0.6	0.3
81-G 0813 -60HN	205	12	2	18	62	0.2	0.2
81-G 0814 -60HN	205	12	2	30	52	0.2	0.2
81-G 0815 -60HN	205	34	2	18	58	0.2	0.2
81-G 0816 -60HN	205	46	2	30	130	0.2	0.2
81-G 0817 -60HN	205	12	4	34	48	0.2	0.2
81-G 0818 -60HN	205	20	4	24	64	0.6	0.2
81-G 0819 -60HN	205	26	2	14	58	0.6	0.2
81-G 0820 -60HN	205	28	2	24	74	3.6	0.2



Certified by Hart Buchler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210122-001-
INVOICE # : I8210122
DATE : 17-FEB-82
P.O. # : NONE
81-G


CC: G. JILSON

Sample description	Prep code	7 Fe %	8 Mn ppm	9 AS ppm	10 W ppm	11 Sn ppm	12 Sb ppm
81-G 0389 -60HN	205	1.30	910	4	1800	112	0.4
81-G 0514 -60HN	205	1.00	240	4	20	8	0.4
81-G 0520 -60HN	205	2.70	740	48	80	328	0.8
81-G 0698 -60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0801 -60HN	205	2.40	735	15	N.S.S.	N.S.S.	N.S.S.
81-G 0802 -60HN	205	2.50	620	14	70	80	1.6
81-G 0803 -60HN	205	2.10	590	8	100	224	0.8
81-G 0804 -60HN	205	2.00	500	10	30	96	1.6
81-G 0805 -60HN	205	1.70	560	6	40	92	0.8
81-G 0806 -60HN	205	0.80	580	12	100	32	3.2
81-G 0807 -60HN	205	2.80	600	8	100	60	1.6
81-G 0808 -60HN	205	2.30	460	22	20	48	4.0
81-G 0809 -60HN	205	2.60	460	6	40	28	1.6
81-G 0810 -60HN	205	2.10	500	4	70	28	0.8
81-G 0811 -60HN	205	2.20	580	4	70	12	1.6
81-G 0812 -60HN	205	1.95	540	6	N.S.S.	N.S.S.	N.S.S.
81-G 0813 -60HN	205	1.80	440	6	50	12	0.8
81-G 0814 -60HN	205	1.40	590	4	150	16	0.4
81-G 0815 -60HN	205	1.90	570	8	80	8	0.8
81-G 0816 -60HN	205	1.60	570	6	180	28	0.4
81-G 0817 -60HN	205	1.70 ✓	680 ✓	4 ✓	50 ✓	N.S.S. ✓	0.8 ✓
81-G 0818 -60HN	205	2.60	610	10	40	44	3.2
81-G 0819 -60HN	205	2.40	620	6	26	16	1.6
81-G 0820 -60HN	205	3.60	1040	10	60	40	1.6



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210122-001-
INVOICE # : 18210122
DATE : 17-FEB-82
P.O. # : NONE
81-G

CC: G. JILSON

13 14

Sample description	Prep code	Ba ppm	Au NAA ppb				
81-G 0389 -60HN	205	16000	170	--	--	--	--
81-G 0514 -60HN	205	600	20	--	--	--	--
81-G 0520 -60HN	205	8500	220	--	--	--	--
81-G 0698 -60HN	205	N.S.S.	<500	--	--	--	--
81-G 0801 -60HN	205	N.S.S.	<10	--	--	--	--
81-G 0802 -60HN	205	2100	2680	--	--	--	--
81-G 0803 -60HN	205	9000	1540	--	--	--	--
81-G 0804 -60HN	205	1500	1380	--	--	--	--
81-G 0805 -60HN	205	650	24300	--	--	--	--
81-G 0806 -60HN	205	30%?	10	--	--	--	--
81-G 0807 -60HN	205	4100	41200	--	--	--	--
81-G 0808 -60HN	205	8800	440	--	--	--	--
81-G 0809 -60HN	205	27000	60	--	--	--	--
81-G 0810 -60HN	205	1400	3410	--	--	--	--
81-G 0811 -60HN	205	5000	590	--	--	--	--
81-G 0812 -60HN	205	N.S.S.	3850	--	--	--	--
81-G 0813 -60HN	205	1500	2070	--	--	--	--
81-G 0814 -60HN	205	2800	1480	--	--	--	--
81-G 0815 -60HN	205	10000	3780	--	--	--	--
81-G 0816 -60HN	205	1250	10	--	--	--	--
81-G 0817 -60HN	205	2800	6590	--	--	--	--
81-G 0818 -60HN	205	1400	1110	--	--	--	--
81-G 0819 -60HN	205	950	1420	--	--	--	--
81-G 0820 -60HN	205	1600	26600	--	--	--	--



Certified by *Hart Bichler*

Certificate A3 2/01/22 - 001 ..

✓ 81G0389	-60	HN TOT	40.00 ✓ 1,800.00 ✓	6.00 ✓ 112.00 ✓	54.00 ✓ .40 ✓	68.00 ✓ 16,000.00 ✓	34.00 ✓ 170.00 ✓	.20 ✓	1.30 ✓	910.00 ✓	4.00 ✓
✓ 81G0514	-60	HN TOT	8.00 ✓ 20.00 ✓	2.00 ✓ 8.00 ✓	4.00 ✓ .40 ✓	34.00 ✓ 600.00 ✓	.20 ✓ 20.00 ✓	.20 ✓	1.00 ✓	240.00 ✓	4.00 ✓
✓ 81G0520	-60	HN TOT	60.00 ✓ 80.00 ✓	4.00 ✓ 328.00 ✓	40.00 ✓ .80 ✓	130.00 ✓ 8,500.00 ✓	.60 ✓ 220.00 ✓	.20 ✓	2.70 ✓	740.00 ✓	48.00 ✓
✓ 81G0698	-60	HN TOT				< 500.00 ✓					
✓ 81G0801	-60	HN TOT	12.00 ✓	6.00 ✓	21.00 ✓	69.00 ✓ < 10.00 ✓	.30 ✓	.30 ✓	2.40 ✓	735.00 ✓	15.00 ✓
✓ 81G0802	-60	HN TOT	26.00 ✓ 70.00 ✓	2.00 ✓ 80.00 ✓	24.00 ✓ 1.60 ✓	70.00 ✓ 2,100.00 ✓	2.80 ✓ 2,680.00 ✓	.20 ✓	2.50 ✓	620.00 ✓	14.00 ✓
✓ 81G0803	-60	HN TOT	44.00 ✓ 100.00 ✓	2.00 ✓ 224.00 ✓	30.00 ✓ .80 ✓	62.00 ✓ 9,000.00 ✓	.40 ✓ 1,540.00 ✓	.20 ✓	2.10 ✓	590.00 ✓	8.00 ✓

SAMPLE CODE	TEST CODE	Cu ✓ W ✓	Mo ✓ Sn ✓	Pb ✓ Sb ✓	Zn ✓ Ba ✓	Ag ✓ Au ✓	Cd ✓	Fe ✓	Mn ✓	As ✓
----------------	--------------	-------------	--------------	--------------	--------------	--------------	------	------	------	------

LAB: CHEMEX CERTIFICATE: AB210122-001-A

✓ 81G0804	-60	HN TOT	60.00 ✓ 30.00 ✓	2.00 ✓ 96.00 ✓	28.00 ✓ 1.60 ✓	86.00 ✓ 1,500.00 ✓	.20 ✓ 1,380.00 ✓	.20 ✓	2.00 ✓	500.00 ✓	10.00 ✓
✓ 81G0805	-60	HN TOT	10.00 ✓ 40.00 ✓	6.00 ✓ 92.00 ✓	44.00 ✓ .80 ✓	56.00 ✓ 650.00 ✓	2.20 ✓ 24,300.00 ✓	.20 ✓	1.70 ✓	560.00 ✓	6.00 ✓
81G0806	-60	HN TOT	32.00 ✓ 100.00 ✓	16.00 ✓ 32.00 ✓	16.00 ✓ 3.20 ✓	110.00 ✓ 30.00 ✓	.20 ✓ 10.00 ✓	.20 ✓	.80 ✓	580.00 ✓	12.00 ✓
✓ 81G0807	-60	HN TOT	38.00 ✓ 100.00 ✓	4.00 ✓ 60.00 ✓	24.00 ✓ 1.60 ✓	74.00 ✓ 4,100.00 ✓	2.00 ✓ 41,200.00 ✓	.20 ✓	2.80 ✓	600.00 ✓	8.00 ✓
✓ 81G0808	-60	HN TOT	24.00 ✓ 20.00 ✓	4.00 ✓ 48.00 ✓	20.00 ✓ 4.00 ✓	64.00 ✓ 8,800.00 ✓	.20 ✓ 440.00 ✓	.20 ✓	2.30 ✓	460.00 ✓	22.00 ✓
✓ 81G0809	-60	HN TOT	48.00 ✓ 40.00 ✓	12.00 ✓ 28.00 ✓	20.00 ✓ 1.60 ✓	92.00 ✓ 27,000.00 ✓	.20 ✓ 60.00 ✓	.20 ✓	2.60 ✓	460.00 ✓	6.00 ✓
✓ 81G0810	-60	HN TOT	14.00 ✓ 70.00 ✓	6.00 ✓ 28.00 ✓	24.00 ✓ .80 ✓	62.00 ✓ 1,400.00 ✓	1.00 ✓ 3,410.00 ✓	.20 ✓	2.10 ✓	500.00 ✓	4.00 ✓
✓ 81G0811	-60	HN TOT	20.00 ✓ 70.00 ✓	8.00 ✓ 12.00 ✓	18.00 ✓ 1.60 ✓	60.00 ✓ 5,000.00 ✓	.60 ✓ 590.00 ✓	.20 ✓	2.20 ✓	580.00 ✓	4.00 ✓
✓ 81G0812	-60	HN TOT	12.00 ✓	9.00 ✓	27.00 ✓	75.00 ✓	.60 ✓ 3,850.00 ✓	.30 ✓	1.95 ✓	540.00 ✓	6.00 ✓
✓ 81G0813	-60	HN TOT	12.00 ✓ 50.00 ✓	2.00 ✓ 12.00 ✓	18.00 ✓ .80 ✓	62.00 ✓ 1,500.00 ✓	.20 ✓ 2,070.00 ✓	.20 ✓	1.80 ✓	440.00 ✓	6.00 ✓

SAMPLE CODE	TEST CODE	Cu W	Mo Sn	Pb Sb	Zn Ba	Ag Au	Cd	Fe	Mn	As
-------------	-----------	------	-------	-------	-------	-------	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210122-001-A

✓81G0814	-60	HN TOT	12.00 ✓ 150.00 ✓	2.00 ✓ 16.00 ✓	30.00 ✓ .40 ✓	52.00 ✓ 2,800.00 ✓	.20 ✓ 1,480.00 ✓	.20 ✓	1.40 ✓	590.00 ✓	4.00 ✓
✓81G0815	-60	HN TOT	34.00 ✓ 80.00 ✓	2.00 ✓ 8.00 ✓	18.00 ✓ .80 ✓	58.00 ✓ 10,000.00 ✓	.20 ✓ 3,780.00 ✓	.20 ✓	1.90 ✓	570.00 ✓	8.00 ✓
✓81G0816	-60	HN TOT	46.00 ✓ 180.00 ✓	2.00 ✓ 28.00 ✓	30.00 ✓ .40 ✓	130.00 ✓ 1,250.00 ✓	.20 ✓ 10.00 ✓	.20 ✓	1.60 ✓	570.00 ✓	6.00 ✓
✓81G0817	-60	HN TOT	12.00 ✓ 50.00 ✓	4.00 ✓	34.00 ✓ .80 ✓	48.00 ✓ 2,800.00 ✓	.20 ✓ 6,590.00 ✓	.20 ✓	1.70 ✓	680.00 ✓	4.00 ✓
✓81G0818	-60	HN TOT	20.00 ✓ 40.00 ✓	4.00 ✓ 44.00 ✓	24.00 ✓ 3.20 ✓	64.00 ✓ 1,400.00 ✓	.60 ✓ 1,110.00 ✓	.20 ✓	2.60 ✓	610.00 ✓	10.00 ✓
✓81G0819	-60	HN TOT	26.00 ✓ 26.00 ✓	2.00 ✓ 16.00 ✓	14.00 ✓ 1.60 ✓	58.00 ✓ 950.00 ✓	.60 ✓ 1,420.00 ✓	.20 ✓	2.40 ✓	620.00 ✓	6.00 ✓
✓81G0820	-60	HN TOT	28.00 ✓ 60.00 ✓	2.00 ✓ 40.00 ✓	24.00 ✓ 1.60 ✓	74.00 ✓ 1,600.00 ✓	3.60 ✓ 26,600.00 ✓	.20 ✓	3.60 ✓	1,040.00 ✓	10.00 ✓

**THIS DATA WAS ENTERED BY: MONICA EXPLORE POSTED AT: 15:36:55