

Chenesc


016141

Cert # A8115400-004-C

Sample # 81G-0750

An should be 10 not <10

June 2/62



CP - Feb 22/82
J

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115400-001-A
INVOICE # : 18115400
DATE : 05-JAN-82
P.O. # : NONE

ATTN: GREG JILSEN

CORRECTED COPY

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-G 0093-60HN	205	40	2	10	100	0.2	0.2
81-G 0469-60HN	205	264	2	126	74	0.4	0.2
81-G 0494-60HN	205	16	4	2	24	0.2	0.2
81-G 0495-60HN	205	28	2	22	42	0.2	0.2
81-G 0536-60HN	205	8	2	32	38	0.2	0.2
81-G 0593-60HN	205	46	4	12	124	0.2	0.2
81-G 0594-60HN	205	56	6	14	110	0.2	0.2
81-G 0595-60HN	205	228	2	6	70	0.2	0.2
81-G 0596-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0598-60HN	205	176	2	26	96	0.2	0.2
81-G 0599-60HN	205	128	2	14	190	0.2	0.6
81-G 0602-60HN	205	165	2	2	66	0.2	29.0
81-G 0609-60HN	205	168	6	46	910	0.2	0.2
81-G 0610-60HN	205	208	4	24	120	0.2	0.2
81-G 0612-60HN	205	36	2	8	62	0.2	0.2
81-G 0613-60HN	205	40	2	8	76	0.2	0.2
81-G 0615-60HN	205	38	2	6	112	0.2	0.2
81-G 0617-60HN	205	88	2	2	186	0.2	0.2
81-G 0618-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0619-60HN	205	158	2	2	198	0.6	1.4
ADD. 81-G 0620-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0621-60HN	205	26	2	10	40	0.2	0.4
81-G 0622-60HN	205	24	2	4	80	0.2	0.2
81-G 0623-60HN	205	60	2	10	190	0.2	0.2
81-G 0624-60HN	205	98	2	26	164	0.2	0.6
81-G 0625-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0626-60HN	205	398	2	18	330	2.4	2.6
81-G 0627-60HN	205	178	2	46	176	0.2	0.6
81-G 0628-60HN	205	910	2	28	280	0.8	1.4
81-G 0629-60HN	205	40	2	2	260	0.2	0.2
81-G 0630-60HN	205	68	2	20	150	1.0	0.6
81-G 0631-60HN	205	46	2	10	80	0.2	0.2
81-G 0632-60HN	205	550	2	2	470	0.2	4.0
81-G 0633-60HN	205	560	10	6	3500	2.8	35.2
81-G 0634-60HN	205	590	6	96	3500	3.0	10.2
81-G 0635-60HN	205	48	2	8	88	1.2	0.2
ADD. 81-G 0636-60HN	205	58	2	6	218	0.2	1.0
ADD. 81-G 0637-60HN	205	42	2	4	104	0.2	0.4
81-G 0638-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0639-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.

Hart Bichler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8115400-001-B
 INVOICE # : 18115400
 DATE : 05-JAN-82
 P.O. # : NONE

WT 175

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-G 0093-60HN	205	1.80	450	20	N.S.S.	N.S.S.	N.S.S.
81-G 0469-60HN	205	2.64	320	60	160	240	0.4
81-G 0494-60HN	205	1.84	294	4	4	4	0.4
81-G 0495-60HN	205	1.62	298	4	35	N.S.S.	N.S.S.
81-G 0536-60HN	205	2.66	440	6	36	12	0.4
81-G 0593-60HN	205	2.64	270	10	26	12	1.2
81-G 0594-60HN	205	1.96	510	8	40	20	0.4
81-G 0595-60HN	205	1.62	430	10	50	N.S.S.	0.2
81-G 0596-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0598-60HN	205	1.94	276	54	70	116	0.4
81-G 0599-60HN	205	1.30	220	30	12	2	1.6
81-G 0602-60HN	205	2.60	530	20	N.S.S.	N.S.S.	N.S.S.
81-G 0609-60HN	205	5.60	410	188	70	12	1.6
81-G 0610-60HN	205	1.92	382	8	50	24	0.4
81-G 0612-60HN	205	1.42	450	6	80	52	0.2
81-G 0613-60HN	205	1.12	370	6	250	72	0.2
81-G 0615-60HN	205	1.61	490	12	140	64	0.2
81-G 0617-60HN	205	1.04	400	20	40	12	0.4
81-G 0618-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0619-60HN	205	1.60	700	20	70	20	1.2
81-G 0620-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0621-60HN	205	2.02	520	2	12	12	0.2
81-G 0622-60HN	205	2.20	610	4	40	44	0.2
81-G 0623-60HN	205	2.35	500	10	N.S.S.	N.S.S.	N.S.S.
81-G 0624-60HN	205	2.72	490	14	44	24	0.4
81-G 0625-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0626-60HN	205	3.50	302	730	160	120	0.2
81-G 0627-60HN	205	3.16	430	146	N.S.S.	N.S.S.	N.S.S.
81-G 0628-60HN	205	6.20	490	380	20	N.S.S.	1.5
81-G 0629-60HN	205	2.00	480	30	N.S.S.	N.S.S.	N.S.S.
81-G 0630-60HN	205	2.08	334	20	90	132	0.4
81-G 0631-60HN	205	1.78	610	8	100	144	0.4
81-G 0632-60HN	205	1.56	202	194	300	N.S.S.	N.S.S.
81-G 0633-60HN	205	15.20	392	550	50	40	2.8
81-G 0634-60HN	205	26.00	760	232	20	N.S.S.	2.0
81-G 0635-60HN	205	2.34	540	18	200	400	0.2
81-G 0636-60HN	205	2.58	296	20	N.S.S.	N.S.S.	N.S.S.
81-G 0637-60HN	205	1.20	196	24	70	84	0.2
81-G 0638-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0639-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115400-001-C
INVOICE # : I8115400
DATE : 05-JAN-82
P.O. # : NONE

ATTN: GREG JILSEN

14 15

Sample description	Prep code	Ba ppm	Au NAA ppb				
81-G 0093-60HN	205	N.S.S.	<10	--	--	--	--
81-G 0469-60HN	205	6200	12120	--	--	--	--
81-G 0494-60HN	205	1100	<10	--	--	--	--
81-G 0495-60HN	205	8600	<10	--	--	--	--
81-G 0536-60HN	205	700	20	--	--	--	--
81-G 0593-60HN	205	58000	<10	--	--	--	--
81-G 0594-60HN	205	23000	50	--	--	--	--
81-G 0595-60HN	205	42000	<10	--	--	--	--
81-G 0596-60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-G 0598-60HN	205	17000	4330	--	--	--	--
81-G 0599-60HN	205	45000	<10	--	--	--	--
81-G 0602-60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-G 0609-60HN	205	2100	180	--	--	--	--
81-G 0610-60HN	205	35000	550	--	--	--	--
81-G 0612-60HN	205	37000	130	--	--	--	--
81-G 0613-60HN	205	70000	<10	--	--	--	--
81-G 0615-60HN	205	41000	2000	--	--	--	--
81-G 0617-60HN	205	>200000	410	--	--	--	--
81-G 0618-60HN	205	N.S.S.	<30	--	--	--	--
81-G 0619-60HN	205	130000	540	--	--	--	--
81-G 0620-60HN	205	N.S.S.	<10	--	--	--	--
81-G 0621-60HN	205	5100	<10	--	--	--	--
81-G 0622-60HN	205	24500	1270	--	--	--	--
81-G 0623-60HN	205	N.S.S.	<10	--	--	--	--
81-G 0624-60HN	205	21000	19170	--	--	--	--
81-G 0625-60HN	205	N.S.S.	1150	--	--	--	--
81-G 0626-60HN	205	32500	10	--	--	--	--
81-G 0627-60HN	205	6500	<10	--	--	--	--
81-G 0628-60HN	205	24500	<10	--	--	--	--
81-G 0629-60HN	205	N.S.S.	<10	--	--	--	--
81-G 0630-60HN	205	62000	30	--	--	--	--
81-G 0631-60HN	205	70000	30	--	--	--	--
81-G 0632-60HN	205	80000	9630	--	--	--	--
81-G 0633-60HN	205	53000	4970	--	--	--	--
81-G 0634-60HN	205	63000	113750	--	--	--	--
81-G 0635-60HN	205	41000	6640	--	--	--	--
81-G 0636-60HN	205	80000	<1	--	--	--	--
81-G 0637-60HN	205	80000	348	--	--	--	--
81-G 0638-60HN	205	N.S.S.	30	--	--	--	--
81-G 0639-60HN	205	N.S.S.	<20	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by Hautsicher



E. Feb 22/82

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115400-002-A
INVOICE # : I8115400
DATE : 05-JAN-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-G 0640-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0642-60HN	205	36	2	2	118	0.2	0.4
81-G 0643-60HN	205	104	2	2	246	0.2	2.4
81-G 0644-60HN	205	30	2	2	82	6.6	0.2
81-G 0645-60HN	205	90	2	10	66	0.2	0.2
81-G 0646-60HN	205	104	2	8	280	1.0	1.4
81-G 0647-60HN	205	23	2	154	46	0.2	0.2
81-G 0648-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0649-60HN	205	152	4	14	386	0.8	2.8
81-G 0650-60HN	205	59	2	11	113	0.2	0.3
81-G 0651-60HN	205	232	2	3	890	0.2	8.9
81-G 0652-60HN	205	92	6	42	88	9.6	0.2
81-G 0653-60HN	205	42	2	10	66	1.0	0.2
81-G 0654-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0656-60HN	205	48	2	18	60	0.2	0.2
81-G 0657-60HN	205	42	2	10	48	0.2	0.2
81-G 0658-60HN	205	204	4	16	10	0.2	0.4
81-G 0659-60HN	205	74	2	20	92	0.6	0.2
81-G 0660-60HN	205	18	2	6	40	0.2	0.2
81-G 0661-60HN	205	80	2	54	52	1.2	0.2
81-G 0662-60HN	205	36	2	30	46	5.4	0.2
81-G 0663-60HN	205	104	2	50	80	0.4	0.2
81-G 0664-60HN	205	260	2	32	150	0.4	0.2
81-G 0665-60HN	205	50	2	26	132	1.2	0.2
81-G 0666-60HN	205	68	2	42	322	0.4	0.8
81-G 0667-60HN	205	44	4	22	54	0.2	0.2
81-G 0668-60HN	205	8	6	12	30	0.2	0.2
81-G 0669-60HN	205	6	2	10	22	0.2	0.2
81-G 0670-60HN	205	48	2	10	60	0.2	0.2
81-G 0673-60HN	205	8	4	32	52	0.2	0.2
81-G 0674-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0676-60HN	205	44	2	14	44	0.2	0.2
81-G 0677-60HN	205	30	4	18	60	0.2	0.2
81-G 0678-60HN	205	14	2	10	38	0.2	0.2
81-G 0679-60HN	205	8	2	12	32	0.2	0.2
81-G 0680-60HN	205	18	2	26	48	0.2	0.2
81-G 0681-60HN	205	70	2	14	108	1.0	0.2
81-G 0682-60HN	205	94	2	46	144	0.2	0.2
81-G 0683-60HN	205	88	2	14	94	0.2	0.2
81-G 0684-60HN	205	14	2	14	42	0.2	0.2

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8115400-002-B
 INVOICE # : I8115400
 DATE : 05-JAN-82
 P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-G 0640-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0642-60HN	205	1.16	244	22	90	92	0.4
81-G 0643-60HN	205	1.30	186	20	22	28	0.4
81-G 0644-60HN	205	1.08	334	10	250	720	1.2
81-G 0645-60HN	205	1.80	500	12	350	N.S.S.	N.S.S.
81-G 0646-60HN	205	4.50	214	114	90	144	0.8
81-G 0647-60HN	205	2.31	2115	24	N.S.S.	N.S.S.	N.S.S.
81-G 0648-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0649-60HN	205	7.32	280	90	50	84	0.8
81-G 0650-60HN	205	1.89	390	17	N.S.S.	N.S.S.	N.S.S.
81-G 0651-60HN	205	4.35	292	220	N.S.S.	N.S.S.	N.S.S.
81-G 0652-60HN	205	2.44	490	46	500	N.S.S.	N.S.S.
81-G 0653-60HN	205	1.60	400	30	130	140	0.4
81-G 0654-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0656-60HN	205	2.66	700	14	450	92	0.2
81-G 0657-60HN	205	1.50	560	8	400	80	0.4
81-G 0658-60HN	205	2.00	830	12	1950	192	0.8
81-G 0659-60HN	205	1.36	352	18	400	320	0.4
81-G 0660-60HN	205	1.20	386	6	110	16	0.4
81-G 0661-60HN	205	3.34	540	30	160	12	0.2
81-G 0662-60HN	205	2.20	450	30	350	20	0.2
81-G 0663-60HN	205	3.38	440	290	120	2	0.8
81-G 0664-60HN	205	4.36	460	170	90	20	0.4
81-G 0665-60HN	205	2.30	440	134	110	2	0.2
81-G 0666-60HN	205	2.20	770	66	150	16	0.2
81-G 0667-60HN	205	2.50	830	34	300	24	0.2
81-G 0668-60HN	205	2.10	840	8	750	56	0.4
81-G 0669-60HN	205	1.64	710	6	70	4	0.4
81-G 0670-60HN	205	1.58	700	38	350	28	0.2
81-G 0673-60HN	205	1.94	560	22	50	20	0.2
81-G 0674-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0676-60HN	205	1.26	388	8	120	16	0.2
81-G 0677-60HN	205	1.66	530	20	80	N.S.S.	N.S.S.
81-G 0678-60HN	205	1.30	490	6	80	12	0.4
81-G 0679-60HN	205	2.18	820	14	N.S.S.	N.S.S.	N.S.S.
81-G 0680-60HN	205	1.96	440	30	70	16	0.2
81-G 0681-60HN	205	2.06	600	126	150	60	0.4
81-G 0682-60HN	205	3.60	670	50	50	40	0.8
81-G 0683-60HN	205	2.52	500	126	400	32	0.4
81-G 0684-60HN	205	1.88	740	10	160	24	0.2

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8115400-002-C
 INVOICE # : 18115400
 DATE : 05-JAN-82
 P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Ba ppm	Au NAA ppb				
81-G 0640-60HN	205	N.S.S.	<20	--	--	--	--
81-G 0642-60HN	205	77000	<10	--	--	--	--
81-G 0643-60HN	205	160000	<10	--	--	--	--
81-G 0644-60HN	205	76000	5300	--	--	--	--
81-G 0645-60HN	205	61000	1230	--	--	--	--
81-G 0646-60HN	205	91000	1000	--	--	--	--
81-G 0647-60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-G 0648-60HN	205	N.S.S.	8780	--	--	--	--
81-G 0649-60HN	205	55000	30070	--	--	--	--
81-G 0650-60HN	205	N.S.S.	15050	--	--	--	--
81-G 0651-60HN	205	N.S.S.	19740	--	--	--	--
81-G 0652-60HN	205	54000	5340	--	--	--	--
81-G 0653-60HN	205	73000	970	--	--	--	--
81-G 0654-60HN	205	N.S.S.	11680	--	--	--	--
81-G 0656-60HN	205	16000	1030	--	--	--	--
81-G 0657-60HN	205	84000	1010	--	--	--	--
81-G 0658-60HN	205	61000	330	--	--	--	--
81-G 0659-60HN	205	70000	16000	--	--	--	--
81-G 0660-60HN	205	50000	400	--	--	--	--
81-G 0661-60HN	205	4600	3440	--	--	--	--
81-G 0662-60HN	205	9000	1860	--	--	--	--
81-G 0663-60HN	205	8100	91140	--	--	--	--
81-G 0664-60HN	205	36000	3300	--	--	--	--
81-G 0665-60HN	205	1700	<10	--	--	--	--
81-G 0666-60HN	205	6700	10	--	--	--	--
81-G 0667-60HN	205	4500	8780	--	--	--	--
81-G 0668-60HN	205	3300	3740	--	--	--	--
81-G 0669-60HN	205	1900	<10	--	--	--	--
81-G 0670-60HN	205	48000	<10	--	--	--	--
81-G 0673-60HN	205	7000	1710	--	--	--	--
81-G 0674-60HN	205	N.S.S.	<20	--	--	--	--
81-G 0676-60HN	205	2800	<10	--	--	--	--
81-G 0677-60HN	205	3300	<10	--	--	--	--
81-G 0678-60HN	205	680	3030	--	--	--	--
81-G 0679-60HN	205	N.S.S.	3930	--	--	--	--
81-G 0680-60HN	205	7800	<10	--	--	--	--
81-G 0681-60HN	205	41000	3690	--	--	--	--
81-G 0682-60HN	205	25000	<10	--	--	--	--
81-G 0683-60HN	205	64000	5310	--	--	--	--
81-G 0684-60HN	205	3100	10	--	--	--	--

Certified by *Hart Buchler*



Entered Feb 22/82
✓



CHEMEX LABS LTD.

212, BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115400-003-A
INVOICE # : 18115400
DATE : 05-JAN-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-G 0685-60HN	205	66	2	26	90	0.2	0.2
81-G 0686-60HN	205	28	2	160	100	0.2	0.2
81-G 0687-60HN	205	10	2	32	62	0.2	0.2
81-G 0688-60HN	205	14	2	26	144	0.2	0.2
81-G 0689-60HN	205	4	2	10	48	0.2	0.2
81-G 0690-60HN	205	28	2	28	58	0.2	0.2
81-G 0691-60HN	205	10	4	18	58	0.2	0.2
81-G 0692-60HN	205	12	2	50	60	0.2	0.2
81-G 0693-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0694-60HN	205	32	2	42	60	0.2	0.2
81-G 0695-60HN	205	10	2	26	32	0.2	0.2
81-G 0696-60HN	205	36	2	16	34	0.2	0.2
81-G 0697-60HN	205	8	2	16	30	0.2	0.2
81-G 0698-60HN	205	16	4	20	36	0.2	0.2
81-G 0699-60HN	205	30	6	30	36	0.2	0.2
81-G 0700-60HN	205	100	2	18	68	0.2	0.2
81-G 0701-60HN	205	16	2	4	108	0.2	0.2
81-G 0702-60HN	205	134	4	46	82	0.2	0.2
81-G 0703-60HN	205	68	5	68	197	0.2	0.5
81-G 0704-60HN	205	216	4	12	62	0.2	0.2
81-G 0705-60HN	205	106	4	80	480	0.4	3.2
81-G 0706-60HN	205	138	4	20	100	0.2	0.2
81-G 0707-60HN	205	28	2	12	20	0.2	0.2
81-G 0708-60HN	205	10	2	12	28	0.2	0.2
81-G 0709-60HN	205	42	2	6	26	0.2	0.2
81-G 0710-60HN	205	104	6	56	96	0.2	0.2
81-G 0711-60HN	205	282	12	310	100	0.2	0.2
81-G 0712-60HN	205	98	4	1640	104	4.0	0.2
81-G 0713-60HN	205	14	2	48	36	0.2	0.2
81-G 0714-60HN	205	156	2	50	548	0.2	0.2
81-G 0715-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0716-60HN	205	42	2	18	50	0.2	0.2
81-G 0717-60HN	205	18	2	44	50	0.2	0.2
81-G 0718-60HN	205	48	2	30	64	0.2	0.2
81-G 0719-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0720-60HN	205	56	2	50	48	0.2	0.2
81-G 0721-60HN	205	14	2	28	38	0.2	0.2
81-G 0722-60HN	205	6	2	28	24	0.2	0.2
81-G 0723-60HN	205	14	2	32	28	0.2	0.2
81-G 0724-60HN	205	69	2	113	78	0.2	0.2

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8115400-003-8
 INVOICE # : I8115400
 DATE : 05-JAN-82
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-G 0685-60HN	205	2.66	580	126	100	2	0.2
81-G 0686-60HN	205	2.46	440	20	60	N.S.S.	N.S.S.
81-G 0687-60HN	205	1.90	410	8	40	36	0.4
81-G 0688-60HN	205	5.04	1050	12	10	N.S.S.	N.S.S.
81-G 0689-60HN	205	1.84	460	8	N.S.S.	N.S.S.	N.S.S.
81-G 0690-60HN	205	1.94	540	3	120	112	0.2
81-G 0691-60HN	205	2.00	600	22	90	16	0.2
81-G 0692-60HN	205	2.26	490	6	120	N.S.S.	0.4
81-G 0693-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0694-60HN	205	1.76	370	14	N.S.S.	N.S.S.	N.S.S.
81-G 0695-60HN	205	1.84	410	8	150	12	0.2
81-G 0696-60HN	205	1.76	470	6	160	2	0.2
81-G 0697-60HN	205	1.64	440	6	90	2	0.2
81-G 0698-60HN	205	1.84	540	6	180	4	0.2
81-G 0699-60HN	205	1.88	440	4	200	32	0.4
81-G 0700-60HN	205	3.30	710	58	45	N.S.S.	N.S.S.
81-G 0701-60HN	205	0.50	330	10	150	92	4.0
81-G 0702-60HN	205	0.98	260	30	800	500	0.2
81-G 0703-60HN	205	1.97	513	39	N.S.S.	N.S.S.	N.S.S.
81-G 0704-60HN	205	2.10	900	6	550	20	0.4
81-G 0705-60HN	205	1.50	134	70	350	720	1.6
81-G 0706-60HN	205	2.16	470	10	560	12	0.8
81-G 0707-60HN	205	0.96	194	4	170	8	2.4
81-G 0708-60HN	205	1.46	600	4	450	16	0.2
81-G 0709-60HN	205	1.76	1090	12	150	2	N.S.S.
81-G 0710-60HN	205	3.30	344	40	350	840	1.6
81-G 0711-60HN	205	3.20	280	>1000	2100	N.S.S.	1.2
81-G 0712-60HN	205	1.84	350	46	250	N.S.S.	1.5
81-G 0713-60HN	205	1.82	324	20	100	108	1.6
81-G 0714-60HN	205	3.44	200	90	60	N.S.S.	1.2
81-G 0715-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0716-60HN	205	2.12	272	30	400	164	0.2
81-G 0717-60HN	205	2.44	440	18	1500	800	0.2
81-G 0718-60HN	205	1.90	300	10	500	56	0.4
81-G 0719-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0720-60HN	205	2.26	460	18	300	N.S.S.	0.8
81-G 0721-60HN	205	2.16	520	6	130	2	0.8
81-G 0722-60HN	205	2.26	780	6	400	16	0.8
81-G 0723-60HN	205	2.04	460	8	120	4	0.2
81-G 0724-60HN	205	2.16	329	38	N.S.S.	N.S.S.	N.S.S.

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115400-003-C
INVOICE # : I8115400
DATE : 05-JAN-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Ba ppm	Au NAA ppb				
81-G 0685-60HN	205	7200	<10	--	--	--	--
81-G 0686-60HN	205	1000	<10	--	--	--	--
81-G 0687-60HN	205	1200	20	--	--	--	--
81-G 0688-60HN	205	1950	<10	--	--	--	--
81-G 0689-60HN	205	2300	<10	--	--	--	--
81-G 0690-60HN	205	1200	40	--	--	--	--
81-G 0691-60HN	205	6800	80	--	--	--	--
81-G 0692-60HN	205	1000	<10	--	--	--	--
81-G 0693-60HN	205	N.S.S.	<20	--	--	--	--
81-G 0694-60HN	205	N.S.S.	<10	--	--	--	--
81-G 0695-60HN	205	750	<10	--	--	--	--
81-G 0696-60HN	205	1150	<10	--	--	--	--
81-G 0697-60HN	205	950	<10	--	--	--	--
81-G 0698-60HN	205	1200	<10	--	--	--	--
81-G 0699-60HN	205	1400	470	--	--	--	--
81-G 0700-60HN	205	3000	43150	--	--	--	--
81-G 0701-60HN	205	88000	<10	--	--	--	--
81-G 0702-60HN	205	32000	100	--	--	--	--
81-G 0703-60HN	205	N.S.S.	<10	--	--	--	--
81-G 0704-60HN	205	8700	4790	--	--	--	--
81-G 0705-60HN	205	77000	<10	--	--	--	--
81-G 0706-60HN	205	6400	<10	--	--	--	--
81-G 0707-60HN	205	1300	<10	--	--	--	--
81-G 0708-60HN	205	11000	<10	--	--	--	--
81-G 0709-60HN	205	2600	<10	--	--	--	--
81-G 0710-60HN	205	2200	<10	--	--	--	--
81-G 0711-60HN	205	1800	1220	--	--	--	--
81-G 0712-60HN	205	16500	26360	--	--	--	--
81-G 0713-60HN	205	1000	5390	--	--	--	--
81-G 0714-60HN	205	63000	<10	--	--	--	--
81-G 0715-60HN	205	N.S.S.	<20	--	--	--	--
81-G 0716-60HN	205	3200	<10	--	--	--	--
81-G 0717-60HN	205	900	<10	--	--	--	--
81-G 0718-60HN	205	13500	<10	--	--	--	--
81-G 0719-60HN	205	N.S.S.	4380	--	--	--	--
81-G 0720-60HN	205	4600	<10	--	--	--	--
81-G 0721-60HN	205	1700	<10	--	--	--	--
81-G 0722-60HN	205	1300	80	--	--	--	--
81-G 0723-60HN	205	1350	2070	--	--	--	--
81-G 0724-60HN	205	N.S.S.	25520	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Buchler*



Entered
Feb 22/82
✓

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8115400-004-A
INVOICE # : I8115400
DATE : 05-JAN-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-G 0725-60HN	205	22	2	34	60	0.2	0.2
81-G 0726-60HN	205	10	2	30	34	0.2	12.8
81-G 0727-60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-G 0728-60HN	205	202	2	50	20	0.2	0.2
81-G 0729-60HN	205	54	2	16	20	0.2	0.2
81-G 0730-60HN	205	18	4	16	36	0.2	0.2
81-G 0731-60HN	205	20	2	32	30	0.2	0.2
81-G 0732-60HN	205	44	2	16	42	0.2	0.2
81-G 0733-60HN	205	22	2	12	30	0.2	0.2
81-G 0734-60HN	205	12	2	10	30	0.2	0.2
81-G 0735-60HN	205	6	2	14	30	0.2	0.2
81-G 0736-60HN	205	9	2	18	36	0.2	0.2
81-G 0737-60HN	205	5	2	31	44	0.2	0.2
81-G 0738-60HN	205	4	2	8	34	0.2	0.2
81-G 0739-60HN	205	198	4	2	250	1.4	0.2
81-G 0740-60HN	205	254	2	2	276	1.8	0.2
81-G 0741-60HN	205	48	2	10	38	0.2	0.2
81-G 0743-60HN	205	28	2	32	54	0.2	0.2
81-G 0744-60HN	205	10	2	14	50	5.0	0.2
81-G 0745-60HN	205	6	4	16	40	0.2	0.2
81-G 0746-60HN	205	4	2	20	42	0.2	0.2
81-G 0747-60HN	205	16	2	20	48	0.2	0.2
81-G 0748-60HN	205	38	2	16	74	0.2	0.2
81-G 0749-60HN	205	84	2	12	100	0.6	0.2
81-G 0750-60HN	205	226	2	21	213	0.2	0.2

add

Certified by Hart Bichler





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115400-004-B
INVOICE # : 18115400
DATE : 05-JAN-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-G 0725-60HN	205	1.64	550	10	90	N.S.S. ✓	0.8
81-G 0726-60HN	205	1.20	188	6	40	4	0.2
81-G 0727-60HN	205	N.S.S. ✓	N.S.S. ✓	N.S.S. ✓	N.S.S. ✓	N.S.S. ✓	N.S.S. ✓
81-G 0728-60HN	205	1.44	410	4	50	2	0.4
81-G 0729-60HN	205	1.84	420	6	600	8	0.8
81-G 0730-60HN	205	2.10	580	6	650	2	0.2
81-G 0731-60HN	205	1.06	334	6	50	2	3.2
81-G 0732-60HN	205	1.58	354	6	160	4	N.S.S. ✓
81-G 0733-60HN	205	1.24	258	4	4	12	0.4
81-G 0734-60HN	205	1.66	314	6	70	2	0.2
81-G 0735-60HN	205	1.60	450	8	250	208	0.4
81-G 0736-60HN	205	2.16	792	10	N.S.S. ✓	N.S.S. ✓	N.S.S. ✓
81-G 0737-60HN	205	1.60	413	7	N.S.S. ✓	N.S.S. ✓	N.S.S. ✓
81-G 0738-60HN	205	1.92	384	2	120	32	0.2
81-G 0739-60HN	205	4.32	354	40	26	2	0.4
81-G 0740-60HN	205	4.50	470	40	20	2	1.6
81-G 0741-60HN	205	2.68	600	12	180	76	0.2
81-G 0743-60HN	205	2.08	410	6	20	2	0.4
81-G 0744-60HN	205	1.20	426	10	70	36	0.8
81-G 0745-60HN	205	1.70	656	4	350	4	0.2
81-G 0746-60HN	205	1.62	630	4	450	32	0.4
81-G 0747-60HN	205	1.84	590	12	250	44	0.2
81-G 0748-60HN	205	1.60	490	4	170	4	0.2
81-G 0749-60HN	205	1.86	315	6	N.S.S. ✓	N.S.S. ✓	N.S.S. ✓
81-G 0750-60HN	205	1.92	317	11	N.S.S. ✓	N.S.S. ✓	N.S.S. ✓

Hart Bichler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8115400-004-C
 INVOICE # : 18115400
 DATE : 05-JAN-82
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Ba ppm	Au NAA ppb				
81-G 0725-60HN	205	3900	20	--	--	--	--
81-G 0726-60HN	205	7300	<10	--	--	--	--
81-G 0727-60HN	205	N.S.S.	<10	--	--	--	--
81-G 0728-60HN	205	1250	3290	--	--	--	--
81-G 0729-60HN	205	700	6850	--	--	--	--
81-G 0730-60HN	205	700	1910	--	--	--	--
81-G 0731-60HN	205	19000	20	--	--	--	--
81-G 0732-60HN	205	11500	<10	--	--	--	--
81-G 0733-60HN	205	4750	30	--	--	--	--
81-G 0734-60HN	205	1250	<10	--	--	--	--
81-G 0735-60HN	205	1700	60	--	--	--	--
81-G 0736-60HN	205	N.S.S.	46600	--	--	--	--
81-G 0737-60HN	205	N.S.S.	10	--	--	--	--
81-G 0738-60HN	205	1300	<10	--	--	--	--
81-G 0739-60HN	205	10	600	--	--	--	--
81-G 0740-60HN	205	95000	80	--	--	--	--
81-G 0741-60HN	205	13000	290	--	--	--	--
81-G 0743-60HN	205	1300	<10	--	--	--	--
81-G 0744-60HN	205	29000	30	--	--	--	--
81-G 0745-60HN	205	1750	<10	--	--	--	--
81-G 0746-60HN	205	850	<10	--	--	--	--
81-G 0747-60HN	205	900	<10	--	--	--	--
81-G 0748-60HN	205	2200	<10	--	--	--	--
81-G 0749-60HN	205	N.S.S.	<10	--	--	--	--
81-G 0750-60HN	205	N.S.S.	10	--	--	--	--

Certified by *Hart Buchler*





*Entered
File 2/1/82*

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

- ANALYTICAL CHEMISTS
- GEOCHEMISTS
- REGISTERED ASSAYERS

CERTIFICATE OF ASSAY


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8115400-001-A
 INVOICE # : I8115400
 DATE : 05-JAN-82
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Weight g						
81-G 0093-60HN	205	1.14	--	--	--	--	--	--
81-G 0469-60HN	205	2.50	--	--	--	--	--	--
81-G 0494-60HN	205	28.75	--	--	--	--	--	--
81-G 0495-60HN	205	1.84	--	--	--	--	--	--
81-G 0536-60HN	205	14.61	--	--	--	--	--	--
81-G 0593-60HN	205	9.85	--	--	--	--	--	--
81-G 0594-60HN	205	5.69	--	--	--	--	--	--
81-G 0595-60HN	205	2.46	--	--	--	--	--	--
81-G 0596-60HN	205	<0.01	--	--	--	--	--	--
81-G 0598-60HN	205	5.40	--	--	--	--	--	--
81-G 0599-60HN	205	3.09	--	--	--	--	--	--
81-G 0602-60HN	205	0.10	--	--	--	--	--	--
81-G 0609-60HN	205	8.53	--	--	--	--	--	--
81-G 0610-60HN	205	5.82	--	--	--	--	--	--
81-G 0612-60HN	205	2.88	--	--	--	--	--	--
81-G 0613-60HN	205	4.25	--	--	--	--	--	--
81-G 0615-60HN	205	3.26	--	--	--	--	--	--
81-G 0617-60HN	205	7.90	--	--	--	--	--	--
81-G 0618-60HN	205	0.37	--	--	--	--	--	--
81-G 0619-60HN	205	5.29	--	--	--	--	--	--
81-G 0620-60HN	205	0.87	--	--	--	--	--	--
81-G 0621-60HN	205	3.92	--	--	--	--	--	--
81-G 0622-60HN	205	3.80	--	--	--	--	--	--
81-G 0623-60HN	205	1.19	--	--	--	--	--	--
81-G 0624-60HN	205	5.66	--	--	--	--	--	--
81-G 0625-60HN	205	1.04	--	--	--	--	--	--
81-G 0626-60HN	205	3.56	--	--	--	--	--	--
81-G 0627-60HN	205	1.65	--	--	--	--	--	--
81-G 0628-60HN	205	2.38	--	--	--	--	--	--
81-G 0629-60HN	205	1.09	--	--	--	--	--	--
81-G 0630-60HN	205	2.67	--	--	--	--	--	--
81-G 0631-60HN	205	2.58	--	--	--	--	--	--
81-G 0632-60HN	205	1.75	--	--	--	--	--	--
81-G 0633-60HN	205	2.81	--	--	--	--	--	--
81-G 0634-60HN	205	2.29	--	--	--	--	--	--
81-G 0635-60HN	205	2.98	--	--	--	--	--	--
81-G 0636-60HN	205	1.64	--	--	--	--	--	--
81-G 0637-60HN	205	3.24	--	--	--	--	--	--
81-G 0638-60HN	205	0.81	--	--	--	--	--	--
81-G 0639-60HN	205	0.44	--	--	--	--	--	--

.....
 Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8115400-002-A
INVOICE # : 18115400
DATE : 05-JAN-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Weight g						
81-G 0640-60HN	205	0.73	--	--	--	--	--	--
81-G 0642-60HN	205	2.71	--	--	--	--	--	--
81-G 0643-60HN	205	7.09	--	--	--	--	--	--
81-G 0644-60HN	205	4.14	--	--	--	--	--	--
81-G 0645-60HN	205	1.86	--	--	--	--	--	--
81-G 0646-60HN	205	3.08	--	--	--	--	--	--
81-G 0647-60HN	205	0.16	--	--	--	--	--	--
81-G 0648-60HN	205	0.98	--	--	--	--	--	--
81-G 0649-60HN	205	4.19	--	--	--	--	--	--
81-G 0650-60HN	205	1.39	--	--	--	--	--	--
81-G 0651-60HN	205	1.38	--	--	--	--	--	--
81-G 0652-60HN	205	1.74	--	--	--	--	--	--
81-G 0653-60HN	205	2.93	--	--	--	--	--	--
81-G 0654-60HN	205	1.14	--	--	--	--	--	--
81-G 0656-60HN	205	5.88	--	--	--	--	--	--
81-G 0657-60HN	205	7.13	--	--	--	--	--	--
81-G 0658-60HN	205	5.98	--	--	--	--	--	--
81-G 0659-60HN	205	4.79	--	--	--	--	--	--
81-G 0660-60HN	205	7.00	--	--	--	--	--	--
81-G 0661-60HN	205	3.06	--	--	--	--	--	--
81-G 0662-60HN	205	4.61	--	--	--	--	--	--
81-G 0663-60HN	205	51.29	--	--	--	--	--	--
81-G 0664-60HN	205	3.45	--	--	--	--	--	--
81-G 0665-60HN	205	12.39	--	--	--	--	--	--
81-G 0666-60HN	205	5.78	--	--	--	--	--	--
81-G 0667-60HN	205	8.01	--	--	--	--	--	--
81-G 0668-60HN	205	5.83	--	--	--	--	--	--
81-G 0669-60HN	205	6.37	--	--	--	--	--	--
81-G 0670-60HN	205	4.12	--	--	--	--	--	--
81-G 0673-60HN	205	3.52	--	--	--	--	--	--
81-G 0674-60HN	205	0.96	--	--	--	--	--	--
81-G 0676-60HN	205	4.19	--	--	--	--	--	--
81-G 0677-60HN	205	1.92	--	--	--	--	--	--
81-G 0678-60HN	205	3.21	--	--	--	--	--	--
81-G 0679-60HN	205	1.39	--	--	--	--	--	--
81-G 0680-60HN	205	3.46	--	--	--	--	--	--
81-G 0681-60HN	205	3.25	--	--	--	--	--	--
81-G 0682-60HN	205	4.13	--	--	--	--	--	--
81-G 0683-60HN	205	3.51	--	--	--	--	--	--
81-G 0684-60HN	205	3.05	--	--	--	--	--	--

.....
Registered Assayer, Province of British Columbia





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115400-003-A
INVOICE # : 18115400
DATE : 05-JAN-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Weight g						
81-G 0685-60HN	205	2.90	--	--	--	--	--	--
81-G 0686-60HN	205	1.86	--	--	--	--	--	--
81-G 0687-60HN	205	2.90	--	--	--	--	--	--
81-G 0688-60HN	205	1.91	--	--	--	--	--	--
81-G 0689-60HN	205	1.67	--	--	--	--	--	--
81-G 0690-60HN	205	6.25	--	--	--	--	--	--
81-G 0691-60HN	205	4.03	--	--	--	--	--	--
81-G 0692-60HN	205	2.15	--	--	--	--	--	--
81-G 0693-60HN	205	0.85	--	--	--	--	--	--
81-G 0694-60HN	205	1.57	--	--	--	--	--	--
81-G 0695-60HN	205	3.19	--	--	--	--	--	--
81-G 0696-60HN	205	3.87	--	--	--	--	--	--
81-G 0697-60HN	205	3.70	--	--	--	--	--	--
81-G 0698-60HN	205	8.39	--	--	--	--	--	--
81-G 0699-60HN	205	5.63	--	--	--	--	--	--
81-G 0700-60HN	205	1.83	--	--	--	--	--	--
81-G 0701-60HN	205	5.36	--	--	--	--	--	--
81-G 0702-60HN	205	3.52	--	--	--	--	--	--
81-G 0703-60HN	205	1.43	--	--	--	--	--	--
81-G 0704-60HN	205	6.30	--	--	--	--	--	--
81-G 0705-60HN	205	4.78	--	--	--	--	--	--
81-G 0706-60HN	205	6.78	--	--	--	--	--	--
81-G 0707-60HN	205	7.89	--	--	--	--	--	--
81-G 0708-60HN	205	4.31	--	--	--	--	--	--
81-G 0709-60HN	205	2.07	--	--	--	--	--	--
81-G 0710-60HN	205	6.05	--	--	--	--	--	--
81-G 0711-60HN	205	2.39	--	--	--	--	--	--
81-G 0712-60HN	205	2.27	--	--	--	--	--	--
81-G 0713-60HN	205	3.96	--	--	--	--	--	--
81-G 0714-60HN	205	2.25	--	--	--	--	--	--
81-G 0715-60HN	205	0.90	--	--	--	--	--	--
81-G 0716-60HN	205	4.34	--	--	--	--	--	--
81-G 0717-60HN	205	4.51	--	--	--	--	--	--
81-G 0718-60HN	205	5.42	--	--	--	--	--	--
81-G 0719-60HN	205	0.67	--	--	--	--	--	--
81-G 0720-60HN	205	2.17	--	--	--	--	--	--
81-G 0721-60HN	205	8.27	--	--	--	--	--	--
81-G 0722-60HN	205	6.56	--	--	--	--	--	--
81-G 0723-60HN	205	3.85	--	--	--	--	--	--
81-G 0724-60HN	205	1.36	--	--	--	--	--	--

.....
Registered Assayer, Province of British Columbia



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115400-004-A
INVOICE # : I8115400
DATE : 05-JAN-82
P.U. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Weight g						
81-G 0725-60HN	205	2.08	--	--	--	--	--	--
81-G 0726-60HN	205	4.74	--	--	--	--	--	--
81-G 0727-60HN	205	0.74	--	--	--	--	--	--
81-G 0728-60HN	205	3.57	--	--	--	--	--	--
81-G 0729-60HN	205	9.89	--	--	--	--	--	--
81-G 0730-60HN	205	7.53	--	--	--	--	--	--
81-G 0731-60HN	205	6.50	--	--	--	--	--	--
81-G 0732-60HN	205	2.01	--	--	--	--	--	--
81-G 0733-60HN	205	4.48	--	--	--	--	--	--
81-G 0734-60HN	205	14.16	--	--	--	--	--	--
81-G 0735-60HN	205	4.95	--	--	--	--	--	--
81-G 0736-60HN	205	1.21	--	--	--	--	--	--
81-G 0737-60HN	205	1.56	--	--	--	--	--	--
81-G 0738-60HN	205	9.85	--	--	--	--	--	--
81-G 0739-60HN	205	6.66	--	--	--	--	--	--
81-G 0740-60HN	205	5.41	--	--	--	--	--	--
81-G 0741-60HN	205	9.26	--	--	--	--	--	--
81-G 0743-60HN	205	3.09	--	--	--	--	--	--
81-G 0744-60HN	205	3.28	--	--	--	--	--	--
81-G 0745-60HN	205	9.99	--	--	--	--	--	--
81-G 0746-60HN	205	3.11	--	--	--	--	--	--
81-G 0747-60HN	205	3.37	--	--	--	--	--	--
81-G 0748-60HN	205	5.40	--	--	--	--	--	--
81-G 0749-60HN	205	1.39	--	--	--	--	--	--
81-G 0750-60HN	205	1.51	--	--	--	--	--	--

.....
Registered Assayer, Province of British Columbia



22FEB82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 1

all ✓ p 1-29

SAMPLE CODE	TEST CODE	WT Ba ✓ U	Cu ✓ Hg Bi	Pb ✓ W ✓	Zn ✓ Cd ✓	Sn ✓ Mn ✓	Au ✓ Mo ✓	Ag ✓ Fe ✓	As ✓ Th	Sb - Ce
----------------	--------------	-----------------	------------------	-------------	--------------	--------------	--------------	--------------	------------	------------

LAB: CHEMEX CERTIFICATE: AB115400-001-A

81G0093	3342		40.00	10.00	100.00 .20	<	10.00 2.00	.20 1.80	20.00	
81G0469	3342	6,200.00	264.00	126.00 160.00 ✓	74.00 .20	240.00 ✓ 320.00	12,120.00 2.00	.40 2.64	60.00	.40
81G0494	3342	1,100.00	16.00	2.00 4.00	24.00 .20	4.00 < 294.00	10.00 4.00	.20 1.84	4.00	.40
81G0495	3342	8,600.00	28.00	22.00 35.00	42.00 .20	< 298.00	10.00 2.00	.20 1.62	4.00	
81G0536	3342	700.00	8.00	32.00 36.00	38.00 .20	12.00 440.00	20.00 2.00	.20 2.66	6.00	.40
81G0593	3342	58,000.00	46.00	12.00 26.00	124.00 .20	12.00 < 270.00	10.00 4.00	.20 2.64	10.00	1.20
81G0594	3342	23,000.00	56.00	14.00 40.00	110.00 .20	20.00 510.00	50.00 6.00	.20 1.96	8.00	.40
81G0595	3342	42,000.00	228.00	6.00 50.00	70.00 .20	< 430.00	10.00 2.00	.20 1.62	10.00	.20
81G0596	3342									
81G0598	3342	17,000.00	176.00	26.00 70.00	96.00 .20	116.00 276.00	4,330.00 2.00	.20 1.94	54.00	.40

22FEB82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: AB115400-001-A

81G0599	3342	45,000.00	128.00	14.00 12.00	190.00 .60	2.00 < 220.00	10.00 2.00	.20 1.30	30.00	1.60
81G0602	3342		165.00	2.00	66.00 29.00	530.00	2.00	.20 2.60	20.00	
81G0609	3342	2,100.00	168.00	46.00 70.00	910.00 .20	12.00 410.00	180.00 6.00	.20 5.60	188.00	1.60
81G0610	3342	35,000.00	208.00	24.00 50.00	120.00 .20	24.00 382.00	550.00 4.00	.20 1.92	8.00	.40
81G0612	3342	37,000.00	36.00	8.00 80.00	62.00 .20	52.00 450.00	130.00 2.00	.20 1.42	6.00	.20
81G0613	3342	70,000.00	40.00	8.00 250.00	76.00 .20	72.00 < 370.00	10.00 2.00	.20 1.12	6.00	.20
81G0615	3342	41,000.00	38.00	6.00 140.00	112.00 .20	64.00 490.00	2,000.00 2.00	.20 1.61	12.00	.20
81G0617	3342	> 20,000.00	88.00	2.00 40.00	186.00 .20	12.00 400.00	410.00 2.00	.20 1.04	20.00	.40
81G0618	3342					< 30.00				
81G0619	3342	130,000.00	158.00	2.00 70.00	198.00 1.40	20.00 700.00	540.00 2.00	.60 1.60	20.00	1.20

22FEB82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 3

SAMPLE TEST WT Cu Pb Zn Sn Au Ag As Sb
CODE CODE Ba Hg W Cd Mn Mo Fe Th Ce
U Bi

LAB: CHEMEX CERTIFICATE: A8115400-001-A

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
81G0620	3342						< 10.00			
81G0621	3342	5,100.00	26.00	10.00 12.00	40.00 .40	12.00 520.00	< 10.00 2.00	.20 2.02	2.00	.20
81G0622	3342	24,500.00	24.00	4.00 40.00	80.00 .20	44.00 610.00	1,270.00 2.00	.20 2.20	4.00	.20
81G0623	3342		60.00	10.00	190.00 .20	500.00	< 10.00 2.00	.20 2.35	10.00	
81G0624	3342	21,000.00	98.00	26.00 44.00	164.00 .60	24.00 490.00	19,170.00 2.00	.20 2.72	14.00	.40
81G0625	3342						1,150.00			
81G0626	3342	32,500.00	398.00	18.00 160.00	330.00 2.60	120.00 302.00	10.00 2.00	2.40 3.50	730.00	.20
81G0627	3342	6,500.00	178.00	46.00	176.00 .60	430.00	< 10.00 2.00	.20 3.16	146.00	
81G0628	3342	24,500.00	910.00	28.00 20.00	280.00 1.40	490.00	< 10.00 2.00	.80 6.20	380.00	1.50
81G0629	3342		40.00	2.00	260.00 .20	480.00	< 10.00 2.00	.20 2.00	30.00	

22FEB82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 4

SAMPLE CODE	TEST CODE	WT Ba U ✓	Cu Hg Bi ✓	Pb W ✓	Zn Cd ✓	Sn Mn ✓	Au Mo ✓	Ag Fe ✓	As Th ✓	Sb Ce ✓
-------------	-----------	-----------	------------	--------	---------	---------	---------	---------	---------	---------

LAB: CHEMEX CERTIFICATE: A8115400-001-A

81G0630	3342	62,000.00	68.00	20.00 90.00	150.00 .60	132.00 334.00	30.00 2.00	1.00 2.08	20.00	.40
81G0631	3342	70,000.00	46.00	10.00 100.00	80.00 .20	144.00 610.00	30.00 2.00	.20 1.78	8.00	.40
81G0632	3342	80,000.00	550.00	2.00 300.00	470.00 4.00	202.00	9,630.00 2.00	.20 1.56	194.00	
81G0633	3342	53,000.00	560.00	6.00 50.00	3,500.00 35.20	40.00 392.00	4,970.00 10.00	2.80 15.20	550.00	2.80
81G0634	3342	63,000.00	590.00	96.00 20.00	3,500.00 10.20	760.00	113,750.00 6.00	3.00 26.00	232.00	2.00
81G0635	3342	41,000.00	48.00	8.00 200.00	88.00 .20	400.00 540.00	6,640.00 2.00	1.20 2.34	18.00	.20
81G0636	3342	80,000.00	58.00	6.00	218.00 1.00	296.00	1.00 2.00	.20 2.58	20.00	
81G0637	3342	80,000.00	42.00	4.00 70.00	104.00 .40	84.00 196.00	348.00 2.00	.20 1.20	24.00	.20
81G0638	3342						30.00			
81G0639	3342						20.00			

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Ri	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: AB115400-001-A								
81G0640	3342						20.00 ✓			
81G0642	3342	77,000.00 ✓	36.00 ✓	2.00 ✓ 90.00	118.00 ✓ .40 ✓	92.00 ✓ 244.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.16 ✓	22.00 ✓	.40 ✓
81G0643	3342	160,000.00 ✓	104.00 ✓	2.00 ✓ 22.00	246.00 ✓ 2.40 ✓	28.00 ✓ 186.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.30 ✓	20.00 ✓	.40 ✓
81G0644	3342	76,000.00 ✓	30.00 ✓	2.00 ✓ 250.00	82.00 ✓ .20 ✓	720.00 ✓ 334.00 ✓	5,300.00 ✓ 2.00 ✓	6.60 ✓ 1.08 ✓	10.00 ✓	1.20 ✓
81G0645	3342	61,000.00 ✓	90.00 ✓	10.00 ✓ 350.00	66.00 ✓ .20 ✓	500.00 ✓	1,230.00 ✓ 2.00 ✓	.20 ✓ 1.80 ✓	12.00 ✓	
81G0646	3342	91,000.00 ✓	104.00 ✓	8.00 ✓ 90.00	280.00 ✓ 1.40 ✓	144.00 ✓ 214.00 ✓	1,000.00 ✓ 2.00 ✓	1.00 ✓ 4.50 ✓	114.00 ✓	.80 ✓
81G0647	3342		23.00 ✓	154.00 ✓	46.00 ✓ .20 ✓	2,115.00 ✓	2.00 ✓	.20 ✓ 2.31 ✓	24.00 ✓	
81G0648	3342						8,780.00 ✓			
81G0649	3342	55,000.00 ✓	152.00 ✓	14.00 ✓ 50.00	386.00 ✓ 2.80 ✓	84.00 ✓ 280.00 ✓	30,070.00 ✓ 4.00 ✓	.80 ✓ 7.32 ✓	90.00 ✓	.80 ✓
81G0650	3342		59.00 ✓	11.00 ✓	113.00 ✓ .30 ✓	390.00 ✓	15,050.00 ✓ 2.00 ✓	.20 ✓ 1.89 ✓	17.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-001-A								
81G0651	3342		232.00 ✓	3.00 ✓	890.00 ✓ 8.90 ✓		19,740.00 ✓ 2.00 ✓	.20 ✓ 4.35 ✓	220.00 ✓	
81G0652	3342	54,000.00 ✓	92.00 ✓	42.00 ✓ 500.00	88.00 ✓ .20 ✓	490.00 ✓	5,340.00 ✓ 6.00 ✓	9.60 ✓ 2.44 ✓	46.00 ✓	
81G0653	3342	73,000.00 ✓	42.00 ✓	10.00 ✓ 130.00	66.00 ✓ .20 ✓	140.00 ✓ 400.00 ✓	970.00 ✓ 2.00 ✓	1.00 ✓ 1.60 ✓	30.00 ✓	.40 ✓
81G0654	3342						11,680.00 ✓			
81G0656	3342	16,000.00 ✓	48.00 ✓	18.00 ✓ 450.00	60.00 ✓ .20 ✓	92.00 ✓ 700.00 ✓	1,030.00 ✓ 2.00 ✓	.20 ✓ 2.66 ✓	14.00 ✓	.20 ✓
81G0657	3342	84,000.00 ✓	42.00 ✓	10.00 ✓ 400.00	48.00 ✓ .20 ✓	80.00 ✓ 560.00 ✓	1,010.00 ✓ 2.00 ✓	.20 ✓ 1.50 ✓	8.00 ✓	.40 ✓
81G0658	3342	61,000.00 ✓	204.00 ✓	16.00 ✓ 1,950.00	10.00 ✓ .40 ✓	192.00 ✓ 830.00 ✓	330.00 ✓ 4.00 ✓	.20 ✓ 2.00 ✓	12.00 ✓	.80 ✓
81G0659	3342	70,000.00 ✓	74.00 ✓	20.00 ✓ 400.00	92.00 ✓ .20 ✓	320.00 ✓ 352.00 ✓	16,000.00 ✓ 2.00 ✓	.60 ✓ 1.36 ✓	18.00 ✓	.40 ✓
81G0660	3342	50,000.00 ✓	18.00 ✓	6.00 ✓ 110.00	40.00 ✓ .20 ✓	16.00 ✓ 386.00 ✓	400.00 ✓ 2.00 ✓	.20 ✓ 1.20 ✓	6.00 ✓	.40 ✓
81G0661	3342	4,600.00 ✓	80.00 ✓	54.00 ✓ 160.00	52.00 ✓ .20 ✓	12.00 ✓ 540.00 ✓	3,440.00 ✓ 2.00 ✓	1.20 ✓ 3.34 ✓	30.00 ✓	.20 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-001-A								
81G0662	3342	9,000.00 ✓	36.00 ✓	30.00 ✓ 350.00	46.00 ✓ .20 ✓	20.00 ✓ 450.00 ✓	1,860.00 ✓ 2.00 ✓	5.40 ✓ 2.20 ✓	30.00 ✓	.20 ✓
81G0663	3342	8,100.00 ✓	104.00 ✓	50.00 ✓ 120.00	80.00 ✓ .20 ✓	2.00 ✓ 440.00 ✓	91,140.00 ✓ 2.00 ✓	.40 ✓ 3.38 ✓	290.00 ✓	.80 ✓
81G0664	3342	36,000.00 ✓	260.00 ✓	32.00 ✓ 90.00	150.00 ✓ .20 ✓	20.00 ✓ 460.00 ✓	3,300.00 ✓ 2.00 ✓	.40 ✓ 4.36 ✓	170.00 ✓	.40 ✓
81G0665	3342	1,700.00 ✓	50.00 ✓	26.00 ✓ 110.00	132.00 ✓ .20 ✓	2.00 ✓ 440.00 ✓	10.00 ✓ 2.00 ✓	1.20 ✓ 2.30 ✓	134.00 ✓	.20 ✓
81G0666	3342	6,700.00 ✓	68.00 ✓	42.00 ✓ 150.00	322.00 ✓ .80 ✓	16.00 ✓ 770.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 2.20 ✓	66.00 ✓	.20 ✓
81G0667	3342	4,500.00 ✓	44.00 ✓	22.00 ✓ 300.00	54.00 ✓ .20 ✓	24.00 ✓ 830.00 ✓	8,780.00 ✓ 4.00 ✓	.20 ✓ 2.50 ✓	34.00 ✓	.20 ✓
81G0668	3342	3,300.00 ✓	8.00 ✓	12.00 ✓ 750.00	30.00 ✓ .20 ✓	56.00 ✓ 840.00 ✓	3,740.00 ✓ 6.00 ✓	.20 ✓ 2.10 ✓	8.00 ✓	.40 ✓
81G0669	3342	1,900.00 ✓	6.00 ✓	10.00 ✓ 70.00	22.00 ✓ .20 ✓	4.00 ✓ 710.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.64 ✓	6.00 ✓	.40 ✓
81G0670	3342	48,000.00 ✓	48.00 ✓	10.00 ✓ 350.00	60.00 ✓ .20 ✓	28.00 ✓ 700.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.58 ✓	38.00 ✓	.20 ✓
81G0673	3342	7,000.00 ✓	8.00 ✓	32.00 ✓ 50.00	52.00 ✓ .20 ✓	20.00 ✓ 560.00 ✓	1,710.00 ✓ 4.00 ✓	.20 ✓ 1.94 ✓	22.00 ✓	.20 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX	CERTIFICATE: A8115400-001-A									
81G0674	3342						20.00			
81G0676	3342	2,800.00 ✓	44.00 ✓	14.00 ✓ 120.00	44.00 ✓ .20 ✓	16.00 ✓ 388.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.26 ✓	8.00 ✓	.20 ✓
81G0677	3342	3,300.00 ✓	30.00 ✓	18.00 ✓ 80.00	60.00 ✓ .20 ✓	530.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 1.66 ✓	20.00 ✓	
81G0678	3342	680.00 ✓	14.00 ✓	10.00 ✓ 80.00	38.00 ✓ .20 ✓	12.00 ✓ 490.00 ✓	3,030.00 ✓ 2.00 ✓	.20 ✓ 1.30 ✓	6.00 ✓	.40 ✓
81G0679	3342		8.00 ✓	12.00 ✓	32.00 ✓ .20 ✓	820.00 ✓	3,930.00 ✓ 2.00 ✓	.20 ✓ 2.18 ✓	14.00 ✓	
81G0680	3342	7,800.00 ✓	18.00 ✓	26.00 ✓ 70.00	48.00 ✓ .20 ✓	16.00 ✓ 440.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.96 ✓	30.00 ✓	.20 ✓
81G0681	3342	41,000.00 ✓	70.00 ✓	14.00 ✓ 150.00	108.00 ✓ .20 ✓	60.00 ✓ 600.00 ✓	3,690.00 ✓ 2.00 ✓	1.00 ✓ 2.06 ✓	126.00 ✓	.40 ✓
81G0682	3342	25,000.00 ✓	94.00 ✓	46.00 ✓ 50.00	144.00 ✓ .20 ✓	40.00 ✓ 670.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 3.60 ✓	50.00 ✓	.80 ✓
81G0683	3342	64,000.00 ✓	88.00 ✓	14.00 ✓ 400.00	94.00 ✓ .20 ✓	32.00 ✓ 500.00 ✓	5,310.00 ✓ 2.00 ✓	.20 ✓ 2.52 ✓	126.00 ✓	.40 ✓
81G0684	3342	3,100.00 ✓	14.00 ✓	14.00 ✓ 160.00	42.00 ✓ .20 ✓	24.00 ✓ 740.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.88 ✓	10.00 ✓	.20 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------	----------	------	-------	-------	-------	-------	-------	-------

LAB: CHEMEX CERTIFICATE: A8115400-003-A

81G0685	3342	7,200.00 ✓	66.00 ✓	26.00 ✓ 100.00	90.00 ✓ .20 ✓	2.00 ✓ 580.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.66 ✓	126.00 ✓	.20 ✓
81G0686	3342	1,000.00 ✓	28.00 ✓	160.00 ✓ 60.00	100.00 ✓ .20 ✓	440.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.46 ✓	20.00 ✓	
81G0687	3342	1,200.00 ✓	10.00 ✓	32.00 ✓ 40.00	62.00 ✓ .20 ✓	36.00 ✓ 410.00 ✓	20.00 ✓ 2.00 ✓	.20 ✓ 1.90 ✓	8.00 ✓	.40 ✓
81G0688	3342	1,950.00 ✓	14.00 ✓	26.00 ✓ 10.00	144.00 ✓ .20 ✓	1,050.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 5.04 ✓	12.00 ✓	
81G0689	3342	2,300.00 ✓	4.00 ✓	10.00 ✓	48.00 ✓ .20 ✓	460.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.84 ✓	8.00 ✓	
81G0690	3342	1,200.00 ✓	28.00 ✓	28.00 ✓ 120.00	58.00 ✓ .20 ✓	112.00 ✓ 540.00 ✓	40.00 ✓ 2.00 ✓	.20 ✓ 1.94 ✓	3.00 ✓	.20 ✓
81G0691	3342	6,800.00 ✓	10.00 ✓	18.00 ✓ 90.00	58.00 ✓ .20 ✓	16.00 ✓ 600.00 ✓	80.00 ✓ 4.00 ✓	.20 ✓ 2.00 ✓	22.00 ✓	.20 ✓
81G0692	3342	1,000.00 ✓	12.00 ✓	50.00 ✓ 120.00	60.00 ✓ .20 ✓	490.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.26 ✓	6.00 ✓	.40 ✓
81G0693	3342					<	20.00 ✓			
81G0694	3342		32.00 ✓	42.00 ✓	60.00 ✓ .20 ✓	370.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.76 ✓	14.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-003-A								
81G0695	3342	750.00 ✓	10.00 ✓	26.00 ✓ 150.00	32.00 ✓ .20 ✓	12.00 ✓ 410.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.84 ✓	8.00 ✓	.20 ✓
81G0696	3342	1,150.00 ✓	36.00 ✓	16.00 ✓ 160.00	34.00 ✓ .20 ✓	2.00 ✓ 470.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.76 ✓	6.00 ✓	.20 ✓
81G0697	3342	950.00 ✓	8.00 ✓	16.00 ✓ 90.00	30.00 ✓ .20 ✓	2.00 ✓ 440.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.64 ✓	6.00 ✓	.20 ✓
81G0698	3342	1,200.00 ✓	16.00 ✓	20.00 ✓ 190.00	36.00 ✓ .20 ✓	4.00 ✓ 540.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 1.84 ✓	6.00 ✓	.20 ✓
81G0699	3342	1,400.00 ✓	30.00 ✓	30.00 ✓ 200.00	36.00 ✓ .20 ✓	32.00 ✓ 440.00 ✓	470.00 ✓ 6.00 ✓	.20 ✓ 1.88 ✓	4.00 ✓	.40 ✓
81G0700	3342	3,000.00 ✓	100.00 ✓	18.00 ✓ 45.00	68.00 ✓ .20 ✓	710.00 ✓	43,150.00 ✓ 2.00 ✓	.20 ✓ 3.30 ✓	58.00 ✓	
81G0701	3342	88,000.00 ✓	16.00 ✓	4.00 ✓ 150.00	108.00 ✓ .20 ✓	92.00 ✓ 330.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ .50 ✓	10.00 ✓	4.00 ✓
81G0702	3342	32,000.00 ✓	134.00 ✓	46.00 ✓ 800.00	82.00 ✓ .20 ✓	500.00 ✓ 260.00 ✓	100.00 ✓ 4.00 ✓	.20 ✓ .98 ✓	30.00 ✓	.20 ✓
81G0703	3342		68.00 ✓	68.00 ✓	197.00 ✓ .50 ✓	513.00 ✓	10.00 ✓ 5.00 ✓	.20 ✓ 1.97 ✓	39.00 ✓	
81G0704	3342	8,700.00 ✓	216.00 ✓	12.00 ✓ 550.00	62.00 ✓ .20 ✓	20.00 ✓ 900.00 ✓	4,790.00 ✓ 4.00 ✓	.20 ✓ 2.10 ✓	6.00 ✓	.40 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-003-A								
81G0705	3342	77,000.00 ✓	106.00 ✓	80.00 ✓	480.00 ✓	720.00 ✓	10.00 ✓	.40 ✓	70.00 ✓	1.60 ✓
			350.00	3.20 ✓	134.00 ✓	4.00 ✓	1.50 ✓			
81G0706	3342	6,400.00 ✓	138.00 ✓	28.00 ✓	180.00 ✓	12.00 ✓	10.00 ✓	.20 ✓	10.00 ✓	.80 ✓
			560.00	.20 ✓	470.00 ✓	4.00 ✓	2.16 ✓			
81G0707	3342	1,300.00 ✓	28.00 ✓	12.00 ✓	20.00 ✓	8.00 ✓	10.00 ✓	.20 ✓	4.00 ✓	2.40 ✓
			170.00	.20 ✓	194.00	2.00 ✓	.96 ✓			
81G0708	3342	11,000.00 ✓	10.00 ✓	12.00 ✓	28.00 ✓	16.00 ✓	10.00 ✓	.20 ✓	4.00 ✓	.20 ✓
			450.00	.20 ✓	600.00 ✓	2.00	1.46 ✓			
81G0709	3342	2,600.00 ✓	42.00 ✓	6.00 ✓	26.00 ✓	2.00 ✓	10.00 ✓	.20 ✓	12.00 ✓	
			150.00	.20 ✓	1,090.00	2.00	1.76 ✓			
81G0710	3342	2,200.00 ✓	104.00 ✓	56.00 ✓	96.00 ✓	840.00 ✓	10.00 ✓	.20 ✓	40.00 ✓	1.60 ✓
			350.00	.20 ✓	344.00 ✓	6.00 ✓	3.30 ✓			
81G0711	3342	1,800.00 ✓	282.00 ✓	310.00 ✓	100.00 ✓		1,220.00 ✓	.20 ✓	1,000.00 ✓	1.20 ✓
			2,100.00	.20 ✓	280.00 ✓	12.00 ✓	3.20 ✓			
81G0712	3342	16,500.00 ✓	98.00 ✓	1,640.00 ✓	104.00 ✓		26,360.00 ✓	4.00 ✓	46.00 ✓	1.50 ✓
			250.00	.20 ✓	350.00 ✓	4.00 ✓	1.84 ✓			
81G0713	3342	1,000.00 ✓	14.00 ✓	48.00 ✓	36.00 ✓	108.00 ✓	5,390.00 ✓	.20 ✓	20.00 ✓	1.60 ✓
			100.00	.20 ✓	324.00 ✓	2.00 ✓	1.82 ✓			
81G0714	3342	63,000.00 ✓	156.00 ✓	50.00 ✓	548.00 ✓		10.00 ✓	.20 ✓	90.00 ✓	1.20 ✓
			60.00	.20 ✓	200.00 ✓	2.00 ✓	3.44 ✓			

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: AB115400-003-A								
81G0715	3342						20.00 ✓			
81G0716	3342	3,200.00 ✓	42.00 ✓	18.00 ✓ 400.00	50.00 ✓ .20 ✓	164.00 ✓ 272.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.12 ✓	30.00 ✓	.20 ✓
81G0717	3342	900.00 ✓	18.00 ✓	44.00 ✓ 1,500.00	50.00 ✓ .20 ✓	800.00 ✓ 440.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.44 ✓	18.00 ✓	.20 ✓
81G0718	3342	13,500.00 ✓	48.00 ✓	30.00 ✓ 500.00	64.00 ✓ .20 ✓	56.00 ✓ 300.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.90 ✓	10.00 ✓	.40 ✓
81G0719	3342						4,380.00 ✓			
81G0720	3342	4,600.00 ✓	56.00 ✓	50.00 ✓ 300.00	48.00 ✓ .20 ✓	460.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.26 ✓	18.00 ✓	.80 ✓
81G0721	3342	1,700.00 ✓	14.00 ✓	28.00 ✓ 130.00	38.00 ✓ .20 ✓	2.00 ✓ 520.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.16 ✓	6.00 ✓	.80 ✓
81G0722	3342	1,300.00 ✓	6.00 ✓	28.00 ✓ 400.00	24.00 ✓ .20 ✓	16.00 ✓ 780.00 ✓	80.00 ✓ 2.00 ✓	.20 ✓ 2.26 ✓	6.00 ✓	.80 ✓
81G0723	3342	1,350.00 ✓	14.00 ✓	32.00 ✓ 120.00	28.00 ✓ .20 ✓	4.00 ✓ 460.00 ✓	2,070.00 ✓ 2.00 ✓	.20 ✓ 2.04 ✓	8.00 ✓	.20 ✓
81G0724	3342		69.00 ✓	113.00 ✓	78.00 ✓ .20 ✓	329.00 ✓	25,520.00 ✓ 2.00 ✓	.20 ✓ 2.16 ✓	38.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu ✓ Hg Bi	Pb ✓ W ✓	Zn ✓ Cd ✓	Sn ✓ Mn ✓	Au Mo ✓	Ag ✓ Fe ✓	As ✓ Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-004-A								
81G0725	3342	3,900.00 ✓	22.00 ✓	34.00 ✓ 90.00 ✓	60.00 ✓ .20 ✓	550.00 ✓	20.00 ✓ 2.00 ✓	.20 ✓ 1.64 ✓	10.00 ✓	.80 ✓
81G0726	3342	7,300.00 ✓	10.00 ✓	30.00 ✓ 40.00 ✓	34.00 ✓ 12.80 ✓	4.00 ✓ 188.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.20 ✓	6.00 ✓	.20 ✓
81G0727	3342					<	10.00 ✓			
81G0728	3342	1,250.00 ✓	202.00 ✓	50.00 ✓ 50.00 ✓	20.00 ✓ .20 ✓	2.00 ✓ 410.00 ✓	3,290.00 ✓ 2.00 ✓	.20 ✓ 1.44 ✓	4.00 ✓	.40 ✓
81G0729	3342	700.00 ✓	54.00 ✓	16.00 ✓ 600.00 ✓	20.00 ✓ .20 ✓	8.00 ✓ 420.00 ✓	6,850.00 ✓ 2.00 ✓	.20 ✓ 1.84 ✓	6.00 ✓	.80 ✓
81G0730	3342	700.00 ✓	18.00 ✓	16.00 ✓ 650.00 ✓	36.00 ✓ .20 ✓	2.00 ✓ 580.00 ✓	1,910.00 ✓ 4.00 ✓	.20 ✓ 2.10 ✓	6.00 ✓	.20 ✓
81G0731	3342	19,000.00 ✓	20.00 ✓	32.00 ✓ 50.00 ✓	30.00 ✓ .20 ✓	2.00 ✓ 334.00 ✓	20.00 ✓ 2.00 ✓	.20 ✓ 1.06 ✓	6.00 ✓	3.20 ✓
81G0732	3342	11,500.00 ✓	44.00 ✓	16.00 ✓ 160.00 ✓	42.00 ✓ .20 ✓	4.00 ✓ 354.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.58 ✓	6.00 ✓	
81G0733	3342	4,750.00 ✓	22.00 ✓	12.00 ✓ 4.00 ✓	30.00 ✓ .20 ✓	12.00 ✓ 258.00 ✓	30.00 ✓ 2.00 ✓	.20 ✓ 1.24 ✓	4.00 ✓	.40 ✓
81G0734	3342	1,250.00 ✓	12.00 ✓	10.00 ✓ 70.00 ✓	30.00 ✓ .20 ✓	2.00 ✓ 314.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.66 ✓	6.00 ✓	.20 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-004-A								
81G0735	3342	1,700.00 ✓	6.00 ✓	14.00 ✓ 250.00 ✓	30.00 ✓ .20 ✓	208.00 ✓ 450.00 ✓	60.00 ✓ 2.00 ✓	.20 ✓ 1.60 ✓	8.00 ✓	.40 ✓
81G0736	3342		9.00 ✓	18.00 ✓	36.00 ✓ .20 ✓	792.00 ✓ 46,600.00 ✓	2.00 ✓	.20 ✓ 2.16 ✓	10.00 ✓	
81G0737	3342		5.00 ✓	31.00 ✓	44.00 ✓ .20 ✓	413.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.60 ✓	7.00 ✓	
81G0738	3342	1,300.00 ✓	4.00 ✓	8.00 ✓ 120.00 ✓	34.00 ✓ .20 ✓	32.00 ✓ 384.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.92 ✓	2.00 ✓	.20 ✓
81G0739	3342	10.00 ✓	198.00 ✓	2.00 ✓ 26.00 ✓	250.00 ✓ .20 ✓	2.00 ✓ 354.00 ✓	600.00 ✓ 4.00 ✓	1.40 ✓ 4.32 ✓	40.00 ✓	.40 ✓
81G0740	3342	95,000.00 ✓	254.00 ✓	2.00 ✓ 20.00 ✓	276.00 ✓ .20 ✓	2.00 ✓ 470.00 ✓	80.00 ✓ 2.00 ✓	1.80 ✓ 4.50 ✓	40.00 ✓	1.60 ✓
81G0741	3342	13,000.00 ✓	48.00 ✓	10.00 ✓ 180.00 ✓	38.00 ✓ .20 ✓	76.00 ✓ 600.00 ✓	290.00 ✓ 2.00 ✓	.20 ✓ 2.68 ✓	12.00 ✓	.20 ✓
81G0743	3342	1,300.00 ✓	28.00 ✓	32.00 ✓ 20.00 ✓	54.00 ✓ .20 ✓	2.00 ✓ 410.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.08 ✓	6.00 ✓	.40 ✓
81G0744	3342	29,000.00 ✓	10.00 ✓	14.00 ✓ 70.00 ✓	50.00 ✓ .20 ✓	36.00 ✓ 426.00 ✓	30.00 ✓ 2.00 ✓	5.00 ✓ 1.20 ✓	10.00 ✓	.80 ✓
81G0745	3342	1,750.00 ✓	6.00 ✓	16.00 ✓ 350.00 ✓	40.00 ✓ .20 ✓	4.00 ✓ 656.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 1.70 ✓	4.00 ✓	.20 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce	
LAB: CHEMEX		CERTIFICATE: A8115400-004-A									
81G0746	3342	850.00 ✓	4.00 ✓	20.00 ✓ 450.00 ✓	42.00 ✓ .20 ✓	32.00 ✓ 630.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.62 ✓	4.00 ✓	.40 ✓	
81G0747	3342	900.00 ✓	16.00 ✓	20.00 ✓ 250.00 ✓	48.00 ✓ .20 ✓	44.00 ✓ 590.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.84 ✓	12.00 ✓	.20 ✓	
81G0748	3342	2,200.00 ✓	38.00 ✓	16.00 ✓ 170.00 ✓	74.00 ✓ .20 ✓	4.00 ✓ 490.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 1.60 ✓	4.00 ✓	.20 ✓	
81G0749	3342		84.00 ✓	12.00 ✓	100.00 ✓ .20 ✓	< 315.00 ✓	10.00 ✓ 2.00 ✓	.60 ✓ 1.86 ✓	6.00 ✓		
81G0750	3342		226.00 ✓	21.00 ✓	213.00 ✓ .20 ✓	317.00 ✓ OX	10.00 ✓ 2.00 ✓	.20 ✓ 1.92 ✓	11.00 ✓		
81G0093	3342	1.14 ✓	40.00	10.00	100.00 .20	< 450.00	10.00 2.00	.20 1.80	20.00		
81G0469	3342	2.50 ✓ 6,200.00	264.00	126.00 160.00	74.00 .20	240.00 320.00	12,120.00 2.00	.40 2.64	60.00	.40	
81G0494	3342	28.75 ✓ 1,100.00	16.00	2.00 4.00	24.00 .20	4.00 < 294.00	10.00 4.00	.20 1.84	4.00	.40	
81G0495	3342	1.84 ✓ 8,600.00	28.00	22.00 35.00	42.00 .20	< 298.00	10.00 2.00	.20 1.62	4.00		
81G0536	3342	14.61 ✓ 700.00	8.00	32.00 36.00	38.00 .20	12.00 440.00	20.00 2.00	.20 2.66	6.00	.40	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------	----------	------	-------	-------	-------	-------	-------	-------

LAB: CHEMEX CERTIFICATE: A8115400-001-A

81G0593	3342	9.85 ✓ 58,000.00	46.00	12.00 26.00	124.00 .20	12.00 < 270.00	10.00 4.00	.20 2.64	10.00	1.20
81G0594	3342	5.69 ✓ 23,000.00	56.00	14.00 40.00	110.00 .20	20.00 510.00	50.00 6.00	.20 1.96	8.00	.40
81G0595	3342	2.46 ✓ 42,000.00	228.00	6.00 50.00	70.00 .20	< 430.00	10.00 2.00	.20 1.62	10.00	.20
81G0596	3342	< .01 ✓								
81G0598	3342	5.40 ✓ 17,000.00	176.00	26.00 70.00	96.00 .20	116.00 276.00	4,330.00 2.00	.20 1.94	54.00	.40
81G0599	3342	3.09 ✓ 45,000.00	128.00	14.00 12.00	190.00 .60	2.00 < 220.00	10.00 2.00	.20 1.30	30.00	1.60
81G0602	3342	.10 ✓	165.00	2.00	66.00 29.00	530.00	2.00	.20 2.60	20.00	
81G0609	3342	8.53 ✓ 2,100.00	168.00	46.00 70.00	910.00 .20	12.00 410.00	180.00 6.00	.20 5.60	188.00	1.60
81G0610	3342	5.82 ✓ 35,000.00	208.00	24.00 50.00	120.00 .20	24.00 382.00	550.00 4.00	.20 1.92	8.00	.40
81G0612	3342	2.88 ✓ 37,000.00	36.00	8.00 80.00	62.00 .20	52.00 450.00	130.00 2.00	.20 1.42	6.00	.20

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ca
LAB: CHEMEX		CERTIFICATE: A8115400-001-A								
81G0613	3342	4.25 ✓ 70,000.00	40.00	8.00 250.00	76.00 .20	72.00 < 370.00	10.00 2.00	.20 1.12	6.00	.20
81G0615	3342	3.26 ✓ 41,000.00	38.00	6.00 140.00	112.00 .20	64.00 490.00	2,000.00 2.00	.20 1.61	12.00	.20
81G0617	3342	7.90 ✓ > 20,000.00	88.00	2.00 40.00	186.00 .20	12.00 400.00	410.00 2.00	.20 1.04	20.00	.40
81G0618	3342	.37 ✓				< 30.00				
81G0619	3342	5.29 ✓ 130,000.00	158.00	2.00 70.00	198.00 1.40	20.00 700.00	540.00 2.00	.60 1.60	20.00	1.20
81G0620	3342	.87 ✓				< 10.00				
81G0621	3342	3.92 ✓ 5,100.00	26.00	10.00 12.00	40.00 .40	12.00 < 520.00	10.00 2.00	.20 2.02	2.00	.20
81G0622	3342	3.80 ✓ 24,500.00	24.00	4.00 40.00	80.00 .20	44.00 610.00	1,270.00 2.00	.20 2.20	4.00	.20
81G0623	3342	1.19 ✓	60.00	10.00	190.00 .20	< 500.00	10.00 2.00	.20 2.35	10.00	
81G0624	3342	5.66 ✓ 21,000.00	98.00	26.00 44.00	164.00 .60	24.00 490.00	19,170.00 2.00	.20 2.72	14.00	.40

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX CERTIFICATE: A8115400-001-A										
81G0625	3342	1.04 ✓					1,150.00			
81G0626	3342	3.56 ✓ 32,500.00	398.00	18.00 160.00	330.00 2.60	120.00 302.00	10.00 2.00	2.40 3.50	730.00	.20
81G0627	3342	1.65 ✓ 6,500.00	178.00	46.00	176.00 .60	< 430.00	10.00 2.00	.20 3.16	146.00	
81G0628	3342	2.38 ✓ 24,500.00	910.00	28.00 20.00	280.00 1.40	< 490.00	10.00 2.00	.80 6.20	380.00	1.50
81G0629	3342	1.09 ✓	40.00	2.00	260.00 .20	< 480.00	10.00 2.00	.20 2.00	30.00	
81G0630	3342	2.67 ✓ 62,000.00	68.00	20.00 90.00	150.00 .60	132.00 334.00	30.00 2.00	1.00 2.08	20.00	.40
81G0631	3342	2.58 ✓ 70,000.00	46.00	10.00 100.00	80.00 .20	144.00 610.00	30.00 2.00	.20 1.78	8.00	.40
81G0632	3342	1.75 ✓ 80,000.00	550.00	2.00 300.00	470.00 4.00	202.00	9,630.00 2.00	.20 1.56	194.00	
81G0633	3342	2.81 ✓ 53,000.00	560.00	6.00 50.00	3,500.00 35.20	40.00 392.00	4,970.00 10.00	2.80 15.20	550.00	2.80
81G0634	3342	2.29 ✓ 63,000.00	590.00	96.00 20.00	3,500.00 10.20	760.00	113,750.00 6.00	3.00 26.00	232.00	2.00

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-001-A								
81G0635	3342	2.98 ✓ 41,000.00	48.00	8.00 200.00	88.00 .20	400.00 540.00	6,640.00 2.00	1.20 2.34	18.00	.20
81G0636	3342	1.64 ✓ 80,000.00	58.00	6.00	218.00 1.00	< 296.00	1.00 2.00	.20 2.58	20.00	
81G0637	3342	3.24 ✓ 80,000.00	42.00	4.00 70.00	104.00 .40	84.00 196.00	348.00 2.00	.20 1.20	24.00	.20
81G0638	3342	.81 ✓					30.00			
81G0639	3342	.44 ✓				<	20.00			
81G0640	3342	.73 ✓				<	20.00			
81G0642	3342	2.71 ✓ 77,000.00	36.00	2.00 90.00	118.00 .40	92.00 < 244.00	10.00 2.00	.20 1.16	22.00	.40
81G0643	3342	7.09 ✓ 160,000.00	104.00	2.00 22.00	246.00 2.40	28.00 < 186.00	10.00 2.00	.20 1.30	20.00	.40
81G0644	3342	4.14 ✓ 76,000.00	30.00	2.00 250.00	82.00 .20	720.00 334.00	5,300.00 2.00	6.60 1.08	10.00	1.20
81G0645	3342	1.86 ✓ 61,000.00	90.00	10.00 350.00	66.00 .20	500.00	1,230.00 2.00	.20 1.60	12.00	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-001-A								
81G0646	3342	3.08 ✓ 91,000.00	104.00	8.00 90.00	280.00 1.40	144.00 214.00	1,000.00 2.00	1.00 4.50	114.00	.80
81G0647	3342	.16 ✓	23.00	154.00	46.00 .20	2,115.00	2.00	.20 2.31	24.00	
81G0648	3342	.98 ✓					8,780.00			
81G0649	3342	4.19 ✓ 55,000.00	152.00	14.00 50.00	386.00 2.80	84.00 280.00	30,070.00 4.00	.80 7.32	90.00	.80
81G0650	3342	1.39 ✓	59.00	11.00	113.00 .30	390.00	15,050.00 2.00	.20 1.89	17.00	
81G0651	3342	1.38 ✓	232.00	3.00	890.00 8.90	292.00	19,740.00 2.00	.20 4.35	220.00	
81G0652	3342	1.74 ✓ 54,000.00	92.00	42.00 500.00	88.00 .20	490.00	5,340.00 6.00	9.60 2.44	46.00	
81G0653	3342	2.93 ✓ 73,000.00	42.00	10.00 130.00	66.00 .20	140.00 400.00	970.00 2.00	1.00 1.60	30.00	.40
81G0654	3342	1.14 ✓					11,680.00			
81G0656	3342	5.88 ✓ 16,000.00	48.00	18.00 450.00	60.00 .20	92.00 700.00	1,030.00 2.00	.20 2.66	14.00	.20

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-001-A								
81G0657	3342	7.13 ✓ 84,000.00	42.00	10.00 400.00	48.00 .20	80.00 560.00	1,010.00 2.00	.20 1.50	8.00	.40
81G0658	3342	5.98 ✓ 61,000.00	204.00	16.00 1,950.00	10.00 .40	192.00 830.00	330.00 4.00	.20 2.00	12.00	.80
81G0659	3342	4.79 ✓ 70,000.00	74.00	20.00 400.00	92.00 .20	320.00 352.00	16,000.00 2.00	.60 1.36	18.00	.40
81G0660	3342	7.00 ✓ 50,000.00	18.00	6.00 110.00	40.00 .20	16.00 386.00	400.00 2.00	.20 1.20	6.00	.40
81G0661	3342	3.06 ✓ 4,600.00	80.00	54.00 160.00	52.00 .20	12.00 540.00	3,440.00 2.00	1.20 3.34	30.00	.20
81G0662	3342	4.61 ✓ 9,000.00	36.00	30.00 350.00	46.00 .20	20.00 450.00	1,860.00 2.00	5.40 2.20	30.00	.20
81G0663	3342	51.29 ✓ 8,100.00	104.00	50.00 120.00	80.00 .20	2.00 440.00	91,140.00 2.00	.40 3.38	290.00	.80
81G0664	3342	3.45 ✓ 36,000.00	260.00	32.00 90.00	150.00 .20	20.00 460.00	3,300.00 2.00	.40 4.36	170.00	.40
81G0665	3342	12.39 ✓ 1,700.00	50.00	26.00 110.00	132.00 .20	2.00 440.00	10.00 2.00	1.20 2.30	134.00	.20
81G0666	3342	5.78 ✓ 6,700.00	68.00	42.00 150.00	322.00 .80	16.00 770.00	10.00 2.00	.40 2.20	66.00	.20

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------	----------	------	-------	-------	-------	-------	-------	-------

LAB: CHEMEX CERTIFICATE: A8115400-001-A

81G0667	3342	8.01 ✓ 4,500.00	44.00	22.00 300.00	54.00 .20	24.00 830.00	8,780.00 4.00	.20 2.50	34.00	.20
81G0668	3342	5.83 ✓ 3,300.00	8.00	12.00 750.00	30.00 .20	56.00 840.00	3,740.00 6.00	.20 2.10	8.00	.40
81G0669	3342	6.37 ✓ 1,900.00	6.00	10.00 70.00	22.00 .20	4.00 < 710.00	10.00 2.00	.20 1.64	6.00	.40
81G0670	3342	4.12 ✓ 48,000.00	48.00	10.00 350.00	60.00 .20	28.00 < 700.00	10.00 2.00	.20 1.58	38.00	.20
81G0673	3342	3.52 ✓ 7,000.00	8.00	32.00 50.00	52.00 .20	20.00 560.00	1,710.00 4.00	.20 1.94	22.00	.20
81G0674	3342	796 ✓				<	20.00			
81G0676	3342	4.19 ✓ 2,800.00	44.00	14.00 120.00	44.00 .20	16.00 < 388.00	10.00 2.00	.20 1.26	8.00	.20
81G0677	3342	1.92 ✓ 3,300.00	30.00	18.00 80.00	60.00 .20	< 530.00	10.00 4.00	.20 1.66	20.00	
81G0678	3342	3.21 ✓ 680.00	14.00	10.00 80.00	38.00 .20	12.00 490.00	3,030.00 2.00	.20 1.30	6.00	.40
81G0679	3342	1.39 ✓	8.00	12.00	32.00 .20		3,930.00 2.00	.20 2.19	14.00	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX CERTIFICATE: A8115400-001-A										
81G0680	3342	3.46 ✓ 7,800.00	18.00	26.00 70.00	48.00 .20	16.00 < 440.00	10.00 2.00	.20 1.96	30.00	.20
81G0681	3342	3.25 ✓ 41,000.00	70.00	14.00 150.00	108.00 .20	60.00 600.00	3,690.00 2.00	1.00 2.06	126.00	.40
81G0682	3342	4.13 ✓ 25,000.00	94.00	46.00 50.00	144.00 .20	40.00 < 670.00	10.00 2.00	.20 3.60	50.00	.80
81G0683	3342	3.51 ✓ 64,000.00	88.00	14.00 400.00	94.00 .20	32.00 500.00	5,310.00 2.00	.20 2.52	126.00	.40
81G0684	3342	3.05 ✓ 3,100.00	14.00	14.00 160.00	42.00 .20	24.00 740.00	10.00 2.00	.20 1.88	10.00	.20
81G0685	3342	2.90 ✓ 7,200.00	66.00	26.00 100.00	90.00 .20	2.00 < 580.00	10.00 2.00	.20 2.66	126.00	.20
81G0686	3342	1.86 ✓ 1,000.00	28.00	160.00 60.00	100.00 .20	< 440.00	10.00 2.00	.20 2.46	20.00	
81G0687	3342	2.90 ✓ 1,200.00	10.00	32.00 40.00	62.00 .20	36.00 410.00	20.00 2.00	.20 1.90	8.00	.40
81G0688	3342	1.91 ✓ 1,950.00	14.00	26.00 10.00	144.00 .20	< 1,050.00	10.00 2.00	.20 5.04	12.00	
81G0689	3342	1.67 ✓ 2,300.00	4.00	10.00	48.00 .20	< 460.00	10.00 2.00	.20 1.84	8.00	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------	----------	------	-------	-------	-------	-------	-------	-------

LAB: CHEMEX CERTIFICATE: A8115400-001-A

81G0690	3342	6.25 ✓ 1,200.00	28.00	28.00 120.00	58.00 .20	112.00 540.00	40.00 2.00	.20 1.94	3.00	.20
81G0691	3342	4.03 ✓ 6,800.00	10.00	18.00 90.00	58.00 .20	16.00 600.00	80.00 4.00	.20 2.00	22.00	.20
81G0692	3342	2.15 ✓ 1,000.00	12.00	50.00 120.00	60.00 .20	< 490.00	10.00 2.00	.20 2.26	6.00	.40
81G0693	3342	.85 ✓				<	20.00			
81G0694	3342	1.57 ✓	32.00	42.00	60.00 .20	< 370.00	10.00 2.00	.20 1.76	14.00	
81G0695	3342	3.19 ✓ 750.00	10.00	26.00 150.00	32.00 .20	12.00 < 410.00	10.00 2.00	.20 1.84	9.00	.20
81G0696	3342	3.87 ✓ 1,150.00	36.00	16.00 160.00	34.00 .20	2.00 < 470.00	10.00 2.00	.20 1.76	6.00	.20
81G0697	3342	3.70 ✓ 950.00	8.00	16.00 90.00	30.00 .20	2.00 < 440.00	10.00 2.00	.20 1.64	6.00	.20
81G0698	3342	8.39 ✓ 1,200.00	16.00	20.00 180.00	36.00 .20	4.00 < 540.00	10.00 4.00	.20 1.84	6.00	.20
81G0699	3342	5.63 ✓ 1,400.00	30.00	30.00 200.00	36.00 .20	32.00 440.00	470.00 6.00	.20 1.88	4.00	.40

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-001-A								
81G0700	3342	1.83 ✓ 3,000.00	100.00	18.00 45.00	68.00 .20	710.00	43,150.00 2.00	.20 3.30	58.00	
81G0701	3342	5.36 ✓ 88,000.00	16.00	4.00 150.00	108.00 .20	92.00 < 330.00	10.00 2.00	.20 .50	10.00	4.00
81G0702	3342	3.52 ✓ 32,000.00	134.00	46.00 800.00	82.00 .20	500.00 260.00	100.00 4.00	.20 .98	30.00	.20
81G0703	3342	1.43 ✓	68.00	68.00	197.00 .50	513.00 <	10.00 5.00	.20 1.97	39.00	
81G0704	3342	6.30 ✓ 8,700.00	216.00	12.00 550.00	62.00 .20	20.00 900.00	4,790.00 4.00	.20 2.10	6.00	.40
81G0705	3342	4.78 ✓ 77,000.00	106.00	80.00 350.00	480.00 3.20	720.00 < 134.00	10.00 4.00	.40 1.50	70.00	1.60
81G0706	3342	6.78 ✓ 6,400.00	138.00	28.00 560.00	180.00 .20	12.00 < 470.00	10.00 4.00	.20 2.16	10.00	.80
81G0707	3342	7.89 ✓ 1,300.00	28.00	12.00 170.00	20.00 .20	8.00 < 194.00	10.00 2.00	.20 .96	4.00	2.40
81G0708	3342	4.31 ✓ 11,000.00	10.00	12.00 450.00	28.00 .20	16.00 < 600.00	10.00 2.00	.20 1.46	4.00	.20
81G0709	3342	2.07 ✓ 2,600.00	42.00	6.00 150.00	26.00 .20	2.00 < 1,090.00	10.00 2.00	.20 1.76	12.00	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------	----------	------	-------	-------	-------	-------	-------	-------

LAB: CHEMEX CERTIFICATE: A8115400-001-A

81G0710	3342	6.05 ✓ 2,200.00	104.00	56.00 350.00	96.00 .20	840.00 < 344.00	10.00 6.00	.20 3.30	40.00	1.60
81G0711	3342	2.39 ✓ 1,800.00	282.00	310.00 2,100.00	100.00 .20	1,220.00 280.00	12.00	.20 > 3.20	1,000.00	1.20
81G0712	3342	2.27 ✓ 16,500.00	98.00	1,640.00 250.00	104.00 .20	26,360.00 350.00	4.00 4.00	4.00 1.84	46.00	1.50
81G0713	3342	3.96 ✓ 1,000.00	14.00	48.00 100.00	36.00 .20	108.00 324.00	5,390.00 2.00	.20 1.82	20.00	1.60
81G0714	3342	2.25 ✓ 63,000.00	156.00	50.00 60.00	548.00 .20	200.00 <	10.00 2.00	.20 3.44	90.00	1.20
81G0715	3342	.90 ✓				<	20.00			
81G0716	3342	4.34 ✓ 3,200.00	42.00	18.00 400.00	50.00 .20	164.00 < 272.00	10.00 2.00	.20 2.12	30.00	.20
81G0717	3342	4.51 ✓ 900.00	18.00	44.00 1,500.00	50.00 .20	800.00 < 440.00	10.00 2.00	.20 2.44	18.00	.20
81G0718	3342	5.42 ✓ 13,500.00	48.00	30.00 500.00	64.00 .20	56.00 < 300.00	10.00 2.00	.20 1.90	10.00	.40
81G0719	3342	.67 ✓					4,380.00			

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-001-A								
81G0720	3342	2.17 ✓ 4,600.00	56.00	50.00 300.00	48.00 .20	< 460.00	10.00 2.00	.20 2.26	18.00	.80
81G0721	3342	8.27 ✓ 1,700.00	14.00	28.00 130.00	38.00 .20	2.00 < 520.00	10.00 2.00	.20 2.16	6.00	.80
81G0722	3342	6.56 ✓ 1,300.00	6.00	28.00 400.00	24.00 .20	16.00 780.00	80.00 2.00	.20 2.26	6.00	.80
81G0723	3342	3.85 ✓ 1,350.00	14.00	32.00 120.00	28.00 .20	4.00 460.00	2,070.00 2.00	.20 2.04	8.00	.20
81G0724	3342	1.36 ✓	69.00	113.00	78.00 .20	25,520.00 329.00	2.00 2.00	.20 2.16	38.00	
81G0725	3342	2.08 ✓ 3,900.00	22.00	34.00 90.00	60.00 .20	550.00	20.00 2.00	.20 1.64	10.00	.80
81G0726	3342	4.74 ✓ 7,300.00	10.00	30.00 40.00	34.00 12.80	4.00 < 188.00	10.00 2.00	.20 1.20	6.00	.20
81G0727	3342	.74 ✓				<	10.00			
81G0728	3342	3.57 ✓ 1,250.00	202.00	50.00 50.00	20.00 .20	2.00 410.00	3,290.00 2.00	.20 1.44	4.00	.40
81G0729	3342	9.89 ✓ 700.00	54.00	16.00 600.00	20.00 .20	8.00 420.00	6,850.00 2.00	.20 1.84	6.00	.80

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-001-A								
81G0730	3342	7.53 ✓ 700.00	18.00	16.00 650.00	36.00 .20	2.00 580.00	1,910.00 4.00	.20 2.10	6.00	.20
81G0731	3342	6.50 ✓ 19,000.00	20.00	32.00 50.00	30.00 .20	2.00 334.00	20.00 2.00	.20 1.06	6.00	3.20
81G0732	3342	2.01 ✓ 11,500.00	44.00	16.00 160.00	42.00 .20	4.00 < 354.00	10.00 2.00	.20 1.58	6.00	
81G0733	3342	4.48 ✓ 4,750.00	22.00	12.00 4.00	30.00 .20	12.00 258.00	30.00 2.00	.20 1.24	4.00	.40
81G0734	3342	14.16 ✓ 1,250.00	12.00	10.00 70.00	30.00 .20	2.00 < 314.00	10.00 2.00	.20 1.66	6.00	.20
81G0735	3342	4.95 ✓ 1,700.00	6.00	14.00 250.00	30.00 .20	208.00 450.00	60.00 2.00	.20 1.60	8.00	.40
81G0736	3342	1.21 ✓	9.00	18.00	36.00 .20	792.00	46,600.00 2.00	.20 2.16	10.00	
81G0737	3342	1.56 ✓	5.00	31.00	44.00 .20	413.00	10.00 2.00	.20 1.60	7.00	
81G0738	3342	9.85 ✓ 1,300.00	4.00	8.00 120.00	34.00 .20	32.00 < 384.00	10.00 2.00	.20 1.92	2.00	.20
81G0739	3342	6.66 ✓ 10.00	198.00	2.00 26.00	250.00 .20	2.00 354.00	600.00 4.00	1.40 4.32	40.00	.40

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115400-001-A								
81G0740	3342	5.41 ✓ 95,000.00	254.00	2.00 20.00	276.00 .20	2.00 470.00	80.00 2.00	1.80 4.50	40.00	1.60
81G0741	3342	9.26 ✓ 13,000.00	48.00	10.00 180.00	38.00 .20	76.00 600.00	290.00 2.00	.20 2.68	12.00	.20
81G0743	3342	3.09 ✓ 1,300.00	28.00	32.00 20.00	54.00 .20	2.00 < 410.00	10.00 2.00	.20 2.08	6.00	.40
81G0744	3342	3.28 ✓ 29,000.00	10.00	14.00 70.00	50.00 .20	36.00 426.00	30.00 2.00	5.00 1.20	10.00	.80
81G0745	3342	9.99 ✓ 1,750.00	6.00	16.00 350.00	40.00 .20	4.00 < 656.00	10.00 4.00	.20 1.70	4.00	.20
81G0746	3342	3.11 ✓ 850.00	4.00	20.00 450.00	42.00 .20	32.00 < 630.00	10.00 2.00	.20 1.62	4.00	.40
81G0747	3342	3.37 ✓ 900.00	16.00	20.00 250.00	48.00 .20	44.00 < 590.00	10.00 2.00	.20 1.84	12.00	.20
81G0748	3342	5.40 ✓ 2,200.00	38.00	16.00 170.00	74.00 .20	4.00 < 490.00	10.00 2.00	.20 1.60	4.00	.20
81G0749	3342	1.39 ✓	84.00	12.00	100.00 .20	< 315.00	10.00 2.00	.60 1.86	6.00	
81G0750	3342	1.51 ✓	226.00	21.00	213.00 .20	< 317.00	10.00 2.00	.20 1.92	11.00	

**THIS DATA WAS ENTERED BY: LYNNT EXPLORE POSTED AT: 16:07:36