

Chemax.

Cont. # A8114674 - 001-C

Sample # 8160004, Ba ~~100~~ should be 8400.0 ^{OK}

Sample # 8160009, Ba should be > 50,000.0 ✓

Sample # 8160004, Au should be 50.0

016142



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # A8114674-001-A
 INVOICE # 18114674
 DATE 27-NOV-81
 P.O. # NONE


ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81 G 00X 60HN	205	41	4	68	155	4.6	1.1
81 G 001 60HN	205	133	2	300	165	46.0	0.9
81 G 002 60HN	205	80	1	225	135	4.2	0.5
81 G 003 60HN	205	14	1	29	46	0.8	0.6
81 G 004 60HN	205	25	3	21	68	1.4	0.6
81 G 004B 60HN	205	69	3	255	76	4.7	1.0
81 G 005 60HN	205	14	6	104	52	1.6	0.4
81 G 006 60HN	205	18	4	208	104	2.6	1.8
81 G 007 60HN	205	365	2	48	84	1.2	0.4
81 G 008 60HN	205	28	4	92	84	0.2	0.8
81 G 008B 60HN	205	20	4	48	88	1.6	0.4
81 G 009 60HN	205	100	2	14	154	0.2	0.2
81 G 010 60HN	205	150	6	58	230	0.4	0.2
81 G 011 60HN	205	22	2	36	90	0.2	0.2
81 G 012 60HN	205	32	2	50	92	0.2	0.6
81 G 013 60HN	205	30	2	70	108	0.6	0.2
81 G 014 60HN	205	1600	2	60	240	1.6	2.0
81 G 015 60HN	205	280	4	78	98	0.8	0.2
81 G 016 60HN	205	22	4	20	70	0.2	0.2
81 G 017 60HN	205	30	6	20	70	1.4	0.4
81 G 018 60HN	205	32	2	30	78	0.6	0.2
81 G 019 60HN	205	16	4	74	90	0.6	0.6
81 G 020 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 021 60HN	205	32	4	36	116	0.8	0.2
81 G 022 60HN	205	132	2	116	540	1.6	0.4
81 G 023 60HN	205	166	2	72	164	1.0	0.2
81 G 024 60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81 G 025 60HN	205	188	2	68	114	0.8	0.2
81 G 030 60HN	205	26	2	48	60	0.2	0.2
81 G 031 60HN	205	34	4	128	180	0.4	1.8
81 G 032 60HN	205	36	2	54	276	0.2	1.2
81 G 033 60HN	205	196	2	146	170	7.4	0.8
81 G 034 60HN	205	28	2	48	128	0.4	0.6
81 G 035 60HN	205	24	2	26	56	0.6	0.2
81 G 036 60HN	205	28	2	100	80	0.8	0.4
81 G 037 60HN	205	34	2	36	86	0.2	0.4
81 G 038 60HN	205	24	2	62	76	0.4	0.2
81 G 039 60HN	205	38	2	20	72	0.2	0.2
81 G 040 60HN	205	70	2	82	106	0.4	0.2
81 G 041 60HN	205	200	2	32	86	0.4	0.2

Certified by *Hart Bichler*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # A8114674-001-8
 INVOICE # 18114674
 DATE 27-NOV-81
 P.O. # NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81 G 00X 60HN	205	1.85	590	24	600	52	20.0
81 G 001 60HN	205	2.05	415	45	N.S.S.✓	N.S.S.✓	N.S.S. x
81 G 002 60HN	205	2.30	360	45	590	12	0.4
81 G 003 60HN	205	1.70	555	6	290	92	0.4
81 G 004 60HN	205	2.05	655	10	540	80	2.4
81 G 004B 60HN	205	1.90	640	83	N.S.S.✓	N.S.S.✓	N.S.S.✓ x
81 G 005 60HN	205	2.70	660	4	190	180	0.8
81 G 006 60HN	205	2.80	615	20	150	940	4.8
81 G 007 60HN	205	3.70	430	28	N.S.S.✓	N.S.S.✓	N.S.S.✓ x
81 G 008 60HN	205	3.90	445	6	300	640	1.6
81 G 008B 60HN	205	3.50	455	6	275	840	0.8
81 G 009 60HN	205	2.10	275	24	140	364	10.4
81 G 010 60HN	205	4.65	645	10	85	104	0.8
81 G 011 60HN	205	2.45	350	10	100	104	0.4
81 G 012 60HN	205	2.60	500	4	150	220	0.8
81 G 013 60HN	205	3.45	490	114	140	344	1.6
81 G 014 60HN	205	7.50	350	44	N.S.S.✓	N.S.S.✓	N.S.S.✓ x
81 G 015 60HN	205	3.80	430	12	140	N.S.S.✓	4.4
81 G 016 60HN	205	3.60	860	4	440	48	3.2
81 G 017 60HN	205	3.85	1040	4	480	100	0.4
81 G 018 60HN	205	3.80	910	6	400	76	1.6
81 G 019 60HN	205	2.90	800	4	100	N.S.S.✓	1.8
81 G 020 60HN	205	N.S.S.✓	N.S.S.✓	N.S.S.✓	570	N.S.S.✓	N.S.S.✓
81 G 021 60HN	205	3.40	655	8	190	N.S.S.✓	N.S.S.✓
81 G 022 60HN	205	4.50	1000	580	N.S.S.✓	N.S.S.✓	N.S.S.✓ x
81 G 023 60HN	205	7.60	620	220	520	N.S.S.✓	1.6
81 G 024 60HN	205	N.S.S.✓	N.S.S.✓	N.S.S.✓	N.S.S.✓	N.S.S.✓	N.S.S.✓
81 G 025 60HN	205	5.55	635	430	400	N.S.S.✓	N.S.S.✓
81 G 030 60HN	205	2.30	370	20	420	28	0.8
81 G 031 60HN	205	3.70	740	30	155	N.S.S.✓	N.S.S.✓
81 G 032 60HN	205	2.55	780	12	140	N.S.S.✓	2.0
81 G 033 60HN	205	3.25	485	166	85	112	2.4
81 G 034 60HN	205	2.70	415	8	100	68	0.8
81 G 035 60HN	205	2.50	270	18	105	12	0.4
81 G 036 60HN	205	2.60	660	12	N.S.S.✓	N.S.S.✓	N.S.S.✓
81 G 037 60HN	205	2.40	470	14	500	N.S.S.✓	1.6
81 G 038 60HN	205	2.50	430	6	190	28	3.2
81 G 039 60HN	205	2.95	580	8	N.S.S.✓	N.S.S.✓	N.S.S.✓
81 G 040 60HN	205	3.70	550	6	100	24	1.6
81 G 041 60HN	205	3.50	500	380	395	48	0.8



Certified by *H. B. Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # A8114674-001-C
 INVOICE # 18114674
 DATE 27-NOV-81
 P.O. # NONE

ATTN: GREG JILSEN

Sample description	Prep code	Ba ppm	Au NAA ppb				
81 G 00X 60HN	205	7500	<10	--	--	--	--
81 G 001 60HN	205	N.S.S.✓	4630	--	--	--	--
81 G 002 60HN	205	6500	10	--	--	--	--
81 G 003 60HN	205	450	10	--	--	--	--
81 G 004 60HN	205	8400	50	--	--	--	--
81 G 004B 60HN	205	N.S.S.✓	600	--	--	--	--
81 G 005 60HN	205	2000	<10	--	--	--	--
81 G 006 60HN	205	700	<10	--	--	--	--
81 G 007 60HN	205	N.S.S.✓	60	--	--	--	--
81 G 008 60HN	205	2300	<10	--	--	--	--
81 G 008B 60HN	205	9500	<10	--	--	--	--
81 G 009 60HN	205	>50000	<10	--	--	--	--
81 G 010 60HN	205	15400	380	--	--	--	--
81 G 011 60HN	205	700	<10	--	--	--	--
81 G 012 60HN	205	3500	<10	--	--	--	--
81 G 013 60HN	205	800	<10	--	--	--	--
81 G 014 60HN	205	N.S.S.✓	5830	--	--	--	--
81 G 015 60HN	205	19000	520	--	--	--	--
81 G 016 60HN	205	1100	<10	--	--	--	--
81 G 017 60HN	205	1100	<10	--	--	--	--
81 G 018 60HN	205	700	<10	--	--	--	--
81 G 019 60HN	205	500	<10	--	--	--	--
81 G 020 60HN	205	700	<10	--	--	--	--
81 G 021 60HN	205	2900	<10	--	--	--	--
81 G 022 60HN	205	N.S.S.✓	<17	--	--	--	--
81 G 023 60HN	205	7700	10	--	--	--	--
81 G 024 60HN	205	N.S.S.✓	11	--	--	--	--
81 G 025 60HN	205	10000	10	--	--	--	--
81 G 030 60HN	205	3300	<10	--	--	--	--
81 G 031 60HN	205	600	<10	--	--	--	--
81 G 032 60HN	205	950	<10	--	--	--	--
81 G 033 60HN	205	2950	40	--	--	--	--
81 G 034 60HN	205	850	<10	--	--	--	--
81 G 035 60HN	205	2000	<10	--	--	--	--
81 G 036 60HN	205	x N.S.S.✓	<10	--	--	--	--
81 G 037 60HN	205	1650	10	--	--	--	--
81 G 038 60HN	205	1950	10	--	--	--	--
81 G 039 60HN	205	x N.S.S.✓	<10	--	--	--	--
81 G 040 60HN	205	14000	70	--	--	--	--
81 G 041 60HN	205	16000	40	--	--	--	--



Certified by *Hart Beckler*

18FEB82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 1

SAMPLE CODE	TEST CODE	WT Bd U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114674-001-A								
81G000X	3342	7,500.00 ✓	41.00 ✓	68.00 ✓ 600.00 ✓	155.00 ✓ 1.10 ✓	52.00 ✓ 590.00 ✓	10.00 ✓ 4.00 ✓	4.60 ✓ 1.85 ✓	24.00 ✓	20.00 ✓
81G0001	3342		133.00 ✓	300.00 ✓	165.00 ✓ .90 ✓	415.00 ✓	4,630.00 ✓ 2.00 ✓	46.00 ✓ 2.05 ✓	45.00 ✓	
81G0002	3342	6,500.00 ✓	80.00 ✓	225.00 ✓ 590.00 ✓	135.00 ✓ .50 ✓	12.00 ✓ 360.00 ✓	10.00 ✓ 1.00 ✓	4.20 ✓ 2.30 ✓	45.00 ✓	.40 ✓
81G0003	3342	450.00 ✓	14.00 ✓	29.00 ✓ 290.00 ✓	46.00 ✓ .60 ✓	92.00 ✓ 555.00 ✓	10.00 ✓ 1.00 ✓	.80 ✓ 1.70 ✓	6.00 ✓	.40 ✓
81G0004	3342	<u>8400</u> 450.00 ✓ X	25.00 ✓	21.00 ✓ 540.00 ✓	68.00 ✓ .60 ✓	80.00 ✓ 655.00 ✓	<u>50.0</u> 10.00 ✓ X 3.00 ✓	1.40 ✓ 2.05 ✓	10.00 ✓	2.40 ✓
81G0004(B)	3342		69.00 ✓	255.00 ✓	76.00 ✓ 1.00 ✓	640.00 ✓	600.00 ✓ 3.00 ✓	4.70 ✓ 1.90 ✓	83.00 ✓	
81G0005	3342	2,000.00 ✓	14.00 ✓	104.00 ✓ 190.00 ✓	52.00 ✓ .40 ✓	180.00 ✓ 660.00 ✓	10.00 ✓ 6.00 ✓	1.60 ✓ 2.70 ✓	4.00 ✓	.80 ✓
81G0006	3342	700.00 ✓	18.00 ✓	208.00 ✓ 150.00 ✓	104.00 ✓ 1.80 ✓	940.00 ✓ 615.00 ✓	10.00 ✓ 4.00 ✓	2.60 ✓ 2.80 ✓	20.00 ✓	4.80 ✓
81G0007	3342		365.00 ✓	48.00 ✓	84.00 ✓ .40 ✓	430.00 ✓	60.00 ✓ 2.00 ✓	1.20 ✓ 3.70 ✓	28.00 ✓	
81G0008	3342	2,300.00 ✓	28.00 ✓	92.00 ✓ 300.00 ✓	84.00 ✓ .80 ✓	640.00 ✓ 445.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 3.90 ✓	6.00 ✓	1.60 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114674-001-A								
81G0008 (B)3342		9,500.00 ✓	20.00 ✓	48.00 ✓ 275.00 ✓	88.00 ✓ .40 ✓	840.00 ✓ 455.00 ✓	10.00 ✓ 4.00 ✓	1.60 ✓ 3.50 ✓	6.00 ✓	.80 ✓
81G0009 3342		50,000.00 ✓	100.00 ✓	14.00 ✓ 140.00 ✓	154.00 ✓ .20 ✓	364.00 ✓ 275.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.10 ✓	24.00 ✓	10.40 ✓
81G0010 3342		15,400.00 ✓	150.00 ✓	58.00 ✓ 85.00 ✓	230.00 ✓ .20 ✓	104.00 ✓ 645.00 ✓	380.00 ✓ 6.00 ✓	.40 ✓ 4.65 ✓	10.00 ✓	.80 ✓
81G0011 3342		700.00 ✓	22.00 ✓	36.00 ✓ 100.00 ✓	90.00 ✓ .20 ✓	104.00 ✓ 350.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.45 ✓	10.00 ✓	.40 ✓
81G0012 3342		3,500.00 ✓	32.00 ✓	50.00 ✓ 150.00 ✓	92.00 ✓ .60 ✓	220.00 ✓ 500.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.60 ✓	4.00 ✓	.80 ✓
81G0013 3342		800.00 ✓	30.00 ✓	70.00 ✓ 140.00 ✓	108.00 ✓ .20 ✓	344.00 ✓ 490.00 ✓	10.00 ✓ 2.00 ✓	.60 ✓ 3.45 ✓	114.00 ✓	1.60 ✓
81G0014 3342		1,600.00 ✓	60.00 ✓	240.00 ✓ 2.00 ✓	240.00 ✓ 2.00 ✓	350.00 ✓	5,830.00 ✓ 2.00 ✓	1.60 ✓ 7.50 ✓	44.00 ✓	
81G0015 3342		19,000.00 ✓	280.00 ✓	78.00 ✓ 140.00 ✓	98.00 ✓ .20 ✓	430.00 ✓	520.00 ✓ 4.00 ✓	.80 ✓ 3.80 ✓	12.00 ✓	4.40 ✓
81G0016 3342		1,100.00 ✓	22.00 ✓	20.00 ✓ 440.00 ✓	70.00 ✓ .20 ✓	48.00 ✓ 860.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 3.60 ✓	4.00 ✓	3.20 ✓
81G0017 3342		1,100.00 ✓	30.00 ✓	20.00 ✓ 480.00 ✓	70.00 ✓ .40 ✓	100.00 ✓ 1,040.00 ✓	10.00 ✓ 6.00 ✓	1.40 ✓ 3.85 ✓	4.00 ✓	.40 ✓

should be >

50,000.00 ✓

SAMPLE CODE	TEST CODE	WT. Ba U	Cu Hg Bi	Pb W	Zn Cd ✓	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114674-001-A								
81G0018	3342	700.00 ✓	32.00 ✓	30.00 ✓ 400.00 ✓	78.00 ✓ .20 ✓	76.00 < 910.00 ✓	10.00 ✓ 2.00 ✓	.60 ✓ 3.80 ✓	6.00 ✓	1.60 ✓
81G0019	3342	500.00 ✓	16.00 ✓	74.00 ✓ 100.00 ✓	90.00 ✓ .60 ✓	800.00 <	10.00 ✓ 4.00 ✓	.60 ✓ 2.90 ✓	4.00 ✓	1.80 ✓
81G0020	3342	700.00 ✓				<	10.00 ✓			
81G0021	3342	2,900.00 ✓	32.00 ✓	36.00 ✓ 190.00 ✓	116.00 ✓ .20 ✓	655.00 ✓	10.00 ✓ 4.00 ✓	.80 ✓ 3.40 ✓	8.00 ✓	
81G0022	3342		132.00 ✓	116.00 ✓	540.00 ✓ .40 ✓	1,000.00 ✓	17.00 ✓ 2.00 ✓	1.60 ✓ 4.50 ✓	580.00 ✓	
81G0023	3342	7,700.00 ✓	166.00 ✓	72.00 ✓ 520.00 ✓	164.00 ✓ .20 ✓	620.00 ✓	10.00 ✓ 2.00 ✓	1.00 ✓ 7.60 ✓	220.00 ✓	1.60 ✓
81G0024	3342						11.00 ✓			
81G0025	3342	10,000.00 ✓	188.00 ✓	68.00 ✓ 400.00 ✓	114.00 ✓ .20 ✓	635.00 ✓	10.00 ✓ 2.00 ✓	.80 ✓ 5.55 ✓	430.00 ✓	
81G0030	3342	3,300.00 ✓	26.00 ✓	48.00 ✓ 420.00 ✓	60.00 ✓ .20 ✓	28.00 ✓ 370.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.30 ✓	20.00 ✓	.80 ✓
81G0031	3342	600.00 ✓	34.00 ✓	128.00 ✓ 155.00 ✓	180.00 ✓ 1.80 ✓	740.00 ✓	10.00 ✓ 4.00 ✓	.40 ✓ 3.70 ✓	30.00 ✓	


SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114674-001-A								
81G0032	3342	950.00 ✓	36.00 ✓	54.00 ✓ 140.00 ✓	276.00 ✓ 1.20 ✓	780.00 ✓	10.00 ✓ 2.00 ✓	1.20 ✓ 2.55 ✓	12.00 ✓	2.00 ✓
81G0033	3342	2,950.00 ✓	196.00 ✓	146.00 ✓ 85.00 ✓	170.00 ✓ .80 ✓	112.00 ✓ 485.00 ✓	40.00 ✓ 2.00 ✓	7.40 ✓ 3.25 ✓	166.00 ✓	2.40 ✓
81G0034	3342	850.00 ✓	28.00 ✓	48.00 ✓ 100.00 ✓	128.00 ✓ .60 ✓	68.00 ✓ 415.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 2.70 ✓	8.00 ✓	.80 ✓
81G0035	3342	2,000.00 ✓	24.00 ✓	26.00 ✓ 105.00 ✓	56.00 ✓ .20 ✓	12.00 ✓ 270.00 ✓	10.00 ✓ 2.00 ✓	.60 ✓ 2.50 ✓	18.00 ✓	.40 ✓
81G0036	3342		28.00 ✓	100.00 ✓	80.00 ✓ .40 ✓	660.00 ✓	10.00 ✓ 2.00 ✓	.80 ✓ 2.60 ✓	12.00 ✓	
81G0037	3342	1,650.00 ✓	34.00 ✓	36.00 ✓ 500.00 ✓	86.00 ✓ .40 ✓	470.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.40 ✓	14.00 ✓	1.60 ✓
81G0038	3342	1,950.00 ✓	24.00 ✓	62.00 ✓ 190.00 ✓	76.00 ✓ .20 ✓	28.00 ✓ 430.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 2.50 ✓	6.00 ✓	3.20 ✓
81G0039	3342		38.00 ✓	20.00 ✓	72.00 ✓ .20 ✓	580.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.95 ✓	8.00 ✓	
81G0040	3342	14,000.00 ✓	70.00 ✓	82.00 ✓ 100.00 ✓	106.00 ✓ .20 ✓	24.00 ✓ 550.00 ✓	70.00 ✓ 2.00 ✓	.40 ✓ 3.70 ✓	6.00 ✓	1.60 ✓
81G0041	3342	16,000.00 ✓	200.00 ✓	32.00 ✓ 395.00 ✓	86.00 ✓ .20 ✓	48.00 ✓ 500.00 ✓	40.00 ✓ 2.00 ✓	.40 ✓ 3.50 ✓	380.00 ✓	.80 ✓

Clenex

Cert # A8114675-003-A

p. 3, 4, 5, 6 and the last sample on p. 2 should be

Cert # A8114675-003-A



E- Feb 22/82

✓

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # A8114675-003-A
INVOICE # 18114675
DATE 27-NOV-81
P.O. # NONE

ATTN: GREG JILSON

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81 G 292 60HN	205	60	4	20	80	7.6	0.2
81 G 293 60HN	205	23	4	16	60	0.4	0.2
81 G 294 60HN	205	24	4	20	48	0.4	0.2
81 G 296 60HN	205	230	2	16	116	0.2	0.2
81 G 297 60HN	205	50	4	22	52	0.2	0.2
81 G 298 60HN	205	250	2	22	440	0.6	3.2
81 G 299 60HN	205	26	4	26	66	0.6	0.2
81 G 300 60HN	205	240	2	24	130	0.4	0.4
81 G 301 60HN	205	32	2	16	88	0.4	0.2
81 G 302 60HN	205	40	4	4	66	0.4	0.2
81 G 303 60HN	205	80	2	20	76	14.0	0.4
81 G 304 60HN	205	60	2	46	68	0.6	0.2
81 G 305 60HN	205	500	2	108	86	14.0	0.2
81 G 307 60HN	205	94	2	16	54	0.8	0.2
81 G 308 60HN	205	34	2	40	52	0.2	0.6
81 G 309 60HN	205	180	2	20	154	1.0	1.2
81 G 310 60HN	205	28	2	2	110	1.0	0.4
81 G 311 60HN	205	36	4	16	68	0.4	0.2
81 G 315 60HN	205	40	4	28	46	0.4	0.2
81 G 316 60HN	205	28	2	24	46	0.4	0.2
81 G 317 60HN	205	30	2	24	48	0.2	0.2
81 G 324 60HN	205	38	2	10	40	0.4	0.2
81 G 326 60HN	205	110	2	84	90	0.2	0.2
81 G 327 60HN	205	48	2	22	106	0.2	0.2
81 G 335 60HN	205	46	2	92	76	0.6	0.2
81 G 336 60HN	205	128	2	62	190	2.2	2.4
81 G 338 60HN	205	162	4	84	124	0.6	0.2
81 G 341 60HN	205	20	2	34	46	0.4	0.2
81 G 342 60HN	205	46	2	120	106	0.4	0.2
81 G 343 60HN	205	170	4	54	186	0.6	0.2
81 G 347 60HN	205	52	4	60	134	1.0	0.2
81 G 351 60HN	205	24	8	28	116	0.4	0.2
81 G 352 60HN	205	64	4	32	170	3.4	0.2
81 G 353 60HN	205	38	2	44	122	0.8	1.8
81 G 354 60HN	205	42	8	62	156	2.2	0.2
81 G 357 60HN	205	20	4	24	100	0.4	0.2
81 G 358 60HN	205	28	2	26	82	0.8	0.2
81 G 359 60HN	205	36	4	14	114	1.2	0.2
81 G 360 60HN	205	18	10	20	120	0.8	0.2
81 G 361 60HN	205	34	4	20	140	0.8	0.2

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # A8114675-003-B
 INVOICE # 18114675
 DATE 27-NOV-81
 P.O. # NONE

ATTN: GREG JILSON

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81 G 292 60HN	205	2.80	420	4	640	180	0.8
81 G 293 60HN	205	2.65	860	4	140	12	0.8
81 G 294 60HN	205	3.05	580	2	600	52	0.8
81 G 296 60HN	205	3.15	395	48	190	72	1.6
81 G 297 60HN	205	3.15	445	2	150	220	2.4
81 G 298 60HN	205	6.50	780	400	160	104	5.6
81 G 299 60HN	205	2.95	490	6	160	156	2.4
81 G 300 60HN	205	4.40	400	154	80	100	4.0
81 G 301 60HN	205	2.70	550	6	80	84	4.0
81 G 302 60HN	205	3.30	510	14	85	40	3.2
81 G 303 60HN	205	3.20	740	20	420	N.S.S.	N.S.S.
81 G 304 60HN	205	2.85	470	8	65	152	1.6
81 G 305 60HN	205	7.40	380	1060	N.S.S.	N.S.S.	N.S.S.
81 G 307 60HN	205	2.70	410	12	90	208	2.4
81 G 308 60HN	205	3.10	400	4	50	28	0.8
81 G 309 60HN	205	2.20	320	18	N.S.S.	N.S.S.	N.S.S.
81 G 310 60HN	205	1.90	230	22	70	132	2.4
81 G 311 60HN	205	2.45	370	12	80	64	0.8
81 G 315 60HN	205	3.25	380	10	200	52	0.8
81 G 316 60HN	205	2.25	520	8	55	24	0.4
81 G 317 60HN	205	2.80	305	14	80	12	0.4
81 G 324 60HN	205	1.50	280	28	70	20	0.8
81 G 326 60HN	205	3.80	1290	92	320	80	4.0
81 G 327 60HN	205	5.20	720	14	50	20	0.8
81 G 335 60HN	205	3.55	375	620	1580	480	0.4
81 G 336 60HN	205	5.70	500	220	300	28	14.4
81 G 338 60HN	205	5.55	460	350	190	28	0.8
81 G 341 60HN	205	3.05	305	20	200	4	1.6
81 G 342 60HN	205	4.60	710	20	210	32	0.8
81 G 343 60HN	205	10.90	1120	72	40	8	2.4
81 G 347 60HN	205	3.55	460	290	4000	1240	2.4
81 G 351 60HN	205	4.20	800	460	4640	264	2.4
81 G 352 60HN	205	5.50	1280	2700	4800	288	2.4
81 G 353 60HN	205	3.70	430	260	1600	244	0.8
81 G 354 60HN	205	5.60	880	590	6240	2480	0.8
81 G 357 60HN	205	3.20	840	38	1680	188	2.4
81 G 358 60HN	205	2.00	290	28	4400	880	0.8
81 G 359 60HN	205	4.35	1260	122	4800	64	2.4
81 G 360 60HN	205	5.70	1580	70	840	28	3.2
81 G 361 60HN	205	5.30	1440	24	520	20	3.2

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8114675-003-C
 INVOICE # : 18114675
 DATE : 27-NOV-81
 P.O. # : NONE

ATTN: GREG JILSON

Sample description	Prep code	Ba ppm	Au NAA ppb				
81 G 292 60HN	205	14500	10100	--	--	--	--
81 G 293 60HN	205	500	<10	--	--	--	--
81 G 294 60HN	205	1500	5940	--	--	--	--
81 G 296 60HN	205	20000	1150	--	--	--	--
81 G 297 60HN	205	2700	<10	--	--	--	--
81 G 298 60HN	205	16500	240	--	--	--	--
81 G 299 60HN	205	6700	<10	--	--	--	--
81 G 300 60HN	205	10000	1270	--	--	--	--
81 G 301 60HN	205	21000	<10	--	--	--	--
81 G 302 60HN	205	>50000	10	--	--	--	--
81 G 303 60HN	205	21000	27300	--	--	--	--
81 G 304 60HN	205	37000	<10	--	--	--	--
81 G 305 60HN	205	N.S.S.	3890	--	--	--	--
81 G 307 60HN	205	21000	20800	--	--	--	--
81 G 308 60HN	205	6400	N.S.S.	--	--	--	--
81 G 309 60HN	205	N.S.S.	500	--	--	--	--
81 G 310 60HN	205	19500	<10	--	--	--	--
81 G 311 60HN	205	7000	2900	--	--	--	--
81 G 315 60HN	205	3700	66400	--	--	--	--
81 G 316 60HN	205	600	<10	--	--	--	--
81 G 317 60HN	205	3200	<10	--	--	--	--
81 G 324 60HN	205	4900	2840	--	--	--	--
81 G 326 60HN	205	11500	<10	--	--	--	--
81 G 327 60HN	205	4600	<10	--	--	--	--
81 G 335 60HN	205	1400	32500	--	--	--	--
81 G 336 60HN	205	5800	1940	--	--	--	--
81 G 338 60HN	205	600	20	--	--	--	--
81 G 341 60HN	205	350	190	--	--	--	--
81 G 342 60HN	205	400	260	--	--	--	--
81 G 343 60HN	205	1550	10	--	--	--	--
81 G 347 60HN	205	500	30	--	--	--	--
81 G 351 60HN	205	250	<10	--	--	--	--
81 G 352 60HN	205	250	50	--	--	--	--
81 G 353 60HN	205	850	700	--	--	--	--
81 G 354 60HN	205	600	30600	--	--	--	--
81 G 357 60HN	205	800	<10	--	--	--	--
81 G 358 60HN	205	400	18500	--	--	--	--
81 G 359 60HN	205	500	30	--	--	--	--
81 G 360 60HN	205	200	10	--	--	--	--
81 G 361 60HN	205	300	10	--	--	--	--

Certified by *Hart Bichler*



22FEB82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 1

SAMPLE CODE	TEST CODE	WT Ba U	Cu ✓ Hg Bi	Pb ✓ W ✓	Zn ✓ Cd ✓	Sn ✓ Mn ✓	Au Mo ✓	Ag Fe ✓	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114675-002-A ✓								
81G0267	3342	4,700.00 ✓	140.00 ✓	76.00 ✓ 335.00 ✓	148.00 ✓ .20 ✓	176.00 ✓ 680.00 ✓	10.00 ✓ 2.00 ✓	2.00 ✓ 2.10 ✓	4.00 ✓	.80 ✓
81G0272	3342	8,800.00 ✓	160.00 ✓	44.00 ✓ 2,600.00 ✓	132.00 ✓ .20 ✓	550.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.60 ✓	14.00 ✓	
81G0274	3342	1,700.00 ✓	46.00 ✓	20.00 ✓ 75.00 ✓	40.00 ✓ .20 ✓	16.00 ✓ 1,110.00 ✓	30.00 ✓ 2.00 ✓	.20 ✓ 2.70 ✓	6.00 ✓	.80 ✓
81G0275	3342	600.00 ✓	68.00 ✓	22.00 ✓ 60.00 ✓	94.00 ✓ .20 ✓	4.00 ✓ 410.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.80 ✓	4.00 ✓	.40 ✓
81G0276	3342	500.00 ✓	78.00 ✓	40.00 ✓ 2.00 ✓	400.00 ✓ .20 ✓	12.00 ✓ 1,640.00 ✓	10.00 ✓ 4.00 ✓	.40 ✓ 8.50 ✓	14.00 ✓	.80 ✓
81G0277	3342	650.00 ✓	112.00 ✓	36.00 ✓ 60.00 ✓	60.00 ✓ .20 ✓	20.00 ✓ 360.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 3.15 ✓	10.00 ✓	1.60 ✓
81G0278	3342	1,000.00 ✓	24.00 ✓	14.00 ✓ 2.00 ✓	56.00 ✓ .20 ✓	8.00 ✓ 340.00 ✓	10.00 ✓ 2.00 ✓	.20 ✓ 2.40 ✓	4.00 ✓	1.60 ✓
81G0279	3342	3,600.00 ✓	160.00 ✓	36.00 ✓ 105.00 ✓	114.00 ✓ .20 ✓	20.00 ✓ 525.00 ✓	10.00 ✓ 6.00 ✓	.20 ✓ 3.40 ✓	10.00 ✓	.80 ✓
81G0280	3342	500.00 ✓	190.00 ✓	46.00 ✓ 390.00 ✓	84.00 ✓ .20 ✓	24.00 ✓ 410.00 ✓	6,850.00 ✓ 4.00 ✓	.40 ✓ 3.00 ✓	10.00 ✓	.80 ✓
81G0281	3342	700.00 ✓	20.00 ✓	18.00 ✓ 200.00 ✓	62.00 ✓ .20 ✓	8.00 ✓ 530.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 2.20 ✓	4.00 ✓	.80 ✓

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114675-002-A ✓								
81G0282	3342	1,800.00 ✓	60.00 ✓	46.00 ✓ 75.00 ✓	112.00 ✓ .20 ✓	76.00 ✓ 430.00 ✓	3,610.00 ✓ 2.00 ✓	.20 ✓ 3.75 ✓	22.00 ✓	3.20 ✓
81G0283	3342	700.00 ✓	42.00 ✓	22.00 ✓ 70.00 ✓	54.00 ✓ .20 ✓	48.00 ✓ 350.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 2.40 ✓	10.00 ✓	1.60 ✓
81G0284	3342	400.00 ✓	24.00 ✓	26.00 ✓ 30.00 ✓	62.00 ✓ .20 ✓	12.00 ✓ 290.00 ✓	10.00 ✓ 6.00 ✓	.40 ✓ 2.05 ✓	12.00 ✓	1.60 ✓
81G0286	3342	300.00 ✓	140.00 ✓	18.00 ✓ 20.00 ✓	28.00 ✓ .20 ✓	312.00 ✓ 320.00 ✓	10.00 ✓ 6.00 ✓	.20 ✓ 2.10 ✓	66.00 ✓	.80 ✓
81G0287	3342	400.00 ✓	16.00 ✓	24.00 ✓ 25.00 ✓	68.00 ✓ .20 ✓	4.00 ✓ 420.00 ✓	30.00 ✓ 2.00 ✓	.20 ✓ 2.80 ✓	18.00 ✓	.80 ✓
81G0288	3342	750.00 ✓	116.00 ✓	60.00 ✓ 40.00 ✓	180.00 ✓ .40 ✓	8.00 ✓ 410.00 ✓	20.00 ✓ 2.00 ✓	.20 ✓ 1.85 ✓	8.00 ✓	.80 ✓
81G0289	3342	850.00 ✓	48.00 ✓	176.00 ✓ 280.00 ✓	300.00 ✓ 3.20 ✓	100.00 ✓ 350.00 ✓	130.00 ✓ 8.00 ✓	.20 ✓ 3.20 ✓	38.00 ✓	.80 ✓
81G0290	3342	900.00 ✓	74.00 ✓	40.00 ✓ 310.00 ✓	300.00 ✓ 2.00 ✓	8.00 ✓ 730.00 ✓	7,630.00 ✓ 6.00 ✓	.40 ✓ 4.30 ✓	6.00 ✓	.80 ✓
81G0291	3342	1,600.00 ✓	36.00 ✓	26.00 ✓ 200.00 ✓	116.00 ✓ .40 ✓	8.00 ✓ 520.00 ✓	60.00 ✓ 4.00 ✓	.20 ✓ 3.40 ✓	4.00 ✓	.80 ✓
A8114675-003-A										
81G0292	3342	14,500.00 ✓	60.00 ✓	20.00 ✓ 640.00 ✓	80.00 ✓ .20 ✓	180.00 ✓ 420.00 ✓	10,100.00 ✓ 4.00 ✓	7.60 ✓ 2.80 ✓	4.00 ✓	.80 ✓

SAMPLE CODE	TEST CODE	WT Ra U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

003

LAB: CHEMEX CERTIFICATE: A8114675-002-A

81G0293	3342	500.00 ✓	23.00 ✓	16.00 ✓ 140.00 ✓	60.00 ✓ .20 ✓	12.00 ✓ 860.00 ✓	10.00 ✓ 4.00 ✓	.40 ✓ 2.65 ✓	4.00 ✓	.80 ✓
81G0294	3342	1,500.00 ✓	24.00 ✓	20.00 ✓ 600.00 ✓	48.00 ✓ .20 ✓	52.00 ✓ 580.00 ✓	5,940.00 ✓ 4.00 ✓	.40 ✓ 3.05 ✓	2.00 ✓	.80 ✓
81G0296	3342	20,000.00 ✓	230.00 ✓	16.00 ✓ 190.00 ✓	116.00 ✓ .20 ✓	72.00 ✓ 395.00 ✓	1,150.00 ✓ 2.00 ✓	.20 ✓ 3.15 ✓	48.00 ✓	1.60 ✓
81G0297	3342	2,700.00 ✓	50.00 ✓	22.00 ✓ 150.00 ✓	52.00 ✓ .20 ✓	220.00 ✓ 445.00 ✓	10.00 ✓ 4.00 ✓	.20 ✓ 3.15 ✓	2.00 ✓	2.40 ✓
81G0298	3342	16,500.00 ✓	250.00 ✓	22.00 ✓ 160.00 ✓	440.00 ✓ 3.20 ✓	104.00 ✓ 780.00 ✓	240.00 ✓ 2.00 ✓	.60 ✓ 6.50 ✓	400.00 ✓	5.60 ✓
81G0299	3342	6,700.00 ✓	26.00 ✓	26.00 ✓ 160.00 ✓	66.00 ✓ .20 ✓	156.00 ✓ 490.00 ✓	10.00 ✓ 4.00 ✓	.60 ✓ 2.95 ✓	6.00 ✓	2.40 ✓
81G0300	3342	10,000.00 ✓	240.00 ✓	24.00 ✓ 80.00 ✓	130.00 ✓ .40 ✓	100.00 ✓ 400.00 ✓	1,270.00 ✓ 2.00 ✓	.40 ✓ 4.40 ✓	154.00 ✓	4.00 ✓
81G0301	3342	21,000.00 ✓	32.00 ✓	16.00 ✓ 80.00 ✓	88.00 ✓ .20 ✓	84.00 ✓ 550.00 ✓	10.00 ✓ 2.00 ✓	.40 ✓ 2.70 ✓	6.00 ✓	4.00 ✓
81G0302	3342	> 50,000.00 ✓	40.00 ✓	4.00 ✓ 85.00 ✓	66.00 ✓ .20 ✓	40.00 ✓ 510.00 ✓	10.00 ✓ 4.00 ✓	.40 ✓ 3.30 ✓	14.00 ✓	3.20 ✓
81G0303	3342	21,000.00 ✓	80.00 ✓	20.00 ✓ 420.00 ✓	76.00 ✓ .40 ✓	740.00 ✓ 27,300.00 ✓	2.00 ✓ 2.00 ✓	14.00 ✓ 3.20 ✓	20.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce	
LAB: CHEMEX		CERTIFICATE: A8114675-002-A									
81G0304	3342	37,000.00	60.00 ✓	46.00 ✓ 65.00 ✓	68.00 ✓ .20 ✓	152.00 ✓ 470.00 ✓	10.00 ✓ 2.00 ✓	.60 ✓ 2.85 ✓	8.00 —	1.60 —	
81G0305	3342		500.00 ✓	108.00 ✓	86.00 ✓ .20 ✓	380.00 ✓ 2.00 ✓	3,890.00 ✓ 2.00 ✓	14.00 ✓ 7.40 —	1,060.00 —		
81G0307	3342	21,000.00	94.00 ✓	16.00 ✓ 90.00 —	54.00 ✓ .20 ✓	208.00 ✓ 410.00 —	20,800.00 ✓ 2.00 ✓	.80 ✓ 2.70 —	12.00 —	2.40 —	
81G0308	3342	6,400.00	34.00 ✓	40.00 ✓ 50.00 ✓	52.00 ✓ .60 ✓	28.00 ✓ 400.00 —	2.00 —	.20 ✓ 3.10 —	4.00 —	.80 —	
81G0309	3342		180.00 ✓	20.00 ✓	154.00 ✓ 1.20 ✓	320.00 ✓ 2.00 ✓	500.00 ✓ 2.00 ✓	1.00 ✓ 2.20 —	18.00 —		
81G0310	3342	19,500.00	28.00 ✓	2.00 ✓ 70.00 —	110.00 ✓ .40 ✓	132.00 ✓ 230.00 —	10.00 ✓ 2.00 ✓	1.00 ✓ 1.90 —	22.00 —	2.40 —	
81G0311	3342	7,000.00	36.00 ✓	16.00 ✓ 80.00 —	68.00 ✓ .20 ✓	64.00 ✓ 370.00 —	2,900.00 ✓ 4.00 ✓	.40 ✓ 2.45 —	12.00 —	.80 —	
81G0315	3342	3,700.00	40.00 ✓	28.00 ✓ 200.00 —	46.00 ✓ .20 ✓	52.00 ✓ 380.00 —	66,400.00 ✓ 4.00 ✓	.40 ✓ 3.25 —	10.00 —	.80 —	
81G0316	3342	600.00	28.00 ✓	24.00 ✓ 55.00 —	46.00 ✓ .20 ✓	24.00 ✓ 520.00 —	10.00 ✓ 2.00 ✓	.40 ✓ 2.25 —	8.00 —	.40 —	
81G0317	3342	3,200.00	30.00 ✓	24.00 ✓ 80.00 —	48.00 ✓ .20 ✓	12.00 ✓ 305.00 —	10.00 ✓ 2.00 ✓	.20 ✓ 2.80 ✓	14.00 —	.40 —	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114675-002-A ⁰⁰³								
91G0324	3342	4,900.00	38.00	10.00	40.00	20.00	2,840.00	.40	28.00	.80
				70.00	.20	280.00	2.00	1.50		
91G0326	3342	11,500.00	110.00	84.00	90.00	80.00	10.00	.20	92.00	4.00
				320.00	.20	1,290.00	2.00	3.80		
91G0327	3342	4,600.00	48.00	22.00	106.00	20.00	10.00	.20	14.00	.80
				50.00	.20	720.00	2.00	5.20		
91G0335	3342	1,400.00	46.00	92.00	76.00	480.00	32,500.00	.60	620.00	.40
				1,580.00	.20	375.00	2.00	3.55		
91G0336	3342	5,800.00	128.00	62.00	190.00	28.00	1,940.00	2.20	220.00	14.40
				300.00	2.40	500.00	2.00	5.70		
91G0338	3342	600.00	162.00	84.00	124.00	28.00	20.00	.60	350.00	.80
				190.00	.20	460.00	4.00	5.55		
91G0341	3342	350.00	20.00	34.00	46.00	4.00	190.00	.40	20.00	1.60
				200.00	.20	305.00	2.00	3.05		
91G0342	3342	400.00	46.00	120.00	106.00	32.00	260.00	.40	20.00	.80
				210.00	.20	710.00	2.00	4.60		
91G0343	3342	1,550.00	170.00	54.00	186.00	8.00	10.00	.60	72.00	2.40
				40.00	.20	1,120.00	4.00	10.90		
91G0347	3342	500.00	52.00	60.00	134.00	1,240.00	30.00	1.00	290.00	2.40
				4,000.00	.20	460.00	4.00	3.55		

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114675-002-A ⁰⁰³								
81G0351	3342	250.00 ✓	24.00 ✓	28.00 ✓	116.00 ✓	264.00 ✓	10.00 ✓	.40 ✓	460.00 ✓	2.40 ✓
				4,640.00 ✓	.20 ✓	800.00 ✓	8.00 ✓	4.20 ✓		
81G0352	3342	250.00 ✓	64.00 ✓	32.00 ✓	170.00 ✓	288.00 ✓	50.00 ✓	3.40 ✓	2,700.00 ✓	2.40 ✓
				4,800.00 ✓	.20 ✓	1,280.00 ✓	4.00 ✓	5.50 ✓		
81G0353	3342	850.00 ✓	38.00 ✓	44.00 ✓	122.00 ✓	244.00 ✓	700.00 ✓	.80 ✓	260.00 ✓	.80 ✓
				1,600.00 ✓	1.80 ✓	430.00 ✓	2.00 ✓	3.70 ✓		
81G0354	3342	600.00 ✓	42.00 ✓	62.00 ✓	156.00 ✓	2,480.00 ✓	30,600.00 ✓	2.20 ✓	590.00 ✓	.80 ✓
				6,240.00 ✓	.20 ✓	880.00 ✓	8.00 ✓	5.60 ✓		
81G0357	3342	800.00 ✓	20.00 ✓	24.00 ✓	100.00 ✓	188.00 ✓	10.00 ✓	.40 ✓	38.00 ✓	2.40 ✓
				1,680.00 ✓	.20 ✓	840.00 ✓	4.00 ✓	3.20 ✓		
81G0358	3342	400.00 ✓	28.00 ✓	26.00 ✓	82.00 ✓	880.00 ✓	18,500.00 ✓	.80 ✓	28.00 ✓	.80 ✓
				4,400.00 ✓	.20 ✓	290.00 ✓	2.00 ✓	2.00 ✓		
81G0359	3342	500.00 ✓	36.00 ✓	14.00 ✓	114.00 ✓	64.00 ✓	30.00 ✓	1.20 ✓	122.00 ✓	2.40 ✓
				4,800.00 ✓	.20 ✓	1,260.00 ✓	4.00 ✓	4.35 ✓		
81G0360	3342	200.00 ✓	18.00 ✓	20.00 ✓	120.00 ✓	28.00 ✓	10.00 ✓	.80 ✓	70.00 ✓	3.20 ✓
				840.00 ✓	.20 ✓	1,580.00 ✓	10.00 ✓	5.70 ✓		
81G0361	3342	300.00 ✓	34.00 ✓	20.00 ✓	140.00 ✓	20.00 ✓	10.00 ✓	.80 ✓	24.00 ✓	3.20 ✓
				520.00 ✓	.20 ✓	1,440.00 ✓	4.00 ✓	5.30 ✓		
81G0362	3342						10.00 ✓			

→ Certificate # A8114676-001-A