



# CHEMEX LABS LTD.

016144

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210129-001  
INVOICE # : I8210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L

CC: G. JILSON		<i>Total</i>	①	②	③	④	⑤	⑥
Sample description	Prep code		Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L 0001 -60HN	205		112	1	22	144	0.1	1.2
81-L 0002 -60HN	205		60	6	24	104	0.1	0.4
81-L 0003 -60HN	205		290	4	50	300	0.1	2.2
81-L 0004 -60HN	205		56	1	1	104	0.1	0.6
81-L 0005 -60HN	205		36	1	1	356	0.1	4.4
81-L 0007 -60HN	205		130	1	84	98	0.1	0.1
81-L 0009 -60HN	205		34	1	1	78	0.1	0.4
81-L 0010 -60HN	205		22	1	4	70	0.1	0.4
81-L 0011 -60HN	205		172	4	42	138	2.2	1.2
81-L 0012 -60HN	205		32	1	27	107	0.1	1.1
81-L 0013 -60HN	205		94	4	56	128	0.4	1.2
81-L 0014 -60HN	205		280	4	120	388	0.1	0.6
81-L 0015 -60HN	205		34	4	1	72	0.1	0.6
81-L 0016 -60HN	205		148	1	40	190	0.1	0.4
81-L 0017 -60HN	205		38	1	1	72	0.1	0.6
81-L 0018 -60HN	205		36	1	1	64	0.1	0.1
81-L 0019 -60HN	205		28	4	1	106	0.1	1.0
81-L 0021 -60HN	205		60	1	1	48	0.1	0.1
81-L 0022 -60HN	205		70	4	1	220	0.1	2.4
81-L 0023 -60HN	205		28	1	1	140	0.1	1.0
81-L 0024 -60HN	205		140	4	80	78	0.1	0.4
81-L 0025 -60HN	205		280	6	22	250	1.0	1.0
81-L 0026 -60HN	205		170	6	16	336	1.4	2.6
81-L 0027 -60HN	205		104	6	4	372	0.1	3.2
81-L 0028 -60HN	205		58	1	1	184	0.1	1.4
81-L 0029 -60HN	205		58	1	1	130	0.1	0.6
81-L 0030 -60HN	205		94	6	1	80	0.1	0.6
81-L 0031 -60HN	205		58	10	20	356	0.8	2.6
81-L 0032 -60HN	205		40	18	1	350	0.4	4.8
81-L 0034 -60HN	205		28	4	1	140	0.1	1.7
81-L 0035 -60HN	205		28	60	1	400	0.6	4.4
81-L 0036 -60HN	205		26	4	1	250	0.1	2.8
81-L 0037 -60HN	205		62	6	4	142	0.1	1.0
81-L 0039 -60HN	205		36	6	8	236	0.6	4.4
81-L 0040 -60HN	205		44	8	16	60	0.1	0.8
81-L 0041 -60HN	205		200	6	48	380	0.1	2.2
81-L 0042 -60HN	205		144	4	28	320	0.4	2.4
81-L 0043 -60HN	205		16	14	20	50	0.1	1.2
81-L 0044 -60HN	205		100	4	76	124	0.1	0.6
81-L 0045 -60HN	205		34	4	68	84	0.4	0.4

Certified by *David Buchler*.....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BARRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210129-001-  
 INVOICE # : 18210129  
 DATE : 03-MAR-82  
 P.O. # : NONE  
 81 L

CC: G. JILSON



⑦

⑧


⑨

⑩

⑪

⑫

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-L 0001 -60HN	205	1.30	80	12	10	4	1.2
81-L 0002 -60HN	205	2.20	560	5	40	12	1.6
81-L 0003 -60HN	205	2.10	100	15	20	4	0.8
81-L 0004 -60HN	205	0.40	120	5	10	4	2.8
81-L 0005 -60HN	205	0.40	100	7	12	4	2.0
81-L 0007 -60HN	205	3.60	240	55	N.S.S.	N.S.S.	N.S.S.
81-L 0009 -60HN	205	0.60	140	12	N.S.S.	N.S.S.	N.S.S.
81-L 0010 -60HN	205	0.20	60	4	8	16	0.4
81-L 0011 -60HN	205	3.50	180	32	14	N.S.S.	0.4
81-L 0012 -60HN	205	1.10	204	8	N.S.S.	N.S.S.	N.S.S.
81-L 0013 -60HN	205	0.70	110	7	50	N.S.S.	N.S.S.
81-L 0014 -60HN	205	1.90	80	19	14	4	0.4
81-L 0015 -60HN	205	0.60	70	6	10	4	0.4
81-L 0016 -60HN	205	1.50	120	10	30	4	1.6
81-L 0017 -60HN	205	0.80	140	9	N.S.S.	N.S.S.	N.S.S.
81-L 0018 -60HN	205	0.30	60	3	20	4	0.4
81-L 0019 -60HN	205	0.50	60	12	10	4	0.4
81-L 0021 -60HN	205	0.40	60	6	10	4	0.4
81-L 0022 -60HN	205	0.90	100	20	6	4	0.8
81-L 0023 -60HN	205	0.70	140	7	12	4	0.8
81-L 0024 -60HN	205	1.10	160	7	N.S.S.	N.S.S.	N.S.S.
81-L 0025 -60HN	205	9.70	150	55	16	8	0.4
81-L 0026 -60HN	205	5.60	160	63	20	8	2.0
81-L 0027 -60HN	205	0.74	138	11	N.S.S.	N.S.S.	N.S.S.
81-L 0028 -60HN	205	0.60	200	11	26	4	1.6
81-L 0029 -60HN	205	2.20	90	11	1	4	0.4
81-L 0030 -60HN	205	2.90	150	20	1	4	2.4
81-L 0031 -60HN	205	0.90	120	14	10	8	0.8
81-L 0032 -60HN	205	2.40	120	19	N.S.S.	N.S.S.	N.S.S.
81-L 0034 -60HN	205	0.40	70	3	N.S.S.	N.S.S.	N.S.S.
81-L 0035 -60HN	205	16.00	280	135	N.S.S.	N.S.S.	N.S.S.
81-L 0036 -60HN	205	1.00	100	5	2	N.S.S.	N.S.S.
81-L 0037 -60HN	205	1.10	180	15	10	4	0.4
81-L 0039 -60HN	205	0.70	220	9	18	4	0.4
81-L 0040 -60HN	205	1.60	440	3	30	8	0.4
81-L 0041 -60HN	205	7.60	540	29	70	N.S.S.	N.S.S.
81-L 0042 -60HN	205	2.90	170	65	N.S.S.	N.S.S.	N.S.S.
81-L 0043 -60HN	205	1.70	400	2	16	8	0.4
81-L 0044 -60HN	205	1.30	150	12	N.S.S.	8	N.S.S.
81-L 0045 -60HN	205	1.20	320	7	260	4	0.4



Certified by *Hart Buchler*

# CH EX LABS LTD.

212 BROOKSBANK AVE  
 NORTH VANCOUVER B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210129-001-  
 INVOICE # : 18210129  
 DATE : 03-MAR-82  
 P.O. # : NONE  
 81 L

CC: G. JILSON


13

14



Sample description	Prep code	Ba ppm	Au NAA ppb				
81-L 0001 -60HN	205	6.5%	20	--	--	--	--
81-L 0002 -60HN	205	2/6 000	7200	--	--	--	--
81-L 0003 -60HN	205	7%	<10	--	--	--	--
81-L 0004 -60HN	205	15%	990	--	--	--	--
81-L 0005 -60HN	205	12%	<10	--	--	--	--
81-L 0007 -60HN	205	12%	23	--	--	--	--
81-L 0009 -60HN	205	2/8 000	53	--	--	--	--
81-L 0010 -60HN	205	10%	<10	--	--	--	--
81-L 0011 -60HN	205	8%	160	--	--	--	--
81-L 0012 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0013 -60HN	205	4/0 000	10	--	--	--	--
81-L 0014 -60HN	205	6%	<10	--	--	--	--
81-L 0015 -60HN	205	10%	11960	--	--	--	--
81-L 0016 -60HN	205	7%	<10	--	--	--	--
81-L 0017 -60HN	205	13%	<14	--	--	--	--
81-L 0018 -60HN	205	15%	<10	--	--	--	--
81-L 0019 -60HN	205	11%	<10	--	--	--	--
81-L 0021 -60HN	205	6%	<10	--	--	--	--
81-L 0022 -60HN	205	12%	20	--	--	--	--
81-L 0023 -60HN	205	11%	7840	--	--	--	--
81-L 0024 -60HN	205	1/7 000	<17	--	--	--	--
81-L 0025 -60HN	205	6.5%	<10	--	--	--	--
81-L 0026 -60HN	205	9%	220	--	--	--	--
81-L 0027 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0028 -60HN	205	6.5%	20	--	--	--	--
81-L 0029 -60HN	205	8.5%	<10	--	--	--	--
81-L 0030 -60HN	205	13%	10	--	--	--	--
81-L 0031 -60HN	205	15%	4350	--	--	--	--
81-L 0032 -60HN	205	12%	12	--	--	--	--
81-L 0034 -60HN	205	9.5%	1026	--	--	--	--
81-L 0035 -60HN	205	6.5%	<15	--	--	--	--
81-L 0036 -60HN	205	11%	<10	--	--	--	--
81-L 0037 -60HN	205	13%	10	--	--	--	--
81-L 0039 -60HN	205	9%	40	--	--	--	--
81-L 0040 -60HN	205	5.5%	4420	--	--	--	--
81-L 0041 -60HN	205	5%	20	--	--	--	--
81-L 0042 -60HN	205	9%	59	--	--	--	--
81-L 0043 -60HN	205	2/5 000	10	--	--	--	--
81-L 0044 -60HN	205	2/5 000	19	--	--	--	--
81-L 0045 -60HN	205	6%	<10	--	--	--	--

Certified by Hart Buchler



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210129-002-  
 INVOICE # : I8210129  
 DATE : 03-MAR-82  
 P.O. # : NONE  
 81 L

CC: G. JILSON

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L 0046 -60HN	205	40	8	28	62	0.4	0.4
81-L 0047 -60HN	205	38	8	22	112	0.1	0.6
81-L 0048 -60HN	205	140	4	62	126	0.4	1.0
81-L 0049 -60HN	205	40	1	90	60	0.6	0.6
81-L 0050 -60HN	205	78	1	18	244	0.1	2.0
81-L 0051 -60HN	205	22	6	18	76	0.1	0.2
81-L 0052 -60HN	205	34	6	24	82	0.1	0.6
81-L 0053 -60HN	205	44	4	26	60	0.1	0.6
81-L 0055 -60HN	205	38	4	26	98	0.1	0.8
81-L 0056 -60HN	205	44	1	54	50	0.4	0.6
81-L 0057 -60HN	205	30	1	34	68	0.4	0.4
81-L 0058 -60HN	205	60	4	40	104	0.1	1.0
81-L 0059 -60HN	205	108	1	80	200	0.1	0.8
81-L 0060 -60HN	205	52	4	4	182	0.8	2.0
81-L 0061 -60HN	205	40	1	8	84	0.6	0.8
81-L 0062 -60HN	205	146	1	62	130	0.1	1.2
81-L 0063 -60HN	205	46	4	42	52	0.4	0.6
81-L 0064 -60HN	205	104	1	56	80	0.1	0.1
81-L 0065 -60HN	205	30	1	10	76	0.1	1.0
81-L 0066 -60HN	205	50	1	24	48	0.1	0.4
81-L 0067 -60HN	205	368	1	26	305	0.1	3.7
81-L 0068 -60HN	205	60	1	4	38	0.1	0.6
81-L 0069 -60HN	205	30	1	4	76	0.1	0.6
81-L 0070 -60HN	205	40	1	1	68	0.1	0.1
81-L 0071 -60HN	205	229	32	1	132	0.1	3.5
81-L 0072 -60HN	205	81	1	24	189	0.5	1.0
81-L 0073 -60HN	205	116	1	1	414	0.1	4.4
81-L 0074 -60HN	205	36	1	1	134	0.1	1.8
81-L 0075 -60HN	205	38	4	1	100	0.1	1.0
81-L 0076 -60HN	205	26	1	1	170	0.1	1.0
81-L 0077 -60HN	205	26	1	1	112	0.1	0.8
81-L 0078 -60HN	205	44	1	1	120	0.1	1.0
81-L 0079 -60HN	205	46	4	1	40	0.1	0.4
81-L 0080 -60HN	205	408	1	200	90	0.1	0.1
81-L 0081 -60HN	205	90	6	20	105	0.1	0.8
81-L 0082 -60HN	205	897	14	290	203	1.0	0.1
81-L 0083 -60HN	205	563	1	65	93	0.1	1.0
81-L 0084 -60HN	205	200	1	26	46	0.1	0.6
81-L 0085 -60HN	205	300	1	330	150	0.1	0.2
81-L 0086 -60HN	205	168	1	78	114	0.1	1.0

Certified by *Hart Buchler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210129-002-1  
INVOICE # : I8210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L

CC: G. JILSON




Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-L 0046 -60HN	205	1.00	450	7	4800	12	0.4
81-L 0047 -60HN	205	4.70	670	22	180	4	0.8
81-L 0048 -60HN	205	3.80	160	36	46	N.S.S.	N.S.S.
81-L 0049 -60HN	205	2.00	430	12	40	76	20.0
81-L 0050 -60HN	205	1.60	210	24	50	4	4.0
81-L 0051 -60HN	205	3.90	1080	11	30	8	0.4
81-L 0052 -60HN	205	1.70	380	7	30	8	0.4
81-L 0053 -60HN	205	1.00	280	10	30	4	0.8
81-L 0055 -60HN	205	1.20	350	6	28	4	0.4
81-L 0056 -60HN	205	1.50	560	7	46	72	N.S.S.
81-L 0057 -60HN	205	1.60	200	12	26	4	0.4
81-L 0058 -60HN	205	1.00	300	7	30	12	0.8
81-L 0059 -60HN	205	2.40	160	15	N.S.S.	N.S.S.	N.S.S.
81-L 0060 -60HN	205	1.50	120	19	20	4	0.8
81-L 0061 -60HN	205	1.10	160	10	20	12	1.2
81-L 0062 -60HN	205	1.00	100	5	N.S.S.	N.S.S.	N.S.S.
81-L 0063 -60HN	205	0.80	80	9	24	4	N.S.S.
81-L 0064 -60HN	205	1.80	140	7	26	4	0.4
81-L 0065 -60HN	205	0.70	90	6	80	4	0.4
81-L 0066 -60HN	205	0.90	60	7	30	N.S.S.	0.4
81-L 0067 -60HN	205	1.58	16	13	N.S.S.	N.S.S.	N.S.S.
81-L 0068 -60HN	205	0.50	110	4	N.S.S.	N.S.S.	N.S.S.
81-L 0069 -60HN	205	0.30	130	4	20	8	0.4
81-L 0070 -60HN	205	0.80	210	5	34	4	0.4
81-L 0071 -60HN	205	7.35	294	98	N.S.S.	N.S.S.	N.S.S.
81-L 0072 -60HN	205	1.35	297	20	N.S.S.	N.S.S.	N.S.S.
81-L 0073 -60HN	205	0.60	140	9	24	N.S.S.	0.4
81-L 0074 -60HN	205	0.50	80	3	6	4	0.4
81-L 0075 -60HN	205	0.80	140	11	40	12	0.4
81-L 0076 -60HN	205	0.40	50	6	20	4	0.4
81-L 0077 -60HN	205	0.60	120	15	1	4	0.4
81-L 0078 -60HN	205	0.50	70	14	1	4	0.4
81-L 0079 -60HN	205	0.40	150	9	14	4	0.4
81-L 0080 -60HN	205	2.40	140	27	N.S.S.	N.S.S.	N.S.S.
81-L 0081 -60HN	205	2.00	100	20	N.S.S.	4	N.S.S.
81-L 0082 -60HN	205	2.60	138	38	N.S.S.	N.S.S.	N.S.S.
81-L 0083 -60HN	205	1.88	150	9	N.S.S.	N.S.S.	N.S.S.
81-L 0084 -60HN	205	1.20	120	6	N.S.S.	N.S.S.	N.S.S.
81-L 0085 -60HN	205	0.20	250	17	N.S.S.	N.S.S.	N.S.S.
81-L 0086 -60HN	205	1.40	140	7	N.S.S.	N.S.S.	N.S.S.

Certified by *Hart Buchler*



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210129-002-  
INVOICE # : I8210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L



CC: G. JILSON

Sample description	Prep code	Ba ppm	Au NAA ppb				
81-L 0046 -60HN	205	24000	<10	--	--	--	--
81-L 0047 -60HN	205	10000	8250	--	--	--	--
81-L 0048 -60HN	205	36000	20	--	--	--	--
81-L 0049 -60HN	205	7000	<10	--	--	--	--
81-L 0050 -60HN	205	11%	<10	--	--	--	--
81-L 0051 -60HN	205	14000	<10	--	--	--	--
81-L 0052 -60HN	205	16000	10	--	--	--	--
81-L 0053 -60HN	205	5.5%	10	--	--	--	--
81-L 0055 -60HN	205	36000	<10	--	--	--	--
81-L 0056 -60HN	205	24000	120	--	--	--	--
81-L 0057 -60HN	205	8%	<10	--	--	--	--
81-L 0058 -60HN	205	7%	20	--	--	--	--
81-L 0059 -60HN	205	22000	<20	--	--	--	--
81-L 0060 -60HN	205	16%	10	--	--	--	--
81-L 0061 -60HN	205	20%	<10	--	--	--	--
81-L 0062 -60HN	205	25000	<20	--	--	--	--
81-L 0063 -60HN	205	5%	<10	--	--	--	--
81-L 0064 -60HN	205	5.5%	80	--	--	--	--
81-L 0065 -60HN	205	8%	<10	--	--	--	--
81-L 0066 -60HN	205	6%	10	--	--	--	--
81-L 0067 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0068 -60HN	205	15%	1380	--	--	--	--
81-L 0069 -60HN	205	17%	<10	--	--	--	--
81-L 0070 -60HN	205	18%	<10	--	--	--	--
81-L 0071 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0072 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0073 -60HN	205	12%	30	--	--	--	--
81-L 0074 -60HN	205	6%	20	--	--	--	--
81-L 0075 -60HN	205	13%	<10	--	--	--	--
81-L 0076 -60HN	205	7%	<10	--	--	--	--
81-L 0077 -60HN	205	9%	<10	--	--	--	--
81-L 0078 -60HN	205	13%	10	--	--	--	--
81-L 0079 -60HN	205	9%	10	--	--	--	--
81-L 0080 -60HN	205	16000%	20 *	--	--	--	--
81-L 0081 -60HN	205	10%	10	--	--	--	--
81-L 0082 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0083 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0084 -60HN	205	30000	N.S.S. *	--	--	--	--
81-L 0085 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0086 -60HN	205	18000	<50	--	--	--	--

*Hart Buchler*

Certified by .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8


CERT. # : A8210129-003-  
INVOICE # : I8210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L

CC: G. JILSON

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L 0087 -60HN	205	230	5	127	78	0.1	0.5
81-L 0088 -60HN	205	16	1	6	48	0.4	0.1
81-L 0089 -60HN	205	74	1	12	40	0.1	0.6
81-L 0090 -60HN	205	92	1	40	54	0.1	0.4
81-L 0091 -60HN	205	100	4	130	68	0.1	0.1
81-L 0092 -60HN	205	76	1	12	60	0.1	0.4
81-L 0093 -60HN	205	80	8	6	128	0.4	1.0
81-L 0094 -60HN	205	68	4	6	170	0.1	1.8
81-L 0095 -60HN	205	104	6	102	76	0.1	0.1
81-L 0096 -60HN	205	124	1	36	64	0.6	1.2
81-L 0097 -60HN	205	260	1	56	98	0.1	0.1
81-L 0098 -60HN	205	393	18	114	43	1.4	0.7
81-L 0099 -60HN	205	114	4	1	112	1.0	0.6
81-L 0100 -60HN	205	128	1	70	98	1.0	0.4
81-L 0101 -60HN	205	84	1	1	206	0.8	0.6
81-L 0102 -60HN	205	230	6	40	238	0.1	1.2
81-L 0103 -60HN	205	74	4	72	66	0.4	0.4
81-L 0104 -60HN	205	220	4	40	114	0.1	0.4
81-L 0105 -60HN	205	240	4	52	92	0.8	0.1
81-L 0106 -60HN	205	410	1	102	346	0.4	2.0
81-L 0107 -60HN	205	220	10	82	300	0.1	1.6
81-L 0108 -60HN	205	440	1	122	350	0.6	0.8
81-L 0109 -60HN	205	20	4	1	124	0.6	0.4
81-L 0110 -60HN	205	20	4	1	140	0.1	1.0
81-L 0111 -60HN	205	66	4	1	710	0.1	5.2
81-L 0112 -60HN	205	20	1	1	196	0.1	1.0
81-L 0113 -60HN	205	28	4	1	198	0.4	1.2
81-L 0114 -60HN	205	22	8	1	68	0.1	1.0
81-L 0115 -60HN	205	16	4	1	104	0.1	0.4
81-L 0116 -60HN	205	28	4	1	190	0.1	1.4
81-L 0117 -60HN	205	40	4	1	506	0.1	2.4
81-L 0118 -60HN	205	210	6	6	196	0.4	1.2
81-L 0119 -60HN	205	22	1	1	92	0.1	0.8
81-L 0120 -60HN	205	34	8	1	56	0.4	0.4
81-L 0121 -60HN	205	60	1	1	50	0.1	0.4
81-L 0122 -60HN	205	32	1	1	56	0.1	0.6
81-L 0123 -60HN	205	16	1	1	84	0.1	1.2
81-L 0124 -60HN	205	20	1	1	64	0.1	1.0
81-L 0125 -60HN	205	150	1	20	50	0.1	0.1
81-L 0126 -60HN	205	32	4	30	60	0.1	0.1

Certified by *Hart Buchler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8


CERT. # : A8210129-003-  
 INVOICE # : 18210129  
 DATE : 03-MAR-82  
 P.O. # : NONE  
 81 L

CC: G. JILSON

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-L 0087 -60HN	205	1.89	216	12	N.S.S.	N.S.S.	0.4
81-L 0088 -60HN	205	0.80	180	7	N.S.S.	N.S.S.	N.S.S.
81-L 0089 -60HN	205	1.00	380	6	30	28	N.S.S.
81-L 0090 -60HN	205	1.50	180	7	N.S.S.	N.S.S.	N.S.S.
81-L 0091 -60HN	205	3.60	340	46	N.S.S.	N.S.S.	N.S.S.
81-L 0092 -60HN	205	1.20	110	10	N.S.S.	N.S.S.	N.S.S.
81-L 0093 -60HN	205	3.00	220	25	16	4	0.4
81-L 0094 -60HN	205	2.40	120	29	43	4	0.4
81-L 0095 -60HN	205	2.80	180	20	130	N.S.S.	N.S.S.
81-L 0096 -60HN	205	1.30	120	10	10	N.S.S.	N.S.S.
81-L 0097 -60HN	205	1.70	110	16	N.S.S.	N.S.S.	N.S.S.
81-L 0098 -60HN	205	5.53	232	95	N.S.S.	N.S.S.	N.S.S.
81-L 0099 -60HN	205	2.00	130	17	21	N.S.S.	N.S.S.
81-L 0100 -60HN	205	1.60	90	12	36	4	0.4
81-L 0101 -60HN	205	2.00	90	19	20	4	0.4
81-L 0102 -60HN	205	3.60	180	65	N.S.S.	N.S.S.	N.S.S.
81-L 0103 -60HN	205	1.40	240	4	N.S.S.	N.S.S.	N.S.S.
81-L 0104 -60HN	205	2.20	440	12	N.S.S.	N.S.S.	N.S.S.
81-L 0105 -60HN	205	2.40	320	5	N.S.S.	N.S.S.	N.S.S.
81-L 0106 -60HN	205	4.80	230	50	N.S.S.	N.S.S.	N.S.S.
81-L 0107 -60HN	205	17.20	1220	79	26	4	6.0
81-L 0108 -60HN	205	4.20	320	33	N.S.S.	N.S.S.	N.S.S.
81-L 0109 -60HN	205	0.80	130	5	1	4	0.4
81-L 0110 -60HN	205	0.80	260	7	1	4	0.4
81-L 0111 -60HN	205	1.10	150	10	1	4	0.4
81-L 0112 -60HN	205	0.40	320	5	1	4	0.4
81-L 0113 -60HN	205	0.80	180	9	1	4	0.4
81-L 0114 -60HN	205	0.60	60	19	1	4	0.4
81-L 0115 -60HN	205	0.40	180	5	1	4	1.2
81-L 0116 -60HN	205	0.50	320	7	1	N.S.S.	0.4
81-L 0117 -60HN	205	2.60	1050	39	1	4	4.0
81-L 0118 -60HN	205	3.10	220	35	1	8	2.0
81-L 0119 -60HN	205	0.50	200	5	1	4	0.4
81-L 0120 -60HN	205	1.20	110	23	1	4	1.2
81-L 0121 -60HN	205	0.80	60	7	1	4	0.8
81-L 0122 -60HN	205	0.50	50	5	1	4	1.2
81-L 0123 -60HN	205	0.50	100	9	1	4	1.6
81-L 0124 -60HN	205	0.30	50	7	1	4	1.6
81-L 0125 -60HN	205	1.50	100	25	N.S.S.	N.S.S.	N.S.S.
81-L 0126 -60HN	205	1.00	260	3	90	4	2.0

Certified by: *Hart Buchler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8



CERT. # : A8210129-003-  
INVOICE # : I8210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L

CC: G. JILSON

Sample description	Prep code	Ba ppm	Au NAA ppb				
81-L 0087 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0088 -60HN	205	8%	350	--	--	--	--
81-L 0089 -60HN	205	10%	<21	--	--	--	--
81-L 0090 -60HN	205	25000	N.S.S.	--	--	--	--
81-L 0091 -60HN	205	10000	<27	--	--	--	--
81-L 0092 -60HN	205	7%	<10	--	--	--	--
81-L 0093 -60HN	205	13%	10	--	--	--	--
81-L 0094 -60HN	205	10%	7220	--	--	--	--
81-L 0095 -60HN	205	13000	<10	--	--	--	--
81-L 0096 -60HN	205	26000	10	--	--	--	--
81-L 0097 -60HN	205	6000	40	--	--	--	--
81-L 0098 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0099 -60HN	205	12%	<12	--	--	--	--
81-L 0100 -60HN	205	32000	20	--	--	--	--
81-L 0101 -60HN	205	15%	<10	--	--	--	--
81-L 0102 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0103 -60HN	205	1000	<27	--	--	--	--
81-L 0104 -60HN	205	25000	14	--	--	--	--
81-L 0105 -60HN	205	20000	N.S.S.	--	--	--	--
81-L 0106 -60HN	205	22000	<24	--	--	--	--
81-L 0107 -60HN	205	26000	20	--	--	--	--
81-L 0108 -60HN	205	12000	<250	--	--	--	--
81-L 0109 -60HN	205	9%	<10	--	--	--	--
81-L 0110 -60HN	205	9%	<10	--	--	--	--
81-L 0111 -60HN	205	14%	10	--	--	--	--
81-L 0112 -60HN	205	8%	10	--	--	--	--
81-L 0113 -60HN	205	10%	<10	--	--	--	--
81-L 0114 -60HN	205	8%	10	--	--	--	--
81-L 0115 -60HN	205	10%	<10	--	--	--	--
81-L 0116 -60HN	205	10%	<10	--	--	--	--
81-L 0117 -60HN	205	16%	<10	--	--	--	--
81-L 0118 -60HN	205	15%	10	--	--	--	--
81-L 0119 -60HN	205	11%	<10	--	--	--	--
81-L 0120 -60HN	205	14%	<10	--	--	--	--
81-L 0121 -60HN	205	12%	<10	--	--	--	--
81-L 0122 -60HN	205	9%	20	--	--	--	--
81-L 0123 -60HN	205	9%	10	--	--	--	--
81-L 0124 -60HN	205	10%	10	--	--	--	--
81-L 0125 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0126 -60HN	205	26000	<10	--	--	--	--



Certified by *Hart Buchler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8


CERT. # : A8210129-004-  
 INVOICE # : I8210129  
 DATE : 03-MAR-82  
 P.O. # : NONE  
 81 L

CC: G. JILSON

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
-81-L 0127 -60HN	205	65	5	22	92	0.1	0.1
-81-L 0128 -60HN	205	92	4	20	110	0.4	0.1
-81-L 0129 -60HN	205	28	4	24	40	0.1	0.1
-81-L 0130 -60HN	205	24	4	14	42	0.1	0.1
-81-L 0131 -60HN	205	60	6	28	54	0.4	0.1
-81-L 0132 -60HN	205	44	26	1	112	0.6	2.9
-81-L 0133 -60HN	205	100	4	42	42	0.1	0.1
-81-L 0134 -60HN	205	48	10	12	80	0.1	0.1
-81-L 0135 -60HN	205	28	1	1	96	0.4	0.3
-81-L 0136 -60HN	205	12	1	4	48	0.4	0.2
-81-L 0137 -60HN	205	24	4	1	56	0.6	0.1
-81-L 0138 -60HN	205	34	12	1	76	0.1	0.1
-81-L 0139 -60HN	205	30	4	1	82	0.1	0.1
-81-L 0140 -60HN	205	12	4	1	40	0.1	0.6
-81-L 0141 -60HN	205	40	1	1	60	0.1	0.6
-81-L 0142 -60HN	205	58	4	1	56	0.1	0.4
-81-L 0143 -60HN	205	52	4	1	170	0.6	0.6
-81-L 0144 -60HN	205	36	24	80	4300	0.4	82.0
-81-L 0145 -60HN	205	30	8	18	48	0.1	0.1
-81-L 0146 -60HN	205	28	6	1	252	0.4	1.6
-81-L 0147 -60HN	205	32	6	12	110	0.1	0.4
-81-L 0148 -60HN	205	30	6	16	56	1.8	0.1
-81-L 0149 -60HN	205	22	4	14	44	0.1	0.1
-81-L 0150 -60HN	205	44	1	16	84	0.1	0.1
-81-L 0151 -60HN	205	78	10	52	360	0.1	2.0
-81-L 0152 -60HN	205	40	4	56	72	0.1	0.4
-81-L 0153 -60HN	205	14	4	12	64	1.2	0.1
-81-L 0154 -60HN	205	12	1	10	66	0.1	0.1
-81-L 0155 -60HN	205	40	6	22	126	0.1	0.4
-81-L 0156 -60HN	205	400	1	60	380	5.0	1.8
-81-L 0159 -60HN	205	108	4	26	100	0.1	0.6
-81-L 0160 -60HN	205	1480	6	68	86	0.8	0.4
-81-L 0161 -60HN	205	24	10	16	54	0.1	0.4
-81-L 0162 -60HN	205	96	4	80	160	0.1	1.0
-81-L 0163 -60HN	205	34	4	40	56	0.4	0.1
-81-L 0165 -60HN	205	60	4	44	104	0.1	0.6
-81-L 0166 -60HN	205	76	8	56	164	0.4	0.1
-81-L 0167 -60HN	205	30	8	22	100	0.4	0.1
-81-L 0168 -60HN	205	18	4	4	42	0.1	0.1
-81-L 0169 -60HN	205	22	24	22	56	0.1	0.1

Certified by *Hart Buchler* .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BARRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210129-004-1  
 INVOICE # : I8210129  
 DATE : 03-MAR-82  
 P.O. # : NONE  
 81 L


CC: G. JILSON

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-L 0127 -60HN	205	2.30	365	8	N.S.S.	N.S.S.	N.S.S.
81-L 0128 -60HN	205	1.20	300	10	240	56	2.0
81-L 0129 -60HN	205	0.70	320	3	800	16	1.2
81-L 0130 -60HN	205	0.60	220	2	80	8	2.4
81-L 0131 -60HN	205	1.20	350	2	307	4	N.S.S.
81-L 0132 -60HN	205	7.64	265	78	N.S.S.	N.S.S.	N.S.S.
81-L 0133 -60HN	205	0.80	250	3	1800	4	2.0
81-L 0134 -60HN	205	0.70	230	2	340	4	1.6
81-L 0135 -60HN	205	0.80	250	4	30	4	3.2
81-L 0136 -60HN	205	0.40	80	4	20	8	4.4
81-L 0137 -60HN	205	0.50	100	4	24	8	4.0
81-L 0138 -60HN	205	7.20	380	19	N.S.S.	N.S.S.	N.S.S.
81-L 0139 -60HN	205	1.30	420	7	140	20	1.2
81-L 0140 -60HN	205	0.40	90	6	30	12	0.8
81-L 0141 -60HN	205	0.40	110	22	46	4	0.4
81-L 0142 -60HN	205	0.80	140	22	N.S.S.	N.S.S.	N.S.S.
81-L 0143 -60HN	205	2.90	400	55	20	4	5.6
81-L 0144 -60HN	205	0.50	120	12	24	8	5.6
81-L 0145 -60HN	205	1.60	420	5	130	N.S.S.	0.4
81-L 0146 -60HN	205	1.00	120	16	20	8	1.6
81-L 0147 -60HN	205	2.60	440	5	30	12	1.2
81-L 0148 -60HN	205	1.30	340	2	54	4	0.4
81-L 0149 -60HN	205	1.40	360	3	170	84	0.4
81-L 0150 -60HN	205	1.60	330	4	400	8	1.2
81-L 0151 -60HN	205	6.60	940	41	200	8	3.2
81-L 0152 -60HN	205	1.20	280	9	46	36	6.4
81-L 0153 -60HN	205	1.40	360	6	260	12	0.8
81-L 0154 -60HN	205	0.60	300	4	N.S.S.	N.S.S.	N.S.S.
81-L 0155 -60HN	205	1.40	400	4	N.S.S.	N.S.S.	N.S.S.
81-L 0156 -60HN	205	2.60	160	38	N.S.S.	N.S.S.	N.S.S.
81-L 0159 -60HN	205	1.40	340	9	1000	92	1.2
81-L 0160 -60HN	205	1.90	480	11	N.S.S.	N.S.S.	N.S.S.
81-L 0161 -60HN	205	1.40	420	2	260	4	2.4
81-L 0162 -60HN	205	1.40	400	14	N.S.S.	N.S.S.	N.S.S.
81-L 0163 -60HN	205	1.20	280	6	156	4	N.S.S.
81-L 0165 -60HN	205	1.10	200	6	280	4	0.8
81-L 0166 -60HN	205	5.80	820	38	120	4	0.8
81-L 0167 -60HN	205	5.40	840	17	10	4	4.8
81-L 0168 -60HN	205	0.50	180	3	24	16	1.2
81-L 0169 -60HN	205	5.90	110	275	580	16	0.4

Certified by *Hart Buchler*



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE  
 NORTH VANCOUVER, B.C  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BARRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210129-004-C  
 INVOICE # : I8210129  
 DATE : 03-MAR-82  
 P.O. # : NONE  
 81 L




CC: G. JILSON

Sample description	Prep code	Ba ppm	Au NAA ppb				
81-L 0127 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0128 -60HN	205	7%	30	--	--	--	--
81-L 0129 -60HN	205	45000	10	--	--	--	--
81-L 0130 -60HN	205	45000	10	--	--	--	--
81-L 0131 -60HN	205	26000	10	--	--	--	--
81-L 0132 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0133 -60HN	205	7%	3100	--	--	--	--
81-L 0134 -60HN	205	45000	<10	--	--	--	--
81-L 0135 -60HN	205	15%	<10	--	--	--	--
81-L 0136 -60HN	205	14%	10	--	--	--	--
81-L 0137 -60HN	205	14%	<10	--	--	--	--
81-L 0138 -60HN	205	4600	40	--	--	--	--
81-L 0139 -60HN	205	10%	910	--	--	--	--
81-L 0140 -60HN	205	16%	680	--	--	--	--
81-L 0141 -60HN	205	20%	20	--	--	--	--
81-L 0142 -60HN	205	15%	10	--	--	--	--
81-L 0143 -60HN	205	18%	<10	--	--	--	--
81-L 0144 -60HN	205	15%	<10	--	--	--	--
81-L 0145 -60HN	205	11000	10	--	--	--	--
81-L 0146 -60HN	205	15%	110	--	--	--	--
81-L 0147 -60HN	205	22000	<10	--	--	--	--
81-L 0148 -60HN	205	24000	10	--	--	--	--
81-L 0149 -60HN	205	24000	20	--	--	--	--
81-L 0150 -60HN	205	34000	5830	--	--	--	--
81-L 0151 -60HN	205	26000	390	--	--	--	--
81-L 0152 -60HN	205	7%	1630	--	--	--	--
81-L 0153 -60HN	205	42000	56870	--	--	--	--
81-L 0154 -60HN	205	7%	N.S.S.	--	--	--	--
81-L 0155 -60HN	205	5%	20	--	--	--	--
81-L 0156 -60HN	205	32000	810	--	--	--	--
81-L 0159 -60HN	205	24000	2350	--	--	--	--
81-L 0160 -60HN	205	10000	140	--	--	--	--
81-L 0161 -60HN	205	15000	10	--	--	--	--
81-L 0162 -60HN	205	22000	16570	--	--	--	--
81-L 0163 -60HN	205	22000	860	--	--	--	--
81-L 0165 -60HN	205	26000	2620	--	--	--	--
81-L 0166 -60HN	205	16000	340	--	--	--	--
81-L 0167 -60HN	205	14000	20	--	--	--	--
81-L 0168 -60HN	205	14%	20	--	--	--	--
81-L 0169 -60HN	205	2800	<10	--	--	--	--

Certified by Hart Bichler





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS
-------------------------


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210129-005-  
 INVOICE # : 18210129  
 DATE : 03-MAR-82  
 P.O. # : NONE  
 81 L

CC: G. JILSON

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L 0170 -60HN	205	152	18	40	910	1.8	2.8
81-L 0171 -60HN	205	28	6	14	250	0.4	0.8
81-L 0172 -60HN	205	550	24	8	1700	10.0	12.0
81-L 0173 -60HN	205	50	4	4	192	2.4	1.6
81-L 0174 -60HN	205	14	1	1	50	0.4	0.1
81-L 0175 -60HN	205	48	6	34	336	0.6	0.8
81-L 0176 -60HN	205	112	12	62	796	0.8	1.8
81-L 0177 -60HN	205	56	4	560	88	0.1	0.1
81-L 0178 -60HN	205	22	6	1	264	2.0	1.0
81-L 0179 -60HN	205	22	4	4	76	2.6	0.4
81-L 0180 -60HN	205	42	4	1	100	0.1	0.4
81-L 0181 -60HN	205	18	1	4	52	0.4	0.1
81-L 0182 -60HN	205	100	6	82	264	0.1	0.4
81-L 0183 -60HN	205	32	4	82	70	6.0	0.1
81-L 0184 -60HN	205	22	6	210	54	2.2	0.1
81-L 0185 -60HN	205	6	4	120	50	2.0	0.1
81-L 0186 -60HN	205	26	6	216	80	2.8	0.1
81-L 0187 -60HN	205	30	6	154	84	3.2	0.1
81-L 0188 -60HN	205	16	4	40	44	0.4	0.1
81-L 0189 -60HN	205	56	4	28	94	0.1	0.1
81-L 0191 -60HN	205	30	4	80	60	0.1	0.1
81-L 0192 -60HN	205	56	4	100	160	0.1	0.1
81-L 0193 -60HN	205	342	1	42	3249	0.1	19.2
81-L 0194 -60HN	205	58	6	108	256	0.6	0.8
81-L 0195 -60HN	205	70	4	96	232	0.6	0.6
81-L 0196 -60HN	205	38	6	116	152	1.0	0.1
81-L 0197 -60HN	205	62	4	76	170	0.6	0.8
81-L 0198 -60HN	205	112	1	20	70	1.0	0.1
81-L 0199 -60HN	205	34	1	28	130	0.1	0.4
81-L 0201 -60HN	205	18	1	18	58	1.2	0.1
81-L 0202 -60HN	205	20	1	16	50	5.4	0.1
81-L 0203 -60HN	205	22	4	28	74	0.4	0.1
81-L 0204 -60HN	205	8	4	22	46	0.1	0.1
81-L 0205 -60HN	205	24	1	10	104	0.4	0.1
81-L 0206 -60HN	205	20	4	52	62	0.1	0.1
81-L 0207 -60HN	205	38	1	18	52	0.1	0.1
81-L 0209 -60HN	205	8	4	16	70	0.1	0.1
81-L 0210 -60HN	205	10	4	8	64	0.1	0.1
81-L 0211 -60HN	205	16	1	18	44	0.1	0.1
81-L 0216 -60HN	205	30	4	8	28	0.1	0.1

Certified by *Hart Bichler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210129-005-  
 INVOICE # : 18210129  
 DATE : 03-MAR-82  
 P.O. # : NONE  
 81 L


CC: G. JILSON

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-L 0170 -60HN	205	10.40	820	59	6	4	24.0
81-L 0171 -60HN	205	1.40	400	11	90	4	2.4
81-L 0172 -60HN	205	15.60	400	165	46	24	5.2
81-L 0173 -60HN	205	1.20	170	9	30	N.S.S.	0.4
81-L 0174 -60HN	205	0.40	160	3	14	24	0.8
81-L 0175 -60HN	205	6.80	960	33	20	24	8.8
81-L 0176 -60HN	205	25.60	2300	75	14	8	16.0
81-L 0177 -60HN	205	1.40	320	5	110	N.S.S.	0.8
81-L 0178 -60HN	205	0.60	180	4	1	4	1.6
81-L 0179 -60HN	205	0.40	100	3	6	20	2.4
81-L 0180 -60HN	205	1.00	70	5	10	4	0.4
81-L 0181 -60HN	205	0.50	160	5	30	40	0.8
81-L 0182 -60HN	205	11.40	980	67	17	N.S.S.	N.S.S.
81-L 0183 -60HN	205	4.80	600	32	90	230	184.0
81-L 0184 -60HN	205	2.40	530	16	90	175	60.0
81-L 0185 -60HN	205	1.30	440	14	50	92	73.0
81-L 0186 -60HN	205	4.60	840	23	83	N.S.S.	N.S.S.
81-L 0187 -60HN	205	3.40	620	11	34	84	35.0
81-L 0188 -60HN	205	1.60	690	5	40	N.S.S.	4.8
81-L 0189 -60HN	205	1.40	380	10	34	68	1.6
81-L 0191 -60HN	205	1.20	520	9	N.S.S.	N.S.S.	N.S.S.
81-L 0192 -60HN	205	8.80	720	41	30	60	76.0
81-L 0193 -60HN	205	4.17	625	42	N.S.S.	N.S.S.	N.S.S.
81-L 0194 -60HN	205	5.60	670	29	40	185	22.0
81-L 0195 -60HN	205	4.20	480	32	40	195	36.0
81-L 0196 -60HN	205	9.40	700	51	50	245	42.0
81-L 0197 -60HN	205	3.30	680	19	N.S.S.	N.S.S.	N.S.S.
81-L 0198 -60HN	205	2.10	430	9	N.S.S.	N.S.S.	N.S.S.
81-L 0199 -60HN	205	2.40	640	16	30	70	2.0
81-L 0201 -60HN	205	2.80	910	5	30	190	0.8
81-L 0202 -60HN	205	1.80	600	5	60	390	0.8
81-L 0203 -60HN	205	2.80	700	5	80	280	0.8
81-L 0204 -60HN	205	1.80	720	5	50	110	0.8
81-L 0205 -60HN	205	1.90	680	5	46	72	0.4
81-L 0206 -60HN	205	1.40	660	5	20	N.S.S.	N.S.S.
81-L 0207 -60HN	205	1.90	660	4	50	195	2.4
81-L 0209 -60HN	205	1.50	550	7	40	100	0.4
81-L 0210 -60HN	205	3.70	1280	5	20	28	0.4
81-L 0211 -60HN	205	1.80	840	4	34	115	0.4
81-L 0216 -60HN	205	1.60	530	5	40	24	N.S.S.

Certified by *Hart Buchler*



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

**CERTIFICATE OF ANALYSIS**

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210129-005-  
 INVOICE # : 18210129  
 DATE : 03-MAR-82  
 P.O. # : NONE  
 81 L




CC: G. JILSON

Sample description	Prep code	Ba ppm	Au NAA ppb				
81-L 0170 -60HN	205	11%	210	--	--	--	--
81-L 0171 -60HN	205	13%	20	--	--	--	--
81-L 0172 -60HN	205	10%	1160	--	--	--	--
81-L 0173 -60HN	205	11%	<10	--	--	--	--
81-L 0174 -60HN	205	15%	14010	--	--	--	--
81-L 0175 -60HN	205	15%	10	--	--	--	--
81-L 0176 -60HN	205	7%	190	--	--	--	--
81-L 0177 -60HN	205	28000	<10	--	--	--	--
81-L 0178 -60HN	205	9%	<10	--	--	--	--
81-L 0179 -60HN	205	12%	1730	--	--	--	--
81-L 0180 -60HN	205	11%	<10	--	--	--	--
81-L 0181 -60HN	205	18%	34160	--	--	--	--
81-L 0182 -60HN	205	44000	10	--	--	--	--
81-L 0183 -60HN	205	16200	4420 *	--	--	--	--
81-L 0184 -60HN	205	30000	11960	--	--	--	--
81-L 0185 -60HN	205	5.5%	1240	--	--	--	--
81-L 0186 -60HN	205	25000	25370	--	--	--	--
81-L 0187 -60HN	205	42000	20	--	--	--	--
81-L 0188 -60HN	205	32000	20	--	--	--	--
81-L 0189 -60HN	205	7%	680	--	--	--	--
81-L 0191 -60HN	205	8%	146	--	--	--	--
81-L 0192 -60HN	205	26000	6110	--	--	--	--
81-L 0193 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0194 -60HN	205	5%	10	--	--	--	--
81-L 0195 -60HN	205	8%	230	--	--	--	--
81-L 0196 -60HN	205	18000	4450	--	--	--	--
81-L 0197 -60HN	205	38000	107	--	--	--	--
81-L 0198 -60HN	205	9%	27	--	--	--	--
81-L 0199 -60HN	205	12%	8040	--	--	--	--
81-L 0201 -60HN	205	12000	2700	--	--	--	--
81-L 0202 -60HN	205	42000	9650	--	--	--	--
81-L 0203 -60HN	205	7000	210	--	--	--	--
81-L 0204 -60HN	205	6200	740	--	--	--	--
81-L 0205 -60HN	205	4200	1160	--	--	--	--
81-L 0206 -60HN	205	5%	3090	--	--	--	--
81-L 0207 -60HN	205	7200	21820	--	--	--	--
81-L 0209 -60HN	205	20000	15030	--	--	--	--
81-L 0210 -60HN	205	11000	10	--	--	--	--
81-L 0211 -60HN	205	20000	40	--	--	--	--
81-L 0216 -60HN	205	86000	960	--	--	--	--



Certified by *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8


CERT. # : A8210129-006-  
INVOICE # : 18210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L

CC: G. JILSON

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
-81-L 0218 -60HN	205	20	6	32	46	0.1	0.1
-81-L 0219 -60HN	205	36	4	38	82	0.1	0.1
-81-L 0220 -60HN	205	32	4	16	54	0.4	0.1
-81-L 0221 -60HN	205	154	6	42	184	0.1	0.4
-81-L 0222 -60HN	205	24	4	20	64	0.1	0.1
-81-L 0223 -60HN	205	82	6	22	60	0.1	0.1
-81-L 0224 -60HN	205	100	4	48	420	0.1	1.0
-81-L 0225 -60HN	205	470	8	42	24	0.8	1.0
-81-L 0226 -60HN	205	30	4	22	58	0.1	0.1
-81-L 0227 -60HN	205	60	6	110	194	0.1	0.1
-81-L 0228 -60HN	205	310	4	4	770	0.6	4.0
-81-L 0229 -60HN	205	50	6	34	120	0.1	0.1
-81-L 0230 -60HN	205	342	1	46	185	0.1	0.1
-81-L 0231 -60HN	205	92	6	370	208	0.1	0.1
-81-L 0232 -60HN	205	32	1	8	60	0.1	0.1
-81-L 0233 -60HN	205	88	2	225	125	0.1	0.1
-81-L 0234 -60HN	205	156	1	98	178	0.1	0.1
-81-L 0235 -60HN	205	14	4	10	60	0.1	0.1
-81-L 0236 -60HN	205	56	1	196	72	0.1	0.1
-81-L 0237 -60HN	205	44	1	1	96	0.1	0.1
-81-L 0238 -60HN	205	70	4	4	28	0.1	0.1
-81-L 0239 -60HN	205	22	1	4	104	0.1	0.8
-81-L 0240 -60HN	205	24	4	6	126	0.1	0.8
-81-L 0241 -60HN	205	240	14	1	900	2.2	8.6
-81-L 0242 -60HN	205	116	1	52	70	0.1	0.1
-81-L 0243 -60HN	205	230	1	136	256	0.1	0.6
-81-L 0244 -60HN	205	128	1	26	44	1.0	0.1
-81-L 0245 -60HN	205	300	4	114	476	0.8	3.2
-81-L 0246 -60HN	205	460	8	150	970	1.2	8.8
-81-L 0247 -60HN	205	320	4	20	132	0.1	0.6
-81-L 0248 -60HN	205	96	4	1	44	0.1	0.1
-81-L 0249 -60HN	205	230	4	22	120	0.1	0.6
-81-L 0250 -60HN	205	108	1	52	130	0.1	0.6
-81-L 0251 -60HN	205	850	18	64	286	2.2	1.0
-81-L 0252 -60HN	205	1087	13	146	310	0.9	0.1
-81-L 0253 -60HN	205	1200	20	44	640	2.6	5.4
-81-L 0254 -60HN	205	760	4	152	84	0.4	0.1
-81-L 0255 -60HN	205	920	6	70	126	0.4	0.1
-81-L 0256 -60HN	205	1260	18	56	228	1.2	0.4
-81-L 0257 -60HN	205	680	8	58	124	0.1	0.1

Certified by *Hart Buchler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1


TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8


CERT. # : A8210129-006-  
INVOICE # : I8210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L




CC: G. JILSON

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-L 0218 -60HN	205	0.90	280	2	60	N.S.S.	0.4
81-L 0219 -60HN	205	0.80	180	4	36	12	0.4
81-L 0220 -60HN	205	0.90	190	4	40	12	0.4
81-L 0221 -60HN	205	1.50	300	10	150	N.S.S.	N.S.S.
81-L 0222 -60HN	205	1.00	320	6	14	4	0.4
81-L 0223 -60HN	205	1.00	320	4	96	32	1.6
81-L 0224 -60HN	205	2.20	410	6	N.S.S.	N.S.S.	N.S.S.
81-L 0225 -60HN	205	2.80	160	48	50	N.S.S.	N.S.S.
81-L 0226 -60HN	205	2.10	320	120	10	4	0.4
81-L 0227 -60HN	205	5.80	540	19	50	80	2.8
81-L 0228 -60HN	205	2.50	180	30	140	4	0.4
81-L 0229 -60HN	205	4.70	770	10	26	4	1.6
81-L 0230 -60HN	205	1.35	193	6	N.S.S.	N.S.S.	N.S.S.
81-L 0231 -60HN	205	9.00	800	17	N.S.S.	28	N.S.S.
81-L 0232 -60HN	205	1.30	200	4	26	N.S.S.	N.S.S.
81-L 0233 -60HN	205	2.50	250	13	N.S.S.	N.S.S.	N.S.S.
81-L 0234 -60HN	205	1.60	420	4	N.S.S.	N.S.S.	N.S.S.
81-L 0235 -60HN	205	1.80	340	3	1	4	0.4
81-L 0236 -60HN	205	1.70	230	3	N.S.S.	N.S.S.	N.S.S.
81-L 0237 -60HN	205	0.80	140	6	1	4	0.4
81-L 0238 -60HN	205	0.30	80	2	6	4	0.4
81-L 0239 -60HN	205	0.90	80	6	1	4	0.4
81-L 0240 -60HN	205	0.80	120	9	10	4	0.4
81-L 0241 -60HN	205	6.80	240	61	1	4	1.6
81-L 0242 -60HN	205	1.60	120	6	N.S.S.	N.S.S.	N.S.S.
81-L 0243 -60HN	205	2.00	130	12	N.S.S.	N.S.S.	N.S.S.
81-L 0244 -60HN	205	0.80	60	3	13	N.S.S.	N.S.S.
81-L 0245 -60HN	205	4.20	120	22	14	4	0.4
81-L 0246 -60HN	205	6.80	200	41	14	4	2.4
81-L 0247 -60HN	205	2.00	100	7	N.S.S.	N.S.S.	N.S.S.
81-L 0248 -60HN	205	2.40	80	6	N.S.S.	N.S.S.	N.S.S.
81-L 0249 -60HN	205	1.10	100	3	N.S.S.	N.S.S.	N.S.S.
81-L 0250 -60HN	205	1.80	110	12	N.S.S.	N.S.S.	N.S.S.
81-L 0251 -60HN	205	10.00	520	77	N.S.S.	N.S.S.	N.S.S.
81-L 0252 -60HN	205	10.50	194	52	N.S.S.	N.S.S.	N.S.S.
81-L 0253 -60HN	205	13.20	220	79	5	N.S.S.	N.S.S.
81-L 0254 -60HN	205	5.00	140	19	N.S.S.	N.S.S.	N.S.S.
81-L 0255 -60HN	205	5.30	100	16	1	N.S.S.	N.S.S.
81-L 0256 -60HN	205	6.80	100	24	N.S.S.	N.S.S.	N.S.S.
81-L 0257 -60HN	205	2.40	40	11	N.S.S.	N.S.S.	N.S.S.

Certified by *Hart Bickler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

<b>CERTIFICATE OF ANALYSIS</b>
--------------------------------

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210129-006-  
 INVOICE # : I8210129  
 DATE : 03-MAR-82  
 P.O. # : NONE  
 81 L

CC: G. JILSON



Sample description	Prep code	Ba ppm	Au NAA ppb				
81-L 0218 -60HN	205	10000	280	--	--	--	--
81-L 0219 -60HN	205	22000	<10	--	--	--	--
81-L 0220 -60HN	205	8400	<10	--	--	--	--
81-L 0221 -60HN	205	20000	232	--	--	--	--
81-L 0222 -60HN	205	32000	<10	--	--	--	--
81-L 0223 -60HN	205	35000	<10	--	--	--	--
81-L 0224 -60HN	205	23000	<111	--	--	--	--
81-L 0225 -60HN	205	11%	17	--	--	--	--
81-L 0226 -60HN	205	8400	<10	--	--	--	--
81-L 0227 -60HN	205	23000	<10	--	--	--	--
81-L 0228 -60HN	205	11%	<10	--	--	--	--
81-L 0229 -60HN	205	24000	<10	--	--	--	--
81-L 0230 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0231 -60HN	205	16000	N.S.S.	--	--	--	--
81-L 0232 -60HN	205	11%	<10	--	--	--	--
81-L 0233 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0234 -60HN	205	20000	<29	--	--	--	--
81-L 0235 -60HN	205	2200	<10	--	--	--	--
81-L 0236 -60HN	205	22000	<18	--	--	--	--
81-L 0237 -60HN	205	9%	<10	--	--	--	--
81-L 0238 -60HN	205	12%	<10	--	--	--	--
81-L 0239 -60HN	205	10%	<10	--	--	--	--
81-L 0240 -60HN	205	11%	<10	--	--	--	--
81-L 0241 -60HN	205	13%	31	--	--	--	--
81-L 0242 -60HN	205	32000	<56	--	--	--	--
81-L 0243 -60HN	205	8000	<167	--	--	--	--
81-L 0244 -60HN	205	5%	<10	--	--	--	--
81-L 0245 -60HN	205	13000	<10	--	--	--	--
81-L 0246 -60HN	205	8000	<10	--	--	--	--
81-L 0247 -60HN	205	7%	<24	--	--	--	--
81-L 0248 -60HN	205	8%	<12	--	--	--	--
81-L 0249 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0250 -60HN	205	5000	<59	--	--	--	--
81-L 0251 -60HN	205	36000	<31	--	--	--	--
81-L 0252 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0253 -60HN	205	24%	<10	--	--	--	--
81-L 0254 -60HN	205	22000	N.S.S.	--	--	--	--
81-L 0255 -60HN	205	17000	<10	--	--	--	--
81-L 0256 -60HN	205	33000	<63	--	--	--	--
81-L 0257 -60HN	205	5000	<83	--	--	--	--

Certified by *Hart Buchler* .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604)984-0221

TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS


## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8


CERT. # : A8210129-007-  
INVOICE # : I8210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L

CC: G. JILSON

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L 0258	-60HN ✓ 205	1240	6	82	136	0.2	4.2
81-L 0259	-60HN ✓ 205	212	6	68	153	0.3	0.3
81-L 0260	-60HN ✓ 205	180	8	56	84	0.2	0.2
81-L 0261	-60HN ✓ 205	1800	38	40	1170	3.2	6.6
81-L 0262	-60HN ✓ 205	1540	8	104	210	0.6	0.2
81-L 0263	-60HN ✓ 205	1960	16	30	710	2.4	5.0
81-L 0264	-60HN ✓ 205	124	8	2	400	0.6	3.8
81-L 0265	-60HN ✓ 205	250	12	2	1200	2.2	11.0
81-L 0266	-60HN ✓ 205	64	6	2	416	0.2	3.4
81-L 0267	-60HN ✓ 205	28	6	2	256	0.2	1.8
81-L 0268	-60HN ✓ 205	480	16	2	1700	3.6	29.2
81-L 0269	-60HN ✓ 205	184	6	2	410	0.2	3.2
81-L 0270	-60HN ✓ 205	580	14	2	1830	3.2	20.6
81-L 0271	-60HN ✓ 205	64	4	2	266	0.4	1.8
81-L 0272	-60HN ✓ 205	450	8	2	1600	0.6	10.0
81-L 0273	-60HN ✓ 205	40	4	2	80	0.6	0.2
81-L 0274	-60HN ✓ 205	360	10	4	890	1.4	3.2
81-L 0275	-60HN ✓ 205	104	4	2	360	0.8	3.0
81-L 0276	-60HN ✓ 205	54	8	32	340	1.0	0.8
81-L 0277	-60HN ✓ 205	260	10	14	282	0.2	1.2
81-L 0278	-60HN ✓ 205	240	6	20	390	1.2	2.8
81-L 0279	-60HN ✓ 205	156	6	2	352	0.2	3.2
81-L 0280	-60HN ✓ 205	270	14	2	2200	1.8	22.6
81-L 0281	-60HN ✓ 205	96	6	2	228	0.4	1.6
81-L 0282	-60HN ✓ 205	290	10	2	1230	0.6	8.4
81-L 0283	-60HN ✓ 205	2100	16	10	1880	1.2	15.0
81-L 0284	-60HN ✓ 205	56	12	8	160	0.2	0.6
81-L 0285	-60HN ✓ 205	220	22	2	350	2.2	1.6
81-L 0286	-60HN ✓ 205	220	12	2	516	0.4	5.2
81-L 0287	-60HN ✓ 205	380	18	16	500	0.6	4.6
81-L 0288	-60HN ✓ 205	190	8	2	330	0.6	3.4
81-L 0289	-60HN ✓ 205	400	10	40	270	0.2	2.0
81-L 0290	-60HN ✓ 205	500	8	64	410	0.2	4.0
81-L 0291	-60HN ✓ 205	440	14	24	300	1.0	1.8
81-L 0292	-60HN ✓ 205	680	30	232	2360	2.4	15.6
81-L 0293	-60HN ✓ 205	140	8	86	126	0.2	0.4
81-L 0294	-60HN ✓ 205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-L 0295	-60HN ✓ 205	68	4	2	100	0.2	0.2
81-L 0296	-60HN ✓ 205	200	10	2	704	0.6	4.8
81-L 0297	-60HN ✓ 205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.



Certified by *Hart Buchler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BARRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8


CERT. # : A8210129-007-  
 INVOICE # : I8210129  
 DATE : 03-MAR-82  
 P.O. # : NONE  
 81 L


CC: G. JILSON

7                      8                      9                      10                      11                      12

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-L 0258 -60HN	205	4.30	120	9	N.S.S.	N.S.S.	N.S.S.
81-L 0259 -60HN	205	2.95	264	9	N.S.S.	N.S.S.	N.S.S.
81-L 0260 -60HN	205	2.50	90	23	1	4	N.S.S.
81-L 0261 -60HN	205	30.40	220	113	N.S.S.	4	N.S.S.
81-L 0262 -60HN	205	13.70	100	23	N.S.S.	N.S.S.	N.S.S.
81-L 0263 -60HN	205	10.40	140	39	N.S.S.	N.S.S.	N.S.S.
81-L 0264 -60HN	205	3.30	140	16	1	4	1.6
81-L 0265 -60HN	205	4.50	160	19	4	4	7.2
81-L 0266 -60HN	205	1.70	160	16	4	4	2.4
81-L 0267 -60HN	205	0.70	80	6	1	4	1.2
81-L 0268 -60HN	205	13.00	140	97	280	4	48.0
81-L 0269 -60HN	205	2.00	130	12	14	4	4.4
81-L 0270 -60HN	205	17.80	130	50	6	4	6.4
81-L 0271 -60HN	205	1.50	120	11	1	8	2.0
81-L 0272 -60HN	205	5.40	100	23	1	N.S.S.	0.8
81-L 0273 -60HN	205	1.00	80	5	1	4	0.4
81-L 0274 -60HN	205	7.00	140	22	1	N.S.S.	N.S.S.
81-L 0275 -60HN	205	2.40	60	11	1	4	1.6
81-L 0276 -60HN	205	4.70	820	24	10	44	12.0
81-L 0277 -60HN	205	4.20	280	16	1	4	1.2
81-L 0278 -60HN	205	3.20	150	16	N.S.S.	N.S.S.	N.S.S.
81-L 0279 -60HN	205	1.70	80	7	1	4	0.4
81-L 0280 -60HN	205	11.80	190	41	1	4	4.0
81-L 0281 -60HN	205	1.40	100	6	14	4	2.4
81-L 0282 -60HN	205	5.20	240	14	1	4	3.2
81-L 0283 -60HN	205	9.40	300	48	1	4	5.6
81-L 0284 -60HN	205	1.20	80	6	1	4	13.6
81-L 0285 -60HN	205	16.00	700	39	1	8	2.4
81-L 0286 -60HN	205	2.00	170	19	1	8	5.2
81-L 0287 -60HN	205	6.40	320	65	N.S.S.	4	N.S.S.
81-L 0288 -60HN	205	2.80	110	14	1	4	2.4
81-L 0289 -60HN	205	2.70	120	23	N.S.S.	N.S.S.	N.S.S.
81-L 0290 -60HN	205	3.80	130	20	N.S.S.	N.S.S.	N.S.S.
81-L 0291 -60HN	205	4.20	140	23	6	4	3.2
81-L 0292 -60HN	205	6.00	210	57	20	4	39.0
81-L 0293 -60HN	205	1.00	240	4	N.S.S.	N.S.S.	N.S.S.
81-L 0294 -60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-L 0295 -60HN	205	0.70	100	7	1	4	3.2
81-L 0296 -60HN	205	10.00	120	1250	6	4	6.8
81-L 0297 -60HN	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.

Certified by *Hart Buchler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210129-007-0  
INVOICE # : I8210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L

CC: G. JILSON

13 14

Sample description	Prep code	Ba ppm	Au NAA ppb				
81-L 0258 -60HN	205	15000	<10	--	--	--	--
81-L 0259 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0260 -60HN	205	4000	<10	--	--	--	--
81-L 0261 -60HN	205	5%	<16	--	--	--	--
81-L 0262 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0263 -60HN	205	7%	<33	--	--	--	--
81-L 0264 -60HN	205	7%	<10	--	--	--	--
81-L 0265 -60HN	205	11%	<10	--	--	--	--
81-L 0266 -60HN	205	9%	<10	--	--	--	--
81-L 0267 -60HN	205	8%	<10	--	--	--	--
81-L 0268 -60HN	205	9%	<10	--	--	--	--
81-L 0269 -60HN	205	12%	<10	--	--	--	--
81-L 0270 -60HN	205	36000	<10	--	--	--	--
81-L 0271 -60HN	205	7%	<10	--	--	--	--
81-L 0272 -60HN	205	9%	<10	--	--	--	--
81-L 0273 -60HN	205	8%	<10	--	--	--	--
81-L 0274 -60HN	205	10%	<10	--	--	--	--
81-L 0275 -60HN	205	12%	<10	--	--	--	--
81-L 0276 -60HN	205	14%	<10	--	--	--	--
81-L 0277 -60HN	205	9%	<10	--	--	--	--
81-L 0278 -60HN	205	11%	<26	--	--	--	--
81-L 0279 -60HN	205	10%	<10	--	--	--	--
81-L 0280 -60HN	205	10%	<10	--	--	--	--
81-L 0281 -60HN	205	8%	<10	--	--	--	--
81-L 0282 -60HN	205	15%	<10	--	--	--	--
81-L 0283 -60HN	205	44000	<10	--	--	--	--
81-L 0284 -60HN	205	9%	<10	--	--	--	--
81-L 0285 -60HN	205	8%	14	--	--	--	--
81-L 0286 -60HN	205	16%	<10	--	--	--	--
81-L 0287 -60HN	205	11%	<19	--	--	--	--
81-L 0288 -60HN	205	7%	<10	--	--	--	--
81-L 0289 -60HN	205	12000	<21	--	--	--	--
81-L 0290 -60HN	205	6%	<11	--	--	--	--
81-L 0291 -60HN	205	8%	<10	--	--	--	--
81-L 0292 -60HN	205	9%	<10	--	--	--	--
81-L 0293 -60HN	205	22000	<15	--	--	--	--
81-L 0294 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0295 -60HN	205	8%	<10	--	--	--	--
81-L 0296 -60HN	205	9%	<10	--	--	--	--
81-L 0297 -60HN	205	N.S.S.	N.S.S.	--	--	--	--

Certified by *Hart Buchler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8


CERT. # : A8210129-008-  
INVOICE # : I8210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L

CC: G. JILSON


*Monica these have been added Bob*



Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L 0298 -60HN	205	64	4	1	220	0.6	1.0
81-L 0299 -60HN	205	22	4	1	120	0.1	1.0
81-L 0300 -60HN	205	18	4	1	136	0.1	0.4
81-L 0301 -60HN	205	800	10	1	224	0.4	0.6
81-L 0302 -60HN	205	34	4	36	96	0.1	0.1
81-L 0303 -60HN	205	430	6	168	500	2.0	4.4
81-L 0304 -60HN	205	56	4	18	216	0.4	0.8
81-L 0305 -60HN	205	164	4	1	710	0.6	6.4
81-L 0306 -60HN	205	56	4	1	424	0.4	2.4
81-L 0307 -60HN	205	22	1	1	152	0.1	0.1
81-L 0308 -60HN	205	72	1	1	396	0.1	3.0
81-L 0309 -60HN	205	470	6	6	430	0.1	2.6
81-L 0310 -60HN	205	86	4	4	296	0.1	1.6
81-L 0311 -60HN	205	20	1	1	216	0.1	0.8
81-L 0312 -60HN	205	108	1	1	550	0.1	4.6
81-L 0313 -60HN	205	34	1	1	346	0.1	2.0
81-L 0314 -60HN	205	38	1	1	276	0.1	1.4
81-L 0315 -60HN	205	38	4	1	420	0.1	2.8
81-L 0316 -60HN	205	20	1	1	324	0.6	0.6
81-L 0317 -60HN	205	68	1	1	1860	0.4	21.4
81-L 0318 -60HN	205	40	1	1	600	0.1	4.4
81-L 0319 -60HN	205	64	1	1	270	0.1	2.4
81-L 0320 -60HN	205	48	1	1	300	0.1	3.2
81-L 0321 -60HN	205	1540	1	96	416	1.2	0.1
81-L 0323 -60HN	205	28	1	1	156	0.1	0.8
81-L 0324 -60HN	205	36	1	1	164	0.1	6.0
81-L 0325 -60HN	205	40	4	1	70	0.1	0.1
81-L 0326 -60HN	205	86	1	1	860	0.1	10.0
81-L 0327 -60HN	205	80	1	1	124	0.1	0.4
81-L 0328 -60HN	205	22	1	4	48	0.1	0.1
81-L 0329 -60HN	205	68	6	1	104	0.1	0.1
81-L 0330 -60HN	205	22	6	14	100	0.1	0.1
81-L 0334 -60HN	205	42	6	146	760	0.1	0.8
81-L 0336 -60HN	205	100	10	40	176	1.8	0.1
81-L 0337 -60HN	205	176	4	4	420	3.0	2.0
81-L 0338 -60HN	205	48	1	1	90	0.4	0.1
81-L 0339 -60HN	205	34	1	32	104	0.1	0.1
81-L 0340 -60HN	205	126	4	16	216	0.1	0.4
81-L 0341 -60HN	205	124	1	6	124	0.6	0.4
81-L 0342 -60HN	205	84	6	20	116	0.4	0.1



Certified by *Hart Buchler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

TELEPHONE: (604)984-0221  
TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210129-008-1  
INVOICE # : I8210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L


CC: G. JILSON

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-L 0298 -60HN	205	1.00	80	25	1	4	10.0
81-L 0299 -60HN	205	0.70	70	5	1	4	0.4
81-L 0300 -60HN	205	0.60	70	4	1	4	0.4
81-L 0301 -60HN	205	3.50	190	27	N.S.S.	N.S.S.	N.S.S.
81-L 0302 -60HN	205	0.80	270	5	46	N.S.S.	4.0
81-L 0303 -60HN	205	8.40	320	120	14	4	6.4
81-L 0304 -60HN	205	0.60	60	6	1	4	7.6
81-L 0305 -60HN	205	2.20	120	29	1	4	15.2
81-L 0306 -60HN	205	1.30	60	11	1	4	0.8
81-L 0307 -60HN	205	0.40	40	5	1	4	0.8
81-L 0308 -60HN	205	1.30	80	14	1	24	8.4
81-L 0309 -60HN	205	4.00	130	20	10	28	64.0
81-L 0310 -60HN	205	0.80	70	5	1	4	0.4
81-L 0311 -60HN	205	0.40	60	7	1	4	0.4
81-L 0312 -60HN	205	1.40	100	51	1	24	13.6
81-L 0313 -60HN	205	0.60	160	7	1	4	2.4
81-L 0314 -60HN	205	0.50	60	6	1	4	0.8
81-L 0315 -60HN	205	0.80	220	9	1	4	3.2
81-L 0316 -60HN	205	1.40	120	9	1	4	0.8
81-L 0317 -60HN	205	0.40	70	6	1	4	0.8
81-L 0318 -60HN	205	1.00	160	9	1	4	2.0
81-L 0319 -60HN	205	1.40	80	7	1	12	0.4
81-L 0320 -60HN	205	0.20	40	6	1	16	0.4
81-L 0321 -60HN	205	13.20	480	106	N.S.S.	N.S.S.	N.S.S.
81-L 0323 -60HN	205	0.20	110	4	1	4	0.4
81-L 0324 -60HN	205	0.20	100	3	1	12	0.4
81-L 0325 -60HN	205	0.30	200	4	20	4	0.4
81-L 0326 -60HN	205	0.40	200	5	6	4	0.8
81-L 0327 -60HN	205	0.40	110	4	10	4	0.4
81-L 0328 -60HN	205	0.30	200	3	14	4	0.4
81-L 0329 -60HN	205	0.50	200	5	N.S.S.	N.S.S.	N.S.S.
81-L 0330 -60HN	205	3.40	1040	5	240	36	0.8
81-L 0334 -60HN	205	7.50	380	30	34	28	33.0
81-L 0336 -60HN	205	7.00	550	120	20	8	10.8
81-L 0337 -60HN	205	5.20	220	265	100	800	8.8
81-L 0338 -60HN	205	1.00	210	20	34	56	2.4
81-L 0339 -60HN	205	0.80	280	7	420	N.S.S.	N.S.S.
81-L 0340 -60HN	205	1.20	190	19	N.S.S.	N.S.S.	N.S.S.
81-L 0341 -60HN	205	1.80	140	7	N.S.S.	N.S.S.	N.S.S.
81-L 0342 -60HN	205	0.80	170	9	N.S.S.	N.S.S.	N.S.S.

Certified by *Hait Buchler* .....



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.


212 BROOKSBANK AVE  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210129-008-  
INVOICE # : I8210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L





CC: G. JILSON

Sample description	Prep code	Ba ppm	Au NAA ppb				
81-L 0298 -60HN	205	8%	<10	--	--	--	--
81-L 0299 -60HN	205	7.5%	<10	--	--	--	--
81-L 0300 -60HN	205	10%	<10	--	--	--	--
81-L 0301 -60HN	205	11%	<13	--	--	--	--
81-L 0302 -60HN	205	5%	14	--	--	--	--
81-L 0303 -60HN	205	20000	<10	--	--	--	--
81-L 0304 -60HN	205	10%	<10	--	--	--	--
81-L 0305 -60HN	205	13%	<10	--	--	--	--
81-L 0306 -60HN	205	8%	<10	--	--	--	--
81-L 0307 -60HN	205	10%	<10	--	--	--	--
81-L 0308 -60HN	205	7.5%	<10	--	--	--	--
81-L 0309 -60HN	205	17%	<10	--	--	--	--
81-L 0310 -60HN	205	5%	<10	--	--	--	--
81-L 0311 -60HN	205	7.5%	<10	--	--	--	--
81-L 0312 -60HN	205	7%	<10	--	--	--	--
81-L 0313 -60HN	205	9%	<10	--	--	--	--
81-L 0314 -60HN	205	5%	<10	--	--	--	--
81-L 0315 -60HN	205	13%	<10	--	--	--	--
81-L 0316 -60HN	205	20%	<10	--	--	--	--
81-L 0317 -60HN	205	9%	<10	--	--	--	--
81-L 0318 -60HN	205	9%	<10	--	--	--	--
81-L 0319 -60HN	205	8%	<10	--	--	--	--
81-L 0320 -60HN	205	16%	<10	--	--	--	--
81-L 0321 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
81-L 0323 -60HN	205	18%	<10	--	--	--	--
81-L 0324 -60HN	205	17%	10	--	--	--	--
81-L 0325 -60HN	205	18%	10	--	--	--	--
81-L 0326 -60HN	205	14%	10	--	--	--	--
81-L 0327 -60HN	205	16%	<10	--	--	--	--
81-L 0328 -60HN	205	13%	10	--	--	--	--
81-L 0329 -60HN	205	15%	250	--	--	--	--
81-L 0330 -60HN	205	1/2000	70	--	--	--	--
81-L 0334 -60HN	205	N.S.S.	60	--	--	--	--
81-L 0336 -60HN	205	4000	8910	--	--	--	--
81-L 0337 -60HN	205	13%	10280	--	--	--	--
81-L 0338 -60HN	205	18%	370	--	--	--	--
81-L 0339 -60HN	205	6%	N.S.S.	--	--	--	--
81-L 0340 -60HN	205	14%	N.S.S.	--	--	--	--
81-L 0341 -60HN	205	14%	27	--	--	--	--
81-L 0342 -60HN	205	N.S.S.	13	--	--	--	--

*Hart Buchler*

Certified by .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210129-009-  
INVOICE # : 18210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L

CC: G. JILSON

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L 0343 -60HN✓	205	180	8	194	760	0.1	2.8
81-L 0344 -60HN✓	205	192	1	60	130	1.0	0.1
81-L 0345 -60HN✓	205	26	6	26	64	0.1	0.1
81-L 0346 -60HN✓	205	56	4	22	72	0.1	0.1
81-L 0347 -60HN✓	205	24	10	16	52	0.1	0.1
81-L 0348 -60HN✓	205	20	10	30	52	0.1	0.1
81-L 0349 -60HN✓	205	40	8	54	90	0.1	0.1
81-L 0350 -60HN✓	205	450	8	1	1580	1.2	16.6

Certified by *Hart Bichler*



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8


CERT. # : A8210129-009-  
INVOICE # : 18210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L

CC: G. JILSON

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
81-L 0343 -60HN	205	4.00	600	25	120	32	6.8
81-L 0344 -60HN	205	4.40	320	46	20	N.S.S.	11.0
81-L 0345 -60HN	205	1.10	350	5	24	20	0.4
81-L 0346 -60HN	205	1.40	370	7	30	28	0.4
81-L 0347 -60HN	205	1.40	600	3	26	4	0.4
81-L 0348 -60HN	205	1.00	440	2	36	32	0.4
81-L 0349 -60HN	205	1.40	410	5	34	4	0.4
81-L 0350 -60HN	205	5.80	140	30	N.S.S.	N.S.S.	N.S.S.

Certified by *Hart Buchler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

- ANALYTICAL CHEMISTS
- GEOCHEMISTS
- REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210129-009-  
INVOICE # : I8210129  
DATE : 03-MAR-82  
P.O. # : NONE  
81 L

CC: G. JILSON

Sample description	Prep code	Ba ppm	Au NAA ppb				
81-L 0343 -60HN	205	23000	<10	--	--	--	--
81-L 0344 -60HN	205	8%	20	--	--	--	--
81-L 0345 -60HN	205	30000	240	--	--	--	--
81-L 0346 -60HN	205	38000	40	--	--	--	--
81-L 0347 -60HN	205	18000	20	--	--	--	--
81-L 0348 -60HN	205	33000	40	--	--	--	--
81-L 0349 -60HN	205	27000	10	--	--	--	--
81-L 0350 -60HN	205	N.S.S.	34	--	--	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Bichler*