

SAMPLE CODE	TEST CODE	CU W	MO SN	Pb SB	ZN BA	AG AU	CD	FE	MN	AS	
LAB: CHEMEX		CERTIFICATE: A8210129-001-B									
81L0001	-60 HN TOT	112.00 10.00	1.00 4.00	22.00 1.20	144.00 6.50 ✓	.10 20.00	1.20	1.30	80.00	12.00	
81L0002	-60 HN TOT	60.00 40.00	6.00 12.00	24.00 1.60	104.00 2.60 ✓	.10 7,200.00	.40	2.20	560.00	5.00	
81L0003	-60 HN TOT	290.00 20.00	4.00 4.00	50.00 .80	300.00 7.00 ✓	.10 10.00	2.20	2.10	100.00	15.00	
81L0004	-60 HN TOT	56.00 10.00	1.00 4.00	1.00 2.80	104.00 15.00 ✓	.10 990.00	.60	.40	120.00	5.00	
81L0005	-60 HN TOT	36.00 12.00	1.00 4.00	1.00 2.00	356.00 12.00 ✓	.10 10.00	4.40	.40	100.00	7.00	
81L0007	-60 HN TOT	130.00 N.S.S.	1.00 N.S.S.	84.00 N.S.S.	98.00 12.00 ✓	.10 23.00	.10	3.60	240.00	55.00	
81L0009	-60 HN TOT	34.00 N.S.S.	1.00 N.S.S.	1.00 N.S.S.	78.00 2.80 ✓	.10 53.00	.40	.60	140.00	12.00	
81L0010	-60 HN TOT	22.00 8.00	1.00 16.00	4.00 .40	70.00 2.80	.10 53.00	.40	.20	60.00	4.00	
81L0010	-60 HN TOT	22.00 8.00	1.00 16.00	4.00 .40	70.00 10.00 ✓	.10 10.00	.40	.20	60.00	4.00	
81L0011	-60 HN TOT	172.00 14.00	4.00 N.S.S.	42.00 .40	138.00 8.00 ✓	2.20 160.00	1.20	3.50	180.00	32.00	

SAMPLE CODE	TEST CODE		CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS
LAB: CHEMEX			CERTIFICATE: A8210129-001-B								
81L0001	-60	HN TOT	112.00 10.00	1.00 4.00	22.00 1.20	144.00 6.50 ✓	.10 20.00	1.20	1.30	80.00	12.00
81L0002	-60	HN TOT	60.00 40.00	6.00 12.00	24.00 1.50	104.00 2.60 ✓	.10 7,200.00	.40	2.20	560.00	5.00
81L0003	-60	HN TOT	290.00 20.00	4.00 4.00	50.00 .80	300.00 7.00 ✓	.10 10.00	2.20	2.10	100.00	15.00
81L0004	-60	HN TOT	56.00 10.00	1.00 4.00	1.00 2.80	104.00 15.00 ✓	.10 990.00	.60	.40	120.00	5.00
81L0005	-60	HN TOT	36.00 12.00	1.00 4.00	1.00 2.00	356.00 12.00 ✓	.10 10.00	4.40	.40	100.00	7.00
81L0007	-60	HN TOT	130.00 N.S.S.	1.00 N.S.S.	84.00 N.S.S.	98.00 12.00 ✓	.10 23.00	.10	3.60	240.00	55.00
81L0009	-60	HN TOT	34.00 N.S.S.	1.00 N.S.S.	1.00 N.S.S.	78.00 2.80 ✓	.10 53.00	.40	.60	140.00	12.00
81L0010	-60	HN TOT	22.00 8.00	1.00 16.00	4.00 .40	70.00 2.80	.10 53.00	.40	.20	60.00	4.00
81L0010	-60	HN TOT	22.00 8.00	1.00 16.00	4.00 .40	70.00 10.00 ✓	.10 10.00	.40	.20	60.00	4.00
81L0011	-60	HN TOT	172.00 14.00	4.00 N.S.S.	42.00 .40	138.00 8.00 ✓	2.20 160.00	1.20	3.50	180.00	32.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS
LAB: CHEMEX		CERTIFICATE: A8210129-001-3								
81L0012	-60 HN TOT	32.00 N.S.S.	1.00 N.S.S.	27.00 N.S.S.	107.00 N.S.S. ✓	.10 N.S.S.	1.10	1.10	204.00	8.00
81L0013	-60 HN TOT	94.00 50.00	4.00 N.S.S.	56.00 N.S.S.	128.00 4.00 ✓	.40 10.00	1.20	.70	110.00	7.00
81L0014	-60 HN TOT	280.00 14.00	4.00 4.00	120.00 .40	388.00 6.00 ✓	.10 10.00	.60	1.90	80.00	19.00
81L0014	-60 HN TOT	34.00 10.00	4.00 4.00	1.00 .40	72.00 10.00 ✓	.10 11,960.00	.60	.60	70.00	6.00
81L0016	-60 HN TOT	148.00 30.00	1.00 4.00	40.00 1.60	190.00 7.00 ✓	.10 10.00	.40	1.50	120.00	10.00
81L0017	-60 HN TOT	38.00 N.S.S.	1.00 N.S.S.	1.00 N.S.S.	72.00 13.00 ✓	.10 14.00	.60	.80	140.00	9.00
81L0018	-60 HN TOT	36.00 20.00	1.00 4.00	1.00 .40	64.00 15.00 ✓	.10 10.00	.10	.30	60.00	3.00
81L0019	-60 HN TOT	28.00 10.00	4.00 4.00	1.00 .40	106.00 11.00 ✓	.10 10.00	1.00	.50	60.00	12.00
81L0021	-60 HN TOT	60.00 10.00	1.00 4.00	1.00 .40	48.00 6.00 ✓	.10 10.00	.10	.40	60.00	6.00
81L0022	-60 HN TOT	70.00 6.00	4.00 4.00	1.00 .80	220.00 12.00 ✓	.10 20.00	2.40	.90	100.00	20.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS	
LAB: CHEMEX		CERTIFICATE: A8210129-001-B									
81L0034	-60 HN TOT	28.00 N.S.S.	4.00 N.S.S.	1.00 N.S.S.	140.00 9.50	.10 1,026.00	1.70	.40	70.00	3.00	
81L0035	-60 HN TOT	28.00 N.S.S.	60.00 N.S.S.	1.00 N.S.S.	400.00 6.50	.60 15.00	4.40	16.00	280.00	135.00	
81L0036	-60 HN TOT	26.00 2.00	4.00 N.S.S.	1.00 N.S.S.	250.00 11.00	.10 10.00	2.80	1.00	100.00	5.00	
81L0037	-60 HN TOT	62.00 10.00	6.00 4.00	4.00 .40	142.00 13.00	.10 10.00	1.00	1.10	180.00	15.00	
81L0039	-60 HN TOT	36.00 18.00	6.00 4.00	8.00 .40	236.00 9.00	.60 40.00	4.40	.70	220.00	9.00	
81L0040	-60 HN TOT	44.00 30.00	8.00 8.00	16.00 .40	60.00 5.50	.10 4,420.00	.80	1.60	440.00	3.00	
81L0041	-60 HN TOT	200.00 70.00	6.00 N.S.S.	48.00 N.S.S.	380.00 5.00	.10 20.00	2.20	7.60	540.00	29.00	
81L0042	-60 HN TOT	144.00 N.S.S.	4.00 N.S.S.	28.00 N.S.S.	320.00 9.00	.40 59.00	2.40	2.90	170.00	65.00	
81L0043	-60 HN TOT	16.00 16.00	14.00 8.00	20.00 .40	50.00 2.50	.10 10.00	1.20	1.70	400.00	2.00	
81L0044	-60 HN TOT	100.00 N.S.S.	4.00 8.00	76.00 N.S.S.	124.00 2.50	.10 19.00	.60	1.30	150.00	12.00	

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS
LAB: CHEMEX		CERTIFICATE: A8210129-001-B								
81L0023	-60 HN TOT	28.00 12.00	1.00 4.00	1.00 .80	140.00 11.00 ✓	.10 7,840.00	1.00	.70	140.00	7.00
81L0024	-60 HN TOT	140.00 N.S.S.	4.00 N.S.S.	80.00 N.S.S.	78.00 1.70 ✓	.10 17.00	.40	1.10	160.00	7.00
81L0025	-60 HN TCT	280.00 16.00	6.00 8.00	22.00 .40	250.00 6.50 ✓	1.00 10.00	1.00	9.70	150.00	55.00
81L0026	-60 HN TCT	170.00 20.00	6.00 8.00	16.00 2.00	336.00 9.00 ✓	1.40 220.00	2.60	5.60	160.00	63.00
81L0027	-60 HN TCT	104.00 N.S.S.	6.00 N.S.S.	.4.00 N.S.S.	372.00 N.S.S. ✓	.10 N.S.S.	3.20	.74	138.00	11.00
81L0028	-60 HN TOT	58.00 26.00	1.00 4.00	1.00 1.60	184.00 6.50 ✓	.10 20.00	1.40	.60	200.00	11.00
81L0029	-60 HN TOT	58.00 1.00	1.00 4.00	1.00 .40	130.00 8.50 ✓	.10 10.00	.60	2.20	90.00	11.00
81L0030	-60 HN TOT	94.00 1.00	6.00 4.00	1.00 2.40	80.00 13.00 ✓	.10 10.00	.60	2.90	150.00	20.00
81L0031	-60 HN TOT	58.00 10.00	10.00 8.00	20.00 .80	356.00 15.00 ✓	.80 4,350.00	2.60	.90	120.00	14.00
81L0032	-60 HN TOT	40.00 N.S.S.	18.00 N.S.S.	1.00 N.S.S.	350.00 12.00 ✓	.40 12.00	4.80	2.40	120.00	19.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS
LAB: CHEMEX		CERTIFICATE: A8210129-001-B								
81L0045	-60 HN TOT	34.00 260.00	4.00 4.00	68.00 .40	84.00 6.00 <	.40 10.00	.40	1.20	320.00	7.00
81L0046	-60 HN TOT	40.00 4,800.00	8.00 12.00	28.00 .40	62.00 2.40 ✓	.40 10.00	.40	1.00	450.00	7.00
81L0047	-60 HN TOT	38.00 180.00	8.00 4.00	22.00 .80	112.00 1.00 ✓	.10 8,250.00	.60	4.70	670.00	22.00
81L0048	-60 HN TOT	140.00 46.00	4.00 N.S.S.	62.00 N.S.S.	126.00 3.60 ✓	.40 20.00	1.00	3.80	160.00	36.00
81L0049	-60 HN TOT	40.00 40.00	1.00 76.00	90.00 20.00	60.00 .70 ✓	.60 10.00	.60	2.00	430.00	12.00
81L0050	-60 HN TOT	78.00 50.00	1.00 4.00	18.00 4.00	244.00 11.00 <	.10 10.00	2.00	1.60	210.00	24.00
81L0051	-60 HN TOT	22.00 30.00	6.00 8.00	18.00 .40	76.00 1.40 ✓	.10 10.00	.20	3.90	1,080.00	11.00
81L0052	-60 HN TOT	34.00 30.00	6.00 8.00	24.00 .40	82.00 1.60 ✓	.10 10.00	.60	1.70	380.00	7.00
81L0053	-60 HN TOT	44.00 30.00	4.00 4.00	26.00 .80	60.00 5.50	.10 10.00	.60	1.00	280.00	10.00
81L0055	-60 HN TOT	38.00 28.00	4.00 4.00	26.00 .40	98.00 3.60 ✓	.10 10.00	.80	1.20	350.00	6.00

SAMPLE CODE	TEST CODE		CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS
LAB: CHEMEX			CERTIFICATE: A8210129-001-B								
81L0056	-60	HN TOT	44.00 46.00	1.00 72.00	54.00 N.S.S.	50.00 2.40 ✓	.40 120.00	.60	1.50	560.00	7.00
81L0057	-60	HN TOT	30.00 26.00	1.00 4.00	34.00 .40	68.00 8.00 <	.40 10.00	.40	1.60	200.00	12.00
81L0058	-60	HN TOT	60.00 30.00	4.00 12.00	40.00 .80	104.00 7.00	.10 20.00	1.00	1.00	300.00	7.00
81L0059	-60	HN TOT	108.00 N.S.S.	1.00 N.S.S.	80.00 N.S.S.	200.00 2.20 ✓	.10 20.00	.80	2.40	160.00	15.00
81L0060	-60	HN TOT	52.00 20.00	4.00 4.00	4.00 .80	182.00 16.00	.80 10.00	2.00	1.50	120.00	19.00
81L0061	-60	HN TOT	40.00 20.00	1.00 12.00	8.00 1.20	84.00 20.00 <	.60 10.00	.80	1.10	160.00	10.00
81L0062	-60	HN TOT	146.00 N.S.S.	1.00 N.S.S.	62.00 N.S.S.	130.00 2.50 ✓	.10 20.00	1.20	1.00	100.00	5.00
81L0063	-60	HN TOT	46.00 24.00	4.00 4.00	42.00 N.S.S.	52.00 5.00 <	.40 10.00	.60	.80	80.00	9.00
81L0064	-60	HN TOT	104.00 26.00	1.00 4.00	56.00 .40	80.00 5.50	.10 80.00	.10	1.80	140.00	7.00
81L0065	-60	HN TOT	30.00 80.00	1.00 4.00	10.00 .40	76.00 8.00 <	.10 10.00	1.00	.70	90.00	6.00

SAMPLE CODE	TEST CODE	QU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS	
LAB: CHEMEX		CERTIFICATE: A8210129-001-B									
81L0066	-60	HN TOT	50.00 30.00	1.00 N.S.S.	24.00 .40	48.00 6.00	.10 10.00	.40	.90	60.00	7.00
81L0067	-60	HN TOT	368.00 N.S.S.	1.00 N.S.S.	26.00 N.S.S.	305.00 N.S.S.	.10 N.S.S.	3.70	1.58	16.00	13.00
81L0068	-60	HN TOT	60.00 N.S.S.	1.00 N.S.S.	4.00 N.S.S.	38.00 15.00	.10 1,380.00	.60	.50	110.00	4.00
81L0069	-60	HN TOT	30.00 20.00	1.00 8.00	4.00 .40	76.00 17.00 <	.10 10.00	.60	.30	130.00	4.00
81L0070	-60	HN TOT	40.00 34.00	1.00 4.00	1.00 .40	68.00 18.00 <	.10 10.00	.10	.80	210.00	5.00
81L0071	-60	HN TOT	229.00 N.S.S.	32.00 N.S.S.	1.00 N.S.S.	132.00 N.S.S.	.10 N.S.S.	3.50	7.35	294.00	98.00
81L0072	-60	HN TOT	81.00 N.S.S.	1.00 N.S.S.	24.00 N.S.S.	189.00 N.S.S.	.50 N.S.S.	1.00	1.35	297.00	20.00
81L0073	-60	HN TOT	116.00 24.00	1.00 N.S.S.	1.00 .40	414.00 12.00	.10 30.00	4.40	.60	140.00	9.00
81L0074	-60	HN TOT	36.00 6.00	1.00 4.00	1.00 .40	134.00 6.00	.10 20.00	1.80	.50	80.00	3.00
81L0075	-60	HN TOT	38.00 40.00	4.00 12.00	1.00 .40	100.00 13.00 <	.10 10.00	1.00	.80	140.00	11.00

SAMPLE CODE	TEST CCODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS	
LAB: CHEMEX		CERTIFICATE: A8210129-001-B									
81L0076	-60 HN TOT	26.00 20.00	1.00 4.00	1.00 .40	170.00 7.00 <	.10 10.00	1.00	.40	50.00	6.00	
81L0077	-60 HN TOT	26.00 1.00	1.00 4.00	1.00 .40	112.00 9.00 <	.10 10.00	.80	.60	120.00	15.00	
81L0078	-60 HN TOT	44.00 1.00	1.00 4.00	1.00 .40	120.00 13.00	.10 10.00	1.00	.50	70.00	14.00	
81L0079	-60 HN TOT	46.00 14.00	4.00 4.00	1.00 .40	40.00 9.00	.10 10.00	.40	.40	150.00	9.00	
81L0080	-60 HN TOT	408.00 N.S.S.	1.00 N.S.S.	200.00 N.S.S.	90.00 9.00	.10 10.00	.10	2.40	140.00	27.00	
81L0080	-60 HN TOT	408.00 N.S.S.	1.00 N.S.S.	200.00 N.S.S.	90.00 6.00 <i>.6</i>	.10 20.00	.10	2.40	140.00	27.00	
81L0081	-60 HN TOT	90.00 N.S.S.	6.00 4.00	20.00 N.S.S.	105.00 10.00	.10 10.00	.80	2.00	100.00	20.00	
81L0082	-60 HN TOT	897.00 N.S.S.	14.00 N.S.S.	290.00 N.S.S.	203.00 N.S.S.	1.00 N.S.S.	.10	2.60	138.00	38.00	
81L0083	-60 HN TOT	563.00 N.S.S.	1.00 N.S.S.	65.00 N.S.S.	93.00 N.S.S.	.10 N.S.S.	1.00	1.88	150.00	9.00	
81L0084	-60 HN TOT	200.00 N.S.S.	1.00 N.S.S.	26.00 N.S.S.	46.00 N.S.S. <i>3%</i>	.10 N.S.S.	.60	1.20	120.00	6.00	

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS
----------------	--------------	---------	----------	----------	----------	----------	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210129-001-B

81L0085	-60	HN TOT	300.00 N.S.S.	1.00 N.S.S.	330.00 N.S.S.	150.00 N.S.S.	.10 N.S.S.	.20	.20	250.00	17.00
81L0086	-60	HN TOT	168.00 N.S.S.	1.00 N.S.S.	78.00 N.S.S.	114.00 1.80 ←	.10 50.00	1.00	1.40	140.00	7.00

**THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 15:44:03

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS	
LAB: CHEMEX		CERTIFICATE: A8210129-001-A									
81L0087	-60 HN TOT	230.00 N.S.S.	5.00 N.S.S.	127.00 .40	78.00 N.S.S.	.10 N.S.S.	.50	1.89	216.00	12.00	
81L0088	-60 HN TOT	16.00 N.S.S.	1.00 N.S.S.	6.00 N.S.S.	48.00 8.00	.40 350.00	.10	.80	180.00	7.00	
81L0089	-60 HN TOT	74.00 30.00	1.00 28.00	12.00 N.S.S.	40.00 10.00 <	.10 21.00	.60	1.00	380.00	6.00	
81L0090	-60 HN TOT	92.00 N.S.S.	1.00 N.S.S.	40.00 N.S.S.	54.00 2.50 ✓	.10 N.S.S.	.40	1.50	180.00	7.00	
81L0091	-60 HN TOT	100.00 N.S.S.	4.00 N.S.S.	130.00 N.S.S.	68.00 1.00 <	.10 27.00	.10	3.60	340.00	46.00	
81L0092	-60 HN TOT	76.00 N.S.S.	1.00 N.S.S.	12.00 N.S.S.	60.00 7.00 <	.10 10.00	.40	1.20	110.00	10.00	
81L0093	-60 HN TOT	80.00 16.00	8.00 4.00	6.00 .40	128.00 13.00	.40 10.00	1.00	3.00	220.00	25.00	
81L0094	-60 HN TOT	68.00 43.00	4.00 4.00	6.00 .40	170.00 10.00	.10 7,220.00	1.80	2.40	120.00	29.00	
81L0095	-60 HN TOT	104.00 130.00	6.00 N.S.S.	102.00 N.S.S.	76.00 1.30 ✓	.10 10.00	.10	2.80	180.00	20.00	
81L0096	-60 HN TOT	124.00 10.00	1.00 N.S.S.	36.00 N.S.S.	64.00 2.60 ✓	.60 10.00	1.20	1.30	120.00	10.00	

SAMPLE CODE	TEST CODE	CU W	MC SN	PB SB	ZN ZA	AG AU	CD	FE	MN	AS	

LAB: CHEMEX		CERTIFICATE: A8210129-001-A									
81L0097	-60	HN TOT	260.00 N.S.S.	1.00 N.S.S.	56.00 N.S.S.	98.00 .60 ✓	.10 40.00	.10	1.70	110.00	16.00
81L0098	-60	HN TOT	393.00 N.S.S.	18.00 N.S.S.	114.00 N.S.S.	43.00 N.S.S.	1.40 N.S.S.	.70	5.53	232.00	95.00
81L0099	-60	HN TOT	114.00 21.00	4.00 N.S.S.	1.00 N.S.S.	112.00 12.00 <	1.00 12.00	.60	2.00	130.00	17.00
81L0100	-60	HN TOT	128.00 36.00	1.00 4.00	70.00 .40	98.00 3.20 ✓	1.00 20.00	.40	1.60	90.00	12.00
81L0101	-60	HN TOT	84.00 20.00	1.00 4.00	1.00 .40	206.00 15.00 <	.80 10.00	.60	2.00	90.00	19.00
81L0102	-60	HN TOT	230.00 N.S.S.	6.00 N.S.S.	40.00 N.S.S.	238.00 N.S.S.	.10 N.S.S.	1.20	3.60	180.00	65.00
81L0103	-60	HN TOT	74.00 N.S.S.	4.00 N.S.S.	72.00 N.S.S.	66.00 .10 ✓	.40 27.00	.40	1.40	240.00	4.00
81L0104	-60	HN TOT	220.00 N.S.S.	4.00 N.S.S.	40.00 N.S.S.	114.00 2.50 ✓	.10 14.00	.40	2.20	440.00	12.00
81L0105	-60	HN TOT	240.00 N.S.S.	4.00 N.S.S.	52.00 N.S.S.	92.00 2.00 ✓	.80 N.S.S.	.10	2.40	320.00	5.00
81L0106	-60	HN TOT	410.00 N.S.S.	1.00 N.S.S.	102.00 N.S.S.	346.00 2.20 ✓	.40 24.00	2.00	4.80	230.00	50.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PE SB	ZN BA	AG AU	CD	FE	MN	AS	
LAB: CHEMEX		CERTIFICATE: A8210129-001-A									
81L0107	-60	HN TOT	220.00 26.00	10.00 4.00	82.00 6.00	300.00 2.60 ✓	.10 20.00	1.60	17.20	1,220.00	79.00
81L0108	-60	HN TOT	440.00 N.S.S.	1.00 N.S.S.	122.00 N.S.S.	350.00 1.20 <	.60 250.00	.80	4.20	320.00	33.00
81L0109	-60	HN TOT	20.00 1.00	4.00 4.00	1.00 .40	124.00 9.00 <	.60 10.00	.40	.80	130.00	5.00
81L0110	-60	HN TOT	20.00 1.00	4.00 4.00	1.00 .40	140.00 9.00 <	.10 10.00	1.00	.80	260.00	7.00
81L0111	-60	HN TOT	66.00 1.00	4.00 4.00	1.00 .40	710.00 14.00	.10 10.00	5.20	1.10	150.00	10.00
81L0112	-60	HN TOT	20.00 1.00	1.00 4.00	1.00 .40	196.00 8.00	.10 10.00	1.00	.40	320.00	5.00
81L0113	-60	HN TOT	28.00 1.00	4.00 4.00	1.00 .40	198.00 10.00 <	.40 10.00	1.20	.80	180.00	9.00
81L0114	-60	HN TOT	22.00 1.00	8.00 4.00	1.00 .40	68.00 8.00	.10 10.00	1.00	.60	60.00	19.00
81L0115	-60	HN TOT	16.00 1.00	4.00 4.00	1.00 1.20	104.00 10.00 <	.10 10.00	.40	.40	180.00	5.00
81L0116	-60	HN TOT	28.00 1.00	4.00 N.S.S.	1.00 .40	190.00 10.00 <	.10 10.00	1.40	.50	320.00	7.00

SAMPLE CODE	TEST CODE		CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS
LAB: CHEMEX			CERTIFICATE: A8210129-001-A								
81L0117	-60	HN TOT	40.00 1.00	4.00 4.00	1.00 4.00	506.00 16.00 <	.10 10.00	2.40	2.60	1,050.00	39.00
81L0118	-60	HN TOT	210.00 1.00	6.00 8.00	6.00 2.00	196.00 15.00	.40 10.00	1.20	3.10	220.00	35.00
81L0119	-60	HN TOT	22.00 1.00	1.00 4.00	1.00 .40	92.00 11.00 <	.10 10.00	.80	.50	200.00	5.00
81L0120	-60	HN TOT	34.00 1.00	8.00 4.00	1.00 1.20	56.00 14.00 <	.40 10.00	.40	1.20	110.00	23.00
81L0121	-60	HN TOT	60.00 1.00	1.00 4.00	1.00 .80	50.00 12.00 <	.10 10.00	.40	.80	60.00	7.00
81L0121	-60	HN TOT	60.00 1.00	1.00 4.00	1.00 .80	50.00 12.00 <	.10 10.00	.40	.80	60.00	7.00
81L0122	-60	HN TOT	32.00 1.00	1.00 4.00	1.00 1.20	56.00 9.00	.10 20.00	.60	.50	50.00	5.00
81L0123	-60	HN TOT	16.00 1.00	1.00 4.00	1.00 1.60	84.00 9.00	.10 10.00	1.20	.50	100.00	9.00
81L0124	-60	HN TOT	20.00 1.00	1.00 4.00	1.00 1.60	64.00 10.00	.10 100.00	1.00	.30	50.00	7.00
81L0124	-60	HN TOT	20.00 1.00	1.00 4.00	1.00 1.60	64.00 10.00	.10 10.00	1.00	.30	50.00	7.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS	
LAB: CHEMEX		CERTIFICATE: A8210129-001-A									
81L0125	-60 HN TOT	150.00 N.S.S.	1.00 N.S.S.	20.00 N.S.S.	50.00 N.S.S.	.10 N.S.S.	.10	1.50	100.00	25.00	
81L0126	-60 HN TOT	32.00 90.00	4.00 4.00	30.00 2.00	60.00 2.60	.10 10.00	.10	1.00	260.00	3.00	
81L0127	-60 HN TOT	65.00 N.S.S.	5.00 N.S.S.	22.00 N.S.S.	92.00 N.S.S.	.10 N.S.S.	.10	2.30	365.00	8.00	
81L0128	-60 HN TOT	92.00 240.00	4.00 56.00	20.00 2.00	110.00 7.00	.40 30.00	.10	1.20	300.00	10.00	
81L0129	-60 HN TOT	28.00 300.00	4.00 16.00	24.00 1.20	40.00 4.50	.10 10.00	.10	.70	320.00	3.00	
81L0130	-60 HN TOT	24.00 80.00	4.00 8.00	14.00 2.40	42.00 4.50	.10 10.00	.10	.60	220.00	2.00	
81L0131	-60 HN TOT	60.00 307.00	6.00 4.00	28.00 N.S.S.	54.00 2.60	.40 10.00	.10	1.20	350.00	2.00	
81L0132	-60 HN TOT	44.00 N.S.S.	26.00 N.S.S.	1.00 N.S.S.	112.00 N.S.S.	.60 N.S.S.	2.90	7.64	265.00	78.00	
81L0133	-60 HN TOT	100.00 1,800.00	4.00 4.00	42.00 2.00	42.00 7.00	.10 3,100.00	.10	.80	250.00	3.00	
81L0134	-60 HN TOT	48.00 340.00	10.00 4.00	12.00 1.60	80.00 4.50	.10 10.00	.10	.70	230.00	2.00	

SAMPLE CODE	TEST CODE		CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS
LAB: CHEMEX			CERTIFICATE: A8210129-001-A								
81L0135	-60	HN TOT	28.00 30.00	1.00 4.00	1.00 3.20	96.00 15.00 <	.40 10.00	.30	.80	250.00	4.00
81L0136	-60	HN TOT	12.00 20.00	1.00 8.00	4.00 4.40	48.00 14.00	.40 10.00	.20	.40	80.00	4.00
81L0137	-60	HN TOT	24.00 24.00	4.00 8.00	1.00 4.00	56.00 14.00 <	.60 10.00	.10	.50	100.00	4.00
81L0138	-60	HN TOT	34.00 N.S.S.	12.00 N.S.S.	1.00 N.S.S.	76.00 .46	.10 40.00	.10	7.20	380.00	19.00
81L0139	-60	HN TOT	30.00 140.00	4.00 20.00	1.00 1.20	82.00 10.00	.10 910.00	.10	1.30	420.00	7.00
81L0140	-60	HN TOT	12.00 30.00	4.00 12.00	1.00 .80	40.00 16.00	.10 680.00	.60	.40	90.00	6.00
81L0141	-60	HN TOT	40.00 46.00	1.00 4.00	1.00 .40	60.00 20.00	.10 20.00	.60	.40	110.00	22.00
81L0142	-60	HN TOT	58.00 N.S.S.	4.00 N.S.S.	1.00 N.S.S.	56.00 15.00	.10 10.00	.40	.80	140.00	22.00
81L0143	-60	HN TOT	52.00 20.00	4.00 4.00	1.00 5.60	170.00 18.00 <	.60 10.00	.60	2.90	400.00	55.00
81L0144	-60	HN TOT	36.00 24.00	24.00 8.00	80.00 5.60	4,300.00 15.00 <	.40 10.00	82.00	.50	120.00	12.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PE SB	ZN SA	AG AU	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A8210129-001-A								
81L0145	-60 HN TOT	30.00 130.00	8.00 N.S.S.	18.00 .40	48.00 1.10 ✓	.10 10.00	.10	1.60	420.00	5.00
81L0146	-60 HN TOT	28.00 20.00	6.00 8.00	1.00 1.60	252.00 15.00	.40 110.00	1.60	1.00	120.00	16.00
81L0147	-60 HN TOT	32.00 30.00	6.00 12.00	12.00 1.20	110.00 2.20 <	.10 10.00	.40	2.60	440.00	5.00
81L0148	-60 HN TOT	30.00 54.00	6.00 4.00	16.00 .40	56.00 2.40 ✓	1.80 10.00	.10	1.30	340.00	2.00
81L0149	-60 HN TOT	22.00 170.00	4.00 84.00	14.00 .40	44.00 2.40 ✓	.10 20.00	.10	1.40	360.00	3.00
81L0150	-60 HN TOT	44.00 400.00	1.00 8.00	16.00 1.20	84.00 3.40 ✓	.10 5,830.00	.10	1.60	330.00	4.00
81L0151	-60 HN TOT	78.00 200.00	10.00 8.00	52.00 3.20	360.00 2.60 ✓	.10 390.00	2.00	6.60	940.00	41.00
81L0152	-60 HN TOT	40.00 46.00	4.00 36.00	56.00 6.40	72.00 7.00	.10 1,630.00	.40	1.20	280.00	9.00
81L0153	-60 HN TOT	14.00 260.00	4.00 12.00	12.00 .80	64.00 4.20 ✓	1.20 56,870.00	.10	1.40	360.00	6.00
81L0154	-60 HN TOT	12.00 N.S.S.	1.00 N.S.S.	10.00 N.S.S.	66.00 7.00	.10 N.S.S.	.10	.60	300.00	4.00

SAMPLE CODE	TEST CODE		CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS
LAB: CHEMEX			CERTIFICATE: A8210129-001-A								
81L0155	-60	HN TOT	40.00 N.S.S.	6.00 N.S.S.	22.00 N.S.S.	126.00 5.00	.10 20.00	.40	1.40	400.00	4.00
81L0156	-60	HN TOT	400.00 N.S.S.	1.00 N.S.S.	60.00 N.S.S.	380.00 ✓ 3.20	5.00 810.00	1.80	2.60	160.00	38.00
81L0159	-60	HN TOT	108.00 1,000.00	4.00 92.00	26.00 1.20	100.00 ✓ 2.40	.10 2,350.00	.60	1.40	340.00	9.00
81L0160	-60	HN TOT	1,480.00 N.S.S.	6.00 N.S.S.	68.00 N.S.S.	86.00 ✓ 1.00	.80 140.00	.40	1.90	480.00	11.00
81L0161	-60	HN TOT	24.00 260.00	10.00 4.00	16.00 2.40	54.00 ✓ 1.50	.10 10.00	.40	1.40	420.00	2.00
81L0162	-60	HN TOT	96.00 N.S.S.	4.00 N.S.S.	80.00 N.S.S.	160.00 2.20 ✓	.10 16,570.00	1.00	1.40	400.00	14.00
81L0163	-60	HN TOT	34.00 156.00	4.00 4.00	40.00 N.S.S.	56.00 ✓ 2.20	.40 860.00	.10	1.20	280.00	6.00
81L0165	-60	HN TOT	60.00 280.00	4.00 4.00	44.00 .80	104.00 ✓ 2.60	.10 2,620.00	.60	1.10	200.00	6.00
81L0166	-60	HN TOT	76.00 120.00	8.00 4.00	56.00 .80	164.00 1.60 ✓	.40 340.00	.10	5.80	820.00	38.00
81L0167	-60	HN TOT	30.00 10.00	8.00 4.00	22.00 4.80	100.00 ✓ 1.40	.40 20.00	.10	5.40	840.00	17.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS
----------------	--------------	---------	----------	----------	----------	----------	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210129-001-A

81L0168	-60	HN TOT	18.00 24.00	4.00 16.00	4.00 1.20	42.00 14.00	.10 20.00	.10	.50	180.00	3.00
81L0169	-60	HN TOT	22.00 580.00	24.00 16.00	22.00 .40	56.00 .28	.10 10.00	.10	5.90	110.00	275.00

**THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 11:24:18

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A8210129-005-A								
81L0170	-60 HN TOT	152.00 6.00	18.00 4.00	40.00 24.00	910.00 11.00	1.80 210.00	2.80	10.40	820.00	59.00
81L0171	-60 HN TOT	28.00 90.00	6.00 4.00	14.00 2.40	250.00 13.00	.40 20.00	.80	1.40	400.00	11.00
81L0172	-60 HN TOT	550.00 46.00	24.00 24.00	8.00 5.20	1,700.00 10.00	10.00 1,160.00	12.00	15.60	400.00	165.00
81L0173	-60 HN TOT	50.00 30.00	4.00 N.S.S.	4.00 .40	192.00 11.00 <	2.40 10.00	1.60	1.20	170.00	9.00
81L0174	-60 HN TOT	14.00 14.00	1.00 24.00	1.00 .80	50.00 15.00	.40 14,010.00	.10	.40	160.00	3.00
81L0175	-60 HN TOT	48.00 20.00	6.00 24.00	34.00 8.80	336.00 15.00	.60 10.00	.80	6.80	960.00	33.00
81L0176	-60 HN TOT	112.00 14.00	12.00 8.00	62.00 16.00	796.00 7.00	.80 190.00	1.80	25.60	2,300.00	75.00
81L0177	-60 HN TOT	56.00 110.00	4.00 N.S.S.	560.00 .80	88.00 2.80 ←	.10 10.00	.10	1.40	320.00	5.00
81L0178	-60 HN TOT	22.00 1.00	6.00 4.00	1.00 1.60	264.00 9.00 <	2.00 10.00	1.00	.60	180.00	4.00
81L0179	-60 HN TOT	22.00 6.00	4.00 20.00	4.00 2.40	76.00 12.00	2.60 1,730.00	.40	.40	100.00	3.00

SAMPLE CODE	TEST CODE		CU W	MO SN	PB SE	ZN BA	AG AU	CD	FE	MN	AS
LAB: CHEMEX			CERTIFICATE: A8210129-005-A								
81L0180	-60	HN TOT	42.00 10.00	4.00 4.00	1.00 .40	100.00 11.00 <	.10 10.00	.40	1.00	70.00	5.00
81L0181	-60	HN TOT	18.00 30.00	1.00 40.00	4.00 .80	52.00 18.00	.40 34,160.00	.10	.50	160.00	5.00
81L0182	-60	HN TOT	100.00 17.00	6.00 N.S.S.	82.00 N.S.S.	264.00 4.40 ✓	.10 10.00	.40	11.40	980.00	67.00
81L0183	-60	HN TOT	32.00 90.00	4.00 230.00	82.00 184.00	70.00 6,200.00 X .62	6.00 4,420.00	.10	4.80	600.00	32.00
81L0184	-60	HN TOT	22.00 90.00	6.00 175.00	210.00 60.00	54.00 3.00 ✓	2.20 11,960.00	.10	2.40	530.00	16.00
81L0185	-60	HN TOT	6.00 50.00	4.00 92.00	120.00 73.00	50.00 5.50	2.00 1,240.00	.10	1.30	440.00	14.00
81L0186	-60	HN TOT	26.00 83.00	6.00 N.S.S.	216.00 N.S.S.	80.00 2.50 ✓	2.80 25,370.00	.10	4.60	840.00	23.00
81L0187	-60	HN TOT	30.00 34.00	6.00 84.00	154.00 35.00	84.00 4.20 ✓	3.20 20.00	.10	3.40	620.00	11.00
81L0188	-60	HN TOT	16.00 40.00	4.00 N.S.S.	40.00 4.80	44.00 3.20 ✓	.40 20.00	.10	1.60	690.00	5.00
81L0189	-60	HN TOT	56.00 34.00	4.00 68.00	28.00 1.60	94.00 7.00	.10 680.00	.10	1.40	380.00	10.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS	
LAB: CHEMEX		CERTIFICATE: A8210129-005-A									
81L0191	-60	HN TOT	30.00 N.S.S.	4.00 N.S.S.	80.00 N.S.S.	60.00 8.00	.10 146.00	.10	1.20	520.00	9.00
81L0192	-60	HN TOT	56.00 30.00	4.00 60.00	100.00 76.00	160.00 2.60	.10 6,110.00	.10	8.80	720.00	41.00
81L0193	-60	HN TOT	342.00 N.S.S.	1.00 N.S.S.	42.00 N.S.S.	3,249.00 N.S.S.	.10 N.S.S.	19.20	4.17	625.00	42.00
81L0194	-60	HN TOT	58.00 40.00	6.00 185.00	108.00 22.00	256.00 5.00	.60 10.00	.80	5.60	670.00	29.00
81L0195	-60	HN TOT	70.00 40.00	4.00 195.00	96.00 36.00	232.00 8.00	.60 230.00	.60	4.20	480.00	32.00
81L0196	-60	HN TOT	38.00 50.00	6.00 245.00	116.00 42.00	152.00 1.80	1.00 4,450.00	.10	9.40	700.00	51.00
81L0197	-60	HN TOT	62.00 N.S.S.	4.00 N.S.S.	76.00 N.S.S.	170.00 3.80	.60 107.00	.80	3.30	680.00	19.00
81L0198	-60	HN TOT	112.00 N.S.S.	1.00 N.S.S.	20.00 N.S.S.	70.00 9.00	1.00 27.00	.10	2.10	430.00	9.00
81L0199	-60	HN TOT	34.00 30.00	1.00 70.00	28.00 2.00	130.00 12.00	.10 8,040.00	.40	2.40	640.00	16.00
81L0201	-60	HN TOT	18.00 30.00	1.00 190.00	18.00 .50	58.00 1.20	1.20 2,700.00	.10	2.80	910.00	5.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A8210129-005-A								
81L0202	-60 HN TOT	20.00 60.00	1.00 390.00	16.00 .80	50.00 4.20 ✓	5.40 9,650.00	.10	1.80	600.00	5.00
81L0203	-60 HN TOT	22.00 80.00	4.00 280.00	28.00 .80	74.00 .70 ✓	.40 210.00	.10	2.80	700.00	5.00
81L0204	-60 HN TOT	8.00 50.00	4.00 110.00	22.00 .80	46.00 .62 ✓	.10 740.00	.10	1.80	720.00	5.00
81L0205	-60 HN TOT	24.00 46.00	1.00 72.00	10.00 .40	104.00 .42 ✓	.40 1,160.00	.10	1.90	680.00	5.00
81L0206	-60 HN TOT	20.00 20.00	4.00 N.S.S.	52.00 N.S.S.	62.00 5.00	.10 3,090.00	.10	1.40	660.00	5.00
81L0207	-60 HN TOT	38.00 50.00	1.00 195.00	18.00 2.40	52.00 .72 ✓	.10 21,820.00	.10	1.90	660.00	4.00
81L0209	-60 HN TOT	8.00 40.00	4.00 100.00	16.00 .40	70.00 2.00 ✓	.10 15,030.00	.10	1.50	550.00	7.00
81L0210	-60 HN TOT	10.00 20.00	4.00 28.00	8.00 .40	64.00 1.10 ✓	.10 10.00	.10	3.70	1,280.00	5.00
81L0211	-60 HN TOT	16.00 34.00	1.00 115.00	18.00 .40	44.00 2.00 ✓	.10 40.00	.10	1.80	840.00	4.00
81L0216	-60 HN TOT	30.00 40.00	4.00 24.00	8.00 N.S.S.	28.00 8.60 ✓	.10 960.00	.10	1.60	530.00	5.00

**THIS DATA WAS ENTERED BY:

MONICA .EXPLORE : POSTED AT:

15:42:39

11JUN82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 1

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS

LAB: CHEMEX	CERTIFICATE: AS210129-006-A									
81L0218	-60	HN TOT	20.00 60.00	6.00 N.S.S.	32.00 .40	46.00 1.00	.10 280.00	.10	.90	280.00 2.00
81L0219	-60	HN TOT	36.00 36.00	4.00 12.00	38.00 .40	82.00 2.20	.10 10.00	.10	.80	180.00 4.00
81L0220	-60	HN TOT	32.00 40.00	4.00 12.00	16.00 .40	54.00 .84	.40 10.00	.10	.90	190.00 4.00

**THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 09:53:15

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS	
LAB: CHEMEX		CERTIFICATE: A8210129-006-A									
81L0221	-60 HN TOT	154.00 150.00	6.00 N.S.S.	42.00 N.S.S.	184.00 2.00	.10 232.00	.40	1.50	300.00	10.00	
81L0222	-60 HN TCT	24.00 14.00	4.00 4.00	20.00 .40	64.00 3.20	.10 10.00	.10	1.00	320.00	6.00	
81L0223	-60 HN TOT	82.00 96.00	6.00 32.00	22.00 1.60	60.00 3.50	.10 10.00	.10	1.00	320.00	4.00	
81L0224	-60 HN TOT	100.00 N.S.S.	4.00 N.S.S.	48.00 N.S.S.	420.00 2.30	.10 111.00	1.00	2.20	410.00	6.00	
81L0225	-60 HN TOT	470.00 50.00	8.00 N.S.S.	42.00 N.S.S.	24.00 11.00	.80 17.00	1.00	2.80	160.00	48.00	
81L0226	-60 HN TOT	30.00 10.00	4.00 4.00	22.00 .40	58.00 .84	.10 10.00	.10	2.10	320.00	120.00	
81L0227	-60 HN TOT	60.00 50.00	6.00 80.00	110.00 2.80	194.00 2.30	.10 10.00	.10	5.80	540.00	19.00	
81L0228	-60 HN TOT	310.00 140.00	4.00 4.00	4.00 .40	770.00 11.00	.60 10.00	4.00	2.50	180.00	30.00	
81L0229	-60 HN TOT	50.00 26.00	6.00 4.00	34.00 1.60	120.00 2.40	.10 10.00	.10	4.70	770.00	10.00	
81L0230	-60 HN TOT	342.00 N.S.S.	1.00 N.S.S.	46.00 N.S.S.	185.00 N.S.S.	.10 N.S.S.	.10	1.35	193.00	6.00	

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CO	FE	MN	AS
LAB: CHEMEX CERTIFICATE: A82101290078										
81L0268	-60	HN TOT	480.00 280.00	16.00 4.00	2.00 48.00	1,700.00 9.00 <	3.60 10.00	29.20	13.00	140.00 97.00
81L0269	-60	HN TOT	184.00 14.00	6.00 4.00	2.00 4.40	410.00 12.00 <	.20 10.00	3.20	2.00	130.00 12.00
81L0270	-60	HN TOT	580.00 6.00	14.00 4.00	2.00 6.40	1,830.00 3.60 <	3.20 10.00	20.60	17.80	130.00 50.00
81L0271	-60	HN TOT	64.00 1.00	4.00 8.00	2.00 2.00	266.00 7.00 <	.40 10.00	1.80	1.50	120.00 11.00
81L0272	-60	HN TOT	450.00 1.00	8.00 N.S.S.	2.00 .80	1,600.00 9.00 <	.60 10.00	10.00	5.40	100.00 23.00
81L0273	-60	HN TOT	40.00 1.00	4.00 4.00	2.00 .40	80.00 8.00 <	.60 10.00	.20	1.00	80.00 5.00
81L0274	-60	HN TOT	560.00 1.00	10.00 N.S.S.	4.00 N.S.S.	890.00 10.00 <	1.40 10.00	3.20	7.00	140.00 22.00
81L0275	-60	HN TOT	104.00 1.00	4.00 4.00	2.00 1.60	360.00 12.00 <	.80 10.00	3.00	2.40	60.00 11.00
81L0276	-60	HN TOT	54.00 10.00	8.00 44.00	32.00 12.00	340.00 14.00 <	1.00 10.00	.80	4.70	820.00 24.00
81L0277	-60	HN TOT	260.00 1.00	10.00 4.00	14.00 1.20	282.00 9.00 <	.20 10.00	1.20	4.20	280.00 15.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN SA	AG AU	CD	FE	MN	AS

LAS:	CHEMEX	CERTIFICATE: A82101290078								
81L0278	-60	HN TOT	240.00 N.S.S.	6.00 N.S.S.	20.00 N.S.S.	390.00 11.00 <	1.20 26.00	2.80	3.20	150.00 16.00
81L0279	-60	HN TOT	156.00 1.00	6.00 4.00	2.00 .40	352.00 10.00 <	.20 10.00	3.20	1.70	80.00 7.00
81L0280	-60	HN TOT	270.00 1.00	14.00 4.00	2.00 4.00	2,200.00 10.00 <	1.80 10.00	22.60	11.80	190.00 41.00
81L0281	-60	HN TOT	96.00 14.00	6.00 4.00	2.00 2.40	228.00 8.00 <	.40 10.00	1.60	1.40	100.00 6.00
81L0282	-60	HN TOT	290.00 1.00	10.00 4.00	2.00 3.20	1,230.00 15.00 <	.60 10.00	8.40	5.20	240.00 14.00
81L0283	-60	HN TOT	2,100.00 1.00	16.00 4.00	10.00 5.60	1,880.00 4.40 <	1.20 10.00	15.00	9.40	300.00 48.00
81L0284	-60	HN TOT	56.00 1.00	12.00 4.00	8.00 13.60	160.00 9.00 <	.20 10.00	.60	1.20	80.00 6.00
81L0285	-60	HN TOT	220.00 1.00	22.00 8.00	2.00 2.40	350.00 8.00	2.20 14.00	1.60	16.00	700.00 39.00
81L0286	-60	HN TOT	220.00 1.00	12.00 8.00	2.00 5.20	516.00 16.00 <	.40 10.00	5.20	2.00	170.00 19.00
81L0287	-60	HN TOT	380.00 N.S.S.	18.00 4.00	16.00 N.S.S.	500.00 11.00 <	.60 19.00	4.60	6.40	320.00 65.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A82101290078								
81L0288	-60 HN TOT	190.00 1.00	8.00 4.00	2.00 2.40	330.00 7.00 <	.60 10.00	3.40	2.80	110.00	14.00
81L0289	-60 HN TOT	400.00 N.S.S.	10.00 N.S.S.	40.00 N.S.S.	270.00 1.20 ✓	.20 21.00	2.00	2.70	120.00	23.00
81L0290	-60 HN TOT	500.00 N.S.S.	8.00 N.S.S.	64.00 N.S.S.	410.00 6.00 <	.20 11.00	4.00	3.80	130.00	20.00
81L0291	-60 HN TOT	440.00 6.00	14.00 4.00	24.00 3.20	300.00 8.00 <	1.00 10.00	1.80	4.20	140.00	23.00
81L0292	-60 HN TOT	680.00 20.00	30.00 4.00	232.00 39.00	2,360.00 9.00 <	2.40 10.00	15.60	6.00	210.00	57.00
81L0293	-60 HN TOT	140.00 N.S.S.	8.00 N.S.S.	86.00 N.S.S.	126.00 2.20 ✓ <	.20 10.00	.40	1.00	240.00	4.00
81L0294	-60 HN TOT	N.S.S. N.S.S.	N.S.S. N.S.S.	N.S.S. N.S.S.	N.S.S. N.S.S.	N.S.S. N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81L0295	-60 HN TOT	68.00 1.00	4.00 4.00	2.00 3.20	100.00 8.00 <	.20 10.00	.20	.70	100.00	7.00
81L0296	-60 HN TOT	200.00 6.00	10.00 4.00	2.00 6.80	704.00 9.00 <	.60 10.00	4.80	10.00	120.00	1,250.00
81L0297	-60 HN TOT	N.S.S. N.S.S.	N.S.S. N.S.S.	N.S.S. N.S.S.	N.S.S. N.S.S.	N.S.S. N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.

SAMPLE CODE	TEST CODE	CU W	MO SN	PE SB	ZN BA	AG AU	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A82101290078								
81L0298	-60 HN TOT	64.00 1.00	4.00 4.00	1.00 10.00	220.00 8.00 <	.60 10.00	1.00	1.00	80.00	25.00
81L0299	-60 HN TOT	22.00 1.00	4.00 4.00	1.00 .40	120.00 7.50 <	.10 10.00	1.00	.70	70.00	5.00
81L0300	-60 HN TOT	18.00 1.00	4.00 4.00	1.00 .40	136.00 10.00 <	.10 10.00	.40	.60	70.00	4.00
81L0301	-60 HN TOT	800.00 N.S.S.	10.00 N.S.S.	1.00 N.S.S.	224.00 11.00 <	.40 13.00	.60	3.50	190.00	27.00
81L0302	-60 HN TOT	34.00 46.00	4.00 N.S.S.	36.00 4.00	96.00 5.00	.10 14.00	.10	.80	270.00	5.00

**THIS DATA WAS ENTERED BY: BOBR .EXPLORE POSTED AT: 17:03:30

SAMPLE CODE	TEST CODE	CU W	MO SN	PS SB	ZN BA	AG AU	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A8210129-008-A								
81L0303	-60 HN TCT	430.00 14.00	6.00 4.00	168.00 6.40	500.00 2.00 <	2.00 10.00	4.40	8.40	320.00	120.00
81L0304	-60 HN TOT	56.00 1.00	4.00 4.00	18.00 7.60	216.00 10.00 <	.40 10.00	.80	.60	60.00	6.00
81L0305	-60 HN TOT	164.00 1.00	4.00 4.00	1.00 15.20	710.00 13.00 <	.60 10.00	6.40	2.20	120.00	29.00
81L0306	-60 HN TOT	56.00 1.00	4.00 4.00	1.00 .80	424.00 8.00 <	.40 10.00	2.40	1.30	60.00	11.00
81L0307	-60 HN TOT	22.00 1.00	1.00 4.00	1.00 .50	152.00 10.00 <	.10 10.00	.10	.40	40.00	5.00
81L0308	-60 HN TOT	72.00 1.00	1.00 24.00	1.00 8.40	396.00 7.50 <	.10 10.00	3.00	1.30	80.00	14.00
81L0309	-60 HN TOT	470.00 10.00	6.00 28.00	6.00 64.00	430.00 17.00 <	.10 10.00	2.60	4.00	130.00	20.00
81L0310	-60 HN TOT	86.00 1.00	4.00 4.00	4.00 .40	296.00 5.00 <	.10 10.00	1.60	.80	70.00	5.00
81L0311	-60 HN TOT	20.00 1.00	1.00 4.00	1.00 .40	216.00 7.50 <	.10 10.00	.80	.40	60.00	7.00
81L0312	-60 HN TOT	108.00 1.00	1.00 24.00	1.00 13.60	550.00 7.00 <	.10 10.00	4.60	1.40	100.00	51.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PB \$B	ZN BA	AG AU	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A8210129-008-A								
81L0313	-60 HN TOT	34.00 1.00	1.00 4.00	1.00 2.40	346.00 9.00 <	.10 10.00	2.00	.60	160.00	7.00
81L0314	-60 HN TOT	38.00 1.00	1.00 4.00	1.00 .80	276.00 5.00 <	.10 10.00	1.40	.50	60.00	6.00
81L0315	-60 HN TOT	38.00 1.00	4.00 4.00	1.00 3.20	420.00 13.00 <	.10 10.00	2.80	.80	220.00	9.00
81L0316	-60 HN TOT	20.00 1.00	1.00 4.00	1.00 .80	324.00 20.00 <	.60 10.00	.60	1.40	120.00	9.00
81L0317	-60 HN TOT	68.00 1.00	1.00 4.00	1.00 .80	1,860.00 9.00 <	.40 10.00	21.40	.40	70.00	6.00
81L0318	-60 HN TOT	40.00 1.00	1.00 4.00	1.00 2.00	600.00 9.00 <	.10 10.00	4.40	1.00	160.00	9.00
81L0319	-60 HN TOT	64.00 1.00	1.00 12.00	1.00 .40	270.00 8.00 <	.10 10.00	2.40	1.40	80.00	7.00
81L0320	-60 HN TOT	48.00 1.00	1.00 16.00	1.00 .40	300.00 16.00 <	.10 10.00	3.20	.20	40.00	6.00
81L0321	-60 HN TOT	1,540.00 N.S.S.	1.00 N.S.S.	96.00 N.S.S.	416.00 N.S.S.	1.20 N.S.S.	.10	13.20	480.00	106.00
81L0323	-60 HN TOT	28.00 1.00	1.00 4.00	1.00 .40	156.00 18.00 <	.10 10.00	.80	.20	110.00	4.00

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	GD	FE	MN	AS	
LAB: CHEMEX		CERTIFICATE: A6210129-008-A									
81L0324	-60 HN TOT	36.00 1.00	1.00 12.00	1.00 .40	164.00 17.00	.10 10.00	6.00	.20	100.00	3.00	
81L0325	-60 HN TOT	40.00 20.00	4.00 4.00	1.00 .40	70.00 18.00	.10 10.00	.10	.30	200.00	4.00	
81L0326	-60 HN TOT	86.00 6.00	1.00 4.00	1.00 .80	860.00 14.00	.10 10.00	10.00	.40	200.00	5.00	
81L0327	-60 HN TOT	80.00 10.00	1.00 4.00	1.00 .40	124.00 16.00 <	.10 10.00	.40	.40	110.00	4.00	
81L0328	-60 HN TOT	22.00 14.00	1.00 4.00	4.00 .40	48.00 13.00	.10 10.00	.10	.30	200.00	3.00	
81L0329	-60 HN TOT	68.00 N.S.S.	6.00 N.S.S.	1.00 N.S.S.	104.00 15.00	.10 250.00	.10	.50	200.00	5.00	
81L0330	-60 HN TOT	22.00 240.00	6.00 36.00	14.00 .80	100.00 12.00 <i>1.2%</i>	.10 70.00	.10	3.40	1,040.00	5.00	
81L0334	-60 HN TOT	42.00 34.00	6.00 28.00	146.00 33.00	760.00 N.S.S.	.10 60.00	.80	7.50	380.00	30.00	
81L0336	-60 HN TOT	100.00 20.00	10.00 8.00	40.00 10.80	176.00 4.00 <i>4</i>	1.80 8,910.00	.10	7.00	550.00	120.00	
81L0337	-60 HN TOT	176.00 100.00	4.00 800.00	4.00 8.80	420.00 13.00	3.00 10,280.00	2.00	5.20	220.00	265.00	

SAMPLE CODE	TEST CODE	CU W	MO SN	PB SB	ZN BA	AG AU	CD	FE	MN	AS
-------------	-----------	------	-------	-------	-------	-------	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210129-008-A

81L0335	-60	HN TOT	48.00 34.00	1.00 56.00	1.00 2.40	90.00 18.00	.40 370.00	.10	1.00	210.00	20.00
81L0339	-60	HN TOT	34.00 420.00	1.00 N.S.S.	32.00 N.S.S.	104.00 6.00	.10 N.S.S.	.10	.80	280.00	7.00
81L0340	-60	HN TOT	126.00 N.S.S.	4.00 N.S.S.	16.00 N.S.S.	216.00 14.00	.10 N.S.S.	.40	1.20	190.00	19.00
31L0341	-60	HN TOT	124.00 N.S.S.	1.00 N.S.S.	6.00 N.S.S.	124.00 14.00	.60 27.00	.40	1.80	140.00	7.00
81L0342	-60	HN TOT	84.00 N.S.S.	6.00 N.S.S.	20.00 N.S.S.	116.00 N.S.S.	.40 13.00	.10	.80	170.00	9.00
81L0343	-60	HN TOT	180.00 120.00	8.00 32.00	194.00 6.80	750.00 23.00 2.3	.10 10.00	2.80	4.00	600.00	25.00
81L0344	-60	HN TOT	192.00 20.00	1.00 N.S.S.	60.00 11.00	130.00 8.00	1.00 20.00	.10	4.40	320.00	46.00
81L0345	-60	HN TOT	26.00 24.00	6.00 20.00	26.00 .40	64.00 30.00 3.0	.10 240.00	.10	1.10	350.00	5.00
81L0346	-60	HN TOT	56.00 30.00	4.00 28.00	22.00 .40	72.00 38.00 3.8	.10 40.00	.10	1.40	370.00	7.00
81L0347	-60	HN TOT	24.00 26.00	10.00 4.00	16.00 .40	52.00 8.00 .8	.10 20.00	.10	1.40	600.00	3.00

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CCDE W SN SB BA AU

LAB: CHEMEX CERTIFICATE: A8210129-008-A

81L0348	-60	HN TOT	20.00 36.00	10.00 32.00	30.00 .40	52.00 33.00 3.3	.10 40.00	.10	1.00	440.00	2.00
81L0349	-60	HN TOT	40.00 34.00	8.00 4.00	54.00 .40	90.00 27.00 2.7	.10 10.00	.10	1.40	410.00	5.00
81L0350	-60	HN TOT	450.00 N.S.S.	8.00 N.S.S.	1.00 N.S.S.	1,580.00 N.S.S.	1.20 34.00	16.60	5.80	140.00	30.00

**THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 15:27:56



Ed. June 17/82
9110111

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

ANALYTICAL CHEMISTS

GEOCHEMISTS

REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-001-
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE


ATTN: GREG JILSEN

Total

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0001-35+60IP-205	205	220	22	95	1070	0.3	4.0
81-L0002-35+60IP-205	205	61	7	28	340	0.1	0.3
81-L0003-35+60IP-205	205	200	18	104	900	0.1	3.2
81-L0004-35+60IP-205	205	158	19	60	1450	0.2	4.0
81-L0005-35+60IP-205	205	138	33	52	1490	0.1	4.6
81-L0007-35+60IP-205	205	133	6	60	385	0.1	0.1
81-L0009-35+60IP-205	205	60	12	20	740	0.1	1.2
81-L0010-35+60IP-205	205	145	23	56	1800	0.1	4.7
81-L0011-35+60IP-205	205	132	11	84	610	0.1	1.8
81-L0012-35+60IP-205	205	132	16	78	1050	0.1	2.8
81-L0013-35+60IP-205	205	130	15	72	940	0.1	1.5
81-L0014-35+60IP-205	205	123	6	71	550	0.1	0.9
81-L0015-35+60IP-205	205	185	21	78	1300	0.3	4.0
81-L0016-35+60IP-205	205	98	6	56	460	0.1	0.9
81-L0017-35+60IP-205	205	135	19	42	1180	0.1	1.7
81-L0018-35+60IP-205	205	136	12	70	985	0.1	3.1
81-L0019-35+60IP-205	205	186	35	57	2700	0.1	7.4
81-L0021-35+60IP-205	205	135	23	40	1640	0.2	4.0
81-L0022-35+60IP-205	205	148	22	48	1590	0.2	5.5
81-L0023-35+60IP-205	205	138	14	90	1170	0.2	1.8
81-L0024-35+60IP-205	205	142	8	100	760	0.1	1.1
81-L0025-35+60IP-205	205	114	11	72	630	0.1	1.3
81-L0026-35+60IP-205	205	164	17	87	970	0.2	2.0
81-L0027-35+60IP-205	205	207	34	63	2300	0.3	9.4
81-L0028-35+60IP-205	205	113	16	34	1800	0.2	6.6
81-L0029-35+60IP-205	205	255	31	88	1780	0.7	4.9
81-L0030-35+60IP-205	205	440	36	100	1680	1.3	4.7
81-L0031-35+60IP-205	205	365	38	108	2550	0.9	8.7
81-L0032-35+60IP-205	205	108	62	52	2760	0.2	5.8
81-L0034-35+60IP-205	205	116	24	46	3000	0.2	11.0
81-L0035-35+60IP-205	205	56	63	6	1230	0.3	4.2
81-L0036-35+60IP-205	205	162	42	108	3000	0.2	6.8
81-L0037-35+60IP-205	205	66	6	16	300	0.1	0.4
81-L0039-35+60IP-205	205	68	28	20	1400	0.2	2.0
81-L0040-35+60IP-205	205	63	5	14	260	0.1	0.2
81-L0041-35+60IP-205	205	130	10	58	900	0.1	1.7
81-L0042-35+60IP-205	205	82	10	56	360	0.2	0.2
81-L0043-35+60IP-205	205	66	5	23	300	0.1	0.1
81-L0044-35+60IP-205	205	128	20	57	1550	0.1	2.7
81-L0045-35+60IP-205	205	34	4	18	240	0.1	0.2



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-001-
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

7

8

9

10

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0001-35+60IP	205	24.00	1250	120	15.0	--	--
81-L0002-35+60IP	205	10.20	1450	35	4.6	--	--
81-L0003-35+60IP	205	22.00	1420	92	12.2	--	--
81-L0004-35+60IP	205	20.00	1040	110	13.6	--	--
81-L0005-35+60IP	205	18.80	1150	125	22.0	--	--
81-L0007-35+60IP	205	19.00	1410	77	4.8	--	--
81-L0009-35+60IP	205	10.90	945	85	8.2	--	--
81-L0010-35+60IP	205	21.50	1250	145	17.0	--	--
81-L0011-35+60IP	205	19.20	1540	77	9.4	--	--
81-L0012-35+60IP	205	25.00	2420	88	12.8	--	--
81-L0013-35+60IP	205	24.00	1340	100	10.6	--	--
81-L0014-35+60IP	205	19.30	1080	45	5.8	--	--
81-L0015-35+60IP	205	22.50	910	100	21.0	--	--
81-L0016-35+60IP	205	16.50	990	43	5.0	--	--
81-L0017-35+60IP	205	20.50	1270	83	17.8	--	--
81-L0018-35+60IP	205	21.00	1150	88	10.0	--	--
81-L0019-35+60IP	205	24.00	1530	200	22.0	--	--
81-L0021-35+60IP	205	20.00	1360	115	9.0	--	--
81-L0022-35+60IP	205	19.80	1850	145	16.2	--	--
81-L0023-35+60IP	205	25.00	1650	125	19.0	--	--
81-L0024-35+60IP	205	22.00	1980	90	8.8	--	--
81-L0025-35+60IP	205	14.60	1030	77	9.2	--	--
81-L0026-35+60IP	205	19.50	1370	100	16.4	--	--
81-L0027-35+60IP	205	20.20	1630	180	24.0	--	--
81-L0028-35+60IP	205	14.50	1840	230	13.4	--	--
81-L0029-35+60IP	205	20.00	1400	120	25.0	--	--
81-L0030-35+60IP	205	26.00	1410	165	21.0	--	--
81-L0031-35+60IP	205	27.00	2200	315	38.0	--	--
81-L0032-35+60IP	205	20.60	950	142	25.0	--	--
81-L0034-35+60IP	205	16.90	1180	80	3.2	--	--
81-L0035-35+60IP	205	11.00	1365	240	N.S.S.	--	--
81-L0036-35+60IP	205	16.20	1170	146	N.S.S.	--	--
81-L0037-35+60IP	205	6.70	800	27	3.0	--	--
81-L0039-35+60IP	205	8.40	720	56	N.S.S.	--	--
81-L0040-35+60IP	205	6.20	780	25	4.2	--	--
81-L0041-35+60IP	205	20.00	1430	75	10.8	--	--
81-L0042-35+60IP	205	9.60	1220	60	5.6	--	--
81-L0043-35+60IP	205	8.00	830	17	3.0	--	--
81-L0044-35+60IP	205	20.80	1200	120	18.0	--	--
81-L0045-35+60IP	205	7.25	750	22	2.0	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-002-
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

These are added Bal



ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0046-35+60IP	205	73	12	20	290	0.1	0.3
81-L0047-35+60IP	205	32	4	4	75	0.1	0.1
81-L0048-35+60IP	205	148	10	104	950	0.1	2.0
81-L0049-35+60IP	205	85	6	56	380	0.1	0.2
81-L0050-35+60IP	205	164	12	80	1040	0.2	3.0
81-L0051-35+60IP	205	50	6	29	250	0.1	0.2
81-L0052-35+60IP	205	68	9	36	370	0.1	0.4
81-L0053-35+60IP	205	155	16	89	710	0.1	2.2
81-L0055-35+60IP	205	76	10	36	440	0.1	1.1
81-L0056-35+60IP	205	123	12	70	650	0.1	1.3
81-L0057-35+60IP	205	175	18	105	1070	0.1	2.5
81-L0058-35+60IP	205	108	12	54	580	0.1	1.4
81-L0059-35+60IP	205	158	12	105	910	0.1	2.4
81-L0060-35+60IP	205	185	21	97	1160	0.1	4.0
81-L0061-35+60IP	205	212	26	160	1440	0.2	4.4
81-L0062-35+60IP	205	86	8	50	460	0.2	0.2
81-L0063-35+60IP	205	56	6	25	170	0.2	1.3
81-L0064-35+60IP	205	200	11	110	810	0.1	1.3
81-L0065-35+60IP	205	155	14	78	920	0.1	3.5
81-L0066-35+60IP	205	143	14	68	1000	0.1	2.7
81-L0067-35+60IP	205	422	28	77	1880	0.1	10.5
81-L0068-35+60IP	205	337	42	80	1680	0.2	4.5
81-L0069-35+60IP	205	224	40	58	2320	0.2	7.6
81-L0070-35+60IP	205	88	8	40	680	0.1	1.5
81-L0071-35+60IP	205	14	8	2	112	0.2	0.4
81-L0072-35+60IP	205	190	20	86	1240	0.2	2.8
81-L0073-35+60IP	205	372	60	56	3730	0.9	10.0
81-L0074-35+60IP	205	94	29	33	2150	0.1	3.3
81-L0075-35+60IP	205	66	26	16	1700	0.1	7.1
81-L0076-35+60IP	205	213	74	45	6400	0.9	16.6
81-L0077-35+60IP	205	218	45	39	2850	0.6	7.5
81-L0078-35+60IP	205	168	48	33	3650	0.6	7.9
81-L0079-35+60IP	205	180	25	48	1630	0.2	5.0
81-L0080-35+60IP	205	102	4	90	580	0.1	0.2
81-L0081-35+60IP	205	127	11	99	800	0.1	2.0
81-L0082-35+60IP	205	170	4	85	310	0.1	0.1
81-L0083-35+60IP	205	245	15	78	600	0.2	2.7
81-L0084-35+60IP	205	320	16	105	590	0.1	2.0
81-L0085-35+60IP	205	162	6	170	480	0.1	0.2
81-L0086-35+60IP	205	185	9	100	470	0.1	0.6



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-002-
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NDNE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0046-35+60IP	205	7.50	1050	55	2.8	--	--
81-L0047-35+60IP	205	4.20	720	4	0.4	--	--
81-L0048-35+60IP	205	23.00	1520	110	12.0	--	--
81-L0049-35+60IP	205	18.00	1220	73	19.4	--	--
81-L0050-35+60IP	205	28.00	1440	80	10.4	--	--
81-L0051-35+60IP	205	10.60	950	33	3.0	--	--
81-L0052-35+60IP	205	10.50	970	55	5.4	--	--
81-L0053-35+60IP	205	21.50	1180	85	12.8	--	--
81-L0055-35+60IP	205	12.00	930	70	6.6	--	--
81-L0056-35+60IP	205	20.00	1300	75	9.6	--	--
81-L0057-35+60IP	205	24.00	1530	110	13.6	--	--
81-L0058-35+60IP	205	16.30	1200	55	9.0	--	--
81-L0059-35+60IP	205	25.10	1850	100	11.6	--	--
81-L0060-35+60IP	205	23.00	1780	95	14.0	--	--
81-L0061-35+60IP	205	28.00	3550	120	15.2	--	--
81-L0062-35+60IP	205	22.40	2360	35	2.4	--	--
81-L0063-35+60IP	205	3.35	300	13	2.2	--	--
81-L0064-35+60IP	205	25.50	1340	60	7.2	--	--
81-L0065-35+60IP	205	21.00	1810	75	10.4	--	--
81-L0066-35+60IP	205	28.00	980	85	8.8	--	--
81-L0067-35+60IP	205	26.50	900	80	9.2	--	--
81-L0068-35+60IP	205	24.75	1500	138	N.S.S.	--	--
81-L0069-35+60IP	205	22.80	1670	170	26.0	--	--
81-L0070-35+60IP	205	22.50	1410	55	6.4	--	--
81-L0071-35+60IP	205	5.70	1360	15	N.S.S.	--	--
81-L0072-35+60IP	205	22.40	3560	240	N.S.S.	--	--
81-L0073-35+60IP	205	19.00	1070	225	25.0	--	--
81-L0074-35+60IP	205	14.30	965	80	12.0	--	--
81-L0075-35+60IP	205	16.60	3030	85	9.6	--	--
81-L0076-35+60IP	205	28.50	930	300	45.0	--	--
81-L0077-35+60IP	205	20.50	1080	425	29.0	--	--
81-L0078-35+60IP	205	22.00	1470	350	24.0	--	--
81-L0079-35+60IP	205	22.50	1820	165	15.0	--	--
81-L0080-35+60IP	205	25.50	1340	75	5.6	--	--
81-L0081-35+60IP	205	25.00	1600	80	8.0	--	--
81-L0082-35+60IP	205	12.90	1020	55	5.6	--	--
81-L0083-35+60IP	205	24.00	1450	80	8.2	--	--
81-L0084-35+60IP	205	27.50	1100	115	12.0	--	--
81-L0085-35+60IP	205	23.50	1680	145	8.0	--	--
81-L0086-35+60IP	205	22.00	1320	95	7.2	--	--

Hart Buchler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-003-
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE




ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0087-35+60IP	205	185	9	100	440	0.1	0.6
81-L0088-35+60IP	205	90	6	67	590	0.1	1.0
81-L0089-35+60IP	205	210	11	150	590	0.1	1.5
81-L0090-35+60IP	205	223	12	130	650	0.1	1.3
81-L0091-35+60IP	205	152	5	129	360	0.1	0.5
81-L0092-35+60IP	205	113	5	90	510	0.1	3.0
81-L0093-35+60IP	205	160	14	108	640	0.2	2.4
81-L0094-35+60IP	205	145	11	123	660	0.1	2.1
81-L0095-35+60IP	205	150	6	115	550	0.1	1.2
81-L0096-35+60IP	205	105	5	92	530	0.1	1.5
81-L0097-35+60IP	205	88	4	64	520	0.2	0.2
81-L0098-35+60IP	205	120	6	105	360	0.1	0.1
81-L0099-35+60IP	205	115	8	98	640	0.1	3.2
81-L0100-35+60IP	205	150	6	160	615	0.1	3.1
81-L0101-35+60IP	205	200	12	120	1120	0.2	5.2
81-L0102-35+60IP	205	166	8	126	620	0.2	1.7
81-L0103-35+60IP	205	140	12	110	480	0.2	0.8
81-L0104-35+60IP	205	40	3	19	140	0.1	0.1
81-L0105-35+60IP	205	156	7	100	380	0.1	0.3
81-L0106-35+60IP	205	240	18	117	530	0.2	1.5
81-L0107-35+60IP	205	200	11	95	440	0.1	0.9
81-L0108-35+60IP	205	175	9	104	420	0.2	0.8
81-L0109-35+60IP	205	162	53	57	3600	0.4	6.1
81-L0110-35+60IP	205	160	91	37	5800	0.4	18.0
81-L0111-35+60IP	205	188	36	57	2300	0.8	8.4
81-L0112-35+60IP	205	244	240	76	8500	0.6	14.8
81-L0113-35+60IP	205	340	78	64	4760	1.4	11.0
81-L0114-35+60IP	205	110	112	22	2600	0.2	15.6
81-L0115-35+60IP	205	315	70	60	3780	1.8	9.7
81-L0116-35+60IP	205	264	78	80	5800	1.2	12.8
81-L0117-35+60IP	205	330	60	90	5260	1.4	12.6
81-L0118-35+60IP	205	270	31	107	2150	0.9	4.6
81-L0119-35+60IP	205	295	53	81	3150	1.2	9.1
81-L0120-35+60IP	205	126	32	48	1660	0.2	3.2
81-L0121-35+60IP	205	52	12	22	620	0.2	0.8
81-L0122-35+60IP	205	220	29	67	1330	0.7	5.5
81-L0123-35+60IP	205	256	66	58	3900	0.6	11.6
81-L0124-35+60IP	205	300	85	52	4200	1.8	11.5
81-L0125-35+60IP	205	184	23	90	900	0.4	3.4
81-L0126-35+60IP	205	170	32	53	1230	0.2	2.9



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-003-1
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0087-35+60IP	205	21.00	1120	80	5.6	--	--
81-L0088-35+60IP	205	14.00	920	85	8.8	--	--
81-L0089-35+60IP	205	25.00	2000	110	13.2	--	--
81-L0090-35+60IP	205	26.50	1980	100	11.2	--	--
81-L0091-35+60IP	205	21.30	1420	165	9.0	--	--
81-L0092-35+60IP	205	25.50	1730	60	2.2	--	--
81-L0093-35+60IP	205	19.00	1340	120	10.4	--	--
81-L0094-35+60IP	205	21.00	1750	125	9.6	--	--
81-L0095-35+60IP	205	23.00	1790	75	5.6	--	--
81-L0096-35+60IP	205	20.50	1400	75	5.6	--	--
81-L0097-35+60IP	205	20.40	1060	60	3.2	--	--
81-L0098-35+60IP	205	19.30	1000	85	2.4	--	--
81-L0099-35+60IP	205	17.80	1580	80	8.8	--	--
81-L0100-35+60IP	205	24.00	2040	100	7.4	--	--
81-L0101-35+60IP	205	26.00	1500	110	14.8	--	--
81-L0102-35+60IP	205	23.00	830	115	7.4	--	--
81-L0103-35+60IP	205	20.00	2100	100	8.8	--	--
81-L0104-35+60IP	205	8.00	1000	20	1.6	--	--
81-L0105-35+60IP	205	20.00	1550	60	4.6	--	--
81-L0106-35+60IP	205	24.50	1480	95	10.6	--	--
81-L0107-35+60IP	205	25.00	1620	70	9.6	--	--
81-L0108-35+60IP	205	21.50	1250	70	5.6	--	--
81-L0109-35+60IP	205	27.00	1010	230	31.0	--	--
81-L0110-35+60IP	205	31.50	1780	165	25.0	--	--
81-L0111-35+60IP	205	18.30	1060	115	22.0	--	--
81-L0112-35+60IP	205	27.00	2240	380	46.0	--	--
81-L0113-35+60IP	205	25.60	1920	190	28.0	--	--
81-L0114-35+60IP	205	16.00	840	360	N.S.S.	--	--
81-L0115-35+60IP	205	18.50	1060	200	28.0	--	--
81-L0116-35+60IP	205	28.00	2840	300	41.0	--	--
81-L0117-35+60IP	205	30.60	5680	300	32.0	--	--
81-L0118-35+60IP	205	24.50	1320	150	22.0	--	--
81-L0119-35+60IP	205	27.00	1330	215	44.0	--	--
81-L0120-35+60IP	205	20.60	1480	120	17.6	--	--
81-L0121-35+60IP	205	11.60	590	30	4.8	--	--
81-L0122-35+60IP	205	17.90	925	80	12.6	--	--
81-L0123-35+60IP	205	28.20	1360	200	32.0	--	--
81-L0124-35+60IP	205	32.00	880	300	32.0	--	--
81-L0125-35+60IP	205	16.80	960	75	10.4	--	--
81-L0126-35+60IP	205	21.00	1210	115	15.2	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-004-
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0127-35+60IP	205✓	70	9	32	400	0.1	0.5
81-L0128-35+60IP	205✓	68	5	26	230	0.1	0.3
81-L0129-35+60IP	205✓	28	8	12	260	0.2	0.4
81-L0130-35+60IP	205✓	20	6	8	170	0.2	0.2
81-L0131-35+60IP	205✓	65	11	32	405	0.1	0.4
81-L0132-35+60IP	205✓	25	5	1	170	0.1	0.1
81-L0133-35+60IP	205✓	25	5	9	145	0.1	0.1
81-L0134-35+60IP	205✓	15	3	7	240	0.1	0.1
81-L0135-35+60IP	205✓	108	20	46	1220	0.3	1.3
81-L0136-35+60IP	205✓	204	20	84	1650	0.2	3.0
81-L0137-35+60IP	205✓	184	16	134	1040	0.2	1.4
81-L0138-35+60IP	205✓	12	2	3	95	0.1	0.1
81-L0139-35+60IP	205✓	37	4	18	360	0.1	0.2
81-L0140-35+60IP	205✓	190	20	67	1420	0.2	3.2
81-L0141-35+60IP	205✓	160	13	53	730	0.1	1.1
81-L0142-35+60IP	205✓	78	8	41	520	0.1	0.9
81-L0143-35+60IP	205✓	190	18	66	1130	0.6	2.1
81-L0144-35+60IP	205✓	195	83	81	4500	1.1	29.0
81-L0145-35+60IP	205✓	37	5	11	170	0.1	0.1
81-L0146-35+60IP	205✓	120	25	46	2250	0.3	1.6
81-L0147-35+60IP	205✓	42	4	11	240	0.1	0.1
81-L0148-35+60IP	205✓	36	2	21	230	0.1	0.1
81-L0149-35+60IP	205✓	49	5	28	325	0.1	0.6
81-L0150-35+60IP	205✓	45	4	25	330	0.1	0.2
81-L0151-35+60IP	205✓	80	8	30	610	0.2	1.0
81-L0152-35+60IP	205✓	52	5	24	240	0.1	0.1
81-L0153-35+60IP	205✓	30	4	12	160	0.1	0.1
81-L0154-35+60IP	205✓	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-L0155-35+60IP	205✓	73	7	39	425	0.1	0.3
81-L0156-35+60IP	205✓	105	9	66	480	0.1	0.3
81-L0159-35+60IP	205✓	42	8	17	225	0.1	0.1
81-L0160-35+60IP	205✓	104	10	40	270	0.2	0.2
81-L0161-35+60IP	205✓	92	14	32	500	0.2	0.2
81-L0162-35+60IP	205✓	133	14	45	530	0.2	0.6
81-L0163-35+60IP	205✓	153	15	65	920	0.1	0.7
81-L0165-35+60IP	205✓	200	24	77	1230	0.2	1.7
81-L0166-35+60IP	205✓	112	14	70	500	0.2	0.2
81-L0167-35+60IP	205✓	25	3	6	62	0.1	0.1
81-L0168-35+60IP	205✓	206	8	160	450	0.2	0.4
81-L0169-35+60IP	205✓	17	27	7	92	0.1	0.1



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210629-004-1
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0127-35+60IP	205	11.20	1000	35	6.0	--	--
81-L0128-35+60IP	205	11.10	900	25	3.2	--	--
81-L0129-35+60IP	205	6.70	1000	30	3.2	--	--
81-L0130-35+60IP	205	6.10	970	10	N.S.S.	--	--
81-L0131-35+60IP	205	11.60	1100	80	5.6	--	--
81-L0132-35+60IP	205	7.15	830	10	N.S.S.	--	--
81-L0133-35+60IP	205	5.70	965	15	1.6	--	--
81-L0134-35+60IP	205	5.70	800	10	1.6	--	--
81-L0135-35+60IP	205	15.00	900	65	N.S.S.	--	--
81-L0136-35+60IP	205	22.80	1160	110	N.S.S.	--	--
81-L0137-35+60IP	205	23.20	1370	120	17.2	--	--
81-L0138-35+60IP	205	6.00	880	5	0.8	--	--
81-L0139-35+60IP	205	8.00	970	15	4.4	--	--
81-L0140-35+60IP	205	22.00	820	120	28.0	--	--
81-L0141-35+60IP	205	14.50	870	85	13.6	--	--
81-L0142-35+60IP	205	9.70	685	85	N.S.S.	--	--
81-L0143-35+60IP	205	14.75	870	190	24.0	--	--
81-L0144-35+60IP	205	10.80	320	115	N.S.S.	--	--
81-L0145-35+60IP	205	5.55	820	15	2.8	--	--
81-L0146-35+60IP	205	17.00	1640	95	21.0	--	--
81-L0147-35+60IP	205	7.80	980	10	2.6	--	--
81-L0148-35+60IP	205	10.30	1220	15	2.2	--	--
81-L0149-35+60IP	205	14.50	1460	30	3.0	--	--
81-L0150-35+60IP	205	12.20	1180	25	3.8	--	--
81-L0151-35+60IP	205	12.20	1460	40	N.S.S.	--	--
81-L0152-35+60IP	205	8.10	950	20	2.8	--	--
81-L0153-35+60IP	205	5.50	770	20	2.0	--	--
81-L0154-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81-L0155-35+60IP	205	18.00	1040	55	4.0	--	--
81-L0156-35+60IP	205	18.00	1080	85	5.6	--	--
81-L0159-35+60IP	205	9.20	2550	30	3.8	--	--
81-L0160-35+60IP	205	13.40	1630	30	4.8	--	--
81-L0161-35+60IP	205	12.40	960	50	9.6	--	--
81-L0162-35+60IP	205	17.00	1320	85	11.2	--	--
81-L0163-35+60IP	205	25.00	1210	100	17.6	--	--
81-L0165-35+60IP	205	25.50	1060	115	19.6	--	--
81-L0166-35+60IP	205	15.00	1240	100	10.4	--	--
81-L0167-35+60IP	205	4.30	730	5	0.8	--	--
81-L0168-35+60IP	205	28.20	1650	100	N.S.S.	--	--
81-L0169-35+60IP	205	6.30	560	200	1.6	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-005-
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0170-35+60IP	205✓	185	23	60	1150	0.5	3.3
81-L0171-35+60IP	205✓	80	14	30	1150	0.3	0.8
81-L0172-35+60IP	205✓	140	18	80	1100	0.8	1.4
81-L0173-35+60IP	205✓	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-L0174-35+60IP	205✓	52	8	34	660	0.2	1.2
81-L0175-35+60IP	205✓	90	9	41	725	0.5	1.7
81-L0176-35+60IP	205✓	100	9	51	840	0.1	1.9
81-L0177-35+60IP	205✓	96	5	88	595	0.5	0.9
81-L0178-35+60IP	205✓	40	24	38	2650	0.6	5.1
81-L0179-35+60IP	205✓	193	24	46	1350	0.7	5.2
81-L0180-35+60IP	205✓	350	42	72	1400	0.9	7.0
81-L0181-35+60IP	205✓	170	19	71	1380	0.5	3.8
81-L0182-35+60IP	205✓	100	7	60	450	0.2	1.0
81-L0183-35+60IP	205✓	95	5	47	320	0.3	0.3
81-L0184-35+60IP	205✓	64	4	65	300	0.1	0.1
81-L0185-35+60IP	205✓	79	4	74	325	0.3	0.2
81-L0186-35+60IP	205✓	70	5	66	350	0.4	0.2
81-L0187-35+60IP	205✓	70	4	83	350	0.2	0.3
81-L0188-35+60IP	205✓	38	3	32	270	0.3	0.1
81-L0189-35+60IP	205✓	26	3	16	160	0.2	0.2
81-L0191-35+60IP	205✓	58	5	45	325	0.3	0.2
81-L0192-35+60IP	205✓	78	4	74	350	0.2	0.2
81-L0193-35+60IP	205✓	105	6	90	970	0.2	3.2
81-L0194-35+60IP	205✓	90	6	61	390	0.1	0.5
81-L0195-35+60IP	205✓	95	6	63	425	0.2	0.6
81-L0196-35+60IP	205✓	80	4	58	340	0.2	0.4
81-L0197-35+60IP	205✓	85	5	74	390	0.3	0.5
81-L0198-35+60IP	205✓	87	6	58	395	0.4	0.8
81-L0199-35+60IP	205✓	185	18	51	1300	0.4	4.3
81-L0201-35+60IP	205✓	24	3	14	180	0.3	0.3
81-L0202-35+60IP	205✓	36	4	20	265	0.2	0.8
81-L0203-35+60IP	205✓	47	5	28	285	0.1	0.7
81-L0204-35+60IP	205✓	16	3	5	100	0.3	0.2
81-L0205-35+60IP	205✓	14	3	5	93	0.3	0.2
81-L0206-35+60IP	205✓	13	1	10	256	0.1	0.3
81-L0207-35+60IP	205✓	150	9	65	325	0.3	0.8
81-L0209-35+60IP	205✓	32	4	16	415	0.3	1.7
81-L0210-35+60IP	205✓	18	2	8	130	0.2	0.5
81-L0211-35+60IP	205✓	30	3	11	155	0.2	0.2
81-L0216-35+60IP	205✓	16	2	3	100	0.2	0.1

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-005-1
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0170-35+60IP	205	16.00	955	63	24.0	--	--
81-L0171-35+60IP	205	19.00	1700	45	10.2	--	--
81-L0172-35+60IP	205	17.00	930	94	10.4	--	--
81-L0173-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81-L0174-35+60IP	205	8.90	910	24	7.8	--	--
81-L0175-35+60IP	205	13.00	790	63	13.6	--	--
81-L0176-35+60IP	205	22.50	2050	67	10.0	--	--
81-L0177-35+60IP	205	24.00	2280	63	5.4	--	--
81-L0178-35+60IP	205	16.50	1060	77	30.0	--	--
81-L0179-35+60IP	205	17.00	1120	88	31.0	--	--
81-L0180-35+60IP	205	20.00	720	85	21.0	--	--
81-L0181-35+60IP	205	18.00	970	180	24.0	--	--
81-L0182-35+60IP	205	20.50	1130	73	27.0	--	--
81-L0183-35+60IP	205	20.00	1320	150	45.0	--	--
81-L0184-35+60IP	205	18.50	900	88	27.0	--	--
81-L0185-35+60IP	205	22.00	1230	145	35.0	--	--
81-L0186-35+60IP	205	23.00	1520	101	18.0	--	--
81-L0187-35+60IP	205	22.00	1320	75	13.0	--	--
81-L0188-35+60IP	205	17.50	835	48	8.4	--	--
81-L0189-35+60IP	205	9.00	895	16	3.0	--	--
81-L0191-35+60IP	205	20.50	1500	77	11.8	--	--
81-L0192-35+60IP	205	21.50	1320	115	25.0	--	--
81-L0193-35+60IP	205	31.00	2670	69	4.2	--	--
81-L0194-35+60IP	205	20.00	1090	100	14.6	--	--
81-L0195-35+60IP	205	21.00	1080	110	16.8	--	--
81-L0196-35+60IP	205	22.00	1220	113	15.6	--	--
81-L0197-35+60IP	205	22.00	1400	107	16.6	--	--
81-L0198-35+60IP	205	20.00	1900	75	12.4	--	--
81-L0199-35+60IP	205	25.00	1700	125	8.0	--	--
81-L0201-35+60IP	205	8.50	890	17	2.4	--	--
81-L0202-35+60IP	205	11.00	1090	36	3.6	--	--
81-L0203-35+60IP	205	13.50	1100	48	4.4	--	--
81-L0204-35+60IP	205	5.50	758	7	0.8	--	--
81-L0205-35+60IP	205	4.00	585	5	0.6	--	--
81-L0206-35+60IP	205	2.00	335	11	1.2	--	--
81-L0207-35+60IP	205	18.00	1080	83	6.4	--	--
81-L0209-35+60IP	205	11.00	1050	39	3.8	--	--
81-L0210-35+60IP	205	6.50	845	15	1.6	--	--
81-L0211-35+60IP	205	7.50	915	15	1.4	--	--
81-L0216-35+60IP	205	5.50	745	9	0.8	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-006-
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0218-35+60IP	205✓	70	3	3	360	0.3	0.3
81-L0219-35+60IP	205✓	72	6	34	400	0.2	0.2
81-L0220-35+60IP	205✓	24	2	14	200	0.2	0.2
81-L0221-35+60IP	205✓	78	4	66	410	0.2	0.2
81-L0222-35+60IP	205✓	80	7	33	450	0.3	1.4
81-L0223-35+60IP	205✓	18	4	6	176	0.2	0.2
81-L0224-35+60IP	205✓	80	8	60	360	0.2	0.2
81-L0225-35+60IP	205✓	420	32	90	880	1.2	2.4
81-L0226-35+60IP	205✓	60	4	16	290	0.2	0.2
81-L0227-35+60IP	205✓	120	10	74	400	0.2	0.2
81-L0228-35+60IP	205✓	190	12	76	500	0.5	0.8
81-L0229-35+60IP	205✓	68	7	40	400	0.3	0.3
81-L0230-35+60IP	205✓	20	3	3	240	0.3	0.3
81-L0231-35+60IP	205✓	94	7	176	750	0.2	0.6
81-L0232-35+60IP	205✓	120	9	62	450	0.3	0.7
81-L0233-35+60IP	205✓	90	8	54	420	0.6	0.4
81-L0234-35+60IP	205✓	102	6	62	425	0.1	0.2
81-L0235-35+60IP	205✓	70	20	50	400	0.4	0.4
81-L0236-35+60IP	205✓	128	8	68	485	0.3	0.5
81-L0237-35+60IP	205✓	310	50	76	2350	0.8	8.0
81-L0238-35+60IP	205✓	144	18	32	680	0.6	1.6
81-L0239-35+60IP	205✓	198	29	42	1470	0.5	5.5
81-L0240-35+60IP	205✓	210	32	68	1750	0.7	4.0
81-L0241-35+60IP	205✓	97	16	30	890	0.5	3.0
81-L0242-35+60IP	205✓	245	15	98	950	0.3	1.5
81-L0243-35+60IP	205✓	185	9	87	725	0.4	2.4
81-L0244-35+60IP	205✓	310	24	132	1000	0.6	1.8
81-L0245-35+60IP	205✓	290	22	92	1400	0.3	5.0
81-L0246-35+60IP	205✓	200	15	75	1100	0.3	3.6
81-L0247-35+60IP	205✓	440	36	176	920	1.3	2.9
81-L0248-35+60IP	205✓	910	66	240	980	2.2	5.5
81-L0249-35+60IP	205✓	505	51	110	970	1.4	3.8
81-L0250-35+60IP	205✓	235	18	64	1300	0.2	3.1
81-L0251-35+60IP	205✓	580	40	136	980	2.0	2.6
81-L0252-35+60IP	205✓	450	44	100	1400	1.7	4.8
81-L0253-35+60IP	205✓	560	52	88	2900	1.8	12.5
81-L0254-35+60IP	205✓	910	28	410	600	2.4	1.0
81-L0255-35+60IP	205✓	570	46	120	1060	2.0	2.8
81-L0256-35+60IP	205✓	840	84	166	1820	4.2	5.2
81-L0257-35+60IP	205✓	620	68	144	920	1.6	2.0

Certified by *Hart Buchler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-006-
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0218-35+60IP	205	20.50	4430	100	N.S.S.	--	--
81-L0219-35+60IP	205	13.60	1020	28	2.0	--	--
81-L0220-35+60IP	205	7.20	770	14	1.6	--	--
81-L0221-35+60IP	205	26.00	1306	90	N.S.S.	--	--
81-L0222-35+60IP	205	12.50	958	46	6.4	--	--
81-L0223-35+60IP	205	7.10	944	12	N.S.S.	--	--
81-L0224-35+60IP	205	26.00	2100	96	7.2	--	--
81-L0225-35+60IP	205	31.00	1700	200	22.0	--	--
81-L0226-35+60IP	205	12.80	1010	72	N.S.S.	--	--
81-L0227-35+60IP	205	19.30	1256	100	6.5	--	--
81-L0228-35+60IP	205	22.50	1020	95	8.4	--	--
81-L0229-35+60IP	205	14.00	1000	53	4.8	--	--
81-L0230-35+60IP	205	9.50	830	40	N.S.S.	--	--
81-L0231-35+60IP	205	26.00	1720	110	7.0	--	--
81-L0232-35+60IP	205	14.00	1640	85	6.9	--	--
81-L0233-35+60IP	205	27.00	1500	72	N.S.S.	--	--
81-L0234-35+60IP	205	25.00	1110	80	4.6	--	--
81-L0235-35+60IP	205	18.00	1000	58	N.S.S.	--	--
81-L0236-35+60IP	205	26.00	1030	85	6.8	--	--
81-L0237-35+60IP	205	29.00	1910	220	31.0	--	--
81-L0238-35+60IP	205	11.30	656	65	9.1	--	--
81-L0239-35+60IP	205	15.00	1020	110	19.4	--	--
81-L0240-35+60IP	205	15.00	815	115	23.0	--	--
81-L0241-35+60IP	205	9.90	865	99	11.2	--	--
81-L0242-35+60IP	205	24.50	1440	85	10.0	--	--
81-L0243-35+60IP	205	17.00	800	85	7.8	--	--
81-L0244-35+60IP	205	23.00	720	100	13.2	--	--
81-L0245-35+60IP	205	26.00	930	105	12.8	--	--
81-L0246-35+60IP	205	20.00	1060	85	8.8	--	--
81-L0247-35+60IP	205	22.50	930	135	12.4	--	--
81-L0248-35+60IP	205	30.00	1000	190	16.8	--	--
81-L0249-35+60IP	205	16.00	810	110	17.6	--	--
81-L0250-35+60IP	205	20.50	818	140	8.2	--	--
81-L0251-35+60IP	205	24.00	2000	165	12.6	--	--
81-L0252-35+60IP	205	24.50	895	140	13.2	--	--
81-L0253-35+60IP	205	32.00	1470	160	16.8	--	--
81-L0254-35+60IP	205	27.00	1180	198	12.0	--	--
81-L0255-35+60IP	205	23.00	1180	184	16.8	--	--
81-L0256-35+60IP	205	31.00	1470	110	27.0	--	--
81-L0257-35+60IP	205	30.00	2180	165	N.S.S.	--	--



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210629-007-1
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0258-35+60IP	205✓	785	22	335	550	1.9	0.5
81-L0259-35+60IP	205✓	750	56	135	1800	1.9	6.8
81-L0260-35+60IP	205✓	715	39	465	675	2.0	0.8
81-L0261-35+60IP	205✓	1200	68	310	865	5.0	2.3
81-L0262-35+60IP	205✓	1080	48	480	680	3.0	0.9
81-L0263-35+60IP	205✓	690	69	195	2100	3.0	10.2
81-L0264-35+60IP	205✓	260	47	61	2850	1.0	15.5
81-L0265-35+60IP	205✓	415	59	82	3750	1.2	31.0
81-L0266-35+60IP	205✓	370	76	76	3800	1.6	18.4
81-L0267-35+60IP	205✓	380	78	68	4700	2.2	35.0
81-L0268-35+60IP	205✓	230	25	50	1600	1.3	8.5
81-L0269-35+60IP	205✓	175	30	28	1500	0.8	5.1
81-L0270-35+60IP	205✓	255	38	39	1750	0.8	8.3
81-L0271-35+60IP	205✓	470	72	112	2900	1.8	12.6
81-L0272-35+60IP	205✓	330	41	64	1250	1.1	4.4
81-L0273-35+60IP	205✓	335	72	94	1900	2.0	6.5
81-L0274-35+60IP	205✓	790	82	148	1920	4.4	4.6
81-L0275-35+60IP	205✓	285	47	74	2100	1.1	8.0
81-L0276-35+60IP	205✓	140	18	54	990	0.3	2.5
81-L0277-35+60IP	205✓	320	38	108	1020	1.4	3.8
81-L0278-35+60IP	205✓	360	56	96	1660	1.8	4.2
81-L0279-35+60IP	205✓	265	71	73	2850	1.2	9.2
81-L0280-35+60IP	205✓	365	45	58	2250	1.2	7.1
81-L0281-35+60IP	205✓	380	61	62	1970	1.6	9.9
81-L0282-35+60IP	205✓	360	66	94	2000	2.8	7.0
81-L0283-35+60IP	205✓	460	57	66	2050	1.5	5.1
81-L0284-35+60IP	205✓	310	47	93	1950	1.2	6.7
81-L0285-35+60IP	205✓	315	42	35	1520	1.8	3.8
81-L0286-35+60IP	205✓	570	104	80	3200	2.4	15.8
81-L0287-35+60IP	205✓	520	66	100	1760	2.0	7.6
81-L0288-35+60IP	205✓	510	130	88	3400	2.4	22.0
81-L0289-35+60IP	205✓	80	8	41	525	3.0	1.4
81-L0290-35+60IP	205✓	275	30	120	1250	0.5	5.6
81-L0291-35+60IP	205✓	235	38	93	1350	0.9	6.2
81-L0292-35+60IP	205✓	45	6	13	310	0.6	1.0
81-L0293-35+60IP	205✓	290	24	75	740	0.7	1.8
81-L0294-35+60IP	205✓	320	60	120	2900	3.0	10.0
81-L0295-35+60IP	205✓	170	21	36	970	0.5	2.4
81-L0296-35+60IP	205✓	290	36	76	2000	1.0	6.6
81-L0297-35+60IP	205✓	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-007-
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0258-35+60IP	205	23.80	1125	155	N.S.S.	--	--
81-L0259-35+60IP	205	29.00	1390	150	32.0	--	--
81-L0260-35+60IP	205	39.00	2550	248	N.S.S.	--	--
81-L0261-35+60IP	205	27.70	715	268	N.S.S.	--	--
81-L0262-35+60IP	205	34.80	832	128	N.S.S.	--	--
81-L0263-35+60IP	205	31.50	880	170	N.S.S.	--	--
81-L0264-35+60IP	205	20.00	850	90	25.0	--	--
81-L0265-35+60IP	205	29.00	755	110	26.0	--	--
81-L0266-35+60IP	205	28.00	990	170	46.0	--	--
81-L0267-35+60IP	205	29.50	665	120	33.0	--	--
81-L0268-35+60IP	205	14.00	595	90	29.0	--	--
81-L0269-35+60IP	205	13.50	748	65	16.0	--	--
81-L0270-35+60IP	205	16.50	745	80	19.4	--	--
81-L0271-35+60IP	205	25.00	1110	180	37.0	--	--
81-L0272-35+60IP	205	15.00	110	88	16.4	--	--
81-L0273-35+60IP	205	22.50	560	150	44.0	--	--
81-L0274-35+60IP	205	37.00	596	180	N.S.S.	--	--
81-L0275-35+60IP	205	18.50	900	110	27.0	--	--
81-L0276-35+60IP	205	16.50	890	85	16.4	--	--
81-L0277-35+60IP	205	15.41	470	80	N.S.S.	--	--
81-L0278-35+60IP	205	22.00	590	110	32.0	--	--
81-L0279-35+60IP	205	21.50	760	100	33.0	--	--
81-L0280-35+60IP	205	24.00	805	100	17.6	--	--
81-L0281-35+60IP	205	22.50	770	130	32.0	--	--
81-L0282-35+60IP	205	26.00	1130	150	33.0	--	--
81-L0283-35+60IP	205	22.00	720	125	25.0	--	--
81-L0284-35+60IP	205	23.00	760	110	27.0	--	--
81-L0285-35+60IP	205	15.00	1740	88	16.6	--	--
81-L0286-35+60IP	205	29.00	1660	154	39.0	--	--
81-L0287-35+60IP	205	29.00	1236	180	31.0	--	--
81-L0288-35+60IP	205	26.00	790	190	42.0	--	--
81-L0289-35+60IP	205	13.00	425	36	3.6	--	--
81-L0290-35+60IP	205	26.00	880	145	14.2	--	--
81-L0291-35+60IP	205	21.50	965	88	17.2	--	--
81-L0292-35+60IP	205	6.50	668	20	3.4	--	--
81-L0293-35+60IP	205	21.00	1120	101	15.4	--	--
81-L0294-35+60IP	205	20.00	980	150	N.S.S.	--	--
81-L0295-35+60IP	205	15.50	680	75	16.4	--	--
81-L0296-35+60IP	205	25.00	955	160	19.0	--	--
81-L0297-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--

Certified by *Hart Buchler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-008-
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0298-35+60IP	205 ✓	270	35	67	1800	1.1	7.4
81-L0299-35+60IP	205 ✓	310	51	84	2250	1.8	14.0
81-L0300-35+60IP	205 ✓	185	29	53	1850	0.7	6.4
81-L0301-35+60IP	205 ✓	92	5	7	270	0.2	0.2
81-L0302-35+60IP	205 ✓	35	4	13	330	0.1	0.1
81-L0303-35+60IP	205 ✓	75	5	30	210	0.6	0.1
81-L0304-35+60IP	205 ✓	170	18	100	1400	0.6	3.1
81-L0305-35+60IP	205 ✓	230	32	74	2000	1.0	5.6
81-L0306-35+60IP	205 ✓	290	40	86	3500	1.6	4.4
81-L0307-35+60IP	205 ✓	260	40	110	2500	1.4	4.6
81-L0308-35+60IP	205 ✓	52	6	12	250	0.2	2.7
81-L0309-35+60IP	205 ✓	200	19	69	1000	0.6	2.3
81-L0310-35+60IP	205 ✓	330	26	120	2650	2.5	6.9
81-L0311-35+60IP	205 ✓	410	154	80	7000	2.4	19.0
81-L0312-35+60IP	205 ✓	205	30	50	1550	0.8	5.1
81-L0313-35+60IP	205 ✓	240	64	50	4000	1.4	12.8
81-L0314-35+60IP	205 ✓	300	74	63	4250	1.8	21.0
81-L0315-35+60IP	205 ✓	250	54	58	4200	1.0	13.6
81-L0316-35+60IP	205 ✓	144	20	74	2400	0.6	3.0
81-L0317-35+60IP	205 ✓	310	99	62	6300	2.5	25.0
81-L0318-35+60IP	205 ✓	300	168	60	9700	1.6	40.0
81-L0319-35+60IP	205 ✓	280	50	54	3300	1.7	8.3
81-L0320-35+60IP	205 ✓	220	56	86	2200	1.2	5.0
81-L0321-35+60IP	205 ✓	180	7	79	410	0.4	0.2
81-L0323-35+60IP	205 ✓	125	28	37	1600	0.9	1.9
81-L0324-35+60IP	205 ✓	92	21	32	1250	0.6	1.5
81-L0325-35+60IP	205 ✓	17	3	6	185	0.3	0.2
81-L0326-35+60IP	205 ✓	74	18	18	1140	0.4	1.9
81-L0327-35+60IP	205 ✓	260	36	48	1780	1.0	3.8
81-L0328-35+60IP	205 ✓	59	5	13	270	0.5	0.3
81-L0329-35+60IP	205 ✓	260	32	36	1100	0.4	0.6
81-L0330-35+60IP	205 ✓	45	3	16	215	0.5	0.2
81-L0334-35+60IP	205 ✓	142	34	230	3200	1.0	4.8
81-L0336-35+60IP	205 ✓	125	10	23	250	1.0	0.3
81-L0337-35+60IP	205 ✓	205	17	90	1000	1.2	1.6
81-L0338-35+60IP	205 ✓	65	5	26	290	0.5	0.3
81-L0339-35+60IP	205 ✓	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-L0340-35+60IP	205 ✓	320	48	66	1820	0.6	4.4
81-L0341-35+60IP	205 ✓	26	18	144	800	0.4	3.0
81-L0342-35+60IP	205 ✓	192	26	60	1680	0.6	2.0

Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-008-
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0298-35+60IP	205	22.50	1000	101	24.0	--	--
81-L0299-35+60IP	205	20.00	805	115	38.0	--	--
81-L0300-35+60IP	205	16.00	800	85	20.0	--	--
81-L0301-35+60IP	205	14.50	1220	30	3.2	--	--
81-L0302-35+60IP	205	16.50	990	15	1.2	--	--
81-L0303-35+60IP	205	12.50	1120	30	2.6	--	--
81-L0304-35+60IP	205	18.00	975	81	17.4	--	--
81-L0305-35+60IP	205	18.00	1080	101	24.0	--	--
81-L0306-35+60IP	205	22.00	1040	138	28.0	--	--
81-L0307-35+60IP	205	27.00	960	180	28.0	--	--
81-L0308-35+60IP	205	3.00	260	14	2.6	--	--
81-L0309-35+60IP	205	17.50	930	80	21.0	--	--
81-L0310-35+60IP	205	21.50	970	85	24.0	--	--
81-L0311-35+60IP	205	31.00	1080	210	40.0	--	--
81-L0312-35+60IP	205	18.50	880	75	19.4	--	--
81-L0313-35+60IP	205	21.00	1660	110	30.0	--	--
81-L0314-35+60IP	205	23.50	970	110	26.0	--	--
81-L0315-35+60IP	205	23.00	1430	110	29.0	--	--
81-L0316-35+60IP	205	14.60	636	80	18.7	--	--
81-L0317-35+60IP	205	22.00	748	205	48.0	--	--
81-L0318-35+60IP	205	31.00	1590	280	46.0	--	--
81-L0319-35+60IP	205	24.50	1000	100	18.6	--	--
81-L0320-35+60IP	205	15.80	666	110	24.0	--	--
81-L0321-35+60IP	205	16.00	1230	55	6.0	--	--
81-L0323-35+60IP	205	14.50	870	115	15.6	--	--
81-L0324-35+60IP	205	12.50	765	100	11.8	--	--
81-L0325-35+60IP	205	5.50	585	10	1.6	--	--
81-L0326-35+60IP	205	9.00	730	130	12.6	--	--
81-L0327-35+60IP	205	13.80	790	130	14.4	--	--
81-L0328-35+60IP	205	7.00	700	17	3.4	--	--
81-L0329-35+60IP	205	13.20	660	96	N.S.S.	--	--
81-L0330-35+60IP	205	6.50	793	14	2.2	--	--
81-L0334-35+60IP	205	29.00	1690	220	66.0	--	--
81-L0336-35+60IP	205	11.50	893	390	10.6	--	--
81-L0337-35+60IP	205	19.50	1230	200	26.0	--	--
81-L0338-35+60IP	205	9.50	875	70	7.0	--	--
81-L0339-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81-L0340-35+60IP	205	29.00	1630	120	N.S.S.	--	--
81-L0341-35+60IP	205	25.00	1740	120	11.6	--	--
81-L0342-35+60IP	205	22.00	1170	120	41.0	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-009-
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0343-35+60IP	205 ✓	145	11	110	1450	0.6	4.6
81-L0344-35+60IP	205 ✓	190	13	160	560	0.5	1.7
81-L0345-35+60IP	205 ✓	92	10	40	450	0.2	0.8
81-L0346-35+60IP	205 ✓	86	7	50	390	0.3	0.6
81-L0347-35+60IP	205 ✓	40	5	20	250	0.3	0.2
81-L0348-35+60IP	205 ✓	54	7	24	295	0.2	0.4
81-L0349-35+60IP	205 ✓	102	10	40	410	0.2	0.4
81-L0350-35+60IP	205 ✓	170	17	56	850	0.8	0.5



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-009-
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0343-35+60IP	205	13.00	705	90	12.6	--	--
81-L0344-35+60IP	205	23.00	1090	170	7.6	--	--
81-L0345-35+60IP	205	12.90	1400	100	7.2	--	--
81-L0346-35+60IP	205	15.00	1150	60	5.2	--	--
81-L0347-35+60IP	205	8.00	1020	24	2.8	--	--
81-L0348-35+60IP	205	9.40	1145	38	N.S.S.	--	--
81-L0349-35+60IP	205	11.60	1040	46	5.6	--	--
81-L0350-35+60IP	205	12.00	790	70	12.6	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CD	FE	MN	AS
LAB: CHEMEX		CERTIFICATE: A821C629001B								
81L0001	-35+60IP TOT	220.00 15.00	22.00	95.00	1,070.00	.30	4.00	24.00	1,250.00	120.00
81L0002	-35+60IP TOT	61.00 4.00	7.00	28.00	340.00	.10	.30	10.20	1,450.00	35.00
81L0003	-35+60IP TOT	200.00 12.20	18.00	104.00	900.00	.10	3.20	22.00	1,420.00	92.00
81L0004	-35+60IP TOT	158.00 13.60	19.00	60.00	1,450.00	.20	4.00	20.00	1,040.00	110.00
81L0005	-35+60IP TOT	138.00 22.00	33.00	52.00	1,490.00	.10	4.60	18.80	1,150.00	125.00
81L0007	-35+60IP TOT	133.00 4.80	6.00	60.00	385.00	.10	.10	19.00	1,410.00	77.00
81L0009	-35+60IP TOT	60.00 8.20	12.00	20.00	740.00	.10	1.20	10.90	945.00	85.00
81L0010	-35+60IP TOT	145.00 17.00	23.00	56.00	1,300.00	.10	4.70	21.50	1,250.00	145.00
81L0011	-35+60IP TOT	132.00 9.40	11.00	24.00	610.00	.10	1.80	19.20	1,540.00	77.00
81L0012	-35+60IP TOT	132.00 12.80	16.00	78.00	1,050.00	.10	2.80	25.00	2,420.00	88.00

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CD	FE	MN	AS
LAB: CHEMEX		CERTIFICATE: A8210629001B								
81L0013	-35+60IP TOT	130.00 10.60	15.00	72.00	940.00	.10	1.50	24.00	1,340.00	100.00
81L0014	-35+60IP TOT	123.00 5.80	6.00	71.00	550.00	.10	.90	19.30	1,080.00	45.00
81L0015	-35+60IP TOT	185.00 21.00	21.00	78.00	1,300.00	.30	4.00	22.50	910.00	100.00
81L0016	-35+60IP TOT	98.00 5.00	6.00	56.00	460.00	.10	.90	16.50	990.00	43.00
81L0017	-35+60IP TOT	135.00 17.80	19.00	42.00	1,180.00	.10	1.70	20.50	1,270.00	83.00
81L0018	-35+60IP TOT	136.00 10.00	12.00	70.00	985.00	.10	3.10	21.00	1,150.00	88.00
81L0019	-35+60IP TOT	186.00 22.00	35.00	57.00	2,700.00	.10	7.40	24.00	1,530.00	200.00
81L0021	-35+60IP TOT	135.00 9.00	23.00	40.00	1,640.00	.20	4.00	20.00	1,360.00	115.00
81L0022	-35+60IP TOT	148.00 16.20	22.00	48.00	1,590.00	.20	5.50	19.80	1,850.00	145.00
81L0023	-35+60IP TOT	138.00 19.00	14.00	90.00	1,170.00	.20	1.80	25.00	1,650.00	125.00

SAMPLE CODE	TEST CODE	CU SS	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A6210629001B								
81L0024	-35+60IP TOT	142.00 8.80	8.00	100.00	760.00	.10	1.10	22.00	1,980.00	90.00
81L0025	-35+60IP TOT	114.00 9.20	11.00	72.00	630.00	.10	1.30	14.60	1,030.00	77.00
81L0026	-35+60IP TOT	164.00 16.40	17.00	87.00	970.00	.20	2.00	19.50	1,370.00	100.00
81L0027	-35+60IP TOT	207.00 24.00	34.00	63.00	2,300.00	.30	9.40	20.20	1,630.00	180.00
81L0028	-35+60IP TOT	113.00 13.40	16.00	34.00	1,800.00	.20	6.60	14.50	1,840.00	230.00
81L0029	-35+60IP TOT	255.00 25.00	31.00	88.00	1,780.00	.70	4.90	20.00	1,400.00	120.00
81L0030	-35+60IP TOT	440.00 21.00	36.00	100.00	1,680.00	1.30	4.70	26.00	1,410.00	165.00
81L0031	-35+60IP TOT	365.00 38.00	38.00	108.00	2,550.00	.90	8.70	27.00	2,200.00	315.00
81L0032	-35+60IP TOT	108.00 25.00	62.00	52.00	2,760.00	.20	5.80	20.60	950.00	142.00
81L0034	-35+60IP TOT	116.00 3.20	24.00	46.00	3,000.00	.20	11.00	16.90	1,180.00	80.00

SAMPLE CODE	TEST CODE	CU SB	MO	PS	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A82106290018								
81L0035	-35+60IP TOT	56.00 N.S.S.	63.00	6.00	1,230.00	.30	4.20	11.00	1,365.00	240.00
81L0036	-35+60IP TOT	162.00 N.S.S.	42.00	102.00	3,000.00	.20	6.80	16.20	1,170.00	146.00
81L0037	-35+60IP TOT	66.00 3.00	6.00	16.00	300.00	.10	.40	6.70	800.00	27.00
81L0037	-35+60IP TOT	66.00 3.00	6.00	16.00	300.00	.10	.40	6.70	800.00	27.00
81L0039	-35+60IP TOT	68.00 N.S.S.	28.00	20.00	1,400.00	.20	2.00	8.40	720.00	56.00
81L0040	-35+60IP TOT	63.00 4.20	5.00	14.00	260.00	.10	.20	6.20	780.00	25.00
81L0041	-35+60IP TOT	130.00 10.80	10.00	58.00	900.00	.10	1.70	20.00	1,430.00	75.00
81L0042	-35+60IP TOT	82.00 5.60	10.00	56.00	360.00	.20	.20	9.60	1,220.00	60.00
81L0043	-35+60IP TOT	66.00 3.00	5.00	23.00	300.00	.10	.10	8.00	830.00	17.00
81L0044	-35+60IP TOT	128.00 18.00	20.00	57.00	1,550.00	.10	2.70	20.80	1,200.00	120.00

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A82106290018								
81L0045	-35+60IP TOT	34.00 2.00	4.00	18.00	240.00	.10	.20	7.25	750.00	22.00
81L0046	-35+60IP TOT	73.00 2.80	12.00	20.00	290.00	.10	.30	7.50	1,050.00	55.00
81L0047	-35+60IP TOT	32.00 .40	4.00	4.00	75.00	.10	.10	4.20	720.00	4.00
81L0048	-35+60IP TOT	148.00 12.00	10.00	104.00	950.00	.10	2.00	23.00	1,520.00	110.00
81L0049	-35+60IP TOT	85.00 19.40	6.00	56.00	380.00	.10	.20	18.00	1,220.00	73.00
81L0050	-35+60IP TOT	164.00 10.40	12.00	80.00	1,040.00	.20	3.00	28.00	1,440.00	80.00

**THIS DATA WAS ENTERED BY: BOBR .EXPLORE PCSTED AT: 16:43:33

17JUN82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 1

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SR

LAB: CHEMEX CERTIFICATE: A8210629-002-A

81L0051	-35+60IP TOT	50.00 3.00	6.00	29.00	250.00	.10	.20	10.60	950.00	33.00
81L0052	-35+60IP TOT	68.00 5.40	9.00	36.00	370.00	.10	.40	10.50	970.00	55.00
81L0053	-35+60IP TOT	155.00 12.30	16.00	89.00	710.00	.10	2.20	21.50	1,180.00	85.00
81L0055	-35+60IP TOT	76.00 6.60	10.00	36.00	440.00	.10	1.10	12.00	930.00	70.00
81L0056	-35+60IP TOT	123.00 9.60	12.00	70.00	650.00	.10	1.30	20.00	1,300.00	75.00
81L0057	-35+60IP TOT	175.00 13.60	18.00	105.00	1,070.00	.10	2.50	24.00	1,530.00	110.00
81L0058	-35+60IP TOT	108.00 9.00	12.00	54.00	580.00	.10	1.40	16.30	1,200.00	55.00
81L0059	-35+60IP TOT	158.00 11.60	12.00	105.00	910.00	.10	2.40	25.10	1,850.00	100.00
81L0060	-35+60IP TOT	185.00 14.00	21.00	97.00	1,160.00	.10	4.00	23.00	1,780.00	95.00
81L0061	-35+60IP TOT	212.00 15.20	26.00	160.00	1,440.00	.20	4.40	28.00	3,550.00	120.00

17JUN82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 4

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SR

LAB: CHEMEX CERTIFICATE: A8210629-002-A

31L0082	-35+60IP TOT	170.00 5.60	4.00	35.00	310.00	.10	.10	12.90	1,020.00	55.00
31L0083	-35+60IP TOT	245.00 8.20	15.00	78.00	600.00	.20	2.70	24.00	1,450.00	80.00
31L0084	-35+60IP TOT	320.00 12.00	16.00	105.00	590.00	.10	2.00	27.50	1,100.00	115.00
31L0085	-35+60IP TOT	162.00 3.00	6.00	170.00	480.00	.10	.20	23.50	1,680.00	145.00
31L0086	-35+60IP TOT	155.00 7.20	9.00	100.00	470.00	.10	.60	22.00	1,320.00	95.00
31L0087	-35+60IP TOT	185.00 5.60	9.00	100.00	440.00	.10	.60	21.00	1,120.00	80.00
31L0088	-35+60IP TOT	90.00 3.80	6.00	67.00	590.00	.10	1.00	14.00	920.00	85.00
31L0089	-35+60IP TOT	210.00 13.20	11.00	150.00	590.00	.10	1.50	25.00	2,000.00	110.00
31L0090	-35+60IP TOT	225.00 11.20	12.00	130.00	650.00	.10	1.30	26.50	1,980.00	100.00
31L0091	-35+60IP TOT	152.00 9.00	5.00	129.00	360.00	.10	.50	21.30	1,420.00	165.00

17JUN62
EXJ21

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 5

SAMPLE TEST CU MC PB ZN AG CD FE MN AS
CODE CODE SB

LAB: CHEMLX CERTIFICATE: A6210629-002-A

81L0092	-35+60IP TOT	113.00 2.20	5.00	90.00	510.00	.10	3.00	25.50	1,730.00	60.00
81L0093	-35+60IP TOT	160.00 10.40	14.00	108.00	640.00	.20	2.40	19.00	1,340.00	120.00
81L0094	-35+60IP TOT	143.00 9.60	11.00	123.00	660.00	.10	2.10	21.00	1,750.00	125.00
81L0095	-35+60IP TOT	150.00 3.60	6.00	115.00	550.00	.10	1.20	23.00	1,790.00	75.00
81L0096	-35+60IP TOT	105.00 5.60	5.00	92.00	530.00	.10	1.50	20.50	1,400.00	75.00
81L0097	-35+60IP TOT	83.00 3.20	4.00	64.00	520.00	.20	.20	20.40	1,060.00	60.00
81L0098	-35+60IP TOT	120.00 2.40	6.00	105.00	360.00	.10	.10	19.30	1,000.00	85.00
81L0099	-35+60IP TOT	115.00 8.80	8.00	98.00	640.00	.10	3.20	17.80	1,580.00	80.00
81L0100	-35+60IP TOT	150.00 7.40	6.00	160.00	615.00	.10	3.10	24.00	2,040.00	100.00
81L0101	-35+60IP TOT	200.00 14.60	12.00	120.00	1,120.00	.20	5.20	26.00	1,500.00	110.00

17JUN82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 6

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SE

LAB: CHEMEX CERTIFICATE: A8210629-002-A

81L0102	-35+60IP TOT	166.00 7.40	8.00	126.00	620.00	.20	1.70	23.00	830.00	115.00
81L0103	-35+60IP TOT	140.00 8.80	12.00	110.00	480.00	.20	.80	20.00	2,100.00	100.00
81L0104	-35+60IP TOT	40.00 1.60	3.00	19.00	140.00	.10	.10	8.00	1,000.00	20.00
81L0105	-35+60IP TOT	156.00 4.60	7.00	100.00	380.00	.10	.30	20.00	1,550.00	60.00
81L0106	-35+60IP TOT	240.00 10.60	18.00	117.00	530.00	.20	1.50	24.50	1,480.00	95.00
81L0107	-35+60IP TOT	200.00 9.60	11.00	95.00	440.00	.10	.90	25.00	1,620.00	70.00
81L0108	-35+60IP TOT	175.00 5.60	9.00	104.00	420.00	.20	.80	21.50	1,250.00	70.00
81L0109	-35+60IP TOT	162.00 31.00	53.00	57.00	3,600.00	.40	6.10	27.00	1,010.00	230.00
81L0110	-35+60IP TOT	160.00 25.00	91.00	37.00	5,800.00	.40	18.00	31.50	1,780.00	165.00
81L0111	-35+60IP TOT	180.00 22.00	36.00	57.00	2,300.00	.80	8.40	18.30	1,060.00	115.00

SAMPLE CODE	TEST CODE	CU SP	MC	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMIX		CERTIFICATE: A8210629-C02-A								
81L0112	-35+60IP TCT	244.00 48.00	240.00	76.00	8,500.00	.60	14.80	27.00	2,240.00	380.00
81L0113	-35+60IP TCT	540.00 28.00	78.00	64.00	4,760.00	1.40	11.00	25.60	1,920.00	190.00
81L0114	-35+60IP TCT	110.00 N.S.S.	112.00	22.00	2,600.00	.20	15.60	16.00	840.00	360.00
81L0115	-35+60IP TCT	315.00 28.00	70.00	60.00	3,780.00	1.80	9.70	18.50	1,060.00	200.00
81L0116	-35+60IP TCT	264.00 41.00	78.00	80.00	5,800.00	1.20	12.80	28.00	2,840.00	300.00
81L0117	-35+60IP TCT	330.00 32.00	60.00	90.00	5,260.00	1.40	12.60	30.60	5,680.00	300.00
81L0118	-35+60IP TCT	270.00 22.00	31.00	107.00	2,150.00	.90	4.60	24.50	1,320.00	150.00
81L0119	-35+60IP TCT	295.00 44.00	53.00	81.00	3,150.00	1.20	9.10	27.00	1,330.00	215.00
81L0120	-35+60IP TCT	126.00 17.60	32.00	48.00	1,660.00	.20	3.20	20.60	1,480.00	120.00
81L0121	-35+60IP TCT	52.00 4.00	17.00	22.00	620.00	.20	.80	11.60	590.00	30.00

SAMPLE CODE	TEST CODE	CU SF	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A8210629-002-A								
31L0122	-35+60IP TOT	220.00 12.00	29.00	67.00	1,330.00	.70	5.50	17.90	925.00	80.00
31L0123	-35+60IP TOT	256.00 32.00	66.00	58.00	3,900.00	.60	11.60	28.20	1,360.00	200.00
31L0124	-35+60IP TOT	300.00 32.00	35.00	52.00	4,200.00	1.80	11.50	32.00	880.00	300.00
31L0125	-75+60IP TOT	184.00 10.40	23.00	90.00	900.00	.40	3.40	16.80	960.00	75.00
31L0126	-35+60IP TOT	170.00 15.20	32.00	53.00	1,230.00	.20	2.90	21.00	1,210.00	115.00
31L0127	-35+60IP TOT	70.00 6.00	9.00	32.00	400.00	.10	.50	11.20	1,000.00	35.00
31L0128	-35+60IP TOT	68.00 3.20	5.00	26.00	230.00	.10	.30	11.10	900.00	25.00
31L0129	-35+60IP TOT	28.00 3.20	8.00	12.00	260.00	.20	.40	6.70	1,000.00	30.00
31L0130	-35+60IP TOT	20.00 N.S.S.	6.00	8.00	170.00	.20	.20	6.10	970.00	10.00
31L0131	-35+60IP TOT	65.00 5.60	11.00	11.00	405.00	.10	.40	11.60	1,100.00	80.00

SAMPLE CODE	TEST CODE	CL SB	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX CERTIFICATE: A8210629-002-A										
81L0132	-35+60IP TOT	25.00 N.S.S.	5.00	1.00	170.00	.10	.10	7.15	830.00	10.00
81L0133	-35+60IP TOT	25.00 1.60	5.00	9.00	145.00	.10	.10	5.70	965.00	15.00
81L0134	-35+60IP TOT	15.00 1.00	3.00	7.00	240.00	.10	.10	5.70	800.00	10.00
81L0135	-35+60IP TOT	103.00 N.S.S.	20.00	46.00	1,220.00	.30	1.30	15.00	900.00	65.00
81L0136	-35+60IP TOT	204.00 N.S.S.	20.00	84.00	1,650.00	.20	3.00	22.80	1,160.00	110.00
81L0137	-35+60IP TOT	184.00 17.20	16.00	134.00	1,040.00	.20	1.40	23.20	1,370.00	120.00
81L0138	-35+60IP TOT	12.00 .80	2.00	3.00	95.00	.10	.10	6.00	880.00	5.00
81L0139	-35+60IP TOT	37.00 4.40	4.00	18.00	360.00	.10	.20	8.00	970.00	15.00
81L0140	-35+60IP TOT	190.00 20.00	20.00	67.00	1,420.00	.20	3.20	22.00	820.00	120.00
81L0141	-35+60IP TOT	160.00 13.00	13.00	53.00	730.00	.10	1.10	14.50	870.00	85.00

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CO	FE	MN	AS
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210629-002-A

81L0142	-35+60IP TOT	78.00 N.S.S.	8.00	41.00	520.00	.10	.90	9.70	685.00	85.00
81L0143	-35+60IP TOT	190.00 24.00	18.00	66.00	1,130.00	.60	2.10	14.75	870.00	190.00
81L0144	-35+60IP TOT	195.00 N.S.S.	83.00	81.00	4,500.00	1.10	29.00	10.80	320.00	115.00
81L0145	-35+60IP TOT	37.00 2.80	5.00	11.00	170.00	.10	.10	5.55	820.00	15.00
81L0146	-35+60IP TOT	120.00 21.00	25.00	46.00	2,250.00	.30	1.60	17.00	1,640.00	95.00
81L0147	-35+60IP TOT	42.00 2.00	4.00	11.00	240.00	.10	.10	7.80	980.00	10.00
81L0148	-35+60IP TOT	36.00 2.20	2.00	21.00	230.00	.10	.10	10.30	1,220.00	15.00
81L0149	-35+60IP TOT	49.00 3.00	5.00	23.00	325.00	.10	.60	14.50	1,460.00	30.00
81L0150	-35+60IP TOT	45.00 3.80	4.00	25.00	330.00	.10	.20	12.20	1,180.00	25.00
81L0151	-35+60IP TOT	80.00 N.S.S.	8.00	30.00	610.00	.20	1.00	12.20	1,460.00	40.00

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A8210629-002-A								
81L0152	-35+60IP TOT	52.00 2.80	5.00	24.00	240.00	.10	.10	8.10	950.00	20.00
1L0153	-35+60IP TOT	30.00 2.00	4.00	12.00	160.00	.10	.10	5.50	770.00	20.00
81L0154	-35+60IP TOT	N.S.S. N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81L0155	-35+60IP TOT	73.00 4.00	7.00	39.00	425.00	.10	.30	18.00	1,040.00	55.00
81L0156	-35+60IP TOT	105.00 5.60	9.00	66.00	480.00	.10	.30	18.00	1,080.00	85.00
81L0159	-35+60IP TOT	42.00 3.80	8.00	17.00	225.00	.10	.10	9.20	2,550.00	30.00
81L0160	-35+60IP TOT	104.00 4.00	10.00	40.00	270.00	.20	.20	13.40	1,630.00	30.00
81L0161	-35+60IP TOT	92.00 9.60	14.00	32.00	500.00	.20	.20	12.40	960.00	50.00
81L0162	-35+60IP TOT	123.00 11.20	14.00	45.00	530.00	.20	.60	17.00	1,320.00	85.00
81L0163	-35+60IP TOT	153.00 17.60	15.00	65.00	920.00	.10	.70	25.00	1,210.00	100.00

SAMPLE CODE	TEST CODE	CU SB	MO	PS	ZN	AG	CD	FE	MN	AS
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CREMEX CERTIFICATE: A3210629-002-A

81L0165	-35+60IP TOT	200.00 19.60	24.00	77.00	1,230.00	.20	1.70	25.50	1,060.00	115.00
81L0166	-35+60IP TOT	112.00 10.40	14.00	70.00	500.00	.20	.20	15.00	1,240.00	100.00
81L0167	-35+60IP TOT	25.00 .80	3.00	6.00	62.00	.10	.10	4.30	730.00	5.00
81L0168	-35+60IP TOT	206.00 N.S.S.	8.00	160.00	450.00	.20	.40	28.20	1,650.00	100.00
81L0169	-35+60IP TOT	17.00 1.60	27.00	7.00	92.00	.10	.10	6.30	560.00	200.00
81L0170	-35+60IP TOT	155.00 24.00	23.00	60.00	1,150.00	.50	3.30	16.00	955.00	63.00
81L0171	-35+60IP TOT	30.00 10.20	14.00	30.00	1,150.00	.30	.80	19.00	1,700.00	45.00
81L0172	-35+60IP TOT	140.00 10.40	18.00	80.00	1,100.00	.80	1.40	17.00	930.00	94.00
81L0173	-35+60IP TOT	N.S.S. N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81L0174	-35+60IP TOT	52.00 7.60	9.00	34.00	660.00	.20	1.20	8.90	910.00	24.00

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CD	FE	MN	AS
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210629-002-A

81L0175	-35+60IP TCT	90.00 13.60	9.00	41.00	725.00	.50	1.70	13.00	790.00	63.00
81L0176	-35+60IP TOT	100.00 10.00	9.00	51.00	840.00	.10	1.90	22.50	2,050.00	67.00
81L0177	-35+60IP TCT	96.00 5.40	5.00	88.00	595.00	.50	.90	24.00	2,280.00	63.00
81L0178	-35+60IP TOT	40.00 30.00	24.00	38.00	2,650.00	.60	5.10	16.50	1,060.00	77.00
81L0179	-35+60IP TOT	193.00 31.00	24.00	46.00	1,350.00	.70	5.20	17.00	11,120.00	88.00
81L0180	-35+60IP TOT	350.00 21.00	42.00	72.00	1,400.00	.90	7.00	20.00	720.00	85.00
81L0181	-35+60IP TOT	170.00 24.00	19.00	71.00	1,380.00	.50	3.80	18.00	970.00	180.00
81L0182	-35+60IP TOT	100.00 27.00	7.00	60.00	450.00	.20	1.00	20.50	1,130.00	73.00
81L0183	-35+60IP TCT	95.00 45.00	5.00	47.00	320.00	.30	.30	20.00	1,320.00	150.00
81L0184	-35+60IP TCT	64.00 27.00	4.00	65.00	300.00	.10	.10	18.50	900.00	88.00

SAMPLE CODE	TEST CODE	CU SE	MO	PB	ZN	AG	CO	FE	MN	AS
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210629-002-A

81L0185	-35+60IP TOT	79.00 35.00	4.00	74.00	325.00	.30	.20	22.00	1,230.00	145.00
81L0186	-35+60IP TOT	70.00 18.00	5.00	66.00	350.00	.40	.20	23.00	1,520.00	101.00
81L0187	-35+60IP TOT	70.00 13.00	4.00	83.00	350.00	.20	.30	22.00	1,320.00	75.00
81L0188	-35+60IP TOT	38.00 6.40	3.00	32.00	270.00	.30	.10	17.50	835.00	48.00
81L0191	-35+60IP TOT	53.00 11.80	5.00	45.00	325.00	.30	.20	20.50	1,500.00	77.00
81L0189	-35+60IP TOT	26.00 3.00	3.00	16.00	160.00	.20	.20	9.00	895.00	16.00
81L0192	-35+60IP TOT	78.00 25.00	4.00	74.00	350.00	.20	.20	21.50	1,320.00	115.00
81L0193	-35+60IP TOT	105.00 4.20	6.00	90.00	970.00	.20	3.20	31.00	2,670.00	69.00
81L0194	-35+60IP TOT	90.00 14.60	6.00	61.00	390.00	.10	.50	20.00	1,090.00	100.00
81L0195	-35+60IP TOT	95.00 16.80	6.00	63.00	425.00	.20	.60	21.00	1,080.00	110.00

**THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 11:10:20

17JUN82

CYPRUS ANVIL MINING CORPORATION

PAGE 1

EX022		HEAVY MINERALS MAINTENANCE									
SAMPLE CODE	TEST CODE	WT BA U	CU HG BI	PB W	ZN CD	SN MN	AU MO	AG FE	AS TH	SB CE	

81LJ195	2222 CHNS		95.00	63.00	425.00			.20	110.00	16.80
	-35+60IP TOT					.60	1,080.00	6.00	21.00	
LAB: CHIMEX	CERTIFICATE:	A5210629-002-A								

**THIS JOB WAS RUN BY: MONICA .EXPLORE POSTED AT: 11:13:13

17JUN82
EXC21

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 1

SAMPLE TEST CU MO PS ZN AG CD FE MN AS
CODE CODE SB

LAS: CHEMEX CERTIFICATE: 48210629-002-A

81L0195	-35+60IP TCT	80.00 15.60	4.00	50.00	340.00	.20	.40	22.00	1,220.00	113.00
81L0197	-35+60IP TCT	85.00 16.60	5.00	74.00	390.00	.30	.50	22.00	1,400.00	107.00
81L0198	-35+60IP TCT	87.00 12.40	6.00	58.00	395.00	.40	.80	20.00	1,900.00	75.00
81L0199	-35+60IP TCT	185.00 8.00	18.00	51.00	1,300.00	.40	4.30	25.00	1,700.00	125.00
81L0201	-35+60IP TCT	24.00 2.40	3.00	14.00	180.00	.30	.30	8.50	890.00	17.00
81L0202	-35+60IP TCT	36.00 3.60	4.00	20.00	265.00	.20	.80	11.00	1,090.00	36.00
81L0203	-35+60IP TCT	47.00 4.40	5.00	23.00	285.00		.70	13.50	1,100.00	48.00
81L0204	-35+60IP TCT	16.00 .80	3.00	5.00	100.00	.30	.20	5.50	758.00	7.00
81L0205	-35+60IP TCT	14.00 .60	3.00	5.00	93.00	.30	.20	4.00	585.00	5.00
81L0206	-35+60IP TCT	13.00 1.20	1.00	10.00	256.00	.10	.30	2.00	335.00	11.00

SAMPLE CODE	TEST CODE	CL SB	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX CERTIFICATE: A2210229-002-A										
81L0207	-35+60IP TOT	150.00 6.40	9.00	65.00	325.00	.30	.80	18.00	1,080.00	83.00
81L0209	-35+60IP TOT	32.00 3.80	4.00	16.00	415.00	.30	1.70	11.00	1,050.00	39.00
81L0210	-35+60IP TOT	18.00 1.60	2.00	8.00	130.00	.20	.50	6.50	845.00	15.00
81L0211	-35+60IP TOT	30.00 1.40	3.00	11.00	155.00	.20	.20	7.50	915.00	15.00
81L0216	-35+60IP TOT	16.00 .80	2.00	3.00	100.00	.20	.10	5.50	745.00	9.00
81L0210	-35+60IP TOT	70.00 N.S.S.	3.00	3.00	360.00	.30	.30	20.50	4,430.00	100.00
81L0219	-35+60IP TOT	72.00 2.00	6.00	34.00	400.00	.20	.20	13.60	1,020.00	28.00
81L0220	-35+60IP TOT	24.00 1.60	2.00	14.00	200.00	.20	.20	7.20	770.00	14.00
81L0221	-35+60IP TOT	78.00 N.S.S.	4.00	66.00	410.00	.20	.20	26.00	1,306.00	90.00
81L0222	-35+60IP TOT	80.00 6.40	7.00	33.00	450.00	.30	1.40	12.50	958.00	46.00

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CO	FE	MN	AS
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210029-002-A

81L0223	-35+60IP TOT	18.00 N.S.S.	4.00	6.00	176.00	.20	.20	7.10	944.00	12.00
81L0224	-35+60IP TOT	80.00 7.20	8.00	60.00	360.00	.20	.20	26.00	2,100.00	96.00
81L0225	-35+60IP TOT	420.00 22.00	32.00	90.00	880.00	1.20	2.40	31.00	1,700.00	200.00
81L0226	-35+60IP TOT	60.00 N.S.S.	4.00	16.00	290.00	.20	.20	12.80	1,010.00	72.00
81L0227	-35+60IP TOT	120.00 0.50	10.00	74.00	400.00	.20	.20	19.30	1,256.00	100.00
81L0228	-35+60IP TOT	190.00 2.40	12.00	76.00	500.00	.50	.30	22.50	1,020.00	95.00
81L0229	-35+60IP TOT	60.00 4.80	7.00	40.00	400.00	.30	.30	14.00	1,000.00	53.00
81L0230	-35+60IP TOT	20.00 N.S.S.	3.00	3.00	240.00	.30	.30	9.50	830.00	40.00
81L0231	-35+60IP TOT	94.00 7.00	7.00	176.00	750.00	.20	.60	26.00	1,720.00	110.00
81L0232	-35+60IP TOT	120.00 6.90	9.00	62.00	450.00	.30	.70	14.00	1,640.00	85.00

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A3210529-002-A								
81L0233	-35+60IP TOT	90.00 N.S.S.	8.00	54.00	420.00	.60	.40	27.00	1,500.00	72.00
81L0234	-35+60IP TOT	102.00 4.60	6.00	62.00	425.00	.10	.20	25.00	1,110.00	80.00
81L0235	-35+60IP TOT	70.00 N.S.S.	20.00	50.00	400.00	.40	.40	18.00	1,000.00	58.00
81L0236	-35+60IP TOT	128.00 6.30	8.00	68.00	485.00	.30	.50	26.00	1,030.00	85.00
81L0237	-35+60IP TOT	310.00 31.00	50.00	76.00	2,350.00	.80	8.00	29.00	1,910.00	220.00
81L0238	-35+60IP TOT	144.00 9.10	18.00	32.00	680.00	.60	1.60	11.30	656.00	65.00
81L0239	-35+60IP TOT	198.00 19.40	29.00	42.00	1,470.00	.50	5.50	15.00	1,020.00	110.00
81L0240	-35+60IP TOT	210.00 23.00	32.00	68.00	1,750.00	.70	4.00	15.00	815.00	115.00
81L0241	-35+60IP TOT	97.00 11.20	16.00	30.00	890.00	.50	3.00	9.90	865.00	99.00
81L0242	-35+60IP TOT	245.00 10.00	15.00	98.00	950.00	.30	1.50	24.50	1,440.00	85.00

17JUN82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX CERTIFICATE: A3210629-002-A										
81L0243	-35+50IP TOT	183.00 7.60	9.00	87.00	725.00	.40	2.40	17.00	800.00	85.00
81L0244	-35+50IP TOT	510.00 13.20	24.00	132.00	1,000.00	.60	1.80	23.00	720.00	100.00
81L0245	-35+50IP TOT	293.00 12.60	22.00	92.00	1,400.00	.30	5.00	26.00	930.00	105.00
81L0246	-35+50IP TOT	200.00 6.80	15.00	75.00	1,100.00	.30	3.60	20.00	1,060.00	85.00
81L0247	-35+50IP TOT	440.00 12.40	36.00	176.00	920.00	1.30	2.90	22.50	930.00	135.00
81L0248	-35+50IP TOT	910.00 15.80	66.00	240.00	980.00	2.20	5.50	30.00	1,000.00	190.00
81L0249	-35+50IP TOT	505.00 17.60	51.00	110.00	970.00	1.40	3.80	16.00	810.00	110.00
81L0250	-35+50IP TOT	235.00 8.20	18.00	64.00	1,300.00	.20	3.10	20.50	818.00	140.00
81L0251	-35+50IP TOT	580.00 12.60	40.00	136.00	980.00	2.00	2.60	24.00	2,000.00	165.00
81L0252	-35+50IP TOT	450.00 13.20	44.00	100.00	1,400.00	1.70	4.80	24.50	895.00	140.00

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CO	FE	MN	AS
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A6210629-002-A

81L0253	-35+60IP TOT	560.00 16.80	52.00	88.00	2,900.00	1.80	12.50	32.00	1,470.00	160.00
81L0254	-35+60IP TOT	910.00 12.00	28.00	410.00	600.00	2.40	1.00	27.00	1,180.00	198.00
81L0255	-35+60IP TOT	570.00 16.80	46.00	120.00	1,060.00	2.00	2.80	23.00	1,180.00	184.00
81L0256	-35+60IP TOT	340.00 27.00	84.00	166.00	1,820.00	4.20	5.20	31.00	1,470.00	110.00
81L0257	-35+60IP TOT	620.00 N.S.S.	68.00	144.00	920.00	1.60	2.00	30.00	2,180.00	165.00
81L0258	-35+60IP TOT	735.00 N.S.S.	22.00	335.00	550.00	1.90	.50	23.80	1,125.00	155.00
81L0259	-35+60IP TOT	750.00 32.00	56.00	135.00	1,800.00	1.90	6.80	29.00	1,390.00	150.00
81L0260	-35+60IP TOT	715.00 N.S.S.	39.00	465.00	675.00	2.00	.80	39.00	2,550.00	248.00
81L0261	-35+60IP TOT	1,200.00 N.S.S.	68.00	310.00	865.00	5.00	2.30	27.70	715.00	268.00
81L0262	-35+60IP TOT	1,080.00 N.S.S.	48.00	480.00	680.00	3.00	.90	34.80	832.00	128.00

SAMPLE CODE	TEST CODE	CU SS	MO	PB	ZN	AG	CD	FE	MN	AS
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210629-002-A

81L0263	-35+60IP TOT	690.00 N.S.S.	69.00	195.00	2,100.00	3.00	10.20	31.50	880.00	170.00
81L0264	-35+60IP TOT	260.00 25.00	47.00	61.00	2,850.00	1.00	15.50	20.00	850.00	90.00
81L0265	-35+60IP TOT	415.00 26.00	59.00	32.00	3,750.00	1.20	31.00	29.00	755.00	110.00
81L0266	-35+60IP TOT	370.00 46.00	76.00	76.00	3,800.00	1.60	18.40	28.00	990.00	170.00
81L0267	-35+60IP TOT	380.00 33.00	78.00	68.00	4,700.00	2.20	35.00	29.50	665.00	120.00
81L0268	-35+60IP TOT	230.00 29.00	25.00	50.00	1,600.00	1.30	8.50	14.00	595.00	90.00
81L0269	-35+60IP TOT	175.00 16.00	30.00	28.00	1,500.00	.80	5.10	13.50	748.00	65.00
81L0270	-35+60IP TOT	255.00 19.40	38.00	39.00	1,750.00	.80	8.30	16.50	745.00	80.00
81L0271	-35+60IP TOT	470.00 37.00	72.00	112.00	2,900.00	1.80	12.60	25.00	1,110.00	180.00
81L0272	-35+60IP TOT	330.00 16.40	41.00	64.00	1,250.00	1.10	4.40	15.00	110.00	88.00

17 JUN 82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 8

SAMPLE CODE	TEST CODE	CU SP	MO	PB	ZN	AG	CO	FE	MN	AS
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A3210629-002-A

81L0273	-35+60IP TOT	335.00 44.00	72.00	94.00	1,900.00	2.00	6.50	22.50	560.00	150.00
81L0274	-35+60IP TOT	790.00 N.S.S.	32.00	148.00	1,920.00	4.40	4.60	37.00	596.00	180.00
81L0275	-35+60IP TOT	285.00 27.00	47.00	74.00	2,100.00	1.10	8.00	18.50	900.00	110.00
81L0276	-35+60IP TOT	140.00 16.40	18.00	54.00	990.00	.30	2.50	16.50	890.00	85.00
81L0277	-35+60IP TOT	320.00 N.S.S.	38.00	108.00	1,020.00	1.40	3.80	15.41	470.00	80.00
81L0278	-35+60IP TOT	360.00 32.00	56.00	96.00	1,660.00	1.80	4.20	22.00	590.00	110.00
81L0279	-35+60IP TOT	265.00 3.00	71.00	73.00	2,850.00	1.20	9.20	21.50	760.00	100.00
81L0280	-35+60IP TOT	365.00 17.50	45.00	58.00	2,250.00	1.20	7.10	24.00	805.00	100.00
81L0281	-35+60IP TOT	380.00 32.00	61.00	62.00	1,970.00	1.60	9.90	22.50	770.00	130.00
81L0282	-35+60IP TOT	360.00 33.00	66.00	94.00	2,000.00	2.80	7.00	26.00	1,130.00	150.00

**THIS DATA WAS ENTERED BY:

MONICA .EXPLORE

POSTED AT:

11:49:35

17JUN82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 1

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CD	FE	MN	AS
LAB: CHEMEX		CERTIFICATE: A8210629007B								
81L0283	-35+60IP TOT	460.00 25.00	57.00	66.00	2,050.00	1.50	5.10	22.00	720.00	125.00
81L0284	-35+60IP TOT	310.00 27.00	47.00	93.00	1,950.00	1.20	6.70	23.00	760.00	110.00
81L0285	-35+60IP TOT	315.00 16.60	42.00	35.00	1,520.00	1.80	3.80	15.00	1,740.00	88.00
81L0286	-35+60IP TOT	570.00 39.00	104.00	80.00	3,200.00	2.40	15.80	29.00	1,660.00	154.00
81L0287	-35+60IP TOT	520.00 31.00	66.00	100.00	1,760.00	2.00	7.60	29.00	1,236.00	180.00
81L0288	-35+60IP TOT	510.00 42.00	130.00	88.00	3,400.00	2.40	22.00	26.00	790.00	190.00
81L0289	-35+60IP TOT	80.00 3.60	8.00	41.00	525.00	3.00	1.40	13.00	425.00	36.00
81L0290	-35+60IP TOT	275.00 14.20	30.00	120.00	1,250.00	.50	5.60	26.00	880.00	145.00
81L0291	-35+60IP TOT	235.00 17.20	38.00	93.00	1,350.00	.90	6.20	21.50	965.00	88.00
81L0292	-35+60IP TOT	45.00 3.40	6.00	13.00	310.00	.60	1.00	6.50	668.00	20.00

17JUN82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 2

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SB

LAB: CHEMEX CERTIFICATE: A8210629007B

81L0293	-35+60IP TOT	290.00 15.40	24.00	75.00	740.00	.70	1.80	21.00	1,120.00	101.00
81L0294	-35+60IP TOT	320.00 N.S.S.	60.00	120.00	2,900.00	3.00	10.00	20.00	980.00	150.00
81L0295	-35+60IP TOT	170.00 16.40	21.00	36.00	970.00	.50	2.40	15.50	680.00	75.00
81L0296	-35+60IP TOT	290.00 19.00	36.00	76.00	2,000.00	1.00	6.60	25.00	955.00	160.00
81L0297	-35+60IP TOT	N.S.S. N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81L0298	-35+60IP TOT	270.00 24.00	35.00	67.00	1,800.00	1.10	7.40	22.50	100.00	101.00
81L0299	-35+60IP TOT	310.00 38.00	51.00	84.00	2,250.00	1.80	14.00	20.00	805.00	115.00
81L0300	-35+60IP TOT	185.00 20.00	29.00	53.00	1,850.00	.70	6.40	16.00	800.00	85.00
81L0301	-35+60IP TOT	92.00 3.20	5.00	7.00	270.00	.20	.20	14.50	1,220.00	30.00
81L0302	-35+60IP TOT	35.00 1.20	4.00	13.00	330.00	.10	.10	16.50	990.00	15.00

17JUN82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 3

SAMPLE CODE	TEST CODE	CU SB	MO	PB	ZN	AG	CD	FE	MN	AS
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8210629007B

81L0303	-35+60IP TOT	75.00 2.60	5.00	30.00	210.00	.60	.10	12.50	1,120.00	30.00
81L0304	-35+60IP TOT	170.00 17.40	18.00	100.00	1,400.00	.60	3.10	18.00	975.00	81.00
81L0305	-35+60IP TOT	230.00 24.00	32.00	74.00	2,000.00	1.00	5.60	18.00	1,080.00	101.00
81L0306	-35+60IP TOT	290.00 28.00	40.00	86.00	3,500.00	1.60	4.40	22.00	1,040.00	138.00
81L0307	-35+60IP TOT	260.00 28.00	40.00	110.00	2,500.00	1.40	4.60	27.00	960.00	180.00
81L0308	-35+60IP TOT	52.00 2.60	6.00	12.00	250.00	.20	2.70	3.00	260.00	14.00
81L0309	-35+60IP TOT	200.00 21.00	19.00	69.00	100.00	.60	2.30	17.50	930.00	80.00
81L0310	-35+60IP TOT	330.00 24.00	26.00	120.00	2,650.00	2.50	6.90	21.50	970.00	85.00
81L0311	-35+60IP TOT	410.00 40.00	154.00	80.00	7,000.00	2.40	19.00	31.00	1,080.00	210.00
81L0312	-35+60IP TOT	205.00 19.40	30.00	50.00	1,550.00	.80	5.10	18.50	880.00	75.00

17JUN82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 4

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SB

LAB: CHEMEX CERTIFICATE: A8210629007B

81L0313	-35+60IP TOT	240.00 30.00	64.00	50.00	4,000.00	1.40	12.80	21.00	1,660.00	110.00
81L0314	-35+60IP TOT	300.00 26.00	74.00	63.00	4,250.00	1.80	21.00	23.50	970.00	110.00
81L0315	-35+60IP TOT	250.00 29.00	54.00	58.00	4,200.00	1.00	13.60	23.00	1,430.00	110.00
81L0316	-35+60IP TOT	144.00 18.70	20.00	74.00	2,400.00	.60	3.00	14.60	636.00	80.00
81L0317	-35+60IP TOT	310.00 48.00	99.00	62.00	6,300.00	2.50	25.00	22.00	748.00	205.00
81L0318	-35+60IP TOT	300.00 46.00	168.00	60.00	9,700.00	1.60	40.00	31.00	1,590.00	280.00
81L0319	-35+60IP TOT	280.00 18.60	50.00	54.00	3,300.00	1.70	8.30	24.50	1,000.00	100.00
81L0320	-35+60IP TOT	220.00 24.00	56.00	86.00	2,200.00	1.20	5.00	15.80	666.00	110.00
81L0321	-35+60IP TOT	180.00 6.00	7.00	79.00	410.00	.40	.20	16.00	1,230.00	55.00
81L0323	-35+60IP TOT	125.00 15.60	28.00	37.00	1,600.00	.90	1.90	14.50	870.00	115.00

17JUN82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 5

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SB

LAB: CHEMEX CERTIFICATE: A82106290078

81L0324	-35+60IP TOT	92.00 11.80	21.00	32.00	1,250.00	.60	1.50	12.50	765.00	100.00
81L0325	-35+60IP TOT	17.00 1.60	3.00	6.00	185.00	.30	.20	5.50	585.00	10.00
81L0326	-35+60IP TOT	74.00 12.60	18.00	18.00	1,140.00	.40	1.90	9.00	730.00	130.00
81L0327	-35+60IP TOT	260.00 14.40	36.00	48.00	1,780.00	1.00	3.80	13.80	790.00	130.00
81L0328	-35+60IP TOT	59.00 3.40	5.00	13.00	270.00	.50	.30	7.00	700.00	17.00
81L0329	-35+60IP TOT	260.00 N.S.S.	32.00	36.00	1,100.00	.40	6.00	13.20	66.00	96.00
81L0330	-35+60IP TOT	45.00 2.20	3.00	16.00	215.00	.50	.20	6.50	793.00	14.00
81L0334	-35+60IP TOT	142.00 66.00	34.00	230.00	3,200.00	1.00	4.80	29.00	1,690.00	220.00
81L0336	-35+60IP TOT	125.00 10.60	10.00	23.00	250.00	1.00	.30	11.50	893.00	390.00
81L0337	-35+60IP TOT	205.00 26.00	17.00	90.00	1,000.00	1.20	1.60	19.50	1,230.00	200.00

17 JUN 82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 6

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SB

LAB: CHEMEX CERTIFICATE: A8210629007B

81L0338	-35+60IP TOT	65.00 7.00	5.00	26.00	290.00	.50	.30	9.50	875.00	70.00
81L0338	-35+60IP TOT	65.00 7.00	5.00	26.00	290.00	.50	.30	9.50	875.00	70.00
81L0339	-35+60IP TOT	N.S.S. N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81L0340	-35+60IP TOT	320.00 N.S.S.	48.00	66.00	1,820.00	.60	4.40	29.00	1,630.00	120.00
81L0341	-35+60IP TOT	26.00 11.60	18.00	144.00	800.00	.40	3.00	25.00	1,740.00	120.00
81L0342	-35+60IP TOT	192.00 41.00	26.00	60.00	1,680.00	.60	2.00	22.00	1,170.00	120.00
81L0343	-35+60IP TOT	145.00 12.60	11.00	110.00	1,450.00	.60	4.60	13.00	705.00	90.00
81L0344	-35+60IP TOT	190.00 7.60	13.00	160.00	560.00	.50	1.70	23.00	1,090.00	170.00
81L0345	-35+60IP TOT	92.00 7.20	10.00	40.00	450.00	.20	.80	12.90	1,400.00	100.00
81L0346	-35+60IP TOT	86.00 5.20	7.00	50.00	390.00	.30	.60	15.00	1,150.00	60.00

17JUN82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 7

SAMPLE TEST CU MO PB ZN AG CD FE MN AS
CODE CODE SB

LAB: CHEMEX CERTIFICATE: A82106290078

81L0347	-35+60IP TOT	40.00 2.80	5.00	20.00	250.00	.30	.20	8.00	1,020.00	24.00
81L0348	-35+60IP TOT	54.00 N.S.S.	7.00	24.00	295.00	.20	.40	9.40	1,145.00	38.00
81L0349	-35+60IP TOT	102.00 5.60	10.00	40.00	410.00	.20	.40	11.60	1,040.00	46.00
81L0350	-35+60IP TOT	170.00 12.60	17.00	56.00	850.00	.80	.50	12.00	790.00	70.00

**THIS DATA WAS ENTERED BY: BOBR .EXPLORE POSTED AT: 16:05:23

81-1475

FILE NUMBER:
 DATE SAMPLES RECEIVED:
 DATE REPORT SENT:

13 Oct 81

CYPRUS ANVIL GEOCHEM REPORT
 ANALYSES BY: Acme Analytical Labs Ltd.
 ANALYST: B. [Signature]

PROJECT	SAMPLE NAME								GRID CO-ORDINATES									ONE MILE MAP			pH	GEOCHEMICAL RESULTS											VALUE	SPARE	ROW NUMBER
	PROPERTY	YEAR	SAMPLER	NUMBER	TYPE	PPM	N	PPM	E	Ph	ppm	Zn	Ag	Mn	Fe%	ppm	ppm	ppm	No.	C		P	Z	Bcl											
						LATITUDE		LONGITUDE		W																Extraction: ppm	Extraction: ppm	Extraction: ppm	As	cd	w				
L		P		243	✓		1	26	✓	24	✓	136	✓	5	✓	314	3.1	12	1				1	30	✓	1									
				245	✓		2	22	✓	18	✓	172	✓	4	✓	382	2.5	8	1				1	85	✓	2									
				246	✓		1	24	✓	17	✓	155	✓	4	✓	345	2.5	7	1				1	25	✓	3									
				248	✓		1	27	✓	11	✓	76	✓	3	✓	213	1.8	7	1				1	160	✓	4									
				249	✓		1	22	✓	10	✓	89	✓	3	✓	206	2.0	6	1				1	665	✓	5									
				251	✓		1	22	✓	7	✓	77	✓	3	✓	339	1.5	9	1				1	1600	✓	6									
				252	✓		1	16	✓	9	✓	58	✓	2	✓	198	1.2	8	1				1	2350	✓	7									
				253	✓		4	43	✓	11	✓	289	✓	4	✓	334	2.0	12	1				1	925	✓	8									
				254	✓		1	18	✓	9	✓	53	✓	2	✓	191	1.7	6	1				1	1100	✓	9									
				255	✓		1	16	✓	9	✓	52	✓	2	✓	182	1.4	8	1				1	1850	✓	10									
				256	✓		1	20	✓	9	✓	53	✓	2	✓	233	1.1	8	1				1	2040	✓	11									
				257	✓		1	19	✓	11	✓	54	✓	2	✓	202	1.5	7	1				1	1400	✓	12									
				258	✓		1	11	✓	8	✓	40	✓	1	✓	214	1.3	7	1				1	1650	✓	13									
				259	✓		1	30	✓	12	✓	104	✓	4	✓	182	2.3	6	1				1	90	✓	14									
				260	✓		1	10	✓	10	✓	49	✓	2	✓	202	1.7	6	1				1	1250	✓	15									
				261	✓		1	28	✓	11	✓	65	✓	3	✓	166	1.8	8	1				1	1200	✓	16									
				262	✓		1	18	✓	9	✓	60	✓	2	✓	168	1.5	7	1				1	1650	✓	17									
				263	✓		4	38	✓	12	✓	443	✓	5	✓	212	1.8	13	2				1	2840	✓	18									
				264	✓		7	55	✓	15	✓	813	✓	7	✓	265	2.8	15	4				2	1950	✓	19									
				265	✓		4	33	✓	13	✓	379	✓	5	✓	210	1.8	11	2				1	2480	✓	20									
				266	✓		1	14	✓	7	✓	47	✓	2	✓	166	1.4	7	1				1	1700	✓	21									
				267	✓		9	58	✓	13	✓	966	✓	8	✓	245	2.3	16	5				2	7150	✓	22									
				268	✓		5	51	✓	13	✓	385	✓	7	✓	169	2.4	18	2				1	1100	✓	23									
				269	✓		3	33	✓	10	✓	256	✓	4	✓	153	1.8	10	1				1	1920	✓	24									
				270	✓		3	39	✓	11	✓	220	✓	5	✓	193	2.1	11	1				1	620	✓	25									
				271	✓		4	37	✓	13	✓	296	✓	5	✓	185	1.8	12	1				1	5250	✓	26									
				272	✓		3	32	✓	10	✓	140	✓	4	✓	168	1.7	7	1				1	1030	✓	27									
				273	✓		2	26	✓	4	✓	191	✓	3	✓	586	1.2	11	3				1	3150	✓	28									

81-145

FILE NUMBER: 81-145
DATE SAMPLES RECEIVED: 13 Oct 81
DATE REPORT SENT:

CYPRUS ANKIL GEOCHEM REPORT
ANALYSES BY: Kcme and Analytical Labs Ltd.
ANALYST: *[Signature]*

SAMPLE NAME			GRID CO-ORDINATES					ONE MILE MAP	PH	GEOCHEMICAL RESULTS												VALUE				SPARE	ROW NUMBER							
PROJECT	PROPERTY	YEAR	SAMPLER	NUMBER	TYPE	ppm LATITUDE		N	ppm LONGITUDE		E	W	ppm					Fe%	ppm As	ppm Cd	ppm W	ppm				No.	C	P	Z		ROW NUMBER			
						M	S		Cu	Zn			Ag	Mn	Pb	ppm	ppm					ppm	ppm	ppm	Ba							Ba		
L	81			274	V		2		23	✓				6	✓		76	✓		.2	✓	122			1.0		6		1		1	1750	✓	1
				275	✓		3		32	✓				9	✓		358	✓		.4	✓	189			1.7		9		2		1	2900	✓	2
				277	✓		1		13	✓				5	✓		64	✓		.1	✓	172			1.3		5		1		1	1900	✓	3
				280	✓		3		39	✓				8	✓		136	✓		.3	✓	193			1.7		12		2		2	2050	✓	4
				281	✓		4		47	✓				11	✓		288	✓		.4	✓	259			2.2		12		2		1	3250	✓	5
				282	✓		10		37	✓				11	✓		336	✓		.5	✓	438			1.5		11		2		2	1190	✓	6
				283	✓		2		46	✓				9	✓		157	✓		.7	✓	248			1.8		7		1		1	755	✓	7
				284	✓		4		46	✓				13	✓		268	✓		.5	✓	229			2.2		8		1		1	2680	✓	8
				285	✓		3		55	✓				7	✓		292	✓		.6	✓	607			2.2		10		1		1	4600	✓	9
				286	✓		5		49	✓				13	✓		315	✓		.5	✓	211			2.3		12		1		1	2050	✓	10
				287	✓		3		64	✓				12	✓		196	✓		.6	✓	185			2.4		12		1		1	270	✓	11
				288	✓		5		44	✓				9	✓		426	✓		.6	✓	185			2.3		12		2		1	850	✓	12
				289	✓		1		20	✓				12	✓		141	✓		.4	✓	194			2.6		4		1		1	170	✓	13
				291	✓		6		23	✓				11	✓		189	✓		.5	✓	298			2.2		9		1		1	180	✓	14
				292	✓		2		29	✓				17	✓		247	✓		.3	✓	255			1.7		14		2		1	1530	✓	15
				293	✓		3		54	✓				12	✓		120	✓		.4	✓	249			1.9		14		1		1	930	✓	16
				295	✓		4		42	✓				13	✓		421	✓		.5	✓	189			2.4		45		2		2	2010	✓	17
				298	✓		5		46	✓				11	✓		298	✓		.5	✓	178			2.0		16		2		1	4450	✓	18
				299	✓		5		51	✓				11	✓		257	✓		.6	✓	127			1.8		18		2		1	+1.5%	✓	19
				300	✓		4		40	✓				15	✓		456	✓		.6	✓	498			2.1		12		3		1	4250	✓	20
				301	✓		2		50	✓				10	✓		123	✓		.5	✓	412			3.4		14		1		1	830	✓	21
				302	✓		1		14	✓				10	✓		105	✓		.2	✓	244			2.3		6		1		1	640	✓	22
				303	✓		1		23	✓				15	✓		69	✓		.2	✓	634			2.9		11		1		1	830	✓	23
				304	✓		2		27	✓				16	✓		322	✓		.3	✓	235			1.5		11		2		1	3800	✓	24
				305	✓		3		34	✓				12	✓		308	✓		.3	✓	172			1.7		10		1		1	400	✓	25
				306	✓		5		39	✓				12	✓		1351	✓		.5	✓	247			1.5		17		5		2	2420	✓	26
L	81			307	✓		2		25	✓				12	✓		892	✓		.3	✓	133			1.1		13		5		1	4100	✓	27
				308	✓		4		38	✓				12	✓		382	✓		.4	✓	213			1.7		13		1		1	3750	✓	28

SAMPLE CODE	TEST CCDE	MO W	CU SA	PB	ZN	AG	MN	FE	AS	CD

LAB: ACME ANAL CERTIFICATE: 81-1475										
81L0117	-80	TOT	4.00 3.00	29.00 2,200.00	9.00	841.00	6.00	1,445.00	2.80	42.00 3.00
81L0125	-80	TOT	1.00 1.00	26.00 260.00	19.00	113.00	.50	310.00	2.60	9.00 1.00
81L0117	-80	TOT	4.00 3.00	29.00 2,200.00	9.00	841.00	.60	1,445.00	2.80	42.00 3.00
81L0184	-80	TOT	1.00 1.00	11.00 65.00	11.00	51.00	.20	291.00	1.90	8.00 1.00
81L0190	-80	TOT	1.00 1.00	14.00 240.00	10.00	56.00	.20	170.00	1.80	9.00 1.00
81L0193	-80	TOT	1.00 1.00	17.00 565.00	13.00	100.00	.30	675.00	2.50	14.00 1.00
81L0194	-80	TOT	1.00 1.00	12.00 330.00	11.00	52.00	.20	202.00	1.70	9.00 1.00
81L0195	-80	TOT	1.00 1.00	14.00 120.00	10.00	59.00	.20	220.00	1.80	10.00 1.00
81L0196	-80	TOT	1.00 1.00	9.00 255.00	11.00	45.00	.20	685.00	2.60	21.00 1.00
81L0199	-80	TOT	1.00 1.00	7.00 245.00	6.00	70.00	.10	663.00	1.80	6.00 1.00

SAMPLE CODE	TEST CODE	MO W	CU BA	PB	ZN	AG	MN	FE	AS	CD

LAB: ACME ANAL CERTIFICATE: 81-1475										
81L0201	-80	TOT	1.00 1.00	7.00 325.00	6.00	42.00	.10	407.00	1.00	5.00 1.00
81L0202	-80	TOT	1.00 1.00	8.00 330.00	6.00	47.00	.10	243.00	1.30	4.00 1.00
81L0203	-80	TOT	1.00 1.00	10.00 255.00	6.00	49.00	.10	165.00	1.30	7.00 1.00
81L0205	-80	TOT	1.00 1.00	6.00 210.00	5.00	82.00	.20	134.00	2.00	3.00 1.00
81L0206	-80	TOT	1.00 1.00	12.00 400.00	8.00	60.00	.20	773.00	1.60	8.00 1.00
81L0207	-80	TOT	1.00 1.00	4.00 120.00	4.00	32.00	.10	210.00	1.00	4.00 1.00
81L0209	-80	TOT	1.00 1.00	10.00 310.00	6.00	165.00	.20	512.00	1.70	11.00 1.00
81L0210	-80	TOT	1.00 1.00	4.00 160.00	4.00	34.00	.10	216.00	1.00	4.00 1.00
81L0218	-80	TOT	1.00 1.00	8.00 225.00	6.00	44.00	.10	543.00	1.40	4.00 1.00
81L0225	-80	TOT	1.00 1.00	9.00 130.00	6.00	54.00	.20	137.00	1.70	2.00 1.00

SAMPLE CODE	TEST CODE	MO W	CU 3A	PB	ZN	AG	MN	FE	AS	CD	

LAB: ACME ANAL CERTIFICATE: 81-1475											
81L0229	-80	TOT	1.00 1.00	16.00 420.00	8.00	66.00	.30	181.00	1.80	6.00	1.00
81L0234	-80	TOT	1.00 1.00	9.00 200.00	6.00	50.00	.10	1,078.00	2.00	5.00	1.00
81L0235	-80	TOT	1.00 1.00	7.00 540.00	7.00	62.00	.20	227.00	1.50	6.00	1.00
81L0236	-80	TOT	1.00 1.00	22.00 230.00	11.00	63.00	.40	1,113.00	3.10	10.00	1.00
81L0237	-80	TOT	2.00 1.00	29.00 2,260.00	12.00	171.00	.60	555.00	2.50	17.00	1.00
81L0239	-80	TOT	4.00 1.00	45.00 3,050.00	14.00	220.00	.60	426.00	1.70	16.00	2.00
81L0240	-80	TOT	5.00 1.00	36.00 2,860.00	11.00	198.00	.50	211.00	1.60	13.00	2.00
81L0241	-80	TOT	3.00 1.00	35.00 2,700.00	9.00	219.00	.40	247.00	1.70	16.00	1.00
81L0242	-80	TOT	1.00 1.00	19.00 340.00	15.00	122.00	.30	698.00	2.30	6.00	1.00
81L0243	-80	TOT	1.00 1.00	26.00 30.00	24.00	136.00	.50	314.00	3.10	12.00	1.00

SAMPLE CODE	TEST CODE	MO W	CU BA	PB	ZN	AG	MN	FE	AS	CD	

LAB:	ACME ANAL	CERTIFICATE:		81-1475							
81L0245	-80	TOT	2.00 1.00	22.00 85.00	18.00	172.00	.40	382.00	2.50	8.00	1.00
81L0246	-80	TOT	1.00 1.00	24.00 25.00	17.00	155.00	.40	345.00	2.50	7.00	1.00
81L0248	-80	TOT	1.00 1.00	27.00 1,160.00	11.00	76.00	.30	213.00	1.80	7.00	1.00
81L0249	-80	TOT	1.00 1.00	22.00 665.00	10.00	89.00	.30	206.00	2.00	6.00	1.00
81L0251	-80	TOT	1.00 1.00	22.00 1,600.00	7.00	77.00	.30	339.00	1.50	9.00	1.00
81L0252	-80	TOT	1.00 1.00	16.00 2,350.00	9.00	58.00	.20	198.00	1.20	8.00	1.00
81L0253	-80	TOT	4.00 1.00	43.00 925.00	11.00	289.00	.40	334.00	2.00	12.00	1.00
81L0254	-80	TOT	1.00 1.00	18.00 1,100.00	9.00	53.00	.20	191.00	1.70	6.00	1.00
81L0255	-80	TOT	1.00 1.00	16.00 1,850.00	9.00	52.00	.20	182.00	1.40	8.00	1.00
81L0256	-80	TOT	1.00 1.00	20.00 2,040.00	9.00	53.00	.20	233.00	1.10	8.00	1.00

SAMPLE CODE	TEST CODE	MO W	CU BA	PB	ZN	AG	MN	FE	AS	CO	
LAB: ACME ANAL CERTIFICATE: 81-1475											
81L0257	-80	TOT	1.00 1.00	19.00 1,400.00	11.00	54.00	.20	202.00	1.50	7.00	1.00
81L0258	-80	TOT	1.00 1.00	11.00 1,650.00	8.00	40.00	.10	214.00	1.30	7.00	1.00
81L0259	-80	TOT	1.00 1.00	30.00 90.00	12.00	104.00	.40	182.00	2.30	6.00	1.00
81L0260	-80	TOT	1.00 1.00	10.00 1,250.00	10.00	49.00	.20	202.00	1.70	6.00	1.00
81L0261	-80	TOT	1.00 1.00	28.00 1,200.00	11.00	65.00	.30	166.00	1.80	8.00	1.00
81L0262	-80	TOT	1.00 1.00	18.00 1,650.00	9.00	60.00	.20	168.00	1.50	7.00	1.00
81L0263	-80	TOT	4.00 1.00	38.00 2,840.00	12.00	443.00	.50	212.00	1.80	13.00	2.00
81L0264	-80	TOT	7.00 2.00	55.00 1,950.00	15.00	813.00	.70	265.00	2.80	15.00	4.00
81L0265	-80	TOT	4.00 1.00	33.00 2,480.00	13.00	379.00	.50	210.00	1.80	11.00	2.00
81L0266	-80	TOT	1.00 1.00	14.00 1,700.00	7.00	47.00	.20	166.00	1.40	7.00	1.00

SAMPLE CODE	TEST CODE	MO W	CU BA	PB	ZN	AG	MN	FE	AS	CD

LAB: ACME ANAL CERTIFICATE: 81-1475										
81L0267	-80	TOT	9.00 2.00	58.00 7,150.00	13.00	966.00	.80	245.00	2.30	16.00 5.00
81L0268	-80	TOT	5.00 1.00	51.00 1,100.00	13.00	385.00	.70	169.00	2.40	18.00 2.00
81L0269	-80	TOT	3.00 1.00	33.00 1,920.00	10.00	256.00	.40	153.00	1.80	10.00 1.00
81L0270	-80	TOT	3.00 1.00	39.00 5,250.00	11.00	220.00	.50	193.00	2.10	11.00 1.00
81L0271	-80	TOT	4.00 1.00	37.00 5,250.00	13.00	296.00	.50	185.00	1.80	12.00 1.00
81L0272	-80	TOT	3.00 1.00	32.00 1,030.00	10.00	140.00	.40	168.00	1.70	7.00 1.00
81L0273	-80	TOT	2.00 1.00	26.00 3,150.00	4.00	191.00	.30	586.00	1.20	11.00 3.00
81L0274	-80	TOT	2.00 1.00	23.00 1,750.00	6.00	76.00	.20	122.00	1.00	6.00 1.00
81L0275	-80	TOT	3.00 1.00	32.00 2,900.00	9.00	358.00	.40	189.00	1.70	9.00 2.00
81L0277	-80	TOT	1.00 1.00	13.00 1,900.00	5.00	64.00	.10	172.00	1.30	5.00 1.00

SAMPLE CODE	TEST CODE	MO W	CU BA	PB	ZN	AG	MN	FE	AS	CD	

LAS:	ACME ANAL	CERTIFICATE:		81-1475							
81L0280	-80	TOT	3.00 2.00	39.00 2,050.00	8.00	136.00	.30	193.00	1.70	12.00	1.00
81L0281	-80	TOT	4.00 1.00	47.00 3,250.00	11.00	288.00	.40	259.00	2.20	12.00	2.00
81L0282	-80	TOT	10.00 2.00	37.00 1,190.00	11.00	336.00	.50	438.00	1.50	11.00	2.00
81L0283	-80	TOT	2.00 1.00	46.00 755.00	9.00	157.00	.30	248.00	1.80	7.00	1.00
81L0284	-80	TOT	4.00 1.00	46.00 2,680.00	13.00	268.00	.50	229.00	2.20	8.00	1.00
81L0285	-80	TOT	3.00 1.00	55.00 4,600.00	7.00	292.00	.60	607.00	2.20	10.00	1.00
81L0286	-80	TOT	5.00 1.00	49.00 2,050.00	13.00	315.00	.50	211.00	2.30	12.00	1.00
81L0287	-80	TOT	3.00 1.00	64.00 270.00	12.00	196.00	.60	185.00	2.40	12.00	1.00
81L0288	-80	TOT	5.00 1.00	44.00 850.00	9.00	426.00	.60	185.00	2.30	12.00	2.00
81L0289	-80	TOT	1.00 1.00	20.00 170.00	12.00	141.00	.40	194.00	2.60	4.00	1.00

SAMPLE CODE	TEST CODE	MO W	CU BA	PB	ZN	AG	MN	FE	AS	CD	

LAB: ACME ANAL CERTIFICATE: 81-1475											
81L0292	-80	TOT	6.00 1.00	23.00 180.00	11.00	189.00	.50	298.00	2.20	9.00	1.00
81L0292	-80	TOT	2.00 1.00	29.00 1,530.00	17.00	247.00	.30	255.00	1.70	14.00	2.00
81L0293	-80	TOT	3.00 1.00	54.00 930.00	12.00	120.00	.40	249.00	1.90	14.00	1.00
81L0296	-80	TOT	4.00 2.00	42.00 2,010.00	13.00	421.00	.50	189.00	2.40	45.00	2.00
81L0298	-80	TOT	5.00 1.00	46.00 4,450.00	11.00	298.00	.50	178.00	2.00	16.00	2.00
81L0299	-80	TOT	5.00 1.00	54.00 >15,000.00	11.00	257.00	.60	127.00	1.80	10.00	2.00
81L0300	-80	TOT	4.00 1.00	40.00 4,250.00	15.00	456.00	.60	498.00	2.10	12.00	3.00
81L0301	-80	TOT	2.00 1.00	50.00 830.00	10.00	123.00	.50	412.00	3.40	14.00	1.00
81L0302	-80	TOT	1.00 1.00	14.00 640.00	10.00	105.00	.20	244.00	2.30	6.00	1.00
81L0303	-80	TOT	1.00 1.00	23.00 830.00	15.00	69.00	.20	634.00	2.90	11.00	1.00

SAMPLE CODE	TEST CODE	MO W	CU BA	PB	ZN	AG	MN	FE	AS	CD	
LAB: ACME ANAL CERTIFICATE: 81-1475											
81L0304	-80	TOT	2.00 1.00	27.00 3,800.00	16.00	322.00	.30	235.00	1.50	11.00	2.00
81L0305	-80	TOT	3.00 1.00	34.00 1,400.00	12.00	308.00	.30	172.00	1.70	10.00	1.00
81L0306	-80	TOT	5.00 2.00	39.00 2,420.00	12.00	1,351.00	.50	247.00	1.50	17.00	5.00
81L0307	-80	TOT	2.00 1.00	25.00 4,100.00	12.00	892.00	.30	133.00	1.10	13.00	5.00
81L0308	-80	TOT	4.00 1.00	38.00 3,750.00	12.00	382.00	.40	213.00	1.70	13.00	2.00
81L0309	-80	TOT	3.00 2.00	38.00 700.00	13.00	203.00	.30	268.00	1.90	15.00	1.00
81L0310	-80	TOT	7.00 1.00	50.00 1,520.00	14.00	796.00	.50	641.00	1.90	12.00	4.00
81L0311	-80	TOT	7.00 1.00	57.00 6,500.00	12.00	913.00	.70	391.00	2.00	33.00	4.00
81L0312	-80	TOT	4.00 1.00	42.00 1,730.00	11.00	367.00	.50	217.00	1.90	15.00	2.00
81L0313	-80	TOT	5.00 2.00	43.00 4,450.00	11.00	850.00	.50	449.00	1.70	11.00	4.00

07JUN82,
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 10

SAMPLE CODE	TEST CODE	MO W	CU BA	PB	ZN	AG	MN	FE	AS	CD
----------------	--------------	---------	----------	----	----	----	----	----	----	----

LAB: ACME ANAL CERTIFICATE: 81-1475

81L0314	-20	TOT	6.00	50.00	11.00	560.00	.60	186.00	1.60	12.00	3.00
			2.00	7,100.00							

**THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 10:40:56

SAMPLE CODE	TEST CODE	MO W	CU BA	PB	ZN	AG	MN	FE	AS	CD
LAB: ACME ANAL CERTIFICATE: 81-1475										
81L0346	-80	TOT	1.00 1.00	10.00 750.00	8.00	49.00	.10	213.00	1.30	6.00 1.00
81L0347	-80	TOT	1.00 1.00	9.00 330.00	6.00	50.00	.10	405.00	1.30	6.00 1.00
81L0348	-80	TOT	1.00 1.00	6.00 510.00	2.00	35.00	.10	174.00	1.00	5.00 1.00
81L0349	-80	TOT	1.00 1.00	13.00 440.00	5.00	50.00	.10	227.00	1.20	8.00 1.00
81L0350	-80	TOT	3.00 2.00	41.00 1,050.00	12.00	245.00	.40	186.00	1.60	11.00 1.00

**THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 10:36:49

SAMPLE CODE	TEST CODE	MO W	CU SA	PB	ZN	AG	MN	FE	AS	CD

LAB: ACME ANAL CERTIFICATE: 81-1475										
81L0318	-80	TOT	11.00 1.00	42.00 3,200.00	10.00	1,136.00	.80	299.00	1.60	23.00 8.00
81L0319	-80	TOT	5.00 1.00	50.00 2,660.00	11.00	420.00	.80	205.00	1.80	16.00 3.00
81L0321	-80	TOT	1.00 1.00	42.00 780.00	16.00	84.00	.30	504.00	2.80	9.00 1.00
81L0323	-80	TOT	1.00 2.00	17.00 3,020.00	5.00	428.00	.30	411.00	.90	11.00 2.00
81L0324	-80	TOT	3.00 2.00	19.00 1,920.00	9.00	383.00	.30	381.00	1.50	20.00 2.00
81L0325	-80	TOT	1.00 1.00	19.00 910.00	7.00	121.00	.20	195.00	1.40	6.00 1.00
81L0326	-80	TOT	1.00 2.00	16.00 1,890.00	6.00	299.00	.20	271.00	.90	9.00 2.00
81L0327	-80	TOT	2.00 2.00	32.00 2,050.00	7.00	169.00	.20	105.00	.70	10.00 1.00
81L0328	-80	TOT	1.00 1.00	21.00 830.00	4.00	74.00	.10	164.00	1.20	7.00 1.00
81L0329	-80	TOT	1.00 2.00	16.00 3,350.00	4.00	121.00	.10	123.00	.40	5.00 1.00

SAMPLE CODE	TEST CODE	MO W	CU BA	PB	ZN	AG	MN	FE	AS	CD	

LAB: ACME ANAL CERTIFICATE: 81-1475											
81L0330	-80	TOT	1.00 1.00	9.00 730.00	6.00	82.00	.10	196.00	1.70	6.00	1.00
81L0334	-80	TOT	1.00 2.00	14.00 990.00	17.00	205.00	.20	235.00	1.60	17.00	1.00
81L0336	-80	TOT	1.00 1.00	13.00 910.00	5.00	52.00	.10	204.00	1.40	11.00	1.00
81L0337	-80	TOT	2.00 1.00	30.00 1,010.00	15.00	134.00	.40	274.00	1.90	27.00	1.00
81L0338	-80	TOT	1.00 1.00	21.00 1,020.00	9.00	81.00	.20	277.00	1.70	12.00	1.00
81L0340	-80	TOT	2.00 2.00	31.00 1,190.00	4.00	129.00	.30	527.00	1.40	7.00	1.00
81L0342	-80	TOT	1.00 2.00	12.00 2,630.00	5.00	76.00	.10	104.00	.60	5.00	1.00
81L0343	-80	TOT	1.00 1.00	16.00 600.00	9.00	88.00	.30	190.00	1.60	7.00	1.00
81L0344	-80	TOT	1.00 1.00	28.00 350.00	12.00	100.00	.20	531.00	2.30	10.00	1.00
81L0345	-80	TOT	1.00 1.00	7.00 510.00	5.00	41.00	.10	181.00	1.10	4.00	1.00

SAMPLE CODE	TEST CODE	MC HG	CU	PB	ZN	AG	AS	SB	BA	W

LAB: ACME ANAL CERTIFICATE: 81-1179										
81L0001	-80	TOT 3.00 .12	27.00	17.00	119.00	.20	12.00	3.00	720.00	1.00
81L0002	-80	TOT 1.00 .08	18.00	12.00	96.00	.30	10.00	3.00	710.00	1.00
81L0003	-80	TOT 2.00 .10	28.00	20.00	126.00	.20	14.00	3.00	850.00	1.00
81L0004	-80	TOT 2.00 .12	26.00	9.00	230.00	.20	13.00	2.00	1,650.00	1.00
81L0005	-80	TOT 2.00 .17	21.00	9.00	161.00	.40	17.00	2.00	3,400.00	1.00
81L0007	-80	TOT 1.00 .03	21.00	16.00	74.00	.40	16.00	2.00	1,880.00	1.00
81L0009	-80	TOT 1.00 .17	19.00	9.00	172.00	.30	25.00	2.00	1,150.00	1.00
81L0010	-80	TOT 2.00 .11	21.00	9.00	254.00	.20	13.00	2.00	2,250.00	1.00
81L0011	-80	TOT 2.00 .10	22.00	11.00	108.00	.30	10.00	2.00	1,300.00	1.00
81L0012	-80	TOT 2.00 .09	20.00	11.00	105.00	.10	7.00	2.00	430.00	1.00

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	SB	BA	W	
LAB: ACME ANAL CERTIFICATE: 81-1179											
81L0013	-80	TOT	2.00 .13	24.00	14.00	113.00	.20	7.00	3.00	440.00	1.00
81L0014	-80	TOT	2.00 .08	27.00	20.00	117.00	.20	9.00	4.00	750.00	1.00
81L0015	-80	TOT	1.00 .13	22.00	11.00	107.00	.30	7.00	2.00	1,860.00	1.00
81L0016	-80	TOT	2.00 .09	23.00	14.00	112.00	.20	12.00	3.00	1,120.00	1.00
81L0017	-80	TOT	1.00 .09	10.00	8.00	91.00	.30	9.00	2.00	2,000.00	1.00
81L0018	-80	TOT	3.00 .05	27.00	20.00	150.00	.40	18.00	3.00	1,560.00	1.00
81L0019	-80	TOT	3.00 .16	24.00	6.00	350.00	.30	18.00	2.00	1,800.00	1.00
81L0021	-80	TOT	2.00 .12	22.00	10.00	261.00	.20	12.00	2.00	2,050.00	1.00
81L0022	-80	TOT	4.00 .18	28.00	13.00	436.00	.30	19.00	2.00	1,650.00	1.00
81L0023	-80	TOT	3.00 .05	22.00	19.00	120.00	.10	14.00	4.00	120.00	1.00

SAMPLE CODE	TEST CODE	MC HG	CU	PB	ZN	AG	AS	SE	BA	W	

LAB: ACME ANAL CERTIFICATE: S1-1179											
81L0024	-80	TOT	2.00 .05	18.00	16.00	96.00	.10	7.00	4.00	160.00	1.00
81L0025	-80	TOT	2.00 .10	22.00	15.00	105.00	.20	8.00	2.00	650.00	1.00
81L0026	-80	TOT	3.00 .12	33.00	14.00	135.00	.40	14.00	2.00	1,880.00	1.00
81L0027	-80	TOT	5.00 .14	30.00	13.00	349.00	.40	18.00	3.00	940.00	1.00
81L0029	-80	TOT	3.00 .16	34.00	11.00	477.00	.40	11.00	2.00	1,930.00	1.00
81L0030	-80	TOT	1.00 .10	19.00	8.00	104.00	.30	9.00	2.00	2,100.00	1.00
81L0031	-80	TOT	5.00 .33	40.00	17.00	350.00	.50	30.00	3.00	1,120.00	1.00
81L0032	-80	TOT	2.00 .18	18.00	8.00	34.00	.60	11.00	2.00	2,700.00	1.00
81L0034	-80	TOT	2.00 .18	27.00	9.00	829.00	.50	8.00	2.00	1,620.00	1.00
81L0035	-80	TOT	2.00 .18	21.00	7.00	427.00	.70	17.00	2.00	2,550.00	1.00

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	SB	BA	W	

LAB: ACME ANAL CERTIFICATE: 81-1179											
81L0036	-80	TOT	2.00 .06	4.00	6.00	508.00	.90	15.00	2.00	3,000.00	1.00
81L0037	-80	TOT	2.00 .08	27.00	10.00	164.00	.40	11.00	2.00	2,050.00	1.00
81L0038	-80	TOT	3.00 .15	36.00	8.00	290.00	.50	15.00	3.00	1,150.00	1.00
81L0039	-80	TOT	5.00 .16	31.00	14.00	875.00	.80	21.00	4.00	1,450.00	1.00
81L0040	-80	TOT	2.00 .07	21.00	9.00	133.00	.30	9.00	2.00	1,350.00	1.00
81L0041	-80	TOT	2.00 .04	19.00	15.00	123.00	.30	9.00	2.00	1,400.00	1.00
81L0042	-80	TOT	1.00 .07	15.00	9.00	65.00	.20	11.00	2.00	3,500.00	2.00
81L0043	-80	TOT	1.00 .06	16.00	10.00	67.00	.20	7.00	2.00	1,500.00	1.00
81L0044	-80	TOT	2.00 .18	26.00	11.00	195.00	.40	16.00	2.00	1,800.00	1.00
81L0045	-80	TOT	2.00 .03	16.00	13.00	109.00	.20	10.00	2.00	1,550.00	1.00

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	SB	BA	W	

LAB: ACME ANAL	CERTIFICATE:		81-1179								
81L0047	-80	TOT	1.00 .03	18.00	7.00	48.00	.20	7.00	2.00	960.00	1.00
81L0048	-80	TOT	2.00 .07	17.00	13.00	95.00	.10	9.00	4.00	400.00	1.00
81L0049	-80	TOT	2.00 .05	13.00	12.00	59.00	.10	7.00	4.00	140.00	1.00
81L0050	-80	TOT	3.00 .10	22.00	12.00	130.00	.20	7.00	3.00	180.00	1.00
81L0051	-80	TOT	1.00 .05	8.00	4.00	49.00	.10	8.00	2.00	940.00	1.00
81L0052	-80	TOT	1.00 .03	10.00	8.00	47.00	.20	7.00	2.00	1,140.00	1.00
81L0053	-80	TOT	1.00 .04	10.00	7.00	52.00	.10	5.00	2.00	900.00	1.00
81L0055	-80	TOT	1.00 .03	10.00	8.00	48.00	.20	5.00	2.00	1,320.00	1.00
81L0056	-80	TOT	1.00 .05	14.00	10.00	59.00	.30	8.00	2.00	1,180.00	1.00
81L0058	-80	TOT	1.00 .04	11.00	8.00	54.00	.20	7.00	2.00	1,440.00	1.00

SAMPLE CODE	TEST CODE	MC HG	CU	PB	ZN	AG	AS	SB	SA	W	

LAS: ACME ANAL CERTIFICATE: 81-1179											
81L0059	-80	TOT	3.00 .08	20.00	16.00	103.00	.10	6.00	3.00	140.00	1.00
81L0060	-80	TOT	4.00 .17	35.00	15.00	191.00	.40	12.00	2.00	3,300.00	1.00
81L0061	-80	TOT	4.00 .10	35.00	9.00	193.00	.30	14.00	3.00	1,500.00	1.00
81L0062	-80	TOT	2.00 .04	14.00	11.00	92.00	.10	2.00	3.00	180.00	1.00
81L0063	-80	TOT	3.00 .85	28.00	17.00	114.00	.10	6.00	2.00	320.00	1.00
81L0064	-80	TOT	3.00 .75	30.00	19.00	106.00	.20	10.00	2.00	410.00	1.00
81L0065	-80	TOT	1.00 .07	12.00	11.00	87.00	.10	8.00	2.00	380.00	1.00
81L0066	-80	TOT	1.00 .90	17.00	11.00	115.00	.10	5.00	2.00	810.00	1.00
81L0067	-80	TOT	1.00 .05	18.00	12.00	79.00	.20	11.00	2.00	1,500.00	1.00
81L0068	-80	TOT	1.00 .12	20.00	11.00	116.00	.30	10.00	2.00	2,600.00	1.00

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	SB	BA	W	

LAB: ACME ANAL CERTIFICATE: 81-1179											
81L0069	-80	TOT	2.00 .16	24.00	7.00	219.00	.20	12.00	2.00	5,700.00	1.00
81L0072	-80	TOT	2.03 .12	24.00	14.00	173.00	.30	18.00	3.00	1,050.00	1.00
81L0073	-80	TOT	5.00 .21	39.00	9.00	738.00	.50	16.00	3.00	2,350.00	1.00
81L0074	-80	TOT	1.00 .10	10.00	5.00	590.00	.10	9.00	2.00	2,600.00	1.00
81L0075	-80	TOT	4.00 .20	20.00	9.00	548.00	.30	23.00	4.00	1,320.00	1.00
81L0076	-80	TOT	5.00 .13	30.00	8.00	1,295.00	.50	45.00	7.00	1,400.00	1.00
81L0077	-80	TOT	4.00 .24	39.00	7.00	867.00	.60	42.00	3.00	2,900.00	1.00
81L0078	-80	TOT	3.00 .19	38.00	8.00	976.00	.60	32.00	3.00	1,750.00	1.00
81L0079	-80	TOT	2.00 .12	18.00	8.00	161.00	.10	11.00	2.00	4,500.00	1.00

**THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 11:43:59

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	SB	BA	W	
LAB: ACME ANAL CERTIFICATE: 31-1179											
81L0080	-80	TOT	2.00 .03	19.00	20.00	97.00	.10	9.00	5.00	120.00	1.00
81L0081	-80	TOT	3.00 .10	26.00	11.00	131.00	.20	11.00	2.00	1,700.00	1.00
81L0082	-80	TOT	1.00 .04	18.00	16.00	77.00	.10	5.00	3.00	90.00	1.00
81L0084	-80	TOT	1.00 .10	22.00	10.00	73.00	.10	4.00	3.00	270.00	1.00
81L0085	-80	TOT	1.00 .04	21.00	17.00	81.00	.10	5.00	3.00	100.00	1.00
81L0086	-80	TOT	1.00 .04	13.00	9.00	71.00	.10	3.00	2.00	80.00	1.00
81L0087	-80	TOT	2.00 .07	22.00	15.00	87.00	.10	8.00	3.00	220.00	1.00
81L0088	-80	TOT	1.00 .11	17.00	16.00	62.00	.10	7.00	2.00	90.00	1.00
81L0089	-80	TOT	2.00 .04	19.00	12.00	77.00	.10	6.00	3.00	130.00	1.00
81L0090	-80	TOT	2.00 .08	19.00	12.00	74.00	.10	9.00	3.00	110.00	1.00

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	SB	BA	W	

LAB: ACME ANAL CERTIFICATE: 81-1179											
81L0091	-80	TOT	1.00 .12	27.00	15.00	62.00	.10	11.00	2.00	120.00	1.00
81L0092	-80	TOT	3.00 .11	27.00	18.00	135.00	.30	12.00	2.00	1,520.00	1.00
81L0093	-80	TOT	3.00 .60	27.00	13.00	121.00	.20	9.00	2.00	1,230.00	1.00
81L0093	-80	TOT	3.00 .06	27.00	13.00	121.00	.20	9.00	2.00	1,230.00	1.00
81L0094	-80	TOT	2.00 .12	24.00	16.00	110.00	.20	8.00	2.00	960.00	1.00
81L0095	-80	TOT	2.00 .03	24.00	17.00	86.00	.10	7.00	3.00	160.00	1.00
81L0097	-80	TOT	1.00 .06	15.00	15.00	74.00	.10	2.00	2.00	160.00	1.00
81L0098	-80	TOT	1.00 .02	14.00	17.00	82.00	.10	6.00	2.00	90.00	1.00
81L0099	-80	TOT	2.00 .16	32.00	23.00	137.00	.40	11.00	2.00	1,800.00	1.00
81L0100	-80	TOT	1.00 .12	31.00	17.00	113.00	.50	11.00	2.00	1,450.00	1.00

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	SB	BA	W	

LAB: ACME ANAL CERTIFICATE: 81-1179											
81L0102	-80	TOT	1.00 .06	16.00	16.00	94.00	.10	6.00	2.00	420.00	1.00
81L0103	-80	TOT	1.00 .06	14.00	12.00	67.00	.20	9.00	2.00	840.00	1.00
81L0104	-80	TOT	1.00 .03	26.00	17.00	76.00	.10	10.00	2.00	200.00	1.00
81L0105	-80	TOT	1.00 .03	19.00	17.00	83.00	.10	7.00	2.00	80.00	1.00
81L0106	-80	TOT	1.00 .06	24.00	14.00	79.00	.10	8.00	2.00	150.00	1.00
81L0108	-80	TOT	1.00 .03	21.00	17.00	83.00	.10	7.00	2.00	70.00	1.00
81L0109	-80	TOT	4.00 .18	20.00	9.00	598.00	.40	25.00	2.00	1,700.00	1.00
81L0110	-80	TOT	4.00 .24	37.00	8.00	589.00	.40	15.00	2.00	6,800.00	1.00
81L0111	-80	TOT	5.00 .18	44.00	14.00	274.00	.50	17.00	2.00	4,800.00	1.00
81L0112	-80	TOT	4.00 .20	22.00	9.00	958.00	.40	18.00	2.00	2,600.00	1.00

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	S3	BA	W	

LAB: ACME ANAL CERTIFICATE: 81-1179											
81L0113	-80	TOT	5.00 .29	43.00	13.00	614.00	.50	21.00	2.00	4,100.00	1.00
81L0114	-80	TOT	19.00 .34	57.00	12.00	694.00	.70	69.00	2.00	2,500.00	1.00
81L0115	-80	TOT	5.00 .24	40.00	10.00	494.00	.40	18.00	2.00	>15,000.00	1.00
81L0116	-80	TOT	6.00 .17	55.00	13.00	901.00	.70	28.00	2.00	2,400.00	1.00
81L0117	-80	TOT	1.00 .11	29.00	14.00	196.00	.70	18.00	2.00	2,000.00	2.00
81L0118	-80	TOT	3.00 .22	34.00	8.00	467.00	.70	17.00	2.00	4,100.00	1.00
81L0119	-80	TOT	5.00 .29	33.00	14.00	1,026.00	.80	51.00	2.00	4,000.00	1.00
81L0120	-80	TOT	1.00 .12	22.00	11.00	173.00	.30	9.00	2.00	2,100.00	1.00
81L0121	-80	TOT	1.00 .10	18.00	11.00	150.00	.10	8.00	2.00	4,150.00	1.00
81L0122	-80	TOT	3.00 .17	40.00	13.00	215.00	.30	7.00	2.00	2,300.00	1.00

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	SB	BA	W	

LAB:	ACME ANAL	CERTIFICATE:	31-1179								
81L0123	-80	TOT	4.00 .20	34.00	12.00	476.00	.50	16.00	2.00	3,700.00	1.00
81L0124	-80	TOT	8.00 .20	50.00	13.00	614.00	.90	28.00	2.00	6,100.00	1.00
81L0127	-80	TOT	1.00 .05	9.00	4.00	46.00	.20	8.00	2.00	1,400.00	1.00
81L0128	-80	TOT	1.00 .13	20.00	8.00	103.00	.30	9.00	2.00	1,500.00	1.00
81L0129	-80	TOT	1.00 .04	5.00	4.00	43.00	.10	4.00	2.00	1,250.00	2.00
81L0130	-80	TOT	1.00 .07	12.00	6.00	69.00	.20	23.00	2.00	810.00	1.00
81L0133	-80	TOT	1.00 .10	12.00	11.00	68.00	.10	11.00	2.00	540.00	1.00
81L0134	-80	TOT	1.00 .06	9.00	7.00	115.00	.20	6.00	2.00	1,150.00	1.00
81L0135	-80	TOT	1.00 .17	15.00	9.00	157.00	.30	7.00	2.00	1,780.00	1.00
81L0138	-80	TOT	2.00 .07	23.00	7.00	75.00	.10	3.00	2.00	680.00	1.00

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	SB	BA	W	

LAB:	ACME ANAL	CERTIFICATE:	81-1179								
81L0139	-80	TOT	1.00 .14	13.00	9.00	130.00	.20	7.00	2.00	1,600.00	1.00
81L0140	-80	TOT	1.00 .10	13.00	10.00	77.00	.20	5.00	2.00	2,600.00	1.00
81L0141	-80	TOT	1.00 .09	15.00	8.00	82.00	.20	8.00	2.00	1,720.00	1.00
81L0142	-80	TOT	1.00 .07	12.00	9.00	69.00	.30	9.00	2.00	4,050.00	1.00
81L0143	-80	TOT	2.00 .13	18.00	11.00	104.00	.30	11.00	2.00	3,100.00	1.00
81L0145	-80	TOT	1.00 .04	13.00	12.00	93.00	.40	12.00	2.00	2,600.00	2.00
81L0146	-80	TOT	5.00 .10	18.00	9.00	503.00	.30	12.00	2.00	2,200.00	1.00
81L0147	-80	TOT	1.00 .05	11.00	7.00	68.00	.10	4.00	2.00	320.00	1.00
81L0148	-80	TOT	1.00 .07	12.00	11.00	70.00	.10	6.00	2.00	670.00	1.00
81L0149	-80	TOT	1.00 .07	13.00	8.00	57.00	.10	8.00	2.00	500.00	1.00

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	SB	BA	W	

LAB:	ACME ANAL	CERTIFICATE:	81-1179								
81L0150	-80	TOT	1.00 .09	15.00	11.00	96.00	.20	9.00	2.00	590.00	1.00
81L0151	-80	TOT	1.00 .03	14.00	11.00	87.00	.30	10.00	2.00	1,620.00	1.00
81L0153	-80	TOT	1.00 .05	15.00	13.00	78.00	.10	5.00	2.00	830.00	1.00
81L0153(A)	-80	TOT	1.00 .05	12.00	6.00	56.00	.10	4.00	2.00	1,550.00	1.00
81L0154	-80	TOT	3.00 .07	26.00	17.00	76.00	.60	15.00	2.00	1,000.00	1.00
81L0155	-80	TOT	1.00 .03	8.00	9.00	43.00	.10	4.00	2.00	400.00	1.00
81L0156	-80	TOT	1.00 .06	16.00	16.00	80.00	.20	9.00	2.00	990.00	1.00
81L0157	-80	TOT	2.00 .12	22.00	12.00	77.00	.60	15.00	2.00	840.00	1.00
81L0158	-80	TOT	3.00 .13	14.00	8.00	101.00	.10	25.00	2.00	550.00	1.00
81L0159	-80	TOT	1.00 .07	18.00	12.00	71.00	.10	9.00	2.00	730.00	1.00

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	SB	BA	W	

LAB: ACME ANAL CERTIFICATE: 81-1179											
81L0160	-80	TOT	2.00 .10	23.00	12.00	86.00	.20	12.00	2.00	490.00	1.00
81L0161	-80	TOT	1.00 .02	6.00	4.00	37.00	.20	9.00	2.00	2,400.00	2.00
81L0162	-80	TOT	2.00 .12	27.00	15.00	110.00	.20	18.00	2.00	590.00	1.00
81L0163	-80	TOT	1.00 .06	12.00	9.00	54.00	.10	7.00	2.00	880.00	1.00
81L0165	-80	TOT	1.00 .07	11.00	8.00	60.00	.10	5.00	2.00	1,250.00	1.00
81L0166	-80	TOT	1.00 .11	18.00	13.00	75.00	.20	9.00	2.00	920.00	1.00
81L0167	-80	TOT	1.00 .06	13.00	9.00	51.00	.20	14.00	2.00	1,400.00	1.00
81L0168	-80	TOT	1.00 .12	15.00	14.00	138.00	.20	6.00	2.00	1,650.00	1.00
81L0170	-80	TOT	1.00 .12	19.00	10.00	99.00	.30	9.00	2.00	1,900.00	1.00
1L0173	-80	TOT	1.00 .13	16.00	7.00	762.00	.20	7.00	2.00	1,800.00	1.00

SAMPLE CODE	TEST CODE	MO HG	CU	PB	ZN	AG	AS	SB	BA	W	
LAB: ACME ANAL CERTIFICATE: 81-1179											
81L0174	-80	TOT	1.00 .14	19.00	13.00	157.00	.10	4.00	2.00	1,120.00	1.00
81L0176	-80	TOT	1.00 .10	18.00	10.00	88.00	.40	10.00	2.00	1,540.00	1.00
81L0181	-80	TOT	2.00 .18	22.00	14.00	133.00	.10	12.00	2.00	3,600.00	1.00
81L0185	-80	TOT	1.00 .04	11.00	9.00	46.00	.10	10.00	3.00	140.00	1.00
81L0189	-80	TOT	1.00 852.00	14.00	10.00	73.00	.10	4.00	3.00	480.00	1.00
81L0191	-80	TOT	1.00 .06	11.00	12.00	57.00	.10	7.00	2.00	510.00	1.00
81L0192	-80	TOT	1.00 .04	11.00	9.00	44.00	.10	11.00	3.00	190.00	1.00
81L0008	-80	TOT	3.00	19.00	11.00	118.00	.30	1.30	9.00	180.00	1.00
81L0020	-80	TOT	2.00	21.00	8.00	170.00	.40	1.50	10.00	925.00	2.00
81L0028	-80	TOT	4.00	34.00	9.00	1,085.00	.50	2.00	38.00	1,095.00	3.00

SAMPLE CODE	TEST CODE	MO	CU	PB	ZN	AG	FE	AS	BA	W	

LAB: ACME ANAL CERTIFICATE: 81-1880											
81L0046	-80	TOT	2.00	10.00	5.00	50.00	.20	1.40	5.00	255.00	23.00
81L0067	-80	TOT	5.00	55.00	17.00	264.00	.30	2.70	10.00	260.00	1.00
81L0070	-80	TOT	5.00	36.00	19.00	207.00	.20	3.30	16.00	595.00	1.00
81L0071	-80	TOT	3.00	4.00	1.00	65.00	.10	.10	4.00	135.00	2.00
81L0083	-80	TOT	4.00	28.00	17.00	106.00	.20	2.00	7.00	75.00	1.00
81L0101	-80	TOT	3.00	27.00	12.00	131.00	.30	1.80	10.00	1,555.00	1.00
81L0107	-80	TOT	3.00	22.00	14.00	69.00	.20	2.50	6.00	165.00	1.00
81L0126	-80	TOT	3.00	30.00	13.00	97.00	.40	2.00	12.00	455.00	1.00
81L0131	-80	TOT	1.00	9.00	7.00	48.00	.20	1.30	7.00	235.00	1.00
81L0132	-80	TOT	1.00	15.00	7.00	364.00	.30	.90	6.00	440.00	2.00

SAMPLE CODE	TEST CODE	MO	CU	PB	ZN	AG	FE	AS	BA	W	

LAB: ACME ANAL CERTIFICATE: 81-1880											
81L0136	-80	TOT	2.00	13.00	8.00	79.00	.20	1.20	5.00	3,000.00	1.00
81L0137	-80	TOT	2.00	19.00	11.00	84.00	.30	1.80	9.00	1,505.00	1.00
81L0144	-80	TOT	20.00	43.00	39.00	1,095.00	.80	1.30	22.00	2,740.00	3.00
81L0169	-80	TOT	2.00	3.00	4.00	26.00	.10	1.00	12.00	155.00	5.00
81L0171	-80	TOT	2.00	12.00	6.00	462.00	.30	1.10	8.00	900.00	2.00
81L0172	-80	TOT	4.00	40.00	16.00	301.00	.40	1.80	15.00	740.00	1.00
81L0175	-80	TOT	2.00	18.00	12.00	104.00	.20	1.50	7.00	2,560.00	1.00
91L0177	-80	TOT	2.00	15.00	15.00	71.00	.10	2.10	4.00	250.00	1.00
81L0178	-80	TOT	6.00	25.00	11.00	1,314.00	.40	2.70	14.00	1,405.00	3.00
81L0179	-80	TOT	3.00	22.00	10.00	138.00	.40	1.20	6.00	2,770.00	1.00

SAMPLE CODE	TEST CODE	MO	CU	PB	ZN	AG	FE	AS	BA	W
----------------	--------------	----	----	----	----	----	----	----	----	---

LAB: ACME ANAL CERTIFICATE: 81-1880

81L0180	-80	TOT	2.00	18.00	15.00	99.00	.30	1.70	7.00	1,220.00	1.00
---------	-----	-----	------	-------	-------	-------	-----	------	------	----------	------

81L0182	-80	TOT	2.00	14.00	14.00	61.00	.10	2.00	8.00	190.00	1.00
---------	-----	-----	------	-------	-------	-------	-----	------	------	--------	------

**THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 15:40:34

