

-60 HP

0097 should be NSS ✓
 112 is missing — Do not have this.
 148 on A82 10139 pg 4 ✓
 206 NSS —
 448 on A82 1040 pg 3 ✓
 620 missing —
 645 on A82 10140 pg 5 ✓
 611 } not received at chemex
 742 }

016149

-3S+60 IP OX

missing samples below 81 G 0063 are -60 IP OX

-60 HN

369 on A81 - 14676 - 1 ← Greig To Determine
 which 370 sample
 is actually 369
 ↙

~~460~~ missing
~~611~~ } not received
~~742~~ }

Delete
 370 A
 370 B.

-3S+60 IP TOT

350 on A81 - 15226 pg 1 ✓
 362 - S18 is on A81 - 14670 - 1 ✓ which was not
 received but we
 now have a cop
 (attached)

611 } missing.
~~666~~ } on A82 115314 pg 1
 715 }



File
Grass LKS

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

ANALYTICAL CHEMISTS

GEOCHEMISTS

REGISTERED ASSAYERS

8-Feb-81

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8114668-001-A
INVOICE # : I8114668
DATE : 02-NOV-81
P.O. # : NONE

Blow
Data
Boiler

ATTN: GREG JILSEN (REGULAR DIGESTION)


Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
* 81G00X -35+60IP	0	32	2	26	316	0.2	0.6
81G001 -35+60IP	0	61	2	255	625	1.1	0.2
81G002 -35+60IP	0	75	4	233	565	3.3	0.6
81G003 -35+60IP	0	10	2	18	195	0.2	0.1
81G004 -35+60IP	0	35	5	27	325	0.1	0.4
81G004B-35+60IP	0	43	5	31	335	0.2	0.5
81G005 -35+60IP	0	9	4	5	85	0.1	0.1
81G006 -35+60IP	0	80	15	875	4900	1.0	7.0
81G007 -35+60IP	0	95	2	7	178	0.1	0.2
81G008 -35+60IP	0	65	5	39	390	0.1	0.8
81G008B-35+60IP	0	50	5	23	137	0.4	0.4
81G009 -35+60IP	0	77	5	54	392	0.1	0.7
81G010 -35+60IP	0	38	4	12	252	0.2	0.2
81G011 -35+60IP	0	52	1	70	235	0.1	0.1
81G012 -35+60IP	0	37	2	45	340	0.1	0.1
81G013 -35+60IP	0	80	2	51	405	0.1	0.2
81G014 -35+60IP	0	210	24	10	1000	0.4	2.8
81G015 -35+60IP	0	175	11	33	373	0.4	1.1
81G016 -35+60IP	0	53	3	26	365	0.1	0.5
81G017 -35+60IP	0	83	5	26	385	0.1	0.6
81G018 -35+60IP	0	50	1	28	365	0.1	0.4
81G019 -35+60IP	0	11	2	13	184	0.2	0.2
81G020 -35+60IP	0	8	3	8	139	0.2	0.2
81G021 -35+60IP	0	52	8	32	332	0.3	0.3
81G022 -35+60IP	0	50	1	13	152	0.1	0.1
81G023 -35+60IP	0	22	1	38	142	0.1	0.1
81G024 -35+60IP	0	32	1	25	262	0.1	0.1
81G025 -35+60IP	0	44	1	32	300	0.1	0.4
81G030 -35+60IP	0	29	1	16	147	0.1	0.3
81G031 -35+60IP	0	18	2	128	950	0.5	1.2
81G032 -35+60IP	0	54	3	17	940	0.1	1.8
81G033 -35+60IP	0	92	1	13	650	0.1	1.4
81G034 -35+60IP	0	44	1	15	570	0.2	0.5
81G035 -35+60IP	0	80	1	22	155	0.3	0.2
81G036 -35+60IP	0	34	1	16	225	0.1	0.2
81G037 -35+60IP	0	10	1	36	188	0.1	0.7
81G038 -35+60IP	0	25	1	11	212	0.1	0.2
81G039 -35+60IP	0	30	1	14	182	0.1	0.4
81G040 -35+60IP	0	94	4	120	925	0.1	0.1
81G041 -35+60IP	0	36	1	26	235	0.1	0.2

Hart Bichler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CREMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8114668-001-8
INVOICE # : I8114668
DATE : 02-NOV-81
P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G00X -35+60IP	0	8.40	1200	44	--	--	--
81G001 -35+60IP	0	8.50	840	86	--	--	--
81G002 -35+60IP	0	10.00	835	88	--	--	--
81G003 -35+60IP	0	5.65	600	24	--	--	--
81G004 -35+60IP	0	8.50	1150	39	--	--	--
81G004B-35+60IP	0	9.35	1150	53	--	--	--
81G005 -35+60IP	0	2.70	330	15	--	--	--
81G006 -35+60IP	0	55.00	6000	525	--	--	--
81G007 -35+60IP	0	9.00	865	15	--	--	--
81G008 -35+60IP	0	14.00	995	50	--	--	--
81G008B-35+60IP	0	14.10	1200	50	--	--	--
81G009 -35+60IP	0	11.00	1075	59	--	--	--
81G010 -35+60IP	0	8.10	1010	30	--	--	--
81G011 -35+60IP	0	9.50	1100	57	--	--	--
81G012 -35+60IP	0	9.40	935	29	--	--	--
81G013 -35+60IP	0	13.00	1100	170	--	--	--
81G014 -35+60IP	0	16.00	1100	57	--	--	--
81G015 -35+60IP	0	13.00	1125	83	--	--	--
81G016 -35+60IP	0	10.00	1100	53	--	--	--
81G017 -35+60IP	0	11.00	1250	79	--	--	--
81G018 -35+60IP	0	11.00	1200	45	--	--	--
81G019 -35+60IP	0	7.44	1120	13	--	--	--
81G020 -35+60IP	0	5.90	910	8	--	--	--
81G021 -35+60IP	0	10.80	1260	48	--	--	--
81G022 -35+60IP	0	5.95	825	36	--	--	--
81G023 -35+60IP	0	5.85	840	23	--	--	--
81G024 -35+60IP	0	10.00	1500	24	--	--	--
81G025 -35+60IP	0	11.00	1150	55	--	--	--
81G030 -35+60IP	0	7.15	985	17	--	--	--
81G031 -35+60IP	0	9.70	1150	180	--	--	--
81G032 -35+60IP	0	11.00	2000	46	--	--	--
81G033 -35+60IP	0	13.00	1900	61	--	--	--
81G034 -35+60IP	0	12.00	1200	35	--	--	--
81G035 -35+60IP	0	13.00	1050	29	--	--	--
81G036 -35+60IP	0	10.00	1800	30	--	--	--
81G037 -35+60IP	0	8.45	1250	16	--	--	--
81G038 -35+60IP	0	9.55	1400	25	--	--	--
81G039 -35+60IP	0	7.95	1100	25	--	--	--
81G040 -35+60IP	0	13.00	1650	120	--	--	--
81G041 -35+60IP	0	9.45	1300	27	--	--	--

Hart Buchler

Certified by





End Feb 23/82

CREMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8114668-001-A
INVOICE # : I8114668
DATE : 02-NOV-81
P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Weight g					
81G00X -35+60IP	0	1.45	--	--	--	--	--
81G001 -35+60IP	0	0.88	--	--	--	--	--
81G002 -35+60IP	0	0.24	--	--	--	--	--
81G003 -35+60IP	0	1.90	--	--	--	--	--
81G004 -35+60IP	0	3.36	--	--	--	--	--
81G0048-35+60IP	0	7.25	--	--	--	--	--
81G005 -35+60IP	0	0.38	--	--	--	--	--
81G006 -35+60IP	0	2.01	--	--	--	--	--
81G007 -35+60IP	0	3.24	--	--	--	--	--
81G008 -35+60IP	0	18.50	--	--	--	--	--
81G0088-35+60IP	0	0.45	--	--	--	--	--
81G009 -35+60IP	0	2.97	--	--	--	--	--
81G010 -35+60IP	0	1.13	--	--	--	--	--
81G011 -35+60IP	0	6.35	--	--	--	--	--
81G012 -35+60IP	0	3.65	--	--	--	--	--
81G013 -35+60IP	0	13.94	--	--	--	--	--
81G014 -35+60IP	0	13.45	--	--	--	--	--
81G015 -35+60IP	0	6.02	--	--	--	--	--
81G016 -35+60IP	0	9.67	--	--	--	--	--
81G017 -35+60IP	0	4.58	--	--	--	--	--
81G018 -35+60IP	0	6.26	--	--	--	--	--
81G019 -35+60IP	0	0.99	--	--	--	--	--
81G020 -35+60IP	0	0.79	--	--	--	--	--
81G021 -35+60IP	0	0.48	--	--	--	--	--
81G022 -35+60IP	0	4.42	--	--	--	--	--
81G023 -35+60IP	0	11.45	--	--	--	--	--
81G024 -35+60IP	0	2.49	--	--	--	--	--
81G025 -35+60IP	0	6.00	--	--	--	--	--
81G030 -35+60IP	0	18.85	--	--	--	--	--
81G031 -35+60IP	0	3.00	--	--	--	--	--
81G032 -35+60IP	0	11.76	--	--	--	--	--
81G033 -35+60IP	0	28.60	--	--	--	--	--
81G034 -35+60IP	0	22.94	--	--	--	--	--
81G035 -35+60IP	0	14.63	--	--	--	--	--
81G036 -35+60IP	0	4.88	--	--	--	--	--
81G037 -35+60IP	0	5.81	--	--	--	--	--
81G038 -35+60IP	0	4.21	--	--	--	--	--
81G039 -35+60IP	0	10.41	--	--	--	--	--
81G040 -35+60IP	0	4.28	--	--	--	--	--
81G041 -35+60IP	0	11.83	--	--	--	--	--



Registered Assayer, Province of British Columbia



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

E- Feb 28/82
ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8114668-002-A
INVOICE # : I8114668
DATE : 02-NOV-81
P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G042 -35+60IP	0	21	1	20	208	0.1	0.2
81G043 -35+60IP	0	96	2	80	860	0.2	0.2
81G047 -35+60IP	0	25	1	31	130	0.1	0.1
81G049 -35+60IP	0	6	2	20	210	0.2	0.2
81G050 -35+60IP	0	8	2	20	150	0.2	0.2
81G064 -35+60IP	0	20	1	7	115	0.1	0.2
81G065 -35+60IP	0	13	1	5	100	0.1	0.1
81G066 -35+60IP	0	25	1	11	136	0.1	0.1
81G067 -35+60IP	0	20	1	4	112	0.1	0.1
81G068 -35+60IP	0	25	1	1	64	0.1	0.1
81G069 -35+60IP	0	11	1	2	100	0.1	0.1
81G070 -35+60IP	0	20	1	1	97	0.1	0.1
81G071 -35+60IP	0	26	1	1	70	0.1	0.1
81G072 -35+60IP	0	61	1	6	72	0.1	0.1
81G073 -35+60IP	0	33	1	4	111	0.1	0.4
81G074 -35+60IP	0	54	2	2	73	0.1	0.1
81G075 -35+60IP	0	67	1	2	105	0.1	0.1
81G076 -35+60IP	0	55	2	7	168	0.1	0.1
81G077 -35+60IP	0	17	1	1	43	0.1	0.1
81G078 -35+60IP	0	46	1	2	128	0.1	0.1
81G080 -35+60IP	0	95	1	10	208	0.2	0.2
81G082 -35+60IP	0	49	2	2	165	0.1	0.1
81G083 -35+60IP	0	18	2	1	53	0.1	0.1
81G084 -35+60IP	0	26	2	3	118	0.1	0.7
81G085 -35+60IP	0	85	2	50	340	0.1	0.1
81G087 -35+60IP	0	400	27	36	2200	0.5	5.7
81G088 -35+60IP	0	27	1	6	110	0.1	0.1
81G089 -35+60IP	0	26	1	7	160	0.1	0.4
81G091 -35+60IP	0	175	9	46	970	0.2	1.4
81G092 -35+60IP	0	135	8	28	1800	0.2	5.0
81G094 -35+60IP	0	42	1	7	100	0.1	0.1
81G095 -35+60IP	0	21	1	2	55	0.1	0.1
81G096 -35+60IP	0	29	1	10	172	0.1	0.2
81G098 -35+60IP	0	41	2	25	163	0.1	0.1
81G099 -35+60IP	0	14	1	14	60	0.1	0.1
81G100 -35+60IP	0	26	1	10	66	0.1	0.1
81G101 -35+60IP	0	15	1	29	76	0.1	0.1
81G102 -35+60IP	0	14	1	17	72	0.1	0.1
81G103 -35+60IP	0	8	1	8	88	0.1	0.1
81G104 -35+60IP	0	4	1	22	32	0.1	0.2



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8114668-002-B
INVOICE # : I8114668
DATE : 02-NOV-81
P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G042 -35+60IP	0	9.00	1350	36	--	--	--
81G043 -35+60IP	0	14.70	1580	100	--	--	--
81G047 -35+60IP	0	5.30	590	11	--	--	--
81G049 -35+60IP	0	6.70	880	8	--	--	--
81G050 -35+60IP	0	6.30	860	10	--	--	--
81G064 -35+60IP	0	5.60	980	6	--	--	--
81G065 -35+60IP	0	4.85	780	4	--	--	--
81G066 -35+60IP	0	6.20	1050	9	--	--	--
81G067 -35+60IP	0	6.00	1000	6	--	--	--
81G068 -35+60IP	0	4.05	755	4	--	--	--
81G069 -35+60IP	0	4.60	710	6	--	--	--
81G070 -35+60IP	0	4.65	930	5	--	--	--
81G071 -35+60IP	0	4.05	610	2	--	--	--
81G072 -35+60IP	0	4.70	705	11	--	--	--
81G073 -35+60IP	0	6.10	950	7	--	--	--
81G074 -35+60IP	0	4.85	730	4	--	--	--
81G075 -35+60IP	0	6.95	1100	6	--	--	--
81G076 -35+60IP	0	6.65	1400	13	--	--	--
81G077 -35+60IP	0	2.75	390	2	--	--	--
81G078 -35+60IP	0	5.20	1025	6	--	--	--
81G080 -35+60IP	0	8.55	1900	7	--	--	--
81G082 -35+60IP	0	8.45	1600	9	--	--	--
81G083 -35+60IP	0	3.90	750	3	--	--	--
81G084 -35+60IP	0	5.35	810	7	--	--	--
81G085 -35+60IP	0	13.00	950	39	--	--	--
81G087 -35+60IP	0	22.20	5550	209	--	--	--
81G088 -35+60IP	0	4.20	550	9	--	--	--
81G089 -35+60IP	0	5.00	850	7	--	--	--
81G091 -35+60IP	0	17.00	2650	100	--	--	--
81G092 -35+60IP	0	20.00	1100	90	--	--	--
81G094 -35+60IP	0	5.75	820	17	--	--	--
81G095 -35+60IP	0	3.90	540	11	--	--	--
81G096 -35+60IP	0	7.50	1100	14	--	--	--
81G098 -35+60IP	0	6.10	1000	25	--	--	--
81G099 -35+60IP	0	3.20	590	7	--	--	--
81G100 -35+60IP	0	3.25	570	11	--	--	--
81G101 -35+60IP	0	3.75	705	12	--	--	--
81G102 -35+60IP	0	3.45	610	9	--	--	--
81G103 -35+60IP	0	4.05	570	6	--	--	--
81G104 -35+60IP	0	2.10	415	6	--	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


CERTIFICATE OF ASSAY

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8114668-002-A
 INVOICE # : I8114668
 DATE : 02-NOV-81
 P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Weight g					
81G042 -35+60IP	0	2.98	--	--	--	--	--
81G043 -35+60IP	0	1.86	--	--	--	--	--
81G047 -35+60IP	0	9.64	--	--	--	--	--
81G049 -35+60IP	0	1.75	--	--	--	--	--
81G050 -35+60IP	0	1.37	--	--	--	--	--
81G064 -35+60IP	0	22.12	--	--	--	--	--
81G065 -35+60IP	0	8.71	--	--	--	--	--
81G066 -35+60IP	0	28.15	--	--	--	--	--
81G067 -35+60IP	0	23.73	--	--	--	--	--
81G068 -35+60IP	0	94.99	--	--	--	--	--
81G069 -35+60IP	0	9.25	--	--	--	--	--
81G070 -35+60IP	0	52.78	--	--	--	--	--
81G071 -35+60IP	0	211.32	--	--	--	--	--
81G072 -35+60IP	0	38.05	--	--	--	--	--
81G073 -35+60IP	0	14.37	--	--	--	--	--
81G074 -35+60IP	0	82.86	--	--	--	--	--
81G075 -35+60IP	0	26.38	--	--	--	--	--
81G076 -35+60IP	0	21.68	--	--	--	--	--
81G077 -35+60IP	0	63.88	--	--	--	--	--
81G078 -35+60IP	0	13.63	--	--	--	--	--
81G080 -35+60IP	0	5.08	--	--	--	--	--
81G082 -35+60IP	0	3.21	--	--	--	--	--
81G083 -35+60IP	0	26.88	--	--	--	--	--
81G084 -35+60IP	0	8.19	--	--	--	--	--
81G085 -35+60IP	0	11.97	--	--	--	--	--
81G087 -35+60IP	0	0.86	--	--	--	--	--
81G088 -35+60IP	0	5.60	--	--	--	--	--
81G089 -35+60IP	0	7.19	--	--	--	--	--
81G091 -35+60IP	0	1.99	--	--	--	--	--
81G092 -35+60IP	0	2.19	--	--	--	--	--
81G094 -35+60IP	0	5.83	--	--	--	--	--
81G095 -35+60IP	0	14.73	--	--	--	--	--
81G096 -35+60IP	0	24.13	--	--	--	--	--
81G098 -35+60IP	0	7.08	--	--	--	--	--
81G099 -35+60IP	0	143.16	--	--	--	--	--
81G100 -35+60IP	0	52.30	--	--	--	--	--
81G101 -35+60IP	0	17.33	--	--	--	--	--
81G102 -35+60IP	0	14.54	--	--	--	--	--
81G103 -35+60IP	0	11.63	--	--	--	--	--
81G104 -35+60IP	0	4.10	--	--	--	--	--



.....
 Registered Assayer, Province of British Columbia



E-Feb 23/82
L

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8114668-003-A
INVOICE # : I8114668
DATE : 02-NOV-81
P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G105 -35+60IP	0	14	1	12	120	0.1	0.2
81G106 -35+60IP	0	12	2	4	280	0.2	0.4
81G107 -35+60IP	0	28	1	13	100	0.2	0.1
81G108 -35+60IP	0	19	1	10	126	0.1	0.1
81G109 -35+60IP	0	19	1	11	142	0.1	0.1
81G110 -35+60IP	0	10	1	8	160	0.1	0.1
81G111 -35+60IP	0	26	1	2	93	0.1	0.1
81G112 -35+60IP	0	46	1	1	60	0.1	0.1
81G113 -35+60IP	0	25	1	1	77	0.1	0.1
81G114 -35+60IP	0	26	2	15	218	0.1	0.8
81G115 -35+60IP	0	34	1	11	235	0.2	0.6
81G116 -35+60IP	0	37	1	3	160	0.1	0.2
81G117 -35+60IP	0	200	7	21	730	0.5	4.4
81G118 -35+60IP	0	17	1	2	365	0.1	1.2
81G119 -35+60IP	0	26	1	4	218	0.1	0.3
81G121 -35+60IP	0	20	2	6	119	0.1	0.1
81G122 -35+60IP	0	32	2	2	108	0.1	0.1
81G123 -35+60IP	0	28	1	2	89	0.1	0.1
81G124 -35+60IP	0	34	1	4	96	0.1	0.1
81G125 -35+60IP	0	47	1	13	162	0.1	0.2
81G127 -35+60IP	0	26	1	6	100	0.1	0.1
81G128 -35+60IP	0	26	1	1	118	0.1	0.1
81G129 -35+60IP	0	46	1	12	200	0.1	0.4
81G130 -35+60IP	0	27	1	8	215	0.1	0.3
81G131 -35+60IP	0	29	2	1	135	0.1	0.3
81G132 -35+60IP	0	45	1	8	118	0.1	0.1
81G133 -35+60IP	0	28	2	2	90	0.1	0.1
81G134 -35+60IP	0	52	2	11	185	0.1	0.6
81G135 -35+60IP	0	33	1	6	123	0.1	0.2
81G137 -35+60IP	0	66	10	22	4600	0.2	12.6
81G138 -35+60IP	0	180	3	21	370	0.1	0.2
81G139 -35+60IP	0	64	2	17	345	0.2	1.3
81G141 -35+60IP	0	72	6	14	420	0.2	1.0
81G142 -35+60IP	0	27	1	7	165	0.1	0.2
81G143 -35+60IP	0	37	2	10	205	0.1	0.1
81G144 -35+60IP	0	14	1	5	150	0.1	0.4
81G145 -35+60IP	0	12	1	2	122	0.1	0.1
81G146 -35+60IP	0	40	1	5	138	0.1	0.2
81G147 -35+60IP	0	440	78	250	3600	4.5	16.0
81G148 -35+60IP	0	105	3	49	555	0.1	1.2

Certified by *Hart Buchler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CREMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8114668-003-B
 INVOICE # : I8114668
 DATE : 02-NOV-81
 P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G105 -35+60IP	0	3.70	710	11	--	--	--
81G106 -35+60IP	0	6.00	2950	60	--	--	--
81G107 -35+60IP	0	4.25	710	19	--	--	--
81G108 -35+60IP	0	3.80	860	24	--	--	--
81G109 -35+60IP	0	4.90	1200	22	--	--	--
81G110 -35+60IP	0	4.20	820	11	--	--	--
81G111 -35+60IP	0	4.10	760	7	--	--	--
81G112 -35+60IP	0	4.35	670	3	--	--	--
81G113 -35+60IP	0	4.85	870	4	--	--	--
81G114 -35+60IP	0	6.20	870	11	--	--	--
81G115 -35+60IP	0	4.80	690	7	--	--	--
81G116 -35+60IP	0	5.60	900	9	--	--	--
81G117 -35+60IP	0	10.00	1250	48	--	--	--
81G118 -35+60IP	0	6.20	1200	30	--	--	--
81G119 -35+60IP	0	5.85	940	22	--	--	--
81G121 -35+60IP	0	5.05	640	6	--	--	--
81G122 -35+60IP	0	5.45	785	5	--	--	--
81G123 -35+60IP	0	5.40	810	4	--	--	--
81G124 -35+60IP	0	5.35	860	7	--	--	--
81G125 -35+60IP	0	6.90	905	16	--	--	--
81G127 -35+60IP	0	4.15	550	10	--	--	--
81G128 -35+60IP	0	4.90	700	6	--	--	--
81G129 -35+60IP	0	7.40	1150	15	--	--	--
81G130 -35+60IP	0	6.85	925	7	--	--	--
81G131 -35+60IP	0	6.50	950	7	--	--	--
81G132 -35+60IP	0	6.15	915	7	--	--	--
81G133 -35+60IP	0	5.95	860	6	--	--	--
81G134 -35+60IP	0	8.30	1400	19	--	--	--
81G135 -35+60IP	0	7.00	940	10	--	--	--
81G137 -35+60IP	0	12.70	1820	50	--	--	--
81G138 -35+60IP	0	12.00	4000	20	--	--	--
81G139 -35+60IP	0	9.15	1400	16	--	--	--
81G141 -35+60IP	0	9.70	1600	22	--	--	--
81G142 -35+60IP	0	5.70	875	7	--	--	--
81G143 -35+60IP	0	6.30	920	14	--	--	--
81G144 -35+60IP	0	5.75	930	11	--	--	--
81G145 -35+60IP	0	4.95	790	4	--	--	--
81G146 -35+60IP	0	6.10	915	7	--	--	--
81G147 -35+60IP	0	18.00	1250	400	--	--	--
81G148 -35+60IP	0	9.90	1200	95	--	--	--



Certified by *Hart Bichler*



CREMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


CERTIFICATE OF ASSAY

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8114668-003-A
 INVOICE # : I8114668
 DATE : 02-NOV-81
 P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Weight g					
81G105 -35+60IP	0	27.69	--	--	--	--	--
81G106 -35+60IP	0	0.45	--	--	--	--	--
81G107 -35+60IP	0	15.22	--	--	--	--	--
81G108 -35+60IP	0	25.26	--	--	--	--	--
81G109 -35+60IP	0	12.57	--	--	--	--	--
81G110 -35+60IP	0	17.37	--	--	--	--	--
81G111 -35+60IP	0	35.97	--	--	--	--	--
81G112 -35+60IP	0	349.72	--	--	--	--	--
81G113 -35+60IP	0	271.78	--	--	--	--	--
81G114 -35+60IP	0	13.64	--	--	--	--	--
81G115 -35+60IP	0	104.57	--	--	--	--	--
81G116 -35+60IP	0	22.18	--	--	--	--	--
81G117 -35+60IP	0	4.81	--	--	--	--	--
81G118 -35+60IP	0	13.76	--	--	--	--	--
81G119 -35+60IP	0	22.64	--	--	--	--	--
81G121 -35+60IP	0	15.65	--	--	--	--	--
81G122 -35+60IP	0	47.18	--	--	--	--	--
81G123 -35+60IP	0	29.90	--	--	--	--	--
81G124 -35+60IP	0	25.83	--	--	--	--	--
81G125 -35+60IP	0	12.94	--	--	--	--	--
81G127 -35+60IP	0	33.22	--	--	--	--	--
81G128 -35+60IP	0	109.49	--	--	--	--	--
81G129 -35+60IP	0	4.44	--	--	--	--	--
81G130 -35+60IP	0	7.26	--	--	--	--	--
81G131 -35+60IP	0	19.00	--	--	--	--	--
81G132 -35+60IP	0	88.10	--	--	--	--	--
81G133 -35+60IP	0	37.66	--	--	--	--	--
81G134 -35+60IP	0	9.49	--	--	--	--	--
81G135 -35+60IP	0	21.07	--	--	--	--	--
81G137 -35+60IP	0	1.70	--	--	--	--	--
81G138 -35+60IP	0	15.00	--	--	--	--	--
81G139 -35+60IP	0	4.05	--	--	--	--	--
81G141 -35+60IP	0	1.50	--	--	--	--	--
81G142 -35+60IP	0	26.03	--	--	--	--	--
81G143 -35+60IP	0	9.98	--	--	--	--	--
81G144 -35+60IP	0	11.25	--	--	--	--	--
81G145 -35+60IP	0	15.29	--	--	--	--	--
81G146 -35+60IP	0	9.17	--	--	--	--	--
81G147 -35+60IP	0	13.86	--	--	--	--	--
81G148 -35+60IP	0	10.00	--	--	--	--	--



.....
 Registered Assayer, Province of British Columbia

24FEB82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 1

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
----------------	--------------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8114668-002-A

81G0084	2222	8.19 ✓	26.00 ✓	3.00 ✓	118.00 ✓ .70 ✓	810.00 ✓	2.00 ✓	.10 ✓ 5.35 ✓	7.00 ✓	
--------------------	------	--------	---------	--------	-------------------	----------	--------	-----------------	--------	--

**THIS DATA WAS ENTERED BY: LYNNT .EXPLORE POSTED AT: 13:15:55

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114668-002-A								
81G0085	2222	11.97 ✓	85.00 ✓	50.00 ✓	340.00 ✓ .10 ✓	950.00 ✓	2.00 ✓	.10 ✓ 13.00 ✓	39.00 ✓	
81G0087	2222	.86 ✓	400.00 ✓	36.00 ✓	2,200.00 ✓ 5.70 ✓	5,550.00 ✓	27.00 ✓	.50 ✓ 22.20 ✓	209.00 ✓	
81G0088	2222	5.60 ✓	27.00 ✓	6.00 ✓	110.00 ✓ .10 ✓	550.00 ✓	1.00 ✓	.10 ✓ 4.20 ✓	9.00 ✓	
81G0089	2222	7.19 ✓	26.00 ✓	7.00 ✓	160.00 ✓ .40 ✓	850.00 ✓	1.00 ✓	.10 ✓ 5.00 ✓	7.00 ✓	
81G0091	2222	1.99 ✓	175.00 ✓	46.00 ✓	970.00 ✓ 1.40 ✓	2,650.00 ✓	9.00 ✓	.20 ✓ 17.00 ✓	100.00 ✓	
81G0092	2222	2.19 ✓	135.00 ✓	28.00 ✓	1,800.00 ✓ 5.00 ✓	1,100.00 ✓	8.00 ✓	.20 ✓ 20.00 ✓	90.00 ✓	
81G0094	2222	5.83 ✓	42.00 ✓	7.00 ✓	100.00 ✓ .10 ✓	820.00 ✓	1.00 ✓	.10 ✓ 5.75 ✓	17.00 ✓	
81G0095	2222	14.73 ✓	21.00 ✓	2.00 ✓	55.00 ✓ .10 ✓	540.00 ✓	1.00 ✓	.10 ✓ 3.90 ✓	11.00 ✓	
81G0096	2222	24.13 ✓	29.00 ✓	10.00 ✓	172.00 ✓ .20 ✓	1,100.00 ✓	1.00 ✓	.10 ✓ 7.50 ✓	14.00 ✓	
81G0098	2222	7.08 ✓	41.00 ✓	25.00 ✓	163.00 ✓ .10 ✓	1,000.00 ✓	2.00 ✓	.10 ✓ 6.10 ✓	25.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
----------------	--------------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8114668-002-A

81G0099	2222	143.16 ✓	14.00 ✓	14.00 ✓	60.00 ✓ .10 ✓	590.00 ✓	1.00 ✓	.10 ✓ 3.20 ✓	7.00 ✓	
81G0100	2222	52.30 ✓	26.00 ✓	10.00 ✓	66.00 ✓ .10 ✓	570.00 ✓	1.00 ✓	.10 ✓ 3.25 ✓	11.00 ✓	
81G0101	2222	17.33 ✓	15.00 ✓	29.00 ✓	76.00 ✓ .10 ✓	705.00 ✓	1.00 ✓	.10 ✓ 3.75 ✓	12.00 ✓	
81G0102	2222	14.54 ✓	14.00 ✓	17.00 ✓	72.00 ✓ .10 ✓	610.00 ✓	1.00 ✓	.10 ✓ 3.45 ✓	9.00 ✓	
81G0103	2222	11.63 ✓	8.00 ✓	8.00 ✓	88.00 ✓ .10 ✓	570.00 ✓	1.00 ✓	.10 ✓ 4.05 ✓	6.00 ✓	
81G0104	2222	4.10 ✓	4.00 ✓	22.00 ✓	32.00 ✓ .20 ✓	415.00 ✓	1.00 ✓	.10 ✓ 2.10 ✓	6.00 ✓	
81G0105	2222	27.69 ✓	14.00 ✓	12.00 ✓	120.00 ✓ .20 ✓	710.00 ✓	1.00 ✓	.10 ✓ 3.70 ✓	11.00 ✓	
81G0106	2222	.45 ✓	12.00 ✓	4.00 ✓	280.00 ✓ .40 ✓	2,950.00 ✓	2.00 ✓	.20 ✓ 6.00 ✓	60.00 ✓	
81G0107	2222	15.22 ✓	28.00 ✓	13.00 ✓	100.00 ✓ .10 ✓	710.00 ✓	1.00 ✓	.20 ✓ 4.25 ✓	19.00 ✓	
81G0108	2222	25.26 ✓	19.00 ✓	10.00 ✓	126.00 ✓ .10 ✓	860.00 ✓	1.00 ✓	.10 ✓ 3.80 ✓	24.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8114668-002-A

81G0109	2222	12.57 ✓	19.00 ✓	11.00 ✓	142.00 ✓ .10 ✓	1,200.00 ✓	1.00 ✓	.10 ✓ 4.90 ✓	22.00 ✓	
81G0110	2222	17.37 ✓	10.00 ✓	8.00 ✓	160.00 ✓ .10 ✓	820.00 ✓	1.00 ✓	.10 ✓ 4.20 ✓	11.00 ✓	
81G0111	2222	35.97 ✓	26.00 ✓	2.00 ✓	93.00 ✓ .10 ✓	760.00 ✓	1.00 ✓	.10 ✓ 4.10 ✓	7.00 ✓	
81G0112	2222	349.72 ✓	46.00 ✓	1.00 ✓	60.00 ✓ .10 ✓	670.00 ✓	1.00 ✓	.10 ✓ 4.35 ✓	3.00 ✓	
81G0113	2222	271.78 ✓	25.00 ✓	1.00 ✓	77.00 ✓ .10 ✓	970.00 ✓	1.00 ✓	.10 ✓ 4.85 ✓	4.00 ✓	
81G0114	2222	13.64 ✓	26.00 ✓	15.00 ✓	218.00 ✓ .80 ✓	870.00 ✓	2.00 ✓	.10 ✓ 6.20 ✓	11.00 ✓	
81G0115	2222	104.57 ✓	34.00 ✓	11.00 ✓	235.00 ✓ .60 ✓	690.00 ✓	1.00 ✓	.20 ✓ 4.80 ✓	7.00 ✓	
81G0116	2222	22.18 ✓	37.00 ✓	3.00 ✓	160.00 ✓ .20 ✓	900.00 ✓	1.00 ✓	.10 ✓ 5.60 ✓	9.00 ✓	
81G0117	2222	4.81 ✓	200.00 ✓	21.00 ✓	730.00 ✓ 4.40 ✓	1,250.00 ✓	7.00 ✓	.50 ✓ 10.00 ✓	48.00 ✓	
81G0118	2222	13.76 ✓	17.00 ✓	2.00 ✓	365.00 ✓ 1.20 ✓	1,200.00 ✓	1.00 ✓	.10 ✓ 6.20 ✓	30.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
----------------	--------------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8114668-002-A

81G0119	2222	22.64	26.00	4.00	218.00 .30	940.00	1.00	.10 5.85	22.00	
81G0121	2222	15.65	20.00	6.00	119.00 .10	640.00	2.00	.10 5.05	6.00	
81G0122	2222	47.18	32.00	2.00	108.00 .10	785.00	2.00	.10 5.45	5.00	
81G0123	2222	29.90	28.00	2.00	89.00 .10	810.00	1.00	.10 5.40	4.00	
81G0124	2222	25.83	34.00	4.00	96.00 .10	860.00	1.00	.10 5.35	7.00	
81G0125	2222	12.94	47.00	13.00	162.00 .20	905.00	1.00	.10 6.90	16.00	
81G0127	2222	33.22	26.00	6.00	100.00 .10	550.00	1.00	.10 4.15	10.00	
81G0128	2222	109.49	26.00	1.00	118.00 .10	700.00	1.00	.10 4.90	6.00	
81G0129	2222	4.44	46.00	12.00	200.00 .40	1,150.00	1.00	.10 7.40	15.00	
81G0130	2222	7.26	27.00	8.00	215.00 .30	925.00	1.00	.10 6.85	7.00	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
----------------	--------------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8114668-002-A

81G0131	2222	19.00	29.00	1.00	135.00 .30	950.00	2.00	.10 6.50	7.00	
81G0132	2222	88.10	45.00	8.00	118.00 .10	915.00	1.00	.10 6.15	7.00	
81G0133	2222	37.66	28.00	2.00	90.00 .10	860.00	2.00	.10 5.95	6.00	
81G0134	2222	9.49	52.00	11.00	185.00 .60	1,400.00	2.00	.10 8.30	19.00	
81G0135	2222	21.07	33.00	6.00	123.00 .20	940.00	1.00	.10 7.00	10.00	
81G0137	2222	1.70	66.00	22.00	4,600.00 12.60	1,820.00	10.00	.20 12.70	50.00	
81G0138	2222	15.00	180.00	21.00	370.00 .20	4,000.00	3.00	.10 12.00	20.00	
81G0139	2222	4.05	64.00	17.00	345.00 1.30	1,400.00	2.00	.20 9.15	16.00	
81G0141	2222	1.50	72.00	14.00	420.00 1.00	1,600.00	6.00	.20 9.70	22.00	
81G0142	2222	26.03	27.00	7.00	165.00 .20	875.00	1.00	.10 5.70	7.00	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114668-002-A								
81G0143	2222	9.98	37.00	10.00	205.00 .10	920.00	2.00	.10 6.30	14.00	
81G0144	2222	11.25	14.00	5.00	150.00 .40	930.00	1.00	.10 5.75	11.00	
91G0145	2222	15.29	12.00	2.00	122.00 .10	790.00	1.00	.10 4.95	4.00	
81G0146	2222	9.17	40.00	5.00	138.00 .20	915.00	1.00	.10 6.10	7.00	
81G0147	2222	13.86	440.00	250.00	3,600.00 16.00	1,250.00	78.00	4.50 18.00	400.00	
81G0148	2222	10.00	105.00	49.00	555.00 1.20	1,200.00	3.00	.10 9.90	95.00	

**THIS DATA WAS ENTERED BY: LYNNT .EXPLORE POSTED AT: 13:31:57

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114668-001-A								
81G000X	2222	1.45 ✓	32.00 ✓	26.00 ✓	316.00 ✓ .60 ✓	1,200.00 ✓	2.00 ✓	.20 ✓ 8.40 ✓	44.00 ✓	
81G0001	2222	.88 ✓	61.00 ✓	255.00 ✓	625.00 ✓ .20 ✓	840.00 ✓	2.00 ✓	1.10 ✓ 8.50 ✓	86.00 ✓	
81G0002	2222	.24 ✓	75.00 ✓	233.00 ✓	565.00 ✓ .60 ✓	835.00 ✓	4.00 ✓	3.30 ✓ 10.00 ✓	88.00 ✓	
81G0003	2222	1.90 ✓	10.00 ✓	18.00 ✓	195.00 ✓ .10 ✓	600.00 ✓	2.00 ✓	.20 ✓ 5.65 ✓	24.00 ✓	
81G0004	2222	3.36 ✓	35.00 ✓	27.00 ✓	325.00 ✓ .40 ✓	1,150.00 ✓	5.00 ✓	.10 ✓ 8.50 ✓	39.00 ✓	
81G0004B	2222	7.25 ✓	43.0 ✓	31.0 ✓	335.0 ✓ 0.5 ✓	1150 ✓	5.00 ✓	0.2 ✓ 9.85 ✓	53.0 ✓	
81G0005	2222	.38 ✓	9.00 ✓	5.00 ✓	85.00 ✓ .10 ✓	330.00 ✓	4.00 ✓	.10 ✓ 2.70 ✓	15.00 ✓	
81G0006	2222	2.01 ✓	80.00 ✓	875.00 ✓	4,900.00 ✓ 7.00 ✓	6,000.00 ✓	15.00 ✓	1.00 ✓ 55.00 ✓	525.00 ✓	
81G0007	2222	3.24 ✓	95.00 ✓	7.00 ✓	178.00 ✓ .20 ✓	865.00 ✓	2.00 ✓	.10 ✓ 9.00 ✓	15.00 ✓	
81G0008	2222	18.50 ✓	65.00 ✓	39.00 ✓	390.00 ✓ .80 ✓	995.00 ✓	5.00 ✓	.10 ✓ 14.00 ✓	50.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------	----------	------	-------	-------	-------	-------	-------	-------

LAB: CHEMEX CERTIFICATE: AB114668-001-A

81C0088	2222	.45 ✓	50.0	23.0	137.0 0.4	1200	5.00	0.7 14.10	50.0	
81C0009	2222	2.97 ✓	77.00 ✓	54.00 ✓	392.00 ✓ .70 ✓	1,075.00 ✓	5.00 ✓	.10 ✓ 11.00 ✓	59.00 ✓	
81C0010	2222	1.13 ✓	38.00 ✓	12.00 ✓	252.00 ✓ .20 ✓	1,010.00 ✓	4.00 ✓	.20 ✓ 8.10 ✓	30.00 ✓	
81C0011	2222	6.35 ✓	52.00 ✓	70.00 ✓	235.00 ✓ .10 ✓	1,100.00 ✓	1.00 ✓	.10 ✓ 9.50 ✓	57.00 ✓	
81C0012	2222	3.65 ✓	37.0	45.0	340.0 0.1	1200 935.0	2.00	0.1 9.4	29.0	
81C0013	2222	13.94 ✓	80.00 ✓	51.00 ✓	405.00 ✓ .20 ✓	1,100.00 ✓	2.00 ✓	.10 ✓ 13.00 ✓	170.00 ✓	
81C0014	2222	13.45 ✓	210.00 ✓	10.00 ✓	1,000.00 ✓ 2.80 ✓	1,100.00 ✓	24.00 ✓	.40 ✓ 16.00 ✓	57.00 ✓	
81C0015	2222	6.02 ✓	175.00 ✓	33.00 ✓	373.00 ✓ 1.10 ✓	1,125.00 ✓	11.00 ✓	.40 ✓ 13.00 ✓	83.00 ✓	
81C0016	2222	9.67 ✓	53.00 ✓	26.00 ✓	365.00 ✓ .50 ✓	1,100.00 ✓	3.00 ✓	.10 ✓ 10.00 ✓	53.00 ✓	
81C0017	2222	4.58 ✓	83.00 ✓	26.00 ✓	385.00 ✓ .60 ✓	1,250.00 ✓	5.00 ✓	.10 ✓ 11.00 ✓	79.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114668-001-A								
81G0018	2222	6.26 /	50.00 /	28.00 /	365.00 / .40 /	1,200.00 /	1.00 /	.10 / 11.00 /	45.00 /	
81G0019	2222	.99 /	11.00 /	13.00 /	184.00 / .20 /	1,120.00 /	2.00 /	.20 / 7.44 /	13.00 /	
81G0020	2222	.79 /	8.00 /	8.00 /	139.00 / .20 /	910.00 /	3.00 /	.20 / 5.90 /	8.00 /	
81G0021	2222	.48 /	52.00 /	32.00 /	332.00 / .30 /	1,260.00 /	8.00 /	.30 / 10.80 /	48.00 /	
81G0022	2222	4.42 /	50.00 /	13.00 /	152.00 / .10 /	825.00 /	1.00 /	.10 / 5.95 /	36.00 /	
81G0023	2222	11.45 /	22.00 /	38.00 /	142.00 / .10 /	840.00 /	1.00 /	.10 / 5.85 /	23.00 /	
81G0024	2222	2.49 /	32.00 /	25.00 /	262.00 / .10 /	1,500.00 /	1.00 /	.10 / 10.00 /	24.00 /	
81G0025	2222	6.00 /	44.00 /	32.00 /	300.00 / .40 /	1,150.00 /	1.00 /	.10 / 11.00 /	55.00 /	
81G0030	2222	18.85 /	29.00 /	16.00 /	147.00 / .30 /	985.00 /	1.00 /	.10 / 7.15 /	17.00 /	
81G0031	2222	3.00 /	18.00 /	128.00 /	950.00 / 1.20 /	1,150.00 /	2.00 /	.50 / 9.70 /	180.00 /	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
----------------	--------------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8114668-001-A

81G0032	2222	11.76 ✓	54.00 ✓	17.00 ✓	940.00 ✓ 1.80 ✓	2,000.00 -	3.00 ✓	.10 ✓ 11.00 ✓	46.00 ✓	
81G0033	2222	28.60 ✓	92.00 ✓	13.00 ✓	650.00 ✓ 1.40 ✓	1,900.00 ✓	1.00 ✓	.10 ✓ 13.00 ✓	61.00 ✓	
81G0034	2222	22.94 ✓	44.00 ✓	15.00 ✓	570.00 ✓ .50 ✓	1,200.00 ✓	1.00 ✓	.20 ✓ 12.00 ✓	35.00 ✓	
81G0035	2222	14.63 ✓	80.00 ✓	22.00 ✓	155.00 ✓ .20 ✓	1,050.00 ✓	1.00 ✓	.30 ✓ 13.00 ✓	29.00 ✓	
81G0036	2222	4.88 ✓	34.00 ✓	16.00 ✓	225.00 ✓ .20 ✓	1,800.00 ✓	1.00 ✓	.10 ✓ 10.00 ✓	30.00 ✓	
81G0037	2222	5.81 ✓	10.00 ✓	36.00 ✓	188.00 ✓ .70 ✓	1,250.00 ✓	1.00 ✓	.10 ✓ 8.45 ✓	16.00 ✓	
81G0038	2222	4.21 ✓	25.00 ✓	11.00 ✓	212.00 ✓ .20 ✓	1,400.00 ✓	1.00 ✓	.10 ✓ 9.55 ✓	25.00 ✓	
81G0039	2222	10.41 ✓	30.00 ✓	14.00 ✓	182.00 ✓ .40 ✓	1,100.00 ✓	1.00 ✓	.10 ✓ 7.95 ✓	25.00 ✓	
81G0040	2222	4.28 ✓	94.00 ✓	120.00 ✓	925.00 ✓ .10 ✓	1,650.00 ✓	4.00 ✓	.10 ✓ 13.00 ✓	120.00 ✓	
81G0041	2222	11.83 ✓	36.00 ✓	26.00 ✓	235.00 ✓ .20 ✓	1,300.00 ✓	1.00 ✓	.10 ✓ 9.45 ✓	27.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg BI	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------	----------	------	-------	-------	-------	-------	-------	-------

LAB: CHEMEX CERTIFICATE: A8114668-001-A

81G0042	2222	2.98 ✓	21.00 ✓	20.00 ✓	208.00 ✓ .20 ✓	1,350.00 ✓	1.00 ✓	.10 ✓ 9.00 ✓	36.00 ✓	
81G0043	2222	1.86 ✓	96.00 ✓	80.00 ✓	860.00 ✓ .20 ✓	1,580.00 ✓	2.00 ✓	.20 ✓ 14.70 ✓	100.00 ✓	
81G0047	2222	9.64 ✓	25.00 ✓	31.00 ✓	130.00 ✓ .10 ✓	590.00 ✓	1.00 ✓	.10 ✓ 5.30 ✓	11.00 ✓	
81G0049	2222	1.75 ✓	6.00 ✓	20.00 ✓	210.00 ✓ .20 ✓	880.00 ✓	2.00 ✓	.20 ✓ 6.70 ✓	8.00 ✓	
81G0050	2222	1.37 ✓	8.00 ✓	20.00 ✓	150.00 ✓ .20 ✓	860.00 ✓	2.00 ✓	.20 ✓ 6.30 ✓	10.00 ✓	
81G0064	2222	22.12 ✓	20.00 ✓	7.00 ✓	115.00 ✓ .20 ✓	980.00 ✓	1.00 ✓	.10 ✓ 5.60 ✓	6.00 ✓	
81G0065	2222	8.71 ✓	13.00 ✓	5.00 ✓	100.00 ✓ .10 ✓	780.00 ✓	1.00 ✓	.10 ✓ 4.85 ✓	4.00 ✓	
81G0066	2222	28.15 ✓	25.00 ✓	11.00 ✓	136.00 ✓ .10 ✓	1,050.00 ✓	1.00 ✓	.10 ✓ 6.20 ✓	9.00 ✓	
81G0067	2222	23.73 ✓	20.00 ✓	4.00 ✓	112.00 ✓ .10 ✓	1,000.00 ✓	1.00 ✓	.10 ✓ 6.00 ✓	6.00 ✓	
81G0068	2222	94.99 ✓	25.00 ✓	1.00 ✓	64.00 ✓ .10 ✓	755.00 ✓	1.00 ✓	.10 ✓ 4.05 ✓	4.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
----------------	--------------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8114668-001-A

81G0069	2222	9.25	11.00	2.00	100.00 .10	710.00	1.00	.10 4.60	6.00	
81G0070	2222	52.78	20.00	1.00	97.00 .10	930.00	1.00	.10 4.65	5.00	
81G0071	2222	211.32	26.00	1.00	70.00 .10	610.00	1.00	.10 4.05	2.00	
81G0072	2222	38.05	61.00	6.00	72.00 .10	705.00	1.00	.10 4.70	11.00	
81G0073	2222	14.37	33.00	4.00	111.00 .40	950.00	1.00	.10 6.10	7.00	
81G0074	2222	82.86	54.00	2.00	73.00 .10	730.00	2.00	.10 4.85	4.00	
81G0075	2222	26.38	67.00	2.00	105.00 .10	1,100.00	1.00	.10 6.95	6.00	
81G0076	2222	21.68	55.00	7.00	168.00 .10	1,400.00	2.00	.10 6.65	13.00	
81G0077	2222	63.88	17.00	1.00	43.00 .10	390.00	1.00	.10 2.75	2.00	
81G0078	2222	13.63	46.00	2.00	128.00 .10	1,025.00	1.00	.10 5.20	6.00	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: AB114668-001-A

81G0082	2222	5.08 ✓	37	10.0	208.0 0.2	1900	1.0	0.2 8.55	7.0	
81G0082	2222	3.21	49.00	2.00	165.00 .10	1,600.00	2.00	.10 8.45	9.00	
81G0083	2222	26.88	18.00	1.00	53.00 .10	750.00	2.00	.10 3.90	3.00	

**THIS DATA WAS ENTERED BY: LYNNT EXPLORE POSTED AT: 14:03:35