



ENT. MARCH 1/82

CHEMEX LABS LTD.

016150

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

- ANALYTICAL CHEMISTS
- GEOCHEMISTS
- REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8115314-002-A
 INVOICE # : I8115314
 DATE : 09-DEC-81
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0645-35+60IP	0	26	1	14	205	0.1	0.3
81G-0646-35+60IP	0	85	8	23	535	0.1	1.1
81G-0647-35+60IP	0	40	2	4	180	0.2	15.4
81G-0648-35+60IP	0	112	8	26	558	0.1	1.4
81G-0649-35+60IP	0	92	11	22	460	0.1	1.2
81G-0650-35+60IP	0	96	2	36	560	0.2	1.6
81G-0651-35+60IP	0	56	8	26	445	0.1	1.8
81G-0652-35+60IP	0	44	5	28	238	0.1	0.9
81G-0653-35+60IP	0	37	5	15	235	0.1	0.6
81G-0654-35+60IP	0	27	1	13	230	0.1	0.1
81G-0656-35+60IP	0	23	2	10	150	0.1	0.2
81G-0657-35+60IP	0	30	4	13	272	0.1	0.2
81G-0658-35+60IP	0	33	3	12	300	0.1	0.4
81G-0659-35+60IP	0	68	6	28	810	0.2	1.2
81G-0660-35+60IP	0	25	2	10	176	0.1	0.2
81G-0661-35+60IP	0	24	1	13	102	0.1	0.1
81G-0662-35+60IP	0	23	1	14	105	0.1	0.1
81G-0663-35+60IP	0	23	1	13	100	0.1	0.1
81G-0664-35+60IP	0	25	1	12	105	0.1	0.1
81G-0665-35+60IP	0	23	3	18	290	0.1	0.1
81G-0666-35+60IP	0	28	2	16	346	0.2	0.4
81G-0667-35+60IP	0	16	1	14	215	0.1	0.1
81G-0668-35+60IP	0	19	1	16	135	0.1	0.3
81G-0669-35+60IP	0	24	2	12	124	0.1	0.3
81G-0670-35+60IP	0	46	5	14	170	0.1	0.5
81G-0673-35+60IP	0	6	1	10	90	0.1	0.2
81G-0674-35+60IP	0	8	2	12	188	0.2	0.2
81G-0676-35+60IP	0	50	2	12	172	0.2	0.4
81G-0677-35+60IP	0	25	1	10	147	0.1	0.1
81G-0678-35+60IP	0	12	1	13	128	0.1	0.1
81G-0679-35+60IP	0	18	1	12	140	0.1	0.1
81G-0680-35+60IP	0	28	2	24	235	0.2	0.2
81G-0681-35+60IP	0	112	9	31	305	0.1	0.6
81G-0682-35+60IP	0	152	10	48	480	0.1	1.1
81G-0683-35+60IP	0	88	6	86	295	0.1	0.5
81G-0684-35+60IP	0	12	1	17	86	0.3	0.1
81G-0685-35+60IP	0	27	3	13	148	0.1	0.1
81G-0686-35+60IP	0	117	1	80	370	0.1	0.5
81G-0687-35+60IP	0	6	1	20	116	0.1	0.1
81G-0688-35+60IP	0	18	3	23	125	0.1	0.2

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8115314-002-B
INVOICE # : 18115314
DATE : 09-DEC-81
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0645-35+60IP	0	7.75	1700	19	--	--	--
81G-0646-35+60IP	0	12.00	2330	48	--	--	--
81G-0647-35+60IP	0	7.60	>4000	4	--	--	--
81G-0648-35+60IP	0	13.80	1750	40	--	--	--
81G-0649-35+60IP	0	11.80	1680	48	--	--	--
81G-0650-35+60IP	0	12.20	1500	44	--	--	--
81G-0651-35+60IP	0	12.50	1850	40	--	--	--
81G-0652-35+60IP	0	5.85	860	45	--	--	--
81G-0653-35+60IP	0	4.80	800	29	--	--	--
81G-0654-35+60IP	0	9.90	1380	20	--	--	--
81G-0656-35+60IP	0	7.15	1080	9	--	--	--
81G-0657-35+60IP	0	14.00	1350	22	--	--	--
81G-0658-35+60IP	0	7.50	750	14	--	--	--
81G-0659-35+60IP	0	9.80	1450	64	--	--	--
81G-0660-35+60IP	0	6.10	920	14	--	--	--
81G-0661-35+60IP	0	4.55	955	11	--	--	--
81G-0662-35+60IP	0	5.05	935	14	--	--	--
81G-0663-35+60IP	0	4.60	910	12	--	--	--
81G-0664-35+60IP	0	4.95	1050	12	--	--	--
81G-0665-35+60IP	0	11.00	1450	40	--	--	--
81G-0666-35+60IP	0	9.50	1420	60	--	--	--
81G-0667-35+60IP	0	9.35	1020	17	--	--	--
81G-0668-35+60IP	0	5.70	890	25	--	--	--
81G-0669-35+60IP	0	5.20	1000	19	--	--	--
81G-0670-35+60IP	0	7.20	1300	29	--	--	--
81G-0673-35+60IP	0	3.00	620	15	--	--	--
81G-0674-35+60IP	0	7.20	1120	24	--	--	--
81G-0676-35+60IP	0	6.90	1440	38	--	--	--
81G-0677-35+60IP	0	6.70	1250	27	--	--	--
81G-0678-35+60IP	0	5.50	1130	5	--	--	--
81G-0679-35+60IP	0	6.30	1120	14	--	--	--
81G-0680-35+60IP	0	9.20	2120	44	--	--	--
81G-0681-35+60IP	0	11.00	2240	95	--	--	--
81G-0682-35+60IP	0	16.50	3850	175	--	--	--
81G-0683-35+60IP	0	12.00	2330	77	--	--	--
81G-0684-35+60IP	0	3.90	1480	7	--	--	--
81G-0685-35+60IP	0	6.40	1150	11	--	--	--
81G-0686-35+60IP	0	7.65	1300	83	--	--	--
81G-0687-35+60IP	0	3.40	1170	6	--	--	--
81G-0688-35+60IP	0	5.25	1250	19	--	--	--

Hart Buchler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115314-002-A
INVOICE # : I8115314
DATE : 09-DEC-81
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Weight g						
81G-0645-35+60IP	0	11.19	--	--	--	--	--	--
81G-0646-35+60IP	0	8.61	--	--	--	--	--	--
81G-0647-35+60IP	0	0.51	--	--	--	--	--	--
81G-0648-35+60IP	0	2.68	--	--	--	--	--	--
81G-0649-35+60IP	0	4.04	--	--	--	--	--	--
81G-0650-35+60IP	0	1.34	--	--	--	--	--	--
81G-0651-35+60IP	0	2.80	--	--	--	--	--	--
81G-0652-35+60IP	0	6.93	--	--	--	--	--	--
81G-0653-35+60IP	0	17.54	--	--	--	--	--	--
81G-0654-35+60IP	0	9.30	--	--	--	--	--	--
81G-0656-35+60IP	0	20.48	--	--	--	--	--	--
81G-0657-35+60IP	0	15.59	--	--	--	--	--	--
81G-0658-35+60IP	0	3.56	--	--	--	--	--	--
81G-0659-35+60IP	0	0.56	--	--	--	--	--	--
81G-0660-35+60IP	0	7.33	--	--	--	--	--	--
81G-0661-35+60IP	0	28.37	--	--	--	--	--	--
81G-0662-35+60IP	0	23.10	--	--	--	--	--	--
81G-0663-35+60IP	0	61.70	--	--	--	--	--	--
81G-0664-35+60IP	0	25.99	--	--	--	--	--	--
81G-0665-35+60IP	0	3.78	--	--	--	--	--	--
81G-0666-35+60IP	0	1.04	--	--	--	--	--	--
81G-0667-35+60IP	0	1.79	--	--	--	--	--	--
81G-0668-35+60IP	0	3.80	--	--	--	--	--	--
81G-0669-35+60IP	0	2.18	--	--	--	--	--	--
81G-0670-35+60IP	0	1.88	--	--	--	--	--	--
81G-0673-35+60IP	0	16.64	--	--	--	--	--	--
81G-0674-35+60IP	0	0.59	--	--	--	--	--	--
81G-0676-35+60IP	0	1.12	--	--	--	--	--	--
81G-0677-35+60IP	0	7.07	--	--	--	--	--	--
81G-0678-35+60IP	0	1.93	--	--	--	--	--	--
81G-0679-35+60IP	0	7.43	--	--	--	--	--	--
81G-0680-35+60IP	0	0.56	--	--	--	--	--	--
81G-0681-35+60IP	0	4.85	--	--	--	--	--	--
81G-0682-35+60IP	0	2.65	--	--	--	--	--	--
81G-0683-35+60IP	0	3.03	--	--	--	--	--	--
81G-0684-35+60IP	0	2.96	--	--	--	--	--	--
81G-0685-35+60IP	0	9.32	--	--	--	--	--	--
81G-0686-35+60IP	0	3.38	--	--	--	--	--	--
81G-0687-35+60IP	0	2.64	--	--	--	--	--	--
81G-0688-35+60IP	0	3.62	--	--	--	--	--	--

.....
Greg Jilsen
.....
Registered Assayer, Province of British Columbia





Est. March 1982
Glass LKS

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

- ANALYTICAL CHEMISTS
- GEOCHEMISTS
- REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8115314-001-A
 INVOICE # : I8115314
 DATE : 09-DEC-81
 P.O. # : NONE

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0460-35+60IP	0	45	2	29	240	0.1	0.1
81G-0593-35+60IP	0	25	1	9	170	0.1	0.6
81G-0594-35+60IP	0	9	1	3	93	0.1	0.3
81G-0595-35+60IP	0	33	1	9	122	0.1	0.3
81G-0596-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0598-35+60IP	0	37	2	12	250	0.1	0.1
81G-0599-35+60IP	0	66	4	15	430	0.1	1.0
81G-0602-35+60IP	0	70	2	20	500	0.1	0.1
81G-0609-35+60IP	0	33	1	6	176	0.1	0.3
81G-0610-35+60IP	0	23	1	13	176	0.1	0.1
81G-0612-35+60IP	0	28	1	5	130	0.1	0.4
81G-0613-35+60IP	0	22	1	10	148	0.1	0.3
81G-0615-35+60IP	0	23	1	5	120	0.1	0.2
81G-0617-35+60IP	0	76	64	35	6300	0.1	11.3
81G-0618-35+60IP	0	220	59	80	3050	0.3	7.7
81G-0619-35+60IP	0	221	76	152	2480	0.6	5.7
81G-0620-35+60IP	0	95	22	38	1520	0.2	1.5
81G-0621-35+60IP	0	20	2	8	136	0.2	0.2
81G-0622-35+60IP	0	23	1	7	122	0.1	0.4
81G-0623-35+60IP	0	28	1	6	110	0.1	0.2
81G-0624-35+60IP	0	31	1	6	98	0.1	0.2
81G-0625-35+60IP	0	34	1	7	120	0.1	0.4
81G-0626-35+60IP	0	54	1	12	245	0.1	0.4
81G-0627-35+60IP	0	82	6	26	452	0.1	1.2
81G-0628-35+60IP	0	83	3	13	250	0.1	0.1
81G-0629-35+60IP	0	21	1	13	270	0.1	0.5
81G-0630-35+60IP	0	41	1	25	248	0.1	0.8
81G-0631-35+60IP	0	30	1	9	330	0.1	1.8
81G-0632-35+60IP	0	86	8	34	1000	0.2	2.2
81G-0633-35+60IP	0	109	6	48	733	0.1	2.3
81G-0634-35+60IP	0	180	6	57	1060	0.2	2.8
81G-0635-35+60IP	0	88	2	22	725	0.2	1.6
81G-0636-35+60IP	0	6	1	2	220	0.1	0.1
81G-0637-35+60IP	0	51	1	18	460	0.1	1.3
81G-0638-35+60IP	0	3	1	3	73	0.1	0.1
81G-0639-35+60IP	0	180	2	65	925	0.2	0.2
81G-0640-35+60IP	0	88	2	23	500	0.2	0.2
81G-0642-35+60IP	0	85	2	27	505	0.1	2.6
81G-0643-35+60IP	0	73	7	28	520	0.1	1.6
81G-0644-35+60IP	0	88	3	19	535	0.1	1.1

ATTN: GREG JILSEN Regular Digestion (Total) 3 4 5 6

Certified by Hart Buehler





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115314-001-B
INV DICE # : I8115314
DATE : 09-DEC-81
P.O. # : NONE

ATTN: GREG JILSEN


7 8 9

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0460-35+60IP	0	11.50	1080	30	--	--	--
81G-0593-35+60IP	0	6.30	890	15	--	--	--
81G-0594-35+60IP	0	4.75	920	4	--	--	--
81G-0595-35+60IP	0	7.00	1320	7	--	--	--
81G-0596-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0598-35+60IP	0	9.35	1430	83	--	--	--
81G-0599-35+60IP	0	9.00	1080	94	--	--	--
81G-0602-35+60IP	0	14.00	1650	99	--	--	--
81G-0609-35+60IP	0	7.55	1370	25	--	--	--
81G-0610-35+60IP	0	6.70	1280	27	--	--	--
81G-0612-35+60IP	0	5.80	1150	9	--	--	--
81G-0613-35+60IP	0	6.10	920	17	--	--	--
81G-0615-35+60IP	0	5.30	1080	7	--	--	--
81G-0617-35+60IP	0	40.00	2500	215	--	--	--
81G-0618-35+60IP	0	21.00	2900	57	--	--	--
81G-0619-35+60IP	0	22.00	2750	264	--	--	--
81G-0620-35+60IP	0	11.50	2380	95	--	--	--
81G-0621-35+60IP	0	7.00	2120	9	--	--	--
81G-0622-35+60IP	0	4.95	1050	5	--	--	--
81G-0623-35+60IP	0	4.70	980	5	--	--	--
81G-0624-35+60IP	0	4.35	920	4	--	--	--
81G-0625-35+60IP	0	5.90	1100	5	--	--	--
81G-0626-35+60IP	0	12.50	1950	59	--	--	--
81G-0627-35+60IP	0	13.50	2080	83	--	--	--
81G-0628-35+60IP	0	13.00	2100	100	--	--	--
81G-0629-35+60IP	0	10.00	1550	16	--	--	--
81G-0630-35+60IP	0	9.15	1500	24	--	--	--
81G-0631-35+60IP	0	8.20	1820	20	--	--	--
81G-0632-35+60IP	0	13.00	1900	46	--	--	--
81G-0633-35+60IP	0	14.50	2600	39	--	--	--
81G-0634-35+60IP	0	19.70	3480	106	--	--	--
81G-0635-35+60IP	0	15.60	3000	48	--	--	--
81G-0636-35+60IP	0	8.90	1160	3	--	--	--
81G-0637-35+60IP	0	9.20	1320	35	--	--	--
81G-0638-35+60IP	0	2.25	880	6	--	--	--
81G-0639-35+60IP	0	24.00	3850	80	--	--	--
81G-0640-35+60IP	0	14.50	2340	42	--	--	--
81G-0642-35+60IP	0	12.50	1650	38	--	--	--
81G-0643-35+60IP	0	14.50	1390	43	--	--	--
81G-0644-35+60IP	0	12.00	1700	41	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115314-001-A
INVOICE # : I8115314
DATE : 09-DEC-81
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Weight g					
81G-0460-35+60IP	0	3.65	--	--	--	--	--
81G-0593-35+60IP	0	10.81	--	--	--	--	--
81G-0594-35+60IP	0	12.97	--	--	--	--	--
81G-0595-35+60IP	0	84.61	--	--	--	--	--
81G-0596-35+60IP	0	<0.01	--	--	--	--	--
81G-0598-35+60IP	0	12.49	--	--	--	--	--
81G-0599-35+60IP	0	5.80	--	--	--	--	--
81G-0602-35+60IP	0	0.08	--	--	--	--	--
81G-0609-35+60IP	0	5.14	--	--	--	--	--
81G-0610-35+60IP	0	13.57	--	--	--	--	--
81G-0612-35+60IP	0	13.16	--	--	--	--	--
81G-0613-35+60IP	0	24.22	--	--	--	--	--
81G-0615-35+60IP	0	25.86	--	--	--	--	--
81G-0617-35+60IP	0	7.08	--	--	--	--	--
81G-0618-35+60IP	0	0.23	--	--	--	--	--
81G-0619-35+60IP	0	0.34	--	--	--	--	--
81G-0620-35+60IP	0	0.44	--	--	--	--	--
81G-0621-35+60IP	0	0.26	--	--	--	--	--
81G-0622-35+60IP	0	22.65	--	--	--	--	--
81G-0623-35+60IP	0	113.21	--	--	--	--	--
81G-0624-35+60IP	0	124.59	--	--	--	--	--
81G-0625-35+60IP	0	8.68	--	--	--	--	--
81G-0626-35+60IP	0	2.77	--	--	--	--	--
81G-0627-35+60IP	0	4.64	--	--	--	--	--
81G-0628-35+60IP	0	4.40	--	--	--	--	--
81G-0629-35+60IP	0	3.84	--	--	--	--	--
81G-0630-35+60IP	0	4.18	--	--	--	--	--
81G-0631-35+60IP	0	3.88	--	--	--	--	--
81G-0632-35+60IP	0	1.26	--	--	--	--	--
81G-0633-35+60IP	0	2.32	--	--	--	--	--
81G-0634-35+60IP	0	0.03	--	--	--	--	--
81G-0635-35+60IP	0	0.94	--	--	--	--	--
81G-0636-35+60IP	0	6.04	--	--	--	--	--
81G-0637-35+60IP	0	5.27	--	--	--	--	--
81G-0638-35+60IP	0	1.75	--	--	--	--	--
81G-0639-35+60IP	0	0.18	--	--	--	--	--
81G-0640-35+60IP	0	0.66	--	--	--	--	--
81G-0642-35+60IP	0	7.54	--	--	--	--	--
81G-0643-35+60IP	0	24.38	--	--	--	--	--
81G-0644-35+60IP	0	2.24	--	--	--	--	--

.....
Handwritten Signature
.....
Registered Assayer, Province of British Columbia





Ext. MARCH 1/92

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8115314-003-A
INVOICE # : I8115314
DATE : 09-DEC-81
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0689-35+60IP	0	28	1	13	92	0.1	0.2
81G-0690-35+60IP	0	8	1	9	85	0.1	0.1
81G-0691-35+60IP	0	100	2	40	510	0.2	0.2
81G-0692-35+60IP	0	18	1	28	145	0.1	0.4
81G-0693-35+60IP	0	43	1	31	210	0.1	0.6
81G-0694-35+60IP	0	43	1	34	220	0.1	0.2
81G-0695-35+60IP	0	11	1	12	74	0.1	0.3
81G-0696-35+60IP	0	22	1	12	85	0.1	0.3
81G-0697-35+60IP	0	27	1	10	90	0.1	0.2
81G-0698-35+60IP	0	24	1	14	86	0.1	0.2
81G-0699-35+60IP	0	22	1	20	94	0.1	0.1
81G-0700-35+60IP	0	13	1	10	120	0.1	0.2
81G-0701-35+60IP	0	18	2	13	130	0.1	0.4
81G-0702-35+60IP	0	51	2	17	155	0.1	0.6
81G-0703-35+60IP	0	31	1	19	130	0.1	0.5
81G-0705-35+60IP	0	83	6	40	240	0.1	1.2
81G-0706-35+60IP	0	43	1	14	126	0.1	0.5
81G-0707-35+60IP	0	69	1	16	108	0.1	0.2
81G-0708-35+60IP	0	69	1	12	146	0.1	0.6
81G-0709-35+60IP	0	75	1	9	115	0.1	0.4
81G-0710-35+60IP	0	123	9	35	270	0.1	0.7
81G-0711-35+60IP	0	190	34	80	540	0.1	2.4
81G-0712-35+60IP	0	68	3	53	230	0.2	0.2
81G-0713-35+60IP	0	88	4	53	275	0.1	0.2
81G-0714-35+60IP	0	230	67	135	1020	0.3	3.5
81G-0715-35+60IP	0	348	98	220	2200	0.6	7.0
81G-0717-35+60IP	0	16	1	7	83	0.1	0.2
81G-0718-35+60IP	0	36	1	13	110	0.1	0.3
81G-0721-35+60IP	0	18	1	9	96	0.1	0.1
81G-0728-35+60IP	0	27	1	1	35	0.1	0.1
81G-0729-35+60IP	0	3	1	5	42	0.1	0.1
81G-0730-35+60IP	0	7	1	5	48	0.1	0.1
81G-0732-35+60IP	0	12	1	4	103	0.1	0.1
81G-0733-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0734-35+60IP	0	26	1	5	135	0.1	0.1
81G-0737-35+60IP	0	3	1	2	108	0.1	0.1
81G-0741-35+60IP	0	34	1	5	115	0.1	0.2
81G-0743-35+60IP	0	50	1	4	102	0.1	0.1
81G-0744-35+60IP	0	19	2	4	210	0.1	0.2
81G-0747-35+60IP	0	19	1	11	115	0.1	0.1

Hart Bechler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8115314-003-B
 INVOICE # : I8115314
 DATE : 09-DEC-81
 P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0689-35+60IP	0	4.15	1300	9	--	--	--
81G-0690-35+60IP	0	3.35	700	3	--	--	--
81G-0691-35+60IP	0	18.50	2900	155	--	--	--
81G-0692-35+60IP	0	4.80	870	9	--	--	--
81G-0693-35+60IP	0	6.10	1350	40	--	--	--
81G-0694-35+60IP	0	6.60	1480	40	--	--	--
81G-0695-35+60IP	0	3.40	770	7	--	--	--
81G-0696-35+60IP	0	3.50	735	10	--	--	--
81G-0697-35+60IP	0	3.85	840	11	--	--	--
81G-0698-35+60IP	0	3.40	810	9	--	--	--
81G-0699-35+60IP	0	4.00	790	11	--	--	--
81G-0700-35+60IP	0	7.70	1580	9	--	--	--
81G-0701-35+60IP	0	4.35	845	30	--	--	--
81G-0702-35+60IP	0	6.40	810	29	--	--	--
81G-0703-35+60IP	0	5.25	775	15	--	--	--
81G-0705-35+60IP	0	7.20	550	110	--	--	--
81G-0706-35+60IP	0	4.90	740	19	--	--	--
81G-0707-35+60IP	0	7.80	760	38	--	--	--
81G-0708-35+60IP	0	5.75	780	14	--	--	--
81G-0709-35+60IP	0	5.40	780	6	--	--	--
81G-0710-35+60IP	0	10.00	785	165	--	--	--
81G-0711-35+60IP	0	12.00	540	385	--	--	--
81G-0712-35+60IP	0	7.70	870	73	--	--	--
81G-0713-35+60IP	0	9.80	1000	100	--	--	--
81G-0714-35+60IP	0	18.00	825	350	--	--	--
81G-0715-35+60IP	0	22.80	1030	115	--	--	--
81G-0717-35+60IP	0	3.75	760	5	--	--	--
81G-0718-35+60IP	0	4.75	660	10	--	--	--
81G-0721-35+60IP	0	3.05	570	9	--	--	--
81G-0728-35+60IP	0	2.20	335	3	--	--	--
81G-0729-35+60IP	0	2.45	485	4	--	--	--
81G-0730-35+60IP	0	3.10	565	5	--	--	--
81G-0732-35+60IP	0	4.30	800	16	--	--	--
81G-0733-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0734-35+60IP	0	4.60	750	7	--	--	--
81G-0737-35+60IP	0	3.50	660	2	--	--	--
81G-0741-35+60IP	0	4.60	975	9	--	--	--
81G-0743-35+60IP	0	5.00	960	7	--	--	--
81G-0744-35+60IP	0	6.85	1430	19	--	--	--
81G-0747-35+60IP	0	5.15	850	6	--	--	--

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115314-003-A
INVOICE # : I8115314
DATE : 09-DEC-81
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Weight g						
81G-0689-35+60IP	0	6.12	--	--	--	--	--	--
81G-0690-35+60IP	0	25.84	--	--	--	--	--	--
81G-0691-35+60IP	0	0.13	--	--	--	--	--	--
81G-0692-35+60IP	0	8.33	--	--	--	--	--	--
81G-0693-35+60IP	0	2.77	--	--	--	--	--	--
81G-0694-35+60IP	0	19.07	--	--	--	--	--	--
81G-0695-35+60IP	0	59.86	--	--	--	--	--	--
81G-0696-35+60IP	0	91.49	--	--	--	--	--	--
81G-0697-35+60IP	0	27.83	--	--	--	--	--	--
81G-0698-35+60IP	0	50.62	--	--	--	--	--	--
81G-0699-35+60IP	0	21.46	--	--	--	--	--	--
81G-0700-35+60IP	0	14.82	--	--	--	--	--	--
81G-0701-35+60IP	0	9.38	--	--	--	--	--	--
81G-0702-35+60IP	0	20.00	--	--	--	--	--	--
81G-0703-35+60IP	0	4.36	--	--	--	--	--	--
81G-0705-35+60IP	0	13.96	--	--	--	--	--	--
81G-0706-35+60IP	0	8.64	--	--	--	--	--	--
81G-0707-35+60IP	0	36.19	--	--	--	--	--	--
81G-0708-35+60IP	0	6.56	--	--	--	--	--	--
81G-0709-35+60IP	0	12.99	--	--	--	--	--	--
81G-0710-35+60IP	0	1.53	--	--	--	--	--	--
81G-0711-35+60IP	0	5.06	--	--	--	--	--	--
81G-0712-35+60IP	0	8.16	--	--	--	--	--	--
81G-0713-35+60IP	0	2.17	--	--	--	--	--	--
81G-0714-35+60IP	0	1.84	--	--	--	--	--	--
81G-0715-35+60IP	0	0.89	--	--	--	--	--	--
81G-0717-35+60IP	0	43.29	--	--	--	--	--	--
81G-0718-35+60IP	0	18.42	--	--	--	--	--	--
81G-0721-35+60IP	0	18.54	--	--	--	--	--	--
81G-0728-35+60IP	0	129.72	--	--	--	--	--	--
81G-0729-35+60IP	0	28.37	--	--	--	--	--	--
81G-0730-35+60IP	0	17.57	--	--	--	--	--	--
81G-0732-35+60IP	0	16.82	--	--	--	--	--	--
81G-0733-35+60IP	0	0.07	--	--	--	--	--	--
81G-0734-35+60IP	0	28.39	--	--	--	--	--	--
81G-0737-35+60IP	0	3.91	--	--	--	--	--	--
81G-0741-35+60IP	0	64.55	--	--	--	--	--	--
81G-0743-35+60IP	0	20.73	--	--	--	--	--	--
81G-0744-35+60IP	0	2.83	--	--	--	--	--	--
81G-0747-35+60IP	0	2.21	--	--	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

.....
Registered Assayer, Province of British Columbia



Ext. March 1/82

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

- ANALYTICAL CHEMISTS
- GEOCHEMISTS
- REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115314-004-A
INVOICE # : I8115314
DATE : 09-DEC-81
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G-0748-35+60IP	0	16	1	14	118	0.1	0.1
81G-0749-35+60IP	0	20	1	11	155	0.1	0.1
81G-0736-35+60IP	0	3	1	9	88	0.1	0.2
81G-0750-35+60IP	0	33	1	12	148	0.1	0.1



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115314-004-B
INVOICE # : 18115314
DATE : 09-DEC-81
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G-0748-35+60IP	0	4.40	1580	4	--	--	--
81G-0749-35+60IP	0	5.40	890	4	--	--	--
81G-0736-35+60IP	0	2.75	800	5	--	--	--
81G-0750-35+60IP	0	5.70	1150	6	--	--	--

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115314-004-A
INVOICE # : I8115314
DATE : 09-DEC-81
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Weight g					
81G-0748-35+60IP	0	26.12	--	--	--	--	--
81G-0749-35+60IP	0	6.43	--	--	--	--	--
81G-0736-35+60IP	0	14.86	--	--	--	--	--
81G-0750-35+60IP	0	45.28	--	--	--	--	--

.....
Mr. [Signature]
.....
Registered Assayer, Province of British Columbia