

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS
----------------	--------------	----	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: 48115314-C03-A

81G0689	-35+60IP TOT	28.00	1.00	13.00	92.00	.10	.20	4.15	1,300.00	9.00
81G0690	-35+60IP TOT	8.00	1.00	9.00	85.00	.10	.10	3.35	700.00	3.00
81G0691	-35+60IP TOT	100.00	2.00	40.00	510.00	.20	.20	18.50	2,900.00	155.00
81G0692	-35+60IP TOT	18.00	1.00	28.00	145.00	.10	.40	4.80	870.00	9.00
81G0693	-35+60IP TOT	43.00	1.00	31.00	210.00	.10	.60	6.10	1,350.00	40.00
81G0694	-35+60IP TOT	43.00	1.00	34.00	220.00	.10	.20	6.60	1,480.00	40.00
81G0695	-35+60IP TOT	11.00	1.00	12.00	74.00	.10	.30	3.40	770.00	7.00
81G0696	-35+60IP TOT	22.00	1.00	12.00	85.00	.10	.30	3.50	735.00	10.00
81G0697	-35+60IP TOT	227.00	1.00	10.00	90.00	.10	.20	3.85	840.00	11.00
81G0698	-35+60IP TOT	24.00	1.00	14.00	86.00	.10	.20	3.40	810.00	9.00

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX	CERTIFICATE: 48115314-003-A									
81G0699	-35+60IP TCT	22.00	1.00	20.00	94.00	.10	.10	4.00	790.00	11.00
81G0700	-35+60IP TCT	13.00	1.00	10.00	120.00	.10	.20	7.70	1,580.00	9.00
81G0701	-35+60IP TOT	18.00	2.00	13.00	130.00	.10	.40	4.35	845.00	30.00
81G0702	-35+60IP TOT	51.00	2.00	17.00	155.00	.10	.60	6.40	810.00	29.00
81G0703	-35+60IP TOT	31.00	1.00	19.00	130.00	.10	.50	5.25	775.00	15.00
81G0705	-35+60IP TOT	83.00	6.00	40.00	240.00	.10	1.20	7.20	550.00	110.00
81G0706	-35+60IP TOT	43.00	1.00	14.00	126.00	.10	.50	4.90	740.00	19.00
81G0707	-35+60IP TCT	69.00	1.00	16.00	108.00	.10	.20	7.80	760.00	38.00
81G0708	-35+60IP TOT	69.00	1.00	12.00	146.00	.10	.60	5.75	780.00	14.00
81G0709	-35+60IP TOT	75.00	1.00	9.00	115.00	.10	.40	5.40	780.00	6.00

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX	CERTIFICATE: A8115314-003-A									
81G0710	-35+60IP TOT	123.00	9.00	35.00	270.00	.10	.70	10.00	785.00	165.00
81G0711	-35+60IP TOT	190.00	34.00	80.00	540.00	.10	2.40	12.00	540.00	385.00
81G0712	-35+60IP TOT	68.00	3.00	53.00	230.00	.20	.20	7.70	870.00	73.00
81G0713	-35+60IP TOT	88.00	4.00	53.00	275.00	.10	.20	9.80	1,000.00	100.00
81G0714	-35+60IP TOT	230.00	67.00	135.00	1,020.00	.30	3.50	18.00	825.00	350.00
81G0715	-35+60IP TOT	348.00	98.00	220.00	2,200.00	.60	7.00	22.80	1,030.00	115.00
81G0717	-35+60IP TOT	16.00	1.00	7.00	83.00	.10	.20	3.75	760.00	5.00
81G0718	-35+60IP TOT	36.00	1.00	13.00	110.00	.10	.30	4.75	660.00	10.00
81G0721	-35+60IP TOT	18.00	1.00	9.00	96.00	.10	.10	3.05	570.00	9.00
81G0728	-35+60IP TOT	27.00	1.00	1.00	35.00	.10	.10	2.20	335.00	3.00

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS

LAB:	CHEMEX	CERTIFICATE: A8115314-003-A								
81G0729	-35+60IP TOT	3.00	1.00	5.00	42.00	.10	.10	2.45	485.00	4.00
81G0730	-35+60IP TOT	7.00	1.00	5.00	48.00	.10	.10	3.10	565.00	5.00
81G0732	-35+60IP TOT	12.00	1.00	4.00	103.00	.10	.10	4.30	800.00	16.00
81G0733	-35+60IP TOT	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G0734	-35+60IP TOT	26.00	1.00	5.00	135.00	.10	.10	4.60	750.00	7.00
81G0737	-35+60IP TOT	3.00	1.00	2.00	108.00	.10	.10	3.50	660.00	2.00
81G0741	-35+60IP TOT	34.00	1.00	5.00	115.00	.10	.20	4.60	975.00	9.00
81G0743	-35+60IP TOT	50.00	1.00	4.00	102.00	.10	.10	5.00	960.00	7.00
81G0744	-35+60IP TOT	19.00	2.00	4.00	210.00	.10	.20	6.85	1,430.00	19.00
81G0747	-35+60IP TOT	19.00	1.00	11.00	115.00	.10	.10	5.15	850.00	6.00

04JUN82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 5

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS
----------------	--------------	----	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8115314-003-A

8160748	-35+60IP TCT	16.00	1.00	14.00	118.00	.10	.10	4.40	1,580.00	4.00
8160749	-35+60IP TCT	20.00	1.00	11.00	155.00	.10	.10	5.40	890.00	4.00
8160736	-35+60IP TOT	3.00	1.00	9.00	88.00	.10	.20	2.75	800.00	5.00
8160750	-35+60IP TCT	33.00	1.00	12.00	148.00	.10	.10	5.70	1,150.00	6.00

**THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 09:29:41


:JOB FM2000JO,MGR.PROGRAM,SOURCE
PRIORITY = DS; INPRI = 8; TIME = UNLIMITED SECONDS
JOB NUMBER = #J1035
FRI, JUN 4, 1982, 9:29 AM
HP3000 / MPE IV C.00.A1
SETUP
FILE INCAT=INCAT.INVTDB.INVTRY;SHR;LOCK
FILE INCATK=INCATK.INVTDB.INVTRY;SHR;LOCK
FILE QSCHEMAC=QSCHEMAC.INVTDB.INVTRY
FILE INVSDB=INVSDB.INVTDB.INVTRY
FILE ACCPDB=ACCPDB.ACPCDBV.ADMIN
FILE MTCEDB=MTCEDB.WRKORDB.MTCE
FILE GLDB=GLDB.GLDB.ADMIN
FILE SYSDB=SYSDB.SYSDB.SYS
:TELL JOHN,MGR.PROGRAM;COMPILE OF FM200 HAS STARTED .
:PURGE COMP
:RUN QEDIT.PUB.ROBELLE

QEDIT/ROBELLE CONSULTING LTD.(C) 1977
(VERSION 3.0 R)
/O FM200S.SOURCE
'LANGUAGE' IS NOW FTM
/S C *,COMP,GUT200
COMPILING FORTRAN

**** NO ERRORS, 1 WARNING ****
PROGRAM UNIT SIMULATE COMPILED
**** NO ERRORS, 1 WARNING ****
TOTAL COMPILATION TIME 0:00:39
TOTAL ELAPSED TIME 0:01:04
/E

END OF PROGRAM
:PURGE FM200P.OBJECT
:PREP COMP,FM200P.OBJECT;MAXDATA=32767

END OF PREPARE
:SAVE FM200P.OBJECT
:RELEASE FM200P.OBJECT
:TELL JOHN,MGR.PROGRAM;COMPILE OF FM200 IS DONE .
:ECJ
CPU SEC. = 52. ELAPSED MIN. = 3. FRI, JUN 4, 1982, 9:32 AM



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8114670-001-IONS LIMITED
INVOICE # : I8114670
DATE : 30-OCT-81
P.O. # : NONE

212 BROOKSBANK AVE
NORTH VANCOUVER B.C.
CANADA V7J 2C
TELEPHONE: (604)984-022
TELEX: 043-52595

HEMEX LABS LTD.

• GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

212 BROOKSBANK AVE
NORTH VANCOUVER, B.C.
CANADA V7J 2
TELEPHONE: (604)984-02
TELEX: 043-525

CERT. # : A8114670-001
INVOICE # : I8114670
DATE : 30-OCT-81
P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm	Fe %	Mn ppm	AS ppm			
81G362-35+60IP	0	13	1	90	330	0.1	0.1	11.00	2700	46	--	--	--
81G363-35+60IP	0	4	2	20	210	0.2	0.2	10.00	2020	68	--	--	--
81G364-35+60IP	0	17	1	26	106	0.1	0.1	4.50	675	63	--	--	--
81G365-35+60IP	0	23	1	23	152	0.1	0.2	5.00	775	94	--	--	--
81G366-35+60IP	0	12	1	3	60	0.1	0.1	3.40	450	20	--	--	--
81G367-35+60IP	0	14	1	7	86	0.1	0.1	4.40	610	22	--	--	--
81G369-35+60IP	0	9	1	8	105	0.1	0.1	4.10	760	32	--	--	--
81G370-35+60IP	0	52	1	13	132	0.1	0.1	6.40	700	41	--	--	--
81G379-35+60IP	0	99	9	12	346	0.1	0.9	14.00	1250	7	--	--	--
81G390-35+60IP	0	8	1	2	85	0.1	0.2	4.30	900	3	--	--	--
81G392-35+60IP	0	20	1	7	150	0.1	0.2	7.10	1050	10	--	--	--
81G393-35+60IP	0	39	1	13	150	0.1	0.4	7.20	860	17	--	--	--
81G394-35+60IP	0	13	1	1	100	0.1	0.1	5.10	830	7	--	--	--
81G395-35+60IP	0	22	1	3	120	0.1	0.1	5.60	860	9	--	--	--
81G396-35+60IP	0	24	1	8	130	0.1	0.1	5.75	1150	9	--	--	--
81G397-35+60IP	0	11	1	10	135	0.1	0.1	5.80	650	9	--	--	--
81G398-35+60IP	0	16	1	5	220	0.1	0.2	6.60	725	22	--	--	--
81G400-35+60IP	0	16	1	4	210	0.1	0.1	6.60	800	11	--	--	--
81G402-35+60IP	0	10	1	11	300	0.1	0.1	10.00	950	6	--	--	--
81G403-35+60IP	0	23	1	10	180	0.1	0.1	9.40	1300	11	--	--	--
81G407-35+60IP	0	20	1	7	95	0.1	0.1	6.50	880	10	--	--	--
81G412-35+60IP	0	14	1	19	95	0.1	0.1	4.95	760	7	--	--	--
81G420-35+60IP	0	42	1	19	160	0.1	0.2	8.90	1100	11	--	--	--
81G456-35+60IP	0	14	1	14	220	0.1	0.1	12.00	1300	11	--	--	--
81G472-35+60IP	0	29	1	2	290	0.1	0.2	9.40	1050	5	--	--	--
81G479-35+60IP	0	16	1	4	70	0.1	0.2	4.35	510	5	--	--	--
81G481-35+60IP	0	97	1	30	290	0.1	0.1	12.00	1250	27	--	--	--
81G482-35+60IP	0	24	1	5	200	0.1	0.2	9.35	920	7	--	--	--
81G484-35+60IP	0	47	1	5	135	0.1	0.1	8.60	1300	11	--	--	--
81G487-35+60IP	0	6	1	1	75	0.1	0.1	3.35	480	5	--	--	--
81G488-35+60IP	0	295	3	17	1000	0.3	1.5	32.30	3200	51	--	--	--
81G490-35+60IP	0	39	1	6	250	0.1	0.5	8.20	910	7	--	--	--
81G504-35+60IP	0	12	1	9	90	0.1	0.2	4.60	660	7	--	--	--
81G505-35+60IP	0	6	1	11	105	0.1	0.1	4.65	600	6	--	--	--
81G507-35+60IP	0	10	1	15	105	0.1	0.1	6.00	710	16	--	--	--
81G508-35+60IP	0	10	1	16	105	0.1	0.1	5.45	730	19	--	--	--
81G511-35+60IP	0	16	1	8	125	0.1	0.1	7.10	1250	15	--	--	--
81G513-35+60IP	0	58	1	70	250	0.1	0.7	7.65	975	55	--	--	--

Certified by Hart Bichler

Certified by Hart Bichler



SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A811467C001A								
81G0362	-35+60IP TOT	13.00	1.00	90.00	330.00	.10	.10	11.00	2,700.00	46.00
81G0363	-35+60IP TOT	4.00	2.00	20.00	210.00	.20	.20	10.00	2,020.00	68.00
81G0364	-35+60IP TOT	17.00	1.00	26.00	106.00	.10	.10	4.50	675.00	63.00
81G0365	-35+60IP TOT	23.00	1.00	23.00	152.00	.10	.20	5.00	775.00	94.00
81G0366	-35+60IP TOT	12.00	1.00	3.00	60.00	.10	.10	3.40	450.00	20.00
81G0367	-35+60IP TOT	14.00	1.00	7.00	86.00	.10	.10	4.40	610.00	22.00
81G0369	-35+60IP TOT	9.00	1.00	8.00	105.00	.10	.10	4.10	760.00	32.00
81G0370	-35+60IP TOT	52.00	1.00	13.00	132.00	.10	.10	6.40	700.00	41.00
81G0379	-35+60IP TOT	99.00	9.00	12.00	346.00	.10	.90	14.00	1,250.00	7.00
81G0390	-35+60IP TOT	8.00	1.00	2.00	85.00	.10	.20	4.30	900.00	3.00

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS

LAB:	CHEMEX	CERTIFICATE:		48114670001A						
81G0392	-35+60IP TOT	20.00	1.00	7.00	150.00	.10	.20	7.10	1,050.00	10.00
81G0393	-35+60IP TOT	39.00	1.00	13.00	150.00	.10	.40	7.20	860.00	17.00
81G0394	-35+60IP TOT	13.00	1.00	1.00	100.00	.10	.10	5.10	830.00	7.00
81G0395	-35+60IP TOT	22.00	1.00	3.00	120.00	.10	.10	5.60	860.00	9.00
81G0396	-35+60IP TOT	24.00	1.00	8.00	130.00	.10	.10	5.75	1,150.00	9.00
81G0397	-35+60IP TOT	11.00	1.00	10.00	135.00	.10	.10	5.80	650.00	9.00
81G0398	-35+60IP TOT	16.00	1.00	5.00	220.00	.10	.20	6.60	725.00	22.00
81G0400	-35+60IP TOT	16.00	1.00	4.00	210.00	.10	.10	6.60	800.00	11.00
81G0402	-35+60IP TOT	10.00	1.00	11.00	300.00	.10	.10	10.00	950.00	6.00
81G0403	-35+60IP TOT	23.00	1.00	10.00	180.00	.10	.10	9.40	1,300.00	11.00

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CO	FE	MN	AS

LAB:	CHEMEX	CERTIFICATE:		A8114670001A						
81G0407	-35+60IP TOT	20.00	1.00	7.00	95.00	.10	.10	6.50	880.00	10.00
81G0412	-35+60IP TOT	14.00	1.00	19.00	95.00	.10	.10	4.95	760.00	7.00
81G0420	-35+60IP TOT	42.00	1.00	19.00	160.00	.10	.20	8.90	1,100.00	11.00
81G0456	-35+60IP TOT	14.00	1.00	14.00	220.00	.10	.10	12.00	1,300.00	11.00
81G0472	-35+60IP TOT	29.00	1.00	2.00	290.00	.10	.20	9.40	1,050.00	5.00
81G0479	-35+60IP TOT	16.00	1.00	4.00	70.00	.10	.20	4.35	510.00	5.00
81G0481	-35+60IP TOT	97.00	1.00	30.00	290.00	.10	.10	12.00	1,250.00	27.00
81G0482	-35+60IP TOT	24.00	1.00	5.00	200.00	.10	.20	9.35	920.00	7.00
81G0484	-35+60IP TOT	47.00	1.00	5.00	135.00	.10	.10	8.60	1,300.00	11.00
81G0487	-35+60IP TOT	6.00	1.00	1.00	75.00	.10	.10	3.35	480.00	5.00

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CO	FE	MN	AS
81G0488	-35+60IP TOT	295.00	3.00	17.00	1,000.00	.30	1.50	32.30	3,200.00	51.00
81G0490	-35+60IP TOT	39.00	1.00	6.00	250.00	.10	.50	8.20	910.00	7.00
81G0504	-35+60IP TOT	12.00	1.00	9.00	90.00	.10	.20	4.60	660.00	7.00
81G0505	-35+60IP TOT	6.00	1.00	11.00	105.00	.10	.10	4.65	600.00	6.00
81G0507	-35+60IP TOT	10.00	1.00	15.00	105.00	.10	.10	6.00	710.00	16.00
81G0508	-35+60IP TOT	10.00	1.00	16.00	105.00	.10	.10	5.45	730.00	19.00
81G0511	-35+60IP TOT	16.00	1.00	8.00	125.00	.10	.10	7.10	1,250.00	15.00
81G0518	-35+60IP TOT	58.00	1.00	70.00	250.00	.10	.70	7.65	975.00	55.00

**THIS DATA WAS ENTERED BY: BOBR .EXPLORE POSTED AT: 10:27:26

SAMPLE CODE	TEST CODE	CL	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX		CERTIFICATE: A8115314-001-A								
81G0460	-35+60IP TOT	45.00	2.00	29.00	240.00	.10	.10	11.50	1,080.00	30.00
81G0593	-35+60IP TCT	25.00	1.00	9.00	170.00	.10	.60	6.30	890.00	15.00
81G0594	-35+60IP TCT	9.00	1.00	3.00	93.00	.10	.30	4.75	920.00	4.00
81G0595	-35+60IP TOT	33.00	1.00	9.00	122.00	.10	.30	7.00	1,320.00	7.00
81G0596	-35+60IP TOT	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G0598	-35+60IP TOT	37.00	2.00	12.00	250.00	.10	.10	9.35	1,430.00	83.00
81G0599	-35+60IP TCT	66.00	4.00	15.00	430.00	.10	1.00	9.00	1,080.00	94.00
81G0602	-35+60IP TOT	70.00	2.00	20.00	500.00	.10	.10	14.00	1,650.00	99.00
81G0609	-35+60IP TOT	33.00	1.00	6.00	176.00	.10	.30	7.55	1,370.00	25.00
81G0610	-35+60IP TOT	23.00	1.00	13.00	176.00	.10	.10	6.70	1,280.00	27.00

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX	CERTIFICATE: A8115314-001-A									
81G0612	-35+60IP TOT	28.00	1.00	5.00	130.00	.10	.40	5.80	1,150.00	9.00
81G0613	-35+60IP TOT	22.00	1.00	10.00	148.00	.10	.30	6.10	920.00	17.00
81G0615	-35+60IP TOT	23.00	1.00	5.00	120.00	.10	.20	5.30	1,080.00	7.00
81G0617	-35+60IP TOT	76.00	64.00	35.00	6,300.00	.10	11.30	40.00	2,500.00	215.00
81G0618	-35+60IP TOT	220.00	59.00	80.00	3,050.00	.30	7.70	21.00	2,900.00	57.00
81G0619	-35+60IP TOT	221.00	76.00	152.00	2,480.00	.60	5.70	22.00	2,750.00	264.00
81G0620	-35+60IP TOT	95.00	22.00	38.00	1,520.00	.20	1.50	11.50	2,380.00	95.00
81G0621	-35+60IP TOT	20.00	2.00	8.00	136.00	.20	.20	7.00	2,120.00	9.00
81G0622	-35+60IP TOT	23.00	1.00	7.00	122.00	.10	.40	4.95	1,050.00	5.00
81G0623	-35+60IP TOT	28.00	1.00	6.00	110.00	.10	.20	4.70	980.00	5.00

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS
81G0624	-35+60IP TOT	31.00	1.00	6.00	98.00	.10	.20	4.35	920.00	4.00
81G0625	-35+60IP TOT	34.00	1.00	7.00	120.00	.10	.40	5.90	1,100.00	5.00
81G0626	-35+60IP TOT	54.00	1.00	12.00	245.00	.10	.40	12.50	1,950.00	59.00
81G0627	-35+60IP TOT	82.00	6.00	26.00	452.00	.10	1.20	13.50	2,080.00	83.00
81G0628	-35+60IP TOT	83.00	3.00	13.00	250.00	.10	.10	13.00	2,100.00	100.00
81G0629	-35+60IP TOT	21.00	1.00	13.00	270.00	.10	.50	10.00	1,550.00	16.00
81G0630	-35+60IP TOT	41.00	1.00	25.00	248.00	.10	.80	9.15	1,500.00	24.00
81G0631	-35+60IP TOT	30.00	1.00	9.00	330.00	.10	1.80	8.20	1,820.00	20.00
81G0632	-35+60IP TOT	86.00	8.00	34.00	1,000.00	.20	2.20	13.00	1,900.00	46.00
81G0633	-35+60IP TOT	109.00	6.00	48.00	733.00	.10	2.30	14.50	2,600.00	39.00

LAB: CHEMEX CERTIFICATE: 4c115314-001-A

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX	CERTIFICATE: A8115314-001-A									
81G0634	-35+60IP TOT	180.00	6.00	57.00	1,060.00	.20	2.80	19.70	3,480.00	106.00
81G0635	-35+60IP TOT	88.00	2.00	22.00	725.00	.20	1.60	15.60	3,000.00	48.00
81G0636	-35+60IP TOT	6.00	1.00	2.00	220.00	.10	.10	8.90	1,160.00	3.00
81G0637	-35+60IP TOT	51.00	1.00	18.00	460.00	.10	1.30	9.20	1,320.00	35.00
81G0638	-35+60IP TOT	3.00	1.00	3.00	73.00	.10	.10	2.25	880.00	6.00
81G0639	-35+60IP TOT	180.00	2.00	65.00	925.00	.20	.20	24.00	3,850.00	80.00
81G0640	-35+60IP TOT	88.00	2.00	23.00	500.00	.20	.20	14.50	2,340.00	42.00
81G0642	-35+60IP TOT	85.00	2.00	27.00	505.00	.10	2.60	12.50	1,650.00	38.00
81G0643	-35+60IP TOT	73.00	7.00	28.00	520.00	.10	1.60	14.50	1,390.00	43.00
81G0644	-35+60IP TOT	88.00	3.00	19.00	535.00	.10	1.10	12.00	1,700.00	41.00

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CO	FE	MN	AS
----------------	--------------	----	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8115314-001-A

81G0645	-35+60IP TOT	26.00	1.00	14.00	205.00	.10	.30	7.75	1,700.00	19.00
81G0646	-35+60IP TOT	85.00	8.00	23.00	535.00	.10	1.10	12.00	2,330.00	48.00
81G0647	-35+60IP TOT	40.00	2.00	4.00	180.00	.20	15.40	7.60	> 4,000.00	4.00
81G0648	-35+60IP TOT	112.00	8.00	26.00	558.00	.10	1.40	13.80	1,750.00	40.00
81G0649	-35+60IP TOT	92.00	11.00	22.00	460.00	.10	1.20	11.80	1,680.00	48.00
81G0650	-35+60IP TOT	96.00	2.00	36.00	560.00	.20	1.60	12.20	1,500.00	44.00
81G0651	-35+60IP TOT	56.00	8.00	26.00	445.00	.10	1.80	12.50	1,850.00	40.00
81G0652	-35+60IP TOT	44.00	5.00	28.00	238.00	.10	.90	5.85	860.00	45.00
81G0653	-35+60IP TOT	37.00	5.00	15.00	235.00	.10	.60	4.80	800.00	29.00
81G0654	-35+60IP TOT	27.00	1.00	13.00	230.00	.10	.10	9.90	1,380.00	20.00

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS
----------------	--------------	----	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8115314-001-A

81G0656	-35+60IP TOT	23.00	2.00	10.00	150.00	.10	.20	7.15	1,080.00	9.00
81G0657	-35+60IP TOT	30.00	4.00	13.00	272.00	.10	.20	14.00	1,350.00	22.00
81G0658	-35+60IP TOT	33.00	3.00	12.00	300.00	.10	.40	7.50	750.00	14.00
81G0659	-35+60IP TOT	68.00	6.00	28.00	810.00	.20	1.20	9.80	1,450.00	64.00
81G0660	-35+60IP TOT	25.00	2.00	10.00	176.00	.10	.20	6.10	920.00	14.00
81G0661	-35+60IP TOT	24.00	1.00	13.00	102.00	.10	.10	4.55	955.00	11.00
81G0662	-35+60IP TOT	23.00	1.00	14.00	105.00	.10	.10	5.05	935.00	14.00
81G0663	-35+60IP TOT	23.00	1.00	13.00	100.00	.10	.10	4.60	910.00	12.00
81G0664	-35+60IP TOT	25.00	1.00	12.00	105.00	.10	.10	4.95	1,050.00	12.00
81G0665	-35+60IP TOT	23.00	3.00	18.00	290.00	.10	.10	11.00	1,450.00	40.00

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS
----------------	--------------	----	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8115314-001-A

81G0666	-35+60IP TOT	28.00	2.00	16.00	346.00	.20	.40	9.50	1,420.00	60.00
81G0667	-35+60IP TOT	16.00	1.00	14.00	215.00	.10	.10	9.35	1,020.00	17.00
81G0668	-35+60IP TOT	19.00	1.00	16.00	135.00	.10	.30	5.70	890.00	25.00
81G0669	-35+60IP TOT	24.00	2.00	12.00	124.00	.10	.30	5.20	1,000.00	19.00
81G0670	-35+60IP TOT	46.00	5.00	14.00	170.00	.10	.50	7.20	1,300.00	29.00
81G0673	-35+60IP TOT	6.00	1.00	10.00	90.00	.10	.20	3.00	620.00	15.00
81G0674	-35+60IP TOT	8.00	2.00	12.00	188.00	.20	.20	7.20	1,120.00	24.00
81G0676	-35+60IP TOT	50.00	2.00	12.00	172.00	.20	.40	6.90	1,440.00	38.00
81G0677	-35+60IP TOT	25.00	1.00	10.00	147.00	.01	.01	6.70	1,250.00	27.00
81G0678	-35+60IP TOT	12.00	1.00	13.00	128.00	.10	.10	5.50	1,130.00	5.00

SAMPLE CODE	TEST CODE	CU	MO	PB	ZN	AG	CD	FE	MN	AS

LAB: CHEMEX	CERTIFICATE: A8115314-001-A									
81G0679	-35+60IP TOT	18.00	1.00	12.00	140.00	.10	.10	6.30	1,120.00	14.00
81G0680	-35+60IP TOT	28.00	2.00	24.00	235.00	.20	.20	9.20	2,120.00	44.00
81G0681	-35+60IP TOT	112.00	9.00	31.00	305.00	.10	.60	11.00	2,240.00	95.00
81G0682	-35+60IP TOT	152.00	10.00	48.00	480.00	.10	1.10	16.50	3,850.00	175.00
81G0683	-35+60IP TOT	88.00	6.00	86.00	295.00	.10	.50	12.00	2,330.00	77.00
81G0684	-35+60IP TOT	12.00	1.00	17.00	86.00	.30	.10	3.90	1,480.00	7.00
81G0685	-35+60IP TOT	27.00	3.00	13.00	148.00	.10	.10	6.40	1,150.00	11.00
81G0686	-35+60IP TOT	117.00	1.00	80.00	370.00	.10	.50	7.65	1,300.00	83.00
81G0687	-35+60IP TOT	6.00	1.00	20.00	116.00	.10	.10	3.40	1,170.00	6.00
81G0688	-35+60IP TOT	18.00	3.00	23.00	125.00	.10	.20	5.25	1,250.00	19.00

**THIS DATA WAS ENTERED BY:

MONICA .EXPLORE

POSTED AT:

16:36:26

01MAR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 13

SAMPLE CODE	TEST CODE	Cu WT	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8115314-004-A

81G0748	-35+60IP TOT	16.00 / 26.12 /	1.00 /	14.00 /	118.00 /	.10 /	.10 /	4.40 /	1,580.00 /	4.00 /
--------------------	--------------	--------------------	--------	---------	----------	-------	-------	--------	------------	--------

81G0749	-35+60IP TOT	20.00 / 6.43 /	1.00 /	11.00 /	155.00 /	.10 /	.10 /	5.40 /	890.00 /	4.00 /
--------------------	--------------	-------------------	--------	---------	----------	-------	-------	--------	----------	--------

81G0736	-35+60IP TOT	3.00 / 14.86 /	1.00 /	9.00 /	88.00 /	.10 /	.20 /	2.75 /	800.00 /	5.00 /
--------------------	--------------	-------------------	--------	--------	---------	-------	-------	--------	----------	--------

81G0750	-35+60IP TOT	33.00 /	1.00 /	12.00 /	148.00 /	.10 /	.10 /	5.70 /	1,150.00 /	6.00 /
--------------------	--------------	---------	--------	---------	----------	-------	-------	--------	------------	--------

SAMPLE CODE	TEST CODE	Cu WT	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX CERTIFICATE: A8115314-001-A										
81G0460	-35+60IP TOT	45.00 / 3.65 /	2.00 /	29.00 /	240.00 /	.10 /	.10 /	11.50 /	1,080.00 /	30.00 /
81G0593	-35+60IP TOT	25.00 / 10.81 /	1.00 /	9.00 /	170.00 /	.10 /	.60 /	6.30 /	890.00 /	15.00 /
81G0594	-35+60IP TOT	9.00 / 12.97 /	1.00 /	3.00 /	93.00 /	.10 /	.30 /	4.75 /	920.00 /	4.00 /
81G0595	-35+60IP TOT	33.00 / 84.61 /	1.00 /	9.00 /	122.00 /	.10 /	.30 /	7.00 /	1,320.00 /	7.00 /
81G0596	-35+60IP TOT	.01 /								
81G0598	-35+60IP TOT	37.00 / 12.49 /	2.00 /	12.00 /	250.00 /	.10 /	.10 /	9.35 /	1,430.00 /	83.00 /
81G0599	-35+60IP TOT	66.00 / 5.80 /	4.00 /	15.00 /	430.00 /	.10 /	1.00 /	9.00 /	1,080.00 /	94.00 /
81G0602	-35+60IP TOT	70.00 / .08 /	2.00 /	20.00 /	500.00 /	.10 /	.10 /	14.00 /	1,650.00 /	99.00 /
81G0609	-35+60IP TOT	33.00 / 5.14 /	1.00 /	6.00 /	176.00 /	.10 /	.30 /	7.55 /	1,370.00 /	25.00 /
81G0610	-35+60IP TOT	23.00 / 13.57 /	1.00 /	13.00 /	176.00 /	.10 /	.10 /	6.70 /	1,280.00 /	27.00 /

SAMPLE CODE	TEST CODE	Cu WT	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX CERTIFICATE: AB115314-001-A										
81G0612	-35+60IP TOT	28.00 / 13.16	1.00 /	5.00 /	130.00 /	.10 /	.40 /	5.80 /	1,150.00 /	9.00 /
81G0613	-35+60IP TOT	22.00 / 24.22	1.00 /	10.00 /	148.00 /	.10 /	.30 /	6.10 /	920.00 /	17.00 /
81G0615	-35+60IP TOT	23.00 / 25.86	1.00 /	5.00 /	120.00 /	.10 /	.20 /	5.30 /	1,080.00 /	7.00 /
81G0617	-35+60IP TOT	76.00 / 7.08	64.00 /	35.00 /	6,300.00 /	.10 /	11.30 /	40.00 /	2,500.00 /	215.00 /
81G0618	-35+60IP TOT	220.00 / .23	59.00 /	80.00 /	3,050.00 /	.30 /	7.70 /	21.00 /	2,900.00 /	57.00 /
81G0619	-35+60IP TOT	221.00 / .34	76.00 /	152.00 /	2,480.00 /	.60 /	5.70 /	22.00 /	2,750.00 /	264.00 /
81G0620	-35+60IP TOT	95.00 / .44	22.00 /	38.00 /	1,520.00 /	.20 /	1.50 /	11.50 /	2,380.00 /	95.00 /
81G0621	-35+60IP TOT	20.00 / .26	2.00 /	8.00 /	136.00 /	.20 /	.20 /	7.00 /	2,120.00 /	9.00 /
81G0622	-35+60IP TOT	23.00 / 22.65	1.00 /	7.00 /	122.00 /	.10 /	.40 /	4.95 /	1,050.00 /	5.00 /
81G0623	-35+60IP TOT	28.00 / 113.21	1.00 /	6.00 /	110.00 /	.10 /	.20 /	4.70 /	980.00 /	5.00 /

SAMPLE CODE	TEST CODE	Cu WT	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8115314-001-A

81G0624	-35+60IP TOT	31.00 124.59	1.00	6.00	98.00	.10	.20	4.35	920.00	4.00
81G0625	-35+60IP TOT	34.0 434.00 8.68	1.00	7.00	120.00	.10	.40	5.90	1,100.00	5.00
81G0626	-35+60IP TOT	54.00 2.77	1.00	12.00	245.00	.10	.40	12.50	1,950.00	59.00
81G0627	-35+60IP TOT	82.00 4.64	6.00	26.00	452.00	.10	1.20	13.50	2,080.00	83.00
81G0628	-35+60IP TOT	83.00 4.40	3.00	13.00	250.00	.10	.10	13.00	2,100.00	100.00
81G0629	-35+60IP TOT	21.00 3.84	1.00	13.00	270.00	.10	.50	10.00	1,550.00	16.00
81G0630	-35+60IP TOT	41.00 4.18	1.00	25.00	248.00	.10	.80	9.15	1,500.00	24.00
81G0631	-35+60IP TOT	30.00 3.98	1.00	9.00	330.00	.10	1.80	8.20	1,820.00	20.00
81G0632	-35+60IP TOT	86.00 1.26	8.00	34.00	1,000.00	.20	2.20	13.00	1,900.00	46.00
81G0633	-35+60IP TOT	109.00 2.32	6.00	48.00	733.00	.10	2.30	14.50	2,600.00	39.00

SAMPLE CODE	TEST CODE	Cu WT	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAM: CHEMEX CERTIFICATE: AB115314-001-A

81G0634	-35+60IP TOT	180.00 .03	6.00 —	57.00 —	1,060.00 —	.20 —	2.80 —	19.78	3,480.00	106.00
81G0635	-35+60IP TOT	88.00 .94	2.00 —	22.00 —	725.00 —	.20 —	1.60 —	15.60	3,000.00	48.00
81G0636	-35+60IP TOT	6.00 6.04	1.00 —	2.00 —	220.00 —	.10 —	.10 —	8.90	1,160.00	3.00
81G0637	-35+60IP TOT	51.00 5.27	1.00 —	18.00 —	460.00 —	.10 —	1.30 —	9.20	1,320.00	35.00
81G0638	-35+60IP TOT	3.00 1.75	1.00 —	3.00 —	73.00 —	.10 —	.10 —	2.25	880.00	6.00
81G0639	-35+60IP TOT	180.00 .18	2.00 —	65.00 —	925.00 —	.20 —	.20 —	24.00	3,850.00	80.00
81G0640	-35+60IP TOT	88.00 .66	2.00 —	23.00 —	500.00 —	.20 —	.20 —	14.50	2,340.00	42.00
81G0642	-35+60IP TOT	85.00 7.54	2.00 —	27.00 —	505.00 —	.10 —	2.60 —	12.50	1,650.00	38.00
81G0643	-35+60IP TOT	73.00 24.38	7.00 —	28.00 —	520.00 —	.10 —	1.60 —	14.50	1,390.00	43.00
81G0644	-35+60IP TOT	88.00 2.24	3.00 —	19.00 —	535.00 —	.10 —	1.10 —	12.00	1,700.00	41.00

01MAR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 5

SAMPLE CODE	TEST CODE	Cu WT	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
----------------	--------------	----------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8115314-002-A

81G0645	-35+60IP TOT	26.00 ✓ 11.19 ✓	1.00 ✓	14.00 ✓	205.00 ✓	.10 ✓	.30 ✓	7.75 ✓	1,700.00 ✓	19.00 ✓
81G0646	-35+60IP TOT	85.00 ✓ 8.61 ✓	8.00 ✓	23.00 ✓	535.00 ✓	.10 ✓	1.10 ✓	12.00 ✓	2,330.00 ✓	48.00 ✓
81G0647	-35+60IP TOT	40.00 ✓ .51 ✓	2.00 ✓	4.00 ✓	180.00 ✓	.20 ✓	15.40 ✓	7.60 ✓	4,000.00 ✓	4.00 ✓
81G0648	-35+60IP TOT	112.00 ✓ 2.68 ✓	8.00 ✓	26.00 ✓	558.00 ✓	.10 ✓	1.40 ✓	13.88 ✓	1,750.00 ✓	40.00 ✓
81G0649	-35+60IP TOT	92.00 ✓ 4.04 ✓	11.00 ✓	22.00 ✓	460.00 ✓	.10 ✓	1.20 ✓	11.88 ✓	1,680.00 ✓	48.00 ✓
81G0650	-35+60IP TOT	96.00 ✓ 1.34 ✓	2.00 ✓	36.00 ✓	560.00 ✓	.20 ✓	1.60 ✓	12.20 ✓	1,500.00 ✓	44.00 ✓
81G0651	-35+60IP TOT	56.00 ✓ 2.80 ✓	8.00 ✓	26.00 ✓	445.00 ✓	.10 ✓	1.80 ✓	12.50 ✓	1,850.00 ✓	40.00 ✓
81G0652	-35+60IP TOT	44.00 ✓ 6.93 ✓	5.00 ✓	28.00 ✓	238.00 ✓	.10 ✓	.90 ✓	5.85 ✓	860.00 ✓	45.00 ✓
81G0653	-35+60IP TOT	37.00 ✓ 17.54 ✓	5.00 ✓	15.00 ✓	235.00 ✓	.10 ✓	.60 ✓	4.80 ✓	800.00 ✓	29.00 ✓
81G0654	-35+60IP TOT	27.00 ✓ 9.30 ✓	1.00 ✓	13.00 ✓	230.00 ✓	.10 ✓	.10 ✓	9.90 ✓	1,380.00 ✓	20.00 ✓

SAMPLE CODE	TEST CODE	Cu WT	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8115314-002-A

81G0656	-35+60IP TOT	23.00 ✓ 20.48 ✓	2.00 ✓	10.00 ✓	150.00 ✓	.10 ✓	.20 ✓	7.15 ✓	1,080.00 ✓	9.00 ✓
81G0657	-35+60IP TOT	30.00 ✓ 15.59 ✓	4.00 ✓	13.00 ✓	272.00 ✓	.10 ✓	.20 ✓	14.00 ✓	1,350.00 ✓	22.00 ✓
81G0658	-35+60IP TOT	33.00 ✓ 3.56 ✓	3.00 ✓	12.00 ✓	300.00 ✓	.10 ✓	.40 ✓	7.50 ✓	750.00 ✓	14.00 ✓
81G0659	-35+60IP TOT	68.00 ✓ .56 ✓	6.00 ✓	28.00 ✓	810.00 ✓	.20 ✓	1.20 ✓	9.80 ✓	1,450.00 ✓	64.00 ✓
81G0660	-35+60IP TOT	25.00 ✓ 7.33 ✓	2.00 ✓	10.00 ✓	176.00 ✓	.10 ✓	.20 ✓	6.10 ✓	920.00 ✓	14.00 ✓
81G0661	-35+60IP TOT	24.00 ✓ 28.37 ✓	1.00 ✓	13.00 ✓	102.00 ✓	.10 ✓	.10 ✓	4.55 ✓	955.00 ✓	11.00 ✓
81G0662	-35+60IP TOT	23.00 ✓ 23.10 ✓	1.00 ✓	14.00 ✓	105.00 ✓	.10 ✓	.10 ✓	5.05 ✓	935.00 ✓	14.00 ✓
81G0663	-35+60IP TOT	23.00 ✓ 61.70 ✓	1.00 ✓	13.00 ✓	100.00 ✓	.10 ✓	.10 ✓	4.60 ✓	910.00 ✓	12.00 ✓
81G0664	-35+60IP TOT	25.00 ✓ 25.99 ✓	1.00 ✓	12.00 ✓	105.00 ✓	.10 ✓	.10 ✓	4.95 ✓	1,050.00 ✓	12.00 ✓
81G0665	-35+60IP TOT	23.00 ✓ 3.78 ✓	3.00 ✓	18.00 ✓	290.00 ✓	.10 ✓	.10 ✓	11.00 ✓	1,450.00 ✓	40.00 ✓

SAMPLE CODE	TEST CODE	Cu WT	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CNEMEX CERTIFICATE: A8115314-002-A

01G0666	-35+60IP TOT	28.00 1.04	2.00	16.00	346.00	.20	.40	9.50	1,420.00	60.00
01G0667	-35+60IP TOT	16.00 1.79	1.00	14.00	215.00	.10	.10	9.35	1,020.00	17.00
01G0668	-35+60IP TOT	19.00 3.80	1.00	16.00	135.00	.10	.30	5.70	890.00	25.00
01G0669	-35+60IP TOT	24.00 2.19	2.00	12.00	124.00	.10	.30	5.20	1,000.00	19.00
01G0670	-35+60IP TOT	46.00 1.88	5.00	14.00	170.00	.10	.50	7.20	1,300.00	29.00
01G0673	-35+60IP TOT	6.00 16.64	1.00	10.00	90.00	.10	.20	3.00	620.00	15.00
01G0674	-35+60IP TOT	8.00 .59	2.00	12.00	188.00	.20	.20	7.20	1,120.00	24.00
01G0676	-35+60IP TOT	50.00 1.12	2.00	12.00	172.00	.20	.40	6.96	1,440.00	38.00
01G0677	-35+60IP TOT	25.00 7.07	1.00	10.00	147.00	.10	.10	6.70	1,250.00	27.00
01G0678	-35+60IP TOT	12.00 1.93	1.00	13.00	128.00	.10	.10	5.50	1,130.00	5.00

SAMPLE CODE	TEST CODE	Cu WT	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX CERTIFICATE: A8115314-002-A										
81G0679	-35+60IP TOT	18.00 7.43	1.00	12.00	140.00	.10	.10	6.30	1,120.00	14.00
81G0680	-35+60IP TOT	28.00 7.43 0.56	2.00	24.00	235.00	.20	.20	9.20	2,120.00	44.00
81G0681	-35+60IP TOT	112.00 4.85	9.00	31.00	305.00	.10	.60	11.00	2,240.00	95.00
81G0682	-35+60IP TOT	152.00 2.65	10.00	48.00	480.00	.10	1.10	16.50	3,850.00	175.00
81G0683	-35+60IP TOT	88.00 3.03	6.00	86.00	295.00	.10	.50	12.00	2,330.00	77.00
81G0684	-35+60IP TOT	12.00 2.96	1.00	17.00	86.00	.30	.10	3.90	1,480.00	7.00
81G0685	-35+60IP TOT	27.00 9.32	3.00	13.00	148.00	.10	.10	6.40	1,150.00	11.00
81G0686	-35+60IP TOT	117.00 3.38	1.00	80.00	370.00	.10	.50	7.65	1,300.00	83.00
81G0687	-35+60IP TOT	6.00 2.64	1.00	20.00	116.00	.10	.10	3.40	1,170.00	6.00
81G0688	-35+60IP TOT	18.00 3.62	3.00	23.00	125.00	.10	.20	5.25	1,250.00	19.00

SAMPLE CODE	TEST CODE	Cu WT	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX CERTIFICATE: A8115314-003-A										
81G0689	-35+60IP TOT	28.00 / 6.12 /	1.00 /	13.00 /	92.00 /	.10 /	.20 /	4.15 / 1,300.00 /	9.00 /	
81G0690	-35+60IP TOT	8.00 / 25.84 /	1.00 /	9.00 /	85.00 /	.10 /	.10 /	3.35 / 700.00 /	3.00 /	
81G0691	-35+60IP TOT	100.00 / .13 /	2.00 /	40.00 /	510.00 /	.20 /	.20 /	18.50 / 2,900.00 /	155.00 /	
81G0692	-35+60IP TOT	18.00 / 8.33 /	1.00 /	28.00 /	145.00 /	.10 /	.40 /	4.80 / 870.00 /	9.00 /	
81G0693	-35+60IP TOT	43.00 / 2.77 /	1.00 /	31.00 /	210.00 /	.10 /	.60 /	6.10 / 1,350.00 /	40.00 /	
81G0694	-35+60IP TOT	43.00 / 19.07 /	1.00 /	34.00 /	220.00 /	.10 /	.20 /	6.60 / 1,480.00 /	40.00 /	
81G0695	-35+60IP TOT	11.00 / 59.86 /	1.00 /	12.00 /	74.00 /	.10 /	.30 /	3.40 / 770.00 /	7.00 /	
81G0696	-35+60IP TOT	22.00 / 91.49 /	1.00 /	12.00 /	85.00 /	.10 /	.30 /	3.50 / 735.00 /	10.00 /	
81G0697	-35+60IP TOT	27.00 / 27.83 /	1.00 /	10.00 /	90.00 /	.10 /	.20 /	3.85 / 840.00 /	11.00 /	
81G0698	-35+60IP TOT	24.00 / 50.62 /	1.00 /	14.00 /	86.00 /	.10 /	.20 /	3.40 / 810.00 /	9.00 /	

SAMPLE CODE	TEST CODE	Cu WT	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8115314-003-A

81G0699	-35+60IP TOT	22.00 ✓ 21.46 ✓	1.00 ✓	20.00 ✓	94.00 ✓	.10 ✓	.10 ✓	4.00 ✓	790.00 ✓	11.00 ✓
81G0700	-35+60IP TOT	13.00 ✓ 14.82 ✓	1.00 ✓	10.00 ✓	120.00 ✓	.10 ✓	.20 ✓	7.70 ✓	1,580.00 ✓	9.00 ✓
81G0701	-35+60IP TOT	18.00 ✓ 9.38 ✓	2.00 ✓	13.00 ✓	130.00 ✓	.10 ✓	.40 ✓	4.35 ✓	845.00 ✓	30.00 ✓
81G0702	-35+60IP TOT	51.00 ✓ 20.00 ✓	2.00 ✓	17.00 ✓	155.00 ✓	.10 ✓	.60 ✓	6.40 ✓	810.00 ✓	29.00 ✓
81G0703	-35+60IP TOT	31.00 ✓ 4.36 ✓	1.00 ✓	19.00 ✓	130.00 ✓	.10 ✓	.50 ✓	5.25 ✓	775.00 ✓	15.00 ✓
81G0705	-35+60IP TOT	83.00 ✓ 13.96 ✓	6.00 ✓	40.00 ✓	240.00 ✓	.10 ✓	1.20 ✓	7.20 ✓	550.00 ✓	110.00 ✓
81G0706	-35+60IP TOT	43.00 ✓ 8.64 ✓	1.00 ✓	14.00 ✓	126.00 ✓	.10 ✓	.50 ✓	4.90 ✓	740.00 ✓	19.00 ✓
81G0707	-35+60IP TOT	69.00 ✓ 36.19 ✓	1.00 ✓	16.00 ✓	108.00 ✓	.10 ✓	.20 ✓	7.80 ✓	760.00 ✓	38.00 ✓
81G0708	-35+60IP TOT	69.00 ✓ 6.56 ✓	1.00 ✓	12.00 ✓	146.00 ✓	.10 ✓	.60 ✓	5.75 ✓	780.00 ✓	14.00 ✓
81G0709	-35+60IP TOT	75.00 ✓ 12.99 ✓	1.00 ✓	9.00 ✓	115.00 ✓	.10 ✓	.40 ✓	5.40 ✓	780.00 ✓	6.00 ✓

SAMPLE CODE	TEST CODE	Cu WT	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
-------------	-----------	-------	----	----	----	----	----	----	----	----

LAB: CHEMEX CERTIFICATE: A8115314-003-A

81G0710	-35+60IP TOT	123.00 1.53	9.00	35.00	270.00	.10	.70	10.00	785.00	165.00
81G0711	-35+60IP TOT	190.00 5.06	34.00	80.00	540.00	.10	2.40	12.00	540.00	385.00
81G0712	-35+60IP TOT	68.00 8.16	3.00	53.00	230.00	.20	.20	7.70	870.00	73.00
81G0713	-35+60IP TOT	88.00 2.17	4.00	53.00	275.00	.10	.20	9.80	1,000.00	100.00
81G0714	-35+60IP TOT	230.00 1.84	67.00	135.00	1,020.00	.30	3.50	18.00	825.00	350.00
81G0715	-35+60IP TOT	348.00 .89	98.00	220.00	2,200.00	.60	7.00	22.80	1,030.00	115.00
81G0717	-35+60IP TOT	16.00 43.29	1.00	7.00	83.00	.10	.20	3.75	760.00	5.00
81G0718	-35+60IP TOT	36.00 18.42	1.00	13.00	110.00	.10	.30	4.75	660.00	10.00
81G0721	-35+60IP TOT	18.00 18.54	1.00	9.00	96.00	.10	.10	3.05	570.00	9.00
81G0728	-35+60IP TOT	27.00 129.72	1.00	1.00	35.00	.10	.10	2.20	335.00	3.00

SAMPLE CODE	TEST CODE	Cu WT.	Mo	Pb	Zn	Ag	Cd	Fe	Mn	As
LAB: CHEMEX CERTIFICATE: A8115314-003-A										
81G0729	-35+60IP TOT	3.00 / 28.37 /	1.00 /	5.00 /	42.00 /	.10 /	.10 /	2.45 / 485.00 /		4.00 /
81G0730	-35+60IP TOT	7.00 / 17.57 /	1.00 /	5.00 /	48.00 /	.10 /	.10 /	3.10 / 565.00 /		5.00 /
81G0732	-35+60IP TOT	12.00 / 16.82 /	1.00 /	4.00 /	103.00 /	.10 /	.10 /	4.30 / 800.00 /		16.00 /
81G0733	-35+60IP TOT	.07 /								
81G0734	-35+60IP TOT	26.00 / 28.39 /	1.00 /	5.00 /	135.00 /	.10 /	.10 /	4.60 / 750.00 /		7.00 /
81G0737	-35+60IP TOT	3.00 / 3.91 /	1.00 /	2.00 /	108.00 /	.10 /	.10 /	3.50 / 660.00 /		2.00 /
81G0741	-35+60IP TOT	34.00 / 64.55 /	1.00 /	5.00 /	115.00 /	.10 /	.20 /	4.60 / 975.00 /		9.00 /
81G0743	-35+60IP TOT	50.00 / 20.73 /	1.00 /	4.00 /	102.00 /	.10 /	.10 /	5.00 / 960.00 /		7.00 /
81G0744	-35+60IP TOT	19.00 / 2.83 /	2.00 /	4.00 /	210.00 /	.10 /	.20 /	6.85 / 1,430.00 /		19.00 /
81G0747	-35+60IP TOT	19.00 / 2.21 /	1.00 /	11.00 /	115.00 /	.10 /	.10 /	5.15 / 850.00 /		6.00 /