

016153


Clenex

Cert. # A8115226-001-A

p. 4

Sample # 8160447

Mn should be 393.0





Est. Feb 27/72  
Glass Lks

# CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604)984-0221

TELEX: 043-52597

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115226-001-A  
INVOICE # : I8115226  
DATE : 23-NOV-81  
P.C. # : NONE


ATTN: GREG JILSEN (REGULAR DIGESTION) (Total)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G 0318-35+60IP	0	32	1	8	97	0.1	0.2
81G 0325-35+60IP	0	32	1	5	135	0.1	0.1
81G 0328-35+60IP	0	30	1	9	180	0.4	0.1
81G 0329-35+60IP	0	30	2	11	214	0.3	0.1
81G 0330-35+60IP	0	24	1	7	208	0.4	0.1
81G 0331-35+60IP	0	49	2	20	325	0.4	0.5
81G 0332-35+60IP	0	7	1	3	120	0.1	0.1
81G 0337-35+60IP	0	30	1	6	215	0.2	0.1
81G 0339-35+60IP	0	28	1	9	128	0.1	0.1
81G 0340-35+60IP	0	28	1	6	194	0.2	0.1
81G 0344-35+60IP	0	78	1	27	330	0.4	0.2
81G 0345-35+60IP	0	12	1	8	112	0.1	0.1
81G 0346-35+60IP	0	25	2	9	138	0.1	0.1
81G 0348-35+60IP	0	9	1	10	80	0.1	0.1
81G 0349-35+60IP	0	21	1	18	180	0.5	0.1
81G 0350-35+60IP	0	28	1	28	165	0.2	0.1
81G 0355-35+60IP	0	30	1	58	325	0.7	0.5
81G 0356-35+60IP	0	12	1	35	290	0.6	0.1
81G 0415-35+60IP	0	18	1	19	100	0.1	0.1
81G 0417-35+60IP	0	10	1	2	82	0.1	0.1
81G 0424-35+60IP	0	10	1	10	108	0.1	0.1
81G 0425-35+60IP	0	16	1	9	175	0.1	0.1
81G 0428-35+60IP	0	27	1	13	168	0.1	0.1
81G 0432-35+60IP	0	30	1	6	62	0.1	0.1
81G 0434-35+60IP	0	28	1	4	100	0.1	0.1
81G 0435-35+60IP	0	26	1	12	138	0.1	0.1
81G 0443-35+60IP	0	22	1	17	188	0.1	0.1
81G 0444-35+60IP	0	24	1	3	95	0.1	0.1
81G 0445-35+60IP	0	35	1	3	70	0.1	0.1
81G 0446-35+60IP	0	30	1	4	85	0.1	0.1
81G 0447-35+60IP	0	29	1	1	50	0.1	0.1
81G 0449-35+60IP	0	76	1	4	96	0.2	0.1
81G 0450-35+60IP	0	31	1	4	74	0.1	0.1
81G 0458-35+60IP	0	45	1	10	185	0.3	0.1
81G 0459-35+60IP	0	35	1	12	198	0.4	0.1
81G 0463-35+60IP	0	64	1	6	130	0.3	0.1
81G 0464-35+60IP	0	142	1	4	830	0.5	0.1
81G 0465-35+60IP	0	48	1	1	115	0.1	0.1
81G 0467-35+60IP	0	19	1	14	200	0.4	0.1
81G 0468-35+60IP	0	45	1	14	215	0.1	0.1



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by Hart Buchler



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS


## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BARRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8115226-001-B  
 INVOICE # : 18115226  
 DATE : 23-NOV-81  
 P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G 0318-35+60IP	0	4.60	1100	25	--	--	--
81G 0325-35+60IP	0	5.30	1250	29	--	--	--
81G 0328-35+60IP	0	7.70	2230	22	--	--	--
81G 0329-35+60IP	0	7.90	1150	30	--	--	--
81G 0330-35+60IP	0	9.50	730	12	--	--	--
81G 0331-35+60IP	0	13.00	1020	53	--	--	--
81G 0332-35+60IP	0	6.15	735	10	--	--	--
81G 0337-35+60IP	0	10.00	910	94	--	--	--
81G 0339-35+60IP	0	7.10	855	120	--	--	--
81G 0340-35+60IP	0	9.15	1030	190	--	--	--
81G 0344-35+60IP	0	14.00	1330	150	--	--	--
81G 0345-35+60IP	0	5.85	655	35	--	--	--
81G 0346-35+60IP	0	5.05	760	36	--	--	--
81G 0348-35+60IP	0	1.10	120	3	--	--	--
81G 0349-35+60IP	0	8.00	870	3	--	--	--
81G 0350-35+60IP	0	4.55	500	9	--	--	--
81G 0355-35+60IP	0	12.00	1320	165	--	--	--
81G 0356-35+60IP	0	12.00	1950	32	--	--	--
81G 0415-35+60IP	0	4.70	780	19	--	--	--
81G 0417-35+60IP	0	2.50	385	9	--	--	--
81G 0424-35+60IP	0	4.15	680	7	--	--	--
81G 0425-35+60IP	0	6.65	835	5	--	--	--
81G 0428-35+60IP	0	6.10	680	9	--	--	--
81G 0432-35+60IP	0	4.20	930	5	--	--	--
81G 0434-35+60IP	0	6.20	710	4	--	--	--
81G 0435-35+60IP	0	8.80	960	9	--	--	--
81G 0443-35+60IP	0	9.30	1080	215	--	--	--
81G 0444-35+60IP	0	4.95	655	4	--	--	--
81G 0445-35+60IP	0	4.35	535	5	--	--	--
81G 0446-35+60IP	0	5.60	1550	7	--	--	--
81G 0447-35+60IP	0	3.15	393	6	--	--	--
81G 0449-35+60IP	0	6.20	690	6	--	--	--
81G 0450-35+60IP	0	3.75	520	5	--	--	--
81G 0458-35+60IP	0	8.70	1500	41	--	--	--
81G 0459-35+60IP	0	9.40	1120	17	--	--	--
81G 0463-35+60IP	0	7.40	1550	45	--	--	--
81G 0464-35+60IP	0	20.00	1480	11	--	--	--
81G 0465-35+60IP	0	7.75	1650	35	--	--	--
81G 0467-35+60IP	0	8.50	970	12	--	--	--
81G 0468-35+60IP	0	7.00	1060	25	--	--	--



Certified by Hart Bichler



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ASSAY

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BARRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8115226-001-A  
 INVOICE # : I8115226  
 DATE : 23-NOV-81  
 P.C. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Weight g					
81G 0318-35+60IP	0	19.00	--	--	--	--	--
81G 0325-35+60IP	0	5.03	--	--	--	--	--
81G 0328-35+60IP	0	7.22	--	--	--	--	--
81G 0329-35+60IP	0	10.75	--	--	--	--	--
81G 0330-35+60IP	0	11.87	--	--	--	--	--
81G 0331-35+60IP	0	7.55	--	--	--	--	--
81G 0332-35+60IP	0	16.51	--	--	--	--	--
81G 0337-35+60IP	0	9.48	--	--	--	--	--
81G 0339-35+60IP	0	24.60	--	--	--	--	--
81G 0340-35+60IP	0	13.28	--	--	--	--	--
81G 0344-35+60IP	0	41.66	--	--	--	--	--
81G 0345-35+60IP	0	13.00	--	--	--	--	--
81G 0346-35+60IP	0	44.49	--	--	--	--	--
81G 0348-35+60IP	0	116.58	--	--	--	--	--
81G 0349-35+60IP	0	6.69	--	--	--	--	--
81G 0350-35+60IP	0	13.71	--	--	--	--	--
81G 0355-35+60IP	0	12.63	--	--	--	--	--
81G 0356-35+60IP	0	4.20	--	--	--	--	--
81G 0415-35+60IP	0	93.27	--	--	--	--	--
81G 0417-35+60IP	0	16.15	--	--	--	--	--
81G 0424-35+60IP	0	5.34	--	--	--	--	--
81G 0425-35+60IP	0	3.86	--	--	--	--	--
81G 0428-35+60IP	0	16.79	--	--	--	--	--
81G 0432-35+60IP	0	73.66	--	--	--	--	--
81G 0434-35+60IP	0	20.01	--	--	--	--	--
81G 0435-35+60IP	0	13.07	--	--	--	--	--
81G 0443-35+60IP	0	11.66	--	--	--	--	--
81G 0444-35+60IP	0	48.19	--	--	--	--	--
81G 0445-35+60IP	0	43.80	--	--	--	--	--
81G 0446-35+60IP	0	41.03	--	--	--	--	--
81G 0447-35+60IP	0	75.05	--	--	--	--	--
81G 0449-35+60IP	0	62.94	--	--	--	--	--
81G 0450-35+60IP	0	32.58	--	--	--	--	--
81G 0458-35+60IP	0	22.96	--	--	--	--	--
81G 0459-35+60IP	0	18.43	--	--	--	--	--
81G 0463-35+60IP	0	14.77	--	--	--	--	--
81G 0464-35+60IP	0	15.20	--	--	--	--	--
81G 0465-35+60IP	0	42.80	--	--	--	--	--
81G 0467-35+60IP	0	3.34	--	--	--	--	--
81G 0468-35+60IP	0	10.19	--	--	--	--	--



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

.....  
 Registered Assayer, Province of British Columbia

SAMPLE CODE	TEST CODE	WT Ba U	Cu ✓ Hg Bi	Pb ✓ W	Zn ✓ Cd	Sn Mn ✓	Au Mo ✓	Ag ✓ Fe ✓	As Th	Sb Ce
-------------	-----------	---------	------------------	-----------	------------	------------	------------	--------------	----------	----------

LAB: CHEMEX CERTIFICATE: A8115226-001-A

81G0318	2222	19.00 ✓	32.00 ✓	8.00 ✓	97.00 ✓ .20 ✓	1,100.00 ✓	1.00 ✓	.10 ✓ 4.60 ✓	25.00 ✓	
81G0325	2222	5.03 ✓	32.00 ✓	5.00 ✓	135.00 ✓ .10 ✓	1,250.00 ✓	1.00 ✓	.10 ✓ 5.30 ✓	29.00 ✓	
81G0328	2222	7.22 ✓	30.00 ✓	9.00 ✓	180.00 ✓ .10 ✓	2,230.00 ✓	1.00 ✓	.40 ✓ 7.70 ✓	22.00 ✓	
81G0329	2222	10.75 ✓	30.00 ✓	11.00 ✓	214.00 ✓ .10 ✓	1,150.00 ✓	2.00 ✓	.30 ✓ 7.90 ✓	30.00 ✓	
81G0330	2222	11.87 ✓	24.00 ✓	7.00 ✓	208.00 ✓ .10 ✓	730.00 ✓	1.00 ✓	.40 ✓ 9.50 ✓	12.00 ✓	
81G0331	2222	7.55 ✓	49.00 ✓	20.00 ✓	325.00 ✓ .50 ✓	1,020.00 ✓	2.00 ✓	.40 ✓ 13.00 ✓	53.00 ✓	
81G0332	2222	16.51 ✓	7.00 ✓	3.00 ✓	120.00 ✓ .10 ✓	735.00 ✓	1.00 ✓	.10 ✓ 6.15 ✓	10.00 ✓	
81G0337	2222	9.48 ✓	30.00 ✓	6.00 ✓	215.00 ✓ .10 ✓	910.00 ✓	1.00 ✓	.20 ✓ 10.00 ✓	94.00 ✓	
81G0339	2222	24.60 ✓	28.00 ✓	9.00 ✓	128.00 ✓ .10 ✓	855.00 ✓	1.00 ✓	.10 ✓ 7.10 ✓	120.00 ✓	
81G0340	2222	13.28 ✓	28.00 ✓	6.00 ✓	194.00 ✓ .10 ✓	1,030.00 ✓	1.00 ✓	.20 ✓ 9.15 ✓	190.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115226-001-A								
<del>81G0344</del>	2222	41.66 ✓	78.00 ✓	27.00 ✓	330.00 ✓ .20 ✓	1,330.00 ✓	1.00 ✓	.40 ✓ 14.00 ✓	150.00 ✓	
<del>81G0345</del>	2222	13.00 ✓	12.00 ✓	8.00 ✓	112.00 ✓ .10 ✓	655.00 ✓	1.00 ✓	.10 ✓ 5.85 ✓	35.00 ✓	
<del>81G0346</del>	2222	44.49 ✓	25.00 ✓	9.00 ✓	138.00 ✓ .10 ✓	760.00 ✓	2.00 ✓	.10 ✓ 5.05 ✓	36.00 ✓	
<del>81G0348</del>	2222	116.58 ✓	9.00 ✓	10.00 ✓	80.00 ✓ .10 ✓	120.00 ✓	1.00 ✓	.10 ✓ 1.10 ✓	3.00 ✓	
<del>81G0349</del>	2222	6.69 ✓	21.00 ✓	18.00 ✓	180.00 ✓ .10 ✓	870.00 ✓	1.00 ✓	.50 ✓ 8.00 ✓	3.00 ✓	
<del>81G0350</del>	2222	13.71 ✓	28.00 ✓	28.00 ✓	165.00 ✓ .10 ✓	500.00 ✓	1.00 ✓	.20 ✓ 4.55 ✓	9.00 ✓	
<del>81G0355</del>	2222	12.63 ✓	30.00 ✓	58.00 ✓	325.00 ✓ .50 ✓	1,320.00 ✓	1.00 ✓	.70 ✓ 12.00 ✓	165.00 ✓	
<del>81G0356</del>	2222	4.20 ✓	12.00 ✓	35.00 ✓	290.00 ✓ .10 ✓	1,950.00 ✓	1.00 ✓	.60 ✓ 12.00 ✓	32.00 ✓	
<del>81G0415</del>	2222	93.27 ✓	18.00 ✓	19.00 ✓	100.00 ✓ .10 ✓	780.00 ✓	1.00 ✓	.10 ✓ 4.70 ✓	19.00 ✓	
<del>81G0417</del>	2222	16.15 ✓	10.00 ✓	2.00 ✓	82.00 ✓ .10 ✓	385.00 ✓	1.00 ✓	.10 ✓ 2.50 ✓	9.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8115226-001-A

8100424	2222	5.34 ✓	10.00 ✓	10.00 ✓	108.00 ✓ .10	680.00 ✓	1.00 ✓	.10 ✓ 4.15 ✓	7.00 ✓	
8100425	2222	3.86 ✓	16.00 ✓	9.00 ✓	175.00 ✓ .10	835.00 ✓	1.00 ✓	.10 ✓ 6.65 ✓	5.00 ✓	
8100428	2222	16.79 ✓	27.00 ✓	13.00 ✓	168.00 ✓ .10	680.00 ✓	1.00 ✓	.10 ✓ 6.10 ✓	9.00 ✓	
8100432	2222	73.66 ✓	30.00 ✓	6.00 ✓	62.00 ✓ .10	930.00 ✓	1.00 ✓	.10 ✓ 4.20 ✓	5.00 ✓	
8100434	2222	20.01 ✓	28.00 ✓	4.00 ✓	100.00 ✓ .10	710.00 ✓	1.00 ✓	.10 ✓ 6.20 ✓	4.00 ✓	
8100435	2222	13.07 ✓	26.00 ✓	12.00 ✓	138.00 ✓ .10	960.00 ✓	1.00 ✓	.10 ✓ 8.80 ✓	9.00 ✓	
8100443	2222	11.66 ✓	22.00 ✓	17.00 ✓	188.00 ✓ .10	1,080.00 ✓	1.00 ✓	.10 ✓ 9.30 ✓	215.00 ✓	
8100444	2222	48.19 ✓	24.00 ✓	3.00 ✓	95.00 ✓ .10	655.00 ✓	1.00 ✓	.10 ✓ 4.95 ✓	4.00 ✓	
8100445	2222	43.80 ✓	35.00 ✓	3.00 ✓	70.00 ✓ .10	535.00 ✓	1.00 ✓	.10 ✓ 4.35 ✓	5.00 ✓	
8100446	2222	41.03 ✓	30.00 ✓	4.00 ✓	85.00 ✓ .10	1,550.00 ✓	1.00 ✓	.10 ✓ 5.60 ✓	7.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115226-001-A								
<del>81G0447</del>	2222	75.05	29.00	1.00	50.00 .10	393.0 398.00	1.00	.10 3.15	6.00	
<del>81G0449</del>	2222	62.94	76.00	4.00	96.00 .10	690.00	1.00	.20 6.20	6.00	
<del>81G0450</del>	2222	32.58	31.00	4.00	74.00 .10	520.00	1.00	.10 3.75	5.00	
<del>81G0458</del>	2222	22.96	45.00	10.00	185.00 .10	1,500.00	1.00	.30 8.70	41.00	
<del>81G0459</del>	2222	18.43	35.00	12.00	198.00 .10	1,120.00	1.00	.40 9.40	17.00	
<del>81G0463</del>	2222	14.77	64.00	6.00	130.00 .10	1,550.00	1.00	.30 7.40	45.00	
<del>81G0464</del>	2222	15.20	142.00	4.00	830.00 .10	1,480.00	1.00	.50 20.00	11.00	
<del>81G0465</del>	2222	42.80	48.00	1.00	115.00 .10	1,650.00	1.00	.10 7.75	35.00	
<del>81G0467</del>	2222	3.34	19.00	14.00	200.00 .10	970.00	1.00	.40 8.50	12.00	
<del>81G0468</del>	2222	10.19	45.00	14.00	215.00 .10	1,060.00	1.00	.10 7.00	25.00	

\*\*THIS DATA WAS ENTERED BY: MONICA EXPLORE POSTED AT: 14:15:11