



E- Feb 26/82  
L. Grass.

# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

016155

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8


CERT. # : A8115228-001-A  
INVOICE # : I8115228  
DATE : 24-NOV-81  
P.O. # : NONE


ATTN: GREG JILSEN (REGULAR DIGESTION) (Total)

| Sample description | Prep code | Cu ppm | Mo ppm | Pb ppm | Zn ppm | Ag ppm | Cd ppm |
|--------------------|-----------|--------|--------|--------|--------|--------|--------|
| 81G-0079-35+60IP   | 0         | 103    | 1      | 22     | 270    | 0.3    | 0.1    |
| 81G-0081-35+60IP   | 0         | 28     | 1      | 9      | 160    | 0.1    | 0.1    |
| 81G-0090-35+60IP   | 0         | 16     | 2      | 4      | 320    | 0.3    | 0.2    |
| 81G-0136-35+60IP   | 0         | 112    | 2      | 12     | 3000   | 1.2    | 5.6    |
| 81G-0140-35+60IP   | 0         | 54     | 1      | 13     | 1380   | 0.3    | 3.0    |
| 81G-0259-35+60IP   | 0         | 20     | 1      | 4      | 48     | 0.1    | 0.1    |
| 81G-0260-35+60IP   | 0         | 25     | 1      | 2      | 38     | 0.1    | 0.1    |
| 81G-0261-35+60IP   | 0         | 37     | 1      | 35     | 152    | 0.1    | 0.4    |
| 81G-0264-35+60IP   | 0         | 30     | 1      | 5      | 72     | 0.1    | 0.1    |
| 81G-0266-35+60IP   | 0         | 31     | 1      | 2      | 22     | 0.1    | 0.1    |
| 81G-0268-35+60IP   | 0         | 24     | 1      | 3      | 68     | 0.1    | 0.1    |
| 81G-0269-35+60IP   | 0         | 19     | 1      | 5      | 58     | 0.1    | 0.1    |
| 81G-0270-35+60IP   | 0         | 44     | 3      | 10     | 52     | 0.9    | 0.1    |
| 81G-0271-35+60IP   | 0         | 21     | 1      | 1      | 13     | 0.1    | 0.1    |
| 81G-0273-35+60IP   | 0         | 146    | 2      | 34     | 375    | 0.2    | 0.1    |
| 81G-0285-35+60IP   | 0         | 16     | 2      | 7      | 74     | 0.1    | 0.1    |
| 81G-0306-35+60IP   | 0         | 35     | 1      | 16     | 220    | 0.1    | 0.1    |
| 81G-0312-35+60IP   | 0         | 20     | 1      | 7      | 105    | 0.1    | 0.1    |
| 81G-0313-35+60IP   | 0         | 19     | 1      | 9      | 100    | 0.1    | 0.1    |
| 81G-0314-35+60IP   | 0         | 26     | 1      | 7      | 123    | 0.1    | 0.1    |
| 81G-0319-35+60IP   | 0         | 14     | 1      | 3      | 50     | 0.1    | 0.1    |
| 81G-0320-35+60IP   | 0         | 12     | 1      | 4      | 124    | 0.1    | 0.1    |
| 81G-0321-35+60IP   | 0         | 28     | 1      | 4      | 80     | 0.1    | 0.1    |
| 81G-0323-35+60IP   | 0         | 14     | 1      | 4      | 110    | 0.1    | 0.1    |
| 81G-0368-35+60IP   | 0         | 8      | 1      | 6      | 42     | 0.1    | 0.1    |
| 81G-0371-35+60IP   | 0         | 32     | 1      | 5      | 75     | 0.1    | 0.1    |
| 81G-0372-35+60IP   | 0         | 19     | 1      | 4      | 62     | 0.1    | 0.1    |
| 81G-0373-35+60IP   | 0         | 40     | 1      | 8      | 98     | 0.1    | 0.1    |
| 81G-0374-35+60IP   | 0         | 39     | 1      | 6      | 108    | 0.1    | 0.1    |
| 81G-0375-35+60IP   | 0         | 58     | 1      | 4      | 94     | 0.1    | 0.1    |
| 81G-0376-35+60IP   | 0         | 33     | 1      | 7      | 96     | 0.1    | 0.1    |
| 81G-0377-35+60IP   | 0         | 13     | 1      | 5      | 70     | 0.1    | 0.1    |
| 81G-0378-35+60IP   | 0         | 49     | 2      | 5      | 134    | 0.1    | 0.1    |
| 81G-0380-35+60IP   | 0         | 20     | 1      | 5      | 60     | 0.1    | 0.1    |
| 81G-0381-35+60IP   | 0         | 12     | 1      | 5      | 62     | 0.1    | 0.1    |
| 81G-0382-35+60IP   | 0         | 19     | 1      | 7      | 62     | 0.1    | 0.1    |
| 81G-0383-35+60IP   | 0         | 5      | 1      | 3      | 32     | 0.1    | 0.1    |
| 81G-0384-35+60IP   | 0         | 23     | 1      | 4      | 46     | 0.1    | 0.1    |
| 81G-0385-35+60IP   | 0         | 9      | 1      | 6      | 68     | 0.1    | 0.1    |
| 81G-0386-35+60IP   | 0         | 9      | 1      | 6      | 52     | 0.1    | 0.1    |

Hart Buchler

Certified by .....





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115228-001-B  
INVOICE # : I8115228  
DATE : 24-NOV-81  
P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

| Sample description | Prep code | Fe %  | Mn ppm | AS ppm |    |    |    |
|--------------------|-----------|-------|--------|--------|----|----|----|
| 81G-0079-35+60IP   | 0         | 9.15  | 1350   | 48     | -- | -- | -- |
| 81G-0081-35+60IP   | 0         | 5.20  | 1600   | 7      | -- | -- | -- |
| 81G-0090-35+60IP   | 0         | 11.00 | 1780   | 16     | -- | -- | -- |
| 81G-0136-35+60IP   | 0         | 11.80 | 1680   | 34     | -- | -- | -- |
| 81G-0140-35+60IP   | 0         | 9.50  | 1870   | 46     | -- | -- | -- |
| 81G-0259-35+60IP   | 0         | 4.10  | 655    | 7      | -- | -- | -- |
| 81G-0260-35+60IP   | 0         | 2.25  | 440    | 9      | -- | -- | -- |
| 81G-0261-35+60IP   | 0         | 4.15  | 740    | 14     | -- | -- | -- |
| 81G-0264-35+60IP   | 0         | 4.20  | 780    | 5      | -- | -- | -- |
| 81G-0266-35+60IP   | 0         | 1.80  | 235    | 3      | -- | -- | -- |
| 81G-0268-35+60IP   | 0         | 4.50  | 820    | 6      | -- | -- | -- |
| 81G-0269-35+60IP   | 0         | 3.75  | 590    | 9      | -- | -- | -- |
| 81G-0270-35+60IP   | 0         | 3.20  | 530    | 4      | -- | -- | -- |
| 81G-0271-35+60IP   | 0         | 1.00  | 108    | 10     | -- | -- | -- |
| 81G-0273-35+60IP   | 0         | 5.90  | 1000   | 7      | -- | -- | -- |
| 81G-0285-35+60IP   | 0         | 3.95  | 548    | 17     | -- | -- | -- |
| 81G-0306-35+60IP   | 0         | 8.10  | 1350   | 30     | -- | -- | -- |
| 81G-0312-35+60IP   | 0         | 4.15  | 990    | 25     | -- | -- | -- |
| 81G-0313-35+60IP   | 0         | 3.80  | 718    | 29     | -- | -- | -- |
| 81G-0314-35+60IP   | 0         | 5.10  | 745    | 71     | -- | -- | -- |
| 81G-0319-35+60IP   | 0         | 2.80  | 495    | 14     | -- | -- | -- |
| 81G-0320-35+60IP   | 0         | 4.70  | 680    | 17     | -- | -- | -- |
| 81G-0321-35+60IP   | 0         | 4.00  | 680    | 19     | -- | -- | -- |
| 81G-0323-35+60IP   | 0         | 4.20  | 982    | 29     | -- | -- | -- |
| 81G-0368-35+60IP   | 0         | 2.05  | 340    | 25     | -- | -- | -- |
| 81G-0371-35+60IP   | 0         | 3.65  | 705    | 19     | -- | -- | -- |
| 81G-0372-35+60IP   | 0         | 3.60  | 405    | 5      | -- | -- | -- |
| 81G-0373-35+60IP   | 0         | 6.25  | 920    | 9      | -- | -- | -- |
| 81G-0374-35+60IP   | 0         | 6.70  | 690    | 5      | -- | -- | -- |
| 81G-0375-35+60IP   | 0         | 5.40  | 865    | 7      | -- | -- | -- |
| 81G-0376-35+60IP   | 0         | 5.60  | 810    | 9      | -- | -- | -- |
| 81G-0377-35+60IP   | 0         | 3.85  | 660    | 5      | -- | -- | -- |
| 81G-0378-35+60IP   | 0         | 6.15  | 720    | 19     | -- | -- | -- |
| 81G-0380-35+60IP   | 0         | 3.00  | 475    | 5      | -- | -- | -- |
| 81G-0381-35+60IP   | 0         | 3.05  | 430    | 6      | -- | -- | -- |
| 81G-0382-35+60IP   | 0         | 3.60  | 490    | 7      | -- | -- | -- |
| 81G-0383-35+60IP   | 0         | 1.80  | 415    | 3      | -- | -- | -- |
| 81G-0384-35+60IP   | 0         | 2.45  | 390    | 4      | -- | -- | -- |
| 81G-0385-35+60IP   | 0         | 3.20  | 585    | 9      | -- | -- | -- |
| 81G-0386-35+60IP   | 0         | 2.80  | 500    | 9      | -- | -- | -- |

Certified by *Hart Bichler*.....



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

|                             |
|-----------------------------|
| <b>CERTIFICATE OF ASSAY</b> |
|-----------------------------|

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BARRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8115228-001-A  
 INVOICE # : I8115228  
 DATE : 24-NOV-81  
 P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

| Sample description | Prep code | Weight g |    |    |    |    |    |    |
|--------------------|-----------|----------|----|----|----|----|----|----|
| 81G-0079-35+60IP   | 0         | 6.91     | -- | -- | -- | -- | -- | -- |
| 81G-0081-35+60IP   | 0         | 28.51    | -- | -- | -- | -- | -- | -- |
| 81G-0090-35+60IP   | 0         | 0.26     | -- | -- | -- | -- | -- | -- |
| 81G-0136-35+60IP   | 0         | 2.35     | -- | -- | -- | -- | -- | -- |
| 81G-0140-35+60IP   | 0         | 6.99     | -- | -- | -- | -- | -- | -- |
| 81G-0259-35+60IP   | 0         | 233.69   | -- | -- | -- | -- | -- | -- |
| 81G-0260-35+60IP   | 0         | 85.28    | -- | -- | -- | -- | -- | -- |
| 81G-0261-35+60IP   | 0         | 30.47    | -- | -- | -- | -- | -- | -- |
| 81G-0264-35+60IP   | 0         | 52.27    | -- | -- | -- | -- | -- | -- |
| 81G-0266-35+60IP   | 0         | 87.25    | -- | -- | -- | -- | -- | -- |
| 81G-0268-35+60IP   | 0         | 51.34    | -- | -- | -- | -- | -- | -- |
| 81G-0269-35+60IP   | 0         | 100.16   | -- | -- | -- | -- | -- | -- |
| 81G-0270-35+60IP   | 0         | 114.92   | -- | -- | -- | -- | -- | -- |
| 81G-0271-35+60IP   | 0         | 353.99   | -- | -- | -- | -- | -- | -- |
| 81G-0273-35+60IP   | 0         | 23.98    | -- | -- | -- | -- | -- | -- |
| 81G-0285-35+60IP   | 0         | 17.27    | -- | -- | -- | -- | -- | -- |
| 81G-0306-35+60IP   | 0         | 4.66     | -- | -- | -- | -- | -- | -- |
| 81G-0312-35+60IP   | 0         | 15.28    | -- | -- | -- | -- | -- | -- |
| 81G-0313-35+60IP   | 0         | 11.34    | -- | -- | -- | -- | -- | -- |
| 81G-0314-35+60IP   | 0         | 20.07    | -- | -- | -- | -- | -- | -- |
| 81G-0319-35+60IP   | 0         | 18.80    | -- | -- | -- | -- | -- | -- |
| 81G-0320-35+60IP   | 0         | 14.96    | -- | -- | -- | -- | -- | -- |
| 81G-0321-35+60IP   | 0         | 21.47    | -- | -- | -- | -- | -- | -- |
| 81G-0323-35+60IP   | 0         | 18.45    | -- | -- | -- | -- | -- | -- |
| 81G-0368-35+60IP   | 0         | 129.72   | -- | -- | -- | -- | -- | -- |
| 81G-0371-35+60IP   | 0         | 86.38    | -- | -- | -- | -- | -- | -- |
| 81G-0372-35+60IP   | 0         | 47.41    | -- | -- | -- | -- | -- | -- |
| 81G-0373-35+60IP   | 0         | 50.27    | -- | -- | -- | -- | -- | -- |
| 81G-0374-35+60IP   | 0         | 13.10    | -- | -- | -- | -- | -- | -- |
| 81G-0375-35+60IP   | 0         | 56.81    | -- | -- | -- | -- | -- | -- |
| 81G-0376-35+60IP   | 0         | 27.32    | -- | -- | -- | -- | -- | -- |
| 81G-0377-35+60IP   | 0         | 25.15    | -- | -- | -- | -- | -- | -- |
| 81G-0378-35+60IP   | 0         | 35.15    | -- | -- | -- | -- | -- | -- |
| 81G-0380-35+60IP   | 0         | 39.75    | -- | -- | -- | -- | -- | -- |
| 81G-0381-35+60IP   | 0         | 12.57    | -- | -- | -- | -- | -- | -- |
| 81G-0382-35+60IP   | 0         | 36.18    | -- | -- | -- | -- | -- | -- |
| 81G-0383-35+60IP   | 0         | 18.13    | -- | -- | -- | -- | -- | -- |
| 81G-0384-35+60IP   | 0         | 8.54     | -- | -- | -- | -- | -- | -- |
| 81G-0385-35+60IP   | 0         | 57.52    | -- | -- | -- | -- | -- | -- |
| 81G-0386-35+60IP   | 0         | 17.81    | -- | -- | -- | -- | -- | -- |



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

.....  
 Registered Assayer, Province of British Columbia

| SAMPLE CODE | TEST CODE | WT Ba U | Cu Hg Bi | Pb W | Zn Cd | Sn Mn | Au Mo | Ag Fe | As Th | Sb Ce |
|-------------|-----------|---------|----------|------|-------|-------|-------|-------|-------|-------|
|-------------|-----------|---------|----------|------|-------|-------|-------|-------|-------|-------|

LAB: CHEMEX CERTIFICATE: A8115228-001-A

|         |      |          |          |         |                      |            |        |                   |         |  |
|---------|------|----------|----------|---------|----------------------|------------|--------|-------------------|---------|--|
| 81G0079 | 2222 | 6.91 ✓   | 103.00 ✓ | 22.00 ✓ | 270.00 ✓<br>.10 ✓    | 1,350.00 ✓ | 1.00 ✓ | .30 ✓<br>9.15 ✓   | 48.00 ✓ |  |
| 81G0081 | 2222 | 28.51 ✓  | 28.00 ✓  | 9.00 ✓  | 160.00 ✓<br>.10 ✓    | 1,600.00 ✓ | 1.00 ✓ | .10 ✓<br>5.20 ✓   | 7.00 ✓  |  |
| 81G0090 | 2222 | .26 ✓    | 16.00 ✓  | 4.00 ✓  | 320.00 ✓<br>.20 ✓    | 1,780.00 ✓ | 2.00 ✓ | .30 ✓<br>11.00 ✓  | 16.00 ✓ |  |
| 81G0136 | 2222 | 2.35 ✓   | 112.00 ✓ | 12.00 ✓ | 3,000.00 ✓<br>5.60 ✓ | 1,680.00 ✓ | 2.00 ✓ | 1.20 ✓<br>11.80 ✓ | 34.00 ✓ |  |
| 81G0140 | 2222 | 6.99 ✓   | 54.00 ✓  | 13.00 ✓ | 1,380.00 ✓<br>3.00 ✓ | 1,870.00 ✓ | 1.00 ✓ | .30 ✓<br>9.50 ✓   | 46.00 ✓ |  |
| 81G0259 | 2222 | 233.69 ✓ | 20.00 ✓  | 4.00 ✓  | 48.00 ✓<br>.10 ✓     | 655.00 ✓   | 1.00 ✓ | .10 ✓<br>4.10 ✓   | 7.00 ✓  |  |
| 81G0260 | 2222 | 85.28 ✓  | 25.00 ✓  | 2.00 ✓  | 38.00 ✓<br>.10 ✓     | 440.00 ✓   | 1.00 ✓ | .10 ✓<br>2.25 ✓   | 9.00 ✓  |  |
| 81G0261 | 2222 | 30.47 ✓  | 37.00 ✓  | 35.00 ✓ | 152.00 ✓<br>.40 ✓    | 740.00 ✓   | 1.00 ✓ | .10 ✓<br>4.15 ✓   | 14.00 ✓ |  |
| 81G0264 | 2222 | 52.27 ✓  | 30.00 ✓  | 5.00 ✓  | 72.00 ✓<br>.10 ✓     | 780.00 ✓   | 1.00 ✓ | .10 ✓<br>4.20 ✓   | 5.00 ✓  |  |
| 81G0266 | 2222 | 87.25 ✓  | 31.00 ✓  | 2.00 ✓  | 22.00 ✓<br>.10 ✓     | 235.00 ✓   | 1.00 ✓ | .10 ✓<br>1.80 ✓   | 3.00 ✓  |  |

| SAMPLE<br>CODE     | TEST<br>CODE | WT<br>Ba<br>U               | Cu<br>Hg<br>Bi | Pb<br>W | Zn<br>Cd          | Sn<br>Mn   | Au<br>Mo | Ag<br>Fe        | As<br>Th | Sb<br>Ce |
|--------------------|--------------|-----------------------------|----------------|---------|-------------------|------------|----------|-----------------|----------|----------|
| LAB: CHEMEX        |              | CERTIFICATE: A8115228-001-A |                |         |                   |            |          |                 |          |          |
| <del>81G0268</del> | 2222         | 51.34 ✓                     | 24.00 ✓        | 3.00 ✓  | 68.00 ✓<br>.10 ✓  | 820.00 ✓   | 1.00 ✓   | .10 ✓<br>4.50 ✓ | 6.00 ✓   |          |
| <del>81G0269</del> | 2222         | 100.16 ✓                    | 19.00 ✓        | 5.00 ✓  | 58.00 ✓<br>.10 ✓  | 590.00 ✓   | 1.00 ✓   | .10 ✓<br>3.75 ✓ | 9.00 ✓   |          |
| <del>81G0270</del> | 2222         | 114.92 ✓                    | 44.00 ✓        | 10.00 ✓ | 52.00 ✓<br>.10 ✓  | 530.00 ✓   | 3.00 ✓   | .90 ✓<br>3.20 ✓ | 4.00 ✓   |          |
| <del>81G0271</del> | 2222         | 353.99 ✓                    | 21.00 ✓        | 1.00 ✓  | 13.00 ✓<br>.10 ✓  | 108.00 ✓   | 1.00 ✓   | .10 ✓<br>1.00 ✓ | 10.00 ✓  |          |
| <del>81G0273</del> | 2222         | 23.98 ✓                     | 146.00 ✓       | 34.00 ✓ | 375.00 ✓<br>.10 ✓ | 1,000.00 ✓ | 2.00 ✓   | .20 ✓<br>5.90 ✓ | 7.00 ✓   |          |
| <del>81G0285</del> | 2222         | 17.27 ✓                     | 16.00 ✓        | 7.00 ✓  | 74.00 ✓<br>.10 ✓  | 548.00 ✓   | 2.00 ✓   | .10 ✓<br>3.95 ✓ | 17.00 ✓  |          |
| <del>81G0306</del> | 2222         | 4.66 ✓                      | 35.00 ✓        | 16.00 ✓ | 220.00 ✓<br>.10 ✓ | 1,350.00 ✓ | 1.00 ✓   | .10 ✓<br>8.10 ✓ | 30.00 ✓  |          |
| <del>81G0312</del> | 2222         | 15.28 ✓                     | 20.00 ✓        | 7.00 ✓  | 105.00 ✓<br>.10 ✓ | 990.00 ✓   | 1.00 ✓   | .10 ✓<br>4.15 ✓ | 25.00 ✓  |          |
| <del>81G0313</del> | 2222         | 11.34 ✓                     | 19.00 ✓        | 9.00 ✓  | 100.00 ✓<br>.10 ✓ | 718.00 ✓   | 1.00 ✓   | .10 ✓<br>3.80 ✓ | 29.00 ✓  |          |
| <del>81G0314</del> | 2222         | 20.07 ✓                     | 26.00 ✓        | 7.00 ✓  | 123.00 ✓<br>.10 ✓ | 745.00 ✓   | 1.00 ✓   | .10 ✓<br>5.10 ✓ | 71.00 ✓  |          |

| SAMPLE CODE | TEST CODE | WT Ba U | Cu Hg Bi | Pb W | Zn Cd | Sn Mn | Au Mo | Ag Fe | As Th | Sb Ce |
|-------------|-----------|---------|----------|------|-------|-------|-------|-------|-------|-------|
|-------------|-----------|---------|----------|------|-------|-------|-------|-------|-------|-------|

LAB: CHEMEX CERTIFICATE: A8115228-001-A

|                    |      |          |         |        |                   |          |        |                 |         |  |
|--------------------|------|----------|---------|--------|-------------------|----------|--------|-----------------|---------|--|
| <del>81G0319</del> | 2222 | 18.80 ✓  | 14.00 — | 3.00 — | 50.00 ✓<br>.10 —  | 495.00 — | 1.00 — | .10 ✓<br>2.80 — | 14.00 — |  |
| <del>81G0320</del> | 2222 | 14.96 —  | 12.00 — | 4.00 — | 124.00 —<br>.10 — | 680.00 — | 1.00 ✓ | .10 ✓<br>4.70 — | 17.00 — |  |
| <del>81G0321</del> | 2222 | 21.47 ✓  | 28.00 — | 4.00 — | 80.00 —<br>.10 —  | 680.00 — | 1.00 — | .10 —<br>4.00 — | 19.00 — |  |
| <del>81G0323</del> | 2222 | 18.45 ✓  | 14.00 — | 4.00 — | 110.00 —<br>.10 — | 982.00 — | 1.00 — | .10 —<br>4.20 — | 29.00 — |  |
| <del>81G0368</del> | 2222 | 129.72 ✓ | 8.00 —  | 6.00 — | 42.00 —<br>.10 —  | 340.00 ✓ | 1.00 — | .10 —<br>2.05 — | 25.00 — |  |
| <del>81G0371</del> | 2222 | 86.38 ✓  | 32.00 — | 5.00 — | 75.00 ✓<br>.10 —  | 705.00 ✓ | 1.00 — | .10 —<br>3.65 — | 19.00 — |  |
| <del>81G0372</del> | 2222 | 47.41 ✓  | 19.00 — | 4.00 — | 62.00 —<br>.10 —  | 405.00 ✓ | 1.00 — | .10 —<br>3.60 — | 5.00 —  |  |
| <del>81G0373</del> | 2222 | 50.27 ✓  | 40.00 — | 8.00 — | 98.00 —<br>.10 —  | 920.00 ✓ | 1.00 — | .10 —<br>6.25 — | 9.00 —  |  |
| <del>81G0374</del> | 2222 | 13.10 ✓  | 39.00 — | 6.00 — | 108.00 —<br>.10 — | 690.00 ✓ | 1.00 — | .10 —<br>6.70 — | 5.00 —  |  |
| <del>81G0375</del> | 2222 | 56.81 ✓  | 58.00 — | 4.00 — | 94.00 —<br>.10 —  | 865.00 ✓ | 1.00 — | .10 —<br>5.40 — | 7.00 —  |  |

| SAMPLE CODE | TEST CODE | WT Ba U | Cu Hg BI | Pb W | Zn Cd | Sn Mn | Au Mo | Ag Fe | As Th | Sb Ce |
|-------------|-----------|---------|----------|------|-------|-------|-------|-------|-------|-------|
|-------------|-----------|---------|----------|------|-------|-------|-------|-------|-------|-------|

LAB: CHEMEX CERTIFICATE: A8115228-001-A

|         |      |         |       |      |               |          |      |             |       |  |
|---------|------|---------|-------|------|---------------|----------|------|-------------|-------|--|
| 81G0376 | 2222 | 27.32 ✓ | 33.00 | 7.00 | 96.00<br>.10  | 810.00 ✓ | 1.00 | .10<br>5.60 | 9.00  |  |
| 81G0377 | 2222 | 25.15 ✓ | 13.00 | 5.00 | 70.00<br>.10  | 660.00 ✓ | 1.00 | .10<br>3.85 | 5.00  |  |
| 81G0378 | 2222 | 35.15 ✓ | 49.00 | 5.00 | 134.00<br>.10 | 720.00   | 2.00 | .10<br>6.15 | 19.00 |  |
| 81G0380 | 2222 | 39.75 ✓ | 20.00 | 5.00 | 60.00<br>.10  | 475.00 ✓ | 1.00 | .10<br>3.00 | 5.00  |  |
| 81G0381 | 2222 | 12.57 ✓ | 12.00 | 5.00 | 62.00<br>.10  | 430.00 ✓ | 1.00 | .10<br>3.05 | 6.00  |  |
| 81G0382 | 2222 | 36.18 ✓ | 19.00 | 7.00 | 62.00<br>.10  | 490.00 ✓ | 1.00 | .10<br>3.60 | 7.00  |  |
| 81G0383 | 2222 | 18.13 ✓ | 5.00  | 3.00 | 32.00<br>.10  | 415.00 ✓ | 1.00 | .10<br>1.80 | 3.00  |  |
| 81G0384 | 2222 | 8.54 ✓  | 23.00 | 4.00 | 46.00<br>.10  | 390.00 ✓ | 1.00 | .10<br>2.45 | 4.00  |  |
| 81G0385 | 2222 | 57.52 ✓ | 9.00  | 6.00 | 68.00<br>.10  | 585.00 ✓ | 1.00 | .10<br>3.20 | 9.00  |  |
| 81G0386 | 2222 | 17.81 ✓ | 9.00  | 6.00 | 52.00<br>.10  | 500.00 ✓ | 1.00 | .10<br>2.80 | 9.00  |  |

\*\*THIS DATA WAS ENTERED BY: LYNNT EXPLORE POSTED AT: 11:44:14