

Clonex

Cent. # A8115228-002-A

p. 2

Sample # 8160410 Cd should be $\sqrt{2.0}$

p. 2

Sample # 8160419 As " $\sqrt{9.0}$

~~2~~

016156



Exp. March 1982

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8115228-002-A
INVOICE # : I8115228
DATE : 24-NOV-81
P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Cu ppm 1	Mo ppm 2	Pb ppm 3	Zn ppm 4	Ag ppm 5	Cd ppm 6
81G-0387-35+60IP	0	10	1	6	50	0.1	0.1
81G-0388-35+60IP	0	21	1	5	68	0.1	0.1
81G-0389-35+60IP	0	21	1	17	73	0.1	0.1
81G-0391-35+60IP	0	14	1	17	55	0.1	0.1
81G-0399-35+60IP	0	33	1	6	130	0.1	0.1
81G-0401-35+60IP	0	40	3	23	310	0.2	0.4
81G-0404-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81G-0405-35+60IP	0	52	1	7	158	0.1	0.1
81G-0408-35+60IP	0	15	1	10	135	0.1	0.1
81G-0409-35+60IP	0	37	1	14	175	0.1	0.1
81G-0410-35+60IP	0	51	1	28	910	0.1	2.0
81G-0411-35+60IP	0	26	1	15	225	0.1	0.1
81G-0413-35+60IP	0	30	1	15	84	0.1	0.1
81G-0414-35+60IP	0	13	1	9	64	0.1	0.1
81G-0416-35+60IP	0	12	1	5	55	0.1	0.1
81G-0418-35+60IP	0	97	1	10	185	0.1	0.1
81G-0419-35+60IP	0	24	1	5	65	0.1	0.1
81G-0421-35+60IP	0	30	1	14	85	0.1	0.1
81G-0422-35+60IP	0	15	1	10	66	0.1	0.1
81G-0426-35+60IP	0	21	1	10	114	0.1	0.1
81G-0427-35+60IP	0	8	1	2	56	0.1	0.1
81G-0429-35+60IP	0	25	1	10	95	0.1	0.1
81G-0430-35+60IP	0	30	1	5	52	0.1	0.1
81G-0431-35+60IP	0	8	1	15	155	0.2	0.1
81G-0433-35+60IP	0	26	1	10	130	0.2	0.1
81G-0436-35+60IP	0	17	1	17	182	0.5	0.1
81G-0437-35+60IP	0	30	1	16	140	0.4	0.1
81G-0438-35+60IP	0	22	1	27	205	0.5	0.1
81G-0439-35+60IP	0	30	1	38	324	0.7	0.1
81G-0440-35+60IP	0	30	1	42	300	0.5	0.1
81G-0441-35+60IP	0	25	1	25	190	0.4	0.1
81G-0442-35+60IP	0	48	1	26	258	0.5	0.1
81G-0448-35+60IP	0	127	1	1	71	0.1	0.1
81G-0451-35+60IP	0	90	1	13	305	0.3	0.8
81G-0452-35+60IP	0	60	1	12	150	0.1	0.1
81G-0453-35+60IP	0	35	1	56	128	0.1	0.1
81G-0454-35+60IP	0	31	1	28	135	0.1	0.1
81G-0455-35+60IP	0	22	1	19	90	0.1	0.1
81G-0461-35+60IP	0	50	1	24	212	0.1	0.1
81G-0462-35+60IP	0	60	1	38	163	0.1	0.1



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8115228-002-B
INVOICE # : I8115228
DATE : 24-NOV-81
P.O. # : NONE


ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Fe % ⁷	Mn ppm ⁸	AS ppm ⁹			
81G-0387-35+60IP	0	2.90	630	6	--	--	--
81G-0388-35+60IP	0	3.30	620	4	--	--	--
81G-0389-35+60IP	0	3.10	590	3	--	--	--
81G-0391-35+60IP	0	3.05	620	7	--	--	--
81G-0399-35+60IP	0	5.65	950	12	--	--	--
81G-0401-35+60IP	0	10.00	1430	39	--	--	--
81G-0404-35+60IP	0	N.S.S.	N.S.S.	N.S.S.	--	--	--
81G-0405-35+60IP	0	6.95	1500	32	--	--	--
81G-0408-35+60IP	0	5.25	930	19	--	--	--
81G-0409-35+60IP	0	8.00	1160	57	--	--	--
81G-0410-35+60IP	0	5.60	1130	50	--	--	--
81G-0411-35+60IP	0	4.95	1000	6	--	--	--
81G-0413-35+60IP	0	3.00	640	6	--	--	--
81G-0414-35+60IP	0	3.05	610	16	--	--	--
81G-0416-35+60IP	0	2.90	530	16	--	--	--
81G-0418-35+60IP	0	6.70	525	35	--	--	--
81G-0419-35+60IP	0	3.20	375	9	--	--	--
81G-0421-35+60IP	0	5.30	1080	5	--	--	--
81G-0422-35+60IP	0	4.00	795	4	--	--	--
81G-0426-35+60IP	0	3.40	600	4	--	--	--
81G-0427-35+60IP	0	2.85	420	4	--	--	--
81G-0429-35+60IP	0	3.75	510	27	--	--	--
81G-0430-35+60IP	0	2.65	370	3	--	--	--
81G-0431-35+60IP	0	6.50	985	24	--	--	--
81G-0433-35+60IP	0	7.80	1250	14	--	--	--
81G-0436-35+60IP	0	13.00	1380	7	--	--	--
81G-0437-35+60IP	0	9.40	1150	12	--	--	--
81G-0438-35+60IP	0	14.00	1500	10	--	--	--
81G-0439-35+60IP	0	18.50	2100	10	--	--	--
81G-0440-35+60IP	0	16.00	1950	9	--	--	--
81G-0441-35+60IP	0	18.00	2130	5	--	--	--
81G-0442-35+60IP	0	14.00	1500	14	--	--	--
81G-0448-35+60IP	0	3.50	560	2	--	--	--
81G-0451-35+60IP	0	8.00	810	10	--	--	--
81G-0452-35+60IP	0	5.60	610	23	--	--	--
81G-0453-35+60IP	0	3.45	410	7	--	--	--
81G-0454-35+60IP	0	4.90	670	7	--	--	--
81G-0455-35+60IP	0	3.35	410	9	--	--	--
81G-0461-35+60IP	0	5.85	1200	46	--	--	--
81G-0462-35+60IP	0	8.20	1000	23	--	--	--

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8115228-002-A
 INVOICE # : I8115228
 DATE : 24-NOV-81
 P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Weight /g					
81G-0387-35+60IP	0	79.73	--	--	--	--	--
81G-0388-35+60IP	0	26.22	--	--	--	--	--
81G-0389-35+60IP	0	23.63	--	--	--	--	--
81G-0391-35+60IP	0	33.48	--	--	--	--	--
81G-0399-35+60IP	0	29.82	--	--	--	--	--
81G-0401-35+60IP	0	4.37	--	--	--	--	--
81G-0404-35+60IP	0	0.05	--	--	--	--	--
81G-0405-35+60IP	0	10.58	--	--	--	--	--
81G-0408-35+60IP	0	9.77	--	--	--	--	--
81G-0409-35+60IP	0	40.20	--	--	--	--	--
81G-0410-35+60IP	0	26.48	--	--	--	--	--
81G-0411-35+60IP	0	2.37	--	--	--	--	--
81G-0413-35+60IP	0	63.62	--	--	--	--	--
81G-0414-35+60IP	0	73.78	--	--	--	--	--
81G-0416-35+60IP	0	80.27	--	--	--	--	--
81G-0418-35+60IP	0	28.70	--	--	--	--	--
81G-0419-35+60IP	0	54.98	--	--	--	--	--
81G-0421-35+60IP	0	16.07	--	--	--	--	--
81G-0422-35+60IP	0	17.62	--	--	--	--	--
81G-0426-35+60IP	0	5.86	--	--	--	--	--
81G-0427-35+60IP	0	13.36	--	--	--	--	--
81G-0429-35+60IP	0	13.28	--	--	--	--	--
81G-0430-35+60IP	0	43.88	--	--	--	--	--
81G-0431-35+60IP	0	6.36	--	--	--	--	--
81G-0433-35+60IP	0	44.81	--	--	--	--	--
81G-0436-35+60IP	0	6.81	--	--	--	--	--
81G-0437-35+60IP	0	34.70	--	--	--	--	--
81G-0438-35+60IP	0	10.30	--	--	--	--	--
81G-0439-35+60IP	0	6.83	--	--	--	--	--
81G-0440-35+60IP	0	3.60	--	--	--	--	--
81G-0441-35+60IP	0	7.20	--	--	--	--	--
81G-0442-35+60IP	0	7.09	--	--	--	--	--
81G-0448-35+60IP	0	133.76	--	--	--	--	--
81G-0451-35+60IP	0	53.09	--	--	--	--	--
81G-0452-35+60IP	0	17.15	--	--	--	--	--
81G-0453-35+60IP	0	20.24	--	--	--	--	--
81G-0454-35+60IP	0	10.61	--	--	--	--	--
81G-0455-35+60IP	0	15.36	--	--	--	--	--
81G-0461-35+60IP	0	15.30	--	--	--	--	--
81G-0462-35+60IP	0	10.20	--	--	--	--	--



MEMBER
 CANADIAN TESTING
 ASSOCIATION

.....
 Registered Assayer, Province of British Columbia

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
----------------	--------------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8115228-002-A

81G0387	2222	79.73 ✓	10.00 ✓	6.00 ✓	50.00 ✓ .10 ✓	630.00 ✓	1.00 ✓	.10 ✓ 2.90 ✓	6.00 ✓	
81G0388	2222	26.22 ✓	21.00 ✓	5.00 ✓	68.00 ✓ .10 ✓	620.00 ✓	1.00 ✓	.10 ✓ 3.30 ✓	4.00 ✓	
81G0389	2222	23.63 ✓	21.00 ✓	17.00 ✓	73.00 ✓ .10 ✓	590.00 ✓	1.00 ✓	.10 ✓ 3.10 ✓	3.00 ✓	
81G0391	2222	33.48 ✓	14.00 ✓	17.00 ✓	55.00 ✓ .10 ✓	620.00 ✓	1.00 ✓	.10 ✓ 3.05 ✓	7.00 ✓	
81G0399	2222	29.82 ✓	33.00 ✓	6.00 ✓	130.00 ✓ .10 ✓	950.00 ✓	1.00 ✓	.10 ✓ 5.65 ✓	12.00 ✓	
81G0401	2222	4.37 ✓	40.00 ✓	23.00 ✓	310.00 ✓ .40 ✓	1,430.00 ✓	3.00 ✓	.20 ✓ 10.00 ✓	39.00 ✓	
81G0404	2222	.05 ✓								
81G0405	2222	10.58 ✓	52.00 ✓	7.00 ✓	158.00 ✓ .10 ✓	1,500.00 ✓	1.00 ✓	.10 ✓ 6.95 ✓	32.00 ✓	
81G0408	2222	9.77 ✓	15.00 ✓	10.00 ✓	135.00 ✓ .10 ✓	930.00 ✓	1.00 ✓	.10 ✓ 5.25 ✓	19.00 ✓	
81G0409	2222	40.20 ✓	37.00 ✓	14.00 ✓	175.00 ✓ .10 ✓	1,160.00 ✓	1.00 ✓	.10 ✓ 8.00 ✓	57.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115228-002-A								
81G0410	2222	26.48 ✓	51.00 ✓	28.00 ✓	910.00 ✓ .20 2.0	1,130.00 ✓	1.00 ✓	.10 ✓ 5.60 ✓	50.00 ✓	
81G0411	2222	2.37 ✓	26.00 ✓	15.00 ✓	225.00 ✓ .10 ✓	1,000.00 ✓	1.00 ✓	.10 ✓ 4.95 ✓	6.00 ✓	
81G0413	2222	63.62 ✓	30.00 ✓	15.00 ✓	84.00 ✓ .10 ✓	640.00 ✓	1.00 ✓	.10 ✓ 3.00 ✓	6.00 ✓	
81G0414	2222	73.78 ✓	13.00 ✓	9.00 ✓	64.00 ✓ .10 ✓	610.00 ✓	1.00 ✓	.10 ✓ 3.05 ✓	16.00 ✓	
81G0416	2222	80.27 ✓	12.00 ✓	5.00 ✓	55.00 ✓ .10 ✓	530.00 ✓	1.00 ✓	.10 ✓ 2.90 ✓	16.00 ✓	
81G0418	2222	28.70 ✓	97.00 ✓	10.00 ✓	185.00 ✓ .10 ✓	525.00 ✓	1.00 ✓	.10 ✓ 6.70 ✓	35.00 ✓	
81G0419	2222	54.98 ✓	24.00 ✓	5.00 ✓	65.00 ✓ .10 ✓	375.00 ✓	1.00 ✓	.10 ✓ 3.20 ✓	35.00 ✓ 9.0	
81G0421	2222	16.07 ✓	30.00 ✓	14.00 ✓	85.00 ✓ .10 ✓	1,080.00 ✓	1.00 ✓	.10 ✓ 5.30 ✓	5.00 ✓	
81G0422	2222	17.62 ✓	15.00 ✓	10.00 ✓	66.00 ✓ .10 ✓	795.00 ✓	1.00 ✓	.10 ✓ 4.00 ✓	4.00 ✓	
81G0426	2222	5.86 ✓	21.00 ✓	10.00 ✓	114.00 ✓ .10 ✓	600.00 ✓	1.00 ✓	.10 ✓ 3.40 ✓	4.00 ✓	

SAMPLE CODE	TEST CODE	WT Ra U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
----------------	--------------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8115228-002-A

81G0427	2222	13.36 ✓	8.00 -	2.00 ✓	56.00 .10 ✓	420.00 -	1.00 -	.10 2.85 ✓	4.00 ✓
81G0429	2222	13.28 ✓	25.00 -	10.00 ✓	95.00 .10 ✓	510.00 -	1.00 -	.10 3.75 ✓	27.00 ✓
81G0430	2222	43.88 ✓	30.00 -	5.00 ✓	52.00 .10 ✓	370.00 ✓	1.00 ✓	.10 2.65 ✓	3.00 ✓
81G0431	2222	6.36 ✓	8.00 -	15.00 ✓	155.00 .10 -	985.00 ✓	1.00 -	.20 6.50 ✓	24.00 ✓
81G0433	2222	44.81 ✓	26.00 -	10.00 ✓	130.00 .10 -	1,250.00 ✓	1.00 ✓	.20 7.80 ✓	14.00 ✓
81G0436	2222	6.81 ✓	17.00 -	17.00 ✓	182.00 .10 ✓	1,380.00 ✓	1.00 ✓	.50 13.00 ✓	7.00 -
81G0437	2222	34.70 ✓	30.00 -	16.00 ✓	140.00 .10 ✓	1,150.00 -	1.00 ✓	.40 9.40 ✓	12.00 -
81G0438	2222	10.30 ✓	22.00 -	27.00 ✓	205.00 .10 ✓	1,500.00 ✓	1.00 ✓	.50 14.00 ✓	10.00 ✓
81G0439	2222	6.83 ✓	30.00 -	38.00 ✓	324.00 .10 ✓	2,100.00 -	1.00 ✓	.70 18.50 ✓	10.00 ✓
81G0440	2222	3.60 ✓	30.00 -	42.00 ✓	300.00 .10 ✓	1,950.00 ✓	1.00 ✓	.50 16.00 ✓	9.00 ✓

SAMPLE CODE	TEST CODE	WT Ra U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8115228-002-A

81G0441	2222	7.20 ✓	25.00 -	25.00 ✓	190.00 .10 ✓	2,130.00	1.00 ✓	.40 - 18.00 ✓	5.00 -	
81G0442	2222	7.09 ✓	48.00 -	26.00 ✓	258.00 .10 ✓	1,500.00	1.00 ✓	.50 - 14.00 ✓	14.00	
81G0448	2222	133.76 ✓	127.00 -	1.00 -	71.00 .10 ✓	560.00	1.00	.10 3.50 ✓	2.00 -	
81G0451	2222	53.09 ✓	90.00 ✓	13.00 -	305.00 .80 ✓	810.00	1.00	.30 8.00 ✓	10.00	
81G0452	2222	17.15 ✓	60.00 -	12.00 ✓	150.00 .10 ✓	610.00	1.00	.10 5.60 ✓	23.00 -	
81G0453	2222	20.24 ✓	35.00 -	56.00 ✓	128.00 .10 ✓	410.00	1.00	.10 3.45 ✓	7.00	
81G0454	2222	10.61 ✓	31.00 -	28.00 -	135.00 .10 ✓	670.00	1.00	.10 4.90 ✓	7.00	
81G0455	2222	15.36 ✓	22.00 -	19.00 ✓	90.00 .10 ✓	410.00	1.00	.10 3.35 ✓	9.00	
81G0461	2222	15.30 ✓	50.00 -	24.00 ✓	212.00 .10 ✓	1,200.00	1.00	.10 5.85 ✓	46.00	
81G0462	2222	10.20 ✓	60.00 -	38.00 ✓	163.00 .10 ✓	1,000.00	1.00	.10 8.20 ✓	23.00	

~~81G0462~~ ✓

01MAR82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE 5

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8115228-003-A								
81G0466	2222	24.65 ✓	24.00 ✓	2.00 ✓	100.00 ✓ .10 ✓	850.00 ✓	1.00 ✓	.10 ✓ 4.60 ✓	9.00 ✓	
81G0474	2222	122.28 ✓	78.00 ✓	2.00 ✓	200.00 ✓ .10 ✓	1,300.00 ✓	1.00 ✓	.20 ✓ 8.60 ✓	11.00 ✓	
81G0485	2222	6.27 ✓	62.00 ✓	7.00 ✓	180.00 ✓ .10 ✓	1,500.00 ✓	7.00 ✓	.10 ✓ 7.80 ✓	16.00 ✓	
81G0486	2222	1.27 ✓	48.00 ✓	12.00 ✓	290.00 ✓ .20 ✓	1,540.00 ✓	2.00 ✓	.20 ✓ 9.20 ✓	30.00 ✓	
81G0491	2222	20.61 ✓	39.00 ✓	7.00 ✓	115.00 ✓ .10 ✓	980.00 ✓	1.00 ✓	.10 ✓ 5.65 ✓	6.00 ✓	
81G0493	2222	4.96 ✓	22.00 ✓	5.00 ✓	120.00 ✓ .10 ✓	1,150.00 ✓	1.00 ✓	.10 ✓ 4.85 ✓	9.00 ✓	
81G0499	2222	50.29 ✓	19.00 ✓	10.00 ✓	60.00 ✓ .10 ✓	505.00 ✓	1.00 ✓	.10 ✓ 3.25 ✓	22.00 ✓	

**THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 10:50:40