



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

016158

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115399-001-A  
INVOICE # : I8115399  
DATE : 03-DEC-81  
P.O. # : NONE


ATTN: GREG JILSEN (REGULAR DIGESTION) (Total)

| Sample description | Prep code | Cu ppm | Mo ppm | Pb ppm | Zn ppm | Ag ppm | Cd ppm |
|--------------------|-----------|--------|--------|--------|--------|--------|--------|
| 81G-0093           | 35+60IP   | 0      | N.S.S. | N.S.S. | N.S.S. | N.S.S. | N.S.S. |
| 81G-0423           | 35+60IP   | 0      | 21     | 1      | 8      | 65     | 0.1    |
| 81G-0494           | 35+60IP   | 0      | 32     | 1      | 2      | 123    | 0.1    |
| 81G-0495           | 35+60IP   | 0      | 48     | 1      | 11     | 137    | 0.1    |
| 81G-0536           | 35+60IP   | 0      | 14     | 1      | 20     | 130    | 0.1    |
| 81G-0704           | 35+60IP   | 0      | 48     | 1      | 3      | 48     | 0.2    |
| 81G-0716           | 35+60IP   | 0      | 25     | 1      | 6      | 89     | 0.2    |
| 81G-0719           | 35+60IP   | 0      | 17     | 1      | 32     | 73     | 0.1    |
| 81G-0720           | 35+60IP   | 0      | 26     | 1      | 11     | 155    | 0.1    |
| 81G-0722           | 35+60IP   | 0      | 13     | 1      | 7      | 60     | 0.1    |
| 81G-0723           | 35+60IP   | 0      | 14     | 1      | 13     | 72     | 0.1    |
| 81G-0724           | 35+60IP   | 0      | 47     | 2      | 21     | 280    | 0.1    |
| 81G-0725           | 35+60IP   | 0      | 13     | 1      | 10     | 135    | 0.1    |
| 81G-0726           | 35+60IP   | 0      | 17     | 1      | 2      | 140    | 0.1    |
| 81G-0727           | 35+60IP   | 0      | 39     | 1      | 8      | 170    | 0.1    |
| 81G-0731           | 35+60IP   | 0      | 29     | 1      | 13     | 245    | 0.1    |
| 81G-0735           | 35+60IP   | 0      | 21     | 1      | 4      | 95     | 0.1    |
| 81G-0738           | 35+60IP   | 0      | 27     | 1      | 6      | 148    | 0.1    |
| 81G-0739           | 35+60IP   | 0      | 87     | 3      | 8      | 1      | 0.1    |
| 81G-0740           | 35+60IP   | 0      | 87     | 1      | 8      | 185    | 0.3    |
| 81G-0745           | 35+60IP   | 0      | 14     | 1      | 8      | 125    | 0.1    |
| 81G-0746           | 35+60IP   | 0      | 13     | 1      | 7      | 108    | 0.1    |

Certified by *Hart Bichler*



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115399-001-B  
INVOICE # : I8115399  
DATE : 03-DEC-81  
P.O. # : NONE

### ATTN: GREG JILSEN (REGULAR DIGESTION)

| Sample description | Prep code | Fe %   | Mn ppm | AS ppm |    |    |    |
|--------------------|-----------|--------|--------|--------|----|----|----|
| 81G-0093 35+60IP   | 0         | N.S.S. | N.S.S. | N.S.S. | -- | -- | -- |
| 81G-0423 35+60IP   | 0         | 3.60   | 466    | 9      | -- | -- | -- |
| 81G-0494 35+60IP   | 0         | 7.05   | 1070   | 3      | -- | -- | -- |
| 81G-0495 35+60IP   | 0         | 6.95   | 875    | 9      | -- | -- | -- |
| 81G-0536 35+60IP   | 0         | 4.90   | 650    | 10     | -- | -- | -- |
| 81G-0704 35+60IP   | 0         | 3.50   | 335    | 7      | -- | -- | -- |
| 81G-0716 35+60IP   | 0         | 5.45   | 660    | 4      | -- | -- | -- |
| 81G-0719 35+60IP   | 0         | 3.00   | 420    | 11     | -- | -- | -- |
| 81G-0720 35+60IP   | 0         | 10.00  | 1100   | 9      | -- | -- | -- |
| 81G-0722 35+60IP   | 0         | 3.55   | 650    | 12     | -- | -- | -- |
| 81G-0723 35+60IP   | 0         | 3.70   | 660    | 7      | -- | -- | -- |
| 81G-0724 35+60IP   | 0         | 12.00  | 1300   | 22     | -- | -- | -- |
| 81G-0725 35+60IP   | 0         | 5.00   | 1200   | 16     | -- | -- | -- |
| 81G-0726 35+60IP   | 0         | 6.80   | 765    | 3      | -- | -- | -- |
| 81G-0727 35+60IP   | 0         | 8.35   | 1530   | 10     | -- | -- | -- |
| 81G-0731 35+60IP   | 0         | 11.80  | 1380   | 22     | -- | -- | -- |
| 81G-0735 35+60IP   | 0         | 4.80   | 957    | 4      | -- | -- | -- |
| 81G-0738 35+60IP   | 0         | 6.35   | 920    | 4      | -- | -- | -- |
| 81G-0739 35+60IP   | 0         | 11.50  | 2100   | 14     | -- | -- | -- |
| 81G-0740 35+60IP   | 0         | 8.30   | 1400   | 11     | -- | -- | -- |
| 81G-0745 35+60IP   | 0         | 5.50   | 945    | 6      | -- | -- | -- |
| 81G-0746 35+60IP   | 0         | 4.80   | 720    | 4      | -- | -- | -- |

Certified by *Hart Bichler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS


## CERTIFICATE OF ASSAY

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BARRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8115399-001-A  
INVOICE # : I8115399  
DATE : 03-DEC-81  
P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

| Sample description | Prep code | Weight g |       |    |    |    |    |    |
|--------------------|-----------|----------|-------|----|----|----|----|----|
| 81G-0093           | 35+60IP   | 0        | 0.08  | -- | -- | -- | -- | -- |
| 81G-0423           | 35+60IP   | 0        | 34.00 | -- | -- | -- | -- | -- |
| 81G-0494           | 35+60IP   | 0        | 69.67 | -- | -- | -- | -- | -- |
| 81G-0495           | 35+60IP   | 0        | 5.15  | -- | -- | -- | -- | -- |
| 81G-0536           | 35+60IP   | 0        | 9.10  | -- | -- | -- | -- | -- |
| 81G-0704           | 35+60IP   | 0        | 57.33 | -- | -- | -- | -- | -- |
| 81G-0716           | 35+60IP   | 0        | 16.18 | -- | -- | -- | -- | -- |
| 81G-0719           | 35+60IP   | 0        | 1.88  | -- | -- | -- | -- | -- |
| 81G-0720           | 35+60IP   | 0        | 2.04  | -- | -- | -- | -- | -- |
| 81G-0722           | 35+60IP   | 0        | 26.40 | -- | -- | -- | -- | -- |
| 81G-0723           | 35+60IP   | 0        | 37.77 | -- | -- | -- | -- | -- |
| 81G-0724           | 35+60IP   | 0        | 3.02  | -- | -- | -- | -- | -- |
| 81G-0725           | 35+60IP   | 0        | 4.21  | -- | -- | -- | -- | -- |
| 81G-0726           | 35+60IP   | 0        | 0.64  | -- | -- | -- | -- | -- |
| 81G-0727           | 35+60IP   | 0        | 3.38  | -- | -- | -- | -- | -- |
| 81G-0731           | 35+60IP   | 0        | 3.32  | -- | -- | -- | -- | -- |
| 81G-0735           | 35+60IP   | 0        | 59.03 | -- | -- | -- | -- | -- |
| 81G-0738           | 35+60IP   | 0        | 7.06  | -- | -- | -- | -- | -- |
| 81G-0739           | 35+60IP   | 0        | 3.31  | -- | -- | -- | -- | -- |
| 81G-0740           | 35+60IP   | 0        | 15.04 | -- | -- | -- | -- | -- |
| 81G-0745           | 35+60IP   | 0        | 8.96  | -- | -- | -- | -- | -- |
| 81G-0746           | 35+60IP   | 0        | 5.53  | -- | -- | -- | -- | -- |



.....  
Registered Assayer, Province of British Columbia

81G0093 -35+60IP TOT

.08 ✓

81G0423 -35+60IP TOT

21.00 ✓  
34.00 ✓

1.00 ✓

8.00 ✓

65.00 ✓

.10 ✓

.10 ✓

3.60 ✓ 466.00 ✓

9.00 ✓

81G0494 -35+60IP TOT

32.00 ✓  
69.67 ✓

1.00 ✓

2.00 ✓

123.00 ✓

.10 ✓

.10 ✓

7.05 ✓ 1,070.00 ✓

3.00 ✓

81G0495 -35+60IP TOT

48.00 ✓  
5.15 ✓

1.00 ✓

11.00 ✓

137.00 ✓

.10 ✓

.10 ✓

6.95 ✓ 875.00 ✓

9.00 ✓

01MAR82  
EX021CYPRUS ANVIL MINING CORPORATION  
HEAVY MINERALS DATA ENTRY

PAGE 3

| SAMPLE<br>CODE | TEST<br>CODE | Cu<br>WT                    | Mo     | Pb      | Zn       | Ag    | Cd    | Fe      | Mn         | As      |
|----------------|--------------|-----------------------------|--------|---------|----------|-------|-------|---------|------------|---------|
| LAB: CHEMEX    |              | CERTIFICATE: A8115399-001-A |        |         |          |       |       |         |            |         |
| 81G0536        | -35+60IP TOT | 14.00 ✓<br>9.10 ✓           | 1.00 ✓ | 20.00 ✓ | 130.00 ✓ | .10 ✓ | .10 ✓ | 4.90 ✓  | 650.00 ✓   | 10.00 ✓ |
| 81G0704        | -35+60IP TOT | 48.00 ✓<br>57.33 ✓          | 1.00 ✓ | 3.00 ✓  | 48.00 ✓  | .20 ✓ | .10 ✓ | 3.50 ✓  | 335.00 ✓   | 7.00 ✓  |
| 81G0716        | -35+60IP TOT | 25.00 ✓<br>16.18 ✓          | 1.00 ✓ | 6.00 ✓  | 89.00 ✓  | .20 ✓ | .10 ✓ | 5.45 ✓  | 660.00 ✓   | 4.00 ✓  |
| 81G0719        | -35+60IP TOT | 17.00 ✓<br>1.88 ✓           | 1.00 ✓ | 32.00 ✓ | 73.00 ✓  | .10 ✓ | .10 ✓ | 3.00 ✓  | 420.00 ✓   | 11.00 ✓ |
| 81G0720        | -35+60IP TOT | 26.00 ✓<br>2.04 ✓           | 1.00 ✓ | 11.00 ✓ | 155.00 ✓ | .10 ✓ | .10 ✓ | 10.00 ✓ | 1,100.00 ✓ | 9.00 ✓  |
| 81G0722        | -35+60IP TOT | 13.00 ✓<br>26.40 ✓          | 1.00 ✓ | 7.00 ✓  | 60.00 ✓  | .10 ✓ | .10 ✓ | 3.55 ✓  | 650.00 ✓   | 12.00 ✓ |
| 81G0723        | -35+60IP TOT | 14.00 ✓<br>37.77 ✓          | 1.00 ✓ | 13.00 ✓ | 72.00 ✓  | .10 ✓ | .10 ✓ | 3.70 ✓  | 660.00 ✓   | 7.00 ✓  |
| 81G0724        | -35+60IP TOT | 47.00 ✓<br>3.02 ✓           | 2.00 ✓ | 21.00 ✓ | 280.00 ✓ | .10 ✓ | .10 ✓ | 12.00 ✓ | 1,300.00 ✓ | 22.00 ✓ |
| 81G0725        | -35+60IP TOT | 13.00 ✓<br>4.21 ✓           | 1.00 ✓ | 10.00 ✓ | 135.00 ✓ | .10 ✓ | .10 ✓ | 5.00 ✓  | 1,200.00 ✓ | 16.00 ✓ |
| 81G0726        | -35+60IP TOT | 17.00 ✓<br>.64 ✓            | 1.00 ✓ | 2.00 ✓  | 140.00 ✓ | .10 ✓ | .10 ✓ | 6.80 ✓  | 765.00 ✓   | 3.00 ✓  |

01MAR82  
EX021

CYPRUS ANVIL MINING CORPORATION  
HEAVY MINERALS DATA ENTRY

PAGE 4

| SAMPLE CODE        | TEST CODE                   | Cu WT                                | Mo              | Pb               | Zn                | Ag             | Cd             | Fe               | Mn                  | As               |
|--------------------|-----------------------------|--------------------------------------|-----------------|------------------|-------------------|----------------|----------------|------------------|---------------------|------------------|
| LAB: CHEMEX        | CERTIFICATE: A8115399-001-A |                                      |                 |                  |                   |                |                |                  |                     |                  |
| <del>81G0727</del> | <del>-35+60IP TOT</del>     | <del>39.00</del><br><del>3.38</del>  | <del>1.00</del> | <del>8.00</del>  | <del>170.00</del> | <del>.10</del> | <del>.10</del> | <del>8.35</del>  | <del>1,530.00</del> | <del>10.00</del> |
| <del>81G0731</del> | <del>-35+60IP TOT</del>     | <del>29.00</del><br><del>3.32</del>  | <del>1.00</del> | <del>13.00</del> | <del>245.00</del> | <del>.10</del> | <del>.10</del> | <del>11.80</del> | <del>1,380.00</del> | <del>22.00</del> |
| <del>81G0735</del> | <del>-35+60IP TOT</del>     | <del>21.00</del><br><del>59.03</del> | <del>1.00</del> | <del>4.00</del>  | <del>95.00</del>  | <del>.10</del> | <del>.10</del> | <del>4.80</del>  | <del>957.00</del>   | <del>4.00</del>  |
| <del>81G0738</del> | <del>-35+60IP TOT</del>     | <del>27.00</del><br><del>7.06</del>  | <del>1.00</del> | <del>6.00</del>  | <del>148.00</del> | <del>.10</del> | <del>.10</del> | <del>6.35</del>  | <del>920.00</del>   | <del>4.00</del>  |
| <del>81G0739</del> | <del>-35+60IP TOT</del>     | <del>87.00</del><br><del>3.31</del>  | <del>3.00</del> | <del>8.00</del>  | <del>1.00</del>   | <del>.10</del> | <del>.20</del> | <del>11.50</del> | <del>2,100.00</del> | <del>14.00</del> |
| <del>81G0740</del> | <del>-35+60IP TOT</del>     | <del>87.00</del><br><del>15.04</del> | <del>1.00</del> | <del>8.00</del>  | <del>185.00</del> | <del>.30</del> | <del>.30</del> | <del>8.30</del>  | <del>1,400.00</del> | <del>11.00</del> |
| <del>81G0745</del> | <del>-35+60IP TOT</del>     | <del>14.00</del><br><del>8.96</del>  | <del>1.00</del> | <del>8.00</del>  | <del>125.00</del> | <del>.10</del> | <del>.10</del> | <del>5.50</del>  | <del>945.00</del>   | <del>6.00</del>  |
| <del>81G0746</del> | <del>-35+60IP TOT</del>     | <del>13.00</del><br><del>5.53</del>  | <del>1.00</del> | <del>7.00</del>  | <del>108.00</del> | <del>.10</del> | <del>.10</del> | <del>4.80</del>  | <del>720.00</del>   | <del>4.00</del>  |

\*\*THIS DATA WAS ENTERED BY: MONICA .EXPLORE POSTED AT: 11:45:15