

016159

Chemex

Cert # A8114669-002-A

Sample # 8160290

Cu should be \checkmark 165.0

" # 8160291


" " " 92.0 \checkmark

" # 8160290

Ag " " 1.0V \checkmark

" # 8160296

entered twice \checkmark



Est. 1972

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

Grass Lake

CERT. # : A8114669-001-A
INVOICE # : I8114669
DATE : 28-OCT-81
P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

0	Sample Description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G149	-35+60IP	0	21	1	10	88	0.1	0.1
81G200	-35+60IP	0	20	1	14	155	0.1	0.9
81G201	-35+60IP	0	20	1	12	145	0.1	0.7
81G202	-35+60IP	0	21	1	10	140	0.1	0.7
81G203	-35+60IP	0	8	1	1	92	0.1	0.1
81G204	-35+60IP	0	5	1	1	160	0.1	0.1
81G206	-35+60IP	0	10	8	50	400	0.2	1.4
81G207	-35+60IP	0	15	2	8	87	0.1	0.6
81G208	-35+60IP	0	27	1	4	93	0.1	0.1
81G209	-35+60IP	0	17	1	10	92	0.1	0.1
81G210	-35+60IP	0	24	1	10	104	0.1	0.1
81G211	-35+60IP	0	11	1	4	45	0.1	0.1
81G213	-35+60IP	0	52	1	5	95	0.1	0.1
81G214	-35+60IP	0	17	1	7	118	0.1	0.1
81G215	-35+60IP	0	13	1	8	89	0.1	0.2
81G216	-35+60IP	0	25	2	9	125	0.1	0.2
81G217	-35+60IP	0	9	1	2	86	0.1	0.1
81G218	-35+60IP	0	6	1	3	66	0.1	0.2
81G219	-35+60IP	0	12	1	2	160	0.1	0.1
81G220	-35+60IP	0	2	1	4	70	0.1	0.1
81G221	-35+60IP	0	36	3	24	205	0.1	0.3
81G222	-35+60IP	0	20	1	15	165	0.1	0.5
81G223	-35+60IP	0	10	1	5	170	0.1	0.5
81G224	-35+60IP	0	12	1	11	150	0.1	0.4
81G225	-35+60IP	0	41	4	18	390	0.1	1.2
81G226	-35+60IP	0	72	5	102	1100	0.1	2.9
81G227	-35+60IP	0	14	1	5	106	0.1	0.1
81G228	-35+60IP	0	7	1	14	92	0.1	0.2
81G229	-35+60IP	0	13	1	18	73	0.1	0.1
81G230	-35+60IP	0	18	1	19	130	0.1	0.1
81G231	-35+60IP	0	20	1	4	46	0.1	0.1
81G232	-35+60IP	0	12	1	14	113	0.1	0.1
81G233	-35+60IP	0	10	1	22	212	0.1	0.5
81G234	-35+60IP	0	67	1	31	740	0.2	3.6
81G235	-35+60IP	0	450	20	375	3800	2.0	32.0
81G236	-35+60IP	0	200	9	39	1200	0.1	6.8
81G237	-35+60IP	0	310	26	76	3300	2.8	29.0
81G238	-35+60IP	0	26	4	23	233	0.2	1.7
81G239	-35+60IP	0	38	2	19	233	0.1	1.4
81G240	-35+60IP	0	78	7	38	388	0.5	2.7



Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8114669-001-B
INVOICE # : I8114669
DATE : 28-OCT-81
P.O. # : NONE


ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G149 -35+60IP	0	5.00	655	24	--	--	--
81G200 -35+60IP	0	6.05	940	15	--	--	--
81G201 -35+60IP	0	5.80	885	12	--	--	--
81G202 -35+60IP	0	6.05	940	17	--	--	--
81G203 -35+60IP	0	4.30	660	5	--	--	--
81G204 -35+60IP	0	5.50	925	3	--	--	--
81G206 -35+60IP	0	8.80	1000	20	--	--	--
81G207 -35+60IP	0	7.30	855	16	--	--	--
81G208 -35+60IP	0	5.05	685	6	--	--	--
81G209 -35+60IP	0	1.00	580	5	--	--	--
81G210 -35+60IP	0	4.00	530	5	--	--	--
81G211 -35+60IP	0	3.40	475	5	--	--	--
81G213 -35+60IP	0	4.55	790	3	--	--	--
81G214 -35+60IP	0	4.80	860	6	--	--	--
81G215 -35+60IP	0	4.20	565	6	--	--	--
81G216 -35+60IP	0	4.85	1650	5	--	--	--
81G217 -35+60IP	0	2.35	415	4	--	--	--
81G218 -35+60IP	0	3.30	650	6	--	--	--
81G219 -35+60IP	0	7.75	1000	5	--	--	--
81G220 -35+60IP	0	3.35	460	3	--	--	--
81G221 -35+60IP	0	8.00	860	10	--	--	--
81G222 -35+60IP	0	5.60	810	16	--	--	--
81G223 -35+60IP	0	5.00	770	6	--	--	--
81G224 -35+60IP	0	6.25	945	9	--	--	--
81G225 -35+60IP	0	9.80	1050	53	--	--	--
81G226 -35+60IP	0	11.00	1550	69	--	--	--
81G227 -35+60IP	0	5.80	800	6	--	--	--
81G228 -35+60IP	0	4.70	775	4	--	--	--
81G229 -35+60IP	0	4.50	720	11	--	--	--
81G230 -35+60IP	0	8.85	1450	6	--	--	--
81G231 -35+60IP	0	3.35	525	4	--	--	--
81G232 -35+60IP	0	7.30	1200	4	--	--	--
81G233 -35+60IP	0	7.10	1100	7	--	--	--
81G234 -35+60IP	0	6.55	950	60	--	--	--
81G235 -35+60IP	0	15.00	1800	110	--	--	--
81G236 -35+60IP	0	12.00	1150	67	--	--	--
81G237 -35+60IP	0	17.00	1100	350	--	--	--
81G238 -35+60IP	0	4.55	800	14	--	--	--
81G239 -35+60IP	0	4.00	795	9	--	--	--
81G240 -35+60IP	0	5.35	915	33	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8114669-001-A
INVOICE # : I8114669
DATE : 28-OCT-81
P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Weight g						
81G149 -35+60IP	0	73.29	--	--	--	--	--	--
81G200 -35+60IP	0	5.21	--	--	--	--	--	--
81G201 -35+60IP	0	5.63	--	--	--	--	--	--
81G202 -35+60IP	0	10.66	--	--	--	--	--	--
81G203 -35+60IP	0	7.15	--	--	--	--	--	--
81G204 -35+60IP	0	12.22	--	--	--	--	--	--
81G206 -35+60IP	0	1.65	--	--	--	--	--	--
81G207 -35+60IP	0	2.70	--	--	--	--	--	--
81G208 -35+60IP	0	4.06	--	--	--	--	--	--
81G209 -35+60IP	0	31.34	--	--	--	--	--	--
81G210 -35+60IP	0	39.17	--	--	--	--	--	--
81G211 -35+60IP	0	66.68	--	--	--	--	--	--
81G213 -35+60IP	0	50.95	--	--	--	--	--	--
81G214 -35+60IP	0	26.30	--	--	--	--	--	--
81G215 -35+60IP	0	40.84	--	--	--	--	--	--
81G216 -35+60IP	0	5.25	--	--	--	--	--	--
81G217 -35+60IP	0	30.80	--	--	--	--	--	--
81G218 -35+60IP	0	10.74	--	--	--	--	--	--
81G219 -35+60IP	0	5.73	--	--	--	--	--	--
81G220 -35+60IP	0	3.23	--	--	--	--	--	--
81G221 -35+60IP	0	19.38	--	--	--	--	--	--
81G222 -35+60IP	0	25.69	--	--	--	--	--	--
81G223 -35+60IP	0	21.98	--	--	--	--	--	--
81G224 -35+60IP	0	14.94	--	--	--	--	--	--
81G225 -35+60IP	0	6.19	--	--	--	--	--	--
81G226 -35+60IP	0	15.54	--	--	--	--	--	--
81G227 -35+60IP	0	34.91	--	--	--	--	--	--
81G228 -35+60IP	0	20.58	--	--	--	--	--	--
81G229 -35+60IP	0	2.74	--	--	--	--	--	--
81G230 -35+60IP	0	33.52	--	--	--	--	--	--
81G231 -35+60IP	0	63.50	--	--	--	--	--	--
81G232 -35+60IP	0	71.59	--	--	--	--	--	--
81G233 -35+60IP	0	17.88	--	--	--	--	--	--
81G234 -35+60IP	0	14.90	--	--	--	--	--	--
81G235 -35+60IP	0	14.20	--	--	--	--	--	--
81G236 -35+60IP	0	13.74	--	--	--	--	--	--
81G237 -35+60IP	0	17.72	--	--	--	--	--	--
81G238 -35+60IP	0	27.21	--	--	--	--	--	--
81G239 -35+60IP	0	84.49	--	--	--	--	--	--
81G240 -35+60IP	0	8.75	--	--	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Registered Assayer, Province of British Columbia



Est. Feb 25/92
✓

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8114669-002-A
INVOICE # : I8114669
DATE : 28-OCT-81
P.O. # : NONE


ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G241 -35+60IP	0	120	5	59	710	0.1	1.2
81G242 -35+60IP	0	120	3	43	252	0.2	0.7
81G243 -35+60IP	0	5	1	17	52	0.1	0.1
81G244 -35+60IP	0	200	5	56	322	0.1	0.7
81G245 -35+60IP	0	52	2	18	323	0.1	0.1
81G246 -35+60IP	0	46	1	39	78	0.1	0.2
81G247 -35+60IP	0	100	2	40	450	0.1	1.9
81G248 -35+60IP	0	11	2	21	57	0.1	0.3
81G249 -35+60IP	0	9	1	28	59	0.1	0.1
81G250 -35+60IP	0	13	1	38	54	0.1	0.1
81G251 -35+60IP	0	110	1	32	243	0.1	0.6
81G252 -35+60IP	0	36	1	30	125	0.1	0.1
81G253 -35+60IP	0	13	1	20	88	0.1	0.1
81G254 -35+60IP	0	20	1	16	62	0.1	0.1
81G255 -35+60IP	0	27	1	28	115	0.1	0.2
81G256 -35+60IP	0	26	1	28	130	0.1	0.3
81G257 -35+60IP	0	14	1	30	58	0.1	0.1
81G258 -35+60IP	0	9	1	14	55	0.1	0.1
81G262 -35+60IP	0	360	1	1	290	0.1	0.2
81G263 -35+60IP	0	18	1	3	62	0.1	0.1
81G265 -35+60IP	0	29	1	9	135	0.1	0.1
81G267 -35+60IP	0	78	1	39	265	0.1	0.1
81G272 -35+60IP	0	11	1	1	65	0.1	0.2
81G274 -35+60IP	0	47	3	14	108	0.1	0.1
81G275 -35+60IP	0	22	1	7	152	0.1	0.1
81G276 -35+60IP	0	32	1	11	425	0.1	0.1
81G277 -35+60IP	0	24	1	5	72	0.1	0.1
81G278 -35+60IP	0	55	3	4	175	0.3	0.3
81G279 -35+60IP	0	43	1	14	242	0.1	0.4
81G280 -35+60IP	0	8	1	2	42	0.1	0.1
81G281 -35+60IP	0	20	1	12	140	0.1	0.1
81G282 -35+60IP	0	95	5	24	270	0.1	0.3
81G283 -35+60IP	0	33	3	17	120	0.1	0.2
81G284 -35+60IP	0	40	2	20	185	0.1	0.1
81G286 -35+60IP	0	20	1	7	82	0.1	0.1
81G287 -35+60IP	0	38	2	31	323	0.1	0.8
81G288 -35+60IP	0	70	6	68	590	0.1	1.2
81G289 -35+60IP	0	70	3	74	692	0.1	1.9
81G290 -35+60IP	0	165	8	69	1200	1.0	2.6
81G291 -35+60IP	0	92	7	26	555	0.1	1.1



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8114669-002-B
INVOICE # : I8114669
DATE : 28-OCT-81
P.O. # : NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G241 -35+60IP	0	12.00	2150	90	---	---	---
81G242 -35+60IP	0	6.05	1200	22	---	---	---
81G243 -35+60IP	0	3.35	650	4	---	---	---
81G244 -35+60IP	0	6.65	1250	27	---	---	---
81G245 -35+60IP	0	9.90	2400	53	---	---	---
81G246 -35+60IP	0	3.80	705	9	---	---	---
81G247 -35+60IP	0	4.30	1250	17	---	---	---
81G248 -35+60IP	0	3.50	725	5	---	---	---
81G249 -35+60IP	0	3.75	875	3	---	---	---
81G250 -35+60IP	0	3.25	630	9	---	---	---
81G251 -35+60IP	0	4.20	1250	14	---	---	---
81G252 -35+60IP	0	4.05	860	7	---	---	---
81G253 -35+60IP	0	4.05	795	11	---	---	---
81G254 -35+60IP	0	3.90	650	22	---	---	---
81G255 -35+60IP	0	4.30	940	10	---	---	---
81G256 -35+60IP	0	4.10	885	7	---	---	---
81G257 -35+60IP	0	2.90	555	6	---	---	---
81G258 -35+60IP	0	3.20	630	4	---	---	---
81G262 -35+60IP	0	4.90	445	11	---	---	---
81G263 -35+60IP	0	3.65	630	5	---	---	---
81G265 -35+60IP	0	5.70	910	5	---	---	---
81G267 -35+60IP	0	8.35	1400	5	---	---	---
81G272 -35+60IP	0	1.85	300	3	---	---	---
81G274 -35+60IP	0	5.60	3650	15	---	---	---
81G275 -35+60IP	0	4.75	730	7	---	---	---
81G276 -35+60IP	0	5.35	770	7	---	---	---
81G277 -35+60IP	0	5.25	655	5	---	---	---
81G278 -35+60IP	0	7.75	850	25	---	---	---
81G279 -35+60IP	0	5.30	770	20	---	---	---
81G280 -35+60IP	0	2.35	485	6	---	---	---
81G281 -35+60IP	0	4.20	1025	11	---	---	---
81G282 -35+60IP	0	11.00	960	75	---	---	---
81G283 -35+60IP	0	5.50	665	39	---	---	---
81G284 -35+60IP	0	6.30	660	29	---	---	---
81G286 -35+60IP	0	5.15	640	29	---	---	---
81G287 -35+60IP	0	7.80	1050	57	---	---	---
81G288 -35+60IP	0	12.00	1550	38	---	---	---
81G289 -35+60IP	0	11.00	945	59	---	---	---
81G290 -35+60IP	0	15.00	1800	55	---	---	---
81G291 -35+60IP	0	10.00	1450	92	---	---	---



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # A8114669-002-A
 INVOICE # I8114669
 DATE 28-OCT-81
 P.O. # NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Weight g						
81G241 -35+60IP	0	15.89	--	--	--	--	--	--
81G242 -35+60IP	0	12.81	--	--	--	--	--	--
81G243 -35+60IP	0	49.41	--	--	--	--	--	--
81G244 -35+60IP	0	3.29	--	--	--	--	--	--
81G245 -35+60IP	0	3.42	--	--	--	--	--	--
81G246 -35+60IP	0	34.26	--	--	--	--	--	--
81G247 -35+60IP	0	9.62	--	--	--	--	--	--
81G248 -35+60IP	0	129.48	--	--	--	--	--	--
81G249 -35+60IP	0	86.43	--	--	--	--	--	--
81G250 -35+60IP	0	19.86	--	--	--	--	--	--
81G251 -35+60IP	0	75.91	--	--	--	--	--	--
81G252 -35+60IP	0	63.65	--	--	--	--	--	--
81G253 -35+60IP	0	19.66	--	--	--	--	--	--
81G254 -35+60IP	0	60.45	--	--	--	--	--	--
81G255 -35+60IP	0	132.78	--	--	--	--	--	--
81G256 -35+60IP	0	48.60	--	--	--	--	--	--
81G257 -35+60IP	0	66.68	--	--	--	--	--	--
81G258 -35+60IP	0	49.12	--	--	--	--	--	--
81G262 -35+60IP	0	98.45	--	--	--	--	--	--
81G263 -35+60IP	0	54.96	--	--	--	--	--	--
81G265 -35+60IP	0	28.79	--	--	--	--	--	--
81G267 -35+60IP	0	2.58	--	--	--	--	--	--
81G272 -35+60IP	0	124.03	--	--	--	--	--	--
81G274 -35+60IP	0	13.11	--	--	--	--	--	--
81G275 -35+60IP	0	26.16	--	--	--	--	--	--
81G276 -35+60IP	0	22.22	--	--	--	--	--	--
81G277 -35+60IP	0	56.16	--	--	--	--	--	--
81G278 -35+60IP	0	0.43	--	--	--	--	--	--
81G279 -35+60IP	0	48.51	--	--	--	--	--	--
81G280 -35+60IP	0	248.86	--	--	--	--	--	--
81G281 -35+60IP	0	49.92	--	--	--	--	--	--
81G282 -35+60IP	0	48.67	--	--	--	--	--	--
81G283 -35+60IP	0	20.00	--	--	--	--	--	--
81G284 -35+60IP	0	20.84	--	--	--	--	--	--
81G286 -35+60IP	0	17.14	--	--	--	--	--	--
81G287 -35+60IP	0	27.72	--	--	--	--	--	--
81G288 -35+60IP	0	18.15	--	--	--	--	--	--
81G289 -35+60IP	0	25.86	--	--	--	--	--	--
81G290 -35+60IP	0	22.99	--	--	--	--	--	--
81G291 -35+60IP	0	21.23	--	--	--	--	--	--



.....
 Registered Assayer, Province of British Columbia



End Feb 25/82

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

✓ ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # A8114669-003-A
INVOICE # I8114669
DATE 28-OCT-81
P.O. # NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81G292 -35+60IP	0	16	1	8	116	0.1	0.1
81G293 -35+60IP	0	10	2	5	145	0.2	0.2
81G294 -35+60IP	0	6	1	2	89	0.1	0.1
81G296 -35+60IP	0	27	1	4	133	0.1	0.2
81G297 -35+60IP	0	18	1	3	120	0.1	0.1
81G298 -35+60IP	0	32	1	6	245	0.1	0.3
81G299 -35+60IP	0	27	1	8	168	0.1	0.2
81G300 -35+60IP	0	22	1	9	210	0.1	0.2
81G301 -35+60IP	0	23	1	14	228	0.1	0.1
81G302 -35+60IP	0	25	1	11	162	0.1	0.2
81G303 -35+60IP	0	25	1	13	164	0.1	0.1
81G304 -35+60IP	0	19	1	9	160	0.1	0.1
81G305 -35+60IP	0	38	1	19	168	0.1	0.2
81G307 -35+60IP	0	23	1	12	145	0.1	0.1
81G308 -35+60IP	0	23	2	8	185	0.2	0.2
81G309 -35+60IP	0	24	1	10	200	0.1	0.3
81G310 -35+60IP	0	28	1	9	270	0.1	0.3
81G311 -35+60IP	0	12	1	11	130	0.1	0.1
81G315 -35+60IP	0	14	1	8	103	0.1	0.1
81G316 -35+60IP	0	9	1	5	84	0.1	0.1
81G317 -35+60IP	0	14	1	9	119	0.1	0.2
81G324 -35+60IP	0	21	1	3	92	0.1	0.1
81G326 -35+60IP	0	34	1	10	203	0.1	0.3
81G327 -35+60IP	0	25	1	6	205	0.1	0.1
81G335 -35+60IP	0	15	1	8	118	0.1	0.1
81G336 -35+60IP	0	63	1	19	360	0.1	1.0
81G338 -35+60IP	0	42	1	14	185	0.1	0.1
81G341 -35+60IP	0	15	1	10	230	0.1	0.1
81G342 -35+60IP	0	17	1	10	165	0.1	0.2
81G343 -35+60IP	0	44	1	12	208	0.1	0.1
81G347 -35+60IP	0	13	1	5	98	0.1	0.1
81G351 -35+60IP	0	38	1	21	165	0.1	0.1
81G352 -35+60IP	0	22	1	10	125	0.1	0.1
81G353 -35+60IP	0	40	1	24	205	0.1	0.1
81G354 -35+60IP	0	25	1	20	160	0.1	0.2
81G357 -35+60IP	0	17	1	18	158	0.1	0.1
81G358 -35+60IP	0	18	1	16	130	0.1	0.1
81G359 -35+60IP	0	23	1	14	108	0.1	0.2
81G360 -35+60IP	0	14	1	46	238	0.1	0.1
81G361 -35+60IP	0	12	1	55	245	0.1	0.1



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # A8114669-003-B
 INVOICE # I8114669
 DATE 28-OCT-81
 P.O. # NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
81G292 -35+60IP	0	4.60	645	19	--	--	--
81G293 -35+60IP	0	5.50	1500	18	--	--	--
81G294 -35+60IP	0	3.90	725	9	--	--	--
81G296 -35+60IP	0	6.05	825	14	--	--	--
81G297 -35+60IP	0	6.20	680	27	--	--	--
81G298 -35+60IP	0	7.45	1250	39	--	--	--
81G299 -35+60IP	0	7.00	950	24	--	--	--
81G300 -35+60IP	0	7.70	970	43	--	--	--
81G301 -35+60IP	0	8.50	1200	45	--	--	--
81G302 -35+60IP	0	7.10	1350	32	--	--	--
81G303 -35+60IP	0	6.25	1400	35	--	--	--
81G304 -35+60IP	0	6.10	1100	20	--	--	--
81G305 -35+60IP	0	7.90	1100	14	--	--	--
81G307 -35+60IP	0	6.95	1150	30	--	--	--
81G308 -35+60IP	0	7.55	1000	23	--	--	--
81G309 -35+60IP	0	7.25	1100	27	--	--	--
81G310 -35+60IP	0	7.00	1050	20	--	--	--
81G311 -35+60IP	0	6.10	1100	11	--	--	--
81G315 -35+60IP	0	4.85	785	22	--	--	--
81G316 -35+60IP	0	4.45	1150	35	--	--	--
81G317 -35+60IP	0	5.10	705	23	--	--	--
81G324 -35+60IP	0	4.80	890	24	--	--	--
81G326 -35+60IP	0	8.95	2800	59	--	--	--
81G327 -35+60IP	0	9.30	1350	19	--	--	--
81G335 -35+60IP	0	7.85	785	24	--	--	--
81G336 -35+60IP	0	11.00	1100	290	--	--	--
81G338 -35+60IP	0	10.00	850	92	--	--	--
81G341 -35+60IP	0	10.00	885	120	--	--	--
81G342 -35+60IP	0	6.25	1100	50	--	--	--
81G343 -35+60IP	0	11.00	1150	19	--	--	--
81G347 -35+60IP	0	4.70	550	99	--	--	--
81G351 -35+60IP	0	9.50	1050	100	--	--	--
81G352 -35+60IP	0	6.40	1100	190	--	--	--
81G353 -35+60IP	0	10.00	855	210	--	--	--
81G354 -35+60IP	0	8.95	920	160	--	--	--
81G357 -35+60IP	0	8.30	1100	57	--	--	--
81G358 -35+60IP	0	8.10	1100	19	--	--	--
81G359 -35+60IP	0	4.55	1100	79	--	--	--
81G360 -35+60IP	0	9.70	1750	94	--	--	--
81G361 -35+60IP	0	11.00	1750	110	--	--	--



Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ASSAY

TO CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BARRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # A8114669-003-A
 INVOICE # I8114669
 DATE 28-OCT-81
 P.O. # NONE

ATTN: GREG JILSEN (REGULAR DIGESTION)

Sample description	Prep code	Weight g						
81G292 -35+60IP	0	19.24	--	--	--	--	--	--
81G293 -35+60IP	0	0.80	--	--	--	--	--	--
81G294 -35+60IP	0	28.93	--	--	--	--	--	--
81G296 -35+60IP	0	41.72	--	--	--	--	--	--
81G297 -35+60IP	0	5.03	--	--	--	--	--	--
81G298 -35+60IP	0	9.55	--	--	--	--	--	--
81G299 -35+60IP	0	9.67	--	--	--	--	--	--
81G300 -35+60IP	0	18.85	--	--	--	--	--	--
81G301 -35+60IP	0	2.98	--	--	--	--	--	--
81G302 -35+60IP	0	4.01	--	--	--	--	--	--
81G303 -35+60IP	0	7.56	--	--	--	--	--	--
81G304 -35+60IP	0	11.34	--	--	--	--	--	--
81G305 -35+60IP	0	9.59	--	--	--	--	--	--
81G307 -35+60IP	0	9.08	--	--	--	--	--	--
81G308 -35+60IP	0	0.79	--	--	--	--	--	--
81G309 -35+60IP	0	3.01	--	--	--	--	--	--
81G310 -35+60IP	0	4.54	--	--	--	--	--	--
81G311 -35+60IP	0	5.89	--	--	--	--	--	--
81G315 -35+60IP	0	18.65	--	--	--	--	--	--
81G316 -35+60IP	0	11.43	--	--	--	--	--	--
81G317 -35+60IP	0	25.79	--	--	--	--	--	--
81G324 -35+60IP	0	33.87	--	--	--	--	--	--
81G326 -35+60IP	0	15.00	--	--	--	--	--	--
81G327 -35+60IP	0	16.48	--	--	--	--	--	--
81G335 -35+60IP	0	32.94	--	--	--	--	--	--
81G336 -35+60IP	0	31.05	--	--	--	--	--	--
81G338 -35+60IP	0	32.29	--	--	--	--	--	--
81G341 -35+60IP	0	6.04	--	--	--	--	--	--
81G342 -35+60IP	0	33.71	--	--	--	--	--	--
81G343 -35+60IP	0	87.97	--	--	--	--	--	--
81G347 -35+60IP	0	36.79	--	--	--	--	--	--
81G351 -35+60IP	0	19.36	--	--	--	--	--	--
81G352 -35+60IP	0	11.00	--	--	--	--	--	--
81G353 -35+60IP	0	22.77	--	--	--	--	--	--
81G354 -35+60IP	0	10.49	--	--	--	--	--	--
81G357 -35+60IP	0	5.39	--	--	--	--	--	--
81G358 -35+60IP	0	13.83	--	--	--	--	--	--
81G359 -35+60IP	0	28.87	--	--	--	--	--	--
81G360 -35+60IP	0	4.78	--	--	--	--	--	--
81G361 -35+60IP	0	2.53	--	--	--	--	--	--



.....
 Registered Assayer, Province of British Columbia

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114669-002-A								
81G0251	2222	75.91 ✓	110.00 ✓	32.00 ✓	243.00 ✓ .60 ✓	1,250.00 ✓	1.00 ✓	.10 ✓ 4.20 ✓	14.00 ✓	
81G0252	2222	63.65 ✓	36.00 ✓	30.00 ✓	125.00 ✓ .10 ✓	860.00 ✓	1.00 ✓	.10 ✓ 4.05 ✓	7.00 ✓	
81G0253	2222	19.66 ✓	13.00 ✓	20.00 ✓	88.00 ✓ .10 ✓	795.00 ✓	1.00 ✓	.10 ✓ 4.05 ✓	11.00 ✓	
81G0254	2222	60.45 ✓	20.00 ✓	16.00 ✓	62.00 ✓ .10 ✓	650.00 ✓	1.00 ✓	.10 ✓ 3.90 ✓	22.00 ✓	
81G0255	2222	132.78 ✓	27.00 ✓	28.00 ✓	115.00 ✓ .20 ✓	940.00 ✓	1.00 ✓	.10 ✓ 4.30 ✓	10.00 ✓	
81G0256	2222	48.60 ✓	26.00 ✓	28.00 ✓	130.00 ✓ .30 ✓	885.00 ✓	1.00 ✓	.10 ✓ 4.10 ✓	7.00 ✓	
81G0257	2222	66.68 ✓	14.00 ✓	30.00 ✓	58.00 ✓ .10 ✓	555.00 ✓	1.00 ✓	.10 ✓ 2.90 ✓	6.00 ✓	
81G0258	2222	49.12 ✓	9.00 ✓	14.00 ✓	55.00 ✓ .10 ✓	630.00 ✓	1.00 ✓	.10 ✓ 3.20 ✓	4.00 ✓	
81G0262	2222	98.45 ✓	360.00 ✓	1.00 ✓	290.00 ✓ .20 ✓	445.00 ✓	1.00 ✓	.10 ✓ 4.90 ✓	11.00 ✓	
81G0263	2222	54.96 ✓	18.00 ✓	3.00 ✓	62.00 ✓ .10 ✓	630.00 ✓	1.00 ✓	.10 ✓ 3.65 ✓	5.00 ✓	

25FEB82
EX021

CYPRUS ANVIL MINING CORPORATION
HEAVY MINERALS DATA ENTRY

PAGE

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
----------------	--------------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8114669-002-A

81G0265	2222	28.79 ✓	29.00 ✓	9.00 ✓	135.00 ✓ .10 ✓	910.00 ✓	1.00 ✓	.10 ✓ 5.70 ✓	5.00 ✓	
81G0267		2.58 ✓	78.00 ✓	39.00 ✓	265.00 ✓ .10 ✓	1,400.00 ✓	1.00 ✓	.10 ✓ 8.35 ✓	5.00 ✓	
81G0272	2222	124.03 ✓	11.00 ✓	1.00 ✓	65.00 ✓ .20 ✓	300.00 ✓	1.00 ✓	.10 ✓ 1.85 ✓	3.00 ✓	
81G0274	2222	13.11 ✓	47.00 ✓	14.00 ✓	108.00 ✓ .10 ✓	3,650.00 ✓	3.00 ✓	.10 ✓ 5.60 ✓	15.00 ✓	
81G0275	2222	26.16 ✓	22.00 ✓	00 ✓	152.00 ✓ .10 ✓	730.00 ✓	1.00 ✓	.10 ✓ 4.75 ✓	7.00 ✓	
81G0276	2222	22.22 ✓	32.00 ✓	11.00 ✓	425.00 ✓ .10 ✓	270.00 ✓	1.00 ✓	.10 ✓ 5.35 ✓	.00 ✓	
81G0277	2222	56.16 ✓	24.00 ✓	5.00 ✓	72.00 ✓ .10 ✓	655.00 ✓	1.00 ✓	.10 ✓ 5.25 ✓	5.00 ✓	
81G0278	2222	.43 ✓	55.00 ✓	4.00 ✓	175.00 ✓ .30 ✓	850.00 ✓	00 ✓	.30 ✓ 7.75 ✓	25.00 ✓	
81G0279	2222	48.51 ✓	43.00 ✓	14.00 ✓	242.00 ✓ .40 ✓	770.00 ✓	1.00 ✓	.10 ✓ 5.30 ✓	20.00 ✓	
81G0280	2222	248.86 ✓	8.00 ✓	00 ✓	42.00 ✓ .10 ✓	485.00 ✓	1.00 ✓	.10 ✓ 2.35 ✓	6.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: A8114669-002-A								
81C0281	2222	49.92 ✓	20.00 ✓	12.00 ✓	140.00 ✓ .10 ✓	1,025.00 ✓	1.00 ✓	.10 ✓ 4.20 ✓	11.00 ✓	
81C0282	2222	48.67 ✓	95.00 ✓	24.00 ✓	270.00 ✓ .30 ✓	960.00 ✓	5.00 ✓	.10 ✓ 11.00 ✓	75.00 ✓	
81C0283	2222	20.00 ✓	33.00 ✓	17.00 ✓	120.00 ✓ .20 ✓	665.00 ✓	3.00 ✓	.10 ✓ 50 ✓	39.00 ✓	
81C0284	2222	20.84 ✓	40.00 ✓	20.00 ✓	185.00 ✓ .10 ✓	660.00 ✓	2.00 ✓	.10 ✓ 6.30 ✓	29.00 ✓	
81C0286	2222	17.14 ✓	20.00 ✓	00 ✓	82.00 ✓ .10 ✓	640.00 ✓	1.00 ✓	.10 ✓ 5.15 ✓	29.00 ✓	
81C0287	2222	27 ✓	38.00 ✓	31.00 ✓	323.00 ✓ .80 ✓	1,050.00 ✓	00 ✓	.10 ✓ 7.80 ✓	57.00 ✓	
81C0288	2222	18.15 ✓	70.00 ✓	68.00 ✓	590.00 ✓ 1.20 ✓	1,550.00 ✓	6.00 ✓	.10 ✓ 12.00 ✓	38.00 ✓	
81C0289	2222	25.86 ✓	70.00 ✓	74.00 ✓	692.00 ✓ 1.90 ✓	945.00 ✓	00 ✓	.10 ✓ 11.00 ✓	59.00 ✓	
81C0290	2222	22.99 ✓	1650 6,165.00 ✓	69.00 ✓	1,200.00 ✓ 2.60 ✓	1,800.00 ✓	8.00 ✓	1.0 11.00 ✓ 15.00 ✓	55.00 ✓	
81C0291	2222	21.23 ✓	92.0 292.00 ✓	26.00 ✓	555.00 ✓ 1.10 ✓	1,450.00 ✓	00 ✓	.10 ✓ 10.00 ✓	92.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
-------------	-----------	---------	----------	------	-------	-------	-------	-------	-------	-------

LAB: CHEMEX CERTIFICATE: AB114669-003-A

81G0292		19.24 ✓	16.00 ✓	8.00 ✓	116.00 ✓ 10 ✓	645.00 ✓	1.00 ✓	.10 ✓ 4.60 ✓	19.00 ✓	
--------------------	--	---------	---------	--------	------------------	----------	--------	-----------------	---------	--

81G0293	2222	.80 ✓	10.00 ✓	5.00 ✓	145.00 ✓ .20 ✓	1,500.00 ✓	2.00 ✓	.20 ✓ 5.50 ✓	18.00 ✓	
--------------------	------	-------	---------	--------	-------------------	------------	--------	-----------------	---------	--

81G0294	2222	28.93 ✓	6.00 ✓	.00 ✓	89.00 ✓ .10 ✓	725.00 ✓	1.00 ✓	.10 ✓ 3.90 ✓	9.00 ✓	
--------------------	------	---------	--------	-------	------------------	----------	--------	-----------------	--------	--

81G0296		41.72 ✓	27.00 ✓	4.00 ✓	133.00 ✓ .20 ✓	825.00 ✓	1.00 ✓	.10 ✓ 6.05 ✓	14.00 ✓	
--------------------	--	---------	---------	--------	-------------------	----------	--------	-----------------	---------	--

81G0296	2222	41.72 ✓	27.00 ✓	4.00 ✓	133.00 ✓ .20 ✓	825.00 ✓	1.00 ✓	.10 ✓ 6.05 ✓	14.00 ✓	
--------------------	------	---------	---------	--------	-------------------	----------	--------	-----------------	---------	--

81G0297	2222	5.03 ✓	18.00 ✓	3.00 ✓	120.00 ✓ .10 ✓	680.00 ✓	1.00 ✓	.10 ✓ 6.20 ✓	27.00 ✓	
--------------------	------	--------	---------	--------	-------------------	----------	--------	-----------------	---------	--

81G0298	2222	9.55 ✓	32.00 ✓	6.00 ✓	245.00 ✓ .30 ✓	1,250.00 ✓	1.00 ✓	.10 ✓ 7.45 ✓	39.00 ✓	
--------------------	------	--------	---------	--------	-------------------	------------	--------	-----------------	---------	--

81G0299	2222	9.67 ✓	27.00 ✓	8.00 ✓	168.00 ✓ .20 ✓	950.00 ✓	1.00 ✓	.10 ✓ 7.00 ✓	24.00 ✓	
--------------------	------	--------	---------	--------	-------------------	----------	--------	-----------------	---------	--

81G0300		18.85 ✓	22.00 ✓	.00 ✓	210.00 ✓ .20 ✓	970.00 ✓	1.00 ✓	.10 ✓ 7.70 ✓	43.00 ✓	
--------------------	--	---------	---------	-------	-------------------	----------	--------	-----------------	---------	--

81G0301	2222	2.98 ✓	23.00 ✓	14.00 ✓	228.00 ✓ .10 ✓	1,200.00 ✓	1.00 ✓	.10 ✓ 8.50 ✓	45.00 ✓	
--------------------	------	--------	---------	---------	-------------------	------------	--------	-----------------	---------	--

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
----------------	--------------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CHEMEX CERTIFICATE: A8114669-003-A

81G0302	2222	4.01 ✓	25.00 ✓	11.00 ✓	162.00 ✓ .20 ✓	1,350.00 ✓	1.00 ✓	.10 ✓ .10 ✓	32.00 ✓	
81G0303	2222	7.56 ✓	25.00 ✓	13.00 ✓	164.00 ✓ 10 ✓	1,400.00 ✓	1.00 ✓	.10 ✓ 6.25 ✓	35.00 ✓	
81G0304	2222	11.34 ✓	19.00 ✓	9.00 ✓	160.00 ✓ .10 ✓	1,100.00 ✓	1.00 ✓	.10 ✓ 6.10 ✓	20.00 ✓	
81G0305	2222	9.59 ✓	38.00 ✓	19.00 ✓	168.00 ✓ .20 ✓	1,100.00 ✓	1.00 ✓	.10 ✓ 7.90 ✓	14.00 ✓	
81G0307	2222	9.08 ✓	23.00 ✓	12.00 ✓	145.00 ✓ .10 ✓	1,150.00 ✓	1.00 ✓	.10 ✓ 95 ✓	30.00 ✓	
81G0308	2222	79 ✓	23.00 ✓	8.00 ✓	185.00 ✓ .20 ✓	1,000.00 ✓	2.00 ✓	.20 ✓ 7.55 ✓	23.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Pb	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHEMEX		CERTIFICATE: AS114669-003-A								
81G0309		01 /	24.00 /	10.00 /	200.00 / .30 /	1 100.00 /	1 00 /	.10 / 7.25 /	27.00 /	
81G0310		4.54 /	28.00 /	9 00 /	270 00 / .30 /	1 050.00 /	1.00 /	.10 / 7.00 /	20.00 /	
81G0311		5.89 /	12.00 /	11.00 /	130.00 / 10 /	1 100.00 /	1.00 /	.10 / 10 /	11.00 /	
81G0315	2222	18.65 /	14.00 /	8.00 /	103.00 / 10 /	785.00 /	1 00 /	.10 / 4.85 /	22.00 /	
81G0316		11.43 /	9.00 /	5.00 /	84.00 / 10 /	1 150.00 /	1.00 /	.10 / 4.45 /	35.00 /	
81G0317		25.79 /	14.00 /	9 00 /	119.00 / .20 /	705.00 /	1.00 /	.10 / 5.10 /	23.00 /	
81G0324		33.87 /	21 00 /	3.00 /	92.00 / 10 /	890.00 /	1.00 /	.10 / 4.80 /	24.00 /	
81G0326	2222	15.00 /	34.00 /	10.00 /	203.00 / .30 /	2,300.00 /	1.00 /	.10 / 8.95 /	59.00 /	
81G0327		16.48 /	25.00 /	6.00 /	205.00 / 10 /	1,350.00 /	1 00 /	.10 / 9.30 /	19.00 /	
81G0335		.94 /	15.00 /	8.00 /	118.00 / 10 /	785.00 /	1.00 /	.10 / 7.85 /	24.00 /	

SAMPLE CODE	TEST CODE	WT 3a U	Cu Hg Ri	Pb W	Zn Cd	Sn Mn	Au Mo	Ag Fe	As Th	Sb Ce
LAB: CHFMEX		CERTIFICATE: A8114669-003 A								
81C0336		31.05 ✓	63.00 ✓	19.00 ✓	360.00 ✓ 1.00 ✓	1 100.00 ✓	1.00 ✓	.10 11.00 ✓	290.00 ✓	
81C0338		✓	42.00 ✓	14.00 ✓	185.00 ✓ 10 ✓	850.00 ✓	1.00 ✓	.10 10.00 ✓	99.00 ✓	
81C0341		6.04 ✓	15.00 ✓	10.00 ✓	230.00 ✓ 10 ✓	885.00 ✓	1.00 ✓	.10 10.00 ✓	120.00 ✓	
81C0342		33.71 ✓	17.00 ✓	10.00 ✓	165.00 ✓ .20 ✓	1 100.00 ✓	1.00 ✓	.10 6.25 ✓	50.00 ✓	
81C0343		87.97 ✓	44.00 ✓	12.00 ✓	208.00 ✓ 10 ✓	1 150.00 ✓	1.00 ✓	.10 110.00 ✓	19.00 ✓	
81C0347		36.79 ✓	13.00 ✓	5.00 ✓	98.00 ✓ .10 ✓	550.00 ✓	1.00 ✓	.10 70 ✓	99.00 ✓	
81C0351		19.36 ✓	38.00 ✓	21.00 ✓	165.00 ✓ 10 ✓	1,050.00 ✓	1.00 ✓	.10 9.50 ✓	100.00 ✓	
81C0352		11.00 ✓	22.00 ✓	10.00 ✓	125.00 ✓ 10 ✓	1 100.00 ✓	1.00 ✓	.10 6.40 ✓	190.00 ✓	
81C0353		22.70 ✓	40.00 ✓	24.00 ✓	205.00 ✓ 10 ✓	855.00 ✓	1.00 ✓	.10 10.00 ✓	210.00 ✓	
81C0354		10.49 ✓	25.00 ✓	20.00 ✓	160.00 ✓ .20 ✓	920.00 ✓	1.00 ✓	.10 8.95 ✓	160.00 ✓	

SAMPLE CODE	TEST CODE	WT Ba U	Cu Hg Bi	Pb W	Zn Cd	Sn Mo	Au Mo	Ag Fe	As Th	Sb Ce
----------------	--------------	---------------	----------------	---------	----------	----------	----------	----------	----------	----------

LAB: CULMEX CERTIFICATE: A8114669-003-A

81G0357		17.00	18.00	158.00	10	1,100.00	1.00	.10 8.30	.00	
81G0358	13.83	18.00	16.00	130.00	10	1,100.00	1.00	.10 10	19.00	
81G0359	28.87	23.00	14.00	108.00	.20	1,100.00	1.00	.10 4.55	79.00	
81G0360	4.78	14.00	46.00	238.00	10	1,750.00	1.00	.10 9.70	94.00	
81G0361	2.53	12.00	00	245.00	10	1,750.00	1.00	.10 11.00	110.00	