

GRUM ASSAYS

COMPLETE LISTING
OF DATA BASE - All holes
Discovery - 1991 + nearby CAMC holes

016941



BLUELINE

Drill Hole: 567506 Section: W 72
 Northing: 6322.5 Easting: 3056.1 Elevation: 1299.9
 Length: 157.3 Core: NQ Record: 1

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	76.5	76.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92087	76.5	77.4	.9	-1	4C5	3	-1.00	.39	.18	.21	-1.0	-1.00	-1.00
92088	77.4	78.6	1.2	-1	4L14	52	-1.00	.90	.43	.47	-1.0	-1.00	-1.00
92089	78.6	79.9	1.3	-1	4L14	52	-1.00	.49	.20	.29	-1.0	-1.00	-1.00
92090	79.9	81.4	1.5	-1	4L14	52	-1.00	1.73	.87	.86	-1.0	-1.00	-1.00
0	81.4	98.8	17.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92091	98.8	101.8	3.0	-1	4L0	52	-1.00	.02	.01	.01	-1.0	-1.00	-1.00
92092	101.8	105.5	3.7	-1	4L0	52	-1.00	.02	.01	.01	-1.0	-1.00	-1.00
92093	105.5	108.8	3.3	-1	4L0	52	-1.00	-.99	-1.00	.01	-1.0	-1.00	-1.00
92094	108.8	111.9	3.1	-1	4L0	52	-1.00	.02	.01	.01	-1.0	-1.00	-1.00
92095	111.9	118.0	6.1	-1	4L0	52	-1.00	.02	.01	.01	-1.0	-1.00	-1.00
92096	118.0	122.2	4.2	-1	4L0	52	-1.00	-.99	-1.00	.01	-1.0	-1.00	-1.00
92097	122.2	126.2	4.0	-1	4L0	52	-1.00	-.99	-1.00	.01	-1.0	-1.00	-1.00
92098	126.2	128.6	2.4	-1	4L0	52	-1.00	-.98	-1.00	.02	-1.0	-1.00	-1.00
0	128.6	135.0	6.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92099	135.0	138.1	3.1	-1	3G84	20	-1.00	-.99	-1.00	.01	-1.0	-1.00	-1.00
92100	138.1	141.1	3.0	-1	3G4L	20	-1.00	.04	.02	.02	-1.0	-1.00	-1.00
0	141.1	151.3	10.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92101	151.3	151.9	.6	-1	4C0	3	-1.00	.03	.02	.01	-1.0	-1.00	-1.00
0	151.9	154.2	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92102	154.2	157.3	3.1	-1	3G8	20	-1.00	.04	.02	.02	-1.0	-1.00	-1.00

Drill Hole: 567507 Section: W 72
 Northing: 6322.6 Easting: 2995.2 Elevation: 1299.9
 Length: 288.3 Core: NQ Record: 2

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	90.4	90.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92103	90.4	90.6	.2	-1	4A4#	2	-1.00	4.96	1.48	3.48	-1.0	-1.00	-1.00
92104	90.6	91.4	.8	-1	4D5	3	-1.00	7.23	2.85	4.38	-1.0	-1.00	-1.00
92105	91.4	91.6	.2	-1	4L13	52	-1.00	.07	.03	.04	-1.0	-1.00	-1.00
92106	91.6	92.4	.8	-1	4L13	52	-1.00	-.98	-1.00	.02	-1.0	-1.00	-1.00
92107	92.4	93.6	1.2	-1	4LD	52	-1.00	1.07	.56	.51	-1.0	-1.00	-1.00
92108	93.6	94.2	.6	-1	4E4	5	-1.00	13.60	6.57	7.03	-1.0	-1.00	-1.00
92109	94.2	94.6	.4	-1	4C0	3	-1.00	1.07	.65	.42	-1.0	-1.00	-1.00
92110	94.6	95.3	.7	-1	4L43	52	-1.00	.07	.03	.04	-1.0	-1.00	-1.00
92111	95.3	95.5	.2	-1	4D0	3	-1.00	1.41	.78	.63	-1.0	-1.00	-1.00
92112	95.5	95.7	.2	-1	4D0	3	-1.00	-.96	-1.00	.04	-1.0	-1.00	-1.00
92113	95.7	96.9	1.2	-1	4DH	3	-1.00	5.27	2.03	3.24	-1.0	-1.00	-1.00
92114	96.9	97.1	.2	-1	4C0	3	-1.00	14.31	6.32	7.99	-1.0	-1.00	-1.00
92115	97.1	98.0	.9	-1	4C0	3	-1.00	.83	.50	.33	-1.0	-1.00	-1.00
0	98.0	152.4	54.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92116	152.4	154.2	1.8	-1	3G8	20	-1.00	.06	.02	.04	-1.0	-1.00	-1.00
92117	154.2	154.7	.5	-1	5A19	30	-1.00	.45	.18	.27	-1.0	-1.00	-1.00
92118	154.7	154.8	.1	-1	4L13	52	-1.00	.06	.02	.04	-1.0	-1.00	-1.00
92119	154.8	155.3	.5	-1	4L13	52	-1.00	.09	.06	.03	-1.0	-1.00	-1.00
92120	155.3	156.4	1.1	-1	3G84	20	-1.00	.04	.02	.02	-1.0	-1.00	-1.00
92121	156.4	157.1	.7	-1	4L41	52	-1.00	.03	.02	.01	-1.0	-1.00	-1.00
92122	157.1	157.9	.8	-1	4L41	52	-1.00	.02	.01	.01	-1.0	-1.00	-1.00
92123	157.9	159.4	1.5	-1	4L41	52	-1.00	-.99	-1.00	.01	-1.0	-1.00	-1.00
92124	159.4	161.0	1.6	-1	4L0	52	-1.00	.02	.01	.01	-1.0	-1.00	-1.00
92125	161.0	162.4	1.4	-1	4L0	52	-1.00	-.99	-1.00	.01	-1.0	-1.00	-1.00
0	162.4	288.3	125.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 567509 Section: W 116
 Northing: 7668.8 Easting: 2650.4 Elevation: 1303.0
 Length: 524.2 Core: NQ Record: 3

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	436.2	436.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92126	436.2	436.7	.5	100	5A91	30	-1.00	5.98	1.90	4.08	-1.0	-1.00	-1.00
92127	436.7	437.8	1.1	91	5A91	30	-1.00	3.03	1.25	1.78	-1.0	-1.00	-1.00
0	437.8	438.4	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92128	438.4	439.5	1.1	91	5A69	30	-1.00	.12	.05	.07	-1.0	-1.00	-1.00
0	439.5	439.6	.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92129	439.6	441.3	1.7	100	5A69	30	-1.00	.24	.14	.10	-1.0	-1.00	-1.00
0	441.3	441.9	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92130	441.9	443.0	1.1	91	5A6\$	30	-1.00	1.06	.46	.60	-1.0	-1.00	-1.00
0	443.0	444.7	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92131	444.7	445.0	.3	100	4Q4\$7	60	-1.00	14.25	3.15	11.10	-1.0	-1.00	-1.00
0	445.0	445.7	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92132	445.7	446.0	.3	67	4E8	5	-1.00	3.28	1.50	1.78	-1.0	-1.00	-1.00
92133	446.0	446.2	.2	100	5A691	30	-1.00	.95	.35	.60	-1.0	-1.00	-1.00
92134	446.2	446.5	.3	100	4E48	5	-1.00	7.64	3.08	4.56	-1.0	-1.00	-1.00
0	446.5	447.8	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92135	447.8	448.0	.2	100	4E4	5	-1.00	8.90	3.38	5.52	-1.0	-1.00	-1.00
92136	448.0	449.3	1.3	100	4C0	3	-1.00	2.03	1.01	1.02	-1.0	-1.00	-1.00
92137	449.3	450.6	1.3	92	4C07	3	-1.00	1.27	.53	.74	-1.0	-1.00	-1.00
92138	450.6	452.5	1.9	95	4C07	3	-1.00	1.10	.38	.72	-1.0	-1.00	-1.00
0	452.5	452.7	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92139	452.7	453.2	.5	100	4C07	3	-1.00	.93	.43	.50	-1.0	-1.00	-1.00
0	453.2	453.4	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92140	453.4	455.2	1.8	94	5B26	40	-1.00	.17	.10	.07	-1.0	-1.00	-1.00
0	455.2	466.0	10.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92141	466.0	466.2	.2	100	4DL	3	-1.00	2.69	1.03	1.66	-1.0	-1.00	-1.00
0	466.2	466.6	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92142	466.6	468.6	2.0	100	5A16	30	-1.00	1.67	.53	1.14	-1.0	-1.00	-1.00
92143	468.6	469.6	1.0	90	4C0	3	-1.00	.63	.38	.25	-1.0	-1.00	-1.00
92144	469.6	470.9	1.3	92	4C0	3	-1.00	.65	.26	.39	-1.0	-1.00	-1.00
0	470.9	472.0	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92145	472.0	472.1	.1	100	3G9	30	-1.00	7.32	1.73	5.59	-1.0	-1.00	-1.00
0	472.1	524.2	52.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA65T01 Section:
 Northing: 8209.5 Easting: 2555.5 Elevation: 1268.0
 Length: 128.0 Core: NQ Record: 4

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	128.0	128.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA65T02 Section:
 Northing: 8141.2 Easting: 2635.0 Elevation: 1268.0
 Length: 112.7 Core: NQ Record: 5

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	112.7	112.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA65T03 Section:
 Northing: 8296.3 Easting: 2314.6 Elevation: 1276.0
 Length: 67.0 Core: NQ Record: 6

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	67.0	67.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA65T04 Section:
 Northing: 8463.6 Easting: 1989.8 Elevation: 1263.0
 Length: 70.0 Core: NQ Record: 7

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	70.0	70.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71034 Section:
 Northing: 7781.5 Easting: 2633.2 Elevation: 1301.0
 Length: 19.5 Core: NQ Record: 8

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	19.5	19.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71035 Section:
 Northing: 7856.9 Easting: 2348.5 Elevation: 1308.0
 Length: 26.8 Core: NQ Record: 9

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To											
0	.0	26.8	26.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71036 Section:
 Northing: 7889.5 Easting: 2187.9 Elevation: 1320.0
 Length: 16.1 Core: NQ Record: 10

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	16.1	16.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71037 Section:
 Northing: 7963.8 Easting: 2042.1 Elevation: 1322.0
 Length: 17.8 Core: NQ Record: 11

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	17.8	17.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71040 Section:
 Northing: 8503.5 Easting: 2349.4 Elevation: 1243.0
 Length: 13.1 Core: NQ Record: 12

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	13.1	13.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71162 Section:
 Northing: 5775.9 Easting: 3929.2 Elevation: 1354.0
 Length: 15.2 Core: NQ Record: 13

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To											
0	.0	15.2	15.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71163 Section:
 Northing: 6000.7 Easting: 3236.0 Elevation: 1303.0
 Length: 15.2 Core: NQ Record: 14

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	15.2	15.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71165 Section:
 Northing: 6214.4 Easting: 3575.7 Elevation: 1332.0
 Length: 6.0 Core: NQ Record: 15

ASSAYS

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0 6.0	6.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71166 Section:
 Northing: 6780.1 Easting: 3420.4 Elevation: 1324.0
 Length: 57.9 Core: NQ Record: 16

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	57.9	57.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71167 Section:
 Northing: 7784.4 Easting: 3596.6 Elevation: 1346.0
 Length: 9.1 Core: NQ Record: 17

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	9.1	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71168 Section:
 Northing: 7239.9 Easting: 2350.5 Elevation: 1338.0
 Length: 9.1 Core: NQ Record: 18

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	9.1	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71169 Section:
 Northing: 7239.7 Easting: 2048.1 Elevation: 1348.0
 Length: 9.1 Core: NQ Record: 19

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	9.1	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71173 Section:
 Northing: 6608.5 Easting: 2312.8 Elevation: 1305.0
 Length: 9.1 Core: NQ Record: 20

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	9.1	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71174 Section:
 Northing: 6602.2 Easting: 2048.3 Elevation: 1304.0
 Length: 9.1 Core: NQ Record: 21

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	9.1	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71179 Section:
 Northing: 5917.2 Easting: 2285.0 Elevation: 1265.0
 Length: 12.1 Core: NQ Record: 22

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	12.0	12.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71180 Section:
 Northing: 5908.8 Easting: 2137.3 Elevation: 1268.0
 Length: 24.3 Core: NQ Record: 23

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	24.3	24.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71200 Section:
 Northing: 5611.4 Easting: 1988.3 Elevation: 1229.0
 Length: 131.1 Core: NQ Record: 24

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	131.1	131.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: EA71201 Section:
 Northing: 5912.2 Easting: 2212.5 Elevation: 1270.0
 Length: 123.4 Core: NQ Record: 25

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	123.4	123.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A76X11 Section: W 68
 Northing: 6217.1 Easting: 2060.1 Elevation: 1278.0
 Length: 732.7 Core: NQ Record: 26

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	732.7	732.7	-1	WASTE	:-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A79T01 Section:
 Northing: 8047.0 Easting: 2446.3 Elevation: 1292.0
 Length: 288.8 Core: NQ Record: 27

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	288.8	288.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A80C51 Section:
 Northing: 5411.8 Easting: 3331.4 Elevation: 1295.0
 Length: 54.9 Core: NQ Record: 28

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	54.9	54.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A80C52 Section:
 Northing: 5407.8 Easting: 3340.5 Elevation: 1295.0
 Length: 41.2 Core: NQ Record: 29

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	41.2	41.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A80C53 Section:
 Northing: 5402.6 Easting: 3327.5 Elevation: 1295.0
 Length: 41.1 Core: NQ Record: 30

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	41.1	41.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A80C54 Section:
 Northing: 5415.7 Easting: 3322.4 Elevation: 1295.0
 Length: 41.1 Core: NQ Record: 31

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	41.1	41.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A80C55 Section:
 Northing: 5421.1 Easting: 3335.8 Elevation: 1295.0
 Length: 41.1 Core: NQ Record: 32

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	41.1	41.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A80C56 Section:
 Northing: 5430.7 Easting: 3324.4 Elevation: 1295.0
 Length: 41.1 Core: NQ Record: 33

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	41.1	41.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A80C57 Section:
 Northing: 5419.2 Easting: 3350.4 Elevation: 1295.0
 Length: 30.5 Core: NQ Record: 34

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	30.5	30.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A80C58 Section:
 Northing: 5393.6 Easting: 3338.4 Elevation: 1295.0
 Length: 30.5 Core: NQ Record: 35

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	30.5	30.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A80C59 Section:
 Northing: 5404.8 Easting: 3312.8 Elevation: 1295.0
 Length: 30.5 Core: NQ Record: 36

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	30.5	30.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A80C60 Section:
 Northing: 5454.0 Easting: 3315.4 Elevation: 1295.0
 Length: 30.5 Core: NQ Record: 37

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	30.5	30.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A80C61 Section:
 Northing: 5477.7 Easting: 3306.7 Elevation: 1295.0
 Length: 30.5 Core: NQ Record: 38

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	30.5	30.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A80C62 Section:
 Northing: 5505.5 Easting: 3296.3 Elevation: 1295.0
 Length: 30.5 Core: NQ Record: 39

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	30.5	30.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A81AX1 Section: W52
 Northing: 5717.8 Easting: 2888.8 Elevation: 1270.8
 Length: 303.8 Core: NQ Record: 40

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	303.8	303.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: A81AX2 Section:
 Northing: 5719.1 Easting: 3363.2 Elevation: 1304.6
 Length: 304.8 Core: NQ Record: 41

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	304.8	304.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA001 Section: W76
 Northing: 6457.0 Easting: 2387.6 Elevation: 1296.8
 Length: 312.6 Core: NQ Record: 42

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	260.1	260.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6975	260.1	262.1	2.0	100	4KE	6	-1.00	1.94	.98	.96	23.0	-1.00	-1.00
6976	262.1	262.5	.4	100	4C73	3	3.75	4.29	1.77	2.52	26.0	27.24	-1.00
90000	262.5	263.3	.8	-1	5B21	40	-1.00	2.73	1.45	1.28	20.2	-1.00	-1.00
0	263.3	312.6	49.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA004 Section: W76
 Northing: 6444.3 Easting: 2593.6 Elevation: 1286.8
 Length: 314.8 Core: NQ Record: 43

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	146.8	146.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90308	146.8	149.8	3.0	-1	5B46	40	-1.00	.26	.10	.16	2.1	-1.00	-1.00
0	149.8	157.0	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90309	157.0	160.6	3.6	-1	5B2	40	-1.00	.55	.30	.25	4.1	-1.00	-1.00
0	160.6	163.7	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7015	163.7	164.7	1.0	70	4LHG	52	3.75	6.30	2.90	3.40	62.0	24.57	-1.00
7016	164.7	165.9	1.2	92	4E0	5	4.36	6.10	3.60	2.50	82.0	36.31	-1.00
7017	165.9	168.6	2.7	89	4E0	5	2.97	.38	.23	.15	20.0	41.44	-1.00
7018	168.6	169.0	.4	100	4E8	5	4.53	1.22	.75	.47	38.0	41.85	-1.00
7019	169.0	169.6	.6	100	5D40	47	2.59	.32	.17	.15	8.0	5.79	-1.00
7020	169.6	171.3	1.7	100	4E8G	7	4.38	6.26	3.14	3.12	53.0	14.60	-1.00
0	171.3	199.9	28.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90001	199.9	201.5	1.6	-1	4E4	5	-1.00	14.91	6.16	8.75	126.1	-1.00	-1.00
90002	201.5	203.0	1.5	-1	4E4	5	-1.00	17.60	7.50	10.10	126.1	-1.00	-1.00
90003	203.0	204.5	1.5	-1	4E4	5	-1.00	16.76	5.96	10.80	129.2	-1.00	-1.00
90004	204.5	205.9	1.4	-1	4E4	5	-1.00	21.17	7.19	13.98	151.2	-1.00	-1.00
90005	205.9	208.0	2.1	-1	4LD	52	-1.00	6.07	2.23	3.84	60.3	-1.00	-1.00
0	208.0	244.6	36.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7021	244.6	245.7	1.1	100	4EA	5	-1.00	2.91	1.27	1.64	30.0	-1.00	-1.00
0	245.7	256.5	10.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7022	256.5	258.6	2.1	100	4A1	2	-1.00	.55	.15	.40	10.0	-1.00	-1.00
7023	258.6	260.8	2.2	100	4A1	2	-1.00	1.11	.37	.74	15.0	-1.00	-1.00
7024	260.8	261.6	.8	87	4E#4	5	-1.00	11.20	4.60	6.60	82.0	-1.00	-1.00
7025	261.6	262.0	.4	100	4A0	2	-1.00	1.61	.65	.96	18.0	-1.00	-1.00
0	262.0	283.7	21.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7026	283.7	284.8	1.1	100	4E0	5	-1.00	.91	.41	.50	16.0	-1.00	-1.00
7027	284.8	285.3	.5	60	5A0	30	-1.00	1.03	.12	.91	7.0	-1.00	-1.00
7028	285.3	285.9	.6	83	4E0	5	-1.00	.34	.08	.26	9.0	-1.00	-1.00
0	285.9	314.8	28.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA005 Section: W76
 Northing: 6457.7 Easting: 2674.0 Elevation: 1293.2
 Length: 180.5 Core: NQ Record: 44

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	127.9	127.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6882	127.9	129.1	1.2	100	4E4#	5	4.35	21.20	11.10	10.10	145.0	25.83	-1.00
6883	129.1	129.6	.5	100	4E4	5	4.50	11.40	6.60	4.80	87.0	33.33	-1.00
6884	129.6	130.0	.4	100	4L47	52	4.46	9.10	4.80	4.30	52.0	19.05	-1.00
0	130.0	155.2	25.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6885	155.2	155.9	.7	100	4A0	2	-1.00	2.43	.88	1.55	14.0	-1.00	-1.00
90310	155.9	159.0	3.1	-1	5B26	40	-1.00	.51	.20	.31	.2	-1.00	-1.00
6886	159.0	159.5	.5	100	4A1	2	-1.00	2.21	.89	1.32	14.0	-1.00	-1.00
6887	159.5	160.5	1.0	100	4L0	52	-1.00	1.04	.43	.61	10.0	-1.00	-1.00
90006	160.5	161.7	1.2	-1	4E4	5	-1.00	28.00	6.50	21.50	113.8	-1.00	-1.00
90007	161.7	163.7	2.0	-1	4E4	5	-1.00	27.60	4.70	22.90	59.0	-1.00	-1.00
90008	163.7	165.4	1.7	-1	4E4	5	-1.00	24.70	9.20	15.50	176.2	-1.00	-1.00
90009	165.4	166.0	.6	-1	4E4	5	-1.00	.76	.38	.38	9.6	-1.00	-1.00
90010	166.0	166.5	.5	-1	4E4	5	-1.00	12.04	3.98	8.06	61.0	-1.00	-1.00
90011	166.5	169.6	3.1	-1	5B2	40	-1.00	1.00	.38	.62	2.7	-1.00	-1.00
90012	169.6	170.5	.9	-1	4E4	5	-1.00	10.90	4.05	6.85	77.5	-1.00	-1.00
90013	170.5	171.8	1.3	-1	4E4	5	-1.00	18.75	6.45	12.30	104.9	-1.00	-1.00
90014	171.8	173.1	1.3	-1	4E4	5	-1.00	19.70	6.60	13.10	152.2	-1.00	-1.00
90015	173.1	174.3	1.2	-1	4E4	5	-1.00	15.02	5.78	9.24	149.5	-1.00	-1.00
90016	174.3	175.9	1.6	-1	4E4	5	-1.00	14.88	5.85	9.03	82.3	-1.00	-1.00
90017	175.9	177.1	1.2	-1	4E4	5	-1.00	16.00	6.90	9.10	142.6	-1.00	-1.00
90018	177.1	178.8	1.7	-1	4E4	5	-1.00	26.60	9.20	17.40	125.5	-1.00	-1.00
90019	178.8	180.4	1.6	-1	4A0	2	-1.00	3.41	1.13	2.28	16.5	-1.00	-1.00
0	180.4	180.5	.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA006 Section: W76
 Northing: 6467.9 Easting: 3037.7 Elevation: 1299.9
 Length: 145.4 Core: NQ Record: 45

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	145.4	145.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA008 Section: W84
 Northing: 6693.7 Easting: 2943.5 Elevation: 1308.9
 Length: 232.6 Core: NQ Record: 46

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	72.7	72.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90521	72.7	74.7	2.0	-1	4A0	2	-1.00	2.10	.98	1.12	13.7	-1.00	-1.00
90522	74.7	76.2	1.5	-1	4A0	2	-1.00	2.16	.90	1.26	16.5	-1.00	-1.00
90523	76.2	80.2	4.0	-1	4A0	2	-1.00	1.70	.80	.90	11.0	-1.00	-1.00
90524	80.2	81.4	1.2	-1	4A0	2	-1.00	.29	.21	.08	2.7	-1.00	-1.00
0	81.4	93.5	12.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90525	93.5	95.1	1.6	-1	4D5	3	-1.00	6.11	2.03	4.08	37.0	-1.00	-1.00
90526	95.1	95.3	.2	-1	4D5	3	-1.00	6.11	2.03	4.08	37.0	-1.00	-1.00
90527	95.3	96.9	1.6	-1	4D5	3	-1.00	7.10	2.48	4.62	31.5	-1.00	-1.00
90528	96.9	98.1	1.2	-1	4D5	3	-1.00	9.56	3.08	6.48	39.8	-1.00	-1.00
12405	98.1	99.4	1.3	38	4A0	2	-1.00	4.59	1.71	2.88	22.0	-1.00	-1.00
12406	99.4	100.8	1.4	57	4A0	2	-1.00	3.51	1.49	2.02	20.0	-1.00	-1.00
0	100.8	177.9	77.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90529	177.9	180.6	2.7	-1	4D5	3	-1.00	9.34	3.23	6.11	50.7	-1.00	-1.00
0	180.6	232.6	52.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA009 Section: W76
 Northing: 6452.9 Easting: 2829.7 Elevation: 1302.3
 Length: 232.0 Core: NQ Record: 47

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	113.9	113.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90020	113.9	115.5	1.6	-1	4AL	2	-1.00	4.54	1.18	3.36	21.9	-1.00	-1.00
90021	115.5	117.0	1.5	-1	4L4	52	-1.00	3.23	.95	2.28	11.0	-1.00	-1.00
90022	117.0	118.5	1.5	-1	4A4	2	-1.00	7.51	2.23	5.28	62.4	-1.00	-1.00
90023	118.5	120.0	1.5	-1	4A4	2	-1.00	7.90	2.50	5.40	57.3	-1.00	-1.00
90024	120.0	121.6	1.6	-1	4LA	52	-1.00	6.23	2.03	4.20	38.4	-1.00	-1.00
90025	121.6	123.1	1.5	-1	4L1	52	-1.00	2.38	.98	1.40	19.2	-1.00	-1.00
90026	123.1	124.6	1.5	-1	4L1	52	-1.00	6.02	2.00	4.02	27.4	-1.00	-1.00
0	124.6	125.0	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7075	125.0	127.2	2.2	95	4E4	5	3.60	12.30	4.80	7.50	85.0	19.27	-1.00
0	127.2	132.3	5.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90027	132.3	133.8	1.5	-1	4A14	2	-1.00	8.97	2.85	6.12	57.6	-1.00	-1.00
90028	133.8	135.3	1.5	-1	4A14	2	-1.00	16.07	5.55	10.52	96.0	-1.00	-1.00
90029	135.3	136.9	1.6	-1	4A14	2	-1.00	18.13	7.50	10.63	95.3	-1.00	-1.00
90030	136.9	138.4	1.5	-1	4A14	2	-1.00	19.23	7.35	11.88	103.2	-1.00	-1.00
90031	138.4	139.9	1.5	-1	4A14	2	-1.00	7.61	2.45	5.16	74.7	-1.00	-1.00
90032	139.9	141.5	1.6	-1	4A14	2	-1.00	6.16	1.90	4.26	55.5	-1.00	-1.00
7076	141.5	144.0	2.5	76	4A4	2	3.11	8.40	2.40	6.00	51.0	9.51	-1.00
7077	144.0	146.0	2.0	100	4A4	2	3.30	13.00	4.50	8.50	81.0	6.38	-1.00
0	146.0	159.9	13.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7078	159.9	160.2	.3	67	4K0	6	-1.00	.77	.42	.35	15.0	-1.00	-1.00
7079	160.2	161.3	1.1	100	5D4	47	-1.00	.64	.31	.33	12.0	-1.00	-1.00
7080	161.3	162.2	.9	100	4K0\$	6	-1.00	.24	.11	.13	8.0	-1.00	-1.00
0	162.2	232.0	69.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA010 Section: W78
 Northing: 6512.6 Easting: 2676.2 Elevation: 1298.9
 Length: 264.6 Core: NQ Record: 48

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	154.4	154.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11606	154.4	155.1	.7	86	4D4	3	3.27	6.73	1.93	4.80	47.0	13.90	-1.00
0	155.1	156.4	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11700	156.4	158.3	1.9	95	4A0	2	3.12	3.79	1.39	2.40	30.0	10.61	-1.00
11607	158.3	160.5	2.2	59	4E4	5	4.19	19.10	6.20	12.90	117.0	24.95	-1.00
11608	160.5	160.9	.4	75	4A13	2	4.13	8.00	2.80	5.20	55.0	30.67	-1.00
11609	160.9	161.5	.6	100	4E0	5	4.50	1.39	.67	.72	23.0	42.11	-1.00
11610	161.5	163.0	1.5	87	4EA4	5	3.90	5.56	2.06	3.50	53.0	29.67	-1.00
11611	163.0	164.5	1.5	93	4EA4	5	3.93	6.40	2.90	3.50	51.0	27.96	-1.00
11612	164.5	166.0	1.5	100	4A4	2	3.41	18.50	6.50	12.00	104.0	9.91	-1.00
11613	166.0	166.5	.5	100	4E4	5	4.28	23.60	6.90	16.70	114.0	20.64	-1.00
11614	166.5	168.3	1.8	100	4A41	2	3.21	12.90	3.60	9.30	62.0	7.10	-1.00
11615	168.3	170.1	1.8	89	4A10	2	3.35	3.78	1.08	2.70	26.0	16.92	-1.00
11616	170.1	171.9	1.8	83	4A41	2	3.44	9.70	3.40	6.30	65.0	11.84	-1.00
11617	171.9	173.7	1.8	100	4E4	5	4.89	23.00	8.30	14.70	140.0	27.41	-1.00
11618	173.7	175.5	1.8	100	4E4	5	4.45	24.10	8.50	15.60	122.0	26.77	-1.00
11619	175.5	177.5	2.0	80	4A4	2	3.74	14.10	4.50	9.60	67.0	16.61	-1.00
11620	177.5	179.0	1.5	87	4A0	2	3.17	4.61	1.41	3.20	29.0	9.54	-1.00
11621	179.0	180.6	1.6	100	4A4	2	3.01	5.54	1.44	4.10	25.0	2.75	-1.00
11622	180.6	182.1	1.5	100	4A4	2	2.99	7.40	2.40	5.00	31.0	3.15	-1.00
11623	182.1	183.6	1.5	100	4A4	2	3.03	8.60	3.20	5.40	40.0	4.25	-1.00
11624	183.6	184.6	1.0	100	4A41	2	3.22	10.90	4.80	6.10	56.0	7.73	-1.00
11625	184.6	185.2	.6	83	4A41	2	3.07	8.30	2.80	5.50	30.0	4.45	-1.00
11626	185.2	186.8	1.6	94	4A14	2	3.25	7.65	6.00	1.65	58.0	9.49	-1.00
11627	186.8	188.3	1.5	100	4A14	2	3.32	8.41	6.30	2.11	63.0	11.12	-1.00
11628	188.3	189.9	1.6	100	4A13	2	3.10	1.93	1.33	.60	26.0	10.69	-1.00
11629	189.9	191.8	1.9	100	4A13	2	3.09	1.05	.66	.39	16.0	9.63	-1.00
11630	191.8	193.8	2.0	90	4A13	2	3.04	.83	.33	.50	7.0	10.57	-1.00
11631	193.8	194.8	1.0	90	4A1	2	2.99	.28	.14	.14	6.0	10.53	-1.00
11632	194.8	196.7	1.9	89	4A1	2	3.08	1.83	1.01	.82	16.0	11.90	-1.00
11633	196.7	198.6	1.9	100	4A1	2	2.92	.68	.43	.25	9.0	7.11	-1.00
11634	198.6	200.6	2.0	75	4A1	2	2.95	.74	.27	.47	7.0	7.51	-1.00
11635	200.6	202.1	1.5	67	4L12	52	2.97	.65	.11	.54	6.0	9.18	-1.00
11636	202.1	203.7	1.6	100	4A1	2	2.98	1.77	.50	1.27	13.0	9.26	-1.00
11637	203.7	204.6	.9	100	4A1	2	3.00	1.19	.29	.90	8.0	8.52	-1.00
11638	204.6	206.4	1.8	94	4A1	2	3.08	1.41	.46	.95	10.0	6.75	-1.00
11639	206.4	207.9	1.5	100	4A10	2	3.18	2.36	.86	1.50	18.0	10.97	-1.00
11640	207.9	209.3	1.4	86	4A14	2	3.38	5.07	1.87	3.20	37.0	11.58	-1.00
11641	209.3	210.2	.9	100	4A21	2	3.66	1.29	.25	1.04	19.0	24.21	-1.00
11642	210.2	211.6	1.4	100	4A41	2	3.84	7.20	2.60	4.60	43.0	9.64	-1.00
11643	211.6	213.0	1.4	86	4A10	2	3.82	4.14	1.64	2.50	36.0	9.70	-1.00
11644	213.0	213.7	.7	71	4A13	2	3.33	1.17	.33	.84	15.0	12.67	-1.00
11645	213.7	215.4	1.7	100	4L21	52	3.02	1.00	.30	.70	13.0	6.31	-1.00
11646	215.4	217.2	1.8	61	4L21	52	3.02	.89	.36	.53	14.0	7.38	-1.00

11647	217.2	218.8	1.6	81	4A14	2	3.18	5.46	1.86	3.60	35.0	10.29	-1.00
11648	218.8	220.4	1.6	63	4A10	2	3.52	4.88	1.68	3.20	36.0	12.74	-1.00
11649	220.4	222.0	1.6	100	4E0	5	3.92	1.21	.14	1.07	19.0	30.80	-1.00
11650	222.0	222.5	.5	80	4A134	2	3.96	5.80	2.70	3.10	59.0	29.20	-1.00
11651	222.5	223.2	.7	57	4D4	3	4.24	21.30	8.70	12.60	137.0	24.27	-1.00
11652	223.2	224.6	1.4	93	4G4	7	4.49	16.90	5.60	11.30	93.0	21.98	-1.00
11653	224.6	226.1	1.5	87	4E4#	5	4.43	12.60	4.70	7.90	100.0	30.74	-1.00
11654	226.1	227.8	1.7	100	4E4#	5	4.51	14.20	5.60	8.60	115.0	29.73	-1.00
11655	227.8	229.6	1.8	89	4E4#	5	4.50	8.10	2.70	5.40	59.0	34.47	-1.00
11656	229.6	230.1	.5	100	4G4	7	4.73	12.80	4.80	8.00	88.0	23.57	-1.00
0	230.1	233.6	3.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11657	233.6	234.2	.6	83	4D0#	3	3.89	9.60	3.80	5.80	138.0	22.57	-1.00
11658	234.2	234.8	.6	67	4C0	3	3.66	4.01	1.11	2.90	37.0	20.96	-1.00
11659	234.8	235.2	.4	75	4G4#	7	4.17	17.80	5.70	12.10	180.0	9.95	-1.00
11660	235.2	235.5	.3	100	4A4	2	3.90	10.70	3.60	7.10	76.0	18.14	-1.00
11661	235.5	236.4	.9	56	4G4	7	4.49	14.20	3.40	10.80	49.0	18.68	-1.00
0	236.4	237.5	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11662	237.5	238.0	.5	100	4G0	7	4.28	8.30	2.80	5.50	50.0	20.54	-1.00
0	238.0	239.3	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11663	239.3	240.0	.7	86	4G4	7	4.30	19.70	4.20	15.50	91.0	18.33	-1.00
0	240.0	244.5	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11664	244.5	245.0	.5	100	4G4	7	4.42	14.90	5.30	9.60	96.0	15.77	-1.00
0	245.0	245.5	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11665	245.5	246.8	1.3	54	4G4	7	4.84	16.40	6.70	9.70	109.0	23.77	-1.00
11666	246.8	247.6	.8	100	4G4	7	4.61	11.70	4.10	7.60	73.0	21.35	-1.00
11667	247.6	247.9	.3	67	4E0	5	4.67	9.60	3.80	5.80	59.0	32.06	-1.00
11668	247.9	248.4	.5	100	4C0	3	3.68	1.43	.69	.74	18.0	22.60	-1.00
0	248.4	264.6	16.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA011 Section: W74
 Northing: 6395.1 Easting: 2609.2 Elevation: 1281.4
 Length: 249.9 Core: NQ Record: 49

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	115.5	115.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8990	115.5	116.0	.5	100	4C8	3	3.93	4.60	1.90	2.70	39.0	30.60	-1.00
8991	116.0	116.3	.3	67	4G4	7	4.49	13.80	4.80	9.00	94.0	3.69	-1.00
8992	116.3	116.8	.5	80	4E84	5	4.53	11.50	6.90	4.60	96.0	38.10	-1.00
8993	116.8	118.0	1.2	92	4G4	7	4.51	14.70	6.40	8.30	110.0	15.60	-1.00
0	118.0	119.2	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8994	119.2	120.4	1.2	100	4E81	5	3.65	4.95	2.05	2.90	35.0	6.60	-1.00
0	120.4	121.6	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8995	121.6	122.5	.9	100	4E#	5	3.89	3.11	1.77	1.34	38.0	29.40	-1.00
0	122.5	123.9	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90342	123.9	127.7	3.8	-1	4L0	52	-1.00	3.21	1.95	1.26	38.4	-1.00	-1.00
0	127.7	133.1	5.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8996	133.1	134.3	1.2	92	4LH	52	3.12	1.23	.65	.58	12.0	14.10	-1.00
0	134.3	135.9	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90343	135.9	138.2	2.3	-1	4LH	52	-1.00	.55	.28	.27	7.5	-1.00	-1.00
0	138.2	150.4	12.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90344	150.4	152.4	2.0	-1	4EL4	5	-1.00	8.72	4.88	3.84	32.9	-1.00	-1.00
90345	152.4	154.2	1.8	-1	4EL4	5	-1.00	8.10	4.20	3.90	26.7	-1.00	-1.00
0	154.2	178.0	23.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90346	178.0	180.3	2.3	-1	4GE4	7	-1.00	15.40	6.00	9.40	112.4	-1.00	-1.00
90347	180.2	182.6	2.4	-1	4G4	7	-1.00	22.24	8.74	13.50	156.3	-1.00	-1.00
0	180.3	180.2	-.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
0	182.6	211.2	28.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8997	211.2	211.8	.6	100	4E#	5	4.13	4.31	1.91	2.40	35.0	33.40	-1.00
8998	211.8	212.2	.4	75	4A3	2	3.60	3.36	1.53	1.83	30.0	25.50	-1.00
8999	212.2	212.9	.7	71	4E#4	5	4.20	7.30	3.60	3.70	58.0	33.70	-1.00
9000	212.9	214.6	1.7	100	4A1	2	3.31	1.18	.42	.76	13.0	15.20	-1.00
0	214.6	222.1	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9051	222.1	223.1	1.0	90	4C7	3	3.68	2.05	1.03	1.02	33.0	26.03	-1.00
9052	223.1	223.7	.6	100	4A1	2	2.91	.43	.12	.31	7.0	8.04	-1.00
9053	223.7	224.9	1.2	100	4H0	8	3.72	.87	.42	.45	18.0	29.87	-1.00
9054	224.9	225.6	.7	86	4A1	2	3.10	.79	.36	.43	15.0	12.89	-1.00
9055	225.6	226.5	.9	56	4A14	2	3.22	9.70	3.80	5.90	60.0	9.26	-1.00
9056	226.5	227.3	.8	100	4D4	3	3.34	13.80	5.00	8.80	70.0	10.84	-1.00
0	227.3	249.9	22.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA012 Section: W84
 Northing: 6697.4 Easting: 2736.2 Elevation: 1312.7
 Length: 364.5 Core: NQ Record: 50

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	205.4	205.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14240	205.4	207.4	2.0	95	4A4	2	-1.00	8.47	2.77	5.70	49.0	-1.00	-1.00
14241	207.4	209.3	1.9	95	5D4*	47	-1.00	1.28	.55	.73	12.0	-1.00	-1.00
14242	209.3	211.1	1.8	89	4A0	2	-1.00	.94	.28	.66	6.0	-1.00	-1.00
14243	211.1	212.9	1.8	83	4A0	2	-1.00	1.78	.62	1.16	11.0	-1.00	-1.00
14244	212.9	214.3	1.4	93	4A0	2	-1.00	1.48	.78	.70	13.0	-1.00	-1.00
14245	214.3	216.1	1.8	100	4A0	2	-1.00	.66	.20	.46	4.0	-1.00	-1.00
14246	216.1	218.2	2.1	90	4C5	3	-1.00	.64	.15	.49	4.0	-1.00	-1.00
14247	218.2	219.7	1.5	87	5A19	30	-1.00	1.11	.40	.71	8.0	-1.00	-1.00
14248	219.7	221.7	2.0	95	4C0	3	-1.00	1.23	.41	.82	8.0	-1.00	-1.00
14249	221.7	222.6	.9	89	5D4*	47	-1.00	.85	.27	.58	6.0	-1.00	-1.00
14250	222.6	224.2	1.6	88	4C5	3	-1.00	1.14	.44	.70	8.0	-1.00	-1.00
14251	224.2	226.0	1.8	94	4C0	3	-1.00	2.13	.58	1.55	12.0	-1.00	-1.00
14252	226.0	227.5	1.5	87	4C5	3	-1.00	1.40	.43	.97	9.0	-1.00	-1.00
14253	227.5	228.9	1.4	79	4A0	2	-1.00	1.32	.44	.88	9.0	-1.00	-1.00
14254	228.9	230.1	1.2	75	4A4	2	-1.00	5.68	1.51	4.17	33.0	-1.00	-1.00
0	230.1	247.2	17.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90534	247.2	250.2	3.0	-1	4C5	3	-1.00	4.70	2.00	2.70	30.9	-1.00	-1.00
90536	250.2	253.3	3.1	-1	4D5	3	-1.00	6.51	3.45	3.06	44.6	-1.00	-1.00
90537	253.3	256.3	3.0	-1	4D5	3	-1.00	5.83	2.35	3.48	38.4	-1.00	-1.00
14255	256.3	257.9	1.6	87	4C5	3	-1.00	4.18	1.65	2.53	21.0	-1.00	-1.00
14256	257.9	259.7	1.8	94	4L27	52	-1.00	.99	.37	.62	8.0	-1.00	-1.00
0	259.7	272.7	13.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14257	272.7	273.9	1.2	100	4C5	3	2.97	2.88	1.20	1.68	21.0	7.30	-1.00
14258	273.9	276.5	2.6	96	4C0	3	2.90	3.21	1.17	2.04	17.0	3.50	-1.00
14259	276.5	278.0	1.5	80	4L12	52	-1.00	2.46	.64	1.82	12.0	-1.00	-1.00
14260	278.0	279.5	1.5	93	4C5	3	-1.00	2.52	.61	1.91	15.0	-1.00	-1.00
14261	279.5	281.3	1.8	94	4A0	2	3.36	4.13	1.41	2.72	30.0	16.55	-1.00
14262	281.3	283.3	2.0	90	4A4	2	3.26	5.07	1.99	3.08	39.0	14.58	-1.00
14263	283.3	284.4	1.1	91	4C0	3	-1.00	1.20	.42	.78	13.0	-1.00	-1.00
14264	284.4	286.4	2.0	95	4L12	52	-1.00	.78	.43	.35	10.0	-1.00	-1.00
14265	286.4	287.5	1.1	100	4L12	52	-1.00	.23	.06	.17	3.0	-1.00	-1.00
14266	287.5	289.1	1.6	94	4L12	52	-1.00	2.34	1.16	1.18	18.0	-1.00	-1.00
14267	289.1	290.5	1.4	93	4A0	2	-1.00	1.36	.56	.80	17.0	-1.00	-1.00
14268	290.5	292.2	1.7	88	4A0	2	-1.00	4.26	1.72	2.54	30.0	-1.00	-1.00
14269	292.2	294.0	1.8	94	4A13	2	-1.00	.93	.51	.42	25.0	-1.00	-1.00
14270	294.0	296.1	2.1	95	4A13	2	-1.00	1.00	.63	.37	24.0	-1.00	-1.00
14271	296.1	298.4	2.3	96	4A0	2	3.14	2.38	1.19	1.19	25.0	10.51	-1.00
14272	298.4	300.4	2.0	95	4A0	2	3.19	3.51	1.30	2.21	27.0	13.28	-1.00
14273	300.4	302.4	2.0	95	4L12	52	-1.00	.66	.39	.27	8.0	-1.00	-1.00
14274	302.4	304.5	2.1	95	4A0	2	-1.00	2.00	.85	1.15	18.0	-1.00	-1.00
14275	304.5	306.2	1.7	94	4A0	2	-1.00	2.05	.99	1.06	17.0	-1.00	-1.00
14276	306.2	308.0	1.8	100	4A13	2	-1.00	2.19	1.78	.41	41.0	-1.00	-1.00
14277	308.0	309.8	1.8	94	4A13	2	-1.00	1.18	1.00	.18	26.0	-1.00	-1.00

14278	309.8	311.7	1.9	89	4A13	2	-1.00	1.61	.94	.67	25.0	-1.00	-1.00
14279	311.7	313.5	1.8	100	4A13	2	-1.00	.64	.34	.30	20.0	-1.00	-1.00
14280	313.5	315.3	1.8	89	4A13	2	-1.00	.38	.07	.31	16.0	-1.00	-1.00
14281	315.3	317.1	1.8	94	4A13	2	-1.00	.35	.12	.23	12.0	-1.00	-1.00
14282	317.1	318.4	1.3	92	4A13	2	-1.00	.27	.04	.23	12.0	-1.00	-1.00
14283	318.4	319.9	1.5	80	4G4	7	4.64	12.85	4.95	7.90	102.0	29.27	-1.00
14284	319.9	321.3	1.4	71	4G4	7	4.47	9.30	3.80	5.50	70.0	30.88	-1.00
0	321.3	354.5	33.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14419	354.5	356.3	1.8	61	4E4	5	4.73	9.79	4.19	5.60	60.0	33.59	-1.00
14420	356.3	358.4	2.1	100	4E4	5	4.90	8.87	4.38	4.49	69.0	37.28	-1.00
14421	358.4	359.8	1.4	100	4G4	7	4.62	13.01	4.51	8.50	79.0	17.65	-1.00
14422	359.8	361.2	1.4	79	4EG	7	4.05	5.90	1.88	4.02	41.0	25.26	-1.00
14423	361.2	362.6	1.4	93	4EG	7	4.67	8.10	1.90	6.20	54.0	20.50	-1.00
14424	362.6	363.2	.6	100	4G4	7	4.50	12.50	3.40	9.10	65.0	12.33	-1.00
14425	363.2	364.5	1.3	85	4E0	5	4.55	3.30	1.85	1.45	33.0	35.92	-1.00

Drill Hole: AGA013 Section: W68
 Northing: 6206.5 Easting: 2612.2 Elevation: 1277.1
 Length: 186.0 Core: NQ Record: 51

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	40.8	40.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5210	40.8	44.0	3.2	100	4K7	6	3.70	2.19	1.32	.87	34.0	26.70	-1.00
90117	44.0	48.3	4.3	100	4G4	7	-1.00	16.50	8.10	8.40	107.0	-1.00	-1.00
90118	48.3	52.3	4.0	100	4G4	7	-1.00	13.17	7.65	5.52	92.6	-1.00	-1.00
0	52.3	54.9	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90119	54.9	59.0	4.1	100	4E0	5	-1.00	9.23	5.03	4.20	91.9	-1.00	-1.00
90120	59.0	60.1	1.1	100	4E0	5	-1.00	3.40	1.50	1.90	29.5	-1.00	-1.00
90121	60.1	61.6	1.5	100	4E4	5	-1.00	10.65	5.25	5.40	71.3	-1.00	-1.00
90122	61.6	64.2	2.6	100	4K0	6	-1.00	1.41	1.25	.16	33.9	-1.00	-1.00
90123	64.2	66.8	2.6	100	4K0	6	-1.00	2.53	1.63	.90	53.5	-1.00	-1.00
0	66.8	121.3	54.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90124	121.3	123.1	1.8	100	5A0	30	-1.00	2.90	.90	2.00	24.7	-1.00	-1.00
5211	123.1	124.9	1.8	100	4E4	5	3.70	8.15	3.06	5.09	68.0	20.89	-1.00
0	124.9	130.1	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5212	130.1	133.2	3.1	100	4A0	2	3.01	2.43	.78	1.65	12.0	6.49	-1.00
5213	133.2	136.6	3.4	100	4A0	2	2.99	2.35	.81	1.54	14.0	7.04	-1.00
0	136.6	186.0	49.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA014 Section: W76
 Northing: 6455.8 Easting: 2518.4 Elevation: 1290.2
 Length: 334.6 Core: NQ Record: 52

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	192.6	192.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90033	192.6	193.2	.6	-1	4L24	52	-1.00	2.67	1.45	1.22	21.9	-1.00	-1.00
6977	193.2	194.0	.8	100	4LH	52	3.96	3.17	1.64	1.53	38.0	30.78	-1.00
0	194.0	258.3	64.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6978	258.3	259.3	1.0	100	4A13	2	-1.00	.81	.46	.35	16.0	-1.00	-1.00
0	259.3	266.4	7.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90034	266.4	269.1	2.7	-1	4A0	2	-1.00	.71	.29	.42	31.5	-1.00	-1.00
90035	269.1	273.1	4.0	-1	4A0	2	-1.00	1.32	.63	.69	37.0	-1.00	-1.00
90036	273.1	275.8	2.7	-1	4EG4	7	-1.00	13.49	6.53	6.96	91.5	-1.00	-1.00
90037	275.8	278.9	3.1	-1	4A0	2	-1.00	1.21	.55	.66	12.3	-1.00	-1.00
90038	278.9	281.9	3.0	-1	4A0	2	-1.00	4.76	2.00	2.76	53.5	-1.00	-1.00
90039	281.9	283.5	1.6	-1	4A0	2	-1.00	.79	.33	.46	21.9	-1.00	-1.00
90040	283.5	287.1	3.6	-1	4E0	5	-1.00	3.73	1.73	2.00	32.9	-1.00	-1.00
0	287.1	334.6	47.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA015 Section: W92
 Northing: 6934.7 Easting: 2919.4 Elevation: 1316.5
 Length: 249.6 Core: NQ Record: 53

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	249.6	249.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA016 Section: W98
 Northing: 7119.8 Easting: 2981.1 Elevation: 1310.5
 Length: 304.5 Core: NQ Record: 54

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	304.5	304.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA017 Section: W68
 Northing: 6215.4 Easting: 2488.6 Elevation: 1273.9
 Length: 283.2 Core: NQ Record: 55

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	210.0	210.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5201	210.0	213.4	3.4	-1	4H0	8	3.86	3.37	1.86	1.51	30.0	36.75	-1.00
0	213.4	216.7	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5202	216.7	221.6	4.9	-1	4H0	8	3.63	3.58	1.80	1.78	27.0	26.76	-1.00
0	221.6	227.1	5.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5203	227.1	229.5	2.4	-1	4C37	3	3.75	2.93	1.58	1.35	27.0	29.12	-1.00
0	229.5	232.0	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90125	232.0	235.0	3.0	100	4E71	5	-1.00	3.58	2.00	1.58	34.3	-1.00	-1.00
90126	235.0	237.1	2.1	100	4E71	5	-1.00	.60	.30	.30	11.0	-1.00	-1.00
90127	237.1	239.0	1.9	100	4G4	7	-1.00	14.30	6.38	7.92	87.8	-1.00	-1.00
0	239.0	239.9	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5204	239.9	243.4	3.5	-1	4K6	6	3.29	2.08	1.14	.94	17.0	17.92	-1.00
5205	243.4	246.3	2.9	-1	4K6	6	4.81	3.33	1.26	2.07	21.0	17.73	-1.00
5206	246.3	249.5	3.2	-1	4K6	6	3.32	2.16	.99	1.17	16.0	19.47	-1.00
5207	249.5	252.5	3.0	-1	4K6	6	3.74	3.71	1.96	1.75	32.0	25.36	-1.00
5208	252.5	253.9	1.4	-1	4K6	6	3.64	2.47	1.42	1.05	22.0	28.78	-1.00
0	253.9	259.4	5.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5209	259.4	261.5	2.1	-1	4K0	6	3.86	2.25	1.46	.79	26.0	32.60	-1.00
0	261.5	283.2	21.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA018 Section: W92
 Northing: 6939.7 Easting: 2671.6 Elevation: 1322.4
 Length: 448.4 Core: NQ Record: 56

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	448.4	448.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA019 Section: W72
 Northing: 6333.5 Easting: 2672.6 Elevation: 1284.9
 Length: 256.8 Core: NQ Record: 57

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	102.4	102.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90179	102.4	103.8	1.4	100	4C0	3	-1.00	3.77	1.85	1.92	47.3	-1.00	-1.00
90180	103.8	105.3	1.5	100	4C0	3	-1.00	2.20	1.18	1.02	11.0	-1.00	-1.00
90181	105.3	108.2	2.9	100	4CG4	3	-1.00	12.32	6.68	5.64	109.0	-1.00	-1.00
0	108.2	134.7	26.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90182	134.7	135.9	1.2	100	5AD	30	-1.00	.22	.05	.17	1.4	-1.00	-1.00
6533	135.9	137.8	1.9	95	4A13	2	-1.00	7.83	3.12	4.71	55.0	-1.00	-1.00
90183	137.8	139.6	1.8	100	4A13	2	-1.00	3.15	1.15	2.00	31.5	-1.00	-1.00
90184	139.6	142.4	2.8	100	4E0	5	-1.00	.98	.38	.60	21.9	-1.00	-1.00
90185	142.4	145.5	3.1	97	4ED4	5	-1.00	16.71	7.35	9.36	139.9	-1.00	-1.00
90186	145.5	147.8	2.3	100	4C0	3	-1.00	1.07	.25	.82	14.4	-1.00	-1.00
90187	147.8	150.3	2.5	100	4C0	3	-1.00	3.88	2.28	1.60	34.3	-1.00	-1.00
90188	150.3	152.4	2.1	100	4A13	2	-1.00	11.91	4.95	6.96	60.3	-1.00	-1.00
6534	152.4	155.1	2.7	89	4A1	2	2.97	3.96	1.46	2.50	19.0	7.75	-1.00
6535	155.1	157.3	2.2	95	4A1	2	3.40	.67	.28	.39	8.0	7.05	-1.00
6536	157.3	158.5	1.2	100	4A1	2	3.16	.32	.16	.16	6.0	9.40	-1.00
6537	158.5	160.5	2.0	100	4A1	2	2.94	2.88	1.26	1.62	13.0	5.24	-1.00
0	160.5	161.9	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90189	161.9	163.7	1.8	17	4L14	52	-1.00	6.93	2.25	4.68	58.3	-1.00	-1.00
90190	163.7	164.6	.9	56	4E4	5	-1.00	11.19	4.35	6.84	56.2	-1.00	-1.00
90191	164.6	165.5	.9	89	4E4	5	-1.00	20.27	7.55	12.72	111.8	-1.00	-1.00
90192	165.5	166.7	1.2	100	4E4	5	-1.00	7.89	3.15	4.74	50.1	-1.00	-1.00
90193	166.7	168.2	1.5	80	4E4	5	-1.00	5.77	2.05	3.72	38.4	-1.00	-1.00
90194	168.2	169.8	1.6	100	4E4	5	-1.00	6.18	2.28	3.90	53.5	-1.00	-1.00
90195	169.8	171.3	1.5	100	4E4	5	-1.00	8.74	2.50	6.24	52.1	-1.00	-1.00
90196	171.3	172.8	1.5	100	4E4	5	-1.00	13.98	4.50	9.48	76.8	-1.00	-1.00
90197	172.8	174.4	1.6	100	4E4	5	-1.00	13.38	4.74	8.64	76.8	-1.00	-1.00
90198	174.4	175.9	1.5	100	4E4	5	-1.00	15.98	5.78	10.20	109.7	-1.00	-1.00
90199	175.9	176.7	.8	100	4E4	5	-1.00	8.84	3.08	5.76	67.9	-1.00	-1.00
90200	176.7	177.8	1.1	100	4L14	52	-1.00	5.18	1.85	3.33	46.6	-1.00	-1.00
0	177.8	183.4	5.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6538	183.4	183.9	.5	100	4G#	7	4.35	7.32	1.80	5.52	44.0	21.75	-1.00
0	183.9	194.2	10.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90201	194.2	197.2	3.0	97	4D45	3	-1.00	24.51	9.15	15.36	137.8	-1.00	-1.00
90202	197.2	198.4	1.2	100	4E1	5	-1.00	4.78	1.90	2.88	27.4	-1.00	-1.00
90203	198.4	200.9	2.5	100	4E14	5	-1.00	15.19	5.70	9.49	90.5	-1.00	-1.00
90204	200.9	202.5	1.6	100	4E14	5	-1.00	6.00	2.70	3.30	50.7	-1.00	-1.00
90205	202.5	205.3	2.8	100	4E14	5	-1.00	7.07	2.93	4.14	55.9	-1.00	-1.00
6539	205.3	207.6	2.3	35	4A31	2	3.61	1.47	.38	1.09	17.0	22.46	-1.00
90206	207.6	208.4	.8	100	4A13	2	-1.00	.45	.08	.37	16.5	-1.00	-1.00
6540	208.4	210.3	1.9	95	4C0	3	3.70	1.80	.15	1.65	13.0	23.48	-1.00
6541	210.3	212.5	2.2	95	4C0	3	3.58	.73	.11	.62	13.0	23.38	-1.00
6542	212.5	214.6	2.1	100	4A13	2	3.35	.21	.05	.16	13.0	19.80	-1.00
6543	214.6	216.6	2.0	100	4A13	2	3.54	.26	.13	.13	10.0	24.20	-1.00

6544	216.6	218.8	2.2	100	4A14	2	3.50	7.27	2.74	4.53	37.0	18.90	-1.00
6545	218.8	222.2	3.4	62	4A13	2	3.43	.87	.16	.71	12.0	20.40	-1.00
6546	222.2	224.9	2.7	44	4C0	3	3.43	4.11	.09	4.02	12.0	19.50	-1.00
6547	224.9	226.8	1.9	79	4C0	3	3.50	3.31	.07	3.24	12.0	22.30	-1.00
6548	226.8	229.5	2.7	56	4C0	3	3.69	3.69	1.60	2.09	31.0	26.43	-1.00
0	229.5	256.8	27.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA020 Section: W84
 Northing: 6696.0 Easting: 2794.8 Elevation: 1311.1
 Length: 406.6 Core: NQ Record: 58

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	183.8	183.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90538	183.8	185.0	1.2	100	5D4*	47	-1.00	1.13	.43	.70	11.0	-1.00	-1.00
90539	185.0	186.8	1.8	100	4A4	2	-1.00	6.62	2.48	4.14	41.8	-1.00	-1.00
0	186.8	188.1	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90540	188.1	189.6	1.5	100	4A0	2	-1.00	4.79	1.73	3.06	28.1	-1.00	-1.00
90541	189.6	191.1	1.5	100	4A4	2	-1.00	5.84	3.38	2.46	43.2	-1.00	-1.00
90542	191.1	192.6	1.5	100	4A4	2	-1.00	6.04	2.50	3.54	56.2	-1.00	-1.00
90543	192.6	194.2	1.6	94	4A4	2	-1.00	8.37	2.85	5.52	35.7	-1.00	-1.00
14316	194.2	196.0	1.8	56	4A4	2	-1.00	5.21	1.82	3.39	26.0	-1.00	-1.00
14317	196.0	197.8	1.8	100	4A0	2	-1.00	2.57	.87	1.70	15.0	-1.00	-1.00
14318	197.8	199.6	1.8	100	4A0	2	-1.00	1.92	.63	1.29	10.0	-1.00	-1.00
14319	199.6	201.2	1.6	56	4A0	2	-1.00	1.89	.89	1.00	16.0	-1.00	-1.00
14320	201.2	202.5	1.3	100	4A0	2	-1.00	1.70	.71	.99	13.0	-1.00	-1.00
90544	202.5	204.8	2.3	100	4A4	2	-1.00	5.58	2.42	3.16	37.9	-1.00	-1.00
90545	204.8	206.0	1.2	100	4A4	2	-1.00	13.29	5.25	8.04	78.2	-1.00	-1.00
0	206.0	210.0	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14321	210.0	211.2	1.2	100	4D4	3	-1.00	11.98	4.55	7.43	74.0	-1.00	-1.00
14322	211.2	215.5	4.3	70	4L72	52	-1.00	.73	.30	.43	8.0	-1.00	-1.00
90546	215.5	217.3	1.8	100	4A4	2	-1.00	11.47	4.79	6.68	87.8	-1.00	-1.00
90547	217.3	218.8	1.5	100	4A4	2	-1.00	10.82	3.38	7.44	66.5	-1.00	-1.00
90548	218.8	220.4	1.6	94	4A4	2	-1.00	9.57	2.85	6.72	50.1	-1.00	-1.00
90549	220.4	221.9	1.5	100	4A4	2	-1.00	10.59	3.15	7.44	55.5	-1.00	-1.00
90550	221.9	223.4	1.5	100	4A4	2	-1.00	7.83	2.43	5.40	45.9	-1.00	-1.00
90551	223.4	224.9	1.5	100	4A4	2	-1.00	5.72	2.00	3.72	37.7	-1.00	-1.00
90552	224.9	226.5	1.6	94	4A0	2	-1.00	1.76	.58	1.18	19.2	-1.00	-1.00
14323	226.5	228.9	2.4	92	4A0	2	-1.00	2.77	.99	1.78	25.0	-1.00	-1.00
14324	228.9	231.3	2.4	100	4A4	2	-1.00	5.28	1.62	3.66	32.0	-1.00	-1.00
0	231.3	237.1	5.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14325	237.1	240.4	3.3	55	4D0	3	3.51	8.12	2.92	5.20	65.0	14.63	-1.00
0	240.4	244.5	4.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14326	244.5	248.7	4.2	48	4A4	2	3.35	10.31	4.41	5.90	67.0	10.68	-1.00
14327	248.7	250.5	1.8	94	4A4	2	3.30	9.60	4.95	4.65	77.0	10.44	-1.00
14328	250.5	251.8	1.3	92	3G6	20	3.32	5.26	2.11	3.15	39.0	12.82	-1.00
0	251.8	257.0	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91373	257.0	258.5	1.5	100	5B9	40	-1.00	2.72	.98	1.74	24.7	-1.00	-1.00
0	258.5	264.1	5.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14329	264.1	266.9	2.8	100	4C5	3	-1.00	4.79	2.20	2.59	36.0	-1.00	-1.00
0	266.9	325.0	58.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91354	325.0	328.0	3.0	100	4A0	2	-1.00	2.17	1.13	1.04	16.1	-1.00	-1.00
0	328.0	332.5	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91355	332.5	333.3	.8	100	4E46\$	5	-1.00	10.64	4.43	6.21	77.8	-1.00	-1.00
0	333.3	337.7	4.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91356	337.7	338.5	.8	100	4G4\$	7	-1.00	4.36	2.08	2.28	53.5	-1.00	-1.00
91357	338.5	340.2	1.7	100	5B62	40	-1.00	4.51	1.63	2.88	32.2	-1.00	-1.00

0	340.2	343.2	3.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91358	343.2	344.8	1.6	100	4G\$	7	-1.00	8.93	3.38	5.55	67.5	-1.00	-1.00
0	344.8	351.0	6.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91359	351.0	352.0	1.0	100	4E4\$	5	-1.00	5.24	2.78	2.46	45.3	-1.00	-1.00
91360	352.0	353.0	1.0	100	4E4\$	5	-1.00	5.94	3.00	2.94	35.3	-1.00	-1.00
0	353.0	355.0	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91361	355.0	356.7	1.7	100	4E4	5	-1.00	11.69	5.03	6.66	78.8	-1.00	-1.00
0	356.7	360.6	3.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91362	360.6	361.6	1.0	100	4A4	2	-1.00	9.48	3.15	6.33	47.3	-1.00	-1.00
0	361.6	362.7	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91363	362.7	363.9	1.2	100	4E41	5	-1.00	12.37	4.43	7.94	63.4	-1.00	-1.00
91364	363.9	364.7	.8	100	4E41	5	-1.00	5.38	2.20	3.18	40.4	-1.00	-1.00
91365	364.7	366.0	1.3	100	4CA	3	-1.00	2.97	1.03	1.94	25.4	-1.00	-1.00
91366	366.0	367.0	1.0	100	4E1	5	-1.00	3.62	1.40	2.22	30.2	-1.00	-1.00
91367	367.0	368.0	1.0	100	4A0	2	-1.00	4.64	1.70	2.94	34.3	-1.00	-1.00
91368	368.0	369.0	1.0	100	4DC	3	-1.00	3.10	1.50	1.60	30.2	-1.00	-1.00
90116	369.0	370.0	1.0	100	4C9	3	-1.00	1.29	.43	.86	19.2	-1.00	-1.00
91369	370.0	371.0	1.0	100	4D0	3	-1.00	8.07	3.75	4.32	64.5	-1.00	-1.00
91370	371.0	372.2	1.2	100	4DH	3	-1.00	7.92	3.90	4.02	60.3	-1.00	-1.00
91371	372.2	372.6	.4	100	4H0	8	-1.00	3.74	1.90	1.84	46.3	-1.00	-1.00
91372	372.6	374.7	2.1	100	4ECL	5	-1.00	4.45	1.75	2.70	32.2	-1.00	-1.00
0	374.7	406.6	31.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA021 Section: W72
 Northing: 6333.2 Easting: 2733.0 Elevation: 1291.1
 Length: 260.8 Core: NQ Record: 59

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	100.1	100.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90090	100.1	101.1	1.0	90	5B20	40	-1.00	.13	.03	.10	-1.0	-1.00	-1.00
90091	101.1	103.5	2.4	83	4E4	5	-1.00	17.13	5.78	11.35	79.5	-1.00	-1.00
90092	103.5	104.3	.8	87	5D4*	47	-1.00	.40	.10	.30	-1.0	-1.00	-1.00
90093	104.3	107.1	2.8	75	4AE4	2	-1.00	23.08	8.25	14.83	149.5	-1.00	-1.00
90094	107.1	109.4	2.3	78	4AL	2	-1.00	6.49	2.23	4.26	32.2	-1.00	-1.00
90095	109.4	112.4	3.0	63	4A4	2	-1.00	13.19	4.43	8.76	56.2	-1.00	-1.00
90096	112.4	113.7	1.3	100	4LA4	52	-1.00	5.19	3.75	1.44	39.8	-1.00	-1.00
90097	113.7	115.2	1.5	93	4A4	2	-1.00	5.70	4.20	1.50	45.9	-1.00	-1.00
90098	115.2	117.4	2.2	100	4A0	2	-1.00	2.42	.68	1.74	9.6	-1.00	-1.00
90099	117.4	119.1	1.7	100	4A0	2	-1.00	2.30	.64	1.66	9.6	-1.00	-1.00
90100	119.1	121.1	2.0	100	4L34	52	-1.00	2.04	.70	1.34	11.0	-1.00	-1.00
90101	121.1	123.2	2.1	81	4L34	52	-1.00	1.77	.63	1.14	10.3	-1.00	-1.00
0	123.2	132.3	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90102	132.3	133.8	1.5	100	5B6	40	-1.00	.08	.03	.05	-1.0	-1.00	-1.00
0	133.8	167.0	33.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90103	167.0	168.6	1.6	87	5B26	40	-1.00	.41	.08	.33	-1.0	-1.00	-1.00
0	168.6	171.4	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
2471	171.4	172.1	.7	100	4A10	2	2.98	4.78	1.45	3.33	25.0	6.21	-1.00
0	172.1	179.8	7.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90104	179.8	181.2	1.4	100	4L0	52	-1.00	.18	.08	.10	8.9	-1.00	-1.00
90105	181.2	183.3	2.1	95	4EA4	5	-1.00	7.17	2.43	4.74	42.5	-1.00	-1.00
90106	183.3	185.3	2.0	85	4E4	5	-1.00	8.12	3.08	5.04	48.0	-1.00	-1.00
90107	185.3	186.8	1.5	100	4E4	5	-1.00	6.70	2.50	4.20	52.1	-1.00	-1.00
90108	186.8	189.9	3.1	100	4E4	5	-1.00	13.19	4.43	8.76	71.3	-1.00	-1.00
90109	189.9	192.9	3.0	100	4EG4	7	-1.00	13.40	4.28	9.12	76.8	-1.00	-1.00
90110	192.9	194.5	1.6	100	4EG4	7	-1.00	14.39	5.03	9.36	83.6	-1.00	-1.00
90111	194.5	196.0	1.5	100	4E4	5	-1.00	18.33	6.83	11.50	128.9	-1.00	-1.00
90112	196.0	197.5	1.5	100	4E4	5	-1.00	6.51	2.25	4.26	51.4	-1.00	-1.00
90175	197.5	198.7	1.2	100	4A4	2	-1.00	14.18	5.18	9.00	45.3	-1.00	-1.00
2473	198.7	200.3	1.6	94	4A1	2	3.17	1.04	.29	.75	15.0	15.35	-1.00
2474	200.3	201.3	1.0	100	4A1	2	-1.00	1.54	.67	.87	5.5	-1.00	-1.00
2475	201.3	203.2	1.9	68	4L0	52	-1.00	.49	.21	.28	6.9	-1.00	-1.00
0	203.2	210.1	6.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
2476	210.1	212.4	2.3	91	4A1	2	-1.00	2.64	.93	1.71	11.0	-1.00	-1.00
2477	212.4	214.5	2.1	100	4A1	2	-1.00	.70	.18	.52	16.5	-1.00	-1.00
2478	214.5	216.9	2.4	92	4A1	2	-1.00	.59	.29	.30	8.2	-1.00	-1.00
2479	216.9	218.6	1.7	88	4A1	2	-1.00	2.16	.83	1.33	5.5	-1.00	-1.00
2480	218.6	221.0	2.4	100	4A1	2	2.96	3.95	1.56	2.39	20.6	4.67	-1.00
2481	221.0	222.9	1.9	100	4A1	2	3.04	.75	.28	.47	9.6	11.13	-1.00
2482	222.9	223.9	1.0	90	4A1	2	3.56	1.25	.39	.86	9.6	19.07	-1.00
2483	223.9	225.2	1.3	100	4A1	2	3.45	2.47	.85	1.62	26.1	20.06	-1.00
2484	225.2	226.6	1.4	93	4A1	2	3.42	2.01	1.12	.89	26.1	19.25	-1.00
2485	226.6	228.0	1.4	100	4A1	2	-1.00	.61	.13	.48	9.6	-1.00	-1.00

2486	228.0	229.5	1.5	93	4A1	2	-1.00	.09	.05	.04	11.0	-1.00	-1.00
2487	229.5	231.0	1.5	80	4A1	2	-1.00	.18	.08	.10	11.0	-1.00	-1.00
2488	231.0	232.6	1.6	75	4A1	2	-1.00	.49	.12	.37	8.2	-1.00	-1.00
2489	232.6	234.1	1.5	87	4A1	2	-1.00	1.67	.72	.95	23.3	-1.00	-1.00
2490	234.1	236.2	2.1	71	4A1	2	-1.00	2.00	.80	1.20	24.7	-1.00	-1.00
2491	236.2	237.4	1.2	92	4A1	2	-1.00	1.37	.50	.87	9.6	-1.00	-1.00
2492	237.4	239.0	1.6	94	4A1	2	-1.00	.58	.28	.30	5.5	-1.00	-1.00
2493	239.0	240.5	1.5	100	4A1	2	-1.00	.48	.15	.33	5.5	-1.00	-1.00
2494	240.5	242.0	1.5	87	4A1	2	-1.00	.29	.08	.21	3.0	-1.00	-1.00
2495	242.0	243.5	1.5	87	4A1	2	-1.00	.23	.06	.17	2.0	-1.00	-1.00
2496	243.5	244.9	1.4	100	4A1	2	3.15	.49	.10	.39	10.0	13.04	-1.00
2497	244.9	246.4	1.5	100	4A1	2	-1.00	.57	.06	.51	6.0	-1.00	-1.00
2498	246.4	248.4	2.0	90	4E0	5	4.50	4.65	1.91	2.74	43.0	37.25	-1.00
0	248.4	260.8	12.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA022 Section: W84
 Northing: 6696.8 Easting: 2670.5 Elevation: 1311.5
 Length: 384.6 Core: NQ Record: 60

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	154.2	154.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90553	154.2	154.7	.5	100	4E80	5	-1.00	3.03	1.45	1.58	23.3	-1.00	-1.00
0	154.7	181.0	26.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90554	181.0	183.2	2.2	100	4E4	5	-1.00	10.55	5.03	5.52	68.6	-1.00	-1.00
90555	183.2	184.8	1.6	94	4DL	3	-1.00	12.84	6.00	6.84	105.9	-1.00	-1.00
90556	184.8	186.9	2.1	100	4L41	52	-1.00	1.84	.78	1.06	9.9	-1.00	-1.00
90557	186.9	188.7	1.8	100	4H2\$	8	-1.00	3.25	.85	2.40	30.2	-1.00	-1.00
0	188.7	229.9	41.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90558	229.9	231.0	1.1	100	4E4	5	-1.00	12.85	4.35	8.50	59.0	-1.00	-1.00
90559	231.0	232.1	1.1	64	4E4	5	-1.00	15.23	6.83	8.40	133.0	-1.00	-1.00
90560	232.1	233.8	1.7	53	4E4	5	-1.00	7.67	3.23	4.44	50.7	-1.00	-1.00
90561	233.8	236.8	3.0	10	4A4	2	-1.00	14.21	5.33	8.88	78.2	-1.00	-1.00
90562	236.8	239.9	3.1	10	4A4	2	-1.00	7.51	2.35	5.16	48.0	-1.00	-1.00
90563	239.9	242.6	2.7	100	4A4	2	-1.00	6.64	2.08	4.56	59.0	-1.00	-1.00
90564	242.6	243.4	.8	25	4L12	52	-1.00	4.99	1.93	3.06	23.3	-1.00	-1.00
90565	243.4	245.8	2.4	100	4L12	52	-1.00	.66	.23	.43	5.5	-1.00	-1.00
90566	245.8	247.0	1.2	100	4A0	2	-1.00	.88	.63	.25	20.6	-1.00	-1.00
90567	247.0	250.0	3.0	100	4A4	2	-1.00	10.79	3.83	6.96	52.1	-1.00	-1.00
90568	250.0	251.3	1.3	100	4E0	5	-1.00	2.09	.69	1.40	16.5	-1.00	-1.00
90569	251.3	252.6	1.3	92	4E0	5	-1.00	4.08	2.08	2.00	45.3	-1.00	-1.00
90570	252.6	254.5	1.9	100	4A4	2	-1.00	12.51	4.35	8.16	62.4	-1.00	-1.00
90571	254.5	257.4	2.9	100	4E4	5	-1.00	12.03	4.35	7.68	66.5	-1.00	-1.00
0	257.4	270.0	12.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90572	270.0	270.5	.5	100	4G4	7	-1.00	18.13	6.68	11.45	152.2	-1.00	-1.00
0	270.5	274.4	3.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90573	274.4	275.3	.9	100	4A0	2	-1.00	4.58	1.58	3.00	27.4	-1.00	-1.00
90574	275.3	276.8	1.5	100	4D4	3	-1.00	19.27	6.60	12.67	94.6	-1.00	-1.00
90575	276.8	278.8	2.0	100	4D4	3	-1.00	17.92	6.00	11.92	127.5	-1.00	-1.00
0	278.8	342.9	64.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90576	342.9	344.9	2.0	100	4EG4	7	-1.00	11.55	4.35	7.20	80.9	-1.00	-1.00
90577	344.9	345.4	.5	60	4E4	5	-1.00	16.73	6.08	10.65	98.7	-1.00	-1.00
90578	345.4	347.5	2.1	86	4A43	2	-1.00	9.89	3.53	6.36	43.9	-1.00	-1.00
90579	347.5	349.2	1.7	94	4A43	2	-1.00	10.13	3.53	6.60	49.4	-1.00	-1.00
90580	349.2	352.2	3.0	10	4G4	7	-1.00	12.68	4.88	7.80	100.1	-1.00	-1.00
90581	352.2	354.8	2.6	100	4G4	7	-1.00	13.94	5.18	8.76	88.8	-1.00	-1.00
90582	354.8	355.5	.7	86	5C4*	44	-1.00	1.27	.50	.77	6.2	-1.00	-1.00
90583	355.5	356.3	.8	100	4G4	7	-1.00	12.38	4.58	7.80	87.8	-1.00	-1.00
90584	356.3	356.7	.4	75	4G0	7	-1.00	6.09	2.55	3.54	33.3	-1.00	-1.00
90979	356.7	357.5	.8	100	4L2	52	-1.00	.87	.47	.40	8.2	-1.00	-1.00
0	357.5	361.1	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90585	361.1	362.3	1.2	100	4GL	7	-1.00	8.36	3.08	5.28	64.5	-1.00	-1.00
90586	362.3	363.3	1.0	70	5B62	40	-1.00	.26	.14	.12	1.0	-1.00	-1.00
0	363.3	384.6	21.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA023 Section: W68
 Northing: 6212.0 Easting: 2673.4 Elevation: 1277.9
 Length: 306.0 Core: NQ Record: 61

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	78.0	78.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91074	78.0	79.9	1.9	-1	4E4	5	4.51	33.80	13.00	20.80	164.0	24.58	-1.00
91075	79.9	83.1	3.2	-1	4E4	5	4.99	19.17	6.47	12.70	101.0	32.52	-1.00
91076	83.1	84.9	1.8	-1	4A0	2	3.53	4.08	1.83	2.25	33.0	22.08	-1.00
91077	84.9	86.7	1.8	-1	4A4	2	2.93	7.17	2.67	4.50	37.0	9.60	-1.00
5051	86.7	88.5	1.8	-1	4A0	2	2.98	2.75	1.04	1.71	14.0	8.20	-1.00
5052	88.5	89.3	.8	-1	4C0	3	3.18	1.41	.44	.97	11.0	12.04	-1.00
5053	89.3	91.1	1.8	-1	4A0	2	3.02	3.43	1.13	2.30	16.0	8.75	-1.00
5054	91.1	93.0	1.9	-1	4A0	2	2.94	2.13	.70	1.43	15.0	9.04	-1.00
5055	93.0	94.8	1.8	-1	4A0	2	2.98	1.53	.45	1.08	4.0	8.61	-1.00
5056	94.8	96.6	1.8	-1	4A0	2	2.94	1.77	.53	1.24	14.0	7.48	-1.00
5057	96.6	98.1	1.5	-1	4A0	2	2.97	1.40	.52	.88	10.0	7.84	-1.00
5058	98.1	99.7	1.6	-1	4A0	2	3.04	3.90	2.08	1.82	28.0	8.67	-1.00
5059	99.7	100.9	1.2	-1	4A4	2	3.41	9.42	3.06	6.36	50.0	15.06	-1.00
5060	100.9	102.6	1.7	-1	4E4	5	4.58	16.70	6.04	10.66	83.0	27.79	-1.00
5061	102.6	104.4	1.8	-1	4E4	5	4.67	17.76	5.96	11.80	104.0	26.57	-1.00
5062	104.4	104.9	.5	-1	4L0	52	4.45	15.84	5.44	10.40	102.0	27.95	-1.00
5063	104.9	105.5	.6	-1	4E4	5	4.11	18.83	5.86	12.97	86.0	27.29	-1.00
0	105.5	105.8	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5064	105.8	108.2	2.4	-1	4G4	7	4.58	10.09	2.64	7.45	51.0	19.65	-1.00
5065	108.2	108.7	.5	-1	4EL	5	3.59	14.54	2.83	11.71	43.0	19.21	-1.00
0	108.7	110.9	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5066	110.9	112.7	1.8	-1	4EGK	7	4.55	7.68	2.72	4.96	47.0	27.76	-1.00
0	112.7	114.9	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5067	114.9	116.4	1.5	-1	4A4	2	4.01	25.56	8.06	17.50	153.0	15.26	-1.00
5068	116.4	118.0	1.6	-1	4A4	2	3.74	29.20	10.60	18.60	178.0	9.89	-1.00
5069	118.0	119.2	1.2	-1	4A4	2	3.44	25.64	8.04	17.60	169.0	11.62	-1.00
5070	119.2	119.8	.6	-1	4L0	52	3.82	25.22	7.52	17.70	100.0	14.94	-1.00
5071	119.8	121.3	1.5	-1	4E4	5	3.83	29.00	9.09	19.91	129.0	14.67	-1.00
5072	121.3	122.8	1.5	-1	4E4	5	4.16	35.50	13.20	22.30	158.0	16.83	-1.00
5073	122.8	124.7	1.9	-1	4E4	5	4.25	19.78	7.27	12.51	137.0	27.53	-1.00
5074	124.7	126.5	1.8	-1	4E4	5	4.06	16.05	5.34	10.71	100.0	27.44	-1.00
5075	126.5	128.0	1.5	-1	4A3	2	3.09	1.54	.24	1.30	12.0	17.40	-1.00
5076	128.0	129.5	1.5	-1	4A3	2	3.07	1.47	.44	1.03	12.0	18.41	-1.00
5077	129.5	131.1	1.6	-1	4A3	2	3.45	1.42	.21	1.21	14.0	22.21	-1.00
5078	131.1	132.6	1.5	-1	4A4	2	3.28	8.42	2.95	5.47	38.0	17.20	-1.00
5079	132.6	134.3	1.7	-1	4A4	2	3.12	10.55	3.86	6.69	49.0	12.11	-1.00
5080	134.3	135.8	1.5	-1	4E4	5	4.02	26.19	7.69	18.50	126.0	18.49	-1.00
5081	135.8	137.5	1.7	-1	4E4	5	4.07	22.78	7.47	15.31	119.0	21.13	-1.00
5082	137.5	139.3	1.8	-1	4A4	2	3.30	9.60	4.16	5.44	52.0	13.85	-1.00
5083	139.3	141.2	1.9	-1	4A3	2	3.39	4.62	2.16	2.46	28.0	18.81	-1.00
5084	141.2	143.0	1.8	-1	4A3	2	3.36	1.01	.34	.67	10.0	20.35	-1.00
5085	143.0	144.6	1.6	-1	4A3	2	2.97	1.22	.41	.81	10.0	21.72	-1.00
5086	144.6	145.5	.9	-1	4E14	5	3.76	5.36	1.78	3.58	28.0	27.27	-1.00

5087	145.5	147.2	1.7	-1	4A0	2	3.18	2.63	.71	1.92	15.0	17.34	-1.00
5088	147.2	149.0	1.8	-1	4A0	2	3.18	1.41	.47	.94	14.0	18.05	-1.00
5089	149.0	150.9	1.9	-1	4A0	2	2.94	.93	.23	.70	8.0	19.09	-1.00
5090	150.9	152.7	1.8	-1	4A0	2	3.16	1.38	.20	1.18	8.0	-1.00	-1.00
5091	152.7	154.5	1.8	-1	4A0	2	3.00	1.90	.11	1.79	8.0	-1.00	-1.00
5092	154.5	156.4	1.9	-1	4A0	2	3.17	1.52	.51	1.01	15.0	-1.00	-1.00
5093	156.4	158.7	2.3	-1	4A3	2	2.22	.77	.42	.35	13.0	22.37	-1.00
5094	158.7	160.3	1.6	-1	4C3	3	3.59	.55	.18	.37	14.0	25.79	-1.00
5095	160.3	161.8	1.5	-1	4C3	3	3.59	4.01	1.23	2.78	30.0	21.36	-1.00
5096	161.8	163.4	1.6	-1	4C3	3	4.31	3.23	1.72	1.51	38.0	37.65	-1.00
5097	163.4	165.4	2.0	-1	4E0	5	4.12	2.47	1.24	1.23	26.0	32.25	-1.00
5098	165.4	167.4	2.0	-1	4E1	5	3.77	.98	.61	.37	21.0	29.80	-1.00
5099	167.4	168.9	1.5	-1	4C3	3	3.61	.98	.10	.88	8.0	25.60	-1.00
5100	168.9	170.1	1.2	-1	4C3	3	3.37	.66	.06	.60	8.0	-1.00	-1.00
5151	170.1	171.6	1.5	-1	4A0	2	2.95	.53	.03	.50	3.0	12.48	-1.00
5152	171.6	173.4	1.8	-1	4A3	2	3.34	.58	.16	.42	7.0	20.86	-1.00
5153	173.4	175.0	1.6	-1	4E0	5	4.62	3.48	1.39	2.09	31.0	38.98	-1.00
5154	175.0	176.2	1.2	-1	4E0	5	3.76	2.73	1.20	1.53	18.0	32.05	-1.00
0	176.2	221.9	45.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90134	221.9	224.3	2.4	-1	4L0	52	-1.00	.06	.03	.03	2.1	-1.00	-1.00
0	224.3	235.6	11.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5155	235.6	237.4	1.8	-1	4E14	5	3.34	11.70	4.59	7.11	64.0	14.20	-1.00
5156	237.4	239.4	2.0	-1	4L0	52	2.80	.33	.11	.22	3.0	32.40	-1.00
5157	239.4	240.9	1.5	-1	4E4	5	4.45	7.32	3.24	4.08	55.0	31.67	-1.00
5158	240.9	242.4	1.5	-1	4E0	5	4.49	3.24	1.74	1.50	33.0	36.89	-1.00
5159	242.4	243.9	1.5	-1	4E0	5	4.50	4.51	2.76	1.75	38.0	38.24	-1.00
5160	243.9	245.2	1.3	-1	4E4	5	4.60	5.54	2.36	3.18	42.0	38.05	-1.00
90135	245.2	246.9	1.7	-1	4L0	52	-1.00	1.08	.32	.76	5.1	-1.00	-1.00
0	246.9	262.9	16.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5161	262.9	264.0	1.1	-1	4A0	2	3.07	2.05	.88	1.17	17.0	15.30	-1.00
5162	264.0	265.2	1.2	-1	4H3	8	5.19	.95	.60	.35	19.0	32.30	-1.00
5163	265.2	267.0	1.8	-1	4A0	2	3.05	1.29	.60	.69	14.0	12.98	-1.00
0	267.0	275.3	8.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5164	275.3	277.2	1.9	-1	4A0	2	3.37	3.73	1.95	1.78	32.0	-1.00	-1.00
0	277.2	278.5	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5165	278.5	280.4	1.9	-1	4A0	2	3.28	1.90	.85	1.05	20.0	-1.00	-1.00
0	280.4	306.0	25.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA024 Section: W80
 Northing: 6575.8 Easting: 2669.5 Elevation: 1303.9
 Length: 356.3 Core: NQ Record: 62

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	139.8	139.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90269	139.8	142.8	3.0	-1	4G4	7	-1.00	11.55	6.15	5.40	90.8	-1.00	-1.00
90270	142.8	143.4	.6	-1	4DE	3	-1.00	1.99	1.25	.74	20.2	-1.00	-1.00
90271	143.4	144.7	1.3	-1	4EL	5	-1.00	.15	.07	.08	-1.0	-1.00	-1.00
90272	144.7	146.0	1.3	-1	4E4	5	-1.00	9.09	5.55	3.54	86.7	-1.00	-1.00
90273	146.0	147.4	1.4	-1	4L5	52	-1.00	.22	.18	.04	4.1	-1.00	-1.00
90274	147.4	150.4	3.0	-1	4D4	3	-1.00	13.32	7.20	6.12	97.7	-1.00	-1.00
90275	150.4	150.9	.5	-1	4L0	52	-1.00	1.33	.65	.68	9.3	-1.00	-1.00
0	150.9	177.4	26.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90276	177.4	177.9	.5	-1	5A3	30	-1.00	2.28	.78	1.50	3.1	-1.00	-1.00
90277	177.9	178.6	.7	-1	5A3	30	-1.00	.19	.08	.11	2.1	-1.00	-1.00
6949	178.6	178.9	.3	100	4E4	5	4.53	26.60	8.70	17.90	177.0	21.47	-1.00
6678	178.9	180.1	1.2	100	4A41	2	3.42	9.30	4.10	5.20	75.0	16.47	-1.00
90278	180.1	182.0	1.9	-1	4A4	2	-1.00	5.85	2.13	3.72	35.3	-1.00	-1.00
90279	182.0	185.0	3.0	-1	4A4	2	-1.00	17.40	7.20	10.20	102.8	-1.00	-1.00
90280	185.0	187.3	2.3	-1	4A4	2	-1.00	11.39	3.83	7.56	75.8	-1.00	-1.00
90281	187.3	188.4	1.1	-1	4A4	2	-1.00	6.90	2.40	4.50	37.4	-1.00	-1.00
90282	188.4	189.1	.7	-1	4A0	2	-1.00	2.59	.85	1.74	16.1	-1.00	-1.00
90283	189.1	191.9	2.8	-1	5D4	47	-1.00	.69	.19	.50	5.1	-1.00	-1.00
90284	191.9	194.2	2.3	-1	4A4	2	-1.00	22.88	8.25	14.63	111.1	-1.00	-1.00
90285	194.2	196.1	1.9	-1	4A4	2	-1.00	12.05	4.13	7.92	64.5	-1.00	-1.00
90286	196.1	197.6	1.5	-1	4A4	2	-1.00	10.79	3.83	6.96	60.3	-1.00	-1.00
90287	197.6	199.4	1.8	-1	4A4	2	-1.00	7.99	2.35	5.64	37.4	-1.00	-1.00
90288	199.4	201.0	1.6	-1	4A4	2	-1.00	7.77	2.85	4.92	39.4	-1.00	-1.00
90289	201.0	203.1	2.1	-1	4A4	2	-1.00	11.94	5.70	6.24	60.3	-1.00	-1.00
90290	203.1	204.2	1.1	-1	4A4	2	-1.00	6.81	4.05	2.76	57.6	-1.00	-1.00
6679	204.2	206.3	2.1	100	4A1	2	-1.00	1.10	.70	.40	19.0	-1.00	-1.00
6680	206.3	208.1	1.8	100	4A1	2	-1.00	1.06	.65	.41	18.0	-1.00	-1.00
6681	208.1	208.8	.7	100	5C4	44	-1.00	.58	.17	.41	8.0	-1.00	-1.00
6682	208.8	209.6	.8	75	4A1	2	3.38	3.32	1.42	1.90	29.0	15.19	-1.00
6683	209.6	210.9	1.3	100	5C4	44	3.04	.63	.24	.39	9.0	8.33	-1.00
6684	210.9	213.2	2.3	96	4A1	2	3.03	.80	.29	.51	9.0	10.07	-1.00
6685	213.2	214.9	1.7	100	4A1	2	3.19	4.71	1.51	3.20	27.0	11.40	-1.00
6686	214.9	216.9	2.0	100	4A1	2	3.25	3.29	1.19	2.10	18.0	13.62	-1.00
6687	216.9	218.5	1.6	100	4A14	2	3.29	7.60	2.60	5.00	33.0	14.51	-1.00
90291	218.5	219.4	.9	-1	4A0	2	-1.00	3.99	1.65	2.34	15.1	-1.00	-1.00
90292	219.4	221.3	1.9	-1	4A4	2	-1.00	5.23	2.05	3.18	31.2	-1.00	-1.00
90293	221.3	223.1	1.8	-1	4A4	2	-1.00	6.04	2.50	3.54	32.2	-1.00	-1.00
90294	223.1	223.4	.3	-1	4E4	5	-1.00	5.74	2.50	3.24	42.5	-1.00	-1.00
90295	223.4	224.6	1.2	-1	4A0	2	-1.00	1.70	.72	.98	15.1	-1.00	-1.00
90296	224.6	226.2	1.6	-1	5A1	30	-1.00	1.09	.03	1.06	1.0	-1.00	-1.00
90297	226.2	226.6	.4	-1	5A1	30	-1.00	.66	.25	.41	3.1	-1.00	-1.00
90298	226.6	228.0	1.4	-1	4L0	52	-1.00	1.97	.37	1.60	9.9	-1.00	-1.00
90299	228.0	228.9	.9	-1	4L0	52	-1.00	6.05	2.15	3.90	60.3	-1.00	-1.00

90300	228.9	229.5	.6	-1	4L0	52	-1.00	7.42	2.50	4.92	70.6	-1.00	-1.00
90301	229.5	229.8	.3	-1	4L0	52	-1.00	.42	.08	.34	3.1	-1.00	-1.00
90302	229.8	231.0	1.2	-1	4C0	3	-1.00	13.17	4.65	8.52	96.7	-1.00	-1.00
90303	231.0	233.8	2.8	-1	5A3	30	-1.00	.32	.13	.19	4.1	-1.00	-1.00
0	233.8	249.6	15.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90304	249.6	251.8	2.2	-1	5A3	30	-1.00	.16	.05	.11	2.1	-1.00	-1.00
6688	251.8	253.5	1.7	94	4G4	7	4.72	13.30	4.60	8.70	77.0	19.48	-1.00
90305	253.5	254.9	1.4	-1	5A1	30	-1.00	.15	.05	.10	1.0	-1.00	-1.00
90306	254.9	257.3	2.4	-1	0Q0	72	-1.00	3.56	1.28	2.28	35.3	-1.00	-1.00
0	257.3	328.6	71.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6689	328.6	329.2	.6	100	4D4	3	3.72	25.20	9.50	15.70	158.0	9.99	-1.00
6690	329.2	329.8	.6	100	4G0	7	4.45	8.70	2.70	6.00	46.0	15.73	-1.00
6691	329.8	330.5	.7	100	4D0	3	3.75	9.90	3.20	6.70	63.0	12.17	-1.00
6692	330.5	332.4	1.9	100	4B4	3	3.82	22.50	6.70	15.80	112.0	13.22	-1.00
6693	332.4	334.6	2.2	91	4E4	5	4.73	11.60	4.60	7.00	75.0	34.10	-1.00
6694	334.6	337.0	2.4	83	4E4	5	4.80	13.70	5.80	7.90	91.0	30.85	-1.00
6695	337.0	337.9	.9	100	4D4	3	3.68	19.40	5.60	13.80	111.0	14.29	-1.00
6696	337.9	338.9	1.0	100	4E4	5	4.83	14.80	6.00	8.80	100.0	33.80	-1.00
6697	338.9	340.1	1.2	100	4A14	2	3.61	14.40	4.80	9.60	73.0	14.99	-1.00
6698	340.1	341.4	1.3	92	4A14	2	3.55	13.80	4.70	9.10	68.0	12.48	-1.00
6699	341.4	342.6	1.2	100	4E4	5	4.29	13.40	5.60	7.80	80.0	29.44	-1.00
6700	342.6	343.0	.4	75	4A41	2	4.02	21.10	6.30	14.80	132.0	15.46	-1.00
6751	343.0	343.6	.6	83	4D4	3	3.79	20.60	6.30	14.30	120.0	11.34	-1.00
90307	343.6	345.2	1.6	-1	5B6	40	-1.00	.21	.08	.13	2.1	-1.00	-1.00
0	345.2	356.3	11.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA025 Section: W96
 Northing: 7056.0 Easting: 3158.5 Elevation: 1301.3
 Length: 315.1 Core: NQ Record: 63

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	315.1	315.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA026 Section: W64
 Northing: 6089.8 Easting: 2672.1 Elevation: 1277.1
 Length: 273.3 Core: NQ Record: 64

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	46.6	46.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91081	46.6	49.7	3.1	35	4D5	3	-1.00	5.39	1.55	3.84	25.4	-1.00	-1.00
91082	49.7	51.5	1.8	100	4D5	3	-1.00	7.46	2.30	5.16	28.5	-1.00	-1.00
0	51.5	55.8	4.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91083	55.8	57.8	2.0	100	4D5	3	-1.00	5.24	2.00	3.24	20.2	-1.00	-1.00
91084	57.8	59.4	1.6	100	4E4	5	-1.00	14.09	4.13	9.96	100.8	-1.00	-1.00
91085	59.4	61.4	2.0	100	4E4	5	-1.00	18.75	5.55	13.20	103.9	-1.00	-1.00
0	61.4	62.1	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91086	62.1	63.7	1.6	100	4E4	5	-1.00	20.75	6.30	14.45	102.8	-1.00	-1.00
91087	63.7	65.2	1.5	-1	4E4	5	-1.00	20.75	6.30	14.45	102.8	-1.00	-1.00
91088	65.2	68.0	2.8	100	4E4	5	-1.00	22.89	7.35	15.54	116.9	-1.00	-1.00
91089	68.0	69.6	1.6	100	4E4	5	-1.00	14.97	3.30	11.67	51.4	-1.00	-1.00
0	69.6	70.4	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91090	70.4	71.2	.8	100	4LE	52	-1.00	9.39	3.15	6.24	51.4	-1.00	-1.00
91091	71.2	72.5	1.3	100	4LE	52	-1.00	1.97	.53	1.44	9.9	-1.00	-1.00
91092	72.5	73.7	1.2	92	4LE	52	-1.00	11.72	3.68	8.04	63.4	-1.00	-1.00
91093	73.7	74.5	.8	-1	4LE	52	-1.00	22.90	6.60	16.30	105.9	-1.00	-1.00
8783	74.5	75.6	1.1	100	4L0	52	3.17	1.92	.74	1.18	15.0	11.46	-1.00
8784	75.6	77.4	1.8	67	4L4	52	3.57	12.50	3.80	8.70	70.0	16.86	-1.00
8785	77.4	79.0	1.6	100	4D4	3	3.74	22.10	6.20	15.90	103.0	17.32	-1.00
8786	79.0	80.7	1.7	76	4D4	3	4.04	17.70	6.00	11.70	116.0	22.17	-1.00
8787	80.7	81.6	.9	100	4D4	3	3.89	21.30	7.80	13.50	133.0	21.44	-1.00
8788	81.6	83.0	1.4	57	4E64	5	4.63	29.00	8.70	20.30	158.0	24.75	-1.00
8789	83.0	84.3	1.3	92	4E64	5	4.37	24.10	8.00	16.10	123.0	25.55	-1.00
8790	84.3	85.6	1.3	100	4EA4	5	3.80	22.50	9.10	13.40	146.0	17.85	-1.00
8791	85.6	86.9	1.3	85	4EA4	5	4.02	27.80	10.20	17.60	172.0	17.33	-1.00
8792	86.9	88.1	1.2	100	4EA4	5	3.89	26.00	8.90	17.10	159.0	17.98	-1.00
8793	88.1	89.6	1.5	100	4EA4	5	3.75	9.80	4.70	5.10	94.0	22.12	-1.00
8794	89.6	91.1	1.5	100	4AD4	2	3.34	13.90	6.10	7.80	102.0	13.61	-1.00
8795	91.1	92.7	1.6	100	4AD4	2	3.64	18.10	8.10	10.00	127.0	13.96	-1.00
8796	92.7	94.2	1.5	100	4AD4	2	3.44	12.30	5.00	7.30	84.0	12.76	-1.00
8797	94.2	96.5	2.3	96	4AD4	2	3.45	12.60	6.00	6.60	80.0	17.55	-1.00
91094	96.5	98.3	1.8	100	4A13	2	-1.00	2.64	1.58	1.06	22.3	-1.00	-1.00
91095	98.3	100.6	2.3	96	4A134	2	-1.00	6.80	3.08	3.72	35.3	-1.00	-1.00
91096	100.6	103.3	2.7	96	4A13	2	-1.00	1.06	.32	.74	6.2	-1.00	-1.00
91097	103.3	105.0	1.7	88	4A13	2	-1.00	2.73	1.38	1.35	17.1	-1.00	-1.00
91098	105.0	106.2	1.2	100	4A134	2	-1.00	15.09	7.05	8.04	97.7	-1.00	-1.00
91099	106.2	109.0	2.8	93	4A13	2	-1.00	4.35	1.35	3.00	20.2	-1.00	-1.00
8798	109.0	110.5	1.5	100	4A13	2	3.31	3.70	2.40	1.30	40.0	17.70	-1.00
8799	110.5	112.0	1.5	100	4A13	2	-1.00	1.80	.78	1.02	23.0	-1.00	-1.00
8800	112.0	113.5	1.5	100	4A13	2	-1.00	1.69	.15	1.54	133.0	-1.00	-1.00
8651	113.5	115.1	1.6	100	4A13	2	-1.00	1.77	.46	1.31	19.0	-1.00	-1.00
8652	115.1	116.6	1.5	100	4A13	2	-1.00	.92	.13	.79	10.0	-1.00	-1.00
8653	116.6	118.1	1.5	100	4A13	2	-1.00	1.49	.21	1.28	13.0	-1.00	-1.00

8654	118.1	119.6	1.5	100	4A13	2	-1.00	.63	.04	.59	7.0	-1.00	-1.00
8655	119.6	121.2	1.6	100	4A13	2	-1.00	.60	.08	.52	5.0	-1.00	-1.00
8656	121.2	122.7	1.5	100	4A13	2	-1.00	.85	.06	.79	11.0	-1.00	-1.00
8657	122.7	124.2	1.5	100	4A13	2	-1.00	1.73	.02	1.71	2.0	-1.00	-1.00
8658	124.2	125.7	1.5	100	4A13	2	-1.00	1.31	.03	1.28	5.0	-1.00	-1.00
8659	125.7	127.3	1.6	100	4A13	2	-1.00	1.17	.02	1.15	1.0	-1.00	-1.00
8660	127.3	128.5	1.2	100	4A13	2	-1.00	.96	.02	.94	2.0	-1.00	-1.00
92000	128.5	129.5	1.0	100	4A4	2	-1.00	8.18	3.98	4.20	64.5	-1.00	-1.00
92001	129.5	131.8	2.3	87	4A0	2	-1.00	2.93	1.50	1.43	28.5	-1.00	-1.00
92002	131.8	134.7	2.9	100	4E1	5	-1.00	4.73	2.33	2.40	41.5	-1.00	-1.00
92003	134.7	137.8	3.1	100	4E14	5	-1.00	8.75	4.73	4.02	65.5	-1.00	-1.00
92004	137.8	140.8	3.0	100	4E14	5	-1.00	5.96	3.08	2.88	48.3	-1.00	-1.00
92005	140.8	143.9	3.1	100	4E1	5	-1.00	3.61	1.33	2.28	27.4	-1.00	-1.00
92006	143.9	144.8	.9	100	4E14	5	-1.00	6.54	3.00	3.54	46.3	-1.00	-1.00
92007	144.8	147.1	2.3	26	4E14	5	-1.00	5.56	2.08	3.48	35.3	-1.00	-1.00
0	147.1	181.5	34.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8661	181.5	182.5	1.0	100	4H3	8	4.29	7.00	3.40	3.60	68.0	39.10	-1.00
8662	182.5	183.3	.8	100	4D7	3	3.53	3.84	1.64	2.20	19.0	25.80	-1.00
0	183.3	208.7	25.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92008	208.7	209.5	.8	-1	4D4	3	-1.00	11.79	4.95	6.84	80.6	-1.00	-1.00
8663	209.5	210.4	.9	100	4L0	52	2.95	1.06	.37	.69	8.0	5.97	-1.00
92009	210.4	211.7	1.3	-1	4D4	3	-1.00	9.65	4.13	5.52	73.7	-1.00	-1.00
0	211.7	273.3	61.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA027 Section: W80
 Northing: 6576.0 Easting: 2734.2 Elevation: 1303.7
 Length: 349.6 Core: NQ Record: 65

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	160.3	160.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91000	160.3	160.9	.6	83	4A0	2	-1.00	4.72	1.90	2.82	35.3	-1.00	-1.00
91001	160.9	162.0	1.1	82	4A4	2	-1.00	7.00	2.50	4.50	48.3	-1.00	-1.00
91002	162.0	165.2	3.2	100	4A4	2	-1.00	7.15	2.23	4.92	45.3	-1.00	-1.00
91003	165.2	168.2	3.0	100	4A4	2	-1.00	7.70	2.78	4.92	47.3	-1.00	-1.00
91004	168.2	169.8	1.6	94	4A4	2	-1.00	9.09	3.45	5.64	82.6	-1.00	-1.00
91005	169.8	172.1	2.3	100	4A0	2	-1.00	4.87	1.63	3.24	26.4	-1.00	-1.00
91006	172.1	175.0	2.9	100	4C0	3	-1.00	1.70	.93	.77	11.0	-1.00	-1.00
91007	175.0	177.7	2.7	96	4C0	3	-1.00	2.03	1.14	.89	16.1	-1.00	-1.00
91008	177.7	180.7	3.0	100	4C0	3	-1.00	4.10	2.00	2.10	26.4	-1.00	-1.00
91009	180.7	183.3	2.6	92	4C0	3	-1.00	3.96	3.08	.88	33.3	-1.00	-1.00
91010	183.3	184.5	1.2	100	4D0	3	-1.00	6.38	2.78	3.60	32.2	-1.00	-1.00
8601	184.5	185.6	1.1	100	4C0	3	-1.00	2.55	1.07	1.48	23.0	-1.00	-1.00
8602	185.6	186.2	.6	83	4A0	2	2.89	.22	.11	.11	6.0	7.69	-1.00
8603	186.2	188.0	1.8	83	4C0	3	3.10	1.40	.54	.86	14.0	13.36	-1.00
8604	188.0	189.1	1.1	100	4C0	3	2.91	1.05	.38	.67	8.0	7.31	-1.00
8605	189.1	190.8	1.7	100	4A0	2	2.89	1.71	.65	1.06	15.0	6.95	-1.00
8606	190.8	192.3	1.5	100	4C0	3	2.95	1.70	.56	1.14	12.0	5.30	-1.00
8607	192.3	193.9	1.6	94	4C0	3	3.06	3.18	.78	2.40	14.0	8.60	-1.00
8608	193.9	195.2	1.3	100	4C0	3	3.00	2.05	.54	1.51	11.0	6.21	-1.00
8609	195.2	196.9	1.7	94	4A1	2	3.23	3.07	1.09	1.98	23.0	14.06	-1.00
8610	196.9	199.2	2.3	78	4A1	2	3.31	4.33	1.73	2.60	34.0	15.60	-1.00
8611	199.2	200.6	1.4	100	4A14	2	3.38	13.90	3.90	10.00	63.0	11.54	-1.00
8612	200.6	202.2	1.6	94	4A14	2	3.03	5.50	1.70	3.80	32.0	6.43	-1.00
8613	202.2	203.7	1.5	100	4A1	2	2.87	3.33	1.03	2.30	24.0	2.13	-1.00
8614	203.7	205.4	1.7	100	58629	40	2.90	1.71	.45	1.26	7.0	2.08	-1.00
8615	205.4	206.9	1.5	87	58629	40	3.13	4.90	1.30	3.60	25.0	8.11	-1.00
8616	206.9	208.4	1.5	87	4A14	2	3.48	7.13	2.03	5.10	39.0	18.17	-1.00
8617	208.4	209.9	1.5	93	4A1	2	3.00	.91	.26	.65	5.0	4.39	-1.00
91011	209.9	212.1	2.2	100	4D0	3	-1.00	6.21	2.35	3.86	35.3	-1.00	-1.00
91012	212.1	215.2	3.1	97	4C0	3	-1.00	4.68	2.40	2.28	35.3	-1.00	-1.00
91013	215.2	217.3	2.1	100	4D0	3	-1.00	7.31	4.13	3.18	55.5	-1.00	-1.00
91014	217.3	219.2	1.9	95	4A4	2	-1.00	8.34	5.10	3.24	68.6	-1.00	-1.00
91015	219.2	221.0	1.8	100	4A4	2	-1.00	11.73	5.25	6.48	75.8	-1.00	-1.00
91016	221.0	223.0	2.0	100	4A4	2	-1.00	18.03	7.05	10.98	119.0	-1.00	-1.00
91017	223.0	225.2	2.2	100	4A4	2	-1.00	5.74	2.50	3.24	44.2	-1.00	-1.00
91018	225.2	228.3	3.1	97	4C0	3	-1.00	3.27	1.05	2.22	18.2	-1.00	-1.00
91019	228.3	231.3	3.0	100	4C0	3	-1.00	6.12	2.70	3.42	37.4	-1.00	-1.00
91020	231.3	234.4	3.1	97	4C0	3	-1.00	2.29	1.23	1.06	18.2	-1.00	-1.00
0	234.4	258.2	23.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8649	258.2	259.7	1.5	93	4L124	52	3.10	1.25	.47	.78	12.0	9.47	-1.00
8618	259.7	261.2	1.5	100	4A0	2	3.13	1.14	.37	.77	14.0	11.82	-1.00
8619	261.2	262.7	1.5	93	4A0	2	3.14	4.00	1.50	2.50	36.0	11.70	-1.00
8620	262.7	264.3	1.6	94	4A4	2	3.16	5.20	2.80	2.40	38.0	10.06	-1.00

8621	264.3	265.8	1.5	100	4A4	2	3.06	5.40	3.10	2.30	39.0	8.65	-1.00
8622	265.8	267.3	1.5	60	4A4	2	3.06	6.70	3.40	3.30	43.0	7.08	-1.00
8623	267.3	268.8	1.5	80	4A0	2	3.46	1.49	.59	.90	18.0	20.54	-1.00
8624	268.8	270.4	1.6	94	4A0	2	3.28	4.72	2.12	2.60	47.0	13.97	-1.00
8625	270.4	271.9	1.5	93	4A4	2	3.19	6.10	3.20	2.90	40.0	9.95	-1.00
8626	271.9	273.4	1.5	87	4A4	2	3.06	6.30	3.30	3.00	41.0	6.52	-1.00
8627	273.4	274.9	1.5	100	4A0	2	3.12	2.16	.97	1.19	19.0	10.73	-1.00
0	274.9	277.3	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8628	277.3	278.9	1.6	100	4A1	2	3.08	1.72	.89	.83	15.0	9.94	-1.00
8629	278.9	280.4	1.5	100	4A14	2	3.06	5.71	2.11	3.60	34.0	6.81	-1.00
8630	280.4	281.9	1.5	100	4A14	2	3.13	7.10	3.00	4.10	40.0	7.14	-1.00
8631	281.9	283.5	1.6	94	4A1	2	3.20	1.76	.69	1.07	14.0	14.32	-1.00
8632	283.5	285.0	1.5	93	4A13	2	3.31	1.24	.38	.86	12.0	17.89	-1.00
8633	285.0	287.1	2.1	100	4A13	2	3.41	.58	.17	.41	8.0	19.85	-1.00
8634	287.1	287.5	.4	100	4G4	7	4.37	12.90	4.90	8.00	106.0	21.02	-1.00
0	287.5	325.6	38.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91021	325.6	326.3	.7	100	4L0	52	-1.00	.23	.07	.16	1.0	-1.00	-1.00
8635	326.3	327.4	1.1	91	4G4	7	4.86	11.10	4.10	7.00	64.0	25.80	-1.00
8636	327.4	327.7	.3	100	5C1	44	3.05	.64	.19	.45	6.0	4.61	-1.00
8637	327.7	328.9	1.2	100	4E0	5	4.84	4.29	1.99	2.30	43.0	34.23	-1.00
8638	328.9	330.2	1.3	92	4E0	5	4.72	4.96	2.06	2.90	44.0	34.85	-1.00
8639	330.2	331.2	1.0	100	4L1	52	3.20	.08	.03	.05	3.0	5.46	-1.00
8640	331.2	332.0	.8	100	5C4*	44	3.50	2.75	1.35	1.40	23.0	15.66	-1.00
8641	332.0	333.8	1.8	89	4G0	7	4.81	7.70	2.60	5.10	49.0	19.30	-1.00
8642	333.8	335.6	1.8	94	4G4	7	4.40	14.70	4.70	10.00	94.0	16.41	-1.00
8643	335.6	337.0	1.4	100	4E41	5	4.54	13.60	5.50	8.10	82.0	27.40	-1.00
8644	337.0	338.5	1.5	100	4E41	5	4.54	8.10	3.20	4.90	49.0	31.67	-1.00
8645	338.5	340.0	1.5	100	4E41	5	4.51	5.97	2.07	3.90	37.0	35.11	-1.00
8646	340.0	341.2	1.2	100	4D0	3	4.18	6.20	2.80	3.40	49.0	29.33	-1.00
8647	341.2	342.5	1.3	85	4D0	3	3.71	8.20	2.70	5.50	50.0	20.10	-1.00
8648	342.5	344.7	2.2	95	4D43	3	3.78	16.00	6.20	9.80	102.0	15.54	-1.00
8650	344.7	345.6	.9	100	4D4	3	3.72	12.60	4.70	7.90	70.0	16.89	-1.00
0	345.6	349.6	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA028 Section: W64
 Northing: 6090.8 Easting: 2610.5 Elevation: 1274.0
 Length: 280.7 Core: NQ Record: 66

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	50.6	50.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92010	50.6	51.1	.5	80	5D0	47	-1.00	1.68	.84	.84	15.1	-1.00	-1.00
0	51.1	85.1	34.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8664	85.1	85.6	.5	100	4A3	2	3.25	1.70	.70	1.00	15.0	12.28	-1.00
8665	85.6	86.9	1.3	100	4G4	7	4.70	17.50	6.30	11.20	109.0	21.15	-1.00
8666	86.9	88.2	1.3	100	4G4	7	4.88	15.30	6.10	9.20	121.0	23.13	-1.00
8667	88.2	89.4	1.2	100	5C4*	44	3.21	2.05	1.18	.87	19.0	11.97	-1.00
8668	89.4	90.1	.7	100	4G4	7	4.66	14.40	5.90	8.50	115.0	20.29	-1.00
0	90.1	91.8	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8669	91.8	92.7	.9	100	4EG4#	7	4.30	16.10	6.10	10.00	110.0	17.74	-1.00
0	92.7	114.1	21.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8670	114.1	116.7	2.6	35	4A1	2	2.91	2.13	.73	1.40	12.0	3.55	-1.00
8671	116.7	118.6	1.9	53	4A1	2	2.86	2.19	.70	1.49	13.0	6.20	-1.00
0	118.6	123.1	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8672	123.1	124.3	1.2	92	4A1	2	-1.00	.74	.27	.47	7.0	-1.00	-1.00
8673	124.3	125.1	.8	100	4E7	5	3.25	2.61	.97	1.64	17.0	20.00	-1.00
8674	125.1	126.5	1.4	86	4H3	8	3.58	2.30	.90	1.40	20.0	26.80	-1.00
8675	126.5	128.0	1.5	80	4H3	8	-1.00	1.62	.65	.97	19.0	-1.00	-1.00
8676	128.0	129.5	1.5	100	4A3	2	-1.00	.89	.33	.56	7.0	-1.00	-1.00
8677	129.5	131.1	1.6	69	4A3	2	-1.00	1.35	.57	.78	11.0	-1.00	-1.00
8678	131.1	132.7	1.6	69	4A3	2	-1.00	.50	.22	.28	20.0	-1.00	-1.00
8679	132.7	133.9	1.2	50	4C*8	3	-1.00	1.75	.73	1.02	24.0	-1.00	-1.00
0	133.9	193.6	59.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8680	193.6	195.6	2.0	100	4LC7	52	-1.00	.90	.35	.55	12.0	-1.00	-1.00
0	195.6	213.3	17.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8681	213.3	214.9	1.6	56	4E8#	5	3.71	1.77	.77	1.00	23.0	25.63	-1.00
8682	214.9	216.4	1.5	93	4E8#	5	3.89	3.70	1.97	1.73	32.0	28.00	-1.00
8683	216.4	217.9	1.5	87	4E8#	5	3.75	3.73	1.94	1.79	42.0	22.64	-1.00
8684	217.9	219.5	1.6	94	4E8#	5	3.80	3.51	1.76	1.75	34.0	27.10	-1.00
8685	219.5	221.0	1.5	87	4E8#	5	4.39	8.50	4.70	3.80	62.0	33.38	-1.00
8686	221.0	222.5	1.5	80	4E8#	5	3.73	2.07	1.29	.78	22.0	25.10	-1.00
8687	222.5	224.0	1.5	53	4E8#	5	3.98	1.17	.77	.40	20.0	31.50	-1.00
8688	224.0	225.6	1.6	75	4E8#	5	4.02	3.03	2.00	1.03	34.0	31.90	-1.00
8689	225.6	227.1	1.5	87	4E8#	5	4.35	5.43	3.40	2.03	45.0	34.76	-1.00
8690	227.1	228.2	1.1	100	4E8#	5	3.67	6.40	2.70	3.70	37.0	22.82	-1.00
0	228.2	242.3	14.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92011	242.3	244.0	1.7	100	4L15	52	-1.00	.21	.12	.09	5.1	-1.00	-1.00
0	244.0	248.7	4.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92012	248.7	250.2	1.5	100	4L1	52	-1.00	.13	.05	.08	1.0	-1.00	-1.00
0	250.2	252.7	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8691	252.7	253.2	.5	100	4C0	3	-1.00	2.44	1.18	1.26	19.0	-1.00	-1.00
8692	253.2	255.7	2.5	92	4A3	2	-1.00	1.84	.94	.90	15.0	-1.00	-1.00
0	255.7	260.3	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8693	260.3	261.8	1.5	100	4A3	2	-1.00	1.73	.94	.79	18.0	-1.00	-1.00

0	261.8	280.7	18.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA029 Section: W108
 Northing: 7429.4 Easting: 2728.5 Elevation: 1306.6
 Length: 465.7 Core: NQ Record: 67

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	368.5	368.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92033	368.5	371.2	2.7	93	4AH	2	-1.00	3.15	.93	2.22	9.9	-1.00	-1.00
92034	371.2	374.2	3.0	100	4A0	2	-1.00	3.45	1.23	2.22	18.2	-1.00	-1.00
92035	374.2	375.3	1.1	91	5C\$	44	-1.00	1.93	.65	1.28	7.2	-1.00	-1.00
92036	375.3	377.6	2.3	100	4A0	2	-1.00	4.23	1.65	2.58	14.0	-1.00	-1.00
92037	377.6	379.1	1.5	80	4C5	3	-1.00	2.22	.80	1.42	9.9	-1.00	-1.00
92038	379.1	382.2	3.1	100	4AC	2	-1.00	2.64	1.18	1.46	15.0	-1.00	-1.00
0	382.2	385.7	3.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92039	385.7	388.6	2.9	97	4A0	2	-1.00	3.84	1.44	2.40	24.3	-1.00	-1.00
92040	388.6	391.6	3.0	100	4A0	2	-1.00	3.23	1.23	2.00	16.1	-1.00	-1.00
92041	391.6	393.9	2.3	96	4AD	2	-1.00	6.00	2.00	4.00	17.1	-1.00	-1.00
0	393.9	403.6	9.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92042	403.6	405.0	1.4	93	4C0	3	-1.00	4.22	1.28	2.94	22.3	-1.00	-1.00
0	405.0	406.6	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92043	406.6	407.9	1.3	77	4A4	2	-1.00	6.00	1.80	4.20	37.4	-1.00	-1.00
92044	407.9	408.4	.5	80	4A4	2	-1.00	7.20	2.28	4.92	44.2	-1.00	-1.00
92045	408.4	409.9	1.5	67	4A4	2	-1.00	7.30	2.50	4.80	42.5	-1.00	-1.00
92046	409.9	411.4	1.5	100	4A4	2	-1.00	6.13	1.93	4.20	32.2	-1.00	-1.00
92047	411.4	413.3	1.9	16	4A0	2	-1.00	3.84	2.48	1.36	30.2	-1.00	-1.00
92048	413.3	414.5	1.2	100	4A4	2	-1.00	7.43	2.33	5.10	30.2	-1.00	-1.00
0	414.5	436.0	21.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92049	436.0	436.8	.8	88	5A6	30	-1.00	.63	.22	.41	5.1	-1.00	-1.00
92050	436.8	438.6	1.8	94	4AE	2	-1.00	20.35	3.68	16.67	80.6	-1.00	-1.00
92051	438.6	439.0	.4	100	4A4	2	-1.00	6.75	1.35	5.40	21.3	-1.00	-1.00
92052	439.0	439.8	.8	88	4A4	2	-1.00	5.14	1.30	3.84	22.3	-1.00	-1.00
0	439.8	441.9	2.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92053	441.9	442.9	1.0	90	5A6	30	-1.00	2.18	.58	1.60	12.0	-1.00	-1.00
0	442.9	465.7	22.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA030 Section: W76
 Northing: 6454.0 Easting: 2753.1 Elevation: 1303.3
 Length: 389.5 Core: NQ Record: 68

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	144.5	144.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6979	144.5	145.4	.9	78	4E41	5	4.06	26.70	8.80	17.90	150.0	19.37	-1.00
6980	145.4	146.4	1.0	90	5B21	40	2.98	1.20	.41	.79	11.0	4.56	-1.00
6981	146.4	148.2	1.8	100	4A4	2	3.13	7.52	2.24	5.28	41.0	10.16	-1.00
6982	148.2	148.7	.5	60	4A0	2	3.15	2.65	1.51	1.14	38.0	13.78	-1.00
6983	148.7	149.7	1.0	100	4A1	2	2.91	1.77	.52	1.25	14.0	6.14	-1.00
6984	149.7	151.2	1.5	33	FAULT	72	2.88	1.94	.66	1.28	14.0	5.31	-1.00
6985	151.2	153.7	2.5	84	4A1	2	2.97	2.95	1.53	1.42	24.0	7.24	-1.00
6986	153.7	155.6	1.9	100	4A1	2	2.91	4.10	1.97	2.13	26.0	4.77	-1.00
6987	155.6	157.6	2.0	100	4L1	52	3.09	4.08	1.41	2.67	23.0	4.47	-1.00
6988	157.6	158.9	1.3	100	5C4a	44	2.89	.22	.06	.16	3.0	5.00	-1.00
6989	158.9	161.3	2.4	12	4A14	2	3.08	7.81	2.45	5.36	44.0	8.53	-1.00
6990	161.3	163.0	1.7	100	5D4a	47	3.05	1.64	.26	1.38	5.0	7.89	-1.00
6991	163.0	164.6	1.6	94	5D4a	47	2.99	3.60	.96	2.64	19.0	6.04	-1.00
6992	164.6	165.1	.5	100	5B46	40	3.02	.44	.13	.31	2.0	5.05	-1.00
6993	165.1	165.8	.7	86	10Q0	60	2.81	.15	.06	.09	1.0	2.64	-1.00
6994	165.8	166.4	.6	100	5B46	40	2.97	.24	.06	.18	1.0	5.04	-1.00
6995	166.4	169.0	2.6	92	4B4	40	3.03	10.01	3.02	6.99	50.0	5.26	-1.00
6996	169.0	171.0	2.0	100	4B4	40	3.02	13.32	5.14	8.18	92.0	2.92	-1.00
0	171.0	177.4	6.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6997	177.4	179.3	1.9	100	4B4	40	2.88	7.69	2.79	4.90	50.0	1.89	-1.00
6998	179.3	181.6	2.3	91	4B4	40	2.91	9.98	3.40	6.58	60.0	1.76	-1.00
6999	181.6	183.3	1.7	100	4B4	40	2.94	8.77	3.15	5.62	59.0	2.75	-1.00
7000	183.3	184.9	1.6	100	4B4	40	2.91	6.67	2.34	4.33	44.0	2.03	-1.00
7101	184.9	187.5	2.6	100	4A14	2	2.99	6.70	3.40	3.30	54.0	4.47	-1.00
7102	187.5	189.8	2.3	91	4A14	2	2.92	7.10	2.90	4.20	49.0	2.67	-1.00
7103	189.8	190.8	1.0	20	4L04	52	2.89	5.86	1.56	4.30	29.0	3.02	-1.00
7104	190.8	192.2	1.4	100	4A1	2	2.85	4.45	1.25	3.20	21.0	1.28	-1.00
7105	192.2	193.2	1.0	60	4L0	52	3.00	2.61	.61	2.00	12.0	1.95	-1.00
7106	193.2	195.3	2.1	76	4A1	2	2.82	3.13	1.03	2.10	19.0	2.19	-1.00
7107	195.3	196.9	1.6	94	4A14	2	3.46	6.53	2.13	4.40	45.0	6.37	-1.00
7108	196.9	198.7	1.8	100	4A134	2	3.40	7.70	3.00	4.70	54.0	16.72	-1.00
7109	198.7	200.9	2.2	95	4A13	2	3.77	2.45	2.40	.05	46.0	19.98	-1.00
7110	200.9	201.6	.7	71	4A314	2	4.01	5.47	3.60	1.87	70.0	30.33	-1.00
7111	201.6	202.0	.4	75	4A31	2	3.89	2.53	.91	1.62	18.0	27.69	-1.00
7112	202.0	202.5	.5	100	4C0	3	3.36	2.84	2.08	.76	31.0	16.97	-1.00
0	202.5	213.8	11.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7113	213.8	216.3	2.5	92	4D45	3	3.50	11.50	4.80	6.70	83.0	15.55	-1.00
7114	216.3	217.1	.8	100	4D4	3	3.31	15.60	4.70	10.90	83.0	10.12	-1.00
7115	217.1	217.7	.6	67	4D45	3	3.55	20.10	6.50	13.60	115.0	13.09	-1.00
7116	217.7	219.2	1.5	93	4A41	2	3.24	10.00	3.20	6.80	65.0	11.39	-1.00
7117	219.2	219.8	.6	100	4L1	52	2.95	1.42	.21	1.21	4.0	5.12	-1.00
7118	219.8	221.5	1.7	88	4A4	2	3.50	16.50	6.50	10.00	110.0	13.05	-1.00
7119	221.5	222.6	1.1	91	4D4	3	3.79	25.80	9.40	16.40	158.0	12.92	-1.00

7120	222.6	225.0	2.4	100	4A41	2	3.58	19.30	7.40	11.90	111.0	11.91	-1.00
7121	225.0	225.7	.7	71	4A13	2	3.66	4.15	1.75	2.40	29.0	21.46	-1.00
7122	225.7	227.4	1.7	88	4L0	52	-1.00	1.34	.43	.91	8.0	-1.00	-1.00
7123	227.4	231.2	3.8	55	4L0	52	-1.00	1.75	.75	1.00	10.0	-1.00	-1.00
0	231.2	254.1	22.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7124	254.1	255.3	1.2	92	4E4	5	4.39	9.80	3.10	6.70	58.0	30.01	-1.00
7125	255.3	255.9	.6	83	4A4	2	3.34	15.70	5.50	10.20	86.0	8.37	-1.00
7126	255.9	257.1	1.2	100	4A1	2	3.43	2.24	.88	1.36	17.0	14.98	-1.00
7127	257.1	257.7	.6	83	4A4	2	3.28	10.40	4.80	5.60	68.0	11.52	-1.00
7128	257.7	261.1	3.4	59	4A1	2	3.12	1.71	.56	1.15	15.0	12.85	-1.00
7129	261.1	263.1	2.0	75	4A1	2	3.35	1.30	.34	.96	13.0	17.21	-1.00
7130	263.1	265.3	2.2	64	4A1	2	3.36	2.04	.72	1.32	15.0	13.72	-1.00
0	265.3	279.4	14.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7131	279.4	281.8	2.4	100	4A1	2	-1.00	2.04	.73	1.31	20.0	-1.00	-1.00
7132	281.8	282.7	.9	89	5B21	40	-1.00	.61	.17	.44	7.0	-1.00	-1.00
7133	282.7	282.9	.2	100	4A4	2	-1.00	16.60	5.10	11.50	70.0	-1.00	-1.00
0	282.9	300.8	17.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7134	300.8	302.7	1.9	79	4L7	52	-1.00	2.56	1.46	1.10	21.0	-1.00	-1.00
0	302.7	340.5	37.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7135	340.5	340.9	.4	100	4G4\$	7	3.91	12.90	5.40	7.50	85.0	15.18	-1.00
7136	340.9	342.0	1.1	82	4L0	52	2.88	.30	.14	.16	4.0	5.95	-1.00
7137	342.0	342.7	.7	86	4E4*	5	3.59	7.30	3.50	3.80	56.0	20.15	-1.00
0	342.7	389.5	46.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA031 Section: W60
 Northing: 5970.1 Easting: 2611.3 Elevation: 1267.6
 Length: 217.6 Core: NQ Record: 69

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	114.6	114.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92239	114.6	115.9	1.3	100	4G4	7	-1.00	12.00	4.95	7.05	68.6	-1.00	-1.00
0	115.9	123.2	7.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92240	123.2	124.4	1.2	92	4E08	5	-1.00	2.51	1.33	1.18	25.4	-1.00	-1.00
0	124.4	133.6	9.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92241	133.6	134.4	.8	38	4E108	5	-1.00	3.30	1.68	1.62	20.2	-1.00	-1.00
92242	134.4	135.9	1.5	93	4E108	5	-1.00	2.50	1.15	1.35	20.2	-1.00	-1.00
0	135.9	148.3	12.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92243	148.3	148.8	.5	80	4C3	3	-1.00	1.30	.32	.98	6.2	-1.00	-1.00
0	148.8	168.5	19.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92244	168.5	170.3	1.8	94	4EG	7	-1.00	9.44	4.58	4.86	60.3	-1.00	-1.00
92245	170.3	171.9	1.6	88	4EG	7	-1.00	7.50	3.90	3.60	44.2	-1.00	-1.00
92246	171.9	172.8	.9	100	4EG	7	-1.00	6.14	3.38	2.76	39.4	-1.00	-1.00
92247	172.8	174.0	1.2	92	4E0	5	-1.00	.98	.64	.34	15.1	-1.00	-1.00
0	174.0	217.6	43.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA032 Section: W80
 Northing: 6577.3 Easting: 2609.3 Elevation: 1304.4
 Length: 359.1 Core: NQ Record: 70

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	156.4	156.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8304	156.4	158.9	2.5	100	4E184	5	3.80	7.00	3.00	4.00	46.0	24.12	-1.00
0	158.9	242.9	84.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8305	242.9	244.6	1.7	100	4DEG	3	4.21	12.60	4.90	7.70	120.0	24.77	-1.00
0	244.6	284.1	39.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8306	284.1	285.3	1.2	100	4A0	2	3.04	4.92	1.72	3.20	36.0	9.34	-1.00
8307	285.3	286.2	.9	100	4E46	5	4.56	10.10	4.70	5.40	82.0	29.30	-1.00
8308	286.2	288.0	1.8	94	4C5	3	3.40	1.59	.67	.92	20.0	19.90	-1.00
8309	288.0	289.9	1.9	95	4C5	3	3.51	2.33	1.11	1.22	23.0	23.22	-1.00
8310	289.9	292.2	2.3	100	4C5	3	3.40	2.21	.93	1.28	20.0	20.35	-1.00
8311	292.2	293.8	1.6	100	4A0	2	3.24	.52	.16	.36	10.0	17.47	-1.00
8312	293.8	295.7	1.9	95	4CAE	3	3.82	3.46	1.72	1.74	33.0	26.28	-1.00
8313	295.7	297.8	2.1	100	4CAE	3	3.41	1.61	.85	.76	23.0	18.89	-1.00
8314	297.8	299.8	2.0	100	4A0	2	3.28	1.11	.32	.79	16.0	16.04	-1.00
8315	299.8	301.3	1.5	100	4C8	3	3.40	2.83	1.24	1.59	24.0	20.53	-1.00
8316	301.3	302.8	1.5	100	4C8	3	3.77	3.79	1.73	2.06	32.0	22.60	-1.00
8317	302.8	304.8	2.0	100	4A0	2	3.65	.44	.11	.33	10.0	13.36	-1.00
8318	304.8	306.6	1.8	100	4A0	2	3.24	.48	.17	.31	13.0	14.58	-1.00
8319	306.6	308.5	1.9	95	4A0	2	-1.00	.51	.11	.40	10.0	-1.00	-1.00
8320	308.5	310.3	1.8	100	4A0	2	-1.00	.33	.11	.22	9.0	-1.00	-1.00
8321	310.3	312.1	1.8	100	4A0	2	-1.00	.46	.12	.34	8.0	-1.00	-1.00
8322	312.1	313.9	1.8	100	4A0	2	-1.00	.44	.11	.33	8.0	-1.00	-1.00
8323	313.9	315.8	1.9	95	4A0	2	-1.00	.80	.12	.68	9.0	-1.00	-1.00
8324	315.8	317.6	1.8	100	4A0	2	-1.00	.86	.15	.71	10.0	-1.00	-1.00
8325	317.6	319.4	1.8	100	4A0	2	-1.00	.44	.20	.24	14.0	-1.00	-1.00
8326	319.4	321.3	1.9	95	4A0	2	-1.00	.76	.13	.63	10.0	-1.00	-1.00
8327	321.3	323.1	1.8	100	4A0	2	-1.00	.75	.17	.58	9.0	-1.00	-1.00
8328	323.1	324.9	1.8	100	4A0	2	-1.00	.24	.10	.14	9.0	-1.00	-1.00
8329	324.9	326.7	1.8	100	4A0	2	-1.00	1.70	.69	1.01	16.0	-1.00	-1.00
8330	326.7	328.1	1.4	93	4A0	2	-1.00	1.80	.73	1.07	17.0	-1.00	-1.00
8331	328.1	329.9	1.8	100	4AE	2	-1.00	2.20	1.16	1.04	27.0	-1.00	-1.00
0	329.9	359.1	29.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA033 Section: W56
 Northing: 5848.9 Easting: 2549.6 Elevation: 1262.5
 Length: 219.1 Core: NQ Record: 71

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	103.6	103.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91612	103.6	105.3	1.7	94	4AD4	2	-1.00	2.64	1.08	1.56	17.1	-1.00	-1.00
91613	105.3	106.3	1.0	100	4A0	2	-1.00	.93	.35	.58	9.9	-1.00	-1.00
91614	106.3	107.1	.8	63	4A0	2	-1.00	.31	.20	.11	5.1	-1.00	-1.00
91615	107.1	107.5	.4	50	4E0	5	-1.00	1.07	.49	.58	9.9	-1.00	-1.00
0	107.5	219.1	111.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA034 Section: W104
 Northing: 7301.9 Easting: 2851.6 Elevation: 1304.7
 Length: 273.8 Core: NQ Record: 72

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	273.8	273.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA035 Section: W80
 Northing: 6575.8 Easting: 2548.6 Elevation: 1303.1
 Length: 389.8 Core: NQ Record: 73

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	158.8	158.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8300	158.8	160.3	1.5	100	4E4	5	4.73	5.90	3.40	2.50	57.0	4.00	-1.00
8701	160.3	161.8	1.5	100	4E0	5	4.64	1.24	.98	.26	35.0	37.98	-1.00
8702	161.8	163.3	1.5	80	4E4	5	4.63	8.20	4.20	4.00	72.0	34.36	-1.00
0	163.3	164.0	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8703	164.0	166.0	2.0	100	4G0	7	4.42	8.20	4.20	4.00	63.0	25.82	-1.00
0	166.0	167.2	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8704	167.2	168.4	1.2	100	4G0	7	4.31	8.20	3.90	4.30	58.0	25.48	-1.00
8705	168.4	169.6	1.2	100	4L14	52	3.45	3.09	1.31	1.78	21.0	18.98	-1.00
8706	169.6	171.4	1.8	94	4D64	3	4.17	10.40	5.20	5.20	72.0	26.29	-1.00
8707	171.4	172.5	1.1	82	4L4	52	4.17	1.91	.88	1.03	14.0	11.07	-1.00
0	172.5	285.6	113.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8708	285.6	286.1	.5	80	4L4	52	3.18	2.98	1.21	1.77	19.0	14.05	-1.00
8709	286.1	288.1	2.0	80	4A30	2	3.27	.70	.36	.34	9.0	16.48	-1.00
8710	288.1	290.2	2.1	71	4A30	2	3.77	1.83	1.05	.78	20.0	19.97	-1.00
0	290.2	325.6	35.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90260	325.6	327.2	1.6	-1	5A9	30	-1.00	.19	.13	.06	5.1	-1.00	-1.00
0	327.2	328.0	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90261	328.0	328.6	.6	100	5A9	30	-1.00	2.28	1.10	1.18	23.3	-1.00	-1.00
0	328.6	330.4	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8711	330.4	331.1	.7	100	4C8	3	-1.00	3.64	1.76	1.88	31.0	-1.00	-1.00
8712	331.1	331.9	.8	75	4E\$8	5	-1.00	1.13	.61	.52	17.0	-1.00	-1.00
8713	331.9	333.8	1.9	100	4A0	2	3.56	.78	.26	.52	9.0	13.94	-1.00
8714	333.8	335.6	1.8	100	4A0	2	2.98	1.67	.99	.68	8.0	7.56	-1.00
8715	335.6	337.4	1.8	100	4A0	2	3.22	.88	.51	.37	9.0	10.91	-1.00
8716	337.4	338.8	1.4	79	4A0	2	3.22	3.32	1.22	2.10	23.0	13.20	-1.00
8717	338.8	339.5	.7	100	4D0	3	4.08	6.20	2.90	3.30	43.0	28.76	-1.00
8718	339.5	341.1	1.6	100	4A10	2	2.96	3.10	1.20	1.90	20.0	4.73	-1.00
8719	341.1	342.7	1.6	81	4A10	2	3.08	1.63	.47	1.16	10.0	9.70	-1.00
0	342.7	343.3	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8720	343.3	344.1	.8	100	4A0	2	3.44	2.63	.90	1.73	18.0	19.31	-1.00
8721	344.1	345.5	1.4	93	4DL	3	3.18	7.40	3.70	3.70	47.0	27.10	-1.00
8722	345.5	346.8	1.3	100	4DA	3	3.86	6.90	3.20	3.70	45.0	24.80	-1.00
8723	346.8	348.7	1.9	95	4A10	2	3.10	2.72	1.13	1.59	20.0	10.54	-1.00
8724	348.7	350.5	1.8	94	4A10	2	3.02	1.03	.49	.54	9.0	11.16	-1.00
8725	350.5	352.3	1.8	100	4A10	2	3.12	.70	.16	.54	8.0	15.28	-1.00
8726	352.3	354.2	1.9	95	4A10	2	3.12	.91	.13	.78	8.0	13.76	-1.00
8727	354.2	356.3	2.1	100	4A10	2	3.30	.39	.15	.24	5.0	11.16	-1.00
8728	356.3	357.5	1.2	75	4D8\$	3	4.54	7.60	3.60	4.00	60.0	31.67	-1.00
8729	357.5	359.4	1.9	100	4A10	2	-1.00	.92	.21	.71	11.0	-1.00	-1.00
8730	359.4	361.4	2.0	95	4A10	2	-1.00	.44	.16	.28	8.0	-1.00	-1.00
0	361.4	364.8	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8731	364.8	367.0	2.2	95	4H\$	8	4.31	3.79	1.72	2.07	37.0	36.19	-1.00
8732	367.0	368.3	1.3	69	4H\$	8	3.78	2.01	.99	1.02	29.0	32.18	-1.00

0 368.3 389.8 21.5 -1 WASTE -1 -1.00 -1.00 -1.00 -1.00 -1.0 -1.00 -1.00

Drill Hole: AGA037 Section: W56
 Northing: 5848.4 Easting: 2490.6 Elevation: 1255.8
 Length: 158.4 Core: NQ Record: 74

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	65.2	65.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91616	65.2	68.2	3.0	97	4LK	52	-1.00	2.09	.97	1.12	16.1	-1.00	-1.00
91617	68.2	70.4	2.2	95	4K1\$	6	-1.00	1.51	.77	.74	15.1	-1.00	-1.00
91618	70.4	71.6	1.2	100	4EL	5	-1.00	1.55	.90	.65	20.2	-1.00	-1.00
91619	71.6	72.3	.7	100	4K\$94	6	-1.00	9.98	4.58	5.40	60.3	-1.00	-1.00
91620	72.3	74.0	1.7	100	4K\$9	6	-1.00	1.38	.68	.70	18.2	-1.00	-1.00
91621	74.0	75.5	1.5	100	4K\$94	6	-1.00	13.47	7.35	6.12	73.7	-1.00	-1.00
91622	75.5	76.3	.8	100	4K\$94	6	-1.00	5.83	2.23	3.60	30.2	-1.00	-1.00
91623	76.3	77.2	.9	100	4E0	5	-1.00	4.59	2.63	1.96	30.2	-1.00	-1.00
91624	77.2	79.2	2.0	100	4E4	5	-1.00	16.64	7.20	9.44	63.4	-1.00	-1.00
91625	79.2	80.1	.9	100	4E0	5	-1.00	4.85	2.03	2.82	22.3	-1.00	-1.00
91626	80.1	82.6	2.5	100	4E4	5	-1.00	21.16	8.41	12.75	95.6	-1.00	-1.00
91627	82.6	84.1	1.5	93	4E4	5	-1.00	12.87	5.55	7.32	57.6	-1.00	-1.00
91628	84.1	85.5	1.4	100	4K\$\$	6	-1.00	2.20	1.04	1.16	17.1	-1.00	-1.00
91629	85.5	86.3	.8	100	4E4	5	-1.00	23.59	9.39	14.20	101.8	-1.00	-1.00
91630	86.3	89.3	3.0	100	4DEG	3	-1.00	8.24	2.78	5.46	35.3	-1.00	-1.00
0	89.3	90.7	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91631	90.7	92.3	1.6	81	4A4	2	-1.00	7.66	2.50	5.16	35.3	-1.00	-1.00
91632	92.3	95.4	3.1	68	4EA4	5	-1.00	9.93	4.05	5.88	48.3	-1.00	-1.00
91633	95.4	98.4	3.0	100	4EAC	5	-1.00	6.64	2.50	4.14	37.4	-1.00	-1.00
91634	98.4	101.4	3.0	100	4CD9	3	-1.00	3.40	1.12	2.28	16.1	-1.00	-1.00
91635	101.4	103.0	1.6	100	4CD9	3	-1.00	5.27	2.15	3.12	25.4	-1.00	-1.00
91636	103.0	104.8	1.8	100	4E4	5	-1.00	10.13	4.13	6.00	50.4	-1.00	-1.00
91637	104.8	106.6	1.8	100	4C0	3	-1.00	1.46	.50	.96	6.2	-1.00	-1.00
91638	106.6	108.6	2.0	100	4C0	3	-1.00	2.57	1.23	1.34	15.1	-1.00	-1.00
0	108.6	112.3	3.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91639	112.3	112.8	.5	100	5B6	40	-1.00	.97	.39	.58	6.2	-1.00	-1.00
91640	112.8	114.4	1.6	100	4ED	5	-1.00	8.51	3.83	4.68	53.5	-1.00	-1.00
91641	114.4	117.6	3.2	100	4AC	2	-1.00	.65	.29	.36	8.2	-1.00	-1.00
91642	117.6	120.7	3.1	100	4AC	2	-1.00	.27	.07	.20	5.1	-1.00	-1.00
91643	120.7	122.5	1.8	100	4AC	2	-1.00	1.00	.40	.60	9.9	-1.00	-1.00
91644	122.5	123.7	1.2	100	4KDEA	6	-1.00	4.96	2.08	2.88	27.4	-1.00	-1.00
91645	123.7	124.9	1.2	100	4A0	2	-1.00	3.32	1.60	1.72	20.2	-1.00	-1.00
91646	124.9	126.1	1.2	100	4A4	2	-1.00	9.83	3.23	6.60	38.4	-1.00	-1.00
0	126.1	158.4	32.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA038 Section: W80
 Northing: 6575.2 Easting: 2488.3 Elevation: 1301.9
 Length: 363.3 Core: NQ Record: 75

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	184.6	184.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8151	184.6	186.1	1.5	100	4HL4	8	3.53	9.20	3.90	5.30	54.0	18.97	-1.00
8152	186.1	186.5	.4	100	4G84	7	4.25	12.50	6.30	6.20	87.0	21.35	-1.00
8153	186.5	188.1	1.6	87	4AC3	2	3.65	4.64	1.74	2.90	29.0	24.88	-1.00
8154	188.1	189.3	1.2	100	4AC3	2	3.59	2.57	.70	1.87	13.0	24.65	-1.00
8155	189.3	190.5	1.2	100	4E4	5	4.45	8.10	4.40	3.70	58.0	35.48	-1.00
8156	190.5	191.9	1.4	100	4E0	5	3.47	4.70	2.70	2.00	45.0	36.72	-1.00
8157	191.9	192.3	.4	100	5A3	30	2.98	.30	.18	.12	2.0	4.09	-1.00
8158	192.3	194.4	2.1	43	4C0	3	3.28	2.69	.80	1.89	15.0	13.46	-1.00
8159	193.4	195.1	1.7	100	4LD7	52	3.19	2.14	.65	1.49	17.0	13.32	-1.00
0	194.4	193.4	-1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
0	195.1	215.0	19.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8160	215.0	216.4	1.4	93	4G0	7	-1.00	9.90	5.10	4.80	79.0	-1.00	-1.00
0	216.4	225.7	9.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8161	225.7	227.4	1.7	94	4G4#	7	4.46	17.50	9.50	8.00	108.0	13.39	-1.00
8162	227.4	229.2	1.8	94	4G4#	7	4.53	15.30	4.60	10.70	73.0	10.33	-1.00
8163	229.2	230.6	1.4	93	4G4#	7	4.37	12.00	5.90	6.10	82.0	14.02	-1.00
0	230.6	273.7	43.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8164	273.7	274.4	.7	100	4C*7	3	3.28	2.71	1.23	1.48	19.0	17.08	-1.00
8165	274.4	275.4	1.0	90	4G4#	7	4.66	14.80	9.90	4.90	122.0	23.01	-1.00
8166	275.4	276.8	1.4	93	4E0	5	4.54	4.05	3.20	.85	51.0	38.26	-1.00
8167	276.8	278.2	1.4	100	4E0	5	4.49	2.44	1.54	.90	28.0	36.37	-1.00
8168	278.2	279.3	1.1	73	4G4	7	4.57	11.20	4.50	6.70	73.0	21.29	-1.00
8169	279.3	281.0	1.7	100	4A13	2	3.54	.93	.54	.39	11.0	25.85	-1.00
8170	281.0	282.5	1.5	93	4A13	2	3.52	.79	.55	.24	10.0	26.54	-1.00
8171	282.5	284.0	1.5	93	4G4*	7	4.50	17.10	7.40	9.70	108.0	23.00	-1.00
8172	284.0	286.1	2.1	76	4A13	2	3.50	3.65	1.72	1.93	32.0	18.11	-1.00
8173	286.1	288.0	1.9	100	4A13	2	3.14	2.61	1.73	.88	29.0	11.30	-1.00
8174	288.0	288.6	.6	83	4E1	5	4.25	.66	.49	.17	13.0	37.44	-1.00
8175	288.6	290.0	1.4	100	4A1	2	3.18	2.23	1.43	.80	26.0	13.29	-1.00
8176	290.0	291.8	1.8	100	4E10	5	4.04	1.92	.79	1.13	20.0	35.44	-1.00
8177	291.8	293.4	1.6	94	4AG	2	3.46	5.15	3.10	2.05	39.0	17.60	-1.00
8178	293.4	295.8	2.4	92	4LD7	52	3.24	4.18	1.88	2.30	29.0	13.13	-1.00
8179	295.8	298.2	2.4	100	4LD7	52	3.55	4.80	2.70	2.10	46.0	26.77	-1.00
0	298.2	341.2	43.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8180	341.2	342.1	.9	100	4G*8	7	3.63	3.64	1.96	1.68	28.0	21.86	-1.00
8181	342.1	343.3	1.2	100	4A0	2	2.98	1.51	.69	.82	14.0	6.95	-1.00
8182	343.3	344.1	.8	87	4G*8	7	4.06	3.95	2.01	1.94	32.0	31.17	-1.00
8183	344.1	345.6	1.5	93	4A1	2	3.01	.74	.40	.34	6.0	5.50	-1.00
8184	345.6	346.6	1.0	90	4L24	52	3.08	.93	.59	.34	8.0	7.27	-1.00
8185	346.6	348.2	1.6	100	4G*8	7	3.74	3.74	1.87	1.87	38.0	21.81	-1.00
8186	348.2	349.8	1.6	94	4G*8	7	4.18	3.41	1.57	1.84	32.0	23.69	-1.00
8187	349.8	351.5	1.7	100	4G*8	7	4.42	6.38	3.28	3.10	45.0	29.51	-1.00
8188	351.5	353.5	2.0	100	4G*8	7	3.57	2.94	1.46	1.48	34.0	22.07	-1.00

0	353.5	363.3	9.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA039 Section: W56
 Northing: 5848.9 Easting: 2428.8 Elevation: 1251.6
 Length: 234.0 Core: NQ Record: 76

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	88.3	88.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91647	88.3	89.9	1.6	100	5B6	40	-1.00	1.69	1.00	.69	17.1	-1.00	-1.00
0	89.9	98.6	8.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91648	98.6	99.3	.7	100	4H0\$	8	-1.00	2.50	1.40	1.10	20.2	-1.00	-1.00
91649	99.3	100.2	.9	100	5A69	30	-1.00	.46	.23	.23	5.1	-1.00	-1.00
91650	100.2	102.4	2.2	100	4HC	8	-1.00	2.03	1.15	.88	17.1	-1.00	-1.00
0	102.4	105.0	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91651	105.0	107.2	2.2	100	4C0	3	-1.00	2.37	.93	1.44	15.1	-1.00	-1.00
91652	107.2	108.5	1.3	100	4EC	5	-1.00	4.75	2.35	2.40	20.2	-1.00	-1.00
91653	108.5	110.1	1.6	100	4AC0	2	-1.00	.37	.14	.23	12.0	-1.00	-1.00
91654	110.1	113.0	2.9	100	4ED	5	-1.00	5.15	2.93	2.22	35.3	-1.00	-1.00
91655	113.0	114.8	1.8	100	4EGO	7	-1.00	2.81	1.65	1.16	25.4	-1.00	-1.00
91656	114.8	116.6	1.8	100	4D3\$	3	-1.00	5.14	2.38	2.76	32.2	-1.00	-1.00
91657	116.6	117.9	1.3	100	3G916	30	-1.00	.62	.33	.29	6.2	-1.00	-1.00
91658	117.9	118.6	.7	100	3G916	30	-1.00	1.88	.84	1.04	9.9	-1.00	-1.00
0	118.6	234.0	115.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA041 Section: W80
 Northing: 6575.4 Easting: 2427.4 Elevation: 1303.4
 Length: 384.0 Core: NQ Record: 77

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	217.9	217.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8093	217.9	218.5	.6	83	4L7	52	3.20	2.14	.92	1.22	19.0	14.57	-1.00
8094	218.5	219.3	.8	100	4C0	3	3.65	4.47	1.57	2.90	30.0	21.02	-1.00
8095	219.3	220.8	1.5	93	5D4	47	3.01	.18	.07	.11	7.0	9.91	-1.00
8096	220.8	222.7	1.9	100	4C0	3	3.62	3.05	1.80	1.25	34.0	25.03	-1.00
8097	222.7	223.5	.8	87	4E41	5	4.28	14.50	7.30	7.20	131.0	29.35	-1.00
8098	223.5	224.2	.7	100	4DE	3	3.39	8.90	4.80	4.10	77.0	13.93	-1.00
8099	224.2	225.6	1.4	93	4G4	7	4.60	21.90	10.80	11.10	142.0	20.27	-1.00
8100	225.6	226.5	.9	89	4CE	3	3.57	4.55	1.55	3.00	35.0	23.54	-1.00
8262	226.5	228.7	2.2	95	4A3	2	3.53	1.06	.56	.50	19.0	17.28	-1.00
8263	228.7	230.9	2.2	100	4A3	2	3.45	.83	.55	.28	16.0	21.33	-1.00
8264	230.9	231.8	.9	100	4C3	3	3.65	3.25	1.91	1.34	40.0	23.16	-1.00
8265	231.8	232.1	.3	100	4G4	7	4.63	21.20	8.90	12.30	147.0	23.17	-1.00
8266	232.1	233.9	1.8	94	4LH	52	1.36	.80	.47	.33	16.0	16.20	-1.00
8267	233.9	235.5	1.6	100	4LH	52	3.04	.73	.37	.36	13.0	14.88	-1.00
0	235.5	236.0	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8268	236.0	238.1	2.1	81	4LH	52	-1.00	1.87	.83	1.04	21.0	-1.00	-1.00
8269	238.1	239.8	1.7	82	4LH	52	-1.00	.90	.48	.42	19.0	-1.00	-1.00
0	239.8	241.3	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8270	241.3	243.2	1.9	-1	4L0	52	-1.00	.73	.46	.27	13.0	-1.00	-1.00
0	243.2	256.2	13.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8271	256.2	257.3	1.1	100	4H1#	8	3.14	.41	.27	.14	12.0	19.74	-1.00
8272	257.3	258.1	.8	100	5A6	30	2.84	.07	.04	.03	3.0	4.19	-1.00
8273	258.1	259.5	1.4	93	4CEH	3	3.64	.85	.40	.45	18.0	25.34	-1.00
8274	259.5	260.7	1.2	100	4G4#8	7	4.07	14.10	6.10	8.00	77.0	18.33	-1.00
8275	260.7	261.3	.6	83	4C0	3	3.26	2.61	1.45	1.16	28.0	14.34	-1.00
8276	261.3	264.0	2.7	100	4A3	2	3.32	.86	.37	.49	11.0	18.29	-1.00
8277	264.0	265.9	1.9	100	4E8	5	4.35	3.89	2.20	1.69	43.0	34.93	-1.00
8278	265.9	266.6	.7	86	4A1	2	3.16	1.01	.49	.52	15.0	11.66	-1.00
0	266.6	279.0	12.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8279	279.0	281.4	2.4	100	4CE7	3	3.49	3.01	1.56	1.45	23.0	7.61	-1.00
8280	281.4	282.2	.8	87	4E14	5	4.23	7.90	3.70	4.20	65.0	25.74	-1.00
8281	282.2	283.2	1.0	100	4A0	2	3.50	2.48	1.30	1.18	32.0	21.01	-1.00
8282	283.2	284.0	.8	100	4E84	5	4.23	6.30	2.70	3.60	54.0	31.12	-1.00
8283	284.0	285.1	1.1	100	4E1*8	5	3.50	.97	.70	.27	20.0	23.35	-1.00
8284	285.1	286.3	1.2	100	5B29	40	2.97	.35	.17	.18	10.0	6.42	-1.00
8285	286.3	287.9	1.6	100	4E18*	5	3.34	.86	.53	.33	18.0	21.04	-1.00
8286	287.9	288.8	.9	100	5B2	40	-1.00	.12	.05	.07	9.0	-1.00	-1.00
8287	288.8	289.3	.5	80	4E*81	5	-1.00	3.08	1.60	1.48	28.0	-1.00	-1.00
0	289.3	384.0	94.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA042 Section: W56
 Northing: 5848.0 Easting: 2367.4 Elevation: 1254.1
 Length: 136.6 Core: NQ Record: 78

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	112.0	112.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91659	112.0	115.2	3.2	100	4EL	5	-1.00	2.24	1.25	.99	18.2	-1.00	-1.00
91660	115.2	117.3	2.1	90	4E14	5	-1.00	6.60	3.00	3.60	40.4	-1.00	-1.00
91661	117.3	117.9	.6	50	4E14	5	-1.00	17.20	7.20	10.00	88.8	-1.00	-1.00
91662	117.9	118.3	.4	100	4E1	5	-1.00	7.77	3.45	4.32	40.4	-1.00	-1.00
91663	118.3	120.3	2.0	100	4EL	5	-1.00	3.69	1.98	1.71	25.4	-1.00	-1.00
91664	120.3	121.9	1.6	100	4E18	5	-1.00	3.05	1.58	1.47	20.2	-1.00	-1.00
91665	121.9	123.4	1.5	100	4E18	5	-1.00	3.14	1.80	1.34	25.4	-1.00	-1.00
91666	123.4	124.7	1.3	100	4EA4	5	-1.00	2.84	1.40	1.44	20.2	-1.00	-1.00
0	124.7	125.9	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91667	125.9	126.6	.7	100	4E18\$	5	-1.00	6.81	3.15	3.66	35.3	-1.00	-1.00
0	126.6	136.6	10.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA045 Section: W68
 Northing: 6211.6 Easting: 2732.6 Elevation: 1281.6
 Length: 235.3 Core: NQ Record: 79

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	44.5	44.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1611	44.5	50.9	6.4	9	4B4	5	3.06	11.86	4.63	7.23	67.0	4.90	-1.00
90160	50.9	51.8	.9	100	4B0	5	-1.00	3.91	.73	3.18	9.9	-1.00	-1.00
1613	51.8	53.0	1.2	17	4B4	5	2.97	8.47	2.64	5.83	37.0	6.64	-1.00
1614	53.0	55.9	2.9	62	4B0	5	2.90	7.11	1.96	5.15	37.0	3.36	-1.00
1615	55.9	57.9	2.0	75	4D0	3	3.67	8.42	3.37	5.05	60.0	22.46	-1.00
1616	57.9	61.0	3.1	10	4D4	3	4.02	17.41	4.51	12.90	72.0	24.14	-1.00
1617	61.0	61.9	.9	-1	4D4	3	3.40	12.57	7.52	5.05	105.0	-1.00	-1.00
0	61.9	64.2	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1618	64.2	66.4	2.2	95	4A4	2	3.56	15.22	6.17	9.05	99.0	-1.00	-1.00
90162	66.4	67.2	.8	75	10Q0	60	-1.00	6.72	2.30	4.42	19.2	-1.00	-1.00
0	67.2	73.8	6.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1619	73.8	76.5	2.7	89	4A0	2	3.10	1.66	.45	1.21	11.0	15.11	-1.00
1620	76.5	77.7	1.2	100	4E4	5	4.62	22.80	6.90	15.90	119.0	30.72	-1.00
1621	77.7	79.2	1.5	93	4E0	5	4.38	23.45	7.95	15.50	124.0	26.68	-1.00
1622	79.2	81.1	1.9	79	4E4	5	4.80	25.28	9.08	16.20	162.0	29.71	-1.00
1623	81.1	83.8	2.7	41	4E4	5	4.74	26.29	9.49	16.80	157.0	29.94	-1.00
1624	83.8	84.4	.6	50	4E4	5	4.63	23.93	7.73	16.20	165.0	31.25	-1.00
1625	84.4	86.6	2.2	95	4A0	2	3.12	3.83	1.42	2.41	17.0	13.29	-1.00
1626	86.6	87.9	1.3	92	4A4	2	3.50	8.78	3.05	5.73	64.0	18.08	-1.00
0	87.9	166.1	78.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1627	166.1	167.8	1.7	18	GOUGE	72	2.79	.61	.19	.42	4.0	7.70	-1.00
1628	167.8	169.5	1.7	53	4A4	2	3.65	8.08	2.99	5.09	42.0	-1.00	-1.00
1629	169.5	171.3	1.8	94	4E1	5	2.85	.57	.22	.35	6.0	9.67	-1.00
1630	171.3	172.8	1.5	100	4A0	2	2.84	3.02	.73	2.29	16.0	10.03	-1.00
0	172.8	177.7	4.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90163	177.7	178.8	1.1	82	5D4*	47	-1.00	2.34	1.48	.86	19.2	-1.00	-1.00
0	178.8	192.9	14.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1631	192.9	193.9	1.0	20	4D0	3	3.48	6.53	2.66	3.87	78.0	18.30	-1.00
1632	193.9	195.1	1.2	100	4G4	7	4.30	15.32	6.79	8.53	125.0	13.13	-1.00
1633	195.1	196.6	1.5	60	4AL4	2	3.07	5.96	2.62	3.34	40.0	9.26	-1.00
1634	196.6	198.0	1.4	36	4G4	7	4.23	13.59	5.32	8.27	99.0	19.73	-1.00
0	198.0	199.0	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1635	199.0	201.2	2.2	100	4E1	5	4.29	4.72	2.52	2.20	35.0	38.18	-1.00
1636	201.2	202.7	1.5	100	4E1	5	4.34	2.18	1.81	.37	20.0	38.91	-1.00
1637	202.7	204.2	1.5	100	4E18	5	4.30	10.27	6.81	3.46	84.0	34.15	-1.00
1638	204.2	207.3	3.1	97	4EC	5	3.65	1.29	1.07	.22	18.0	25.89	-1.00
1639	207.3	208.8	1.5	100	4EC	5	3.57	.56	.38	.18	11.0	25.62	-1.00
1640	208.8	210.3	1.5	80	4EC	5	3.81	2.30	1.20	1.10	20.0	29.16	-1.00
1641	210.3	210.9	.6	83	4EC	5	3.86	3.25	2.17	1.08	33.0	30.33	-1.00
1642	210.9	212.4	1.5	100	4E1	5	4.31	3.81	1.97	1.84	35.0	35.53	-1.00
1643	212.4	213.1	.7	71	4A3	2	3.33	3.91	1.40	2.51	22.0	18.99	-1.00
0	213.1	235.3	22.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA046 Section: W52
 Northing: 5728.0 Easting: 2367.6 Elevation: 1241.9
 Length: 112.3 Core: NQ Record: 80

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	35.8	35.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91668	35.8	39.0	3.2	87	4EL	5	-1.00	2.50	1.20	1.30	16.1	-1.00	-1.00
91669	39.0	39.9	.9	100	4E4	5	-1.00	6.26	2.78	3.48	55.5	-1.00	-1.00
91670	39.9	40.8	.9	100	4E0	5	-1.00	.65	.18	.47	5.1	-1.00	-1.00
91671	40.8	41.6	.8	63	4E0	5	-1.00	.72	.14	.58	4.1	-1.00	-1.00
91672	41.6	43.7	2.1	100	4A0	2	-1.00	.26	.08	.18	4.1	-1.00	-1.00
91673	43.7	46.6	2.9	100	4AC	2	-1.00	.26	.08	.18	6.2	-1.00	-1.00
91674	46.6	49.6	3.0	100	4C0	3	-1.00	.35	.12	.23	5.1	-1.00	-1.00
91675	49.6	52.7	3.1	100	4C0	3	-1.00	.38	.08	.30	5.1	-1.00	-1.00
91676	52.7	55.1	2.4	100	4E10	5	-1.00	.78	.32	.46	9.9	-1.00	-1.00
0	55.1	56.5	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91677	56.5	58.9	2.4	96	4E\$	5	-1.00	7.05	3.75	3.30	48.3	-1.00	-1.00
91678	58.9	61.3	2.4	96	4E\$	5	-1.00	3.68	2.00	1.68	27.4	-1.00	-1.00
0	61.3	112.3	51.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA049 Section: W48
 Northing: 5605.5 Easting: 2551.6 Elevation: 1248.4
 Length: 219.5 Core: NQ Record: 81

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	219.5	219.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA050 Section: W52
 Northing: 5727.7 Easting: 2428.6 Elevation: 1242.0
 Length: 203.3 Core: NQ Record: 82

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	21.3	21.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91679	21.3	23.7	2.4	33	4E8	5	-1.00	4.33	2.45	1.88	27.4	-1.00	-1.00
91680	23.7	26.3	2.6	35	4E8	5	-1.00	4.40	2.48	1.92	34.3	-1.00	-1.00
0	26.3	28.4	2.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91681	28.4	29.5	1.1	91	4G@	7	-1.00	4.81	2.35	2.46	30.2	-1.00	-1.00
0	29.5	48.3	18.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91682	48.3	49.1	.8	88	4E86@	5	-1.00	6.15	3.15	3.00	35.3	-1.00	-1.00
0	49.1	49.4	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91683	49.4	50.9	1.5	87	4E@	5	-1.00	4.26	2.30	1.96	30.2	-1.00	-1.00
91684	50.9	53.3	2.4	38	4E1@	5	-1.00	1.57	.85	.72	19.2	-1.00	-1.00
0	53.3	203.3	150.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA051 Section: W84
 Northing: 6697.5 Easting: 2609.8 Elevation: 1312.4
 Length: 367.0 Core: NQ Record: 83

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	169.9	169.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14188	169.9	172.0	2.1	100	4L74	52	-1.00	2.23	1.02	1.21	17.0	-1.00	-1.00
14189	172.0	173.8	1.8	94	4L74	52	-1.00	1.50	.78	.72	16.0	-1.00	-1.00
14190	173.8	174.8	1.0	90	4L0	52	-1.00	.93	.45	.48	11.0	-1.00	-1.00
0	174.8	203.9	29.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14191	203.9	205.7	1.8	100	4L74	52	-1.00	1.11	.57	.54	11.0	-1.00	-1.00
14192	205.7	207.7	2.0	95	4L74	52	-1.00	1.48	.79	.69	15.0	-1.00	-1.00
14193	207.7	209.1	1.4	100	4G0	7	4.48	5.25	2.75	2.50	62.0	33.50	-1.00
14194	209.1	210.4	1.3	100	4G4	7	4.64	11.50	6.30	5.20	93.0	26.40	-1.00
14195	210.4	212.3	1.9	95	4C7	3	3.39	2.00	.61	1.39	15.0	17.40	-1.00
14196	212.3	214.0	1.7	100	4C7	3	3.70	4.64	1.85	2.79	29.0	22.60	-1.00
0	214.0	297.5	83.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14197	297.5	299.0	1.5	100	4L46	52	3.17	2.10	.63	1.47	12.0	10.05	-1.00
14198	299.0	300.5	1.5	100	4L46	52	3.47	2.90	1.22	1.68	24.0	17.38	-1.00
14199	300.5	302.1	1.6	94	4A0	2	3.65	3.17	1.57	1.60	29.0	19.21	-1.00
14200	302.1	303.3	1.2	100	4A0	2	-1.00	1.02	.49	.53	13.0	-1.00	-1.00
14201	303.3	305.0	1.7	94	4C5	3	-1.00	1.52	.87	.65	18.0	-1.00	-1.00
0	305.0	307.8	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14202	307.8	309.7	1.9	95	4C5\$	3	-1.00	.89	.45	.44	11.0	-1.00	-1.00
14203	309.7	311.2	1.5	100	4C5\$	3	-1.00	.69	.25	.44	9.0	-1.00	-1.00
14204	311.2	312.8	1.6	94	4C5\$	3	-1.00	1.09	.54	.55	12.0	-1.00	-1.00
14205	312.8	313.8	1.0	100	4C\$	3	-1.00	2.20	1.12	1.08	20.0	-1.00	-1.00
0	313.8	324.9	11.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14206	324.9	325.7	.8	100	4C\$#	3	-1.00	3.64	1.92	1.72	24.0	-1.00	-1.00
0	325.7	335.3	9.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14207	335.3	336.3	1.0	100	4C\$	3	-1.00	4.51	2.22	2.29	35.0	-1.00	-1.00
0	336.3	337.7	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14208	337.7	338.8	1.1	100	4G08	7	-1.00	3.39	1.74	1.65	29.0	-1.00	-1.00
0	338.8	340.2	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14209	340.2	341.5	1.3	92	4C\$	3	-1.00	2.62	1.26	1.36	22.0	-1.00	-1.00
14210	341.5	343.2	1.7	100	4A\$	2	-1.00	.53	.21	.32	8.0	-1.00	-1.00
14211	343.2	345.0	1.8	94	4C5\$	3	-1.00	.96	.41	.55	9.0	-1.00	-1.00
14212	345.0	346.1	1.1	100	4G0\$	7	4.27	8.01	3.17	4.84	43.0	20.08	-1.00
14213	346.1	347.2	1.1	100	4C7\$	3	3.74	3.56	1.56	2.00	26.0	25.40	-1.00
0	347.2	367.0	19.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA052 Section: W68
 Northing: 6210.9 Easting: 2794.7 Elevation: 1289.3
 Length: 261.8 Core: NQ Record: 84

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	78.0	78.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90164	78.0	78.3	.3	67	5B69	40	-1.00	31.45	11.00	20.45	171.4	-1.00	-1.00
0	78.3	85.0	6.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90165	85.0	85.9	.9	67	5B69	40	-1.00	3.97	1.75	2.22	27.4	-1.00	-1.00
0	85.9	86.1	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90166	86.1	87.6	1.5	-1	4DGL	3	-1.00	18.90	8.18	10.72	110.0	-1.00	-1.00
0	87.6	143.9	56.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91072	143.9	146.9	3.0	93	4A0	2	-1.00	.80	.25	.55	7.2	-1.00	-1.00
91073	146.9	149.0	2.1	100	4A0	2	-1.00	.62	.18	.44	7.2	-1.00	-1.00
0	149.0	157.7	8.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5104	157.7	159.2	1.5	-1	4A4	2	3.14	8.87	3.17	5.70	50.0	11.30	-1.00
5105	159.2	160.5	1.3	-1	4A4	2	3.19	7.25	2.41	4.84	47.0	13.77	-1.00
0	160.5	175.6	15.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5106	175.6	176.8	1.2	-1	4E4	5	4.52	9.72	4.80	4.92	57.0	31.26	-1.00
5107	176.8	177.5	.7	-1	4G4	7	4.70	12.73	4.88	7.85	69.0	16.81	-1.00
5108	177.5	179.6	2.1	-1	4E0	5	3.95	3.82	1.56	2.26	34.0	29.63	-1.00
5109	179.6	181.7	2.1	-1	4E84	5	3.93	6.50	2.51	3.99	42.0	28.44	-1.00
5110	181.7	182.9	1.2	-1	4E4	5	3.89	8.78	3.32	5.46	49.0	28.17	-1.00
5111	182.9	184.1	1.2	-1	4E4	5	4.30	10.25	4.87	5.38	68.0	31.30	-1.00
5112	184.1	185.9	1.8	-1	4C83	3	3.52	4.51	1.58	2.93	31.0	23.35	-1.00
5113	185.9	187.9	2.0	-1	4C83	3	3.63	2.03	.67	1.36	14.0	26.04	-1.00
5114	187.9	189.6	1.7	-1	4C3	3	3.58	3.49	1.27	2.22	18.0	24.65	-1.00
5115	189.6	191.4	1.8	-1	4C3	3	3.31	.81	.38	.43	9.0	19.49	-1.00
5116	191.4	193.2	1.8	-1	4C0	3	3.18	.52	.19	.33	10.0	-1.00	-1.00
5117	193.2	195.1	1.9	-1	4C0	3	3.29	1.01	.39	.62	10.0	-1.00	-1.00
5118	195.1	196.9	1.8	-1	4C3	3	3.88	.72	.35	.37	7.0	-1.00	-1.00
5119	196.9	198.7	1.8	-1	4C0	3	3.21	.81	.62	.19	8.0	-1.00	-1.00
5120	198.7	200.6	1.9	-1	4C0	3	3.24	.44	.24	.20	5.0	-1.00	-1.00
5121	200.6	202.4	1.8	-1	4C0	3	3.19	.69	.26	.43	8.0	-1.00	-1.00
5122	202.4	203.6	1.2	-1	4C0	3	3.06	.44	.24	.20	7.0	-1.00	-1.00
5123	203.6	205.0	1.4	-1	4C0	3	2.91	.63	.43	.20	7.0	-1.00	-1.00
0	205.0	261.8	56.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA053 Section: W76
 Northing: 6455.0 Easting: 2714.3 Elevation: 1297.9
 Length: 357.1 Core: NQ Record: 85

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	140.5	140.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7776	140.5	141.7	1.2	100	4E14	5	3.77	17.40	6.00	11.40	99.0	16.78	-1.00
7777	141.7	145.1	3.4	9	4A4	2	3.72	21.60	6.60	15.00	130.0	17.42	-1.00
7778	145.1	145.7	.6	33	4E14	5	4.46	10.40	3.50	6.90	60.0	33.45	-1.00
7779	145.7	147.2	1.5	87	4E4	5	4.69	11.80	3.60	8.20	68.0	35.25	-1.00
7780	147.2	148.0	.8	50	4E4	5	4.58	9.70	2.40	7.30	45.0	36.76	-1.00
7781	148.0	150.6	2.6	46	4E4#	5	4.45	25.70	7.90	17.80	146.0	24.39	-1.00
7782	150.6	151.8	1.2	42	4L04	52	3.02	5.66	1.56	4.10	24.0	6.50	-1.00
7783	151.8	155.9	4.1	49	4L14	52	2.93	5.33	2.03	3.30	28.0	4.07	-1.00
7784	155.9	157.4	1.5	80	4A14	2	3.08	8.00	3.20	4.80	42.0	6.11	-1.00
7785	157.4	159.0	1.6	81	4A1	2	3.14	3.40	1.84	1.56	27.0	10.18	-1.00
7786	159.0	161.4	2.4	88	4L14	52	2.92	4.60	1.30	3.30	26.0	3.70	-1.00
0	161.4	171.5	10.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7787	171.5	173.0	1.5	100	4L21	52	-1.00	2.43	.60	1.83	17.0	-1.00	-1.00
0	173.0	234.6	61.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7788	234.6	236.4	1.8	61	4A4	2	2.96	1.36	.45	.91	12.0	11.31	-1.00
7789	236.4	238.4	2.0	75	4A4	2	3.12	8.40	2.70	5.70	46.0	6.88	-1.00
7790	238.4	240.1	1.7	100	4A1	2	3.39	1.05	.46	.59	17.0	20.17	-1.00
7791	240.1	242.8	2.7	78	4E4	5	4.60	9.80	4.00	5.80	72.0	34.18	-1.00
7792	242.8	245.5	2.7	81	4E4	5	4.35	11.60	4.20	7.40	78.0	25.05	-1.00
7793	245.5	247.8	2.3	91	4E0	5	4.80	4.80	2.80	2.00	37.0	37.51	-1.00
7794	247.8	249.9	2.1	90	4E0	5	4.83	3.13	1.62	1.51	33.0	40.59	-1.00
7795	249.9	252.4	2.5	76	4E4	5	4.64	5.38	2.18	3.20	53.0	38.71	-1.00
7796	252.4	254.5	2.1	86	4E4	5	4.64	16.30	5.60	10.70	115.0	38.71	-1.00
7797	254.5	256.3	1.8	100	4E4	5	4.70	11.60	4.20	7.40	66.0	35.94	-1.00
7798	256.3	257.3	1.0	90	4G4#	7	4.53	11.50	4.40	7.10	64.0	29.75	-1.00
7799	257.3	258.9	1.6	100	4G4#	7	4.61	12.20	4.60	7.60	85.0	27.40	-1.00
7800	258.9	259.4	.5	100	4A4	2	3.50	19.50	7.10	12.40	108.0	11.53	-1.00
7851	259.4	261.7	2.3	100	4A1	2	3.25	1.71	.62	1.09	21.0	15.07	-1.00
7852	261.7	263.6	1.9	100	4A1	2	3.17	3.32	1.03	2.29	22.0	11.77	-1.00
7853	263.6	264.2	.6	83	4E4	5	4.72	11.00	3.80	7.20	51.0	36.04	-1.00
7854	264.2	265.8	1.6	94	4A13	2	3.41	8.10	2.80	5.30	51.0	16.32	-1.00
7855	265.8	266.9	1.1	100	4A13	2	3.46	7.30	2.80	4.50	54.0	17.35	-1.00
7856	266.9	267.5	.6	83	4G4#	7	4.42	24.50	7.40	17.10	132.0	23.82	-1.00
7857	267.5	269.9	2.4	100	4A4	2	3.56	10.90	3.70	7.20	56.0	18.05	-1.00
7858	269.9	272.3	2.4	100	4A4	2	3.29	11.30	4.60	6.70	61.0	13.75	-1.00
7859	272.3	273.7	1.4	100	4A13	2	-1.00	.93	.44	.49	22.0	-1.00	-1.00
7860	273.7	277.2	3.5	43	4A13	2	-1.00	.63	.14	.49	17.0	-1.00	-1.00
7861	277.2	279.0	1.8	100	4A13	2	-1.00	1.38	.18	1.20	24.0	-1.00	-1.00
7862	279.0	281.2	2.2	100	4A13	2	-1.00	.73	.09	.64	38.0	-1.00	-1.00
7863	281.2	283.8	2.6	100	4C0	3	-1.00	1.86	.72	1.14	49.0	-1.00	-1.00
0	283.8	331.3	47.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7864	331.3	333.2	1.9	100	4E#4	5	4.11	8.30	4.00	4.30	54.0	31.64	-1.00
7865	333.2	335.1	1.9	100	4E#4	5	4.12	7.60	3.90	3.70	43.0	31.05	-1.00

0	335.1	343.5	8.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7866	343.5	345.3	1.8	17	4D*4	3	-1.00	11.45	4.73	6.72	61.4	-1.00	-1.00
7867	345.3	347.8	2.5	36	4L0	52	-1.00	.07	.04	.03	1.0	-1.00	-1.00
7868	347.8	349.0	1.2	50	4E15	5	-1.00	.12	.07	.05	1.7	-1.00	-1.00
0	349.0	357.1	8.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA054 Section: W52
 Northing: 5727.5 Easting: 2489.5 Elevation: 1249.1
 Length: 142.0 Core: NQ Record: 86

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	142.0	142.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA055 Section: W64
 Northing: 6090.3 Easting: 2733.2 Elevation: 1277.6
 Length: 217.9 Core: NQ Record: 87

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	149.0	149.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8919	149.0	150.0	1.0	100	4A0	2	3.04	3.33	1.03	2.30	27.0	8.79	-1.00
8920	150.0	150.9	.9	100	4LG	52	3.28	3.31	1.48	1.83	33.0	13.60	-1.00
8921	150.9	152.9	2.0	95	4A4	2	3.09	6.87	1.87	5.00	35.0	8.11	-1.00
0	152.9	167.5	14.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8922	167.5	168.2	.7	100	4G4#	7	4.71	15.00	7.10	7.90	101.0	25.55	-1.00
8923	168.2	169.2	1.0	100	4KL	6	3.50	6.30	2.50	3.80	36.0	17.52	-1.00
0	169.2	174.7	5.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90136	174.7	175.2	.5	-1	5B6	40	-1.00	3.84	1.08	2.76	17.1	-1.00	-1.00
0	175.2	180.7	5.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8924	180.7	181.9	1.2	100	4A0	2	2.99	3.15	.85	2.30	21.0	4.40	-1.00
8925	181.9	182.9	1.0	100	4E4*8	5	4.46	8.50	4.60	3.90	52.0	37.54	-1.00
8926	182.9	184.6	1.7	100	4E8#a	5	4.63	2.47	1.11	1.36	22.0	43.10	-1.00
8927	184.6	185.8	1.2	100	4E8#a	5	4.66	1.80	.80	1.00	19.0	47.35	-1.00
8928	185.8	187.3	1.5	100	4E8#a	5	4.43	2.58	1.35	1.23	21.0	40.46	-1.00
8929	187.3	189.0	1.7	100	4C8	3	3.65	2.91	1.31	1.60	25.0	27.00	-1.00
8930	189.0	190.8	1.8	100	4C8	3	3.45	.67	.26	.41	6.0	24.36	-1.00
8931	190.8	192.5	1.7	100	4C8	3	3.56	2.61	1.41	1.20	18.0	26.80	-1.00
8932	192.5	194.3	1.8	100	4C8	3	3.50	4.10	1.70	2.40	31.0	21.57	-1.00
9141	194.3	196.3	2.0	100	4C3	3	-1.00	.78	.38	.40	18.0	-1.00	-1.00
0	196.3	217.9	21.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA056 Section: W72
 Northing: 6334.5 Easting: 2792.6 Elevation: 1299.8
 Length: 343.1 Core: NQ Record: 88

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	96.4	96.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
2499	96.4	97.2	.8	88	4D42	3	2.94	31.70	11.90	19.80	147.0	17.64	-1.00
2500	97.2	98.8	1.6	94	4A4	2	3.36	10.20	3.26	6.94	42.0	9.84	-1.00
6051	98.8	100.3	1.5	100	4A4	2	3.48	11.62	4.99	6.63	60.0	13.56	-1.00
6052	100.3	102.6	2.3	100	4A4	2	3.51	7.50	2.71	4.79	37.0	9.69	-1.00
6053	102.6	104.0	1.4	86	4A43	2	3.26	5.45	1.76	3.69	26.0	9.84	-1.00
90215	104.0	106.1	2.1	10	F	72	-1.00	5.52	1.98	3.54	30.2	-1.00	-1.00
6054	106.1	107.3	1.2	100	4L14	52	3.27	6.81	5.03	1.78	45.0	5.32	-1.00
6055	107.3	108.4	1.1	100	4C5	3	3.96	3.22	2.01	1.21	23.0	6.25	-1.00
6056	108.4	110.1	1.7	100	4L4	52	3.17	4.18	1.37	2.81	18.0	7.02	-1.00
6057	110.1	112.2	2.1	43	4D0	3	4.76	8.71	2.54	6.17	37.0	12.51	-1.00
6058	112.2	115.4	3.2	31	4L0	52	3.00	.51	.13	.38	2.0	7.89	-1.00
6059	115.4	118.3	2.9	59	4D5	3	3.09	5.57	1.81	3.76	27.0	10.00	-1.00
6060	118.3	119.5	1.2	100	4C5	3	2.84	4.36	1.66	2.70	21.0	1.92	-1.00
6061	119.5	121.3	1.8	100	4A4	2	3.06	6.29	1.86	4.43	27.0	8.92	-1.00
6062	121.3	123.1	1.8	67	4A4	2	3.24	6.48	1.76	4.72	29.0	13.45	-1.00
6063	123.1	125.2	2.1	81	4A4	2	3.36	8.73	2.93	5.80	53.0	14.50	-1.00
6064	125.2	126.5	1.3	92	4D0	3	3.84	5.72	1.80	3.92	41.0	27.06	-1.00
6065	126.5	128.3	1.8	100	4A4	2	3.40	9.27	3.13	6.14	57.0	15.67	-1.00
6066	128.3	130.1	1.8	100	4A4	2	3.16	5.96	1.86	4.10	36.0	11.27	-1.00
6067	130.1	132.3	2.2	68	4A0	2	2.97	4.48	1.27	3.21	22.0	6.74	-1.00
6068	132.3	134.4	2.1	57	4D0	3	3.00	7.98	2.74	5.24	38.0	5.25	-1.00
6069	134.4	135.6	1.2	83	4D0	3	3.05	5.55	1.78	3.77	31.0	7.45	-1.00
6070	135.6	137.7	2.1	57	4L14	52	2.94	4.82	1.14	3.68	24.0	5.63	-1.00
6071	137.7	139.3	1.6	100	4D0	3	3.23	9.47	3.03	6.44	59.0	9.63	-1.00
6072	139.3	141.2	1.9	89	4D0	3	3.21	8.41	3.17	5.24	46.0	9.64	-1.00
6073	141.2	142.9	1.7	82	4A4	2	3.15	6.96	3.94	3.02	64.0	9.63	-1.00
0	142.9	144.3	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6074	144.3	145.0	.7	57	4L04	52	3.16	7.79	2.55	5.24	40.0	9.35	-1.00
6075	145.0	147.2	2.2	73	4D0	3	3.41	7.83	2.81	5.02	48.0	16.37	-1.00
6076	147.2	148.7	1.5	93	4C5	3	3.55	3.24	.56	2.68	19.0	22.92	-1.00
6077	148.7	150.0	1.3	100	4C5	3	3.47	1.99	.77	1.22	24.0	27.06	-1.00
6078	150.0	151.8	1.8	100	4A4	2	3.68	7.33	3.69	3.64	52.0	18.97	-1.00
6079	151.8	153.3	1.5	80	4A4	2	3.85	14.20	5.60	8.60	82.0	19.26	-1.00
6080	153.3	154.9	1.6	44	4LD	52	3.39	5.57	1.00	4.57	17.0	17.55	-1.00
6081	154.9	156.9	2.0	100	4A4	2	3.39	13.27	4.52	8.75	75.0	10.69	-1.00
6082	156.9	159.0	2.1	67	4A4	2	3.34	9.52	2.93	6.59	49.0	12.04	-1.00
0	159.0	161.4	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6083	161.4	163.1	1.7	88	4D4	3	3.64	17.16	6.96	10.20	118.0	13.58	-1.00
0	163.1	166.2	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6084	166.2	166.8	.6	100	4D4*	3	3.90	23.19	7.19	16.00	127.0	16.66	-1.00
0	166.8	167.9	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6085	167.9	168.6	.7	86	4A14	2	3.23	11.49	4.17	7.32	66.0	10.50	-1.00
6086	168.6	170.0	1.4	100	4D4	3	3.46	19.33	7.13	12.20	136.0	14.93	-1.00

0	170.0	170.4	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6087	170.4	172.4	2.0	100	4D4	3	3.47	19.42	6.92	12.50	123.0	10.79	-1.00
6088	172.4	173.7	1.3	92	4D0	3	3.27	5.64	1.81	3.83	28.0	12.23	-1.00
6089	173.7	175.3	1.6	87	4D4	3	3.59	17.98	6.38	11.60	109.0	14.35	-1.00
6090	175.3	176.4	1.1	100	4K4	6	3.84	16.67	5.27	11.40	103.0	18.50	-1.00
6091	176.4	177.4	1.0	100	4D4a	3	3.78	23.37	7.97	15.40	140.0	13.97	-1.00
0	177.4	180.7	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6092	180.7	181.3	.6	83	4D4a	3	4.11	13.02	2.52	10.50	118.0	26.68	-1.00
0	181.3	184.5	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6093	184.5	185.5	1.0	80	4DK4	3	3.73	10.27	2.98	7.29	65.0	20.71	-1.00
90216	185.5	186.0	.5	100	4L04	52	-1.00	2.88	1.08	1.80	15.1	-1.00	-1.00
6094	186.0	187.2	1.2	100	4E14	5	4.11	17.13	6.63	10.50	126.0	24.37	-1.00
6095	187.2	188.5	1.3	85	4D56	3	3.83	10.01	5.43	4.58	84.0	23.89	-1.00
6096	188.5	189.8	1.3	100	4D56	3	4.33	17.76	5.96	11.80	123.0	28.22	-1.00
6097	189.8	190.7	.9	100	4G4	7	4.83	24.89	8.19	16.70	170.0	29.28	-1.00
6098	190.7	191.4	.7	100	4K64	6	4.34	5.19	1.66	3.53	54.0	34.48	-1.00
6099	191.4	192.9	1.5	87	4G4	7	4.78	12.65	5.65	7.00	92.0	36.60	-1.00
6100	192.9	194.8	1.9	95	4G4	7	4.67	19.43	7.53	11.90	122.0	31.86	-1.00
6101	194.8	196.2	1.4	100	4A4	2	3.13	9.31	3.33	5.98	59.0	8.81	-1.00
0	196.2	202.4	6.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6102	202.4	203.6	1.2	25	4A1	2	2.97	1.94	.78	1.16	15.0	8.45	-1.00
6103	203.6	206.7	3.1	10	4A1	2	-1.00	.67	.16	.51	6.0	-1.00	-1.00
0	206.7	257.1	50.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6104	257.1	258.6	1.5	93	4A0	2	-1.00	.65	.15	.50	4.0	-1.00	-1.00
6105	258.6	260.1	1.5	87	4A0	2	-1.00	.33	.08	.25	6.0	-1.00	-1.00
6106	260.1	261.7	1.6	94	4A0	2	-1.00	.91	.03	.88	6.0	-1.00	-1.00
6107	261.7	263.2	1.5	100	4A0	2	-1.00	.39	.05	.34	4.0	-1.00	-1.00
0	263.2	265.2	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6108	265.2	265.8	.6	100	4A0	2	3.02	2.36	.05	2.31	6.0	10.95	-1.00
6109	265.8	266.8	1.0	100	4E4	5	3.95	12.36	4.48	7.88	68.0	24.80	-1.00
6110	266.8	268.3	1.5	87	4A0	2	3.36	3.12	1.14	1.98	20.0	16.68	-1.00
0	268.3	297.2	28.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6111	297.2	298.3	1.1	100	4C0	3	3.79	3.34	1.48	1.86	32.0	21.37	-1.00
6112	298.3	300.1	1.8	89	4D42	3	4.09	9.96	4.49	5.47	85.0	24.70	-1.00
0	300.1	300.7	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6113	300.7	302.1	1.4	71	4D24	3	3.90	11.28	5.23	6.05	83.0	21.84	-1.00
0	302.1	343.1	41.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA057 Section: W100
 Northing: 7181.0 Easting: 2792.4 Elevation: 1314.9
 Length: 416.4 Core: NQ Record: 89

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	416.4	416.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA058 Section: W64
 Northing: 6088.3 Easting: 2794.4 Elevation: 1282.6
 Length: 187.5 Core: NQ Record: 90

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	133.0	133.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8593	133.0	134.9	1.9	84	4G4	7	4.45	13.60	7.60	6.00	95.0	24.30	-1.00
8594	134.9	136.7	1.8	100	4G4	7	4.56	11.10	4.80	6.30	75.0	21.88	-1.00
8595	136.7	137.6	.9	89	4G4	7	3.40	6.62	2.02	4.60	43.0	11.81	-1.00
0	137.6	138.3	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8596	138.3	139.5	1.2	92	4G4	7	4.58	15.50	7.10	8.40	123.0	21.86	-1.00
8597	139.5	140.8	1.3	100	4G4	7	4.49	14.20	6.20	8.00	87.0	15.27	-1.00
8598	140.8	142.2	1.4	100	4C3	3	4.78	2.58	.93	1.65	26.0	34.62	-1.00
8599	142.2	143.4	1.2	100	4D84	3	2.88	10.50	6.20	4.30	75.0	24.82	-1.00
8600	143.4	145.4	2.0	100	4C3	3	3.76	1.61	.95	.66	27.0	27.16	-1.00
8851	145.4	147.4	2.0	100	4C3	3	3.93	2.37	1.58	.79	28.0	30.25	-1.00
8852	147.4	149.4	2.0	35	4C3	3	3.73	2.83	1.80	1.03	29.0	27.73	-1.00
8853	149.4	151.5	2.1	76	4C3	3	-1.00	1.37	.63	.74	20.0	-1.00	-1.00
8854	151.5	152.9	1.4	57	4C3	3	-1.00	.81	.32	.49	20.0	-1.00	-1.00
8855	152.9	154.7	1.8	72	4C3	3	-1.00	.34	.20	.14	14.0	-1.00	-1.00
8856	154.7	156.4	1.7	100	4C3	3	-1.00	.11	.05	.06	16.0	-1.00	-1.00
8857	156.4	157.0	.6	67	4C3	3	-1.00	.23	.08	.15	11.0	-1.00	-1.00
92013	157.0	157.9	.9	89	5C4*	44	-1.00	.16	.03	.13	2.1	-1.00	-1.00
0	157.9	159.7	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92014	159.7	160.6	.9	22	4LC	52	-1.00	.18	.15	.03	5.1	-1.00	-1.00
92015	160.6	164.0	3.4	3	4LC	52	-1.00	.68	.22	.46	4.1	-1.00	-1.00
92016	164.0	165.8	1.8	78	4L0	52	-1.00	.43	.18	.25	1.0	-1.00	-1.00
0	165.8	187.5	21.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA059 Section: W88
 Northing: 6817.6 Easting: 2672.3 Elevation: 1318.7
 Length: 397.3 Core: NQ Record: 91

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	258.7	258.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91298	258.7	260.5	1.8	100	4EA	5	-1.00	17.04	5.93	11.11	90.8	-1.00	-1.00
91299	260.5	262.1	1.6	100	4A4	2	-1.00	6.30	2.10	4.20	37.4	-1.00	-1.00
91300	262.1	265.2	3.1	100	4A0	2	-1.00	3.80	1.28	2.52	22.3	-1.00	-1.00
91301	265.2	268.2	3.0	100	4AC	2	-1.00	5.84	1.88	3.96	30.2	-1.00	-1.00
91302	268.2	268.9	.7	100	4C5	3	-1.00	2.76	1.38	1.38	19.2	-1.00	-1.00
0	268.9	269.8	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91303	269.8	271.7	1.9	100	4AC	2	-1.00	4.83	1.65	3.18	25.4	-1.00	-1.00
91304	271.7	273.5	1.8	100	4D5	3	-1.00	6.42	2.40	4.02	34.3	-1.00	-1.00
91305	273.5	274.3	.8	100	4C5	3	-1.00	3.57	1.23	2.34	17.1	-1.00	-1.00
0	274.3	280.1	5.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91306	280.1	283.3	3.2	100	5A19	30	-1.00	.43	.15	.28	3.1	-1.00	-1.00
91307	283.3	284.0	.7	100	5A19	30	-1.00	2.21	.85	1.36	13.0	-1.00	-1.00
0	284.0	284.5	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91308	284.5	285.3	.8	100	4A0	2	-1.00	1.97	.73	1.24	12.0	-1.00	-1.00
0	285.3	285.6	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91309	285.6	287.2	1.6	94	4A0	2	-1.00	3.01	1.03	1.98	14.1	-1.00	-1.00
91310	287.2	288.6	1.4	100	4A0	2	-1.00	2.26	.66	1.60	8.2	-1.00	-1.00
91311	288.6	290.3	1.7	100	4C5	3	-1.00	.74	.30	.44	4.1	-1.00	-1.00
0	290.3	308.5	18.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91312	308.5	310.4	1.9	100	4A0	2	-1.00	1.43	.49	.94	7.2	-1.00	-1.00
91313	310.4	312.8	2.4	92	4AC	2	-1.00	1.44	.44	1.00	7.2	-1.00	-1.00
91314	312.8	315.0	2.2	100	4C5	3	-1.00	3.72	1.38	2.34	21.3	-1.00	-1.00
91315	315.0	316.2	1.2	100	4C0	3	-1.00	1.60	.65	.95	9.9	-1.00	-1.00
91316	316.2	318.8	2.6	100	4C0	3	-1.00	1.89	.65	1.24	9.9	-1.00	-1.00
91317	318.8	321.9	3.1	90	4C0	3	-1.00	1.79	.65	1.14	9.9	-1.00	-1.00
91318	321.9	323.4	1.5	80	4A0	2	-1.00	1.19	.63	.56	6.2	-1.00	-1.00
91319	323.4	324.7	1.3	100	3C4\$	44	-1.00	.16	.07	.09	1.0	-1.00	-1.00
91320	324.7	327.1	2.4	88	4A4	2	-1.00	9.65	3.53	6.12	46.3	-1.00	-1.00
91321	327.1	327.8	.7	100	4A30	2	-1.00	2.68	1.28	1.40	17.1	-1.00	-1.00
91322	327.8	329.7	1.9	100	4A30	2	-1.00	1.35	.90	.45	20.2	-1.00	-1.00
91323	329.7	331.6	1.9	100	4DG	3	-1.00	16.53	6.15	10.38	100.8	-1.00	-1.00
91324	331.6	333.4	1.8	100	4G4	7	-1.00	13.47	4.95	8.52	90.8	-1.00	-1.00
91325	333.4	335.4	2.0	100	4E4	5	-1.00	22.82	8.43	14.39	104.9	-1.00	-1.00
91326	335.4	336.9	1.5	80	4E#4	5	-1.00	17.37	5.70	11.67	121.0	-1.00	-1.00
91327	336.9	337.5	.6	100	3C4\$	44	-1.00	3.85	1.45	2.40	23.3	-1.00	-1.00
91328	337.5	337.8	.3	100	3C4\$	44	-1.00	.86	.14	.72	6.2	-1.00	-1.00
91329	337.8	340.0	2.2	41	5A6\$	30	-1.00	.57	.19	.38	2.1	-1.00	-1.00
91330	340.0	340.3	.3	100	4E4\$	5	-1.00	25.86	9.65	16.21	201.6	-1.00	-1.00
91331	340.3	341.0	.7	71	3G4	20	-1.00	.23	.05	.18	6.2	-1.00	-1.00
91332	341.0	341.4	.4	100	4E46	5	-1.00	34.05	14.61	19.44	196.8	-1.00	-1.00
91333	341.4	343.1	1.7	100	5A6\$	30	-1.00	.19	.07	.12	2.1	-1.00	-1.00
91334	343.1	344.5	1.4	86	4E46\$	5	-1.00	28.19	11.00	17.19	176.5	-1.00	-1.00
0	344.5	380.5	36.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

91335	380.5	381.7	1.2	100	4A0	2	-1.00	4.85	2.33	2.52	53.1	-1.00	-1.00
91336	381.7	382.9	1.2	92	4G0	7	-1.00	7.62	3.00	4.62	68.6	-1.00	-1.00
0	382.9	384.1	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91337	384.1	384.4	.3	100	4G4	7	-1.00	12.66	4.50	8.16	43.5	-1.00	-1.00
0	384.4	384.7	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91338	384.7	387.2	2.5	100	4G4	7	-1.00	13.38	5.10	8.28	73.7	-1.00	-1.00
91339	387.2	387.6	.4	100	4L4\$	52	-1.00	1.08	.68	.40	8.2	-1.00	-1.00
91340	387.6	389.8	2.2	100	4G4	7	-1.00	15.71	6.30	9.41	100.8	-1.00	-1.00
91341	389.8	390.9	1.1	100	4G4	7	-1.00	14.22	5.70	8.52	100.8	-1.00	-1.00
91342	390.9	392.4	1.5	93	4G4	7	-1.00	14.34	5.70	8.64	80.6	-1.00	-1.00
91343	392.4	393.6	1.2	100	4L12	52	-1.00	3.94	2.10	1.84	44.2	-1.00	-1.00
0	393.6	397.3	3.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA060 Section: W72
 Northing: 6333.1 Easting: 2612.8 Elevation: 1278.8
 Length: 361.5 Core: NQ Record: 92

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	100.0	100.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6194	100.0	100.9	.9	100	4L14	52	3.12	3.99	1.49	2.50	22.0	9.80	-1.00
6195	100.9	102.4	1.5	100	4E14	5	4.24	11.39	5.05	6.34	83.0	26.30	-1.00
6196	102.4	103.3	.9	100	4G14	7	4.56	15.59	6.83	8.76	122.0	5.58	-1.00
6197	103.3	104.1	.8	88	4L32	52	3.06	4.00	1.85	2.15	50.0	9.10	-1.00
6198	104.1	105.8	1.7	88	4L*	52	2.97	.29	.12	.17	5.0	6.12	-1.00
6199	105.8	107.2	1.4	100	4L*	52	3.05	.98	.69	.29	13.0	8.04	-1.00
6200	107.2	109.4	2.2	100	4G4	7	4.40	15.24	6.88	8.36	109.0	12.83	-1.00
6201	109.4	110.8	1.4	100	4G4	7	4.63	14.57	7.19	7.38	107.0	12.90	-1.00
6202	110.8	111.7	.9	100	4L0	52	3.02	.74	.31	.43	7.0	5.93	-1.00
6203	111.7	113.5	1.8	100	4D7	3	3.71	5.67	3.22	2.45	41.0	24.20	-1.00
6204	113.5	114.4	.9	100	4G84	7	4.62	13.87	6.27	7.60	97.0	12.80	-1.00
6205	114.4	116.3	1.9	100	4EG	7	4.49	8.38	4.17	4.21	74.0	24.00	-1.00
90113	116.3	116.6	.3	100	4L0	52	-1.00	1.19	.68	.51	19.2	-1.00	-1.00
0	116.6	123.7	7.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6207	123.7	125.9	2.2	100	4L0	52	3.22	1.05	.55	.50	8.0	15.20	-1.00
6208	125.9	127.3	1.4	86	4L0	52	2.92	.09	.04	.05	1.0	5.43	-1.00
6209	127.3	128.3	1.0	100	4L0	52	3.15	1.14	.51	.63	8.0	12.40	-1.00
6210	128.3	130.4	2.1	100	4L0	52	2.67	.08	.04	.04	2.0	5.60	-1.00
6211	130.4	132.4	2.0	95	4L0	52	3.02	.28	.14	.14	6.0	8.10	-1.00
6212	132.4	133.7	1.3	100	4E4#	5	4.32	6.57	3.25	3.32	61.0	32.00	-1.00
6213	133.7	134.9	1.2	100	4E4#	5	4.48	9.13	4.97	4.16	74.0	34.20	-1.00
6214	134.9	136.9	2.0	100	4G#	7	3.96	9.60	4.81	4.79	61.0	25.80	-1.00
6215	136.9	137.6	.7	100	4L34	52	3.06	1.77	.80	.97	10.0	8.65	-1.00
0	137.6	144.8	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6216	144.8	146.9	2.1	52	4E4	5	4.59	28.26	11.40	16.86	207.0	20.81	-1.00
0	146.9	179.8	32.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6217	179.8	180.6	.8	100	4E0	5	3.53	3.59	1.50	2.09	27.0	22.10	-1.00
0	180.6	183.2	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6218	183.2	183.7	.5	100	4E*	5	3.82	2.07	.90	1.17	30.0	35.00	-1.00
0	183.7	257.3	73.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6219	257.3	259.0	1.7	94	5B12	40	-1.00	.81	.36	.45	6.0	-1.00	-1.00
0	259.0	259.7	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90114	259.7	262.1	2.4	88	5B6	40	-1.00	.11	.07	.04	-1.0	-1.00	-1.00
0	262.1	267.0	4.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6220	267.0	268.5	1.5	100	4A3	2	2.95	.48	.12	.36	3.0	8.40	-1.00
6221	268.5	270.5	2.0	85	4A3	2	-1.00	.10	.07	.03	2.0	-1.00	-1.00
6222	270.5	272.6	2.1	100	4A3	2	-1.00	.04	.02	.02	1.0	-1.00	-1.00
6223	272.6	274.3	1.7	100	4A3	2	-1.00	.08	.02	.06	2.0	-1.00	-1.00
6224	274.3	276.3	2.0	100	4A3	2	-1.00	.06	.01	.05	2.0	-1.00	-1.00
0	276.3	281.0	4.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6225	281.0	283.0	2.0	100	4A3	2	-1.00	.40	.21	.19	7.0	-1.00	-1.00
6226	283.0	285.0	2.0	100	4A3	2	-1.00	.13	.10	.03	3.0	-1.00	-1.00
6227	285.0	286.7	1.7	100	4A3	2	-1.00	.78	.42	.36	10.0	-1.00	-1.00

6228	286.7	287.4	.7	100	4E1	5	3.55	3.60	1.70	1.90	29.0	21.45	-1.00
0	287.4	322.5	35.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6229	322.5	323.3	.8	100	4A3	2	2.99	1.15	.62	.53	13.0	7.11	-1.00
6230	323.3	324.4	1.1	82	4G8	7	4.41	6.02	3.33	2.69	50.0	28.71	-1.00
6231	324.4	325.1	.7	100	4C0	3	3.66	4.71	2.23	2.48	41.0	20.10	-1.00
6232	325.1	326.8	1.7	100	4A3	2	3.06	3.63	1.57	2.06	25.0	9.18	-1.00
6233	326.8	328.6	1.8	100	4A3	2	3.06	1.61	.85	.76	19.0	10.57	-1.00
6234	328.6	330.1	1.5	93	4G8	7	4.22	6.13	3.41	2.72	50.0	30.10	-1.00
6235	330.1	331.1	1.0	100	4E8	5	3.86	2.24	1.40	.84	28.0	29.50	-1.00
6236	331.1	333.2	2.1	100	5B26	40	-1.00	.84	.44	.40	12.0	-1.00	-1.00
6237	333.2	335.3	2.1	100	5B26	40	-1.00	.50	.28	.22	12.0	-1.00	-1.00
0	335.3	339.7	4.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90115	339.7	340.2	.5	100	5B26	40	-1.00	2.29	1.63	.66	27.4	-1.00	-1.00
6238	340.2	342.1	1.9	100	4A0	2	3.32	1.24	.84	.40	21.0	18.20	-1.00
6239	342.1	344.0	1.9	100	4A0	2	-1.00	.17	.05	.12	3.0	-1.00	-1.00
0	344.0	345.0	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6240	345.0	347.5	2.5	100	4C5	3	-1.00	.08	.05	.03	7.0	-1.00	-1.00
6241	347.5	349.5	2.0	100	5A6	30	-1.00	.04	.02	.02	2.0	-1.00	-1.00
0	349.5	361.5	12.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA061 Section: W88
 Northing: 6816.1 Easting: 2732.5 Elevation: 1318.3
 Length: 276.3 Core: NQ Record: 93

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	240.5	240.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91344	240.5	242.2	1.7	94	5A6\$	30	-1.00	1.11	.39	.72	6.2	-1.00	-1.00
91345	242.2	243.2	1.0	100	5A6\$	30	-1.00	3.86	1.40	2.46	17.1	-1.00	-1.00
91346	243.2	244.1	.9	89	4E14	5	-1.00	5.95	1.93	4.02	40.4	-1.00	-1.00
91347	244.1	245.3	1.2	92	5C4\$	44	-1.00	2.71	1.05	1.66	11.0	-1.00	-1.00
0	245.3	256.0	10.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91348	256.0	257.6	1.6	87	4Q43	60	-1.00	4.52	1.88	2.64	35.3	-1.00	-1.00
0	257.6	264.1	6.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91349	264.1	265.8	1.7	100	4C0	3	-1.00	3.43	1.55	1.88	22.3	-1.00	-1.00
91350	265.8	268.6	2.8	100	4A0	2	-1.00	4.85	1.85	3.00	32.6	-1.00	-1.00
91351	268.6	271.6	3.0	100	4AC	2	-1.00	3.22	1.50	1.72	22.3	-1.00	-1.00
91352	271.6	273.5	1.9	100	4A0	2	-1.00	3.04	1.28	1.76	19.2	-1.00	-1.00
91353	273.5	276.3	2.9	100	4A0	2	-1.00	2.64	1.10	1.54	15.1	-1.00	-1.00

Drill Hole: AGA062 Section: W70
 Northing: 6276.4 Easting: 2672.4 Elevation: 1279.8
 Length: 301.1 Core: NQ Record: 94

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	48.2	48.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9793	48.2	52.1	3.9	18	4A0	2	-1.00	.81	.49	.32	11.0	-1.00	-1.00
0	52.1	74.4	22.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9794	74.4	76.5	2.1	33	4E4	5	3.60	9.81	5.11	4.70	72.0	20.81	-1.00
0	76.5	81.8	5.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9795	81.8	83.3	1.5	100	4E4	5	4.67	15.60	8.50	7.10	122.0	27.55	-1.00
9796	83.3	84.4	1.1	100	4E4	5	4.30	15.40	9.90	5.50	124.0	29.14	-1.00
9797	84.4	85.6	1.2	92	4L2	52	2.98	1.58	.70	.88	15.0	7.73	-1.00
0	85.6	127.0	41.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9798	127.0	128.0	1.0	100	4E42	5	3.90	18.20	6.40	11.80	113.0	22.01	-1.00
9799	128.0	130.1	2.1	100	4E42	5	4.37	17.20	5.70	11.50	100.0	29.16	-1.00
9800	130.1	131.8	1.7	94	4AE	2	2.95	1.99	.64	1.35	13.0	8.75	-1.00
9801	131.8	133.0	1.2	83	4EL	5	2.93	6.46	1.86	4.60	46.0	22.71	-1.00
9802	133.0	134.5	1.5	100	4GE	7	4.57	12.60	4.30	8.30	93.0	14.18	-1.00
9803	134.5	135.9	1.4	86	4GE	7	4.66	15.40	5.10	10.30	95.0	24.41	-1.00
9804	135.9	137.2	1.3	92	4E4	5	4.69	14.20	5.00	9.20	99.0	26.87	-1.00
9805	137.2	138.5	1.3	100	4E4	5	4.64	16.90	5.20	11.70	106.0	29.01	-1.00
0	138.5	166.0	27.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90227	166.0	167.0	1.0	-1	4L4	52	-1.00	2.26	1.12	1.14	12.0	-1.00	-1.00
0	167.0	176.0	9.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9806	176.0	177.6	1.6	94	4A4	2	3.41	8.50	3.00	5.50	50.0	17.58	-1.00
9807	177.6	179.9	2.3	100	4EA	5	3.42	1.03	.28	.75	17.0	21.75	-1.00
9808	179.9	181.8	1.9	95	4A0	2	3.18	.87	.29	.58	10.0	16.35	-1.00
9809	181.8	183.6	1.8	67	4A0	2	3.38	.70	.14	.56	20.0	21.29	-1.00
9810	183.6	185.0	1.4	100	4EC	5	3.27	1.74	.23	1.51	19.0	18.98	-1.00
9811	185.0	186.4	1.4	86	4AE	2	3.50	1.86	.36	1.50	18.0	23.10	-1.00
0	186.4	198.6	12.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9812	198.6	201.2	2.6	100	4L0	52	-1.00	1.29	.53	.76	10.0	-1.00	-1.00
0	201.2	218.5	17.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9813	218.5	220.5	2.0	100	4L24	52	-1.00	2.54	1.19	1.35	16.0	-1.00	-1.00
0	220.5	245.2	24.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9814	245.2	245.9	.7	86	4EL	5	2.97	15.70	7.20	8.50	61.0	22.67	-1.00
9815	245.9	248.7	2.8	39	4ACL	2	2.87	.52	.22	.30	3.0	5.97	-1.00
9816	248.7	250.6	1.9	100	4L24	52	2.92	.33	.13	.20	2.0	10.00	-1.00
9817	250.6	252.7	2.1	95	4L24	52	2.95	.20	.09	.11	4.0	9.72	-1.00
9818	252.7	254.8	2.1	100	4E48	5	3.25	6.80	3.00	3.80	48.0	33.24	-1.00
9819	254.8	256.6	1.8	100	4E80	5	4.49	2.27	.90	1.37	19.0	41.76	-1.00
9820	256.6	258.5	1.9	95	4E80	5	4.40	2.81	1.83	.98	37.0	39.88	-1.00
9821	258.5	260.3	1.8	100	4E48	5	4.29	10.11	5.21	4.90	77.0	32.46	-1.00
9822	260.3	262.1	1.8	100	4E48	5	4.26	5.70	2.70	3.00	44.0	34.53	-1.00
0	262.1	267.0	4.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9823	267.0	269.0	2.0	45	4A0	2	-1.00	2.46	.81	1.65	17.0	-1.00	-1.00
0	269.0	294.9	25.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9824	294.9	297.0	2.1	100	4AC	2	3.34	3.95	2.80	1.15	36.0	19.70	-1.00

9825	297.0	299.0	2.0	100	4AC	2	-1.00	1.20	.53	.67	14.0	-1.00	-1.00
0	299.0	301.1	2.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA063 Section: W60
 Northing: 5969.5 Easting: 2487.5 Elevation: 1260.7
 Length: 180.0 Core: NQ Record: 95

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	78.7	78.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11034	78.7	80.8	2.1	100	4E8#	5	3.88	2.98	1.60	1.38	31.0	29.52	-1.00
11035	80.8	83.2	2.4	75	4D0	3	3.62	4.17	1.77	2.40	30.0	21.20	-1.00
11036	83.2	85.0	1.8	89	4A3	2	-1.00	1.00	.50	.50	15.0	-1.00	-1.00
11037	85.0	86.9	1.9	95	4A3	2	-1.00	.65	.38	.27	14.0	-1.00	-1.00
11038	86.9	88.7	1.8	100	4A3	2	-1.00	.29	.17	.12	13.0	-1.00	-1.00
11039	88.7	90.4	1.7	100	4A3	2	-1.00	.45	.26	.19	16.0	-1.00	-1.00
11040	90.4	92.2	1.8	100	4C\$	3	-1.00	.28	.12	.16	10.0	-1.00	-1.00
11041	92.2	94.3	2.1	76	4A3	2	-1.00	.54	.21	.33	12.0	-1.00	-1.00
11042	94.3	96.4	2.1	100	4A3	2	-1.00	.40	.13	.27	12.0	-1.00	-1.00
11043	96.4	98.4	2.0	95	4C0	3	-1.00	1.08	.36	.72	15.0	-1.00	-1.00
11067	98.4	100.1	1.7	100	4EL	5	3.47	6.50	2.20	4.30	27.0	18.35	-1.00
11044	100.1	101.4	1.3	100	4E#4	5	4.10	12.30	5.10	7.20	75.0	32.82	-1.00
11045	101.4	102.7	1.3	100	4E#4	5	4.62	12.00	5.30	6.70	79.0	31.38	-1.00
11046	102.7	104.4	1.7	100	4G4#	7	4.70	10.60	3.80	6.80	74.0	15.48	-1.00
11047	104.4	106.1	1.7	100	4G4#	7	4.82	10.90	4.10	6.80	72.0	21.11	-1.00
11048	106.1	107.7	1.6	100	4G4#	7	4.67	10.40	4.40	6.00	70.0	20.10	-1.00
11049	107.7	108.1	.4	75	4E#	5	4.82	10.60	4.30	6.30	71.0	37.32	-1.00
11050	108.1	108.7	.6	100	4K0	6	4.45	1.82	.64	1.18	18.0	37.77	-1.00
11051	108.7	109.9	1.2	42	4E64	5	4.71	13.60	4.90	8.70	79.0	28.64	-1.00
11052	109.9	111.2	1.3	54	4E64	5	4.05	10.40	3.80	6.60	51.0	20.78	-1.00
0	111.2	111.8	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11053	111.8	112.9	1.1	73	4G4	7	4.62	10.80	4.00	6.80	54.0	13.69	-1.00
0	112.9	113.2	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11054	113.2	114.1	.9	100	4C3	3	3.39	4.58	1.68	2.90	25.0	19.26	-1.00
0	114.1	114.6	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11055	114.6	115.4	.8	87	4E1	5	-1.00	.80	.23	.57	14.0	-1.00	-1.00
11056	115.4	117.0	1.6	100	4C3	3	-1.00	.54	.16	.38	10.0	-1.00	-1.00
11057	117.0	118.7	1.7	94	4C3	3	-1.00	.58	.16	.42	10.0	-1.00	-1.00
11058	118.7	120.3	1.6	100	4C3	3	-1.00	1.17	.30	.87	14.0	-1.00	-1.00
11059	120.3	120.7	.4	100	4C#	3	3.75	3.45	1.05	2.40	20.0	25.10	-1.00
11060	120.7	122.2	1.5	87	4C3	3	3.39	2.82	.92	1.90	20.0	18.60	-1.00
11061	122.2	123.4	1.2	92	4C0	3	-1.00	.39	.08	.31	11.0	-1.00	-1.00
11062	123.4	125.5	2.1	100	4A0	2	-1.00	.33	.07	.26	11.0	-1.00	-1.00
11063	125.5	125.9	.4	75	4A0	2	-1.00	.34	.05	.29	11.0	-1.00	-1.00
11064	125.9	128.0	2.1	100	4A0	2	-1.00	.41	.09	.32	11.0	-1.00	-1.00
11065	128.0	130.0	2.0	100	4A0	2	-1.00	.30	.07	.23	10.0	-1.00	-1.00
11066	130.0	130.6	.6	100	4D35	3	3.45	6.60	2.40	4.20	34.0	20.40	-1.00
11068	130.6	131.5	.9	100	4E#4	5	4.59	11.60	4.40	7.20	62.0	34.15	-1.00
11069	131.5	132.2	.7	86	4G4#	7	4.36	12.80	5.80	7.00	74.0	19.76	-1.00
0	132.2	132.8	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11070	132.8	133.7	.9	100	4C\$	3	-1.00	2.80	1.20	1.60	16.0	-1.00	-1.00
0	133.7	145.4	11.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11071	145.4	147.3	1.9	100	4C3	3	3.64	2.12	.97	1.15	15.0	17.01	-1.00

11072	147.3	147.9	.6	83	4E#4	5	4.44	7.60	4.30	3.30	38.0	21.06	-1.00
11073	147.9	149.2	1.3	100	4A0	2	-1.00	.28	.14	.14	9.0	-1.00	-1.00
11074	149.2	150.5	1.3	100	4A0	2	-1.00	.32	.13	.19	10.0	-1.00	-1.00
11075	150.5	151.3	.8	100	4E1	5	-1.00	.46	.17	.29	11.0	-1.00	-1.00
11076	151.3	152.6	1.3	92	4A0	2	-1.00	.17	.05	.12	8.0	-1.00	-1.00
11077	152.6	154.0	1.4	93	4A0	2	-1.00	.97	.43	.54	13.0	-1.00	-1.00
11078	154.0	155.3	1.3	100	4C0	3	-1.00	4.06	2.30	1.76	33.0	-1.00	-1.00
11079	155.3	156.5	1.2	100	4C3	3	4.47	3.63	1.59	2.04	35.0	30.48	-1.00
11080	156.5	158.3	1.8	94	4A0	2	-1.00	.45	.16	.29	9.0	-1.00	-1.00
11081	158.3	159.9	1.6	100	4C83	3	-1.00	2.12	.98	1.14	25.0	-1.00	-1.00
11082	159.9	161.5	1.6	100	4C83	3	4.94	3.01	1.67	1.34	32.0	30.30	-1.00
11083	161.5	163.2	1.7	94	4C83	3	3.83	2.59	1.19	1.40	33.0	25.80	-1.00
11084	163.2	164.8	1.6	100	4C83	3	3.91	2.78	1.30	1.48	31.0	28.50	-1.00
11085	164.8	166.5	1.7	94	4C83	3	3.75	2.91	1.49	1.42	29.0	26.90	-1.00
11086	166.5	167.5	1.0	100	4C3	3	3.31	.72	.35	.37	17.0	19.96	-1.00
11087	167.5	167.9	.4	100	4E64	5	4.40	11.00	4.90	6.10	64.0	23.04	-1.00
11088	167.9	168.6	.7	100	4E14	5	3.65	5.70	2.60	3.10	38.0	22.03	-1.00
11089	168.6	169.3	.7	100	4A3	2	3.59	.32	.13	.19	13.0	23.79	-1.00
11090	169.3	170.0	.7	86	4C3	3	3.72	7.30	3.30	4.00	45.0	24.53	-1.00
11091	170.0	170.5	.5	100	4E8	5	5.50	1.96	.66	1.30	20.0	37.58	-1.00
11092	170.5	172.1	1.6	94	4C0	3	-1.00	3.15	1.35	1.80	29.0	-1.00	-1.00
11093	172.1	174.0	1.9	100	4A0	2	-1.00	.41	.12	.29	10.0	-1.00	-1.00
11094	174.0	176.0	2.0	100	4A0	2	-1.00	.12	.04	.08	10.0	-1.00	-1.00
11095	176.0	178.1	2.1	95	4A0	2	-1.00	.21	.06	.15	13.0	-1.00	-1.00
0	178.1	180.0	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA064 Section: W108
 Northing: 7428.6 Easting: 2854.8 Elevation: 1295.2
 Length: 432.2 Core: NQ Record: 96

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	320.8	320.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92054	320.8	322.1	1.3	100	4QAC	60	-1.00	2.53	.85	1.68	7.2	-1.00	-1.00
0	322.1	322.8	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92055	322.8	324.9	2.1	95	4A0	2	-1.00	2.93	1.13	1.80	15.1	-1.00	-1.00
0	324.9	369.1	44.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92056	369.1	372.1	3.0	20	4L74	52	-1.00	3.44	1.10	2.34	15.1	-1.00	-1.00
0	372.1	385.6	13.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92057	385.6	387.0	1.4	100	4A0	2	-1.00	4.01	1.43	2.58	15.1	-1.00	-1.00
92058	387.0	389.2	2.2	95	4A0	2	-1.00	3.73	1.33	2.40	15.1	-1.00	-1.00
0	389.2	390.9	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92059	390.9	392.7	1.8	56	4A0	2	-1.00	4.58	1.70	2.88	18.2	-1.00	-1.00
92060	392.7	394.2	1.5	100	4A4	2	-1.00	8.92	2.50	6.42	29.1	-1.00	-1.00
92061	394.2	395.7	1.5	100	4A4	2	-1.00	12.37	3.60	8.77	51.4	-1.00	-1.00
92062	395.7	397.3	1.6	94	4A4	2	-1.00	7.38	2.13	5.25	39.4	-1.00	-1.00
92063	397.3	398.8	1.5	80	4A4	2	-1.00	6.43	1.63	4.80	25.4	-1.00	-1.00
0	398.8	432.2	33.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA065 Section: W74
 Northing: 6399.1 Easting: 2669.1 Elevation: 1288.7
 Length: 167.5 Core: NQ Record: 97

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	125.6	125.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92017	125.6	126.5	.9	100	4G4	7	-1.00	20.61	10.50	10.11	115.9	-1.00	-1.00
92018	126.5	128.0	1.5	40	4G#4	7	-1.00	11.64	6.00	5.64	74.7	-1.00	-1.00
92019	128.0	128.9	.9	44	4G#4	7	-1.00	7.26	4.80	2.46	58.6	-1.00	-1.00
92020	128.9	130.5	1.6	62	4G#4	7	-1.00	13.82	8.42	5.40	94.6	-1.00	-1.00
92021	130.5	132.2	1.7	82	4G#4	7	-1.00	10.31	6.53	3.78	84.7	-1.00	-1.00
0	132.2	154.2	22.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9057	154.2	155.4	1.2	100	4D4	3	3.97	24.90	8.50	16.40	198.0	20.42	-1.00
9058	155.4	156.9	1.5	93	4E4	5	4.54	19.70	8.40	11.30	155.0	31.62	-1.00
9059	156.9	158.4	1.5	40	4E4	5	4.26	9.10	4.10	5.00	65.0	34.72	-1.00
9060	158.4	159.8	1.4	93	4A13	2	3.59	13.90	4.40	9.50	77.0	18.67	-1.00
9061	159.8	161.5	1.7	100	4E1	5	4.08	.89	.26	.63	19.0	37.45	-1.00
9062	161.5	163.1	1.6	94	4A3	2	3.64	4.07	1.67	2.40	44.0	26.28	-1.00
9063	163.1	164.3	1.2	92	4A3	2	3.43	1.78	.81	.97	30.0	17.64	-1.00
92022	164.3	165.2	.9	22	4A14	2	-1.00	5.31	3.75	1.56	37.4	-1.00	-1.00
92023	165.2	167.6	2.4	8	4A14	2	-1.00	5.74	4.20	1.54	40.4	-1.00	-1.00

Drill Hole: AGA066 Section: W66
 Northing: 6152.3 Easting: 2674.2 Elevation: 1276.9
 Length: 182.9 Core: NQ Record: 98

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	51.2	51.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9421	51.2	52.6	1.4	100	4A0	2	3.04	4.71	1.71	3.00	35.0	10.48	-1.00
9422	52.6	53.9	1.3	100	4A0	2	3.14	4.37	1.37	3.00	32.0	13.40	-1.00
0	53.9	61.7	7.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9423	61.7	63.4	1.7	100	4A0	2	3.20	3.25	.95	2.30	23.0	13.67	-1.00
0	63.4	64.4	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9424	64.4	66.4	2.0	100	4A4	2	3.24	5.05	2.05	3.00	45.0	8.90	-1.00
9425	66.4	68.3	1.9	95	4A0	2	3.19	4.27	1.17	3.10	25.0	13.17	-1.00
90155	68.3	70.0	1.7	-1	4A4	2	-1.00	6.54	2.10	4.44	23.3	-1.00	-1.00
0	70.0	82.0	12.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9426	82.0	83.5	1.5	100	4E4	5	4.51	14.40	4.90	9.50	79.0	28.57	-1.00
9427	83.5	85.0	1.5	100	4E4	5	4.61	20.20	6.10	14.10	101.0	28.61	-1.00
9428	85.0	86.9	1.9	95	4D43	3	3.84	13.80	5.90	7.90	81.0	15.91	-1.00
9429	86.9	88.6	1.7	53	4A34	2	3.45	10.20	5.20	5.00	83.0	21.66	-1.00
90156	88.6	89.5	.9	-1	4A34	2	-1.00	11.15	5.63	5.52	61.4	-1.00	-1.00
9430	89.5	91.2	1.7	94	4A13	2	3.24	1.31	.38	.93	16.0	15.81	-1.00
9431	91.2	93.0	1.8	72	4A13	2	3.02	1.53	.46	1.07	18.0	11.41	-1.00
9432	93.0	93.3	.3	100	5C\$	44	2.95	2.73	.13	2.60	6.0	8.62	-1.00
9433	93.3	95.1	1.8	22	4A0	2	3.13	1.89	.58	1.31	18.0	13.94	-1.00
9434	95.1	97.1	2.0	45	4A0	2	3.15	2.00	1.00	1.00	25.0	16.00	-1.00
9435	97.1	98.6	1.5	67	4L12	52	3.12	3.85	.35	3.50	10.0	13.80	-1.00
9436	98.6	100.1	1.5	60	4L12	52	3.01	2.14	.46	1.68	11.0	10.73	-1.00
9437	100.1	101.9	1.8	50	4A0	2	2.99	.50	.21	.29	6.0	11.03	-1.00
9438	101.9	103.6	1.7	71	4A0	2	3.12	.64	.16	.48	10.0	12.53	-1.00
9439	103.6	104.9	1.3	92	4DEA4	3	3.52	5.28	1.88	3.40	31.0	22.10	-1.00
9440	104.9	106.2	1.3	100	4DEA4	3	3.59	12.10	5.00	7.10	68.0	18.96	-1.00
90157	106.2	107.2	1.0	-1	4DEA4	3	-1.00	10.47	4.65	5.82	54.4	-1.00	-1.00
9441	107.2	107.8	.6	100	4AE	2	3.37	1.54	.30	1.24	22.0	20.56	-1.00
5341	107.8	109.7	1.9	47	4AE	2	2.83	.75	.27	.48	8.0	-1.00	-1.00
5342	109.7	112.8	3.1	48	4A0	2	2.98	.44	.16	.28	7.0	-1.00	-1.00
5343	112.8	115.8	3.0	80	4A0	2	3.01	1.04	.33	.71	14.0	-1.00	-1.00
5344	115.8	118.9	3.1	29	4A0	2	3.21	1.32	.91	.41	20.0	-1.00	-1.00
5345	118.9	121.9	3.0	80	4A0	2	3.35	.81	.37	.44	12.0	-1.00	-1.00
5346	121.9	125.0	3.1	97	4A0	2	3.13	.41	.13	.28	8.0	-1.00	-1.00
5347	125.0	128.0	3.0	100	4A0	2	3.17	.85	.08	.77	14.0	-1.00	-1.00
5348	128.0	131.0	3.0	100	4A0	2	3.30	.66	.13	.53	17.0	-1.00	-1.00
5349	131.0	134.1	3.1	100	4A0	2	2.93	.74	.15	.59	14.0	-1.00	-1.00
5350	134.1	137.2	3.1	97	4AE	2	2.92	.99	.15	.84	9.0	-1.00	-1.00
5351	137.2	138.7	1.5	100	4A0	2	2.93	1.06	.05	1.01	8.0	-1.00	-1.00
9442	138.7	140.2	1.5	100	4A0	2	3.08	3.45	.05	3.40	8.0	11.70	-1.00
5352	140.2	143.3	3.1	97	4A0	2	2.85	.66	.05	.61	3.0	-1.00	-1.00
9443	143.3	144.8	1.5	100	4A0	2	-1.00	.44	.06	.38	6.0	-1.00	-1.00
5353	144.8	147.8	3.0	100	4A0	2	2.89	.83	.06	.77	4.0	-1.00	-1.00
5354	147.8	149.4	1.6	94	4C0	3	3.03	.17	.07	.10	4.0	-1.00	-1.00

5355	149.4	152.4	3.0	87	4A0	2	2.82	.46	.04	.42	7.0	-1.00	-1.00
5356	152.4	155.4	3.0	70	4A0	2	2.86	.41	.01	.40	3.0	-1.00	-1.00
9444	155.4	156.4	1.0	90	4EA4	5	3.66	16.90	7.20	9.70	126.0	18.30	-1.00
90158	156.4	158.2	1.8	-1	4E#4	5	-1.00	4.75	1.75	3.00	25.4	-1.00	-1.00
90159	158.2	159.6	1.4	-1	4E#4	5	-1.00	12.90	5.70	7.20	72.7	-1.00	-1.00
9445	159.6	160.3	.7	86	4E#4	5	4.21	12.10	5.30	6.80	101.0	30.76	-1.00
0	160.3	162.0	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9446	162.0	162.9	.9	100	4E1	5	4.11	5.10	2.60	2.50	42.0	33.92	-1.00
0	162.9	182.9	20.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA067 Section: W78
 Northing: 6515.7 Easting: 2793.6 Elevation: 1303.3
 Length: 406.8 Core: NQ Record: 99

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	139.3	139.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11492	139.3	140.4	1.1	100	4E41	5	3.84	20.10	7.90	12.20	119.0	16.63	-1.00
11493	140.4	141.6	1.2	92	4E4	5	4.19	29.50	10.60	18.90	178.0	19.33	-1.00
11494	141.6	143.7	2.1	100	4A34	2	3.37	8.70	3.00	5.70	50.0	14.68	-1.00
11495	143.7	144.1	.4	100	4D0	3	3.02	9.50	2.60	6.90	45.0	6.45	-1.00
0	144.1	145.5	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11496	145.5	147.3	1.8	100	4L13	52	3.00	2.18	1.08	1.10	15.0	5.69	-1.00
11497	147.3	149.1	1.8	100	4L13	52	3.04	3.47	1.62	1.85	21.0	6.33	-1.00
11498	149.1	150.9	1.8	94	4L13	52	2.98	3.47	1.17	2.30	17.0	5.18	-1.00
11499	150.9	151.8	.9	78	4L14	52	2.94	5.32	1.72	3.60	33.0	3.66	-1.00
11500	151.8	152.3	.5	100	5C@	44	3.26	5.30	1.10	4.20	21.0	12.65	-1.00
11501	152.3	153.3	1.0	40	4D0	3	3.17	8.00	3.30	4.70	52.0	9.40	-1.00
11502	153.3	155.3	2.0	20	4L134	52	3.10	2.37	.82	1.55	16.0	8.91	-1.00
0	155.3	161.9	6.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11503	161.9	162.5	.6	83	4D0	3	-1.00	6.03	1.73	4.30	32.0	-1.00	-1.00
11504	162.5	163.6	1.1	64	4L0	52	-1.00	1.49	.59	.90	10.0	-1.00	-1.00
0	163.6	166.6	3.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11505	166.6	167.6	1.0	100	4A14	2	2.91	5.62	2.02	3.60	35.0	4.98	-1.00
11506	167.6	168.4	.8	88	4L14	52	3.00	5.45	1.95	3.50	36.0	7.50	-1.00
0	168.4	173.6	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11507	173.6	175.1	1.5	100	4L14	52	3.06	5.27	2.17	3.10	34.0	5.58	-1.00
11508	175.1	177.7	2.6	92	4A1	2	3.04	3.67	1.37	2.30	26.0	5.69	-1.00
11509	177.7	180.3	2.6	96	4A1	2	3.02	4.66	1.66	3.00	31.0	3.87	-1.00
11510	180.3	182.8	2.5	96	4A1	2	2.98	4.20	1.50	2.70	25.0	3.88	-1.00
91574	182.8	184.9	2.1	-1	4A14	2	-1.00	6.23	2.33	3.90	34.0	-1.00	-1.00
11511	184.9	186.5	1.6	100	4A10	2	3.20	4.66	1.76	2.90	39.0	10.91	-1.00
91575	186.5	189.0	2.5	-1	4A14	2	-1.00	6.44	2.18	4.26	33.0	-1.00	-1.00
11512	189.0	190.7	1.7	100	4A1	2	2.95	3.11	.71	2.40	15.0	2.13	-1.00
11513	190.7	192.4	1.7	100	4A1	2	2.89	2.14	.52	1.62	11.0	1.88	-1.00
11514	192.4	194.2	1.8	89	4A14	2	3.02	7.90	2.30	5.60	47.0	3.26	-1.00
91576	194.2	196.0	1.8	-1	4A14	2	-1.00	6.77	2.15	4.62	35.0	-1.00	-1.00
11515	196.0	197.9	1.9	89	4A14	2	3.38	5.83	1.33	4.50	41.0	13.21	-1.00
11516	197.9	199.8	1.9	100	4A14	2	3.25	5.79	1.69	4.10	55.0	10.87	-1.00
11517	199.8	201.7	1.9	95	4A14	2	3.22	8.00	2.30	5.70	62.0	8.41	-1.00
11518	201.7	203.0	1.3	77	4A14	2	3.28	15.40	4.40	11.00	98.0	7.48	-1.00
11519	203.0	204.4	1.4	100	4A14	2	3.46	10.80	3.50	7.30	67.0	11.52	-1.00
0	204.4	205.7	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11520	205.7	207.0	1.3	92	4A34	2	3.56	7.10	2.70	4.40	64.0	16.11	-1.00
11521	207.0	208.3	1.3	77	4A34	2	3.60	12.80	5.20	7.60	84.0	13.85	-1.00
11522	208.3	210.0	1.7	94	4G4	7	4.01	11.40	3.60	7.80	64.0	17.86	-1.00
11523	210.0	210.3	.3	100	4C0	3	3.36	2.25	.53	1.72	16.0	12.66	-1.00
0	210.3	210.6	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11524	210.6	211.7	1.1	100	4A0	2	3.05	3.00	1.16	1.84	22.0	6.03	-1.00
11525	211.7	212.8	1.1	91	4A4	2	3.04	6.60	2.30	4.30	44.0	4.54	-1.00

11526	212.8	213.4	.6	50	4K1	6	4.08	3.22	.72	2.50	21.0	23.54	-1.00
11527	213.4	214.0	.6	100	4A0	2	3.04	4.35	1.45	2.90	28.0	5.69	-1.00
0	214.0	229.2	15.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11528	229.2	230.6	1.4	93	4E14	5	-1.00	12.90	5.40	7.50	111.0	-1.00	-1.00
0	230.6	237.8	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11529	237.8	239.3	1.5	100	4D4	3	3.73	19.50	7.30	12.20	142.0	12.61	-1.00
11530	239.3	240.1	.8	100	4A34	2	3.53	8.80	4.40	4.40	69.0	14.36	-1.00
0	240.1	243.5	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11531	243.5	244.1	.6	83	4A14	2	3.50	7.90	3.60	4.30	53.0	13.98	-1.00
0	244.1	244.8	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11532	244.8	246.3	1.5	100	4A1	2	2.88	1.63	.59	1.04	10.0	5.35	-1.00
11533	246.3	247.8	1.5	73	4A1	2	2.95	2.34	.74	1.60	14.0	6.68	-1.00
0	247.8	277.7	29.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11534	277.7	279.2	1.5	73	4L3	52	-1.00	1.14	.47	.67	6.0	-1.00	-1.00
11535	279.2	280.8	1.6	31	4L3	52	-1.00	3.93	2.20	1.73	18.0	-1.00	-1.00
0	280.8	283.2	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11536	283.2	284.1	.9	100	4L0	52	3.12	1.19	.77	.42	8.0	6.33	-1.00
91573	284.1	285.0	.9	-1	4E64	5	-1.00	10.01	4.13	5.88	60.0	-1.00	-1.00
11537	285.0	287.1	2.1	76	4E64	5	4.70	13.00	5.20	7.80	95.0	32.61	-1.00
11538	287.1	289.0	1.9	89	4A3	2	3.27	4.39	1.89	2.50	33.0	15.19	-1.00
0	289.0	307.5	18.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11539	307.5	310.3	2.8	32	4A1	2	-1.00	1.34	.57	.77	12.0	-1.00	-1.00
11540	310.3	311.5	1.2	8	4A1	2	-1.00	1.86	.48	1.38	13.0	-1.00	-1.00
11541	311.5	313.3	1.8	39	4A1	2	-1.00	.61	.14	.47	3.0	-1.00	-1.00
0	313.3	319.8	6.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11542	319.8	320.8	1.0	90	4L0	52	-1.00	1.06	.29	.77	5.0	-1.00	-1.00
11543	320.8	322.8	2.0	60	4C38	3	3.60	3.56	1.61	1.95	24.0	25.10	-1.00
11544	322.8	324.8	2.0	90	4C38	3	3.51	2.07	.81	1.26	14.0	23.20	-1.00
0	324.8	339.8	15.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11545	339.8	341.3	1.5	80	4A0	2	3.15	4.61	1.51	3.10	23.0	8.02	-1.00
11546	341.3	342.3	1.0	60	4EC#	5	3.51	7.80	3.10	4.70	61.0	2.44	-1.00
11547	342.3	343.7	1.4	86	4A0	2	3.05	3.19	1.10	2.09	17.0	5.40	-1.00
11548	343.7	345.0	1.3	69	4A0	2	3.47	3.05	1.13	1.92	23.0	13.22	-1.00
0	345.0	346.8	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11549	346.8	347.9	1.1	73	4G0	7	3.97	8.00	3.10	4.90	55.0	9.31	-1.00
0	347.9	349.5	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11550	349.5	350.9	1.4	71	4G4#	7	4.42	13.10	5.20	7.90	91.0	12.27	-1.00
11551	350.9	351.3	.4	100	4K4	6	4.05	12.00	4.60	7.40	66.0	14.65	-1.00
11552	351.3	353.3	2.0	90	4E84	5	4.78	6.00	3.60	2.40	48.0	28.30	-1.00
11553	353.3	354.6	1.3	100	4C3#	3	3.67	5.78	4.80	.98	46.0	22.84	-1.00
11554	354.6	355.0	.4	100	4E0	5	4.07	1.28	.70	.58	17.0	25.25	-1.00
0	355.0	373.7	18.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11555	373.7	375.1	1.4	100	4A0	2	-1.00	.36	.20	.16	7.0	-1.00	-1.00
11556	375.1	375.9	.8	100	4C0	3	-1.00	.57	.29	.28	13.0	-1.00	-1.00
11557	375.9	377.2	1.3	69	4A3	2	-1.00	.48	.20	.28	8.0	-1.00	-1.00
0	377.2	406.8	29.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA068 Section: W76
 Northing: 6453.4 Easting: 2794.1 Elevation: 1304.1
 Length: 389.1 Core: NQ Record: 100

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	128.5	128.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90041	128.5	129.8	1.3	100	4E4	5	-1.00	20.33	7.71	12.62	105.9	-1.00	-1.00
7712	129.8	130.5	.7	100	4A43	2	3.28	7.60	2.90	4.70	48.0	12.10	-1.00
7713	130.5	131.0	.5	100	4A31	2	3.28	1.42	.62	.80	16.0	15.25	-1.00
7714	131.0	131.7	.7	100	4L0	52	3.03	1.72	.49	1.23	11.0	8.91	-1.00
7715	131.7	132.0	.3	100	4B4	52	2.90	5.46	2.16	3.30	36.0	3.01	-1.00
7716	132.0	133.0	1.0	90	4A4	2	3.01	9.40	3.20	6.20	60.0	4.47	-1.00
7717	133.0	133.5	.5	100	4L0	52	2.89	1.75	.43	1.32	9.0	5.14	-1.00
7718	133.5	135.5	2.0	50	4A0	2	3.16	4.14	1.34	2.80	24.0	4.92	-1.00
7719	135.5	136.3	.8	100	4L04	52	2.89	3.87	1.67	2.20	27.0	3.34	-1.00
7720	136.3	137.4	1.1	100	4B4	52	3.02	8.70	4.60	4.10	53.0	4.49	-1.00
7721	137.4	138.9	1.5	100	4B4	52	2.90	5.20	2.90	2.30	31.0	3.03	-1.00
7722	138.9	140.0	1.1	100	4C0	3	3.05	4.22	3.30	.92	34.0	7.95	-1.00
7723	140.0	141.3	1.3	100	4C0	3	2.96	4.10	1.80	2.30	31.0	6.01	-1.00
7724	141.3	141.9	.6	83	4A14	2	3.07	9.20	3.30	5.90	51.0	7.17	-1.00
7725	141.9	142.3	.4	100	5D4*	47	2.99	2.03	.33	1.70	10.0	8.43	-1.00
7726	142.3	143.0	.7	71	4A1	2	3.18	.95	.39	.56	15.0	14.99	-1.00
7727	143.0	143.5	.5	100	4D0	3	3.24	5.80	2.30	3.50	42.0	14.26	-1.00
7728	143.5	144.0	.5	80	5C4@	44	2.94	1.21	.50	.71	8.0	7.85	-1.00
7729	144.0	145.0	1.0	100	4D0	3	3.33	8.02	.42	7.60	62.0	12.21	-1.00
7730	145.0	145.6	.6	83	4E14	5	3.62	21.80	7.00	14.80	96.0	14.88	-1.00
7731	145.6	146.9	1.3	100	4A41	2	3.28	11.10	3.40	7.70	57.0	11.72	-1.00
7732	146.9	147.4	.5	80	4D4	3	3.13	5.58	1.98	3.60	33.0	9.78	-1.00
0	147.4	157.0	9.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7733	157.0	158.1	1.1	91	4L14	52	3.52	5.86	1.96	3.90	39.0	18.74	-1.00
7734	158.1	158.5	.4	100	4A34	2	3.02	5.28	1.58	3.70	26.0	7.89	-1.00
0	158.5	163.4	4.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7735	163.4	165.5	2.1	100	4A1	2	2.95	3.32	1.23	2.09	21.0	5.96	-1.00
7736	165.5	167.0	1.5	100	4A14	2	2.91	5.76	1.96	3.80	32.0	4.06	-1.00
7737	167.0	168.9	1.9	95	4A1	2	2.90	3.85	1.45	2.40	26.0	6.11	-1.00
7738	168.9	170.7	1.8	100	4A1	2	2.89	4.48	1.48	3.00	21.0	3.79	-1.00
7739	170.7	173.1	2.4	100	4A13	2	3.30	8.20	2.80	5.40	43.0	13.20	-1.00
7740	173.1	175.9	2.8	96	4A13	2	3.41	8.40	3.00	5.40	53.0	16.58	-1.00
7741	175.9	177.9	2.0	100	4A14	2	2.93	5.43	1.43	4.00	25.0	5.57	-1.00
7742	177.9	179.7	1.8	100	4A14	2	2.94	6.09	2.19	3.90	31.0	3.96	-1.00
7743	179.7	181.6	1.9	100	4A14	2	2.92	5.35	1.25	4.10	21.0	3.95	-1.00
7744	181.6	183.3	1.7	100	4A14	2	2.96	5.37	1.77	3.60	40.0	3.74	-1.00
7745	183.3	185.3	2.0	100	4A14	2	3.11	7.21	1.91	5.30	42.0	5.02	-1.00
7746	185.3	187.3	2.0	90	4A14	2	3.41	11.40	5.00	6.40	74.0	12.70	-1.00
7747	187.3	188.7	1.4	100	4D0	3	3.36	6.16	4.00	2.16	50.0	17.42	-1.00
90042	188.7	190.2	1.5	100	4D0	3	-1.00	8.10	3.30	4.80	40.4	-1.00	-1.00
7748	190.2	191.4	1.2	100	4D45	3	3.59	19.80	6.30	13.50	95.0	13.53	-1.00
7749	191.4	192.9	1.5	80	4D45	3	3.52	15.20	4.60	10.60	75.0	14.18	-1.00
7750	192.9	193.4	.5	100	4A1	2	3.45	4.50	1.00	3.50	22.0	18.77	-1.00

0	193.4	199.9	6.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7751	199.9	201.7	1.8	83	4D4	3	3.38	10.70	5.20	5.50	71.0	11.45	-1.00
7752	201.7	203.5	1.8	100	4A13	2	-1.00	1.54	.47	1.07	14.0	-1.00	-1.00
90043	203.5	205.2	1.7	94	4A4	2	-1.00	15.80	8.00	7.80	110.0	-1.00	-1.00
90044	205.2	206.8	1.6	100	4A4	2	-1.00	23.53	8.15	15.38	121.0	-1.00	-1.00
90045	206.8	208.0	1.2	100	4A4	2	-1.00	8.52	3.30	5.22	64.5	-1.00	-1.00
7753	208.0	209.7	1.7	100	4A0	2	3.18	4.10	1.93	2.17	30.0	10.44	-1.00
7754	209.7	210.6	.9	89	4L0	52	2.96	.11	.04	.07	5.0	5.29	-1.00
7755	210.6	212.3	1.7	100	4A14	2	3.31	5.60	2.70	2.90	39.0	13.82	-1.00
7756	212.3	213.7	1.4	93	4A1	2	3.65	4.81	1.51	3.30	42.0	22.35	-1.00
7757	213.7	215.3	1.6	87	4A1	2	3.40	4.63	1.23	3.40	31.0	16.85	-1.00
90046	215.3	217.4	2.1	100	4A4	2	-1.00	17.44	7.63	9.81	102.8	-1.00	-1.00
90047	217.4	219.3	1.9	100	4A4	2	-1.00	29.23	10.23	19.00	141.2	-1.00	-1.00
90048	219.3	219.9	.6	100	4A4	2	-1.00	22.52	10.06	12.46	121.0	-1.00	-1.00
0	219.9	222.5	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7758	222.5	223.5	1.0	100	4K4	6	3.30	10.10	3.30	6.80	61.0	14.26	-1.00
7759	223.5	224.0	.5	80	4D4	3	3.56	13.50	5.00	8.50	90.0	13.77	-1.00
7760	224.0	225.5	1.5	100	4A14	2	3.44	9.20	4.20	5.00	62.0	14.68	-1.00
0	225.5	241.0	15.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90049	241.0	242.4	1.4	93	4EG4	7	-1.00	10.73	4.73	6.00	75.8	-1.00	-1.00
90050	242.4	244.0	1.6	100	4EG4	7	-1.00	13.40	5.10	8.30	70.6	-1.00	-1.00
7761	244.0	245.7	1.7	100	4A13	2	3.19	4.58	1.98	2.60	26.0	11.25	-1.00
7762	245.7	247.5	1.8	94	4A13	2	3.24	2.67	1.12	1.55	25.0	14.16	-1.00
90051	247.5	249.5	2.0	100	4E4	5	-1.00	16.10	5.63	10.47	75.8	-1.00	-1.00
7763	249.5	250.5	1.0	90	4A13	2	-1.00	2.32	.93	1.39	17.0	-1.00	-1.00
0	250.5	297.6	47.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7764	297.6	298.1	.5	80	4H0	8	-1.00	1.08	.30	.78	32.0	-1.00	-1.00
7765	298.1	299.0	.9	100	4L0	52	-1.00	.15	.04	.11	5.0	-1.00	-1.00
7766	299.0	299.9	.9	89	4C0	3	-1.00	1.16	.55	.61	21.0	-1.00	-1.00
7767	299.9	300.5	.6	100	4E48	5	3.18	9.50	4.10	5.40	50.0	27.90	-1.00
7768	300.5	301.0	.5	80	4C0	3	3.26	3.03	1.11	1.92	19.0	14.60	-1.00
7769	301.0	301.3	.3	100	4E18	5	3.69	8.90	4.70	4.20	48.0	22.00	-1.00
7770	301.3	303.1	1.8	100	4L0	52	3.04	.76	.34	.42	7.0	8.30	-1.00
7771	303.1	304.8	1.7	71	4E1*	5	3.74	5.20	2.70	2.50	26.0	27.14	-1.00
0	304.8	330.4	25.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7772	330.4	332.2	1.8	89	4G4	7	3.97	12.90	5.50	7.40	88.0	13.96	-1.00
7773	332.2	334.0	1.8	94	4G0	7	3.80	9.60	3.90	5.70	69.0	13.32	-1.00
7774	334.0	334.6	.6	100	4G4	7	4.18	12.10	5.00	7.10	94.0	13.51	-1.00
7775	334.6	335.7	1.1	100	4E0	5	4.28	4.80	2.20	2.60	34.0	33.47	-1.00
0	335.7	389.1	53.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA069 Section: W80
 Northing: 6576.7 Easting: 2793.0 Elevation: 1302.5
 Length: 410.3 Core: NQ Record: 101

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	137.8	137.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91022	137.8	138.6	.8	100	4D4	3	-1.00	14.70	6.31	8.39	91.9	-1.00	-1.00
8359	138.6	139.1	.5	100	4C0	3	-1.00	1.82	.77	1.05	24.0	-1.00	-1.00
8360	139.1	140.1	1.0	100	4A3	2	3.59	.72	.35	.37	13.0	24.50	-1.00
8361	140.1	140.7	.6	83	4D4	3	3.92	11.40	6.30	5.10	100.0	23.32	-1.00
8362	140.7	142.5	1.8	94	4C3	3	4.02	1.02	.47	.55	23.0	32.19	-1.00
8363	142.5	143.9	1.4	86	4A3	2	3.50	2.61	1.07	1.54	28.0	21.30	-1.00
0	143.9	144.3	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8364	144.3	146.6	2.3	96	4A4	2	3.41	9.90	3.90	6.00	68.0	14.04	-1.00
8365	146.6	148.3	1.7	100	4A4	2	3.77	7.40	2.50	4.90	45.0	18.22	-1.00
8366	148.3	149.4	1.1	91	4A0	2	3.43	3.00	1.10	1.90	27.0	17.99	-1.00
8367	149.4	151.2	1.8	100	4A4	2	3.24	5.48	1.98	3.50	37.0	10.13	-1.00
8368	151.2	153.0	1.8	100	4L0	52	2.97	.92	.32	.60	6.0	2.96	-1.00
8369	153.0	154.8	1.8	100	4A10	2	2.98	1.17	.69	.48	11.0	6.06	-1.00
8370	154.8	157.1	2.3	96	4A10	2	2.94	1.18	.59	.59	8.0	5.85	-1.00
8371	157.1	159.1	2.0	100	4A10	2	2.93	2.73	.94	1.79	18.0	1.95	-1.00
8372	159.1	160.8	1.7	94	4L4	52	3.04	3.62	1.62	2.00	28.0	4.03	-1.00
91023	160.8	162.2	1.4	-1	4D0	3	-1.00	7.05	2.43	4.62	35.3	-1.00	-1.00
8373	162.2	162.7	.5	100	4L24	52	-1.00	1.65	.39	1.26	9.0	-1.00	-1.00
8374	162.7	164.8	2.1	100	4A10	2	-1.00	2.50	.80	1.70	20.0	-1.00	-1.00
8375	164.8	166.7	1.9	100	4A10	2	-1.00	.73	.25	.48	6.0	-1.00	-1.00
8376	166.7	168.4	1.7	100	4A10	2	-1.00	1.31	.41	.90	8.0	-1.00	-1.00
8377	168.4	168.9	.5	80	5C4*	44	3.12	7.14	1.44	5.70	24.0	6.68	-1.00
8378	168.9	170.0	1.1	100	4A14	2	3.38	6.44	1.84	4.60	34.0	13.55	-1.00
8379	170.0	170.7	.7	100	4L24	52	3.27	1.49	.46	1.03	9.0	8.84	-1.00
0	170.7	172.2	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8380	172.2	174.0	1.8	100	4A14	2	3.28	6.80	2.40	4.40	39.0	10.05	-1.00
8381	174.0	175.9	1.9	95	4A10	2	3.13	3.64	1.74	1.90	29.0	6.71	-1.00
8382	175.9	177.5	1.6	100	4A10	2	3.11	3.01	1.14	1.87	22.0	6.53	-1.00
8383	177.5	179.3	1.8	94	4A14	2	3.11	6.75	1.95	4.80	38.0	1.82	-1.00
8384	179.3	181.1	1.8	100	4A10	2	2.96	4.46	1.46	3.00	28.0	1.17	-1.00
8385	181.1	183.5	2.4	75	4A10	2	3.08	4.01	1.41	2.60	25.0	1.68	-1.00
8386	183.5	184.8	1.3	100	4A10	2	2.98	3.41	1.36	2.05	21.0	1.92	-1.00
8387	184.8	186.8	2.0	90	4A10	2	2.98	1.62	.45	1.17	6.0	1.38	-1.00
8388	186.8	188.7	1.9	95	4A10	2	2.84	4.94	1.84	3.10	34.0	3.72	-1.00
8389	188.7	190.2	1.5	100	4A14	2	3.13	5.71	1.71	4.00	36.0	3.16	-1.00
8390	190.2	191.7	1.5	100	4A14	2	3.00	5.04	1.74	3.30	28.0	1.99	-1.00
8391	191.7	193.8	2.1	86	4A10	2	2.97	3.07	1.05	2.02	18.0	1.30	-1.00
8392	193.8	196.2	2.4	92	4A10	2	2.99	4.12	1.32	2.80	24.0	1.75	-1.00
8393	196.2	198.1	1.9	100	4A14	2	3.01	5.37	1.77	3.60	32.0	1.48	-1.00
8394	198.1	200.2	2.1	95	4A10	2	3.05	4.49	1.39	3.10	30.0	1.61	-1.00
8395	200.2	202.1	1.9	100	4A10	2	3.17	4.84	1.14	3.70	23.0	3.23	-1.00
8396	202.1	204.1	2.0	100	4A10	2	2.98	4.68	1.38	3.30	29.0	2.60	-1.00
8397	204.1	205.7	1.6	100	4A10	2	3.27	2.44	.61	1.83	23.0	13.83	-1.00

8398	205.7	207.3	1.6	100	4A10	2	3.20	3.84	.94	2.90	32.0	12.00	-1.00
91024	207.3	209.2	1.9	95	4A4	2	-1.00	7.88	2.30	5.58	44.2	-1.00	-1.00
8399	209.2	211.2	2.0	100	4CD	3	3.50	3.85	1.55	2.30	32.0	17.72	-1.00
8400	211.2	213.2	2.0	100	4D45	3	3.42	13.50	4.60	8.90	81.0	11.70	-1.00
7951	213.2	215.8	2.6	81	4K4	6	3.27	7.90	2.90	5.00	52.0	10.05	-1.00
7952	215.8	217.8	2.0	100	4K0	6	3.38	2.89	.69	2.20	20.0	16.34	-1.00
7953	217.8	219.9	2.1	100	4K4	6	3.36	9.20	2.60	6.60	35.0	12.18	-1.00
0	219.9	220.2	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91025	220.2	221.4	1.2	75	4AD4	2	-1.00	32.65	8.58	24.07	111.1	-1.00	-1.00
0	221.4	222.1	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7954	222.1	222.5	.4	100	4A0	2	3.02	4.02	1.32	2.70	21.0	6.08	-1.00
0	222.5	222.9	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91026	222.9	223.8	.9	100	4A4	2	-1.00	20.17	5.74	14.43	105.9	-1.00	-1.00
0	223.8	231.3	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91027	231.3	232.2	.9	100	4D4	3	-1.00	28.85	9.25	19.60	145.0	-1.00	-1.00
7955	232.2	234.1	1.9	100	4A14	2	3.50	8.00	3.10	4.90	51.0	17.71	-1.00
7973	234.1	236.0	1.9	100	4A10	2	3.14	4.41	1.81	2.60	34.0	12.57	-1.00
0	236.0	237.7	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7956	237.7	239.4	1.7	94	4A14	2	3.09	8.90	3.70	5.20	63.0	11.30	-1.00
7957	239.4	240.4	1.0	100	5B69	40	2.90	2.17	.42	1.75	8.0	3.22	-1.00
0	240.4	241.8	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7958	241.8	243.4	1.6	100	4A10	2	3.00	3.90	1.40	2.50	23.0	5.96	-1.00
0	243.4	304.6	61.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7959	304.6	305.1	.5	100	4A10	2	3.10	1.77	.66	1.11	17.0	11.05	-1.00
7960	305.1	306.8	1.7	94	4G4#	7	4.45	15.50	5.10	10.40	91.0	22.44	-1.00
7961	306.8	307.8	1.0	90	4E4	5	4.45	6.80	3.10	3.70	56.0	33.70	-1.00
7962	307.8	308.5	.7	71	4G4#	7	4.60	12.90	5.40	7.50	95.0	29.85	-1.00
7963	308.5	309.4	.9	100	4E4	5	4.45	7.40	4.00	3.40	57.0	33.03	-1.00
7964	309.4	309.8	.4	100	4G4#	7	4.57	16.10	7.70	8.40	117.0	29.23	-1.00
7965	309.8	310.7	.9	100	4E4#	5	4.58	10.80	4.90	5.90	78.0	34.15	-1.00
7966	310.7	312.4	1.7	100	4E4#	5	4.23	7.70	3.60	4.10	60.0	33.68	-1.00
91028	312.4	314.2	1.8	100	4E4	5	-1.00	15.08	5.95	9.13	83.6	-1.00	-1.00
91066	314.2	315.3	1.1	100	4E4	5	-1.00	14.99	5.48	9.51	82.6	-1.00	-1.00
0	315.3	315.5	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7967	315.5	317.3	1.8	94	4A14	2	3.18	6.10	2.60	3.50	40.0	14.32	-1.00
7968	317.3	320.3	3.0	100	4A14	2	3.22	6.10	2.70	3.40	41.0	9.54	-1.00
7969	320.3	323.1	2.8	100	4A10	2	3.20	2.16	1.01	1.15	26.0	15.26	-1.00
7970	323.1	326.3	3.2	100	4A10	2	3.04	.90	.41	.49	15.0	14.99	-1.00
0	326.3	334.9	8.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90266	334.9	337.0	2.1	-1	4L2	52	-1.00	2.38	.82	1.56	14.1	-1.00	-1.00
0	337.0	339.5	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90267	339.5	342.6	3.1	-1	4L2	52	-1.00	1.73	.62	1.11	12.0	-1.00	-1.00
0	342.6	350.8	8.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90268	350.8	352.3	1.5	-1	4L1	52	-1.00	.48	.23	.25	2.1	-1.00	-1.00
0	352.3	352.5	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7971	352.5	353.9	1.4	100	4LH	52	3.64	5.00	2.40	2.60	33.0	27.18	-1.00
7972	353.9	355.2	1.3	100	4LH	52	3.41	4.70	2.50	2.20	32.0	24.09	-1.00
0	355.2	410.3	55.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA070 Section: W70
 Northing: 6272.7 Easting: 2732.5 Elevation: 1286.1
 Length: 108.2 Core: NQ Record: 102

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	61.4	61.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90141	61.4	62.0	.6	-1	4A4	2	-1.00	12.58	4.58	8.00	60.3	-1.00	-1.00
9827	62.0	63.2	1.2	100	4A3	2	3.33	4.21	1.61	2.60	33.0	15.70	-1.00
9828	63.2	64.8	1.6	94	4A34	2	3.38	9.50	3.40	6.10	51.0	14.80	-1.00
90143	64.8	66.6	1.8	-1	4AE4	2	-1.00	21.29	6.59	14.70	112.8	-1.00	-1.00
9830	66.6	67.4	.8	100	4AE1	2	2.94	5.28	1.58	3.70	30.0	3.81	-1.00
9831	67.4	67.6	.2	100	5C3	44	2.98	.46	.15	.31	5.0	7.72	-1.00
9832	67.6	69.8	2.2	95	4L14	52	3.00	2.32	.94	1.38	18.0	7.46	-1.00
0	69.8	72.3	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9833	72.3	73.5	1.2	92	4L14	52	2.93	5.80	1.50	4.30	32.0	4.30	-1.00
9834	73.5	75.0	1.5	100	4A14	2	3.03	6.10	1.60	4.50	34.0	5.49	-1.00
9835	75.0	76.4	1.4	86	4A14	2	3.05	8.00	2.30	5.70	41.0	4.60	-1.00
9836	76.4	78.6	2.2	95	4L1	52	3.10	2.07	1.24	.83	30.0	10.92	-1.00
9837	78.6	79.2	.6	100	4L1	52	2.97	4.94	1.44	3.50	33.0	2.66	-1.00
90142	79.2	81.7	2.5	-1	4LA	52	-1.00	6.26	1.88	4.38	30.2	-1.00	-1.00
9839	81.7	83.9	2.2	100	4A1	2	3.10	4.00	1.10	2.90	27.0	8.42	-1.00
9840	83.9	86.1	2.2	100	4A1	2	3.12	4.59	.99	3.60	21.0	10.21	-1.00
9841	86.1	88.4	2.3	100	4A1	2	3.16	3.64	1.04	2.60	22.0	11.10	-1.00
0	88.4	96.8	8.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9842	96.8	98.9	2.1	100	3G2	20	-1.00	1.22	.47	.75	9.0	-1.00	-1.00
0	98.9	108.2	9.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA071 Section: W74
 Northing: 6393.6 Easting: 2731.5 Elevation: 1297.0
 Length: 177.4 Core: NQ Record: 103

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	119.8	119.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9079	119.8	120.6	.8	100	4E4	5	3.94	22.90	7.30	15.60	125.0	20.18	-1.00
91078	120.6	121.6	1.0	100	4E4	5	-1.00	26.91	8.77	18.14	131.0	-1.00	-1.00
9080	121.6	122.7	1.1	73	4A4	2	3.29	11.50	3.70	7.80	61.0	13.52	-1.00
9081	122.7	124.4	1.7	71	4E4	5	4.64	9.80	3.40	6.40	57.0	34.24	-1.00
9082	124.4	126.6	2.2	95	4C0	3	4.29	4.02	1.42	2.60	26.0	7.23	-1.00
9083	126.6	127.9	1.3	85	4C0	3	2.96	4.24	1.34	2.90	22.0	6.31	-1.00
9084	127.9	129.5	1.6	94	4C0	3	2.99	3.35	1.15	2.20	21.0	7.35	-1.00
91079	129.5	130.4	.9	-1	4C0	3	-1.00	3.88	1.48	2.40	22.3	-1.00	-1.00
9085	130.4	131.3	.9	100	4C0	3	2.99	3.52	1.22	2.30	24.0	7.16	-1.00
0	131.3	133.0	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9086	133.0	134.3	1.3	100	4A14	2	3.12	8.14	3.24	4.90	43.0	4.30	-1.00
9087	134.3	136.1	1.8	100	4A1	2	2.65	3.13	.73	2.40	16.0	5.00	-1.00
9088	136.1	137.9	1.8	100	4A1	2	3.11	2.92	1.22	1.70	23.0	9.97	-1.00
9089	137.9	139.7	1.8	94	4A1	2	3.21	3.93	1.23	2.70	28.0	9.67	-1.00
0	139.7	140.4	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9090	140.4	141.1	.7	-1	4A13	2	3.32	3.31	1.46	1.85	33.0	16.19	-1.00
0	141.1	142.8	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9091	142.8	144.3	1.5	87	4A13	2	-1.00	1.20	.30	.90	10.0	-1.00	-1.00
0	144.3	146.3	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9092	146.3	147.3	1.0	100	4A13	2	-1.00	2.51	.93	1.58	26.0	-1.00	-1.00
0	147.3	148.0	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9093	148.0	149.2	1.2	33	4A3	2	-1.00	1.75	.71	1.04	21.0	-1.00	-1.00
0	149.2	159.0	9.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9094	159.0	160.9	1.9	100	4A1	2	3.23	4.50	2.30	2.20	38.0	6.20	-1.00
9095	160.9	162.8	1.9	95	4A1	2	3.01	2.37	1.45	.92	24.0	7.53	-1.00
9096	162.8	164.6	1.8	100	4A1	2	3.06	3.95	2.80	1.15	43.0	6.23	-1.00
9097	164.6	166.5	1.9	89	4A1	2	3.01	3.78	2.50	1.28	37.0	6.53	-1.00
9098	166.5	168.3	1.8	100	4A1	2	3.05	4.63	2.60	2.03	38.0	5.80	-1.00
9099	168.3	170.2	1.9	79	4A1	2	3.16	4.24	2.30	1.94	36.0	7.17	-1.00
9100	170.2	172.1	1.9	95	4A1	2	3.10	3.20	2.01	1.19	28.0	8.80	-1.00
9101	172.1	173.9	1.8	83	4A1	2	3.25	3.29	1.79	1.50	28.0	9.37	-1.00
9102	173.9	175.3	1.4	93	4A1	2	3.01	1.07	.38	.69	10.0	9.50	-1.00
9103	175.3	175.9	.6	100	4A1	2	2.91	.56	.35	.21	8.0	7.00	-1.00
0	175.9	177.4	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA072 Section: W78
 Northing: 6512.5 Easting: 2735.7 Elevation: 1304.4
 Length: 195.1 Core: NQ Record: 104

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	154.3	154.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90371	154.3	156.4	2.1	-1	4AE	2	-1.00	27.64	9.53	18.11	126.1	-1.00	-1.00
90372	156.4	156.7	.3	-1	4AE	2	-1.00	18.09	5.64	12.45	79.5	-1.00	-1.00
11669	156.7	157.4	.7	100	4AE	2	3.60	18.70	5.80	12.90	89.0	11.25	-1.00
11670	157.4	159.5	2.1	100	4A3	2	3.43	4.58	1.58	3.00	34.0	16.53	-1.00
11671	159.5	160.5	1.0	90	4A3	2	3.44	2.31	.88	1.43	26.0	20.38	-1.00
11672	160.5	160.9	.4	100	4A3	2	3.56	4.33	1.33	3.00	32.0	14.72	-1.00
90373	160.9	162.0	1.1	-1	4A34	2	-1.00	6.35	2.15	4.20	30.2	-1.00	-1.00
0	162.0	162.5	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11673	162.5	162.9	.4	75	4C0	3	3.24	2.95	2.60	.35	35.0	10.16	-1.00
0	162.9	163.5	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11674	163.5	163.8	.3	67	4A13	2	3.14	1.84	1.44	.40	26.0	12.98	-1.00
11675	163.8	165.1	1.3	100	4L0	52	3.81	1.17	.37	.80	9.0	4.12	-1.00
11676	165.1	166.2	1.1	82	4L0	52	3.12	1.68	.50	1.18	14.0	6.89	-1.00
11677	166.2	168.2	2.0	90	4L14	52	3.07	3.00	1.11	1.89	21.0	7.82	-1.00
11678	168.2	169.8	1.6	81	4L1	52	2.94	2.18	.60	1.58	20.0	5.69	-1.00
11679	169.8	171.1	1.3	92	4L14	52	3.05	3.57	.97	2.60	20.0	6.15	-1.00
11680	171.1	172.5	1.4	86	4L14	52	3.06	3.38	1.18	2.20	20.0	7.65	-1.00
11681	172.5	173.6	1.1	100	4A1	2	2.89	3.43	1.77	1.66	26.0	3.14	-1.00
11682	173.6	174.7	1.1	100	4L14	52	2.95	5.74	1.74	4.00	36.0	2.94	-1.00
0	174.7	175.8	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11683	175.8	177.0	1.2	83	4L14	52	2.94	3.50	1.00	2.50	20.0	5.20	-1.00
11684	177.0	177.4	.4	100	4A14	2	3.02	6.90	2.90	4.00	44.0	7.52	-1.00
11685	177.4	178.7	1.3	100	4L1	52	2.96	1.94	.64	1.30	12.0	6.48	-1.00
11686	178.7	180.2	1.5	100	4A1	2	2.99	1.28	.41	.87	10.0	8.55	-1.00
11687	180.2	181.7	1.5	87	4A1	2	3.00	1.54	.45	1.09	10.0	8.22	-1.00
11688	181.7	183.1	1.4	100	4A34	2	3.24	6.10	2.70	3.40	42.0	13.55	-1.00
0	183.1	184.0	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11689	184.0	185.3	1.3	85	4A14	2	3.04	3.79	1.19	2.60	27.0	7.95	-1.00
0	185.3	185.5	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90374	185.5	186.2	.7	-1	4A4	2	-1.00	9.71	4.73	4.98	82.6	-1.00	-1.00
0	186.2	194.6	8.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11690	194.6	195.1	.5	100	4A4	2	-1.00	8.40	2.70	5.70	54.0	-1.00	-1.00

Drill Hole: AGA073 Section: W76
 Northing: 6452.7 Easting: 2892.7 Elevation: 1302.2
 Length: 364.1 Core: NQ Record: 105

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	35.7	35.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90052	35.7	36.7	1.0	50	4A0	2	-1.00	1.58	.54	1.04	8.9	-1.00	-1.00
90053	36.7	38.4	1.7	59	4A0	2	-1.00	4.16	1.43	2.73	24.3	-1.00	-1.00
90054	38.4	39.3	.9	67	4A4	2	-1.00	5.02	1.60	3.42	32.2	-1.00	-1.00
90055	39.3	41.1	1.8	39	4A4	2	-1.00	6.15	1.83	4.32	35.3	-1.00	-1.00
90056	41.1	42.7	1.6	50	4A0	2	-1.00	2.68	1.38	1.30	27.4	-1.00	-1.00
0	42.7	46.0	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90057	46.0	46.9	.9	89	4E4	5	-1.00	13.14	3.60	9.54	66.5	-1.00	-1.00
0	46.9	61.4	14.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7200	61.4	62.9	1.5	100	4AL	2	3.06	8.60	2.50	6.10	41.0	9.38	-1.00
7301	62.9	64.2	1.3	100	4AL	2	2.92	6.70	2.40	4.30	41.0	5.13	-1.00
0	64.2	64.6	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7302	64.6	66.4	1.8	100	4A4	2	2.90	6.50	2.30	4.20	40.0	3.42	-1.00
7303	66.4	68.3	1.9	95	4A4	2	2.93	6.80	2.20	4.60	35.0	4.63	-1.00
7304	68.3	70.1	1.8	100	4A4	2	2.79	8.20	3.20	5.00	51.0	7.86	-1.00
7305	70.1	71.9	1.8	100	4A4	2	2.94	7.60	2.40	5.20	40.0	4.73	-1.00
7306	71.9	73.8	1.9	95	4A4	2	2.93	7.30	1.90	5.40	39.0	3.89	-1.00
7307	73.8	75.6	1.8	100	4A0	2	3.09	3.95	1.15	2.80	23.0	9.93	-1.00
90058	75.3	77.1	1.8	94	5C3	44	-1.00	.77	.35	.42	3.1	-1.00	-1.00
0	75.6	75.3	-.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90059	77.1	79.9	2.8	96	4E4	5	-1.00	23.79	8.86	14.93	128.2	-1.00	-1.00
90060	79.9	81.4	1.5	100	4D4	3	-1.00	9.48	4.20	5.28	58.6	-1.00	-1.00
90061	81.4	84.4	3.0	100	4D4	3	-1.00	10.77	3.45	7.32	50.4	-1.00	-1.00
90062	84.4	86.4	2.0	100	4D4	3	-1.00	11.43	4.13	7.30	55.5	-1.00	-1.00
90063	86.4	88.1	1.7	100	4D4	3	-1.00	7.71	1.95	5.76	25.4	-1.00	-1.00
0	88.1	88.9	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90064	88.9	90.5	1.6	75	4A4	2	-1.00	7.01	2.15	4.86	32.2	-1.00	-1.00
90065	90.5	92.4	1.9	95	4A4	2	-1.00	5.56	2.08	3.48	28.1	-1.00	-1.00
90066	92.4	94.2	1.8	100	4A4	2	-1.00	18.51	5.93	12.58	90.8	-1.00	-1.00
90067	94.2	95.3	1.1	64	4A4	2	-1.00	7.94	2.78	5.16	44.2	-1.00	-1.00
90068	95.3	97.4	2.1	43	4A4	2	-1.00	10.61	2.93	7.68	46.3	-1.00	-1.00
0	97.4	98.6	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90069	98.6	99.5	.9	44	5C24	44	-1.00	5.26	1.00	4.26	18.2	-1.00	-1.00
0	99.5	100.1	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90070	100.1	100.6	.5	100	5C24	44	-1.00	9.42	2.40	7.02	39.4	-1.00	-1.00
90071	100.6	103.5	2.9	100	4D4	3	-1.00	16.29	5.84	10.45	88.8	-1.00	-1.00
0	103.5	299.1	195.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7308	299.1	301.3	2.2	100	4AL	2	3.13	6.15	1.85	4.30	31.0	8.83	-1.00
7309	301.3	302.8	1.5	100	4G4#	7	4.22	14.50	6.40	8.10	97.0	16.79	-1.00
7310	302.8	304.5	1.7	76	4ELC	5	3.79	10.00	4.20	5.80	65.0	23.27	-1.00
0	304.5	364.1	59.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA074 Section: W68
 Northing: 6210.9 Easting: 2549.4 Elevation: 1272.9
 Length: 323.1 Core: NQ Record: 106

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	93.9	93.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5001	93.9	95.4	1.5	100	4L0	52	2.90	.47	.25	.22	9.0	-1.00	-1.00
5002	95.4	96.8	1.4	100	4CL	3	3.22	1.38	.86	.52	16.0	-1.00	-1.00
5003	96.8	98.2	1.4	100	4E4	5	3.79	4.48	2.13	2.35	32.0	-1.00	-1.00
0	98.2	98.5	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5004	98.5	100.0	1.5	100	4C3	3	3.85	3.85	2.83	1.02	43.0	-1.00	-1.00
5005	100.0	101.5	1.5	100	4C3	3	3.69	.70	.40	.30	17.0	-1.00	-1.00
5006	101.5	103.0	1.5	100	4C3	3	3.40	.36	.14	.22	14.0	-1.00	-1.00
5007	103.0	104.5	1.5	93	4C3	3	3.59	1.00	.66	.34	21.0	-1.00	-1.00
5008	104.5	106.1	1.6	81	4C3	3	3.64	.24	.11	.13	8.0	-1.00	-1.00
5009	106.1	107.6	1.5	100	4C3	3	3.91	.27	.09	.18	11.0	-1.00	-1.00
5010	107.6	109.1	1.5	100	4C3	3	3.79	.32	.10	.22	11.0	-1.00	-1.00
5011	109.1	110.6	1.5	100	4C3	3	3.91	.54	.14	.40	11.0	-1.00	-1.00
5012	110.6	112.2	1.6	100	4C3	3	3.53	.50	.10	.40	10.0	-1.00	-1.00
5013	112.2	114.3	2.1	100	4LA	52	3.03	.63	.12	.51	7.0	-1.00	-1.00
0	114.3	157.1	42.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5014	157.1	158.7	1.6	100	4C3	3	3.31	1.36	.75	.61	15.0	-1.00	-1.00
0	158.7	160.3	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5015	160.3	161.5	1.2	100	4C8	3	3.67	4.52	2.15	2.37	30.0	-1.00	-1.00
5016	161.5	162.9	1.4	100	4D8	3	3.97	6.61	3.27	3.34	43.0	-1.00	-1.00
5017	162.9	164.3	1.4	100	4A3	2	3.36	.47	.23	.24	7.0	-1.00	-1.00
5018	164.3	165.5	1.2	100	4A3	2	3.48	.29	.14	.15	14.0	-1.00	-1.00
5019	165.5	166.7	1.2	100	4A3	2	3.36	.29	.17	.12	8.0	-1.00	-1.00
5020	166.7	167.9	1.2	100	4A3	2	3.57	.11	.06	.05	11.0	-1.00	-1.00
5021	167.9	169.2	1.3	100	4A3	2	3.34	.40	.14	.26	13.0	-1.00	-1.00
5022	169.2	170.4	1.2	75	4A3	2	3.31	.54	.18	.36	14.0	-1.00	-1.00
5023	170.4	171.3	.9	67	4A3	2	3.34	.42	.16	.26	11.0	-1.00	-1.00
5024	171.3	172.8	1.5	100	4L0	52	3.04	.26	.10	.16	7.0	-1.00	-1.00
5025	172.8	174.1	1.3	100	4L0	52	3.20	4.30	2.08	2.22	27.0	-1.00	-1.00
5026	174.1	175.3	1.2	100	4G4	7	4.07	10.23	4.40	5.83	70.0	-1.00	-1.00
5027	175.3	176.6	1.3	100	4C3	3	3.47	.41	.15	.26	6.0	-1.00	-1.00
0	176.6	178.3	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5028	178.3	179.8	1.5	100	4C3	3	3.41	.77	.20	.57	6.0	-1.00	-1.00
5029	179.8	181.3	1.5	100	4C3	3	3.63	.73	.23	.50	5.0	-1.00	-1.00
0	181.3	181.4	.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5030	181.4	183.0	1.6	100	4C3	3	3.81	.40	.11	.29	8.0	-1.00	-1.00
5031	183.0	184.6	1.6	100	4C3	3	3.50	1.12	.41	.71	12.0	-1.00	-1.00
0	184.6	185.0	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5032	185.0	186.9	1.9	100	4C3	3	3.57	4.04	1.43	2.61	21.0	-1.00	-1.00
0	186.9	187.9	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5033	187.9	189.4	1.5	100	4A3	2	3.52	.50	.12	.38	12.0	-1.00	-1.00
5034	189.4	191.1	1.7	100	4A3	2	3.31	.23	.10	.13	9.0	-1.00	-1.00
5035	191.1	192.6	1.5	100	4A0	2	3.23	.47	.31	.16	11.0	-1.00	-1.00
5036	192.6	194.3	1.7	100	4A0	2	3.24	.42	.17	.25	9.0	-1.00	-1.00

5037	194.3	195.8	1.5	100	4A0	2	3.24	.54	.40	.14	13.0	-1.00	-1.00
5038	195.8	197.5	1.7	100	4A3	2	3.37	.51	.43	.08	17.0	-1.00	-1.00
5039	197.5	199.0	1.5	100	4A3	2	3.48	.34	.09	.25	12.0	-1.00	-1.00
5040	199.0	200.6	1.6	100	4A3	2	3.41	.31	.09	.22	8.0	-1.00	-1.00
5041	200.6	202.1	1.5	100	4A3	2	3.50	.31	.07	.24	9.0	-1.00	-1.00
5042	202.1	203.6	1.5	100	4A3	2	3.31	.58	.40	.18	12.0	-1.00	-1.00
5043	203.6	205.1	1.5	100	4A3	2	3.44	.40	.21	.19	11.0	-1.00	-1.00
5044	205.1	206.7	1.6	69	4A4	2	3.79	5.67	2.69	2.98	40.0	-1.00	-1.00
5045	206.7	208.2	1.5	100	4A3	2	3.33	.43	.28	.15	11.0	-1.00	-1.00
5046	208.2	209.7	1.5	100	4A3	2	3.32	.50	.27	.23	10.0	-1.00	-1.00
5047	209.7	210.9	1.2	100	4A0	2	3.25	1.24	.50	.74	12.0	-1.00	-1.00
5048	210.9	212.0	1.1	100	4A4	2	4.37	14.36	6.63	7.73	100.0	-1.00	-1.00
5049	212.0	213.4	1.4	100	4L5	52	2.96	.36	.18	.18	5.0	-1.00	-1.00
5050	213.4	214.6	1.2	100	4L5	52	3.24	2.74	1.62	1.12	23.0	-1.00	-1.00
0	214.6	223.3	8.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5101	223.3	224.8	1.5	100	4C7	3	3.50	2.93	1.57	1.36	22.0	-1.00	-1.00
0	224.8	290.5	65.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5102	290.5	292.0	1.5	60	4C3	3	3.43	.18	.11	.07	5.0	-1.00	-1.00
5103	292.0	293.4	1.4	64	4C3	3	3.48	.06	.04	.02	4.0	-1.00	-1.00
0	293.4	323.1	29.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA075 Section: W78
 Northing: 6519.0 Easting: 2911.5 Elevation: 1301.2
 Length: 347.8 Core: NQ Record: 107

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	26.2	26.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90462	26.2	27.7	1.5	100	4A4	2	-1.00	7.86	2.28	5.58	40.4	-1.00	-1.00
90463	27.7	29.0	1.3	100	4A4	2	-1.00	5.44	1.60	3.84	26.1	-1.00	-1.00
90464	29.0	30.5	1.5	100	4A4	2	-1.00	6.02	2.00	4.02	31.2	-1.00	-1.00
90465	30.5	32.6	2.1	100	4A4	2	-1.00	5.75	1.85	3.90	30.2	-1.00	-1.00
90466	32.6	35.1	2.5	100	4AL	2	-1.00	4.53	1.23	3.30	15.1	-1.00	-1.00
90467	35.1	36.0	.9	100	4L14	52	-1.00	5.68	2.20	3.48	34.3	-1.00	-1.00
90468	36.0	37.5	1.5	100	4L14	52	-1.00	6.67	2.35	4.32	31.2	-1.00	-1.00
90469	37.5	39.0	1.5	100	4L14	52	-1.00	4.71	1.65	3.06	24.3	-1.00	-1.00
90470	39.0	40.8	1.8	100	4A4	2	-1.00	5.82	1.23	4.59	18.2	-1.00	-1.00
90471	40.8	42.1	1.3	100	4A4	2	-1.00	8.06	2.18	5.88	31.2	-1.00	-1.00
90472	42.1	43.6	1.5	100	4A0	2	-1.00	4.96	1.48	3.48	24.3	-1.00	-1.00
90473	43.6	44.8	1.2	100	4A4	2	-1.00	5.41	1.63	3.78	24.3	-1.00	-1.00
90474	44.8	45.9	1.1	100	4A4	2	-1.00	7.96	2.20	5.76	39.4	-1.00	-1.00
90475	45.9	47.2	1.3	100	5D4a	47	-1.00	2.24	.34	1.90	6.2	-1.00	-1.00
90476	47.2	48.8	1.6	100	4AD	2	-1.00	8.52	3.30	5.22	50.4	-1.00	-1.00
90477	48.8	50.4	1.6	100	4C0	3	-1.00	1.24	.28	.96	5.1	-1.00	-1.00
90478	50.4	51.5	1.1	100	4D0	3	-1.00	8.81	2.93	5.88	45.3	-1.00	-1.00
0	51.5	53.6	2.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90479	53.6	56.7	3.1	100	4A0	2	-1.00	3.56	1.60	1.96	21.3	-1.00	-1.00
90480	56.7	58.8	2.1	100	4A0	2	-1.00	4.84	1.48	3.36	22.3	-1.00	-1.00
90481	58.8	59.6	.8	100	4A4	2	-1.00	6.43	1.93	4.50	34.3	-1.00	-1.00
90482	59.6	61.3	1.7	100	4A4	2	-1.00	12.98	3.90	9.08	64.5	-1.00	-1.00
90483	61.3	62.8	1.5	100	4A4	2	-1.00	8.31	3.15	5.16	43.2	-1.00	-1.00
90484	62.8	64.9	2.1	100	4A4	2	-1.00	10.71	4.35	6.36	57.6	-1.00	-1.00
90485	64.9	67.7	2.8	100	4A4	2	-1.00	5.25	1.95	3.30	30.2	-1.00	-1.00
0	67.7	68.4	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90486	68.4	69.8	1.4	100	4L41	52	-1.00	7.35	2.85	4.50	37.4	-1.00	-1.00
90487	69.8	71.6	1.8	100	4AL	2	-1.00	6.09	2.13	3.96	35.3	-1.00	-1.00
90488	71.6	72.8	1.2	100	4L41	52	-1.00	4.94	1.40	3.54	20.2	-1.00	-1.00
90489	72.8	73.9	1.1	100	4L41	52	-1.00	7.83	2.43	5.40	35.3	-1.00	-1.00
0	73.9	75.1	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90490	75.1	75.9	.8	100	4L41	52	-1.00	6.19	1.45	4.74	20.2	-1.00	-1.00
90491	75.9	77.4	1.5	100	4L41	52	-1.00	14.42	3.60	10.82	50.4	-1.00	-1.00
90492	77.4	78.9	1.5	80	4L41	52	-1.00	10.68	3.60	7.08	60.2	-1.00	-1.00
90493	78.9	80.5	1.6	94	4L41	52	-1.00	9.09	3.45	5.64	51.4	-1.00	-1.00
90494	80.5	82.1	1.6	100	4A41	2	-1.00	11.13	4.05	7.08	56.6	-1.00	-1.00
90495	82.1	84.1	2.0	100	5D4a	47	-1.00	3.28	.70	2.58	9.9	-1.00	-1.00
90496	84.1	85.8	1.7	100	4A4	2	-1.00	12.11	4.43	7.68	60.3	-1.00	-1.00
90497	85.8	87.8	2.0	100	4A4	2	-1.00	6.77	2.33	4.44	34.3	-1.00	-1.00
90498	87.8	89.1	1.3	100	4L14	52	-1.00	10.01	3.53	6.48	47.3	-1.00	-1.00
90499	89.1	90.8	1.7	100	4L14	52	-1.00	13.75	4.99	8.76	70.6	-1.00	-1.00
90500	90.8	91.9	1.1	100	4L14	52	-1.00	11.48	3.68	7.80	48.3	-1.00	-1.00
0	91.9	92.3	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

90501	92.3	93.9	1.6	100	4A4	2	-1.00	5.23	1.63	3.60	24.3	-1.00	-1.00
90502	93.9	96.3	2.4	100	4A0	2	-1.00	4.22	1.10	3.12	15.1	-1.00	-1.00
90503	96.3	97.8	1.5	100	4A4	2	-1.00	9.33	2.25	7.08	34.3	-1.00	-1.00
90504	97.8	99.1	1.3	100	4D0	3	-1.00	9.95	3.23	6.72	40.4	-1.00	-1.00
90505	99.1	100.3	1.2	100	4L14	52	-1.00	10.58	3.98	6.60	52.4	-1.00	-1.00
90506	100.3	103.3	3.0	100	4A4	2	-1.00	20.52	6.09	14.43	80.6	-1.00	-1.00
90507	103.3	104.7	1.4	100	4A43	2	-1.00	12.20	3.23	8.97	53.5	-1.00	-1.00
90508	104.7	106.2	1.5	100	4A43	2	-1.00	7.72	2.38	5.34	35.3	-1.00	-1.00
90509	106.2	107.7	1.5	100	4A43	2	-1.00	11.31	4.95	6.36	59.3	-1.00	-1.00
90510	107.7	108.7	1.0	100	4A43	2	-1.00	8.49	2.85	5.64	45.3	-1.00	-1.00
0	108.7	109.1	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90511	109.1	110.9	1.8	100	4A4	2	-1.00	8.96	3.08	5.88	40.4	-1.00	-1.00
0	110.9	245.0	134.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90512	245.0	246.5	1.5	100	4E4	5	-1.00	21.98	12.75	9.23	171.4	-1.00	-1.00
0	246.5	249.0	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90513	249.0	250.6	1.6	100	4K4	6	-1.00	11.84	6.68	5.16	78.5	-1.00	-1.00
90514	250.6	252.2	1.6	100	4AK	2	-1.00	10.28	6.08	4.20	67.5	-1.00	-1.00
0	252.2	253.0	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90515	253.0	253.6	.6	100	4AD	2	-1.00	15.02	4.13	10.89	59.7	-1.00	-1.00
90516	253.6	254.7	1.1	100	4G4	7	-1.00	11.34	3.90	7.44	57.6	-1.00	-1.00
0	254.7	259.4	4.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90517	259.4	261.4	2.0	100	4G4	7	-1.00	15.90	5.40	10.50	81.6	-1.00	-1.00
90518	261.4	262.5	1.1	100	4AG	2	-1.00	12.73	4.50	8.23	67.5	-1.00	-1.00
0	262.5	262.8	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90519	262.8	264.3	1.5	100	4G4	7	-1.00	12.42	4.80	7.62	70.6	-1.00	-1.00
90520	264.3	264.9	.6	100	4G4	7	-1.00	13.66	5.10	8.56	74.7	-1.00	-1.00
0	264.9	347.8	82.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA076 Section: W80
 Northing: 6576.6 Easting: 2853.8 Elevation: 1301.8
 Length: 407.1 Core: NQ Record: 108

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	113.1	113.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8288	113.1	114.0	.9	100	4D0	3	3.08	5.44	1.84	3.60	23.0	10.21	-1.00
0	114.0	114.8	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8289	114.8	116.0	1.2	42	4C0	3	3.29	3.63	1.23	2.40	26.0	15.80	-1.00
0	116.0	139.5	23.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91029	139.5	140.5	1.0	-1	4G48	7	-1.00	17.35	6.70	10.65	62.4	-1.00	-1.00
91030	140.5	142.1	1.6	-1	4E4	5	-1.00	11.85	4.65	7.20	66.5	-1.00	-1.00
91031	142.1	143.6	1.5	-1	4A4	2	-1.00	9.03	3.75	5.28	52.4	-1.00	-1.00
0	143.6	144.1	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8290	144.1	145.9	1.8	100	4A4	2	3.25	6.30	2.30	4.00	36.0	10.82	-1.00
8291	145.9	147.8	1.9	95	4A4	2	3.14	5.40	2.60	2.80	35.0	9.73	-1.00
8292	147.8	149.3	1.5	93	4A4	2	3.01	4.29	1.99	2.30	30.0	5.64	-1.00
0	149.3	251.3	102.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8293	251.3	252.8	1.5	100	4D4*	3	3.80	23.80	9.60	14.20	175.0	12.29	-1.00
0	252.8	264.7	11.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8294	264.7	265.5	.8	88	4A4	2	-1.00	5.56	1.76	3.80	44.0	-1.00	-1.00
0	265.5	275.1	9.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8295	275.1	276.2	1.1	73	4A4	2	-1.00	8.60	2.40	6.20	52.0	-1.00	-1.00
0	276.2	280.8	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8296	280.8	281.4	.6	83	4A01	2	-1.00	3.72	1.42	2.30	32.0	-1.00	-1.00
0	281.4	281.8	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8297	281.8	283.1	1.3	100	4A01	2	-1.00	3.11	1.53	1.58	30.0	-1.00	-1.00
0	283.1	284.5	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91032	284.5	285.4	.9	100	4A4	2	-1.00	14.62	6.94	7.68	91.9	-1.00	-1.00
0	285.4	285.8	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91033	285.8	287.4	1.6	-1	4D34	3	-1.00	10.10	5.18	4.92	63.4	-1.00	-1.00
0	287.4	292.8	5.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8298	292.8	293.6	.8	87	4G4	7	-1.00	22.90	8.80	14.10	138.0	-1.00	-1.00
0	293.6	337.8	44.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91034	337.8	338.3	.5	-1	4DE4	3	-1.00	18.09	6.44	11.65	68.6	-1.00	-1.00
91035	338.3	339.2	.9	-1	4A10	2	-1.00	.08	.02	.06	1.0	-1.00	-1.00
0	339.2	341.8	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91036	341.8	344.0	2.2	-1	4DE	3	-1.00	5.83	2.35	3.48	35.3	-1.00	-1.00
0	344.0	364.8	20.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91037	364.8	366.5	1.7	-1	4E46	5	-1.00	8.79	4.35	4.44	52.4	-1.00	-1.00
8299	366.5	367.8	1.3	100	4A4L	2	-1.00	2.10	.74	1.36	19.0	-1.00	-1.00
91038	367.8	369.4	1.6	-1	4G0	7	-1.00	6.21	3.15	3.06	40.4	-1.00	-1.00
91039	369.4	370.6	1.2	-1	4G0	7	-1.00	1.31	1.00	.31	12.0	-1.00	-1.00
91040	370.6	372.2	1.6	-1	4EG	7	-1.00	8.33	4.73	3.60	48.3	-1.00	-1.00
91041	372.2	373.4	1.2	-1	4C3	3	-1.00	1.82	1.60	.22	9.9	-1.00	-1.00
91042	373.4	374.4	1.0	-1	4G08	7	-1.00	9.57	5.37	4.20	48.3	-1.00	-1.00
91043	374.4	375.7	1.3	-1	4C3	3	-1.00	.86	.59	.27	11.0	-1.00	-1.00
91044	375.7	377.3	1.6	-1	4G08	7	-1.00	8.69	5.03	3.66	50.4	-1.00	-1.00
91045	377.3	378.7	1.4	-1	4G08	7	-1.00	7.47	4.05	3.42	39.4	-1.00	-1.00

0	378.7	407.1	28.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA077 Section: W64
 Northing: 6092.2 Easting: 2551.0 Elevation: 1267.6
 Length: 305.3 Core: NQ Record: 109

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	115.1	115.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6259	115.1	115.8	.7	100	4L0	52	3.17	1.35	.67	.68	16.0	14.40	-1.00
0	115.8	116.7	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6260	116.7	118.4	1.7	76	4C0	3	3.87	3.46	1.81	1.65	31.0	30.90	-1.00
6261	118.4	119.8	1.4	100	4E0	5	4.35	4.43	2.80	1.63	47.0	39.63	-1.00
6262	119.8	120.1	.3	67	4K4a	6	3.31	4.66	1.96	2.70	59.0	15.75	-1.00
6263	120.1	121.6	1.5	100	4E42	5	4.05	6.50	3.50	3.00	46.0	32.38	-1.00
6264	121.6	123.7	2.1	100	4E1a	5	3.61	1.38	.74	.64	19.0	26.00	-1.00
0	123.7	174.5	50.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6265	174.5	175.0	.5	100	4D0	3	3.44	4.29	2.30	1.99	27.0	21.92	-1.00
6266	175.0	175.4	.4	75	4L2a	52	3.30	2.34	1.22	1.12	23.0	17.96	-1.00
6267	175.4	175.7	.3	100	4CE8	3	4.11	1.34	.66	.68	22.0	34.58	-1.00
6268	175.7	177.4	1.7	71	4A0	2	3.00	.12	.06	.06	3.0	7.89	-1.00
6269	177.4	178.1	.7	100	4A0	2	2.87	.25	.11	.14	4.0	5.95	-1.00
6270	178.1	178.6	.5	80	4E0	5	3.98	2.66	1.54	1.12	34.0	33.81	-1.00
6271	178.6	179.2	.6	100	4L13	52	3.23	1.21	.63	.58	13.0	12.86	-1.00
6272	179.2	179.7	.5	100	4Da	3	3.43	6.70	3.30	3.40	42.0	18.02	-1.00
6273	179.7	180.7	1.0	100	4L23	52	3.22	2.73	1.52	1.21	31.0	14.02	-1.00
6274	180.7	181.8	1.1	82	4E8	5	4.02	2.98	1.72	1.26	35.0	35.28	-1.00
6275	181.8	182.3	.5	80	4CA	3	3.25	.53	.31	.22	9.0	17.53	-1.00
6276	182.3	182.7	.4	100	4A0	2	2.92	.12	.08	.04	4.0	5.38	-1.00
6277	182.7	184.1	1.4	100	4L0	52	2.88	.02	.01	.01	1.0	4.07	-1.00
6278	184.1	185.6	1.5	93	4L0	52	2.94	.09	.02	.07	1.0	4.46	-1.00
6279	185.6	186.2	.6	100	4A0	2	3.02	1.10	.50	.60	9.0	10.14	-1.00
6280	186.2	187.2	1.0	100	4E1	5	4.20	.76	.58	.18	18.0	40.04	-1.00
6281	187.2	189.1	1.9	100	4L14	52	3.50	4.04	1.97	2.07	26.0	21.69	-1.00
6282	189.1	191.1	2.0	100	4L14	52	3.45	3.97	1.93	2.04	25.0	20.96	-1.00
6283	191.1	192.6	1.5	100	4L14	52	3.45	3.73	1.80	1.93	23.0	19.64	-1.00
6284	192.6	194.8	2.2	100	4L14	52	3.43	5.10	2.30	2.80	27.0	21.77	-1.00
6285	194.8	197.8	3.0	100	4L14	52	3.27	3.34	1.84	1.50	23.0	16.27	-1.00
6286	197.8	198.4	.6	100	4A0	2	3.02	1.42	.67	.75	8.0	9.15	-1.00
6287	198.4	199.8	1.4	100	4L14	52	3.78	4.56	2.06	2.50	26.0	23.20	-1.00
6288	199.8	202.1	2.3	100	4L14	52	3.67	5.50	2.60	2.90	32.0	23.60	-1.00
6289	202.1	203.5	1.4	100	4L14	52	3.28	3.10	1.60	1.50	18.0	16.60	-1.00
6290	203.5	204.7	1.2	100	4L12	52	3.25	2.82	1.36	1.46	20.0	14.70	-1.00
0	204.7	237.3	32.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6291	237.3	237.5	.2	100	4E0	5	3.78	.09	.06	.03	7.0	34.10	-1.00
6292	237.5	238.3	.8	100	4A0	2	3.14	.37	.14	.23	5.0	14.82	-1.00
6293	238.3	238.7	.4	100	4E1*8	5	4.15	4.70	3.30	1.40	59.0	36.50	-1.00
6294	238.7	239.1	.4	100	4G08	7	4.24	7.30	3.70	3.60	7.0	35.56	-1.00
6295	239.1	239.6	.5	100	4CLA	3	3.53	2.65	1.48	1.17	26.0	22.16	-1.00
6296	239.6	240.2	.6	100	4L0	52	3.11	.49	.41	.08	9.0	10.94	-1.00
6297	240.2	241.5	1.3	100	4A1	2	3.25	4.25	2.30	1.95	36.0	26.34	-1.00
6298	241.5	243.8	2.3	57	4E68*	5	3.05	6.80	3.50	3.30	51.0	35.20	-1.00

6299	243.8	245.1	1.3	85	4E8*	5	3.90	2.81	1.95	.86	39.0	33.70	-1.00
6300	245.1	246.4	1.3	100	4E8*	5	3.30	3.50	3.00	.50	53.0	33.70	-1.00
6301	246.4	248.3	1.9	79	4AE	2	3.56	.19	.09	.10	5.0	20.92	-1.00
6360	248.3	251.3	3.0	77	5A19	30	-1.00	.06	.03	.03	2.0	-1.00	-1.00
6302	251.3	252.2	.9	100	4A3	2	-1.00	.08	.06	.02	5.0	-1.00	-1.00
6303	252.2	252.8	.6	100	4A0	2	-1.00	.05	.03	.02	2.0	-1.00	-1.00
0	252.8	258.0	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6304	258.0	259.6	1.6	69	4E51	5	-1.00	.08	.06	.02	5.0	-1.00	-1.00
6305	259.6	261.2	1.6	69	4A0	2	-1.00	.10	.07	.03	5.0	-1.00	-1.00
0	261.2	305.3	44.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA078 Section: W78
 Northing: 6515.6 Easting: 2978.2 Elevation: 1301.1
 Length: 310.9 Core: NQ Record: 110

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	51.7	51.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91577	51.7	53.2	1.5	-1	4D4	3	-1.00	14.62	5.40	9.22	90.8	-1.00	-1.00
0	53.2	54.6	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91578	54.6	55.3	.7	-1	4D4	3	-1.00	19.68	6.38	13.30	90.8	-1.00	-1.00
0	55.3	56.8	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91579	56.8	58.0	1.2	-1	4D4	3	-1.00	11.94	3.90	8.04	59.7	-1.00	-1.00
0	58.0	74.6	16.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91580	74.6	76.1	1.5	-1	4D47	3	-1.00	9.83	5.03	4.80	65.5	-1.00	-1.00
0	76.1	78.6	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
81581	78.6	80.8	2.2	-1	4D45	3	-1.00	23.55	8.72	14.83	126.1	-1.00	-1.00
91582	80.8	82.6	1.8	-1	4A4	2	-1.00	6.59	2.45	4.14	37.4	-1.00	-1.00
91583	82.6	84.0	1.4	-1	4D4	3	-1.00	10.74	3.90	6.84	54.5	-1.00	-1.00
91584	84.0	85.3	1.3	-1	4A4	2	-1.00	5.88	1.68	4.20	28.1	-1.00	-1.00
91585	85.3	86.0	.7	-1	4A0	2	-1.00	4.83	1.83	3.00	27.1	-1.00	-1.00
0	86.0	262.7	176.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91586	262.7	263.9	1.2	-1	4G4	7	-1.00	10.50	5.10	5.40	64.5	-1.00	-1.00
0	263.9	264.1	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91587	264.1	264.9	.8	-1	4L42	52	-1.00	5.01	1.83	3.18	25.4	-1.00	-1.00
0	264.9	265.2	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91588	265.2	266.7	1.5	-1	4L42	52	-1.00	4.23	1.23	3.00	20.2	-1.00	-1.00
91589	266.7	267.6	.9	-1	4E4	5	-1.00	10.11	3.75	6.36	75.8	-1.00	-1.00
0	267.6	284.1	16.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91590	284.1	286.1	2.0	-1	4A43	2	-1.00	12.45	5.25	7.20	89.8	-1.00	-1.00
91591	286.1	287.4	1.3	-1	4A30	2	-1.00	4.50	1.50	3.00	20.2	-1.00	-1.00
91592	287.4	289.0	1.6	-1	4A34	2	-1.00	5.12	1.88	3.24	24.3	-1.00	-1.00
91593	289.0	290.2	1.2	-1	4A34	2	-1.00	5.62	1.90	3.72	26.1	-1.00	-1.00
91594	290.2	291.4	1.2	-1	4A30	2	-1.00	2.33	1.15	1.18	20.2	-1.00	-1.00
91595	291.4	293.5	2.1	-1	4A34	2	-1.00	6.18	1.80	4.38	31.2	-1.00	-1.00
91596	293.5	294.1	.6	-1	4L0	52	-1.00	1.53	.59	.94	8.2	-1.00	-1.00
0	294.1	310.8	16.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA079 Section: W80
 Northing: 6582.2 Easting: 2913.7 Elevation: 1301.6
 Length: 419.1 Core: NQ Record: 111

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	61.7	61.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8189	61.7	63.7	2.0	100	4A14	2	2.89	5.43	1.53	3.90	36.0	1.99	-1.00
8190	63.7	65.7	2.0	100	4A14	2	2.98	7.07	2.77	4.30	42.0	21.29	-1.00
0	65.7	74.7	9.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8191	74.7	76.3	1.6	81	4D0	3	2.89	5.11	2.01	3.10	38.0	4.61	-1.00
0	76.3	78.7	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8192	78.7	80.0	1.3	100	4A14	2	2.95	5.75	1.85	3.90	36.0	4.30	-1.00
0	80.0	80.8	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8193	80.8	82.1	1.3	100	4C0	3	2.94	4.64	1.34	3.30	29.0	4.29	-1.00
8194	82.1	83.5	1.4	93	4A4	2	3.06	5.95	1.85	4.10	35.0	7.01	-1.00
0	83.5	85.3	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8195	85.3	86.3	1.0	80	4A4	2	3.14	7.36	2.26	5.10	42.0	10.31	-1.00
0	86.3	89.3	3.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91046	89.3	90.8	1.5	100	4A4	2	-1.00	8.76	3.30	5.46	45.3	-1.00	-1.00
91047	90.8	92.5	1.7	100	4A4	2	-1.00	8.33	2.93	5.40	37.4	-1.00	-1.00
91048	92.5	96.0	3.5	40	4A4	2	-1.00	6.95	4.13	2.82	44.2	-1.00	-1.00
91049	96.0	97.4	1.4	93	4A0	2	-1.00	3.52	1.58	1.94	25.4	-1.00	-1.00
91050	97.4	99.4	2.0	100	4A0	2	-1.00	3.81	1.35	2.46	23.3	-1.00	-1.00
91051	99.4	100.9	1.5	100	4A4	2	-1.00	6.76	2.50	4.26	35.3	-1.00	-1.00
91052	100.9	102.4	1.5	-1	4A0	2	-1.00	4.48	1.48	3.00	21.3	-1.00	-1.00
91053	102.4	104.5	2.1	86	4A4	2	-1.00	6.04	1.90	4.14	29.1	-1.00	-1.00
0	104.5	106.8	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91054	106.8	109.7	2.9	90	4A0	2	-1.00	2.77	.93	1.84	15.1	-1.00	-1.00
0	109.7	114.1	4.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91055	114.1	115.7	1.6	94	4A0	2	-1.00	4.79	1.19	3.60	20.2	-1.00	-1.00
91056	115.7	116.9	1.2	100	4A4	2	-1.00	9.78	4.50	5.28	60.3	-1.00	-1.00
0	116.9	118.1	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91057	118.1	119.5	1.4	93	4D0	3	-1.00	9.26	2.78	6.48	49.4	-1.00	-1.00
91058	119.5	121.7	2.2	100	4DE	3	-1.00	17.09	6.17	10.92	100.8	-1.00	-1.00
0	121.7	286.5	164.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91059	286.5	287.6	1.1	91	4AC	2	-1.00	2.59	.85	1.74	12.0	-1.00	-1.00
91060	287.6	289.4	1.8	100	4AD	2	-1.00	6.49	2.23	4.26	39.4	-1.00	-1.00
0	289.4	289.8	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91061	289.8	291.8	2.0	95	4A4	2	-1.00	5.88	2.28	3.60	36.3	-1.00	-1.00
91062	291.8	292.4	.6	100	4A0	2	-1.00	4.79	2.33	2.46	28.1	-1.00	-1.00
0	292.4	344.6	52.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91063	344.6	346.3	1.7	94	4E48	5	-1.00	11.24	5.84	5.40	61.4	-1.00	-1.00
8196	346.3	347.8	1.5	100	4G48	7	4.60	15.50	8.20	7.30	106.0	22.56	-1.00
8197	347.8	349.3	1.5	100	4G48	7	4.31	10.53	5.13	5.40	64.0	22.69	-1.00
8198	349.3	350.5	1.2	100	4G48	7	4.35	13.25	5.95	7.30	75.0	24.96	-1.00
8199	350.5	352.0	1.5	100	4G48	7	4.63	10.60	4.20	6.40	54.0	24.05	-1.00
8200	352.0	353.6	1.6	94	4G48	7	4.47	10.10	4.00	6.10	58.0	19.58	-1.00
8081	353.6	355.5	1.9	100	4G48	7	4.34	10.00	4.00	6.00	58.0	16.68	-1.00
0	355.5	419.1	63.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA080 Section: W78
 Northing: 6514.0 Easting: 3040.4 Elevation: 1300.0
 Length: 346.3 Core: NQ Record: 112

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	264.9	264.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11967	264.9	266.7	1.8	94	4A0	2	2.98	2.06	.51	1.55	10.0	12.02	-1.00
11968	266.7	268.2	1.5	100	4A0	2	2.98	3.01	1.01	2.00	20.0	9.69	-1.00
11969	268.2	270.1	1.9	95	4A0	2	2.93	2.82	.98	1.84	18.0	8.23	-1.00
0	270.1	346.3	76.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA081 Section: W62
 Northing: 6035.0 Easting: 2549.0 Elevation: 1264.8
 Length: 273.7 Core: NQ Record: 113

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	54.6	54.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8514	54.6	56.7	2.1	100	4LC	52	3.39	4.45	1.85	2.60	27.0	15.86	-1.00
8515	56.7	57.8	1.1	100	4E*8	5	3.99	5.10	2.70	2.40	42.0	32.84	-1.00
8516	57.8	59.3	1.5	93	4A3	2	3.56	.49	.19	.30	13.0	25.23	-1.00
8517	59.3	60.4	1.1	82	5D4*	47	3.10	.92	.27	.65	8.0	10.50	-1.00
8518	60.4	61.9	1.5	60	4E15	5	3.98	.89	.45	.44	18.0	30.87	-1.00
8519	61.9	63.4	1.5	47	4E15	5	4.30	12.10	5.50	6.60	76.0	27.91	-1.00
8520	63.4	64.3	.9	100	4E#G4	7	4.91	25.40	13.60	11.80	179.0	25.67	-1.00
8521	64.3	65.7	1.4	36	4L31	52	3.60	3.68	1.72	1.96	33.0	21.90	-1.00
8522	65.7	67.1	1.4	64	4L31	52	3.45	1.95	1.08	.87	19.0	20.69	-1.00
8523	67.1	68.3	1.2	92	4E4	5	4.69	19.70	9.40	10.30	126.0	29.75	-1.00
8524	68.3	69.6	1.3	38	4E4	5	4.78	13.10	5.70	7.40	77.0	35.20	-1.00
8525	69.6	71.1	1.5	67	4E#4	5	4.69	.34	.15	.19	6.0	32.32	-1.00
0	71.1	173.2	102.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8526	173.2	173.8	.6	83	4E0	5	4.14	17.20	8.80	8.40	122.0	37.10	-1.00
8527	173.8	174.3	.5	100	4C#7	3	3.57	2.89	1.26	1.63	27.0	23.34	-1.00
8528	174.3	175.6	1.3	100	4CE8	3	3.64	4.39	1.99	2.40	32.0	24.42	-1.00
8529	175.6	176.9	1.3	100	4CE8	3	3.55	3.98	1.88	2.10	29.0	21.51	-1.00
8530	176.9	177.8	.9	100	4L1	52	3.27	2.75	1.17	1.58	21.0	15.31	-1.00
0	177.8	184.3	6.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8531	184.3	185.8	1.5	100	4E*6	5	3.54	4.86	2.06	2.80	38.0	21.39	-1.00
8532	185.8	187.5	1.7	100	4E*1	5	3.45	4.39	2.09	2.30	32.0	18.47	-1.00
0	187.5	188.1	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8533	188.1	190.3	2.2	95	4E*1	5	3.43	4.25	1.85	2.40	25.0	17.28	-1.00
8534	190.3	192.4	2.1	100	4E*1	5	3.29	3.51	1.67	1.84	23.0	12.74	-1.00
8535	192.4	193.1	.7	100	4A3	2	3.45	4.36	1.86	2.50	29.0	19.05	-1.00
0	193.1	273.7	80.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA082 Section: W78
 Northing: 6516.4 Easting: 2859.2 Elevation: 1301.7
 Length: 364.1 Core: NQ Record: 114

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	97.5	97.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91597	97.5	98.3	.8	-1	4D7	3	-1.00	7.82	2.78	5.04	20.2	-1.00	-1.00
0	98.3	102.2	3.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91598	102.2	103.9	1.7	-1	4C0	3	-1.00	4.86	1.80	3.06	28.5	-1.00	-1.00
91599	103.9	105.2	1.3	-1	4D0	3	-1.00	5.40	1.98	3.42	28.5	-1.00	-1.00
0	105.2	114.3	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90377	114.3	115.8	1.5	-1	4A4	2	-1.00	5.23	1.63	3.60	33.3	-1.00	-1.00
0	115.8	118.7	2.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91600	118.7	120.7	2.0	-1	4E4	5	-1.00	16.52	6.15	10.37	91.9	-1.00	-1.00
0	120.7	121.8	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91601	121.8	123.4	1.6	-1	4D0	3	-1.00	5.38	2.08	3.30	44.2	-1.00	-1.00
91602	123.4	124.9	1.5	-1	4D0	3	-1.00	5.17	2.05	3.12	44.2	-1.00	-1.00
0	124.9	137.1	12.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91603	137.1	138.9	1.8	-1	4AE	2	-1.00	9.75	3.30	6.45	41.5	-1.00	-1.00
0	138.9	273.4	134.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91604	273.4	274.1	.7	-1	4G4	7	-1.00	14.12	4.72	9.40	90.8	-1.00	-1.00
0	274.1	292.2	18.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91605	292.2	293.7	1.5	-1	4A4	2	-1.00	7.97	3.53	4.44	54.5	-1.00	-1.00
91606	293.7	295.2	1.5	-1	4A4	2	-1.00	6.67	2.23	4.44	33.3	-1.00	-1.00
0	295.2	320.7	25.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91607	320.7	322.2	1.5	-1	4E46	5	-1.00	11.27	4.92	6.35	72.7	-1.00	-1.00
0	322.2	327.2	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91608	327.2	328.7	1.5	-1	4E48	5	-1.00	7.46	4.28	3.18	45.3	-1.00	-1.00
91609	328.7	330.3	1.6	-1	4D0	3	-1.00	5.32	3.98	1.34	40.4	-1.00	-1.00
91610	330.3	331.8	1.5	-1	4E81	5	-1.00	3.24	1.38	1.86	16.1	-1.00	-1.00
91611	331.8	333.3	1.5	-1	4E81	5	-1.00	2.90	1.34	1.56	19.2	-1.00	-1.00
90375	333.3	334.8	1.5	-1	4E81	5	-1.00	5.98	2.20	3.78	23.3	-1.00	-1.00
90376	334.8	336.3	1.5	-1	4C78	3	-1.00	4.18	1.45	2.73	18.2	-1.00	-1.00
0	336.3	364.1	27.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA083 Section: W72
 Northing: 6330.3 Easting: 2549.1 Elevation: 1278.5
 Length: 360.8 Core: NQ Record: 115

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	138.2	138.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92024	138.2	140.8	2.6	100	4E4	5	-1.00	8.86	5.20	3.66	72.7	-1.00	-1.00
0	140.8	141.3	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92025	141.3	144.3	3.0	100	4E4	5	-1.00	6.65	3.53	3.12	44.2	-1.00	-1.00
6782	144.3	145.1	.8	100	4C0	3	3.25	2.71	1.21	1.50	19.0	14.90	-1.00
0	145.1	192.3	47.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6783	192.3	192.6	.3	100	5B69	40	2.97	5.30	1.70	3.60	29.0	4.50	-1.00
6784	192.6	193.6	1.0	90	4D0	3	3.52	5.05	2.15	2.90	39.0	19.50	-1.00
6785	193.6	194.0	.4	100	4E4	5	4.52	7.70	3.50	4.20	51.0	33.40	-1.00
6786	194.0	194.5	.5	100	4C0	3	3.56	2.05	1.10	.95	18.0	20.40	-1.00
6787	194.5	195.9	1.4	100	4A13	2	3.39	.35	.15	.20	10.0	15.67	-1.00
6788	195.9	197.3	1.4	100	4A13	2	3.38	.73	.48	.25	13.0	14.80	-1.00
6789	197.3	197.8	.5	100	4E1a	5	4.33	2.96	1.49	1.47	18.0	19.94	-1.00
0	197.8	222.2	24.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6790	222.2	223.8	1.6	100	4E#8	5	-1.00	1.92	1.00	.92	25.0	-1.00	-1.00
6791	223.8	225.9	2.1	100	4A1	2	-1.00	.30	.20	.10	10.0	-1.00	-1.00
0	225.9	238.4	12.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6792	238.4	240.4	2.0	100	4A1	2	-1.00	.36	.07	.29	6.0	-1.00	-1.00
90176	240.4	241.1	.7	100	4A1	2	-1.00	.56	.10	.46	5.1	-1.00	-1.00
0	241.1	254.5	13.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6793	254.5	255.8	1.3	100	4E0	5	-1.00	.15	.10	.05	6.0	-1.00	-1.00
6794	255.8	257.1	1.3	100	4E0	5	-1.00	.32	.14	.18	8.0	-1.00	-1.00
0	257.1	258.6	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6795	258.6	260.0	1.4	100	4E15	5	-1.00	1.27	1.13	.14	26.0	-1.00	-1.00
6796	260.0	261.5	1.5	93	4A0	2	3.54	3.63	1.73	1.90	34.0	20.50	-1.00
6797	261.5	263.3	1.8	94	4A0	2	3.48	2.54	1.10	1.44	23.0	18.10	-1.00
0	263.3	273.5	10.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6798	273.5	274.0	.5	100	4A0	2	-1.00	1.17	1.07	.10	20.0	-1.00	-1.00
0	274.0	360.8	86.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA084 Section: W78
 Northing: 6516.8 Easting: 2611.6 Elevation: 1297.3
 Length: 456.6 Core: NQ Record: 116

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	148.7	148.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11701	148.7	149.2	.5	100	4E8	5	-1.00	2.06	1.20	.86	27.0	-1.00	-1.00
0	149.2	151.2	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11702	151.2	152.4	1.2	92	4E\$	5	3.37	2.00	.98	1.02	25.0	21.40	-1.00
11703	152.4	153.2	.8	87	4E1#	5	3.48	3.21	1.53	1.68	40.0	22.10	-1.00
11704	153.2	153.5	.3	67	4E4	5	3.65	15.10	6.90	8.20	72.0	18.16	-1.00
0	153.5	200.4	46.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11705	200.4	201.1	.7	71	4E1	5	-1.00	.75	.35	.40	13.0	-1.00	-1.00
0	201.1	215.5	14.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11706	215.5	215.6	.1	100	4A0	2	-1.00	3.13	.43	2.70	14.0	-1.00	-1.00
90367	215.6	216.7	1.1	-1	4L14	52	-1.00	7.94	3.08	4.86	45.3	-1.00	-1.00
90368	216.7	219.2	2.5	-1	4G4	7	-1.00	14.51	5.63	8.88	91.9	-1.00	-1.00
11709	219.2	220.5	1.3	100	4A0	2	-1.00	1.12	.39	.73	9.0	-1.00	-1.00
0	220.5	253.4	32.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90369	253.4	254.6	1.2	-1	5B49	40	-1.00	3.14	1.30	1.84	20.2	-1.00	-1.00
90370	254.6	255.8	1.2	-1	4E47	5	-1.00	10.03	4.93	5.10	54.5	-1.00	-1.00
11712	255.8	256.2	.4	75	4C75	3	-1.00	4.37	1.67	2.70	37.0	-1.00	-1.00
11713	256.2	257.9	1.7	100	4A13	2	-1.00	.36	.14	.22	7.0	-1.00	-1.00
11714	257.9	258.3	.4	100	4E1	5	-1.00	2.37	1.12	1.25	27.0	-1.00	-1.00
11715	258.3	258.8	.5	100	4G0	7	-1.00	2.75	1.38	1.37	26.0	-1.00	-1.00
11716	258.8	259.1	.3	100	4E17	5	-1.00	1.46	.81	.65	24.0	-1.00	-1.00
0	259.1	277.8	18.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11717	277.8	277.9	.1	100	4E17	5	3.78	3.99	1.79	2.20	43.0	32.10	-1.00
11718	277.9	278.6	.7	100	4L0	52	3.36	2.16	1.11	1.05	24.0	20.00	-1.00
11719	278.6	279.8	1.2	100	4K81	6	3.78	2.47	1.21	1.26	27.0	29.60	-1.00
11720	279.8	280.1	.3	100	4K1	6	-1.00	.39	.27	.12	17.0	-1.00	-1.00
11721	280.1	280.6	.5	80	4A1	2	-1.00	.30	.20	.10	7.0	-1.00	-1.00
11722	280.6	281.0	.4	100	4K1	6	-1.00	.87	.51	.36	18.0	-1.00	-1.00
0	281.0	282.7	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11723	282.7	283.6	.9	89	4E1	5	-1.00	.38	.07	.31	6.0	-1.00	-1.00
11724	283.6	284.4	.8	75	4A0	2	-1.00	.55	.08	.47	4.0	-1.00	-1.00
11725	284.4	286.7	2.3	100	4K1	6	-1.00	.41	.22	.19	13.0	-1.00	-1.00
11726	286.7	287.7	1.0	90	4A1	2	-1.00	1.90	.66	1.24	15.0	-1.00	-1.00
0	287.7	314.1	26.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11727	314.1	316.0	1.9	95	4A31	2	-1.00	.34	.07	.27	7.0	-1.00	-1.00
0	316.0	318.5	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11728	318.5	318.8	.3	67	4G8	7	3.95	5.90	3.20	2.70	42.0	28.40	-1.00
11729	318.8	319.1	.3	67	4L12	52	3.62	4.29	2.70	1.59	40.0	25.10	-1.00
11730	319.1	319.3	.2	100	4C0	3	3.40	4.56	2.70	1.86	39.0	20.20	-1.00
0	319.3	456.6	137.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA085 Section: W82
 Northing: 6637.6 Easting: 2732.3 Elevation: 1307.6
 Length: 431.0 Core: NQ Record: 117

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	181.4	181.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12579	181.4	184.7	3.3	-1	4A4	2	3.27	7.28	2.42	4.86	43.0	13.37	-1.00
12580	184.7	185.9	1.2	-1	4C0	3	3.07	2.47	.81	1.66	16.0	13.34	-1.00
12581	185.9	187.3	1.4	-1	4A4	2	3.14	5.65	1.85	3.80	33.0	9.07	-1.00
12582	187.3	189.3	2.0	-1	4A0	2	2.98	2.42	.78	1.64	15.0	6.75	-1.00
12583	189.3	191.1	1.8	-1	4A0	2	2.89	3.94	1.32	2.62	24.0	3.80	-1.00
12584	191.1	192.9	1.8	-1	4A0	2	2.87	2.94	1.34	1.60	23.0	3.58	-1.00
12585	192.9	195.1	2.2	-1	4A0	2	2.93	2.93	1.33	1.60	24.0	5.49	-1.00
12586	195.1	196.9	1.8	-1	4A0	2	-1.00	1.17	.52	.65	13.0	-1.00	-1.00
90414	196.9	198.9	2.0	-1	4C0	3	-1.00	.87	.25	.62	6.2	-1.00	-1.00
90415	198.9	201.9	3.0	-1	4C0	3	-1.00	1.48	.40	1.08	8.9	-1.00	-1.00
90416	201.9	205.0	3.1	-1	4C5	3	-1.00	1.77	.83	.94	13.0	-1.00	-1.00
90417	205.0	208.0	3.0	-1	4C5	3	-1.00	1.11	.43	.68	5.1	-1.00	-1.00
90418	208.0	211.1	3.1	-1	4C5	3	-1.00	1.58	.44	1.14	6.2	-1.00	-1.00
90419	211.1	214.1	3.0	-1	4C0	3	-1.00	1.54	.44	1.10	5.1	-1.00	-1.00
90420	214.1	217.2	3.1	-1	4C0	3	-1.00	1.96	.80	1.16	12.0	-1.00	-1.00
90421	217.2	218.8	1.6	-1	4D0	3	-1.00	8.30	2.48	5.82	34.3	-1.00	-1.00
0	218.8	219.9	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90422	219.9	221.9	2.0	-1	3G0	20	-1.00	.52	.19	.33	1.0	-1.00	-1.00
90423	221.9	224.5	2.6	-1	3G0	20	-1.00	.70	.22	.48	2.1	-1.00	-1.00
12587	224.5	225.4	.9	-1	4C5	3	2.84	2.90	1.07	1.83	17.0	2.94	-1.00
12588	225.4	228.1	2.7	-1	4C5	3	2.88	4.05	1.73	2.32	29.0	5.39	-1.00
12589	228.1	230.4	2.3	-1	4D5	3	2.99	5.75	2.98	2.77	48.0	3.72	-1.00
12590	230.4	232.3	1.9	-1	4C5	3	2.93	2.66	2.11	.55	28.0	3.07	-1.00
12591	232.3	234.1	1.8	-1	4C5	3	2.89	4.67	2.46	2.21	31.0	2.32	-1.00
12592	234.1	235.9	1.8	-1	4C5	3	2.86	4.58	1.31	3.27	21.0	1.86	-1.00
12593	235.9	237.7	1.8	-1	4C5	3	2.97	2.59	1.00	1.59	14.0	2.96	-1.00
12594	237.7	239.6	1.9	-1	4C5	3	3.00	3.05	1.45	1.60	23.0	3.67	-1.00
90449	239.6	242.8	3.2	-1	4D5	3	-1.00	6.96	3.00	3.96	36.3	-1.00	-1.00
12595	242.8	244.6	1.8	-1	4C5	3	2.98	5.46	2.26	3.20	35.0	3.48	-1.00
12596	244.6	246.1	1.5	-1	4C5	3	2.98	4.02	1.32	2.70	26.0	4.96	-1.00
12597	246.1	246.9	.8	-1	4C0	3	-1.00	2.26	.63	1.63	9.0	-1.00	-1.00
0	246.9	258.0	11.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90424	258.0	261.1	3.1	-1	4C0	3	-1.00	1.70	.60	1.10	9.9	-1.00	-1.00
90425	261.1	262.7	1.6	-1	4C0	3	-1.00	.99	.38	.61	7.2	-1.00	-1.00
90426	262.7	264.6	1.9	-1	4A4	2	-1.00	7.79	3.83	3.96	47.3	-1.00	-1.00
90427	264.6	266.2	1.6	-1	4A4	2	-1.00	6.10	2.38	3.72	30.2	-1.00	-1.00
90428	266.2	268.6	2.4	-1	4A4	2	-1.00	10.13	4.73	5.40	65.5	-1.00	-1.00
90429	268.6	270.6	2.0	-1	4A0	2	-1.00	2.66	.98	1.68	17.1	-1.00	-1.00
90430	270.6	273.6	3.0	-1	4C0	3	-1.00	.62	.34	.28	6.2	-1.00	-1.00
90431	273.6	277.7	4.1	-1	4A0	2	-1.00	2.62	1.20	1.42	23.3	-1.00	-1.00
0	277.7	281.6	3.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90432	281.6	284.7	3.1	-1	4A30	2	-1.00	2.78	1.38	1.40	21.3	-1.00	-1.00
0	284.7	288.6	3.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

12598	288.6	290.8	2.2	-1	4A0	2	-1.00	2.03	.88	1.15	22.0	-1.00	-1.00
12599	290.8	292.9	2.1	-1	4A0	2	-1.00	1.83	.77	1.06	15.0	-1.00	-1.00
90433	292.9	296.0	3.1	-1	4A4	2	-1.00	8.09	4.13	3.96	45.3	-1.00	-1.00
12600	296.0	299.3	3.3	-1	4A0	2	3.12	2.54	1.12	1.42	19.0	12.78	-1.00
90434	299.3	302.8	3.5	-1	4A4	2	-1.00	5.60	2.78	2.82	36.3	-1.00	-1.00
12601	302.8	304.2	1.4	-1	4A0	2	-1.00	.49	.13	.36	11.0	-1.00	-1.00
12602	304.2	306.3	2.1	-1	4EG	7	4.56	19.60	6.90	12.70	131.0	20.16	-1.00
0	306.3	338.1	31.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90435	338.1	340.9	2.8	-1	4D4	3	-1.00	11.18	4.43	6.75	65.5	-1.00	-1.00
90436	340.9	343.8	2.9	-1	4D43	3	-1.00	12.21	5.25	6.96	65.5	-1.00	-1.00
90437	343.8	346.3	2.5	-1	4D43	3	-1.00	16.76	5.23	11.53	80.6	-1.00	-1.00
90438	346.3	347.5	1.2	-1	4D43	3	-1.00	12.33	4.85	7.48	64.5	-1.00	-1.00
0	347.5	348.1	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90439	348.1	351.1	3.0	-1	4D43	3	-1.00	15.01	5.98	9.03	80.6	-1.00	-1.00
90440	351.1	352.3	1.2	-1	4E4	5	-1.00	12.22	4.54	7.68	55.5	-1.00	-1.00
12603	352.3	354.8	2.5	-1	4E0	5	4.47	5.56	2.56	3.00	43.0	35.40	-1.00
12604	354.8	357.0	2.2	-1	4E0	5	4.70	5.27	2.53	2.74	55.0	39.75	-1.00
90441	357.0	357.8	.8	-1	4D45	3	-1.00	16.32	6.35	9.97	90.8	-1.00	-1.00
12605	357.8	359.4	1.6	-1	4D45	3	3.56	25.20	7.70	17.50	148.0	10.87	-1.00
12606	359.4	360.6	1.2	-1	4D45	3	3.63	20.40	8.00	12.40	150.0	13.30	-1.00
90442	360.6	361.6	1.0	-1	4D0	3	-1.00	8.49	3.87	4.62	61.4	-1.00	-1.00
0	361.6	366.5	4.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90443	366.5	368.5	2.0	-1	4L57	52	-1.00	.69	.43	.26	7.2	-1.00	-1.00
90444	368.5	369.1	.6	-1	4L57	52	-1.00	1.78	.65	1.13	14.1	-1.00	-1.00
0	369.1	390.8	21.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90445	390.8	391.5	.7	-1	4A0	2	-1.00	1.69	.63	1.06	8.9	-1.00	-1.00
90446	391.5	392.4	.9	-1	4E47	5	-1.00	9.08	5.12	3.96	50.7	-1.00	-1.00
12607	392.4	393.5	1.1	-1	4C0	3	3.16	2.52	1.25	1.27	20.0	11.17	-1.00
90447	393.5	395.2	1.7	-1	4E4	5	-1.00	8.31	4.65	3.66	51.4	-1.00	-1.00
0	395.2	400.2	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90448	400.2	400.7	.5	-1	4E80	5	-1.00	5.54	2.78	2.76	35.3	-1.00	-1.00
0	400.7	431.0	30.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA086 Section: W108
 Northing: 7432.5 Easting: 2978.3 Elevation: 1290.8
 Length: 616.2 Core: NQ Record: 118

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	376.5	376.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92064	376.5	379.7	3.2	100	3G6	20	-1.00	.76	.43	.33	4.1	-1.00	-1.00
92065	379.7	380.8	1.1	91	4E1	5	-1.00	5.73	2.25	3.48	30.2	-1.00	-1.00
92066	380.8	383.0	2.2	100	4A4	2	-1.00	6.22	2.08	4.14	31.2	-1.00	-1.00
92067	383.0	384.5	1.5	100	4A0	2	-1.00	4.28	1.58	2.70	23.3	-1.00	-1.00
92068	384.5	385.9	1.4	100	4A0	2	-1.00	4.96	1.78	3.18	25.4	-1.00	-1.00
92069	385.9	387.0	1.1	91	4A0	2	-1.00	4.59	1.65	2.94	24.3	-1.00	-1.00
92070	387.0	388.9	1.9	95	4D0	3	-1.00	6.22	1.60	4.62	21.3	-1.00	-1.00
92071	388.9	391.8	2.9	100	4E1	5	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
0	391.8	392.4	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92072	392.4	393.3	.9	100	4E1	5	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
0	393.3	393.9	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92073	393.9	398.0	4.1	100	4E0	5	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
0	398.0	508.8	110.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92074	508.8	509.7	.9	-1	4Q\$43	60	-1.00	8.43	3.75	4.68	34.3	-1.00	-1.00
0	509.7	616.2	106.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA087 Section: W82
 Northing: 6636.8 Easting: 2792.5 Elevation: 1305.0
 Length: 426.4 Core: NQ Record: 119

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	163.6	163.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90390	163.6	165.0	1.4	100	4D4	3	-1.00	14.63	5.37	9.26	81.6	-1.00	-1.00
90391	165.0	165.7	.7	86	4D4	3	-1.00	9.95	4.35	5.60	70.6	-1.00	-1.00
90392	165.7	166.4	.7	100	4A4	2	-1.00	6.05	2.93	3.12	45.3	-1.00	-1.00
0	166.4	171.0	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12501	171.0	172.2	1.2	75	4A0	2	3.14	4.61	1.54	3.07	27.0	11.51	-1.00
12502	172.2	173.7	1.5	93	4A0	2	2.90	2.26	1.04	1.22	17.0	4.55	-1.00
12503	173.7	175.3	1.6	100	4A0	2	-1.00	1.25	.45	.80	10.0	-1.00	-1.00
12504	175.3	176.3	1.0	100	4A0	2	-1.00	1.66	.60	1.06	12.0	-1.00	-1.00
0	176.3	178.7	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90393	178.7	179.6	.9	100	4A4	2	-1.00	9.09	3.45	5.64	55.5	-1.00	-1.00
0	179.6	183.0	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12505	183.0	184.0	1.0	100	4C5	3	3.47	3.23	1.28	1.95	22.0	19.46	-1.00
12506	184.0	185.7	1.7	100	4A0	2	3.20	3.46	1.41	2.05	26.0	13.44	-1.00
0	185.7	189.3	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12507	189.3	191.1	1.8	100	4C5	3	3.08	4.38	1.81	2.57	28.0	8.52	-1.00
12508	191.1	192.8	1.7	94	4C5	3	2.91	3.16	1.58	1.58	21.0	5.83	-1.00
12509	192.8	194.4	1.6	100	4C5	3	3.02	2.98	1.32	1.66	25.0	8.01	-1.00
12510	194.4	196.0	1.6	100	4C5	3	2.89	2.15	1.22	.93	19.0	4.17	-1.00
12511	196.0	197.7	1.7	94	4C5	3	-1.00	1.51	.88	.63	12.0	-1.00	-1.00
12512	197.7	199.2	1.5	100	4C5	3	-1.00	1.83	.96	.87	14.0	-1.00	-1.00
90394	199.2	202.2	3.0	97	4D5	3	-1.00	7.26	3.00	4.26	41.5	-1.00	-1.00
90395	202.2	203.0	.8	100	4D5	3	-1.00	4.22	2.00	2.22	26.4	-1.00	-1.00
90396	203.0	206.0	3.0	100	4D5	3	-1.00	6.98	3.08	3.90	43.5	-1.00	-1.00
12513	206.0	207.6	1.6	94	4C0	3	2.86	2.93	1.07	1.86	17.0	1.82	-1.00
12514	207.6	209.1	1.5	100	4C0	3	2.91	4.80	1.50	3.30	28.0	2.36	-1.00
12515	209.1	210.6	1.5	100	4C0	3	2.87	3.45	1.17	2.28	22.0	1.48	-1.00
12516	210.6	212.1	1.5	100	4C0	3	2.92	3.66	1.32	2.34	23.0	3.52	-1.00
12517	212.1	213.7	1.6	94	4C0	3	2.88	4.15	1.33	2.82	23.0	2.45	-1.00
12518	213.7	215.2	1.5	100	4C0	3	2.87	4.11	1.24	2.87	21.0	2.27	-1.00
12519	215.2	216.7	1.5	100	4C0	3	2.96	4.96	1.52	3.44	29.0	4.68	-1.00
12520	216.7	218.2	1.5	100	4C0	3	3.04	2.91	1.08	1.83	21.0	6.69	-1.00
12521	218.2	219.9	1.7	94	4C0	3	2.99	4.45	1.39	3.06	28.0	6.45	-1.00
90397	219.9	222.8	2.9	100	4D0	3	-1.00	7.38	3.90	3.48	75.8	-1.00	-1.00
90398	222.8	225.7	2.9	100	4D0	3	-1.00	9.04	2.38	6.66	42.5	-1.00	-1.00
0	225.7	229.8	4.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90399	229.8	232.0	2.2	95	4D4	3	-1.00	12.56	4.20	8.36	75.8	-1.00	-1.00
90400	232.0	233.5	1.5	100	4D0	3	-1.00	9.34	2.08	7.26	45.3	-1.00	-1.00
0	233.5	237.3	3.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90401	237.3	239.3	2.0	95	4E4	5	-1.00	21.87	7.33	14.54	112.4	-1.00	-1.00
12522	239.3	240.4	1.1	100	4A1	2	-1.00	2.15	.38	1.77	15.0	-1.00	-1.00
0	240.4	249.2	8.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12523	249.2	250.5	1.3	100	4A4	2	3.09	8.10	3.82	4.28	68.0	7.99	-1.00
0	250.5	313.6	63.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

12524	313.6	315.0	1.4	93	4A0	2	3.15	3.32	1.29	2.03	21.0	12.03	-1.00
12525	315.0	315.5	.5	100	4G4	7	4.46	17.10	6.00	11.10	100.0	21.16	-1.00
12526	315.5	317.6	2.1	100	4A0	2	-1.00	1.48	.66	.82	14.0	-1.00	-1.00
90402	317.6	319.4	1.8	100	4GE4	7	-1.00	10.28	4.13	6.15	82.6	-1.00	-1.00
90403	319.4	320.9	1.5	93	4GE4	7	-1.00	12.50	4.80	7.70	111.1	-1.00	-1.00
90404	320.9	322.6	1.7	100	4GE	7	-1.00	8.31	3.15	5.16	52.4	-1.00	-1.00
90405	322.6	323.0	.4	75	4E0	5	-1.00	3.28	2.78	.50	50.4	-1.00	-1.00
0	323.0	323.7	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90406	323.7	324.1	.4	100	4E0	5	-1.00	.15	.11	.04	4.2	-1.00	-1.00
90407	324.1	326.9	2.8	100	4G4	7	-1.00	9.56	4.28	5.28	71.7	-1.00	-1.00
90408	326.9	327.5	.6	100	4E0	5	-1.00	1.01	.73	.28	21.3	-1.00	-1.00
0	327.5	328.8	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90409	328.8	330.6	1.8	94	4A4	2	-1.00	12.19	5.71	6.48	85.7	-1.00	-1.00
90410	330.6	331.9	1.3	100	4GE4	7	-1.00	12.26	4.58	7.68	72.7	-1.00	-1.00
90411	331.9	335.0	3.1	97	4GE4	7	-1.00	13.21	4.73	8.48	85.7	-1.00	-1.00
90412	335.0	337.0	2.0	95	4A34	2	-1.00	14.72	4.65	10.07	95.6	-1.00	-1.00
90413	337.0	337.6	.6	100	4AL	2	-1.00	2.17	.75	1.42	14.1	-1.00	-1.00
0	337.6	347.7	10.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12527	347.7	349.4	1.7	94	4A0	2	3.48	3.20	1.20	2.00	33.0	21.18	-1.00
12528	349.4	350.2	.8	100	4C3	3	3.56	4.60	1.73	2.87	47.0	22.70	-1.00
0	350.2	351.2	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12529	351.2	351.7	.5	100	4E4	5	-1.00	5.81	3.09	2.72	44.0	-1.00	-1.00
0	351.7	394.4	42.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12530	394.4	395.5	1.1	100	4H4	8	3.57	15.00	6.10	8.90	55.0	18.10	-1.00
0	395.5	426.4	30.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA088 Section: W74
 Northing: 6393.1 Easting: 2792.8 Elevation: 1303.4
 Length: 337.6 Core: NQ Record: 120

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	116.4	116.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90146	116.4	118.1	1.7	88	4EA4	5	-1.00	15.25	5.70	9.55	79.5	-1.00	-1.00
90147	118.1	120.1	2.0	75	4EA4	5	-1.00	5.90	2.00	3.90	22.3	-1.00	-1.00
9186	120.1	122.2	2.1	100	4D0	3	2.92	5.12	1.92	3.20	27.0	3.15	-1.00
9187	122.2	123.7	1.5	100	4C0	3	2.98	4.30	1.50	2.80	18.0	7.50	-1.00
9188	123.7	125.1	1.4	93	4C0	3	2.98	3.18	1.38	1.80	19.0	9.03	-1.00
9189	125.1	126.3	1.2	100	4L0	52	3.03	4.65	1.05	3.60	28.0	10.63	-1.00
9190	126.3	126.8	.5	80	4B4	52	2.99	6.51	1.71	4.80	37.0	7.38	-1.00
9191	126.8	127.1	.3	100	4L1	52	2.89	.70	.10	.60	6.0	7.82	-1.00
9192	127.1	128.7	1.6	100	4A3	2	3.34	4.12	1.32	2.80	30.0	15.14	-1.00
0	128.7	129.5	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9193	129.5	129.9	.4	100	4D4	3	3.52	11.70	4.20	7.50	61.0	14.58	-1.00
0	129.9	134.0	4.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9194	134.0	135.3	1.3	100	4E1	5	4.18	2.26	.68	1.58	28.0	37.33	-1.00
9195	135.3	135.9	.6	100	4AE4	2	3.85	10.00	3.50	6.50	88.0	16.02	-1.00
9196	135.9	138.1	2.2	100	4C0	3	3.75	2.05	.90	1.15	32.0	30.91	-1.00
9197	138.1	139.3	1.2	92	4D4	3	3.38	14.90	4.70	10.20	80.0	13.72	-1.00
9198	139.3	140.6	1.3	100	4A4	2	3.46	21.80	7.20	14.60	115.0	11.45	-1.00
9199	140.6	141.2	.6	100	4D4	3	3.51	22.10	7.90	14.20	119.0	11.08	-1.00
9200	141.2	142.9	1.7	94	4A4	2	3.43	15.30	5.50	9.80	90.0	13.74	-1.00
9201	142.9	144.5	1.6	100	4A4	2	3.29	11.40	3.50	7.90	59.0	12.02	-1.00
9202	144.5	146.2	1.7	94	4A4	2	3.43	9.40	3.20	6.20	53.0	12.69	-1.00
9203	146.2	147.6	1.4	100	4A4	2	3.39	9.20	3.00	6.20	52.0	16.32	-1.00
9204	147.6	149.7	2.1	62	4A13	2	3.32	4.55	1.25	3.30	32.0	18.86	-1.00
9205	149.7	151.7	2.0	95	4A134	2	3.50	7.20	2.40	4.80	49.0	21.02	-1.00
9206	151.7	153.6	1.9	100	4A134	2	3.61	5.57	1.77	3.80	42.0	24.37	-1.00
9207	153.6	155.5	1.9	95	4A134	2	3.56	6.15	1.95	4.20	44.0	21.88	-1.00
9208	155.5	157.4	1.9	100	4A134	2	3.24	6.72	1.92	4.80	41.0	13.55	-1.00
9209	157.4	157.7	.3	100	4L5	52	2.95	1.33	.18	1.15	6.0	7.86	-1.00
0	157.7	160.9	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9210	160.9	162.3	1.4	100	5D4*	47	3.02	3.90	.96	2.94	18.0	9.75	-1.00
0	162.3	166.4	4.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9211	166.4	167.8	1.4	100	4A34	2	3.16	6.66	2.06	4.60	42.0	12.32	-1.00
9212	167.8	169.3	1.5	93	4A3	2	3.62	4.64	1.14	3.50	31.0	21.04	-1.00
9213	169.3	170.7	1.4	100	4A34	2	3.50	7.50	2.40	5.10	46.0	16.81	-1.00
0	170.7	176.9	6.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9214	176.9	178.4	1.5	100	4H1#4	8	3.51	9.20	4.00	5.20	66.0	16.10	-1.00
0	178.4	197.8	19.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9215	197.8	199.0	1.2	100	4A14	2	3.42	14.90	4.80	10.10	94.0	11.22	-1.00
9216	199.0	200.3	1.3	15	4A14	2	3.28	16.90	4.70	12.20	97.0	8.15	-1.00
0	200.3	200.9	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9217	200.9	201.2	.3	100	4A134	2	3.12	5.74	1.94	3.80	36.0	11.40	-1.00
0	201.2	204.1	2.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90148	204.1	204.8	.7	43	4A4	2	-1.00	10.83	4.28	6.55	57.6	-1.00	-1.00

90149	204.8	205.7	.9	89	4DE4	3	-1.00	14.45	5.68	8.77	80.6	-1.00	-1.00
90150	205.7	208.0	2.3	100	4DE4	3	-1.00	18.70	7.87	10.83	103.9	-1.00	-1.00
90151	208.0	208.8	.8	75	4DE4	3	-1.00	10.43	5.03	5.40	57.6	-1.00	-1.00
0	208.8	209.4	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90152	209.4	210.0	.6	83	4DE4	3	-1.00	11.88	5.64	6.24	67.5	-1.00	-1.00
0	210.0	210.7	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9218	210.7	211.3	.6	100	4DE14	3	4.03	6.80	3.20	3.60	50.0	26.22	-1.00
9219	211.3	212.8	1.5	100	4LEH	52	3.31	2.88	1.48	1.40	26.0	14.08	-1.00
9220	212.8	214.4	1.6	81	4LEH	52	3.34	3.58	1.72	1.86	33.0	16.98	-1.00
9221	214.4	216.2	1.8	100	4E#4	5	4.91	19.40	7.10	12.30	166.0	31.02	-1.00
9222	216.2	217.9	1.7	82	4E#4	5	4.51	20.50	7.60	12.90	130.0	27.80	-1.00
9223	217.9	218.3	.4	75	4K4	6	4.07	7.20	3.10	4.10	36.0	25.53	-1.00
9224	218.3	220.0	1.7	100	4E4	5	4.66	9.90	3.90	6.00	65.0	37.90	-1.00
9225	220.0	221.7	1.7	100	4E4	5	4.89	8.00	3.10	4.90	61.0	39.10	-1.00
9226	221.7	222.8	1.1	100	4A134	2	3.35	7.00	2.60	4.40	38.0	12.86	-1.00
9227	222.8	223.9	1.1	100	4L127	52	3.10	1.29	.51	.78	12.0	10.09	-1.00
0	223.9	271.1	47.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9228	271.1	272.7	1.6	100	4A1	2	-1.00	.28	.06	.22	4.0	-1.00	-1.00
9229	272.7	274.4	1.7	94	4A1	2	-1.00	.15	.05	.10	5.0	-1.00	-1.00
9230	274.4	276.0	1.6	75	4A1	2	-1.00	.16	.05	.11	5.0	-1.00	-1.00
9231	276.0	277.0	1.0	90	4EA	5	-1.00	13.20	4.40	8.80	64.0	-1.00	-1.00
9232	277.0	278.6	1.6	100	4A13	2	-1.00	.17	.06	.11	4.0	-1.00	-1.00
0	278.6	286.1	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9233	286.1	286.8	.7	86	4LE	52	-1.00	1.80	.82	.98	10.0	-1.00	-1.00
9234	286.8	288.2	1.4	93	4D8	3	3.81	5.70	2.80	2.90	31.0	27.30	-1.00
9235	288.2	289.6	1.4	100	4D8	3	3.83	6.20	2.80	3.40	31.0	28.90	-1.00
0	289.6	299.0	9.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9236	299.0	299.9	.9	89	4A13	2	2.89	2.24	.61	1.63	10.0	3.23	-1.00
9237	299.9	301.1	1.2	25	4DE	3	3.38	8.80	3.30	5.50	59.0	13.62	-1.00
0	301.1	301.8	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9238	301.8	303.6	1.8	67	4A14	2	3.34	5.55	1.75	3.80	34.0	9.21	-1.00
9239	303.6	305.9	2.3	91	4E8	5	4.56	2.84	1.17	1.67	28.0	40.83	-1.00
9240	305.9	307.8	1.9	47	4EC	5	3.94	.71	.43	.28	22.0	32.47	-1.00
9241	307.8	309.1	1.3	92	4EC	5	4.30	1.55	.85	.70	16.0	37.60	-1.00
9242	309.1	310.0	.9	67	4E14	5	4.04	9.20	5.20	4.00	58.0	31.21	-1.00
9243	310.0	310.9	.9	56	4C38	3	3.84	1.05	.32	.73	12.0	30.24	-1.00
9244	310.9	312.3	1.4	79	4EC	5	3.86	2.48	1.42	1.06	24.0	26.24	-1.00
9245	312.3	313.6	1.3	92	4EC	5	4.49	1.38	.61	.77	21.0	29.67	-1.00
0	313.6	314.9	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9246	314.9	316.6	1.7	59	4L12	52	-1.00	.35	.14	.21	8.0	-1.00	-1.00
9247	316.6	318.3	1.7	100	4L12	52	-1.00	.12	.05	.07	4.0	-1.00	-1.00
9248	318.3	320.0	1.7	47	4L12	52	-1.00	1.30	.53	.77	13.0	-1.00	-1.00
9249	320.0	321.4	1.4	64	5A1	30	-1.00	4.64	1.84	2.80	40.0	-1.00	-1.00
0	321.4	327.4	6.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90153	327.4	329.2	1.8	100	4L2	52	-1.00	.50	.13	.37	4.1	-1.00	-1.00
0	329.2	337.6	8.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA089 Section: W82
 Northing: 6641.6 Easting: 2857.1 Elevation: 1304.4
 Length: 378.0 Core: NQ Record: 121

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	94.9	94.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12548	94.9	97.1	2.2	68	4A4	2	3.28	6.65	1.98	4.67	35.0	14.10	-1.00
12549	97.1	99.3	2.2	86	4A4	2	3.21	5.77	2.71	3.06	44.0	12.60	-1.00
12550	99.3	100.8	1.5	93	4D0	3	3.04	4.83	1.64	3.19	32.0	9.75	-1.00
12551	100.8	102.3	1.5	100	4D0	3	3.03	5.06	1.68	3.38	28.0	9.02	-1.00
0	102.3	143.0	40.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12552	143.0	144.2	1.2	92	4E41	5	4.10	7.11	2.86	4.25	61.0	31.55	-1.00
12553	144.2	146.5	2.3	96	4A34	2	3.56	7.71	3.92	3.79	52.0	18.37	-1.00
12554	146.5	148.8	2.3	96	4A34	2	3.35	9.80	3.80	6.00	55.0	14.50	-1.00
12555	148.8	151.1	2.3	96	4A3	2	-1.00	1.62	.44	1.18	10.0	-1.00	-1.00
12556	151.1	153.7	2.6	100	4L74	52	2.93	4.12	1.59	2.53	26.0	3.78	-1.00
12557	153.7	154.9	1.2	-1	4C5	3	3.16	2.95	1.33	1.62	20.0	12.35	-1.00
0	154.9	156.9	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12558	156.9	158.2	1.3	-1	4A4	2	-1.00	8.27	2.97	5.30	47.0	-1.00	-1.00
0	158.2	162.2	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12559	162.2	163.7	1.5	-1	4EL4	5	3.92	10.89	3.49	7.40	66.0	23.70	-1.00
90459	163.7	165.5	1.8	-1	4CE	3	-1.00	2.67	.93	1.74	15.1	-1.00	-1.00
90460	165.5	168.0	2.5	-1	4EC	5	-1.00	2.27	1.13	1.14	22.3	-1.00	-1.00
0	168.0	178.7	10.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12560	178.7	180.3	1.6	-1	4A41	2	3.39	10.21	3.61	6.60	86.0	13.83	-1.00
0	180.3	180.6	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12561	180.6	182.1	1.5	-1	4A4	2	3.18	6.63	2.64	3.99	34.0	10.90	-1.00
0	182.1	259.0	76.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90461	259.0	260.7	1.7	-1	4D4#3	3	-1.00	14.53	5.03	9.50	72.7	-1.00	-1.00
0	260.7	269.7	9.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12562	269.7	272.3	2.6	-1	4D54	3	3.45	14.70	5.70	9.00	95.0	9.93	-1.00
0	272.3	280.8	8.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12563	280.8	281.6	.8	-1	4D5	3	3.35	9.79	2.69	7.10	50.0	10.37	-1.00
0	281.6	281.9	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12564	281.9	282.8	.9	-1	4D5	3	3.38	11.10	3.50	7.60	67.0	10.44	-1.00
0	282.8	283.3	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12565	283.3	285.3	2.0	-1	4D5	3	3.14	9.56	2.66	6.90	46.0	7.15	-1.00
12566	285.3	287.2	1.9	-1	4D5	3	2.96	4.36	.96	3.40	19.0	5.86	-1.00
12567	287.2	290.0	2.8	-1	4D5	3	3.15	7.68	3.60	4.08	50.0	9.68	-1.00
12568	290.0	291.8	1.8	-1	4D5	3	3.07	5.20	2.64	2.56	36.0	9.53	-1.00
0	291.8	293.4	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12569	293.4	294.8	1.4	-1	4DC57	3	-1.00	2.57	1.40	1.17	21.0	-1.00	-1.00
0	294.8	296.3	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12570	296.3	297.3	1.0	-1	4DEG	3	3.99	15.20	6.30	8.90	100.0	21.40	-1.00
0	297.3	343.0	45.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90450	343.0	344.4	1.4	-1	4A0	2	-1.00	.41	.05	.36	1.0	-1.00	-1.00
90451	344.4	347.7	3.3	-1	4A0	2	-1.00	.59	.21	.38	8.2	-1.00	-1.00
90452	347.7	349.8	2.1	-1	4C0	3	-1.00	.06	.03	.03	1.0	-1.00	-1.00
0	349.8	352.7	2.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

90453	352.7	356.7	4.0	-1	4A0	2	-1.00	.22	.08	.14	3.1	-1.00	-1.00
90455	356.7	357.6	.9	-1	4C0	3	-1.00	.25	.09	.16	1.0	-1.00	-1.00
0	357.6	358.0	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12571	358.0	358.7	.7	-1	4E46	5	4.26	8.74	3.87	4.87	66.0	31.40	-1.00
12572	358.7	359.9	1.2	-1	4D35	3	3.67	7.15	2.65	4.50	46.0	21.23	-1.00
12573	359.9	361.2	1.3	-1	4E4	5	4.03	6.56	3.00	3.56	54.0	26.28	-1.00
0	361.2	369.4	8.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12574	369.4	370.4	1.0	-1	4EAG	7	3.62	7.24	3.45	3.79	43.0	16.65	-1.00
0	370.4	371.0	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12575	371.0	372.5	1.5	-1	4E4	5	4.51	6.85	3.76	3.09	40.0	31.85	-1.00
12576	372.5	374.0	1.5	-1	4E4	5	4.50	8.33	4.40	3.93	42.0	30.52	-1.00
12577	374.0	375.6	1.6	-1	4CG	3	3.95	4.72	2.64	2.08	31.0	26.78	-1.00
12578	375.6	377.2	1.6	-1	4CG	3	3.79	3.45	1.81	1.64	27.0	26.46	-1.00
90456	377.2	378.0	.8	100	4E0	5	-1.00	1.22	.70	.52	19.2	-1.00	-1.00

Drill Hole: AGA090 Section: W74
 Northing: 6394.6 Easting: 2855.6 Elevation: 1302.1
 Length: 316.3 Core: NQ Record: 122

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	49.2	49.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9305	49.2	50.5	1.3	100	4B4	5	3.02	7.80	2.60	5.20	49.0	6.83	-1.00
9306	50.5	51.7	1.2	100	4B4	5	2.93	6.50	2.00	4.50	41.0	5.69	-1.00
9307	51.7	53.6	1.9	100	5C4*	44	2.94	1.32	.12	1.20	8.0	8.70	-1.00
9308	53.6	55.0	1.4	100	4B4	44	2.96	6.15	1.85	4.30	38.0	6.67	-1.00
9309	55.0	56.4	1.4	100	4B4	44	2.93	4.29	.89	3.40	23.0	6.59	-1.00
0	56.4	57.7	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9310	57.7	59.4	1.7	94	4B4	44	2.96	6.96	1.96	5.00	38.0	7.17	-1.00
9311	59.4	61.2	1.8	94	4B4	44	2.96	5.55	1.45	4.10	30.0	7.80	-1.00
0	61.2	62.1	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9312	62.1	63.5	1.4	71	4B4	44	3.03	6.52	2.02	4.50	40.0	9.78	-1.00
0	63.5	63.7	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9313	63.7	64.7	1.0	100	4B4	44	2.97	5.79	1.49	4.30	30.0	7.90	-1.00
9314	64.7	66.8	2.1	86	4A4	2	3.02	4.33	1.13	3.20	23.0	5.68	-1.00
0	66.8	68.5	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9315	68.5	69.7	1.2	67	4L0	52	3.33	2.77	.97	1.80	22.0	19.89	-1.00
0	69.7	70.2	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9316	70.2	72.5	2.3	100	5A69	30	3.23	2.76	.95	1.81	24.0	15.60	-1.00
0	72.5	77.4	4.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9318	77.4	79.0	1.6	69	4LE4	52	3.16	9.68	3.48	6.20	55.0	9.56	-1.00
9319	79.0	80.6	1.6	94	4LE4	52	3.34	2.23	.88	1.35	21.0	18.16	-1.00
9320	80.6	82.1	1.5	100	4E14	5	3.79	14.70	6.80	7.90	107.0	21.30	-1.00
9321	82.1	82.7	.6	100	4D43	3	3.18	8.80	3.40	5.40	51.0	11.17	-1.00
9322	82.7	83.4	.7	100	5C4*	44	3.05	5.05	.15	4.90	6.0	10.55	-1.00
9323	83.4	85.2	1.8	100	4A14	2	3.02	7.60	2.50	5.10	41.0	6.91	-1.00
9324	85.2	87.0	1.8	100	4A14	2	3.02	5.60	1.70	3.90	34.0	8.86	-1.00
9325	87.0	88.9	1.9	100	4A14	2	3.30	9.40	3.20	6.20	48.0	9.39	-1.00
9326	88.9	89.6	.7	100	4L0	52	3.05	2.73	.86	1.87	16.0	9.74	-1.00
9327	89.6	90.1	.5	100	4C0	3	3.54	6.20	2.90	3.30	47.0	22.29	-1.00
9328	90.1	91.7	1.6	94	4A14	2	3.52	5.40	2.40	3.00	42.0	20.42	-1.00
9329	91.7	93.3	1.6	100	4A14	2	3.45	11.10	5.00	6.10	73.0	13.75	-1.00
9330	93.3	94.8	1.5	100	4A14	2	3.41	9.80	3.60	6.20	60.0	13.59	-1.00
9331	94.8	96.6	1.8	89	5B6	40	3.08	.90	.40	.50	8.0	5.84	-1.00
9332	96.6	97.8	1.2	100	4A14	2	3.48	8.80	4.00	4.80	61.0	13.77	-1.00
9333	97.8	99.0	1.2	100	4A14	2	3.88	6.80	3.00	3.80	59.0	19.56	-1.00
9334	99.0	99.7	.7	100	4D0	3	3.47	6.60	2.90	3.70	42.0	15.17	-1.00
9335	99.7	101.9	2.2	100	5D*	47	3.20	1.90	.43	1.47	10.0	11.39	-1.00
9336	101.9	103.3	1.4	100	4D0	3	3.34	8.30	2.90	5.40	48.0	10.19	-1.00
9337	103.3	104.1	.8	100	5D*	47	3.35	6.04	1.94	4.10	31.0	12.32	-1.00
9338	104.1	106.3	2.2	91	4A4	2	3.49	13.60	5.00	8.60	72.0	9.70	-1.00
9339	106.3	108.5	2.2	95	4A4	2	3.48	18.70	5.80	12.90	90.0	10.01	-1.00
0	108.5	206.0	97.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9340	206.0	207.4	1.4	100	4L2	52	-1.00	8.80	3.80	5.00	67.0	-1.00	-1.00
0	207.4	213.8	6.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

9341	213.8	214.5	.7	100	4A4	2	3.23	7.10	2.70	4.40	37.0	9.79	-1.00
9342	214.5	215.4	.9	100	4E#4	5	3.86	19.40	7.30	12.10	103.0	19.67	-1.00
9343	215.4	216.0	.6	83	4L14	52	2.92	5.50	2.50	3.00	39.0	5.18	-1.00
9344	216.0	216.4	.4	75	4G*A	7	3.68	14.20	4.90	9.30	65.0	12.00	-1.00
9345	216.4	218.3	1.9	100	4A14	2	2.95	5.38	1.78	3.60	26.0	3.77	-1.00
0	218.3	264.7	46.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9346	264.7	265.0	.3	100	4A14	2	3.08	4.27	1.47	2.80	27.0	10.01	-1.00
9347	265.0	265.7	.7	100	4EH	5	4.57	11.20	5.30	5.90	74.0	33.99	-1.00
9348	265.7	266.1	.4	100	4G#	7	3.43	10.10	4.20	5.90	62.0	14.11	-1.00
9349	266.1	267.5	1.4	93	4LE	52	3.14	1.43	.80	.63	18.0	12.06	-1.00
9350	267.5	268.8	1.3	100	4E#4	5	3.89	6.60	2.90	3.70	49.0	26.09	-1.00
9317	268.8	269.9	1.1	82	4LO	52	3.00	1.39	.81	.58	17.0	5.83	-1.00
9351	269.9	270.9	1.0	80	4E4	5	4.34	17.90	11.90	6.00	131.0	27.69	-1.00
9352	270.9	271.8	.9	100	4EO	5	4.47	9.80	6.10	3.70	79.0	35.96	-1.00
9353	271.8	273.0	1.2	100	4E#4	5	3.85	9.20	3.90	5.30	62.0	24.85	-1.00
0	273.0	316.3	43.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA091 Section: W112
 Northing: 7552.6 Easting: 2918.0 Elevation: 1289.5
 Length: 541.0 Core: NQ Record: 123

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	541.0	541.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA092 Section: W74
 Northing: 6393.4 Easting: 2915.4 Elevation: 1300.9
 Length: 288.6 Core: NQ Record: 124

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	49.4	49.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9257	49.4	51.5	2.1	57	4D0	3	3.45	7.90	3.70	4.20	56.0	18.59	-1.00
9258	51.5	53.8	2.3	96	4D4	3	3.57	22.90	10.10	12.80	135.0	13.01	-1.00
9259	53.8	55.7	1.9	63	4D4	3	3.77	15.50	5.90	9.60	96.0	15.60	-1.00
9260	55.7	56.7	1.0	70	4A4	2	3.56	22.40	8.10	14.30	123.0	13.52	-1.00
0	56.7	189.6	132.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9261	189.6	190.8	1.2	100	4G4*	7	3.45	12.40	4.80	7.60	79.0	10.57	-1.00
9262	190.8	192.2	1.4	86	4CD	3	3.49	5.80	3.00	2.80	50.0	19.85	-1.00
9263	192.2	193.0	.8	100	4G4*	7	4.50	21.60	11.50	10.10	173.0	25.89	-1.00
9264	193.0	194.4	1.4	100	4L2	52	3.16	3.03	1.31	1.72	36.0	11.37	-1.00
0	194.4	288.6	94.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA093 Section: W82
 Northing: 6637.1 Easting: 2915.8 Elevation: 1302.8
 Length: 350.5 Core: NQ Record: 125

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	76.5	76.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12531	76.5	77.1	.6	-1	4D0	3	3.09	6.76	2.12	4.64	33.0	9.53	-1.00
12532	77.1	78.5	1.4	-1	4A4	2	3.06	8.01	2.51	5.50	48.0	7.85	-1.00
0	78.5	79.1	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12533	79.1	80.5	1.4	-1	4A4	2	2.96	8.75	2.75	6.00	48.0	4.75	-1.00
12534	80.5	81.9	1.4	-1	4A4	2	3.20	7.02	2.76	4.26	47.0	11.61	-1.00
0	81.9	106.6	24.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12535	106.6	108.7	2.1	-1	4C5	3	2.91	2.73	.85	1.88	16.0	5.68	-1.00
12536	108.7	110.8	2.1	-1	4C5	3	2.99	3.70	1.12	2.58	23.0	7.53	-1.00
12537	110.8	112.8	2.0	-1	4C5	3	2.91	4.22	1.41	2.81	25.0	4.00	-1.00
0	112.8	137.0	24.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12538	137.0	137.5	.5	-1	4E4	5	-1.00	22.30	7.50	14.80	170.0	-1.00	-1.00
0	137.5	139.2	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12539	139.2	140.5	1.3	-1	4A41	2	3.36	14.30	5.50	8.80	90.0	11.77	-1.00
0	140.5	142.0	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12540	142.0	143.6	1.6	-1	4EL	5	-1.00	4.41	2.15	2.26	37.0	-1.00	-1.00
0	143.6	289.3	145.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90457	289.3	289.7	.4	-1	4E4	5	-1.00	9.44	4.88	4.56	75.8	-1.00	-1.00
90458	289.7	290.8	1.1	-1	4L12	52	-1.00	9.44	4.88	4.56	75.8	-1.00	-1.00
0	290.8	298.4	7.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12543	298.4	300.1	1.7	-1	4C5	3	2.92	4.14	1.71	2.43	27.0	4.69	-1.00
12544	300.1	301.9	1.8	-1	4C5	3	2.91	4.01	1.32	2.69	22.0	4.54	-1.00
0	301.9	302.1	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12545	302.1	302.7	.6	-1	4E46	5	3.97	9.44	3.54	5.90	57.0	16.66	-1.00
0	302.7	303.5	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12546	303.5	304.9	1.4	-1	4C5	3	-1.00	2.58	1.03	1.55	18.0	-1.00	-1.00
0	304.9	348.0	43.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12547	348.0	348.5	.5	-1	4AH4	2	-1.00	7.61	2.84	4.77	48.0	-1.00	-1.00
0	348.5	350.5	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA094 Section: W108
 Northing: 7429.5 Easting: 3095.9 Elevation: 1299.0
 Length: 301.1 Core: NQ Record: 126

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	301.1	301.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA095 Section: W72
 Northing: 6331.2 Easting: 2852.3 Elevation: 1302.8
 Length: 213.4 Core: NQ Record: 127

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	57.0	57.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6129	57.0	57.9	.9	67	4A4	2	3.43	13.98	4.99	8.99	75.0	14.60	-1.00
6130	57.9	58.8	.9	100	4D4	3	4.00	31.20	11.20	20.00	160.0	16.89	-1.00
6131	58.8	60.4	1.6	56	4LD	52	3.14	6.89	2.41	4.48	44.0	8.97	-1.00
6132	60.4	61.6	1.2	75	4A4	2	3.15	5.37	2.20	3.17	36.0	9.28	-1.00
6133	61.6	63.0	1.4	71	4DE4	3	3.97	13.99	5.24	8.75	98.0	19.60	-1.00
6134	63.0	63.8	.8	75	4LD	52	3.26	10.09	3.43	6.66	52.0	9.60	-1.00
6135	63.8	65.4	1.6	100	4A4	2	3.44	12.64	4.46	8.18	74.0	15.11	-1.00
0	65.4	213.4	148.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA096 Section: W70
 Northing: 6271.8 Easting: 2794.1 Elevation: 1293.0
 Length: 151.5 Core: NQ Record: 128

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	49.4	49.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9746	49.4	53.1	3.7	54	4A0	2	2.95	3.52	1.08	2.44	22.0	7.13	-1.00
9747	53.1	56.6	3.5	49	4L42	52	3.11	6.62	2.92	3.70	47.0	9.74	-1.00
9748	56.6	57.9	1.3	100	4A4	2	3.25	8.82	3.12	5.70	49.0	11.57	-1.00
9749	57.9	59.7	1.8	83	4D0	3	3.34	7.82	.92	6.90	19.0	15.79	-1.00
9750	59.7	61.5	1.8	100	4A4	2	3.21	8.00	2.20	5.80	43.0	14.65	-1.00
9851	61.5	62.6	1.1	100	4D0	3	3.35	12.00	3.80	8.20	59.0	13.13	-1.00
9852	62.6	64.6	2.0	100	4A4	2	3.31	8.50	2.60	5.90	47.0	14.80	-1.00
9853	64.6	66.6	2.0	85	4A4	2	3.33	7.64	1.64	6.00	35.0	15.62	-1.00
9854	66.6	69.1	2.5	80	4A4	2	3.67	14.00	3.30	10.70	64.0	18.36	-1.00
0	69.1	89.3	20.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9855	89.3	91.3	2.0	100	4A41	2	3.34	8.80	3.00	5.80	50.0	14.43	-1.00
9856	91.3	93.6	2.3	100	4A42	2	3.21	6.41	2.01	4.40	37.0	12.60	-1.00
9857	93.6	94.6	1.0	100	4AE	2	4.11	18.30	4.80	13.50	97.0	23.78	-1.00
0	94.6	134.2	39.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9858	134.2	135.3	1.1	100	4AE	2	4.07	17.00	5.90	11.10	121.0	23.40	-1.00
9859	135.3	136.9	1.6	75	4E4	5	4.45	21.70	8.70	13.00	123.0	26.58	-1.00
9860	136.9	141.5	4.6	28	4D4	3	4.28	25.70	9.40	16.30	171.0	23.42	-1.00
9861	141.5	143.3	1.8	94	4D4	3	3.97	25.80	7.60	18.20	127.0	17.16	-1.00
9862	143.3	145.1	1.8	100	4D4	3	3.78	22.90	6.50	16.40	106.0	15.75	-1.00
9863	145.1	146.3	1.2	100	4D4	3	3.84	31.40	7.40	24.00	150.0	12.80	-1.00
9864	146.3	148.2	1.9	100	4D4	3	3.49	20.30	6.20	14.10	111.0	11.81	-1.00
0	148.2	148.4	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90138	148.4	149.1	.7	-1	4D4	3	-1.00	32.00	9.63	22.37	177.6	-1.00	-1.00
90139	149.1	150.3	1.2	-1	4D4	3	-1.00	25.14	7.53	17.61	125.1	-1.00	-1.00
90140	150.3	151.5	1.2	-1	4D4	3	-1.00	25.12	7.20	17.92	142.3	-1.00	-1.00

Drill Hole: AGA097 Section: W128
 Northing: 8025.3 Easting: 3106.3 Elevation: 1305.2
 Length: 100.0 Core: NQ Record: 129

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	19.1	19.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92075	19.1	20.4	1.3	100	4L67	52	-1.00	2.94	1.40	1.54	30.2	-1.00	-1.00
92076	20.4	22.4	2.0	100	4L67	52	-1.00	.88	.50	.38	30.2	-1.00	-1.00
92077	22.4	23.5	1.1	91	4L6	52	-1.00	.28	.10	.18	8.2	-1.00	-1.00
0	23.5	100.0	76.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA098 Section: W128
 Northing: 8029.8 Easting: 3043.5 Elevation: 1305.9
 Length: 145.5 Core: NQ Record: 130

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	24.2	24.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92078	24.2	26.8	2.6	100	4DEG	3	-1.00	5.34	2.70	2.64	35.3	-1.00	-1.00
0	26.8	145.5	118.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA099 Section: W66
 Northing: 6151.5 Easting: 2789.1 Elevation: 1285.8
 Length: 189.5 Core: NQ Record: 131

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	62.4	62.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90357	62.4	64.0	1.6	100	4A4	2	-1.00	5.71	1.33	4.38	21.3	-1.00	-1.00
0	64.0	138.5	74.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6888	138.5	139.1	.6	100	4EL4	5	4.05	9.10	4.70	4.40	89.0	25.92	-1.00
6889	139.1	139.5	.4	75	4H4	8	4.33	8.90	4.10	4.80	67.0	36.42	-1.00
0	139.5	140.4	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6890	140.4	141.2	.8	100	4E4	5	4.72	15.60	9.50	6.10	137.0	32.53	-1.00
6891	141.2	142.9	1.7	100	4G4	7	4.80	9.30	3.40	5.90	62.0	20.23	-1.00
6892	142.9	144.9	2.0	100	4G4	7	4.61	7.30	3.00	4.30	53.0	30.22	-1.00
6893	144.9	147.5	2.6	100	4E4	5	4.25	6.80	3.10	3.70	44.0	16.90	-1.00
6894	147.5	149.4	1.9	100	4G4	7	4.69	12.80	5.70	7.10	94.0	17.83	-1.00
6895	149.4	151.4	2.0	100	4G4	7	4.12	10.50	3.70	6.80	65.0	13.48	-1.00
6896	151.4	152.7	1.3	100	4G4	7	4.33	11.60	4.30	7.30	79.0	14.74	-1.00
6897	152.7	154.1	1.4	100	4G0	7	4.35	8.60	.30	8.30	83.0	12.95	-1.00
6898	154.1	155.3	1.2	100	4E84	5	4.38	7.10	4.10	3.00	79.0	35.77	-1.00
6899	155.3	157.6	2.3	100	4C3	3	3.97	1.46	1.04	.42	28.0	30.62	-1.00
6900	157.6	159.1	1.5	100	4C3	3	3.81	.58	.38	.20	18.0	29.21	-1.00
7001	159.1	161.2	2.1	100	4C3	3	3.78	.48	.32	.16	10.0	27.55	-1.00
7002	161.2	162.0	.8	87	5D4*	47	-1.00	.12	.06	.06	3.0	-1.00	-1.00
7003	162.0	163.8	1.8	100	4C3	3	-1.00	.19	.10	.09	3.0	-1.00	-1.00
7004	163.8	165.4	1.6	100	4C3	3	-1.00	.61	.22	.39	7.0	-1.00	-1.00
7005	165.4	166.4	1.0	100	4C3	3	-1.00	.61	.27	.34	9.0	-1.00	-1.00
7006	166.4	167.9	1.5	100	4C3	3	-1.00	.93	.59	.34	15.0	-1.00	-1.00
7007	167.9	169.3	1.4	100	4C3	3	3.61	4.69	3.00	1.69	47.0	22.20	-1.00
7008	169.3	170.6	1.3	100	4C7	3	3.57	1.51	.61	.90	9.0	25.70	-1.00
7009	170.6	172.3	1.7	100	4L4	52	-1.00	1.04	.25	.79	3.0	-1.00	-1.00
7010	172.3	174.0	1.7	100	4L4	52	-1.00	1.53	.59	.94	10.0	-1.00	-1.00
7011	174.0	175.8	1.8	94	4L4	52	-1.00	1.86	.71	1.15	11.0	-1.00	-1.00
7012	175.8	177.6	1.8	100	4L4	52	-1.00	1.18	.34	.84	11.0	-1.00	-1.00
7013	177.6	179.3	1.7	100	4L4	52	-1.00	.82	.32	.50	8.0	-1.00	-1.00
7014	179.3	181.3	2.0	90	4L4	52	-1.00	.37	.11	.26	5.0	-1.00	-1.00
0	181.3	189.5	8.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA100 Section: W70
 Northing: 6271.8 Easting: 2854.9 Elevation: 1298.6
 Length: 250.5 Core: NQ Record: 132

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	65.4	65.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11453	65.4	66.2	.8	100	4G4#	7	4.50	21.60	10.30	11.30	190.0	21.22	-1.00
0	66.2	67.4	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11454	67.4	68.7	1.3	100	4G4#	7	4.35	23.10	10.50	12.60	183.0	21.26	-1.00
11455	68.7	70.1	1.4	64	4K4	6	3.65	8.90	3.50	5.40	52.0	16.58	-1.00
0	70.1	71.1	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11456	71.1	72.1	1.0	100	4G4#	7	4.45	26.40	12.90	13.50	195.0	21.64	-1.00
11457	72.1	72.5	.4	100	4K4#	6	3.62	10.80	4.20	6.60	86.0	15.58	-1.00
11458	72.5	73.5	1.0	90	4G4#	7	4.31	22.60	11.10	11.50	184.0	20.34	-1.00
0	73.5	81.3	7.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11459	81.3	82.7	1.4	50	4G4#	7	4.37	14.60	5.90	8.70	99.0	18.28	-1.00
0	82.7	88.8	6.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11460	88.8	89.6	.8	63	4DG#	3	4.13	17.30	9.00	8.30	131.0	14.48	-1.00
0	89.6	90.9	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11461	90.9	91.4	.5	100	4G4#	7	4.21	16.10	7.00	9.10	114.0	13.54	-1.00
11462	91.4	92.1	.7	100	4E4*	5	4.69	17.80	9.40	8.40	129.0	26.12	-1.00
11463	92.1	93.5	1.4	93	4D0	3	3.96	6.70	3.10	3.60	50.0	19.59	-1.00
11464	93.5	94.1	.6	100	4L14	52	3.04	1.18	.45	.73	9.0	6.01	-1.00
0	94.1	174.7	80.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11465	174.7	176.5	1.8	56	4G4#	7	4.19	17.20	6.40	10.80	103.0	20.51	-1.00
11466	176.5	178.3	1.8	100	4G4#	7	4.70	17.70	7.00	10.70	119.0	14.47	-1.00
11467	178.3	180.0	1.7	82	4E41	5	4.86	7.20	2.80	4.40	53.0	36.59	-1.00
11468	180.0	181.7	1.7	82	4E41	5	4.81	9.80	3.90	5.90	66.0	36.24	-1.00
11469	181.7	184.1	2.4	50	4A4	2	3.35	9.50	3.40	6.10	54.0	12.55	-1.00
11470	184.1	185.0	.9	56	4A4	2	3.09	6.50	2.50	4.00	45.0	6.74	-1.00
11471	185.0	185.4	.4	100	4A4	2	3.23	12.10	4.70	7.40	76.0	5.49	-1.00
11472	185.4	187.2	1.8	89	4A0	2	3.00	1.06	.37	.69	8.0	4.77	-1.00
11473	187.2	189.0	1.8	94	4A0	2	3.04	.67	.36	.31	7.0	6.45	-1.00
0	189.0	250.5	61.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA101 Section: W124
 Northing: 7903.8 Easting: 3038.3 Elevation: 1304.4
 Length: 269.7 Core: NQ Record: 133

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	269.7	269.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA102 Section: W62
 Northing: 6028.1 Easting: 2793.0 Elevation: 1279.3
 Length: 183.4 Core: NQ Record: 134

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	137.0	137.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9788	137.0	139.4	2.4	100	4A0	2	3.01	3.50	1.40	2.10	23.0	8.51	-1.00
9789	139.4	140.5	1.1	100	4E4	5	4.23	16.50	8.40	8.10	106.0	27.98	-1.00
9790	140.5	142.0	1.5	100	4E0	5	4.14	2.21	.96	1.25	25.0	35.50	-1.00
0	142.0	183.4	41.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA103 Section: W62
 Northing: 6029.6 Easting: 2732.2 Elevation: 1277.7
 Length: 214.0 Core: NQ Record: 135

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	136.8	136.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9777	136.8	138.8	2.0	100	4A0	2	-1.00	.96	.23	.73	7.0	-1.00	-1.00
9778	138.8	140.8	2.0	90	4A0	2	-1.00	.22	.07	.15	3.0	-1.00	-1.00
9779	140.8	142.8	2.0	95	4A0	2	2.98	.92	.21	.71	5.0	8.32	-1.00
9780	142.8	144.6	1.8	89	4A4	2	2.86	7.23	2.93	4.30	36.0	4.32	-1.00
9781	144.6	145.1	.5	100	4KAS	6	3.48	7.03	2.93	4.10	45.0	20.57	-1.00
0	145.1	147.0	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9782	147.0	148.6	1.6	-1	4A0	2	2.98	3.26	1.06	2.20	22.0	7.54	-1.00
0	148.6	160.0	11.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9783	160.0	160.9	.9	100	4E4#	5	4.29	10.70	4.80	5.90	62.0	31.17	-1.00
9784	160.9	162.0	1.1	100	5D4\$	47	2.92	.41	.21	.20	3.0	6.66	-1.00
9785	162.0	162.8	.8	100	4E#6	5	4.67	8.60	3.60	5.00	35.0	36.42	-1.00
9786	162.8	163.8	1.0	90	4G4#	7	4.50	8.31	2.61	5.70	28.0	27.60	-1.00
0	163.8	170.3	6.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9787	170.3	171.9	1.6	69	4G4#	7	3.92	12.30	5.30	7.00	83.0	9.78	-1.00
0	171.9	214.0	42.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA104 Section: W84
 Northing: 6696.6 Easting: 2854.4 Elevation: 1309.6
 Length: 420.3 Core: NQ Record: 136

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	103.1	103.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14614	103.1	104.5	1.4	100	4A41	2	3.19	6.56	2.31	4.25	40.0	11.13	-1.00
0	104.5	105.3	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14615	105.3	107.8	2.5	88	4A41	2	3.15	6.18	1.93	4.25	36.0	10.35	-1.00
14616	107.8	109.5	1.7	100	4D0	3	3.12	5.65	2.01	3.64	34.0	10.50	-1.00
0	109.5	118.5	9.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14617	118.5	120.5	2.0	70	4AD	2	3.24	11.10	4.30	6.80	71.0	9.48	-1.00
14618	120.5	122.5	2.0	90	4AD	2	3.02	6.73	2.62	4.11	43.0	6.10	-1.00
14619	122.5	124.5	2.0	80	4AD	2	3.01	3.50	1.07	2.43	19.0	6.90	-1.00
14620	124.5	126.5	2.0	65	4AD	2	2.98	4.61	1.53	3.08	23.0	5.50	-1.00
14621	126.5	127.8	1.3	69	4LD	52	3.03	5.18	1.87	3.31	27.0	6.50	-1.00
14622	127.8	129.8	2.0	90	4AD	2	3.03	3.41	.95	2.46	14.0	7.50	-1.00
14623	129.8	131.8	2.0	100	4AD	2	3.08	5.53	1.60	3.93	38.0	9.92	-1.00
14624	131.8	133.6	1.8	94	4AD	2	3.08	7.16	2.06	5.10	30.0	7.40	-1.00
14625	133.6	135.6	2.0	95	4D0	3	2.99	9.04	2.64	6.40	40.0	5.40	-1.00
14626	135.6	137.6	2.0	95	4D4	3	3.01	10.09	2.79	7.30	52.0	5.00	-1.00
14627	137.6	139.6	2.0	90	4D0	3	3.00	6.26	2.04	4.22	36.0	7.40	-1.00
14628	139.6	141.6	2.0	95	4D4	3	3.22	10.79	3.09	7.70	53.0	10.48	-1.00
14629	141.6	143.6	2.0	95	4D0	3	3.08	7.49	3.17	4.32	45.0	8.95	-1.00
14630	143.6	145.6	2.0	100	4D0	3	3.09	9.71	4.01	5.70	67.0	7.10	-1.00
14631	145.6	147.6	2.0	100	4D0	3	3.01	8.21	2.91	5.30	43.0	4.90	-1.00
14632	147.6	150.1	2.5	100	4D0	3	3.19	7.78	2.18	5.60	36.0	6.20	-1.00
14633	150.1	151.5	1.4	100	4C5E	3	3.30	3.97	.93	3.04	18.0	13.44	-1.00
0	151.5	151.8	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14634	151.8	153.8	2.0	90	4AC	2	3.02	2.23	.70	1.53	14.0	16.71	-1.00
14635	153.8	155.8	2.0	80	4A10	2	2.99	3.17	1.53	1.64	27.0	8.94	-1.00
14636	155.8	157.8	2.0	85	4A14	2	3.16	5.35	1.95	3.40	31.0	6.50	-1.00
14637	157.8	160.4	2.6	96	4A10	2	4.01	4.88	1.81	3.07	27.0	11.05	-1.00
0	160.4	161.3	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14638	161.3	162.3	1.0	80	4E0	5	3.33	4.90	2.22	2.68	45.0	29.48	-1.00
14639	162.3	164.3	2.0	95	4A14	2	3.20	6.85	2.66	4.19	37.0	14.52	-1.00
14640	164.3	166.3	2.0	100	4A14	2	3.03	8.20	3.00	5.20	49.0	10.00	-1.00
14641	166.3	168.3	2.0	85	4A14	2	2.92	6.93	2.08	4.85	35.0	5.80	-1.00
14642	168.3	171.0	2.7	85	4A10	2	2.95	3.90	1.72	2.18	23.0	3.00	-1.00
0	171.0	199.4	28.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14643	199.4	202.8	3.4	91	4A41	2	3.42	13.90	5.10	8.80	85.0	12.86	-1.00
14644	202.8	204.8	2.0	100	4A14	2	3.13	7.51	3.10	4.41	44.0	9.00	-1.00
14645	204.8	206.7	1.9	100	4A14	2	3.03	6.54	2.02	4.52	29.0	4.90	-1.00
0	206.7	362.2	155.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14646	362.2	364.2	2.0	75	4ACE	2	-1.00	1.15	.48	.67	11.0	-1.00	-1.00
14647	364.2	366.2	2.0	90	4ACE	2	-1.00	.70	.28	.42	7.0	-1.00	-1.00
14648	366.2	368.7	2.5	100	4ACE	2	3.63	3.31	1.32	1.99	22.0	21.61	-1.00
0	368.7	391.6	22.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14649	391.6	393.1	1.5	93	4G4	7	4.62	13.60	5.10	8.50	92.0	11.41	-1.00

14650	393.1	394.8	1.7	82	4AD	2	3.06	4.28	1.46	2.82	26.0	6.28	-1.00
0	394.8	401.0	6.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14651	401.0	403.0	2.0	100	4ED	5	4.22	4.18	2.00	2.18	28.0	28.52	-1.00
14652	403.0	404.5	1.5	73	4ED	5	4.55	5.04	2.18	2.86	36.0	38.80	-1.00
14653	404.5	407.5	3.0	97	4GEL	7	3.71	9.19	3.99	5.20	69.0	14.05	-1.00
0	407.5	420.3	12.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA105 Section: W62
 Northing: 6029.8 Easting: 2484.8 Elevation: 1263.1
 Length: 199.5 Core: NQ Record: 137

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	99.4	99.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7935	99.4	100.0	.6	83	4E86a	5	4.37	4.56	2.90	1.66	40.0	37.18	-1.00
7936	100.0	101.9	1.9	100	4E86#	5	3.89	4.90	2.60	2.30	33.0	27.88	-1.00
7937	101.9	102.8	.9	78	4E8*	5	3.96	3.24	2.20	1.04	27.0	32.19	-1.00
7938	102.8	104.8	2.0	100	4A19	2	3.51	2.20	.82	1.38	19.0	23.11	-1.00
7939	104.8	106.8	2.0	100	4A19	2	3.29	.32	.15	.17	8.0	17.68	-1.00
7940	106.8	109.3	2.5	100	4A19	2	-1.00	.39	.19	.20	10.0	-1.00	-1.00
0	109.3	111.1	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7941	111.1	112.4	1.3	69	4C0	3	-1.00	.50	.14	.36	11.0	-1.00	-1.00
0	112.4	112.9	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7942	112.9	113.6	.7	86	4G4#	7	3.99	17.00	7.80	9.20	106.0	18.80	-1.00
7943	113.6	114.2	.6	100	4D0	3	3.37	11.10	6.30	4.80	81.0	12.34	-1.00
7944	114.2	116.5	2.3	100	4CE*	3	-1.00	.97	.31	.66	11.0	-1.00	-1.00
7945	116.5	118.5	2.0	90	4A1	2	-1.00	.46	.19	.27	10.0	-1.00	-1.00
7946	118.5	120.4	1.9	100	4A1	2	-1.00	.65	.30	.35	13.0	-1.00	-1.00
7947	120.4	122.7	2.3	100	4C0	3	-1.00	.52	.09	.43	7.0	-1.00	-1.00
7948	122.7	124.3	1.6	75	4D0	3	3.41	6.10	2.50	3.60	30.0	16.99	-1.00
7949	124.3	125.6	1.3	100	4C0	3	3.54	.82	.27	.55	17.0	24.39	-1.00
7950	125.6	126.9	1.3	100	4C0	3	3.54	2.64	.78	1.86	17.0	22.26	-1.00
0	126.9	130.1	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8826	130.1	131.6	1.5	100	4CA	3	-1.00	.64	.18	.46	12.0	-1.00	-1.00
8827	131.6	133.7	2.1	95	4A13	2	-1.00	.60	.21	.39	10.0	-1.00	-1.00
8828	133.7	135.8	2.1	100	4A13	2	-1.00	2.10	.85	1.25	13.0	-1.00	-1.00
8829	135.8	137.9	2.1	100	4A13	2	-1.00	.44	.17	.27	7.0	-1.00	-1.00
8830	137.9	139.9	2.0	100	4A13	2	-1.00	.38	.17	.21	7.0	-1.00	-1.00
8831	139.9	141.9	2.0	100	4A13	2	-1.00	.30	.13	.17	5.0	-1.00	-1.00
8832	141.9	143.0	1.1	100	4A13	2	-1.00	.35	.17	.18	3.0	-1.00	-1.00
8833	143.0	144.0	1.0	100	4E8a	5	-1.00	2.16	1.18	.98	32.0	-1.00	-1.00
0	144.0	144.8	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8834	144.8	145.6	.8	100	4E8#	5	4.06	6.80	3.80	3.00	45.0	28.26	-1.00
8835	145.6	146.2	.6	100	4L48	52	3.33	3.01	1.50	1.51	18.0	13.40	-1.00
8836	146.2	146.9	.7	100	4E8*	5	-1.00	.96	.46	.50	21.0	-1.00	-1.00
8837	146.9	149.0	2.1	100	4A13	2	-1.00	.42	.16	.26	11.0	-1.00	-1.00
8838	149.0	151.0	2.0	95	4A13	2	-1.00	.37	.06	.31	7.0	-1.00	-1.00
8839	151.0	153.0	2.0	100	4A13	2	-1.00	.30	.05	.25	11.0	-1.00	-1.00
8840	153.0	154.1	1.1	100	4C0	3	-1.00	.58	.21	.37	12.0	-1.00	-1.00
8841	154.1	154.7	.6	100	4DE	3	3.74	9.00	3.40	5.60	48.0	17.53	-1.00
0	154.7	166.4	11.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8842	166.4	167.2	.8	87	4C0	3	2.98	1.64	.60	1.04	10.0	11.47	-1.00
8843	167.2	167.8	.6	100	4CL	3	3.55	2.57	1.40	1.17	22.0	22.96	-1.00
8844	167.8	168.8	1.0	100	4EGB	7	4.10	11.40	5.40	6.00	62.0	18.13	-1.00
8845	168.8	170.8	2.0	100	4A13	2	3.25	.64	.35	.29	11.0	16.46	-1.00
8846	170.8	172.6	1.8	100	4A13	2	3.26	.18	.08	.10	10.0	17.57	-1.00
8847	172.6	173.7	1.1	100	4LE	52	3.63	4.34	2.04	2.30	35.0	22.78	-1.00

8848	173.7	175.7	2.0	100	4G8*	7	2.98	4.50	2.40	2.10	36.0	26.27	-1.00
8849	175.7	177.2	1.5	100	4G8*	7	3.93	4.60	2.40	2.20	38.0	32.93	-1.00
8850	177.2	177.6	.4	100	4L5	52	-1.00	1.31	.66	.65	19.0	-1.00	-1.00
9001	177.6	178.2	.6	100	4C0	3	-1.00	1.00	.63	.37	18.0	-1.00	-1.00
0	178.2	179.0	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9002	179.0	180.0	1.0	100	4C8#	3	-1.00	1.38	.93	.45	21.0	-1.00	-1.00
0	180.0	181.7	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9003	181.7	182.9	1.2	100	4DA	3	3.48	3.98	1.28	2.70	29.0	20.72	-1.00
9004	182.9	183.4	.5	80	4A1	2	-1.00	.73	.19	.54	10.0	-1.00	-1.00
9005	183.4	185.0	1.6	100	4A13	2	-1.00	.48	.21	.27	12.0	-1.00	-1.00
0	185.0	199.5	14.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA106 Section: W68
 Northing: 6210.0 Easting: 2848.8 Elevation: 1293.0
 Length: 190.5 Core: NQ Record: 138

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	46.9	46.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5216	46.9	49.2	2.3	100	4E4	5	4.14	18.82	10.79	8.03	153.0	22.26	-1.00
5217	49.2	50.5	1.3	100	4LK	52	3.03	4.88	1.36	3.52	16.0	7.85	-1.00
0	50.5	90.3	39.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5218	90.3	91.4	1.1	82	4E4	5	4.16	19.63	11.60	8.03	139.0	-1.00	-1.00
0	91.4	151.3	59.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5219	151.3	154.2	2.9	100	4AG	2	4.40	14.53	5.48	9.05	97.0	11.89	-1.00
5220	154.2	154.8	.6	100	4E4	5	4.52	12.09	5.32	6.77	87.0	28.97	-1.00
5221	154.8	157.0	2.2	100	4D4	3	3.92	16.03	6.82	9.21	96.0	22.26	-1.00
5222	157.0	159.8	2.8	100	4C3	3	3.52	4.31	1.93	2.38	37.0	22.04	-1.00
5223	159.8	162.0	2.2	91	4A4	2	3.04	9.35	3.82	5.53	54.0	9.14	-1.00
5224	162.0	163.9	1.9	84	4A0	2	2.92	3.14	1.26	1.88	24.0	5.78	-1.00
0	163.9	168.7	4.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5225	168.7	172.0	3.3	100	4A0	2	3.23	.65	.16	.49	8.0	-1.00	-1.00
5226	172.0	175.0	3.0	87	4A3	2	3.37	.40	.13	.27	7.0	-1.00	-1.00
5227	175.0	178.0	3.0	100	4A3	2	3.37	.62	.26	.36	10.0	-1.00	-1.00
5228	178.0	181.3	3.3	88	4L2	52	3.02	.57	.22	.35	6.0	-1.00	-1.00
0	181.3	190.5	9.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA107 Section: W62
 Northing: 6028.7 Easting: 2670.8 Elevation: 1275.9
 Length: 216.7 Core: NQ Record: 139

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	52.8	52.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9843	52.8	54.4	1.6	94	4DE4	3	3.77	23.80	7.80	16.00	131.0	15.59	-1.00
9844	54.4	54.7	.3	100	4G4	7	4.51	14.20	4.00	10.20	59.0	23.79	-1.00
9845	54.7	55.5	.8	75	4E4	5	4.39	5.73	.43	5.30	12.0	39.81	-1.00
9846	55.5	57.4	1.9	100	4GE	7	4.53	7.16	2.06	5.10	39.0	22.30	-1.00
9847	57.4	57.9	.5	100	4E4	5	4.75	23.30	6.30	17.00	83.0	29.11	-1.00
9848	57.9	58.6	.7	100	4G4	7	4.76	12.70	3.00	9.70	43.0	22.95	-1.00
9849	58.6	60.4	1.8	100	4E64	5	4.57	11.90	3.50	8.40	63.0	30.10	-1.00
9850	60.4	61.2	.8	100	4D3	3	3.39	17.10	4.60	12.50	73.0	14.03	-1.00
9951	61.2	62.9	1.7	100	4E64	5	4.60	19.10	6.60	12.50	109.0	30.80	-1.00
9952	62.9	64.2	1.3	100	4D4	3	3.67	27.40	8.70	18.70	148.0	11.55	-1.00
9953	64.2	65.6	1.4	100	4D4	3	3.68	20.00	7.40	12.60	125.0	13.54	-1.00
9954	65.6	67.9	2.3	96	4E4	5	5.46	21.50	6.70	14.80	96.0	30.22	-1.00
9955	67.9	69.8	1.9	100	4DE4	3	4.35	31.10	10.80	20.30	156.0	16.79	-1.00
9956	69.8	70.2	.4	100	4E4	5	4.94	14.30	4.30	10.00	61.0	32.94	-1.00
9957	70.2	71.2	1.0	100	4D4	3	4.04	25.20	8.00	17.20	150.0	16.07	-1.00
9958	71.2	73.2	2.0	100	4CE	3	3.84	2.25	.57	1.68	27.0	25.88	-1.00
9959	73.2	74.5	1.3	92	4CA	3	3.66	1.53	.22	1.31	17.0	21.35	-1.00
9960	74.5	75.7	1.2	100	4CA	3	-1.00	.43	.17	.26	15.0	-1.00	-1.00
9961	75.7	78.1	2.4	100	4A13	2	-1.00	2.27	.93	1.34	21.0	-1.00	-1.00
9962	78.1	79.3	1.2	100	4C35	3	-1.00	1.67	.89	.78	24.0	-1.00	-1.00
9963	79.3	81.3	2.0	100	4A13	2	-1.00	.73	.21	.52	10.0	-1.00	-1.00
9964	81.3	83.4	2.1	100	4A13	2	-1.00	.50	.25	.25	16.0	-1.00	-1.00
9965	83.4	84.7	1.3	100	4A13	2	-1.00	.54	.15	.39	9.0	-1.00	-1.00
9966	84.7	87.1	2.4	100	4A13	2	-1.00	1.15	.23	.92	11.0	-1.00	-1.00
9967	87.1	88.2	1.1	91	4C0	3	-1.00	1.09	.32	.77	13.0	-1.00	-1.00
9968	88.2	89.7	1.5	100	4CA	3	-1.00	.61	.11	.50	13.0	-1.00	-1.00
9969	89.7	91.2	1.5	100	4CE	3	-1.00	1.79	.59	1.20	19.0	-1.00	-1.00
9970	91.2	92.8	1.6	100	4CE	3	-1.00	1.63	.61	1.02	22.0	-1.00	-1.00
9971	92.8	94.8	2.0	100	4A0	2	-1.00	.32	.07	.25	11.0	-1.00	-1.00
9972	94.8	96.8	2.0	100	4A0	2	-1.00	.46	.06	.40	11.0	-1.00	-1.00
9973	96.8	98.8	2.0	75	4A0	2	-1.00	.51	.08	.43	16.0	-1.00	-1.00
9974	98.8	100.8	2.0	75	4A0	2	-1.00	.50	.05	.45	10.0	-1.00	-1.00
9975	100.8	102.8	2.0	90	4A0	2	-1.00	.56	.10	.46	13.0	-1.00	-1.00
9976	102.8	104.8	2.0	85	4A0	2	-1.00	.35	.10	.25	12.0	-1.00	-1.00
9977	104.8	106.8	2.0	55	4A0	2	-1.00	.24	.06	.18	9.0	-1.00	-1.00
9978	106.8	108.7	1.9	79	4A0	2	-1.00	.19	.03	.16	5.0	-1.00	-1.00
9979	108.7	110.7	2.0	35	4A1	2	-1.00	.18	.05	.13	7.0	-1.00	-1.00
9980	110.7	112.3	1.6	75	4A1	2	-1.00	.12	.04	.08	5.0	-1.00	-1.00
9981	112.3	113.9	1.6	100	4A1	2	-1.00	.34	.08	.26	3.0	-1.00	-1.00
9982	113.9	114.8	.9	100	4A13	2	-1.00	1.11	.77	.34	13.0	-1.00	-1.00
9983	114.8	116.8	2.0	100	4E0	5	4.47	2.03	.88	1.15	22.0	45.18	-1.00
9984	116.8	118.7	1.9	100	4E0	5	4.47	3.09	1.27	1.82	26.0	44.67	-1.00
9985	118.7	120.9	2.2	100	4E\$	5	4.63	6.57	2.17	4.40	55.0	40.27	-1.00

9986	120.9	121.5	.6	100	4E0	5	4.91	1.00	.44	.56	15.0	45.71	-1.00
9987	121.5	122.1	.6	100	4ED4	5	4.38	26.40	10.80	15.60	180.0	23.12	-1.00
9988	122.1	123.5	1.4	100	4A13	2	3.31	4.10	1.60	2.50	30.0	18.79	-1.00
9989	123.5	123.8	.3	100	4D4	3	3.81	10.90	4.90	6.00	70.0	20.92	-1.00
0	123.8	168.5	44.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9990	168.5	169.9	1.4	100	4L14	52	-1.00	1.25	.82	.43	14.0	-1.00	-1.00
9991	169.9	171.3	1.4	100	4L14	52	-1.00	.72	.51	.21	9.0	-1.00	-1.00
9992	171.3	172.3	1.0	70	4H0	8	-1.00	7.39	3.70	3.69	39.0	-1.00	-1.00
0	172.3	216.7	44.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA108 Section: W58
 Northing: 5909.5 Easting: 2487.2 Elevation: 1259.4
 Length: 191.1 Core: NQ Record: 140

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	69.6	69.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91685	69.6	70.7	1.1	100	4E\$8	5	-1.00	1.82	1.13	.69	20.2	-1.00	-1.00
91686	70.7	74.0	3.3	97	4E\$84	5	-1.00	7.34	4.28	3.06	50.4	-1.00	-1.00
91687	74.0	75.3	1.3	100	4E48	5	-1.00	8.23	4.13	4.10	49.4	-1.00	-1.00
91688	75.3	76.8	1.5	100	4E48	5	-1.00	9.73	4.73	5.00	49.4	-1.00	-1.00
91689	76.8	78.3	1.5	100	4E48\$	5	-1.00	12.59	6.79	5.80	78.8	-1.00	-1.00
91690	78.3	79.9	1.6	94	4EG	7	-1.00	7.70	3.90	3.80	60.3	-1.00	-1.00
91691	79.9	80.8	.9	100	4K\$	6	-1.00	.71	.28	.43	11.0	-1.00	-1.00
91692	80.8	82.9	2.1	100	4AC0	2	-1.00	.39	.19	.20	9.9	-1.00	-1.00
91693	82.9	84.4	1.5	100	4AC0	2	-1.00	.72	.18	.54	9.9	-1.00	-1.00
91694	84.4	85.9	1.5	100	4AC0	2	-1.00	.58	.20	.38	7.2	-1.00	-1.00
91695	85.9	87.5	1.6	100	4E4\$8	5	-1.00	11.14	5.98	5.16	89.1	-1.00	-1.00
91696	87.5	89.0	1.5	100	4ED	5	-1.00	12.33	4.73	7.60	68.6	-1.00	-1.00
91697	89.0	92.3	3.3	94	4DCA	3	-1.00	4.07	1.43	2.64	21.3	-1.00	-1.00
91698	92.3	93.0	.7	100	4E4\$	5	-1.00	17.95	6.54	11.41	93.9	-1.00	-1.00
91699	93.0	95.1	2.1	95	4DA	3	-1.00	4.93	1.75	3.18	25.4	-1.00	-1.00
91700	95.1	96.6	1.5	100	4DA	3	-1.00	.80	.20	.60	8.2	-1.00	-1.00
91701	96.6	99.7	3.1	100	5C4*	44	-1.00	.77	.17	.60	4.1	-1.00	-1.00
91702	99.7	101.9	2.2	100	4D\$	3	-1.00	.71	.12	.59	6.2	-1.00	-1.00
91703	101.9	104.8	2.9	100	4C0	3	-1.00	4.69	1.63	3.06	26.4	-1.00	-1.00
91704	104.8	107.1	2.3	100	4G4	7	-1.00	11.66	5.78	5.88	82.6	-1.00	-1.00
0	107.1	136.2	29.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91705	136.2	138.6	2.4	96	4EA	5	-1.00	2.26	1.00	1.26	20.2	-1.00	-1.00
91706	138.6	139.3	.7	100	4E4#8	5	-1.00	12.63	5.38	7.25	79.2	-1.00	-1.00
91707	139.3	140.3	1.0	100	4E1	5	-1.00	.51	.18	.33	7.2	-1.00	-1.00
91708	140.3	140.7	.4	100	4E46	5	-1.00	9.42	3.90	5.52	72.7	-1.00	-1.00
91709	140.7	143.9	3.2	100	4EC	5	-1.00	3.91	2.15	1.76	32.2	-1.00	-1.00
91710	143.9	146.1	2.2	100	4C38\$	3	-1.00	3.13	1.83	1.30	27.4	-1.00	-1.00
91711	146.1	148.4	2.3	100	4DEA	3	-1.00	1.66	.68	.98	12.0	-1.00	-1.00
91712	148.4	151.3	2.9	100	4DEA	3	-1.00	2.99	1.53	1.46	23.3	-1.00	-1.00
91713	151.3	153.0	1.7	100	4D0	3	-1.00	6.00	3.00	3.00	37.4	-1.00	-1.00
91714	153.0	156.1	3.1	100	4C0	3	-1.00	4.46	2.00	2.46	26.4	-1.00	-1.00
91715	156.1	159.1	3.0	100	4AC	2	-1.00	2.01	1.13	.88	16.1	-1.00	-1.00
91716	159.1	162.2	3.1	100	4A0	2	-1.00	.24	.12	.12	5.1	-1.00	-1.00
91717	162.2	163.8	1.6	100	4A0	2	-1.00	.69	.09	.60	4.1	-1.00	-1.00
91718	163.8	164.8	1.0	100	4A0	2	-1.00	.10	.08	.02	2.1	-1.00	-1.00
91719	164.8	166.2	1.4	100	4KC	6	-1.00	1.55	.90	.65	20.2	-1.00	-1.00
0	166.2	191.1	24.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA109 Section: W66
 Northing: 6151.5 Easting: 2849.9 Elevation: 1289.5
 Length: 190.8 Core: NQ Record: 141

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	129.2	129.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9016	129.2	131.5	2.3	100	4D4#	3	3.38	6.70	2.90	3.80	46.0	10.29	-1.00
9017	131.5	134.5	3.0	83	4A0	2	3.23	4.74	1.54	3.20	25.0	6.99	-1.00
9018	134.5	135.8	1.3	92	4DL4	3	3.44	8.50	3.60	4.90	60.0	10.07	-1.00
9019	135.8	138.5	2.7	100	4G4#	7	4.50	17.20	6.90	10.30	104.0	12.98	-1.00
9020	138.5	141.2	2.7	100	4G4#	7	4.80	13.10	5.10	8.00	92.0	18.22	-1.00
9021	141.2	143.9	2.7	100	4G4#	7	4.25	12.20	5.00	7.20	90.0	16.65	-1.00
9022	143.9	146.5	2.6	100	4G0#	7	4.67	8.60	3.50	5.10	69.0	29.70	-1.00
9023	146.5	148.5	2.0	80	4E48	5	4.63	26.50	16.20	10.30	172.0	22.26	-1.00
9024	148.5	150.6	2.1	95	4A34	2	3.31	8.60	4.10	4.50	54.0	12.39	-1.00
0	150.6	155.8	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9025	155.8	157.9	2.1	100	4CL	3	-1.00	.50	.17	.33	13.0	-1.00	-1.00
9026	157.9	159.1	1.2	100	4L172	52	-1.00	1.73	.51	1.22	13.0	-1.00	-1.00
9027	159.1	160.7	1.6	100	4A3	2	-1.00	.36	.15	.21	11.0	-1.00	-1.00
9028	160.7	161.5	.8	100	4C0	3	-1.00	.38	.09	.29	4.0	-1.00	-1.00
9029	161.5	164.4	2.9	69	4A3	2	-1.00	.39	.18	.21	10.0	-1.00	-1.00
0	164.4	190.8	26.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA110 Section: W60
 Northing: 5968.6 Easting: 2550.4 Elevation: 1262.8
 Length: 198.0 Core: NQ Record: 142

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	41.5	41.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14595	41.5	43.5	2.0	100	4C38	3	-1.00	1.58	.75	.83	14.0	-1.00	-1.00
14596	43.5	45.5	2.0	100	4C38	3	-1.00	2.80	1.60	1.20	26.0	-1.00	-1.00
14597	45.5	47.5	2.0	100	4C38	3	-1.00	4.22	2.09	2.13	32.0	-1.00	-1.00
14598	47.5	50.2	2.7	96	4C38	3	-1.00	4.30	2.21	2.09	35.0	-1.00	-1.00
14599	50.2	51.2	1.0	100	4E1\$	5	-1.00	4.63	2.44	2.19	53.0	-1.00	-1.00
14600	51.2	53.2	2.0	100	4A13	2	-1.00	.29	.15	.14	8.0	-1.00	-1.00
14601	53.2	55.2	2.0	100	4A13	2	-1.00	.70	.30	.40	17.0	-1.00	-1.00
14602	55.2	57.2	2.0	100	4A13	2	-1.00	.67	.26	.41	15.0	-1.00	-1.00
14603	57.2	58.8	1.6	100	4A13	2	-1.00	.91	.27	.64	11.0	-1.00	-1.00
14604	58.8	59.7	.9	100	4LD	52	-1.00	11.22	3.82	7.40	46.0	-1.00	-1.00
14605	59.7	61.7	2.0	100	4D4	3	-1.00	11.28	3.88	7.40	58.0	-1.00	-1.00
14606	61.7	63.2	1.5	100	4DEC	3	-1.00	4.67	2.47	2.20	45.0	-1.00	-1.00
14607	63.2	64.7	1.5	100	4A14	2	-1.00	12.01	4.01	8.00	53.0	-1.00	-1.00
14608	64.7	65.9	1.2	100	4E4*	5	-1.00	12.76	4.96	7.80	77.0	-1.00	-1.00
0	65.9	166.7	100.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14609	166.7	167.6	.9	100	4A1	2	-1.00	2.81	1.13	1.68	18.0	-1.00	-1.00
14610	167.6	168.3	.7	100	4E48	5	-1.00	5.85	2.89	2.96	41.0	-1.00	-1.00
14611	168.3	169.5	1.2	100	4A1	2	-1.00	2.75	1.00	1.75	21.0	-1.00	-1.00
14612	169.5	170.7	1.2	100	4K0	6	-1.00	1.15	.65	.50	18.0	-1.00	-1.00
0	170.7	175.1	4.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14613	175.1	176.7	1.6	100	4E0	5	-1.00	.15	.10	.05	9.0	-1.00	-1.00
0	176.7	198.0	21.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA111 Section: W86
 Northing: 6756.9 Easting: 2672.7 Elevation: 1315.6
 Length: 394.1 Core: NQ Record: 143

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	185.1	185.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14519	185.1	186.1	1.0	100	4C0	3	3.54	3.07	1.76	1.31	29.0	23.00	-1.00
0	186.1	187.7	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14520	187.7	189.2	1.5	100	4C0	3	3.38	3.00	1.43	1.57	21.0	18.50	-1.00
0	189.2	234.2	45.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14521	234.2	236.7	2.5	92	4E4	5	4.25	25.04	6.44	18.60	117.0	20.40	-1.00
0	236.7	237.9	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14522	237.9	239.0	1.1	100	4CE4	3	3.73	7.02	2.36	4.66	73.0	22.60	-1.00
14523	239.0	241.0	2.0	100	4A4	2	3.60	11.66	3.46	8.20	80.0	16.10	-1.00
14524	241.0	243.0	2.0	95	4A0	2	3.16	4.18	1.61	2.57	30.0	12.14	-1.00
14525	243.0	245.0	2.0	100	4A0	2	3.13	2.88	1.31	1.57	23.0	11.71	-1.00
14526	245.0	246.3	1.3	100	4A0	2	3.11	2.82	1.08	1.74	18.0	11.25	-1.00
0	246.3	251.9	5.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14527	251.9	253.9	2.0	100	4D5	3	2.99	5.57	1.91	3.66	30.0	5.26	-1.00
14528	253.9	255.9	2.0	90	4D5	3	2.98	6.01	2.27	3.74	35.0	4.10	-1.00
14529	255.9	258.5	2.6	77	4D5	3	2.96	6.72	2.15	4.57	35.0	3.60	-1.00
0	258.5	271.9	13.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90599	271.9	273.9	2.0	100	4CA0	3	-1.00	2.26	.80	1.46	19.2	-1.00	-1.00
90600	273.9	275.4	1.5	100	4CA0	3	-1.00	1.99	.85	1.14	8.9	-1.00	-1.00
90601	275.4	276.2	.8	100	4CA0	3	-1.00	2.75	1.03	1.72	12.0	-1.00	-1.00
0	276.2	277.8	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90602	277.8	279.8	2.0	100	4CA0	3	-1.00	2.10	1.00	1.10	15.1	-1.00	-1.00
90603	279.8	281.0	1.2	100	4AC0	2	-1.00	1.74	.78	.96	14.1	-1.00	-1.00
90604	281.0	282.1	1.1	100	4AC0	2	-1.00	2.00	.88	1.12	13.0	-1.00	-1.00
0	282.1	285.3	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14530	285.3	287.3	2.0	100	4A43	2	3.39	12.58	4.14	8.44	66.0	14.13	-1.00
14531	287.3	289.3	2.0	100	4A43	2	3.73	9.47	4.54	4.93	63.0	21.08	-1.00
14532	289.3	290.9	1.6	81	4A43	2	3.39	10.56	3.80	6.76	58.0	13.91	-1.00
14533	290.9	291.9	1.0	90	4A43	2	3.61	9.59	4.06	5.53	64.0	20.42	-1.00
14534	291.9	293.2	1.3	100	4E46	5	4.68	14.52	6.14	8.38	113.0	29.66	-1.00
0	293.2	303.2	10.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14535	303.2	305.0	1.8	100	4E46	5	4.71	17.39	6.39	11.00	142.0	30.00	-1.00
14536	305.0	307.5	2.5	96	4E46	5	4.76	21.28	7.18	14.10	122.0	19.55	-1.00
14537	307.5	308.3	.8	100	4G4	7	4.74	20.34	6.54	13.80	115.0	12.51	-1.00
14538	308.3	310.3	2.0	100	4E46	5	4.95	22.97	9.37	13.60	158.0	21.59	-1.00
14539	310.3	312.3	2.0	100	4E46	5	4.94	14.68	5.58	9.10	105.0	23.19	-1.00
14540	312.3	313.8	1.5	100	4E46	5	4.90	16.96	6.86	10.10	112.0	24.25	-1.00
14541	313.8	315.2	1.4	93	4E46	5	4.82	32.90	12.90	20.00	199.0	19.54	-1.00
0	315.2	369.3	54.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14542	369.3	371.6	2.3	87	4E4	5	5.08	14.37	5.97	8.40	94.0	20.40	-1.00
14543	371.6	373.7	2.1	100	4A0	2	3.60	3.86	1.40	2.46	26.0	11.40	-1.00
0	373.7	394.1	20.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA112 Section: W64
 Northing: 6087.6 Easting: 2854.5 Elevation: 1287.2
 Length: 172.5 Core: NQ Record: 144

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	110.4	110.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6347	110.4	112.3	1.9	100	4E4*	5	4.11	23.90	10.40	13.50	162.0	20.99	-1.00
6348	112.3	114.5	2.2	100	4G48	7	4.80	15.30	6.40	8.90	116.0	18.09	-1.00
6349	114.5	115.4	.9	100	4E4*	5	4.64	12.40	5.10	7.30	91.0	31.83	-1.00
6350	115.4	117.2	1.8	94	4GE4	7	4.03	17.10	7.20	9.90	128.0	18.21	-1.00
6351	117.2	119.5	2.3	100	4A43	2	3.50	6.50	2.20	4.30	37.0	18.15	-1.00
6352	119.5	121.3	1.8	100	4A3	2	3.63	3.67	1.94	1.73	33.0	20.23	-1.00
6353	121.3	122.1	.8	75	4E42	5	4.69	11.00	5.20	5.80	92.0	35.27	-1.00
6354	122.1	124.1	2.0	100	4A3	2	3.48	2.08	.72	1.36	16.0	18.85	-1.00
6355	124.1	125.6	1.5	93	4A3	2	3.46	2.53	1.08	1.45	20.0	18.78	-1.00
6356	125.6	127.5	1.9	100	4A3	2	3.68	4.22	2.20	2.02	39.0	22.52	-1.00
6357	127.5	128.3	.8	75	4D42	3	3.49	22.10	7.30	14.80	126.0	11.60	-1.00
6358	128.3	130.8	2.5	100	4A0	2	3.02	1.97	.74	1.23	12.0	8.34	-1.00
0	130.8	141.0	10.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6359	141.0	142.0	1.0	100	4D0	3	-1.00	5.14	1.24	3.90	21.0	-1.00	-1.00
0	142.0	172.5	30.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA113 Section: W86
 Northing: 6757.4 Easting: 2733.7 Elevation: 1315.9
 Length: 474.6 Core: NQ Record: 145

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	215.4	215.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14426	215.4	217.2	1.8	94	4D4	3	3.39	15.15	4.65	10.50	92.0	12.51	-1.00
14427	217.2	219.6	2.4	100	4A0	2	3.02	3.03	1.03	2.00	24.0	7.93	-1.00
14428	219.6	221.6	2.0	95	4A0	2	2.97	2.68	.90	1.78	19.0	5.60	-1.00
14429	221.6	223.6	2.0	100	4A0	2	3.00	1.18	.47	.71	10.0	7.64	-1.00
14430	223.6	225.6	2.0	100	4A0	2	3.01	1.78	.76	1.02	15.0	6.82	-1.00
14431	225.6	226.7	1.1	100	4A4	2	3.58	12.35	4.55	7.80	83.0	16.96	-1.00
0	226.7	310.3	83.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14432	310.3	312.4	2.1	81	4C5	3	2.94	2.16	1.12	1.04	20.0	5.50	-1.00
14433	312.4	314.0	1.6	100	4D0	3	2.91	5.15	1.86	3.29	29.0	2.40	-1.00
14434	314.0	315.1	1.1	100	4C0	3	2.94	3.21	.95	2.26	18.0	3.80	-1.00
0	315.1	316.2	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14435	316.2	318.6	2.4	100	4D0	3	3.13	7.25	2.66	4.59	48.0	9.99	-1.00
14436	318.6	319.5	.9	100	5D4*	47	-1.00	.75	.30	.45	9.0	-1.00	-1.00
14437	319.5	321.3	1.8	56	4A0	2	-1.00	1.11	.32	.79	11.0	-1.00	-1.00
0	321.3	325.3	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14438	325.3	327.6	2.3	57	4C0	3	-1.00	.54	.29	.25	9.0	-1.00	-1.00
0	327.6	329.2	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14439	329.2	331.0	1.8	39	4D5	3	4.35	9.62	3.32	6.30	62.0	23.57	-1.00
0	331.0	365.1	34.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14440	365.1	368.5	3.4	85	4GHEL	7	-1.00	1.24	.37	.87	15.0	-1.00	-1.00
14441	368.5	370.9	2.4	88	4G4	7	4.61	12.06	4.06	8.00	81.0	16.64	-1.00
14442	370.9	373.5	2.6	100	5C*9	44	3.20	3.33	1.04	2.29	18.0	9.90	-1.00
14443	373.5	375.4	1.9	100	4G4	7	4.39	13.44	4.84	8.60	92.0	21.97	-1.00
14444	375.4	376.6	1.2	100	4A14	2	3.39	8.30	2.40	5.90	46.0	15.96	-1.00
14445	376.6	377.9	1.3	100	4E46	5	3.95	11.58	3.98	7.60	82.0	15.46	-1.00
14446	377.9	380.2	2.3	91	4E46	5	3.58	5.26	2.13	3.13	43.0	20.29	-1.00
0	380.2	403.6	23.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14447	403.6	405.2	1.6	100	4A17	2	-1.00	.58	.26	.32	8.0	-1.00	-1.00
0	405.2	406.1	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14448	406.1	407.3	1.2	100	4A1	2	-1.00	.50	.29	.21	7.0	-1.00	-1.00
0	407.3	420.2	12.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14449	420.2	422.5	2.3	100	4A1	2	-1.00	1.42	.46	.96	11.0	-1.00	-1.00
0	422.5	428.5	6.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14450	428.5	430.5	2.0	100	4A7	2	-1.00	.92	.84	.08	10.0	-1.00	-1.00
14451	430.5	432.4	1.9	100	4A7	2	-1.00	.22	.12	.10	10.0	-1.00	-1.00
0	432.4	474.6	42.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA114 Section: W60
 Northing: 5952.4 Easting: 2428.6 Elevation: 1259.2
 Length: 221.6 Core: NQ Record: 146

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	93.3	93.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14459	93.3	94.8	1.5	100	4C3\$	3	-1.00	.73	.49	.24	20.0	-1.00	-1.00
14460	94.8	96.3	1.5	100	4C3\$	3	-1.00	2.19	1.33	.86	27.0	-1.00	-1.00
14461	96.3	97.8	1.5	100	4C3\$	3	-1.00	1.80	.97	.83	19.0	-1.00	-1.00
14462	97.8	100.7	2.9	69	4C3\$	3	-1.00	2.37	1.28	1.09	26.0	-1.00	-1.00
14463	100.7	102.7	2.0	100	4C3\$	3	-1.00	2.66	1.34	1.32	26.0	-1.00	-1.00
14464	102.7	104.7	2.0	100	4C3\$	3	-1.00	1.18	.84	.34	20.0	-1.00	-1.00
14465	104.7	106.7	2.0	100	4C3\$	3	-1.00	1.56	.95	.61	27.0	-1.00	-1.00
14466	106.7	108.5	1.8	100	4C3\$	3	-1.00	1.87	.99	.88	21.0	-1.00	-1.00
0	108.5	112.5	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14467	112.5	114.0	1.5	100	4C7	3	-1.00	2.64	1.26	1.38	23.0	-1.00	-1.00
14468	114.0	115.4	1.4	100	4C7	3	-1.00	3.12	1.99	1.13	32.0	-1.00	-1.00
14469	115.4	116.2	.8	100	4L27	52	-1.00	.71	.36	.35	7.0	-1.00	-1.00
14470	116.2	117.8	1.6	100	4CL7	3	-1.00	1.69	.89	.80	17.0	-1.00	-1.00
14471	117.8	120.5	2.7	100	4C79	3	-1.00	3.31	1.59	1.72	28.0	-1.00	-1.00
14472	120.5	122.5	2.0	100	4CL7	3	-1.00	2.63	1.51	1.12	26.0	-1.00	-1.00
14473	122.5	124.6	2.1	100	4C7	3	-1.00	2.62	1.42	1.20	26.0	-1.00	-1.00
0	124.6	127.0	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14474	127.0	128.8	1.8	100	4C7	3	-1.00	1.44	.84	.60	23.0	-1.00	-1.00
14475	128.8	130.6	1.8	100	4E0	5	-1.00	1.46	.86	.60	23.0	-1.00	-1.00
14476	130.6	132.3	1.7	100	4E0	5	-1.00	1.43	.92	.51	23.0	-1.00	-1.00
14477	132.3	133.7	1.4	100	4C*	3	-1.00	1.95	1.19	.76	24.0	-1.00	-1.00
14478	133.7	135.2	1.5	100	4D*	3	-1.00	5.04	2.46	2.58	42.0	-1.00	-1.00
14479	135.2	137.2	2.0	100	4E46	5	-1.00	6.09	2.77	3.32	44.0	-1.00	-1.00
14480	137.2	139.8	2.6	100	4ECL	5	-1.00	.92	.54	.38	11.0	-1.00	-1.00
14481	139.8	141.9	2.1	86	4GEL	7	-1.00	7.16	3.49	3.67	43.0	-1.00	-1.00
14482	141.9	144.0	2.1	95	4A31	2	-1.00	2.05	.70	1.35	21.0	-1.00	-1.00
14483	144.0	146.4	2.4	46	4A31	2	-1.00	4.80	2.01	2.79	41.0	-1.00	-1.00
14484	146.4	148.0	1.6	100	4EC\$	5	-1.00	2.68	1.26	1.42	25.0	-1.00	-1.00
14485	148.0	149.8	1.8	89	4C8\$	3	-1.00	1.85	1.10	.75	25.0	-1.00	-1.00
0	149.8	221.6	71.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA115 Section: W86
 Northing: 6757.3 Easting: 2610.2 Elevation: 1316.2
 Length: 448.1 Core: NQ Record: 147

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	221.3	221.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14486	221.3	223.1	1.8	100	4C*	3	-1.00	1.41	.81	.60	18.0	-1.00	-1.00
14487	223.1	225.0	1.9	100	4C8*	3	-1.00	2.49	1.50	.99	30.0	-1.00	-1.00
14488	225.0	225.8	.8	87	4G4	7	-1.00	13.30	5.70	7.60	132.0	-1.00	-1.00
0	225.8	327.0	101.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14489	327.0	328.3	1.3	92	4C0	3	-1.00	1.85	.68	1.17	16.0	-1.00	-1.00
14490	328.3	331.4	3.1	97	5A19	30	-1.00	1.70	1.04	.66	21.0	-1.00	-1.00
14491	331.4	332.5	1.1	100	4A0	2	-1.00	1.09	.61	.48	17.0	-1.00	-1.00
14492	332.5	334.0	1.5	100	4DE	3	3.62	6.10	2.71	3.39	53.0	22.20	-1.00
14493	334.0	336.0	2.0	90	4A0	2	3.27	.53	.19	.34	11.0	17.80	-1.00
14494	336.0	338.0	2.0	100	4A0	2	3.35	3.47	1.43	2.04	28.0	17.09	-1.00
14495	338.0	340.0	2.0	100	4A0	2	-1.00	.34	.17	.17	9.0	-1.00	-1.00
14496	340.0	342.0	2.0	100	4A0	2	-1.00	.34	.15	.19	8.0	-1.00	-1.00
14497	342.0	343.5	1.5	100	4A0	2	-1.00	.61	.37	.24	14.0	-1.00	-1.00
14498	343.5	345.5	2.0	100	4C*	3	-1.00	.73	.15	.58	13.0	-1.00	-1.00
14499	345.5	347.5	2.0	100	4A1	2	-1.00	.46	.27	.19	9.0	-1.00	-1.00
14500	347.5	349.8	2.3	100	4A1	2	-1.00	.64	.35	.29	13.0	-1.00	-1.00
14501	349.8	350.6	.8	100	4E14	5	-1.00	8.24	3.71	4.53	66.0	-1.00	-1.00
14502	350.6	352.2	1.6	94	4CA	3	-1.00	1.42	.50	.92	13.0	-1.00	-1.00
14503	352.2	353.8	1.6	100	4A1	2	-1.00	.65	.26	.39	7.0	-1.00	-1.00
14504	353.8	355.2	1.4	100	4C0	3	3.29	2.06	1.06	1.00	17.0	18.80	-1.00
14505	355.2	356.2	1.0	100	4G4	7	4.47	10.29	4.19	6.10	53.0	19.26	-1.00
14506	356.2	358.0	1.8	100	4A14	2	3.14	5.63	2.01	3.62	29.0	11.41	-1.00
14507	358.0	360.5	2.5	100	5D4*	47	-1.00	.50	.18	.32	3.0	-1.00	-1.00
14508	360.5	361.4	.9	89	4A14	2	-1.00	7.30	2.03	5.27	26.0	-1.00	-1.00
0	361.4	408.6	47.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14509	408.6	410.2	1.6	87	4A1	2	-1.00	3.84	1.30	2.54	19.0	-1.00	-1.00
0	410.2	411.7	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14510	411.7	413.4	1.7	100	4L72	52	-1.00	3.30	2.50	.80	22.0	-1.00	-1.00
0	413.4	420.0	6.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14511	420.0	421.9	1.9	95	4EK16	5	4.35	4.07	1.76	2.31	27.0	33.35	-1.00
14512	421.9	423.5	1.6	94	4G4	7	4.51	11.98	4.86	7.12	56.0	19.14	-1.00
14513	423.5	425.2	1.7	100	4G4	7	4.62	10.48	3.65	6.83	44.0	18.33	-1.00
14514	425.2	426.8	1.6	100	4C8	3	3.57	2.32	1.04	1.28	20.0	22.15	-1.00
14515	426.8	428.3	1.5	80	4C8	3	3.72	4.24	2.05	2.19	34.0	25.90	-1.00
14516	428.3	430.4	2.1	90	4A17	2	-1.00	1.48	.53	.95	14.0	-1.00	-1.00
14517	430.4	432.1	1.7	100	4EK1	5	-1.00	1.70	.70	1.00	21.0	-1.00	-1.00
14518	432.1	433.2	1.1	100	4L24	52	-1.00	2.57	1.33	1.24	21.0	-1.00	-1.00
0	433.2	448.1	14.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA116 Section: W66
 Northing: 6152.3 Easting: 2910.7 Elevation: 1294.0
 Length: 181.5 Core: NQ Record: 148

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	110.9	110.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9397	110.9	112.5	1.6	100	4A13	2	3.16	4.68	1.60	3.08	29.0	11.53	-1.00
9398	112.5	114.1	1.6	100	4A13	2	3.13	4.68	1.50	3.18	27.0	8.70	-1.00
0	114.1	181.5	67.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA117 Section: W66
 Northing: 6146.8 Easting: 2609.6 Elevation: 1275.8
 Length: 214.3 Core: NQ Record: 149

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	80.8	80.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9405	80.8	81.2	.4	100	4G4	7	4.47	17.10	5.60	11.50	100.0	21.36	-1.00
9406	81.2	83.1	1.9	100	4D4	3	4.18	31.90	12.30	19.60	220.0	12.75	-1.00
9407	83.1	85.2	2.1	100	4A4	2	3.66	27.70	8.70	19.00	171.0	10.16	-1.00
9408	85.2	86.0	.8	87	4E14	5	4.17	29.50	9.90	19.60	206.0	16.42	-1.00
9409	86.0	87.8	1.8	100	4E4	5	4.66	14.50	6.00	8.50	104.0	30.47	-1.00
9410	87.8	89.6	1.8	100	4G4	7	4.61	16.80	5.90	10.90	103.0	16.08	-1.00
0	89.6	97.1	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9411	97.1	97.4	.3	100	4G4	7	4.45	10.80	3.50	7.30	76.0	12.73	-1.00
9412	97.4	98.1	.7	100	4E64#	5	4.81	13.30	4.70	8.60	102.0	25.50	-1.00
0	98.1	99.1	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9413	99.1	101.2	2.1	100	4E#4	5	4.63	13.80	5.10	8.70	102.0	33.08	-1.00
9414	101.2	103.3	2.1	100	4E#4	5	4.37	11.00	4.50	6.50	86.0	28.36	-1.00
0	103.3	150.3	47.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9415	150.3	150.9	.6	100	4DE4	3	3.56	9.10	4.20	4.90	70.0	14.76	-1.00
0	150.9	151.3	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9416	151.3	152.4	1.1	100	4D73	3	3.69	9.70	3.70	6.00	66.0	18.47	-1.00
9417	152.4	153.8	1.4	100	4C0	3	3.36	2.41	.82	1.59	42.0	17.76	-1.00
9418	153.8	155.2	1.4	100	4C0	3	3.46	2.46	1.20	1.26	30.0	20.83	-1.00
9419	155.2	156.4	1.2	100	4D4	3	3.66	11.20	5.30	5.90	81.0	19.14	-1.00
9420	156.4	157.9	1.5	20	4D4	3	3.75	18.30	6.40	11.90	101.0	15.65	-1.00
0	157.9	214.3	56.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA118 Section: W86
 Northing: 6753.9 Easting: 2791.6 Elevation: 1314.6
 Length: 468.5 Core: NQ Record: 150

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	203.3	203.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14546	203.3	204.8	1.5	100	4A4	2	3.17	7.42	2.68	4.74	40.0	9.29	-1.00
14547	204.8	206.2	1.4	100	4A4	2	3.16	8.83	3.23	5.60	43.0	9.57	-1.00
14548	206.2	207.8	1.6	100	4A4	2	3.32	5.21	1.45	3.76	19.0	15.38	-1.00
14549	207.8	209.4	1.6	94	4A4	2	3.17	5.99	2.54	3.45	30.0	9.77	-1.00
14550	209.4	210.2	.8	87	3G96	30	2.95	2.25	1.03	1.22	13.0	2.50	-1.00
14551	210.2	212.2	2.0	100	4A0	2	3.08	2.48	1.25	1.23	16.0	8.70	-1.00
14552	212.2	214.2	2.0	85	4A0	2	-1.00	1.33	.71	.62	12.0	-1.00	-1.00
14553	214.2	215.1	.9	89	4A0	2	-1.00	4.09	3.02	1.07	41.0	-1.00	-1.00
14554	215.1	217.0	1.9	74	4C0	3	-1.00	1.06	.54	.52	10.0	-1.00	-1.00
14555	217.0	218.8	1.8	100	4A4	2	3.39	9.35	3.45	5.90	52.0	3.06	-1.00
14556	218.8	220.0	1.2	100	4C5	3	2.96	3.90	1.04	2.86	19.0	3.80	-1.00
0	220.0	226.0	6.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14557	226.0	228.0	2.0	100	4D5	3	3.19	5.92	2.97	2.95	44.0	10.06	-1.00
14558	228.0	229.8	1.8	100	4D5	3	3.23	8.07	4.14	3.93	57.0	10.40	-1.00
14559	229.8	231.0	1.2	100	4DH5	3	3.64	10.55	4.10	6.45	72.0	23.50	-1.00
14560	231.0	233.0	2.0	100	4A4	2	3.39	16.16	6.06	10.10	107.0	9.51	-1.00
14561	233.0	234.7	1.7	88	4A4	2	3.13	9.85	3.35	6.50	56.0	6.32	-1.00
0	234.7	240.4	5.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14562	240.4	242.2	1.8	100	4A4	2	3.26	5.53	2.06	3.47	40.0	13.00	-1.00
14563	242.2	243.2	1.0	100	3G96	30	3.07	4.24	1.43	2.81	26.0	8.10	-1.00
14564	243.2	245.2	2.0	95	4A0	2	3.24	2.32	.91	1.41	25.0	14.13	-1.00
14565	245.2	247.2	2.0	100	4A0	2	-1.00	1.21	.48	.73	21.0	-1.00	-1.00
14566	247.2	248.7	1.5	93	4A0	2	-1.00	1.80	.71	1.09	17.0	-1.00	-1.00
0	248.7	290.2	41.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14567	290.2	292.4	2.2	100	4D5	3	3.53	8.87	4.46	4.41	70.0	16.08	-1.00
0	292.4	298.6	6.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14568	298.6	300.6	2.0	100	4C5	3	-1.00	2.01	1.00	1.01	17.0	-1.00	-1.00
14569	300.6	302.6	2.0	100	4C5	3	-1.00	1.78	.59	1.19	8.0	-1.00	-1.00
0	302.6	355.5	52.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14570	355.5	356.7	1.2	100	4A0	2	3.15	2.63	1.19	1.44	22.0	11.76	-1.00
14571	356.7	358.9	2.2	100	4E4	5	4.13	6.47	3.03	3.44	57.0	26.94	-1.00
14572	358.9	360.5	1.6	100	4A0	2	3.22	4.71	1.60	3.11	27.0	12.22	-1.00
14573	360.5	362.5	2.0	100	4A0	2	3.12	3.88	1.31	2.57	24.0	11.20	-1.00
14574	362.5	364.5	2.0	10	4A0	2	-1.00	.07	.02	.05	1.0	-1.00	-1.00
14575	364.5	366.5	2.0	45	3G9	30	-1.00	.10	.03	.07	1.0	-1.00	-1.00
14576	366.5	368.5	2.0	25	3G9	30	-1.00	.05	.01	.04	1.0	-1.00	-1.00
0	368.5	369.4	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14577	369.4	370.9	1.5	100	4E4	5	4.26	10.75	4.04	6.71	77.0	25.93	-1.00
14578	370.9	372.4	1.5	13	4E4	5	4.02	7.26	3.34	3.92	63.0	24.86	-1.00
0	372.4	373.0	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14579	373.0	373.8	.8	75	4E4	5	4.51	7.28	3.75	3.53	66.0	33.30	-1.00
14580	373.8	375.3	1.5	100	4A3	2	3.53	4.66	1.48	3.18	37.0	18.11	-1.00
14581	375.3	377.0	1.7	94	4A3	2	3.37	4.60	1.57	3.03	34.0	17.04	-1.00

14582	377.0	379.6	2.6	100	4E4	5	4.52	6.73	2.81	3.92	54.0	35.69	-1.00
14583	379.6	382.2	2.6	100	4AE4	2	3.75	9.25	3.29	5.96	62.0	21.56	-1.00
0	382.2	417.6	35.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14589	417.6	419.0	1.4	93	4E4#	5	-1.00	7.98	3.60	4.38	56.0	-1.00	-1.00
14590	419.0	420.6	1.6	75	4L12	52	-1.00	.25	.12	.13	5.0	-1.00	-1.00
14591	420.6	421.9	1.3	100	4AD	2	-1.00	2.03	.84	1.19	20.0	-1.00	-1.00
14592	421.9	422.7	.8	100	4E8	5	-1.00	2.08	1.40	.68	30.0	-1.00	-1.00
14593	422.7	424.0	1.3	100	4A10	2	-1.00	2.85	1.15	1.70	23.0	-1.00	-1.00
14594	424.0	426.1	2.1	100	4A0	2	-1.00	1.56	.86	.70	18.0	-1.00	-1.00
0	426.1	468.5	42.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA119 Section: W60
 Northing: 5968.6 Easting: 2670.0 Elevation: 1273.6
 Length: 172.8 Core: NQ Record: 151

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	49.0	49.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12401	49.0	50.2	1.2	92	4GE	7	-1.00	8.84	2.34	6.50	44.0	-1.00	-1.00
12402	50.2	51.5	1.3	100	4GE	7	-1.00	8.55	2.25	6.30	43.0	-1.00	-1.00
12403	51.5	52.8	1.3	92	4GE	7	-1.00	7.79	2.09	5.70	37.0	-1.00	-1.00
0	52.8	115.2	62.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12404	115.2	116.1	.9	67	4E0	5	-1.00	2.89	1.25	1.64	25.0	-1.00	-1.00
0	116.1	172.8	56.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA120 Section: W86
 Northing: 6755.1 Easting: 2852.0 Elevation: 1313.1
 Length: 453.2 Core: NQ Record: 152

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	102.4	102.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12847	102.4	104.8	2.4	79	4C0	3	2.88	4.76	1.75	3.01	27.0	2.88	-1.00
0	104.8	108.7	3.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12848	108.7	110.7	2.0	100	4D0	3	3.06	5.16	1.91	3.25	32.0	8.19	-1.00
12849	110.7	112.7	2.0	100	4D0	3	3.10	7.07	2.35	4.72	40.0	9.10	-1.00
12850	112.7	115.2	2.5	100	4D0	3	3.05	8.37	3.07	5.30	50.0	7.10	-1.00
0	115.2	116.8	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12851	116.8	119.2	2.4	83	4D0	3	3.01	7.60	2.73	4.87	48.0	5.65	-1.00
0	119.2	120.8	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12852	120.8	122.8	2.0	90	4A4	2	2.96	5.28	1.69	3.59	29.0	4.18	-1.00
12853	122.8	125.1	2.3	61	4A4	2	3.29	9.93	3.50	6.43	52.0	9.70	-1.00
0	125.1	127.1	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12854	127.1	130.4	3.3	55	4C5	3	-1.00	2.03	.92	1.11	13.0	-1.00	-1.00
0	130.4	134.5	4.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12855	134.5	136.2	1.7	100	4A0	2	-1.00	4.21	1.52	2.69	24.0	-1.00	-1.00
0	136.2	136.5	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12856	136.5	138.0	1.5	100	4D5	3	3.24	5.32	2.71	2.61	31.0	13.50	-1.00
12857	138.0	139.6	1.6	94	4D5	3	3.00	5.73	2.20	3.53	20.0	5.61	-1.00
12858	139.6	140.7	1.1	100	4D0	3	3.07	9.35	3.05	6.30	43.0	6.29	-1.00
12859	140.7	141.5	.8	100	4ED6	5	3.68	11.53	4.13	7.40	71.0	18.68	-1.00
0	141.5	142.1	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12860	142.1	143.8	1.7	100	4D0	3	2.93	8.87	2.87	6.00	32.0	2.75	-1.00
12861	143.8	145.5	1.7	100	4D4	3	3.12	11.83	4.53	7.30	61.0	5.95	-1.00
0	145.5	146.7	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12862	146.7	147.4	.7	100	4D0	3	-1.00	7.09	2.59	4.50	42.0	-1.00	-1.00
0	147.4	151.7	4.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12863	151.7	153.6	1.9	100	4D0	3	2.97	7.40	2.82	4.58	42.0	4.13	-1.00
12864	153.6	155.6	2.0	100	4D0	3	3.02	8.12	2.62	5.50	38.0	4.76	-1.00
0	155.6	156.0	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12865	156.0	156.6	.6	50	4C0	3	-1.00	4.93	1.75	3.18	28.0	-1.00	-1.00
0	156.6	162.2	5.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12866	162.2	164.2	2.0	100	4D0	3	2.99	6.92	2.15	4.77	32.0	4.47	-1.00
0	164.2	165.5	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12867	165.5	167.5	2.0	100	4A0	2	3.06	3.30	1.37	1.93	24.0	8.23	-1.00
12868	167.5	169.5	2.0	100	4A0	2	3.07	3.13	1.25	1.88	22.0	7.75	-1.00
12869	169.5	171.5	2.0	100	4A0	2	3.09	4.82	1.84	2.98	32.0	7.60	-1.00
12870	171.5	173.5	2.0	95	4A4	2	3.19	6.05	2.29	3.76	40.0	8.79	-1.00
12871	173.5	175.3	1.8	100	4D5	3	3.09	6.30	2.53	3.77	42.0	6.29	-1.00
12872	175.3	177.0	1.7	100	4A4	2	3.14	8.39	2.19	6.20	38.0	6.53	-1.00
12873	177.0	178.6	1.6	100	4A4	2	3.01	6.29	1.58	4.71	28.0	4.05	-1.00
12874	178.6	180.3	1.7	100	4A4	2	3.04	5.42	1.75	3.67	37.0	5.00	-1.00
0	180.3	183.3	3.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12875	183.3	184.5	1.2	75	4D0	3	3.27	8.74	3.17	5.57	42.0	9.32	-1.00
0	184.5	185.8	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

12876	185.8	186.9	1.1	100	4A43	2	3.43	9.63	2.73	6.90	52.0	12.80	-1.00
0	186.9	189.3	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12877	189.3	191.3	2.0	100	4D34	3	3.52	11.42	4.52	6.90	74.0	14.60	-1.00
0	191.3	191.5	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12878	191.5	192.0	.5	100	4D7	3	3.59	7.92	4.42	3.50	73.0	20.80	-1.00
0	192.0	193.2	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12879	193.2	194.0	.8	100	4A43	2	-1.00	10.56	3.06	7.50	61.0	-1.00	-1.00
0	194.0	201.7	7.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12880	201.7	202.9	1.2	100	4AD	2	-1.00	5.79	2.44	3.35	34.0	-1.00	-1.00
0	202.9	220.8	17.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12881	220.8	223.1	2.3	100	4A43	2	3.17	13.40	5.20	8.20	90.0	11.73	-1.00
0	223.1	223.3	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12882	223.3	224.3	1.0	100	4A43	2	3.52	11.31	4.61	6.70	75.0	13.31	-1.00
0	224.3	224.6	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12883	224.6	228.1	3.5	100	5A19	30	-1.00	1.89	.56	1.33	13.0	-1.00	-1.00
0	228.1	307.0	78.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12884	307.0	308.4	1.4	100	4EG4	7	3.91	23.40	7.40	16.00	126.0	13.93	-1.00
12885	308.4	309.7	1.3	85	4E45	5	4.06	15.30	5.20	10.10	93.0	18.95	-1.00
0	309.7	312.0	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12886	312.0	313.3	1.3	85	4D45	3	3.67	15.50	5.80	9.70	87.0	19.45	-1.00
0	313.3	314.0	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12887	314.0	314.5	.5	80	4D45	3	3.68	16.30	6.20	10.10	95.0	13.30	-1.00
12888	314.5	317.3	2.8	39	4A34	2	3.54	8.71	4.72	3.99	65.0	15.53	-1.00
0	317.3	318.4	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12890	318.4	319.7	1.3	92	4A4	2	-1.00	10.31	4.81	5.50	85.0	-1.00	-1.00
0	319.7	320.7	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12891	320.7	322.5	1.8	33	4A4	2	3.42	11.18	4.08	7.10	75.0	10.57	-1.00
12892	322.5	324.3	1.8	89	4A4	2	3.43	10.10	4.00	6.10	71.0	11.54	-1.00
12893	324.3	326.1	1.8	100	4A4	2	3.45	9.27	3.57	5.70	70.0	12.97	-1.00
12894	326.1	327.9	1.8	100	4A4	2	3.43	10.34	4.04	6.30	70.0	10.89	-1.00
0	327.9	335.1	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12895	335.1	336.3	1.2	67	4E64	5	-1.00	8.39	3.39	5.00	69.0	-1.00	-1.00
0	336.3	375.2	38.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12896	375.2	377.9	2.7	85	4A0	2	-1.00	.32	.15	.17	10.0	-1.00	-1.00
12897	377.9	380.7	2.8	100	4A0	2	-1.00	.11	.04	.07	5.0	-1.00	-1.00
12898	380.7	382.1	1.4	86	4E0	5	4.32	16.30	5.20	11.10	77.0	24.01	-1.00
0	382.1	384.9	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12899	384.9	387.3	2.4	100	4A7\$	2	-1.00	.15	.05	.10	3.0	-1.00	-1.00
12900	387.3	389.7	2.4	96	4A7\$	2	-1.00	.24	.11	.13	5.0	-1.00	-1.00
12901	389.7	390.4	.7	100	4C5\$7	3	-1.00	3.16	1.43	1.73	30.0	-1.00	-1.00
12902	390.4	391.1	.7	100	4A79	2	-1.00	.11	.06	.05	4.0	-1.00	-1.00
0	391.1	392.1	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12903	392.1	393.9	1.8	50	4ADE	2	-1.00	6.47	2.56	3.91	45.0	-1.00	-1.00
0	393.9	403.8	9.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12904	403.8	405.1	1.3	92	4EGa4	7	4.25	12.91	5.01	7.90	75.0	18.80	-1.00
12905	405.1	407.5	2.4	100	4E8	5	4.61	2.33	1.17	1.16	27.0	38.20	-1.00
12906	407.5	408.5	1.0	90	4G4\$	7	4.35	11.27	4.57	6.70	65.0	16.60	-1.00
0	408.5	453.2	44.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA121 Section: W66
 Northing: 6153.7 Easting: 2731.7 Elevation: 1282.5
 Length: 263.0 Core: NQ Record: 153

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	56.6	56.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9447	56.6	57.9	1.3	31	4A0	2	3.06	1.29	.43	.86	15.0	13.88	-1.00
9448	57.9	58.8	.9	33	4A0	2	3.09	.95	.30	.65	10.0	12.21	-1.00
9449	58.8	59.7	.9	89	4A3	2	3.39	1.12	.45	.67	20.0	21.78	-1.00
9450	59.7	61.1	1.4	100	4E4	5	4.61	33.30	12.40	20.90	143.0	23.02	-1.00
9501	61.1	63.2	2.1	100	4DE4	3	3.84	22.81	8.40	14.41	129.0	17.82	-1.00
9502	63.2	64.8	1.6	100	4E4#	5	4.67	19.28	7.10	12.18	120.0	32.63	-1.00
9503	64.8	66.8	2.0	100	4A0	2	2.98	2.37	.64	1.73	17.0	9.04	-1.00
0	66.8	156.7	89.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9504	156.7	159.4	2.7	44	4A13	2	-1.00	4.83	1.83	3.00	36.0	-1.00	-1.00
9505	159.4	160.4	1.0	80	5AD	30	-1.00	1.54	.49	1.05	13.0	-1.00	-1.00
0	160.4	180.4	20.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9506	180.4	181.0	.6	83	4G4#	7	3.91	14.60	6.60	8.00	85.0	17.45	-1.00
9507	181.0	183.1	2.1	100	4E8	5	4.51	1.20	.62	.58	18.0	42.10	-1.00
9508	183.1	185.2	2.1	100	4E8	5	4.56	1.93	1.02	.91	21.0	42.60	-1.00
9509	185.2	187.2	2.0	100	4E8	5	4.02	1.91	.75	1.16	20.0	35.00	-1.00
9510	187.2	188.4	1.2	100	4E#	5	4.13	.53	.38	.15	13.0	36.00	-1.00
9511	188.4	189.7	1.3	92	4E#4	5	4.03	8.20	3.40	4.80	53.0	29.03	-1.00
9512	189.7	191.7	2.0	100	4CE	3	3.83	2.93	1.35	1.58	28.0	28.70	-1.00
9513	191.7	193.7	2.0	80	4CE	3	3.61	4.15	3.10	1.05	40.0	28.20	-1.00
9514	193.7	195.7	2.0	100	4DE	3	3.45	5.26	4.70	.56	12.0	22.80	-1.00
9515	195.7	197.7	2.0	100	4DE	3	3.45	10.70	9.70	1.00	19.0	23.90	-1.00
9516	197.7	199.7	2.0	100	4CE	3	3.34	1.60	.45	1.15	13.0	19.70	-1.00
9517	199.7	201.7	2.0	100	4CE	3	3.47	3.29	1.58	1.71	31.0	20.90	-1.00
9518	201.7	202.2	.5	100	4DE4	3	3.45	14.30	7.10	7.20	98.0	17.00	-1.00
9519	202.2	203.6	1.4	100	4DE	3	3.18	5.70	2.70	3.00	43.0	11.71	-1.00
9520	203.6	205.5	1.9	53	4C3	3	3.69	2.61	1.01	1.60	27.0	28.30	-1.00
0	205.5	206.0	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9521	206.0	207.6	1.6	69	4C3	3	3.82	3.52	1.83	1.69	43.0	29.10	-1.00
9522	207.6	208.2	.6	33	4C3	3	3.74	1.40	.72	.68	32.0	31.00	-1.00
9523	208.2	209.1	.9	44	4E4	5	3.56	6.60	2.40	4.20	56.0	24.80	-1.00
9579	209.1	210.0	.9	-1	4L0	52	-1.00	.20	.10	.10	2.1	-1.00	-1.00
0	210.0	263.0	53.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA122 Section: W62
 Northing: 6030.0 Easting: 2608.2 Elevation: 1270.2
 Length: 232.6 Core: NQ Record: 154

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	120.6	120.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7029	120.6	122.2	1.6	94	4G4	7	4.16	13.20	4.30	8.90	74.0	27.11	-1.00
7030	122.2	123.0	.8	100	4DE	3	4.60	13.50	5.90	7.60	127.0	29.40	-1.00
0	123.0	135.4	12.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7031	135.4	137.8	2.4	100	4A3	2	-1.00	.54	.18	.36	12.0	-1.00	-1.00
7032	137.8	140.3	2.5	100	4A3	2	-1.00	1.82	.70	1.12	16.0	-1.00	-1.00
7033	140.3	141.0	.7	100	4E08	5	-1.00	1.45	.75	.70	27.0	-1.00	-1.00
7034	141.0	143.5	2.5	64	4A3	2	-1.00	.25	.09	.16	9.0	-1.00	-1.00
7035	143.5	146.0	2.5	56	4A3	2	-1.00	.38	.15	.23	7.0	-1.00	-1.00
7036	146.0	148.5	2.5	64	4A3	2	-1.00	.39	.20	.19	10.0	-1.00	-1.00
7037	148.5	150.0	1.5	100	4LC	52	-1.00	.79	.19	.60	8.0	-1.00	-1.00
0	150.0	160.6	10.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7038	160.6	163.5	2.9	100	4A31	2	-1.00	.06	.03	.03	4.0	-1.00	-1.00
7039	163.5	166.4	2.9	52	4A31	2	-1.00	.17	.04	.13	4.0	-1.00	-1.00
7040	166.4	169.2	2.8	50	4A31	2	-1.00	.05	.03	.02	4.0	-1.00	-1.00
7041	169.2	172.0	2.8	86	4A31	2	-1.00	.02	.01	.01	4.0	-1.00	-1.00
0	172.0	199.0	27.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7042	199.0	202.1	3.1	74	4A31	2	-1.00	.25	.13	.12	6.0	-1.00	-1.00
7043	202.1	203.0	.9	100	4G48	7	4.45	10.10	4.60	5.50	73.0	27.20	-1.00
7044	203.0	203.5	.5	100	4A31	2	2.88	.17	.10	.07	5.0	30.39	-1.00
7045	203.5	206.0	2.5	96	4EG8	7	4.02	5.93	3.15	2.78	43.0	34.41	-1.00
7046	206.0	208.6	2.6	100	4CG8	3	4.33	4.61	2.70	1.91	41.0	25.26	-1.00
7047	208.6	211.2	2.6	100	4CG8	3	3.69	4.64	2.62	2.02	37.0	26.04	-1.00
7048	211.2	213.7	2.5	100	5B23	40	2.86	.10	.07	.03	3.0	3.01	-1.00
7049	213.7	214.1	.4	100	4L23	52	3.02	.78	.55	.23	12.0	6.38	-1.00
7050	214.1	216.4	2.3	100	4EG8	7	3.93	3.96	2.02	1.94	38.0	30.24	-1.00
7051	216.4	218.6	2.2	100	4EG8	7	4.45	7.07	3.97	3.10	55.0	34.93	-1.00
7052	218.6	220.8	2.2	100	4EG8	7	4.21	3.03	1.68	1.35	32.0	31.41	-1.00
7053	220.8	221.6	.8	62	5A1	30	2.91	.51	.30	.21	9.0	5.79	-1.00
7054	221.6	222.1	.5	60	4EG4	7	4.40	8.60	3.50	5.10	56.0	34.51	-1.00
7055	222.1	222.6	.5	80	4B0	7	2.93	8.75	1.85	6.90	43.0	4.51	-1.00
0	222.6	232.6	10.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA123 Section:
 Northing: 6815.4 Easting: 2793.3 Elevation: 1317.9
 Length: 464.8 Core: NQ Record: 155

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	113.2	113.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91213	113.2	115.0	1.8	100	4D0	3	-1.00	5.86	2.38	3.48	37.4	-1.00	-1.00
91214	115.0	116.0	1.0	100	4C0	3	-1.00	3.83	1.83	2.00	24.3	-1.00	-1.00
91215	116.0	118.0	2.0	100	4D0	3	-1.00	5.47	1.93	3.54	26.4	-1.00	-1.00
91216	118.0	120.0	2.0	100	4D0	3	-1.00	5.38	1.90	3.48	29.1	-1.00	-1.00
91217	120.0	122.0	2.0	100	4C0	3	-1.00	4.93	1.75	3.18	26.4	-1.00	-1.00
91218	122.0	124.0	2.0	100	4C0	3	-1.00	4.99	1.99	3.00	28.5	-1.00	-1.00
0	124.0	127.6	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91219	127.6	128.9	1.3	100	4C0	3	-1.00	4.60	1.84	2.76	29.1	-1.00	-1.00
91220	128.9	130.0	1.1	100	4C0	3	-1.00	3.94	1.48	2.46	24.3	-1.00	-1.00
0	130.0	132.6	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91221	132.6	134.4	1.8	28	4C0	3	-1.00	2.89	1.23	1.66	28.5	-1.00	-1.00
91222	134.4	135.9	1.5	60	4A4	2	-1.00	6.52	2.50	4.02	36.3	-1.00	-1.00
91223	135.9	136.8	.9	78	4A4	2	-1.00	7.88	2.48	5.40	35.3	-1.00	-1.00
91224	136.8	137.8	1.0	50	4C5	3	-1.00	4.54	1.78	2.76	28.5	-1.00	-1.00
91225	137.8	139.3	1.5	100	4AC	2	-1.00	4.39	1.93	2.46	30.2	-1.00	-1.00
91226	139.3	141.4	2.1	71	4A4	2	-1.00	5.63	2.45	3.18	37.4	-1.00	-1.00
91227	141.4	142.3	.9	89	4A4	2	-1.00	6.49	2.59	3.90	41.5	-1.00	-1.00
91228	142.3	144.5	2.2	27	4A4	2	-1.00	6.72	2.70	4.02	43.5	-1.00	-1.00
91229	144.5	145.4	.9	100	4D0	3	-1.00	9.46	3.53	5.93	65.5	-1.00	-1.00
91230	145.4	146.6	1.2	33	4A4	2	-1.00	6.80	2.78	4.02	46.3	-1.00	-1.00
0	146.6	150.6	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91231	150.6	151.5	.9	100	4Q\$	60	-1.00	2.41	1.23	1.18	21.3	-1.00	-1.00
0	151.5	156.5	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91232	156.5	158.5	2.0	90	4A4	2	-1.00	6.88	2.50	4.38	40.4	-1.00	-1.00
91233	158.5	160.0	1.5	93	4A4	2	-1.00	6.98	2.78	4.20	44.2	-1.00	-1.00
91234	160.0	160.7	.7	100	4A0	2	-1.00	4.37	1.73	2.64	29.1	-1.00	-1.00
0	160.7	188.5	27.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91235	188.5	189.4	.9	89	4D0	3	-1.00	5.01	1.53	3.48	19.2	-1.00	-1.00
91236	189.4	191.1	1.7	100	4D0	3	-1.00	7.58	2.18	5.40	31.2	-1.00	-1.00
0	191.1	191.6	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91237	191.6	193.5	1.9	16	4D0	3	-1.00	8.57	2.93	5.64	33.3	-1.00	-1.00
91238	193.5	194.5	1.0	60	4D4	3	-1.00	30.20	23.00	7.20	50.4	-1.00	-1.00
91239	194.5	195.7	1.2	92	4D4	3	-1.00	11.75	3.75	8.00	63.4	-1.00	-1.00
91240	195.7	196.3	.6	100	4D0	3	-1.00	8.60	4.58	4.02	59.3	-1.00	-1.00
91241	196.3	197.6	1.3	100	4D0	3	-1.00	5.25	2.85	2.40	33.3	-1.00	-1.00
91242	197.6	200.1	2.5	48	4A0	2	-1.00	4.07	1.93	2.14	28.5	-1.00	-1.00
91243	200.1	201.5	1.4	100	4A4	2	-1.00	8.24	2.48	5.76	46.3	-1.00	-1.00
91244	201.5	203.3	1.8	100	4A4	2	-1.00	6.56	1.88	4.68	34.3	-1.00	-1.00
91245	203.3	204.2	.9	56	4A4	2	-1.00	5.78	1.70	4.08	26.4	-1.00	-1.00
91246	204.2	205.5	1.3	100	4A4	2	-1.00	3.65	2.18	1.47	25.4	-1.00	-1.00
0	205.5	209.4	3.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91247	209.4	211.2	1.8	100	4D0	3	-1.00	7.20	3.60	3.60	38.4	-1.00	-1.00
0	211.2	229.6	18.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

91248	229.6	230.7	1.1	100	4D0	3	-1.00	9.14	2.85	6.29	48.3	-1.00	-1.00
0	230.7	230.8	.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91249	230.8	231.9	1.1	100	4D0	3	-1.00	7.13	2.63	4.50	36.3	-1.00	-1.00
91250	231.9	233.5	1.6	100	5D4\$	47	-1.00	2.63	1.23	1.40	18.2	-1.00	-1.00
91251	233.5	234.2	.7	100	4D4	3	-1.00	12.89	5.71	7.18	88.8	-1.00	-1.00
0	234.2	234.6	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91252	234.6	236.1	1.5	100	4A0	2	-1.00	2.88	1.18	1.70	19.2	-1.00	-1.00
91253	236.1	237.6	1.5	100	3G0	20	-1.00	1.34	.58	.76	7.2	-1.00	-1.00
0	237.6	239.1	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91254	239.1	239.9	.8	100	4C0	3	-1.00	4.52	2.38	2.14	33.3	-1.00	-1.00
0	239.9	244.0	4.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91255	244.0	246.0	2.0	100	4AD	2	-1.00	11.55	4.65	6.90	68.6	-1.00	-1.00
91256	246.0	248.0	2.0	100	4A4	2	-1.00	12.84	4.73	8.11	77.8	-1.00	-1.00
91257	248.0	250.0	2.0	100	4A4	2	-1.00	12.27	4.20	8.07	64.5	-1.00	-1.00
91258	250.0	251.8	1.8	100	5B26	40	-1.00	2.29	.75	1.54	12.0	-1.00	-1.00
91259	251.8	253.0	1.2	100	4A44	2	-1.00	24.48	7.73	16.75	143.3	-1.00	-1.00
91260	253.0	254.0	1.0	100	4A4	2	-1.00	6.72	2.70	4.02	46.3	-1.00	-1.00
0	254.0	273.1	19.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91261	273.1	274.6	1.5	100	4E4	5	-1.00	17.07	5.21	11.86	84.7	-1.00	-1.00
91262	274.6	275.7	1.1	100	4E4	5	-1.00	21.37	6.93	14.44	123.1	-1.00	-1.00
0	275.7	278.0	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91263	278.0	279.3	1.3	100	4A4	2	-1.00	8.07	2.43	5.64	38.4	-1.00	-1.00
91264	279.3	281.0	1.7	100	4D4	3	-1.00	11.16	5.11	6.05	76.8	-1.00	-1.00
91265	281.0	282.5	1.5	100	4AD	2	-1.00	9.61	3.75	5.86	58.6	-1.00	-1.00
91266	282.5	284.0	1.5	100	4A4	2	-1.00	9.99	4.35	5.64	73.7	-1.00	-1.00
91267	284.0	285.6	1.6	94	4A4	2	-1.00	12.53	4.95	7.58	85.7	-1.00	-1.00
91268	285.6	286.7	1.1	100	4A4	2	-1.00	11.37	3.68	7.69	68.6	-1.00	-1.00
0	286.7	299.1	12.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91269	299.1	300.4	1.3	100	4A4	2	-1.00	6.05	2.63	3.42	44.2	-1.00	-1.00
91270	300.4	302.0	1.6	81	4C5	3	-1.00	3.25	1.15	2.10	18.2	-1.00	-1.00
91271	302.0	304.0	2.0	95	4A0	2	-1.00	4.64	1.88	2.76	30.2	-1.00	-1.00
91272	304.0	306.0	2.0	100	4A4	2	-1.00	8.07	3.15	4.92	50.4	-1.00	-1.00
91273	306.0	307.2	1.2	100	4A4	2	-1.00	10.21	3.98	6.23	60.3	-1.00	-1.00
0	307.2	316.3	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91274	316.3	317.8	1.5	100	3G46	20	-1.00	1.76	.40	1.36	5.1	-1.00	-1.00
91275	317.8	319.4	1.6	100	3G46	20	-1.00	1.33	.38	.95	4.1	-1.00	-1.00
0	319.4	320.6	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91276	320.6	322.6	2.0	100	4L74	52	-1.00	1.42	.50	.92	8.9	-1.00	-1.00
91277	322.6	324.5	1.9	100	4L74	52	-1.00	.75	.23	.52	5.1	-1.00	-1.00
0	324.5	374.0	49.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91278	374.0	375.2	1.2	100	3C4\$	44	-1.00	3.60	1.68	1.92	25.4	-1.00	-1.00
91279	375.2	376.4	1.2	100	4G4	7	-1.00	19.18	7.65	11.53	126.1	-1.00	-1.00
91280	376.4	377.4	1.0	100	4G4	7	-1.00	10.71	4.95	5.76	68.6	-1.00	-1.00
0	377.4	378.9	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91281	378.9	380.2	1.3	92	4E\$4	5	-1.00	5.93	3.83	2.10	50.4	-1.00	-1.00
0	380.2	383.4	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91282	383.4	384.1	.7	100	4E\$4	5	-1.00	10.59	7.41	3.18	106.9	-1.00	-1.00
0	384.1	384.8	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91283	384.8	385.6	.8	100	4E\$4	5	-1.00	5.96	2.48	3.48	42.5	-1.00	-1.00
91284	385.6	386.8	1.2	100	3C2	44	-1.00	1.98	.70	1.28	15.1	-1.00	-1.00
0	386.8	390.4	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91285	390.4	391.7	1.3	100	4E0	5	-1.00	5.01	1.95	3.06	33.3	-1.00	-1.00
91286	391.7	392.9	1.2	100	4E4	5	-1.00	6.27	3.15	3.12	45.3	-1.00	-1.00
91287	392.9	394.6	1.7	100	4A43	2	-1.00	13.27	4.92	8.35	76.8	-1.00	-1.00

0	394.6	399.0	4.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91288	399.0	400.2	1.2	100	4A30	2	-1.00	1.65	.65	1.00	29.1	-1.00	-1.00
91289	400.2	402.0	1.8	100	4C3	3	-1.00	2.12	.68	1.44	20.2	-1.00	-1.00
0	402.0	402.8	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91290	402.8	404.0	1.2	100	4EG	7	-1.00	<u>8.84</u>	3.98	4.86	52.4	-1.00	-1.00
91291	404.0	405.5	1.5	100	4E8	5	-1.00	3.80	1.88	1.92	30.2	-1.00	-1.00
91292	405.5	406.6	1.1	100	4G4	7	-1.00	5.3 15.85	6.98	8.87	112.1	-1.00	-1.00
91293	406.6	408.1	1.5	100	4G4	7	-1.00	15.74	6.38	9.36	103.9	-1.00	-1.00
0	408.1	421.8	13.7	-1	WASTE	-1	-1.00	<u>-1.00</u>	-1.00	-1.00	-1.0	-1.00	-1.00
91294	421.8	422.9	1.1	100	3G16	20	-1.00	.91	.45	.46	11.0	-1.00	-1.00
91295	422.9	423.6	.7	100	4E81	5	-1.00	1.11	.65	.46	18.2	-1.00	-1.00
91296	423.6	424.7	1.1	100	4A0	2	-1.00	1.19	.55	.64	11.0	-1.00	-1.00
0	424.7	438.8	14.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91297	438.8	440.4	1.6	100	4HA	8	-1.00	2.19	1.55	.64	11.0	-1.00	-1.00
0	440.4	464.8	24.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA124 Section:
 Northing: 6754.1 Easting: 2909.6 Elevation: 1312.4
 Length: 423.1 Core: NQ Record: 156

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	79.8	79.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12907	79.8	81.8	2.0	100	4A4	2	3.02	6.60	2.19	4.41	41.0	3.85	-1.00
12908	81.8	83.8	2.0	55	4A4	2	3.01	5.69	2.03	3.66	35.0	4.37	-1.00
12909	83.8	85.8	2.0	45	4A4	2	3.05	7.15	2.16	4.99	40.0	2.19	-1.00
12910	85.8	87.8	2.0	65	4A0	2	2.93	4.31	1.35	2.96	27.0	1.78	-1.00
12911	87.8	89.8	2.0	100	4A4	2	3.05	6.86	1.91	4.95	39.0	3.10	-1.00
12912	89.8	91.8	2.0	95	4A4	2	3.01	6.62	1.98	4.64	40.0	3.30	-1.00
12913	91.8	93.8	2.0	85	4A4	2	3.03	10.61	2.96	7.65	57.0	3.54	-1.00
12914	93.8	95.8	2.0	85	4A4	2	3.04	7.40	2.58	4.82	44.0	5.90	-1.00
12915	95.8	97.8	2.0	80	4A4	2	2.98	7.47	2.71	4.76	42.0	4.20	-1.00
12916	97.8	99.8	2.0	70	4A4	2	2.95	7.01	2.16	4.85	35.0	3.10	-1.00
12917	99.8	103.3	3.5	46	4A4	2	3.03	7.54	2.83	4.71	45.0	4.03	-1.00
12918	103.3	104.2	.9	100	4D5	3	3.00	7.79	2.06	5.73	39.0	4.30	-1.00
12919	104.2	106.2	2.0	85	4A4	2	2.93	6.14	2.03	4.11	34.0	3.28	-1.00
12920	106.2	108.2	2.0	85	4A0	2	3.09	4.04	1.64	2.40	27.0	9.22	-1.00
12921	108.2	110.2	2.0	100	4A4	2	3.04	6.34	2.58	3.76	41.0	6.37	-1.00
12922	110.2	112.2	2.0	90	4A0	2	3.00	4.40	1.79	2.61	26.0	5.46	-1.00
12923	112.2	114.2	2.0	90	4A4	2	2.93	5.38	1.91	3.47	26.0	3.68	-1.00
12924	114.2	116.1	1.9	84	4A4	2	2.94	6.69	1.93	4.76	28.0	3.31	-1.00
12925	116.1	117.5	1.4	100	4A4	2	2.88	5.36	1.46	3.90	25.0	2.13	-1.00
12926	117.5	119.5	2.0	85	4D5	3	2.91	5.54	1.44	4.10	25.0	2.32	-1.00
12927	119.5	121.5	2.0	90	4C5	3	2.91	3.46	1.00	2.46	19.0	3.58	-1.00
12928	121.5	124.4	2.9	76	4C5	3	2.92	3.22	1.10	2.12	19.0	3.65	-1.00
0	124.4	128.4	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12929	128.4	130.4	2.0	85	4A4	2	3.10	5.68	2.18	3.50	46.0	8.78	-1.00
12930	130.4	132.4	2.0	90	4A4	2	3.33	9.35	3.46	5.89	65.0	10.76	-1.00
12931	132.4	134.9	2.5	92	4A4	2	3.24	7.09	2.62	4.47	51.0	10.35	-1.00
0	134.9	139.7	4.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12932	139.7	141.8	2.1	90	4A4	2	3.12	9.00	2.80	6.20	53.0	6.25	-1.00
0	141.8	147.4	5.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12933	147.4	148.6	1.2	100	4A4	2	-1.00	7.50	2.57	4.93	47.0	-1.00	-1.00
0	148.6	203.1	54.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12934	203.1	204.1	1.0	90	4A34	2	-1.00	11.21	4.47	6.74	77.0	-1.00	-1.00
0	204.1	209.0	4.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12935	209.0	211.8	2.8	86	4AD	2	3.03	7.18	2.51	4.67	34.0	3.59	-1.00
0	211.8	213.4	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12936	213.4	214.6	1.2	33	4A4	2	-1.00	8.70	3.09	5.61	63.0	-1.00	-1.00
0	214.6	222.2	7.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12937	222.2	224.7	2.5	80	4A0	2	3.07	4.90	2.10	2.80	27.0	7.13	-1.00
0	224.7	314.3	89.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12938	314.3	315.8	1.5	100	4C5	3	-1.00	3.03	1.09	1.94	21.0	-1.00	-1.00
0	315.8	324.3	8.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12939	324.3	326.7	2.4	92	4AC	2	3.26	2.77	.94	1.83	20.0	13.54	-1.00
0	326.7	387.1	60.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

12940	387.1	389.1	2.0	95	4E8\$	5	4.55	7.34	3.49	3.85	50.0	29.44	-1.00
12941	389.1	391.1	2.0	90	4E68	5	4.02	5.42	2.99	2.43	39.0	28.68	-1.00
12942	391.1	393.1	2.0	95	4E81	5	4.00	2.84	.93	1.91	17.0	28.79	-1.00
12943	393.1	395.1	2.0	95	4E14	5	-1.00	1.17	.50	.67	14.0	-1.00	-1.00
12944	395.1	396.9	1.8	94	4E14	5	-1.00	1.82	.86	.96	21.0	-1.00	-1.00
12945	396.9	398.9	2.0	85	4C3\$	3	-1.00	2.14	.72	1.42	15.0	-1.00	-1.00
12946	398.9	400.6	1.7	76	4C3\$	3	-1.00	2.52	.83	1.69	16.0	-1.00	-1.00
12947	400.6	402.6	2.0	70	4L14	52	-1.00	1.51	.75	.76	18.0	-1.00	-1.00
12948	402.6	405.0	2.4	100	4L14	52	-1.00	1.17	.52	.65	12.0	-1.00	-1.00
0	405.0	423.1	18.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA125 Section:
 Northing: 6814.4 Easting: 2853.6 Elevation: 1316.9
 Length: 429.8 Core: NQ Record: 157

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	113.8	113.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91172	113.8	115.2	1.4	93	4AD	2	-1.00	9.85	3.00	6.85	53.5	-1.00	-1.00
91173	115.2	116.5	1.3	69	4A5D	2	-1.00	2.77	.83	1.94	15.1	-1.00	-1.00
91174	116.5	119.2	2.7	78	4A4	2	-1.00	6.22	2.08	4.14	29.1	-1.00	-1.00
91175	119.2	122.2	3.0	97	4A4	2	-1.00	6.72	1.98	4.74	31.2	-1.00	-1.00
91176	122.2	124.4	2.2	100	4D5	3	-1.00	7.76	2.78	4.98	35.3	-1.00	-1.00
91177	124.4	126.6	2.2	100	4D5	3	-1.00	5.50	2.08	3.42	31.2	-1.00	-1.00
0	126.6	133.9	7.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91178	133.9	135.1	1.2	100	4A4	2	-1.00	8.10	3.00	5.10	44.2	-1.00	-1.00
0	135.1	172.2	37.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91179	172.2	173.6	1.4	93	3G91	30	-1.00	5.28	1.98	3.30	29.1	-1.00	-1.00
91180	173.6	175.0	1.4	93	4A4	2	-1.00	7.48	2.38	5.10	37.4	-1.00	-1.00
91181	175.0	177.7	2.7	93	4A4	2	-1.00	5.93	1.88	4.05	29.1	-1.00	-1.00
0	177.7	227.0	49.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91182	227.0	227.7	.7	100	4A4	2	-1.00	7.83	3.53	4.30	54.5	-1.00	-1.00
91183	227.7	229.0	1.3	100	4AE	2	-1.00	18.25	6.41	11.84	109.0	-1.00	-1.00
0	229.0	229.5	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91184	229.5	231.0	1.5	100	4A0	2	-1.00	1.93	.75	1.18	9.9	-1.00	-1.00
0	231.0	317.6	86.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91185	317.6	318.6	1.0	100	4E14	5	-1.00	11.92	5.42	6.50	90.8	-1.00	-1.00
0	318.6	321.9	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91186	321.9	322.8	.9	56	4D5	3	-1.00	7.25	2.75	4.50	43.5	-1.00	-1.00
91187	322.8	324.8	2.0	95	4D5	3	-1.00	8.99	3.44	5.55	49.4	-1.00	-1.00
91188	324.8	325.8	1.0	100	4C5	3	-1.00	3.31	1.65	1.66	21.3	-1.00	-1.00
0	325.8	326.6	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91189	326.6	328.6	2.0	100	4A3\$4	2	-1.00	6.83	2.85	3.98	38.4	-1.00	-1.00
91190	328.6	331.1	2.5	100	4A3\$	2	-1.00	3.73	1.63	2.10	28.5	-1.00	-1.00
0	331.1	336.5	5.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91191	336.5	337.6	1.1	100	3G6	20	-1.00	5.20	2.50	2.70	25.4	-1.00	-1.00
0	337.6	340.6	3.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91192	340.6	342.6	2.0	95	4AD	2	-1.00	3.58	1.38	2.20	16.1	-1.00	-1.00
0	342.6	344.0	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91193	344.0	345.6	1.6	100	4D45	3	-1.00	7.28	3.23	4.05	39.4	-1.00	-1.00
0	345.6	355.1	9.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91194	355.1	355.7	.6	100	4A3	2	-1.00	1.91	.83	1.08	16.1	-1.00	-1.00
91195	355.7	356.7	1.0	100	4G4	7	-1.00	13.93	5.18	8.75	85.7	-1.00	-1.00
91196	356.7	357.4	.7	100	4G4	7	-1.00	12.30	4.43	7.87	73.7	-1.00	-1.00
0	357.4	357.6	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91197	357.6	358.6	1.0	100	4G0	7	-1.00	8.98	3.98	5.00	56.6	-1.00	-1.00
91198	358.6	359.6	1.0	100	4G0	7	-1.00	9.06	3.56	5.50	60.3	-1.00	-1.00
91199	359.6	360.9	1.3	100	4GA	7	-1.00	10.51	3.94	6.57	61.4	-1.00	-1.00
0	360.9	361.3	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91200	361.3	362.3	1.0	60	4E4	5	-1.00	6.78	2.38	4.40	40.4	-1.00	-1.00
91201	362.3	363.3	1.0	100	4E4	5	-1.00	8.08	3.60	4.48	55.5	-1.00	-1.00

91202	363.3	364.3	1.0	100	4E4	5	-1.00	<u>9.58</u>	3.30	6.28	50.1	-1.00	-1.00
91203	364.3	365.3	1.0	100	4E4	5	-1.00	11.96	4.28	7.68	73.7	-1.00	-1.00
91204	365.3	366.0	.7	100	4EG	7	-1.00	<u>12.74</u>	5.18	7.56	94.6	-1.00	-1.00
0	366.0	381.3	15.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91205	381.3	383.3	2.0	100	4A0	2	-1.00	1.00	.48	.52	13.0	-1.00	-1.00
91206	383.3	385.3	2.0	100	4A0	2	-1.00	.38	.20	.18	12.0	-1.00	-1.00
91207	385.3	386.9	1.6	100	4A0	2	-1.00	1.42	.65	.77	28.5	-1.00	-1.00
91208	386.9	388.2	1.3	100	4A43	2	-1.00	16.40	6.96	9.44	98.7	-1.00	-1.00
91209	388.2	390.2	2.0	100	4A0	2	-1.00	2.85	1.15	1.70	21.3	-1.00	-1.00
91210	390.2	392.6	2.4	100	4A7	2	-1.00	1.00	.38	.62	14.1	-1.00	-1.00
91211	392.6	394.7	2.1	100	4ADH	2	-1.00	6.71	3.83	2.88	46.3	-1.00	-1.00
0	394.7	403.4	8.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91212	403.4	405.9	2.5	100	4E4	5	-1.00	5.97	2.85	3.12	42.5	-1.00	-1.00
0	405.9	429.8	23.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA126 Section:
 Northing: 6817.0 Easting: 2610.7 Elevation: 1319.9
 Length: 160.4 Core: NQ Record: 158

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	160.4	160.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA127 Section:
 Northing: 6815.1 Easting: 2910.4 Elevation: 1316.2
 Length: 468.2 Core: NQ Record: 159

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	89.4	89.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92085	89.4	90.5	1.1	91	4C0	3	-1.00	4.82	1.88	2.94	23.3	-1.00	-1.00
0	90.5	93.5	3.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91127	93.5	96.5	3.0	93	4CA	3	-1.00	4.58	1.70	2.88	26.4	-1.00	-1.00
91128	96.5	99.5	3.0	93	4A4	2	-1.00	6.28	1.78	4.50	40.4	-1.00	-1.00
91129	99.5	102.5	3.0	90	4D5	3	-1.00	7.42	2.08	5.34	43.5	-1.00	-1.00
91130	102.5	105.5	3.0	20	4C5	3	-1.00	4.56	1.68	2.88	25.4	-1.00	-1.00
91131	105.5	108.5	3.0	100	4C5	3	-1.00	4.50	1.20	3.30	26.4	-1.00	-1.00
91132	108.5	111.5	3.0	100	4D5	3	-1.00	5.04	1.38	3.66	25.4	-1.00	-1.00
91133	111.5	114.5	3.0	100	4D5	3	-1.00	5.88	1.68	4.20	38.4	-1.00	-1.00
91134	114.5	117.5	3.0	100	4D5	3	-1.00	5.80	1.78	4.02	35.3	-1.00	-1.00
91135	117.5	120.5	3.0	97	4D5	3	-1.00	5.54	1.58	3.96	29.1	-1.00	-1.00
91136	120.5	123.7	3.2	94	4D5	3	-1.00	7.01	2.15	4.86	38.4	-1.00	-1.00
0	123.7	162.5	38.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91137	162.5	165.8	3.3	100	4A0	2	-1.00	4.82	1.28	3.54	23.3	-1.00	-1.00
0	165.8	235.9	70.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91138	235.9	237.2	1.3	100	4AE	2	-1.00	15.39	5.61	9.78	85.7	-1.00	-1.00
91139	237.2	240.7	3.5	97	4LA	52	-1.00	1.94	.88	1.06	14.1	-1.00	-1.00
91140	240.7	242.6	1.9	100	4A4	2	-1.00	6.17	2.63	3.54	47.3	-1.00	-1.00
91141	242.6	244.4	1.8	100	4D0	3	-1.00	9.96	3.08	6.88	59.3	-1.00	-1.00
0	244.4	245.4	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91142	245.4	246.0	.6	100	4D0	3	-1.00	9.14	2.30	6.84	48.3	-1.00	-1.00
0	246.0	327.5	81.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91143	327.5	329.5	2.0	100	4A4	2	-1.00	11.02	4.73	6.29	76.8	-1.00	-1.00
91144	329.5	332.4	2.9	86	4A4	2	-1.00	8.24	3.68	4.56	56.6	-1.00	-1.00
0	332.4	334.2	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91145	334.2	334.6	.4	100	4E0	5	-1.00	3.26	1.10	2.16	20.2	-1.00	-1.00
91146	334.6	336.6	2.0	90	4E4	5	-1.00	17.69	7.13	10.56	126.1	-1.00	-1.00
91147	336.6	337.7	1.1	100	4EG	7	-1.00	27.52	8.78	18.74	146.0	-1.00	-1.00
91148	337.7	339.7	2.0	100	4EG	7	-1.00	21.93	7.65	14.28	98.7	-1.00	-1.00
91149	339.7	341.5	1.8	100	4EG	7	-1.00	22.77	7.20	15.57	96.7	-1.00	-1.00
91150	341.5	343.2	1.7	100	4AE	2	-1.00	21.89	6.78	15.11	98.7	-1.00	-1.00
91151	343.2	345.2	2.0	100	4AG	2	-1.00	14.09	4.73	9.36	74.7	-1.00	-1.00
91152	345.2	347.2	2.0	100	4AG	2	-1.00	16.97	5.85	11.12	87.8	-1.00	-1.00
91153	347.2	348.4	1.2	100	4G4	7	-1.00	13.79	5.40	8.39	102.8	-1.00	-1.00
0	348.4	401.7	53.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91154	401.7	402.5	.8	100	3G916	30	-1.00	10.56	4.80	5.76	57.6	-1.00	-1.00
91155	402.5	403.4	.9	100	4G4	7	-1.00	10.49	5.33	5.16	70.6	-1.00	-1.00
91156	403.4	403.7	.3	67	3C4\$	44	-1.00	.65	.25	.40	8.2	-1.00	-1.00
91157	403.7	404.7	1.0	100	4G0	7	-1.00	8.57	4.43	4.14	75.8	-1.00	-1.00
91158	404.7	406.0	1.3	100	4G4	7	-1.00	15.72	6.38	9.34	106.9	-1.00	-1.00
91159	406.0	408.2	2.2	100	4E86	5	-1.00	2.66	1.78	.88	20.2	-1.00	-1.00
91160	408.2	408.9	.7	100	4E86	5	-1.00	1.08	.55	.53	12.0	-1.00	-1.00
91161	408.9	409.6	.7	100	4E86	5	-1.00	13.17	7.50	5.67	65.5	-1.00	-1.00

91162	409.6	410.6	1.0	100	4E48	5	-1.00	12.56	5.97	6.59	60.3	-1.00	-1.00
91163	410.6	411.6	1.0	100	4C3	3	-1.00	.65	.35	.30	12.0	-1.00	-1.00
91164	411.6	412.6	1.0	100	4C3	3	-1.00	.29	.15	.14	8.9	-1.00	-1.00
91165	412.6	413.6	1.0	100	4C3	3	-1.00	1.95	1.23	.72	23.3	-1.00	-1.00
91166	413.6	414.6	1.0	100	4C3	3	-1.00	.93	.43	.50	14.1	-1.00	-1.00
91167	414.6	415.6	1.0	100	4C3	3	-1.00	1.73	.48	1.25	16.1	-1.00	-1.00
91168	415.6	416.6	1.0	100	4C3	3	-1.00	2.08	1.18	.90	20.2	-1.00	-1.00
91169	416.6	417.6	1.0	100	4C38	3	-1.00	1.49	.75	.74	17.1	-1.00	-1.00
91170	417.6	419.6	2.0	100	4C38	3	-1.00	.99	.53	.46	13.0	-1.00	-1.00
91171	419.6	421.1	1.5	100	4CEG	3	-1.00	2.89	1.35	1.54	28.5	-1.00	-1.00
0	421.1	468.2	47.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA128 Section:
 Northing: 6817.8 Easting: 2601.2 Elevation: 1320.4
 Length: 477.3 Core: NQ Record: 160

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	237.8	237.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91100	237.8	239.8	2.0	95	4C#	3	-1.00	1.58	.93	.65	14.1	-1.00	-1.00
91101	239.8	241.0	1.2	100	4E8	5	-1.00	4.08	2.45	1.63	35.3	-1.00	-1.00
91102	241.0	242.1	1.1	100	4G4	7	-1.00	14.08	6.08	8.00	106.9	-1.00	-1.00
0	242.1	246.2	4.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91104	246.2	247.5	1.3	85	4D\$	3	-1.00	5.51	2.23	3.28	28.5	-1.00	-1.00
0	247.5	317.6	70.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91105	317.6	318.2	.6	50	4E0	5	-1.00	15.57	7.25	8.32	148.1	-1.00	-1.00
91106	318.2	318.8	.6	83	4J24	9	-1.00	38.59	15.59	23.00	302.4	-1.00	-1.00
0	318.8	347.8	29.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91107	347.8	348.8	1.0	90	4ED	5	-1.00	8.99	4.13	4.86	53.5	-1.00	-1.00
0	348.8	352.2	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91108	352.2	353.6	1.4	86	4DA	3	-1.00	3.08	1.58	1.50	22.3	-1.00	-1.00
91109	353.6	355.1	1.5	93	4A10	2	-1.00	2.21	1.13	1.08	21.3	-1.00	-1.00
91110	355.1	356.6	1.5	87	4AD	2	-1.00	2.81	1.31	1.50	19.2	-1.00	-1.00
91111	356.6	360.0	3.4	68	4DAC	3	-1.00	8.53	3.13	5.40	42.5	-1.00	-1.00
91112	360.0	361.5	1.5	87	4C\$	3	-1.00	4.03	1.65	2.38	26.4	-1.00	-1.00
91113	361.5	362.1	.6	100	4E4#	5	-1.00	17.78	8.10	9.68	99.7	-1.00	-1.00
0	362.1	363.0	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91114	363.0	365.0	2.0	100	4G4	7	-1.00	11.34	5.18	6.16	65.5	-1.00	-1.00
0	365.0	367.1	2.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91115	367.1	368.3	1.2	100	4E4a	5	-1.00	15.39	6.74	8.65	100.8	-1.00	-1.00
91116	368.3	370.0	1.7	94	4D\$	3	-1.00	4.96	2.06	2.90	26.4	-1.00	-1.00
0	370.0	419.7	49.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91117	419.7	422.3	2.6	100	4C0	3	-1.00	3.81	1.13	2.68	18.2	-1.00	-1.00
0	422.3	425.8	3.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91118	425.8	426.8	1.0	100	4L\$24	52	-1.00	4.03	1.33	2.70	20.2	-1.00	-1.00
91119	426.8	428.3	1.5	100	4EG	7	-1.00	6.62	3.08	3.54	51.4	-1.00	-1.00
91120	428.3	429.8	1.5	100	4EG	7	-1.00	7.35	2.70	4.65	43.5	-1.00	-1.00
0	429.8	431.7	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91121	431.7	433.4	1.7	100	4E8	5	-1.00	4.78	2.56	2.22	27.4	-1.00	-1.00
0	433.4	435.8	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91122	435.8	436.6	.8	100	4E4	5	-1.00	6.42	3.00	3.42	34.3	-1.00	-1.00
91123	436.6	437.6	1.0	100	4E4	5	-1.00	6.59	4.13	2.46	40.4	-1.00	-1.00
91124	437.6	438.6	1.0	100	4E4	5	-1.00	7.18	3.98	3.20	35.3	-1.00	-1.00
91125	438.6	439.6	1.0	100	4E4	5	-1.00	12.21	5.89	6.32	50.4	-1.00	-1.00
0	439.6	444.7	5.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91126	444.7	445.9	1.2	100	4A0	2	-1.00	5.82	3.30	2.52	36.3	-1.00	-1.00
0	445.9	477.3	31.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA129 Section:
 Northing: 6028.2 Easting: 2853.0 Elevation: 1283.2
 Length: 152.6 Core: NQ Record: 161

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	94.5	94.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6549	94.5	101.5	7.0	76	4AL1	2	3.02	4.94	1.84	3.10	32.0	7.91	-1.00
6550	101.5	105.6	4.1	100	4A43	2	3.23	5.14	1.94	3.20	32.0	14.45	-1.00
6601	105.6	108.2	2.6	100	4CE4	3	3.70	5.79	2.94	2.85	48.0	25.70	-1.00
6602	108.2	111.0	2.8	50	4CA3	3	3.47	2.65	.72	1.93	17.0	21.87	-1.00
6603	111.0	113.4	2.4	12	4D45	3	3.43	20.54	6.64	13.90	115.0	12.11	-1.00
6604	113.4	118.7	5.3	58	4AL3	2	-1.00	.60	.21	.39	3.0	-1.00	-1.00
0	118.7	152.6	33.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA130 Section:
 Northing: 5967.8 Easting: 2791.7 Elevation: 1276.8
 Length: 72.0 Core: NQ Record: 162

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	72.0	72.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA131 Section:
 Northing: 5968.4 Easting: 2731.0 Elevation: 1276.4
 Length: 165.5 Core: NQ Record: 163

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	115.2	115.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90605	115.2	117.0	1.8	17	4A4	2	-1.00	7.55	2.95	4.60	33.3	-1.00	-1.00
90606	117.0	118.9	1.9	47	4A4	2	-1.00	13.20	4.50	8.70	75.8	-1.00	-1.00
0	118.9	165.5	46.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA132 Section:
 Northing: 6333.6 Easting: 2824.4 Elevation: 1302.6
 Length: 144.1 Core: NQ Record: 164

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	70.6	70.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6584	70.6	72.8	2.2	100	4A13	2	3.52	7.17	2.68	4.49	54.0	15.80	-1.00
6585	72.8	75.1	2.3	96	4D0	3	4.52	5.23	1.83	3.40	28.0	10.00	-1.00
6586	75.1	77.1	2.0	100	4A4	2	3.56	6.24	1.31	4.93	26.0	2.55	-1.00
6587	77.1	78.3	1.2	83	4A4	2	3.39	9.54	2.98	6.56	49.0	7.50	-1.00
6588	78.3	79.9	1.6	75	4A4	2	3.38	10.63	3.67	6.96	59.0	14.00	-1.00
0	79.9	82.6	2.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6589	82.6	84.7	2.1	86	4EA	5	4.33	3.55	1.46	2.09	32.0	25.50	-1.00
6590	84.7	86.3	1.6	94	4EA	5	3.63	4.57	1.99	2.58	42.0	24.08	-1.00
6591	86.3	88.1	1.8	100	4EA@	5	4.34	3.26	1.32	1.94	33.0	28.90	-1.00
6592	88.1	90.8	2.7	59	5D4	47	3.32	5.04	1.69	3.35	33.0	12.20	-1.00
0	90.8	93.2	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90177	93.2	94.5	1.3	100	4L0	52	-1.00	2.35	.70	1.65	7.2	-1.00	-1.00
6593	94.5	96.2	1.7	88	4D45	3	2.86	16.51	7.04	9.47	121.0	15.20	-1.00
6594	96.2	97.3	1.1	100	4A4	2	3.78	18.15	6.35	11.80	110.0	9.85	-1.00
6595	97.3	98.5	1.2	100	4A4	2	3.84	19.37	6.27	13.10	115.0	16.50	-1.00
6596	98.5	100.3	1.8	94	4A14	2	3.41	9.29	2.61	6.68	53.0	11.30	-1.00
6597	100.3	102.7	2.4	96	4A14	2	3.59	7.55	2.88	4.67	50.0	12.80	-1.00
6598	102.7	104.7	2.0	85	4A1	2	3.37	4.70	1.67	3.03	41.0	11.20	-1.00
6599	104.7	106.2	1.5	100	4A1	2	3.45	3.38	.91	2.47	25.0	11.30	-1.00
6600	106.2	108.3	2.1	100	4A1	2	3.36	4.48	1.28	3.20	33.0	16.53	-1.00
6651	108.3	110.8	2.5	92	4A1	2	3.01	3.39	.99	2.40	22.0	8.00	-1.00
6652	110.8	112.0	1.2	100	4A1	2	3.61	3.94	1.21	2.73	28.0	13.21	-1.00
6653	112.0	113.9	1.9	100	4A1	2	3.27	5.70	1.43	4.27	38.0	13.27	-1.00
6654	113.9	116.0	2.1	90	4A14	2	3.34	5.22	1.29	3.93	37.0	17.08	-1.00
6655	116.0	117.2	1.2	100	4A1	2	3.68	4.59	1.15	3.44	36.0	23.86	-1.00
6656	117.2	118.9	1.7	88	4A14	2	3.24	7.01	1.80	5.21	44.0	9.61	-1.00
6657	118.9	120.2	1.3	100	4A14	2	3.40	6.84	2.09	4.75	52.0	1.00	-1.00
0	120.2	133.4	13.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90178	133.4	134.9	1.5	100	4A4	2	-1.00	15.04	4.48	10.56	74.7	-1.00	-1.00
6658	134.9	135.6	.7	86	4G#	7	4.80	3.50	.80	2.70	30.0	33.00	-1.00
6659	135.6	136.3	.7	86	4A4	2	3.78	11.69	9.92	1.77	168.0	16.29	-1.00
6660	136.3	137.6	1.3	100	4D#	3	3.70	7.97	6.66	1.31	85.0	14.57	-1.00
6661	137.6	139.2	1.6	100	4A4	2	3.99	7.42	5.95	1.47	120.0	12.00	-1.00
6662	139.2	140.5	1.3	92	4L0	52	3.16	1.44	.39	1.05	9.0	9.43	-1.00
6663	140.5	142.3	1.8	83	4A4	2	3.39	8.10	2.40	5.70	47.0	12.08	-1.00
0	142.3	144.1	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA133 Section:
 Northing: 6271.6 Easting: 2828.1 Elevation: 1296.8
 Length: 144.1 Core: NQ Record: 165

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	144.1	144.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA134 Section:
 Northing: 6212.9 Easting: 2820.5 Elevation: 1290.6
 Length: 196.3 Core: NQ Record: 166

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	65.7	65.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90171	65.7	66.4	.7	100	5B9	40	-1.00	2.60	1.20	1.40	17.1	-1.00	-1.00
90172	66.4	67.9	1.5	100	4G41	7	-1.00	17.26	7.56	9.70	99.8	-1.00	-1.00
5244	67.9	69.2	1.3	100	4AH4	2	3.34	10.60	5.06	5.54	76.0	12.98	-1.00
0	69.2	72.7	3.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5245	72.7	75.0	2.3	100	4K64	6	3.89	20.31	11.60	8.71	161.0	14.32	-1.00
5246	75.0	78.0	3.0	100	4K64	6	4.33	27.90	16.80	11.10	241.0	17.14	-1.00
0	78.0	84.6	6.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5247	84.6	86.0	1.4	100	4G4#	7	4.04	18.06	6.76	11.30	104.0	18.90	-1.00
5248	86.0	87.5	1.5	100	4A4	2	3.08	9.79	3.26	6.53	49.0	7.83	-1.00
0	87.5	94.0	6.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5249	94.0	97.0	3.0	100	4A0	2	2.83	3.23	1.20	2.03	19.0	5.47	-1.00
5250	97.0	99.5	2.5	100	4A4	2	3.05	9.89	3.04	6.85	49.0	8.56	-1.00
5251	99.5	102.5	3.0	67	4G4#	7	3.51	11.59	3.77	7.82	55.0	13.00	-1.00
0	102.5	105.3	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5252	105.3	107.7	2.4	100	4D0	3	3.04	9.86	3.78	6.08	61.0	9.51	-1.00
0	107.7	148.9	41.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5253	148.9	151.0	2.1	100	4A0	2	3.00	2.86	1.30	1.56	21.0	10.29	-1.00
5254	151.0	153.8	2.8	100	4A0	2	3.05	2.17	.76	1.41	16.0	7.95	-1.00
5255	153.8	154.7	.9	100	4G4	7	4.10	15.43	5.17	10.26	87.0	20.58	-1.00
0	154.7	157.2	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5256	157.2	159.0	1.8	100	4G34	7	4.35	12.36	6.93	5.43	95.0	27.72	-1.00
5257	159.0	160.5	1.5	100	4G34	7	4.51	13.88	6.33	7.55	97.0	17.28	-1.00
5258	160.5	162.0	1.5	100	4G34	7	4.31	14.31	6.54	7.77	72.0	13.28	-1.00
5259	162.0	163.2	1.2	100	4G3	7	3.93	9.40	3.47	5.93	54.0	15.16	-1.00
92149	163.2	163.7	.5	100	5D4*	47	-1.00	2.31	.63	1.68	11.0	-1.00	-1.00
5261	163.7	165.2	1.5	100	4D83	3	3.97	8.00	4.46	3.54	61.0	28.75	-1.00
5262	165.2	166.7	1.5	100	4D83	3	3.87	5.12	3.25	1.87	45.0	27.25	-1.00
5263	166.7	168.2	1.5	100	4C83	3	3.81	.83	.63	.20	17.0	29.20	-1.00
5264	168.2	171.2	3.0	100	4C83	3	3.72	.34	.17	.17	10.0	27.63	-1.00
5265	171.2	174.2	3.0	100	4C83	3	3.55	.21	.11	.10	8.0	25.96	-1.00
5266	174.2	176.2	2.0	100	4C83	3	3.63	2.95	1.55	1.40	25.0	27.44	-1.00
5267	176.2	178.2	2.0	100	4D48	3	3.42	10.24	4.23	6.01	55.0	16.75	-1.00
5268	178.2	181.2	3.0	100	4C83	3	3.67	2.67	1.67	1.00	22.0	29.16	-1.00
5269	181.2	183.2	2.0	100	4H18	8	3.54	.89	.29	.60	10.0	26.33	-1.00
5270	183.2	185.2	2.0	100	4H18	8	3.38	.90	.36	.54	12.0	-1.00	-1.00
5271	185.2	187.2	2.0	100	4H18	8	3.32	.94	.37	.57	10.0	-1.00	-1.00
5272	187.2	189.7	2.5	100	4H18	8	3.43	.94	.36	.58	11.0	-1.00	-1.00
0	189.7	196.3	6.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA135 Section:
 Northing: 6151.0 Easting: 2819.9 Elevation: 1287.1
 Length: 175.9 Core: NQ Record: 167

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	47.7	47.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9865	47.7	48.9	1.2	100	4H4#	8	4.58	21.80	11.80	10.00	196.0	23.74	-1.00
9866	48.9	50.6	1.7	100	4EG4	7	4.26	21.00	11.30	9.70	188.0	20.40	-1.00
9867	50.6	51.3	.7	100	4L0	52	3.18	6.30	2.60	3.70	43.0	8.93	-1.00
9868	51.3	52.8	1.5	100	4EG4#	7	4.30	29.50	17.30	12.20	259.0	19.61	-1.00
9869	52.8	53.7	.9	100	4L0	52	2.91	2.18	.98	1.20	18.0	6.72	-1.00
9870	53.7	54.5	.8	100	4A4	2	2.99	8.60	3.20	5.40	53.0	8.73	-1.00
9871	54.5	56.4	1.9	100	4G4#	7	4.21	21.30	10.80	10.50	180.0	18.07	-1.00
9872	56.4	58.3	1.9	100	4G4#	7	4.28	27.90	14.10	13.80	240.0	17.45	-1.00
0	58.3	75.5	17.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9873	75.5	76.6	1.1	45	4L14	52	-1.00	13.60	5.20	8.40	80.0	-1.00	-1.00
0	76.6	132.7	56.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9874	132.7	135.0	2.3	100	4A4	2	3.21	6.20	2.30	3.90	42.0	14.76	-1.00
9875	135.0	136.0	1.0	100	5D4*	47	2.95	1.54	.60	.94	12.0	9.40	-1.00
9876	136.0	136.7	.7	100	4GHE	7	3.97	12.40	6.30	6.10	108.0	17.29	-1.00
9877	136.7	138.3	1.6	100	4GCL	7	3.48	5.60	2.30	3.30	39.0	13.55	-1.00
9878	138.3	140.3	2.0	95	4G48	7	4.40	10.80	4.50	6.30	68.0	20.05	-1.00
9879	140.3	142.3	2.0	100	4G48	7	4.38	15.10	7.60	7.50	102.0	19.50	-1.00
9880	142.3	144.3	2.0	95	4G48	7	4.17	11.30	4.30	7.00	84.0	18.31	-1.00
9881	144.3	146.4	2.1	95	4G48	7	4.05	11.30	3.90	7.40	65.0	14.80	-1.00
9882	146.4	147.3	.9	100	4E48	5	4.37	15.50	8.60	6.90	118.0	32.38	-1.00
9883	147.3	149.1	1.8	94	4D48	3	3.84	16.70	11.60	5.10	145.0	25.08	-1.00
9884	149.1	151.7	2.6	96	4CLE	3	3.38	2.14	1.03	1.11	22.0	24.29	-1.00
9885	151.7	154.5	2.8	100	4A31	2	3.21	1.05	.47	.58	12.0	17.58	-1.00
9886	154.5	156.6	2.1	100	4C09	3	-1.00	.55	.21	.34	12.0	-1.00	-1.00
9887	156.6	158.7	2.1	100	4C09	3	-1.00	.10	.06	.04	8.0	-1.00	-1.00
9888	158.7	160.7	2.0	100	4C09	3	-1.00	.31	.12	.19	12.0	-1.00	-1.00
9889	160.7	161.6	.9	89	5D0	47	-1.00	.58	.30	.28	11.0	-1.00	-1.00
9890	161.6	164.2	2.6	100	4C39	3	-1.00	.98	.48	.50	13.0	-1.00	-1.00
9891	164.2	166.8	2.6	81	4C798	3	-1.00	1.55	.59	.96	19.0	-1.00	-1.00
9892	166.8	169.4	2.6	96	4C798	3	-1.00	.42	.20	.22	8.0	-1.00	-1.00
9893	169.4	172.0	2.6	100	4C798	3	-1.00	.20	.10	.10	7.0	-1.00	-1.00
9894	172.0	174.5	2.5	100	4C798	3	-1.00	.74	.27	.47	9.0	-1.00	-1.00
0	174.5	175.9	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA136 Section:
 Northing: 6090.0 Easting: 2824.0 Elevation: 1284.7
 Length: 156.1 Core: NQ Record: 168

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	114.8	114.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8143	114.8	115.2	.4	100	4A1	2	3.36	5.44	1.84	3.60	37.0	8.32	-1.00
8144	115.2	115.6	.4	100	4L*	52	3.03	.90	.40	.50	9.0	9.88	-1.00
8145	115.6	116.2	.6	100	4B0	52	3.08	3.31	1.35	1.96	21.0	7.30	-1.00
8146	116.2	117.2	1.0	80	4G4*	7	4.06	13.50	6.30	7.20	81.0	20.31	-1.00
8147	117.2	117.7	.5	100	5D4*	47	3.42	3.50	1.65	1.85	33.0	15.82	-1.00
8148	117.7	119.7	2.0	100	4G4	7	4.61	12.40	4.80	7.60	71.0	14.11	-1.00
8149	119.7	121.6	1.9	100	4G4	7	4.61	13.00	5.20	7.80	76.0	17.31	-1.00
8150	121.6	122.3	.7	100	5C43	44	3.11	2.16	.56	1.60	18.0	7.11	-1.00
8901	122.3	122.9	.6	83	4G4*	7	4.45	9.30	2.40	6.90	49.0	10.96	-1.00
8902	122.9	124.4	1.5	33	5C3	44	3.46	3.83	.93	2.90	32.0	14.06	-1.00
8903	124.4	126.4	2.0	75	4E4*	5	4.49	14.90	7.90	7.00	96.0	32.49	-1.00
8904	126.4	127.7	1.3	100	4D4	3	3.62	10.00	5.10	4.90	73.0	19.14	-1.00
8905	127.7	130.5	2.8	25	4C0	3	3.77	1.94	.82	1.12	25.0	24.96	-1.00
0	130.5	131.8	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8906	131.8	132.4	.6	100	4C0	3	3.57	3.39	.99	2.40	29.0	22.65	-1.00
8907	132.4	133.8	1.4	100	4A1	2	3.38	24.00	8.30	15.70	133.0	11.81	-1.00
0	133.8	135.8	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8908	135.8	137.1	1.3	92	4C0	3	-1.00	1.80	.51	1.29	17.0	-1.00	-1.00
8909	137.1	139.0	1.9	47	4A3	2	-1.00	.43	.16	.27	11.0	-1.00	-1.00
8910	139.0	141.1	2.1	95	4A3	2	-1.00	.29	.10	.19	10.0	-1.00	-1.00
8911	141.1	143.1	2.0	65	4A3	2	-1.00	.29	.11	.18	13.0	-1.00	-1.00
0	143.1	145.8	2.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8912	145.8	147.5	1.7	94	4C0	3	-1.00	.27	.08	.19	7.0	-1.00	-1.00
8913	147.5	148.0	.5	-1	4CA	3	-1.00	.26	.12	.14	11.0	-1.00	-1.00
8914	148.0	150.7	2.7	93	4CA	3	-1.00	.10	.05	.05	9.0	-1.00	-1.00
8915	150.7	151.2	.5	100	4A2	2	-1.00	.29	.11	.18	7.0	-1.00	-1.00
8916	151.2	153.1	1.9	63	4A2	2	-1.00	4.96	1.76	3.20	26.0	-1.00	-1.00
8917	153.1	154.6	1.5	93	4A2	2	-1.00	.56	.14	.42	8.0	-1.00	-1.00
8918	154.6	156.1	1.5	100	4A2	2	-1.00	.77	.25	.52	11.0	-1.00	-1.00

Drill Hole: AGA137 Section:
 Northing: 6089.3 Easting: 2884.1 Elevation: 1289.6
 Length: 136.1 Core: NQ Record: 169

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	96.3	96.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9006	96.3	97.7	1.4	100	4A4	2	-1.00	6.90	2.30	4.60	39.0	-1.00	-1.00
0	97.7	102.9	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9007	102.9	104.4	1.5	100	4D4	3	3.76	11.10	4.20	6.90	74.0	10.70	-1.00
9008	104.4	106.6	2.2	100	4A13	2	2.99	4.61	1.71	2.90	30.0	7.26	-1.00
9009	106.6	108.7	2.1	100	4A134	2	3.31	5.04	1.54	3.50	31.0	16.46	-1.00
9010	108.7	110.8	2.1	100	4A13	2	3.31	3.80	1.20	2.60	26.0	4.50	-1.00
9011	110.8	112.9	2.1	100	4A13	2	2.94	1.59	.62	.97	18.0	6.13	-1.00
9012	112.9	115.0	2.1	100	4A13	2	3.08	3.00	1.11	1.89	24.0	9.23	-1.00
9013	115.0	117.1	2.1	90	4A13	2	2.99	1.77	.73	1.04	19.0	7.13	-1.00
9014	117.1	119.2	2.1	100	4A13	2	3.18	3.67	1.17	2.50	27.0	11.43	-1.00
9015	119.2	121.3	2.1	100	4A134	2	3.23	5.48	1.48	4.00	33.0	12.26	-1.00
0	121.3	136.1	14.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA138 Section:
 Northing: 6273.0 Easting: 2884.9 Elevation: 1301.4
 Length: 96.9 Core: NQ Record: 170

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	96.9	96.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA139 Section:
 Northing: 6152.0 Easting: 2879.8 Elevation: 1292.3
 Length: 150.6 Core: NQ Record: 171

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	121.1	121.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90358	121.1	122.5	1.4	79	4L0	52	-1.00	.11	.03	.08	1.0	-1.00	-1.00
9399	122.5	123.0	.5	100	4D45	3	3.47	12.32	4.30	8.02	77.0	9.66	-1.00
9400	123.0	124.6	1.6	100	4G4#	7	3.80	18.22	7.10	11.12	105.0	16.36	-1.00
9401	124.6	125.4	.8	100	4E10	5	4.56	3.70	1.20	2.50	31.0	42.38	-1.00
9402	125.4	127.4	2.0	100	4A4	2	3.08	5.66	1.80	3.86	32.0	1.89	-1.00
9403	127.4	129.4	2.0	90	4A0	2	3.01	4.00	1.00	3.00	20.0	9.59	-1.00
9404	129.4	131.7	2.3	70	4A4	2	3.14	5.60	1.70	3.90	31.0	10.76	-1.00
0	131.7	150.6	18.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA140 Section:
 Northing: 6699.1 Easting: 3043.3 Elevation: 1306.7
 Length: 170.0 Core: NQ Record: 172

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	85.3	85.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14544	85.3	87.3	2.0	75	4A4	2	3.60	25.09	6.49	18.60	113.0	9.70	-1.00
14545	87.3	89.3	2.0	75	4A43	2	3.54	11.78	3.08	8.70	52.0	16.32	-1.00
0	89.3	170.0	80.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA141 Section:
 Northing: 6393.8 Easting: 2884.0 Elevation: 1301.7
 Length: 93.2 Core: NQ Record: 173

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	43.3	43.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9266	43.3	45.3	2.0	25	4A0	2	2.77	1.58	1.03	.55	23.0	1.56	-1.00
9267	45.3	47.3	2.0	90	4A4	2	3.01	5.24	1.64	3.60	31.0	8.80	-1.00
9268	47.3	49.3	2.0	85	4A0	2	2.84	4.53	1.33	3.20	25.0	3.65	-1.00
9269	49.3	51.3	2.0	100	4A0	2	3.01	4.58	1.38	3.20	29.0	10.25	-1.00
9270	51.3	53.3	2.0	100	4A0	2	3.02	4.55	1.35	3.20	26.0	5.87	-1.00
9271	53.3	55.5	2.2	100	4A0	2	2.93	4.52	1.42	3.10	27.0	5.98	-1.00
0	55.5	55.8	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9272	55.8	57.1	1.3	100	4B4	2	3.01	6.38	1.38	5.00	30.0	9.24	-1.00
9273	57.1	57.6	.5	80	4E4	5	4.05	18.20	5.60	12.60	154.0	22.59	-1.00
0	57.6	58.6	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9274	58.6	60.8	2.2	100	4C0	3	3.33	4.00	1.00	3.00	27.0	14.71	-1.00
0	60.8	65.6	4.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9275	65.6	66.6	1.0	100	4L24	52	3.17	1.39	.55	.84	17.0	12.52	-1.00
0	66.6	68.5	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9276	68.5	69.7	1.2	100	4E4	5	4.40	31.00	12.30	18.70	166.0	22.26	-1.00
9277	69.7	70.4	.7	100	4A14	2	3.34	14.90	5.80	9.10	88.0	13.08	-1.00
9278	70.4	71.0	.6	100	4D0	3	3.12	8.60	3.50	5.10	53.0	11.48	-1.00
9279	71.0	73.0	2.0	100	4A4	2	2.92	6.35	1.85	4.50	42.0	4.80	-1.00
9280	73.0	75.0	2.0	100	4A4	2	3.07	6.43	1.83	4.60	39.0	5.53	-1.00
9281	75.0	76.7	1.7	100	4A0	2	2.93	2.87	1.25	1.62	20.0	5.73	-1.00
0	76.7	77.0	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9295	77.0	77.6	.6	100	4C0	3	3.45	3.69	.59	3.10	18.0	20.96	-1.00
9282	77.6	79.6	2.0	95	4A4	2	3.39	13.00	4.70	8.30	66.0	14.02	-1.00
9283	79.6	80.2	.6	100	4E4	5	3.90	27.50	10.40	17.10	170.0	24.62	-1.00
0	80.2	80.5	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9284	80.5	81.4	.9	100	4E4	5	4.38	23.20	8.40	14.80	146.0	25.96	-1.00
9285	81.4	81.8	.4	100	4A4	2	3.68	16.30	6.40	9.90	97.0	19.15	-1.00
0	81.8	82.4	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9286	82.4	83.4	1.0	100	4A4	2	3.56	14.70	5.30	9.40	90.0	17.06	-1.00
0	83.4	83.5	.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9287	83.5	84.2	.7	100	4A4	2	3.34	8.20	3.40	4.80	59.0	15.64	-1.00
0	84.2	84.4	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9288	84.4	84.8	.4	100	4A4	2	3.43	6.50	3.50	3.00	61.0	17.35	-1.00
9289	84.8	85.7	.9	100	4E4	5	4.83	23.40	9.60	13.80	194.0	26.64	-1.00
9290	85.7	86.9	1.2	42	4A4	2	3.44	13.90	5.40	8.50	100.0	12.72	-1.00
9291	86.9	87.3	.4	100	4E4	5	4.63	18.80	8.00	10.80	161.0	29.50	-1.00
9292	87.3	88.3	1.0	100	4A4	2	3.64	15.10	6.30	8.80	100.0	14.22	-1.00
0	88.3	88.5	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9293	88.5	88.9	.4	100	4D4	3	3.60	13.20	5.10	8.10	87.0	16.28	-1.00
0	88.9	89.1	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9294	89.1	89.8	.7	100	4A4	2	3.42	10.80	3.40	7.40	58.0	14.97	-1.00
0	89.8	93.2	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA142 Section:
 Northing: 6211.8 Easting: 2642.5 Elevation: 1277.5
 Length: 267.8 Core: NQ Record: 174

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	50.5	50.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5301	50.5	51.6	1.1	-1	4CG	3	3.93	11.77	5.98	5.79	72.0	19.59	-1.00
5302	51.6	53.6	2.0	-1	4EK4	5	4.57	5.93	3.76	2.17	51.0	34.15	-1.00
5303	53.6	55.8	2.2	-1	4E0	5	4.44	5.01	2.77	2.24	43.0	34.35	-1.00
5304	55.8	57.4	1.6	-1	4KE4	6	4.46	7.97	5.46	2.51	68.0	33.09	-1.00
5305	57.4	58.7	1.3	-1	4EG4	7	4.57	14.25	6.90	7.35	83.0	23.86	-1.00
5306	58.7	60.6	1.9	-1	4E4	5	4.76	5.72	3.01	2.71	49.0	35.41	-1.00
0	60.6	89.9	29.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5307	89.9	90.7	.8	-1	4A4	2	3.22	7.03	2.21	4.82	38.0	11.12	-1.00
5308	90.7	92.7	2.0	-1	4E4	5	4.57	6.96	2.84	4.12	47.0	34.01	-1.00
5309	92.7	93.7	1.0	-1	4E4	5	4.62	17.98	5.71	12.27	99.0	29.11	-1.00
5310	93.7	95.1	1.4	-1	4E4	5	4.67	19.20	6.45	12.75	95.0	29.56	-1.00
5311	95.1	98.6	3.5	-1	4A0	2	2.79	2.06	.41	1.65	6.0	8.57	-1.00
5312	98.6	100.6	2.0	-1	4E4	5	4.81	12.70	5.15	7.55	106.0	32.21	-1.00
5313	100.6	102.1	1.5	-1	4E4	5	4.79	12.99	4.52	8.47	93.0	32.95	-1.00
5314	102.1	103.3	1.2	-1	4E4	5	4.37	13.03	3.95	9.08	70.0	31.61	-1.00
0	103.3	154.9	51.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5315	154.9	156.4	1.5	-1	4D43	3	3.80	10.59	6.34	4.25	131.0	22.56	-1.00
5316	156.4	157.2	.8	-1	4D3	3	3.86	5.73	2.46	3.27	41.0	27.43	-1.00
5317	157.2	159.2	2.0	-1	4A43	2	3.50	12.75	4.71	8.04	69.0	18.13	-1.00
5318	159.2	161.5	2.3	-1	4A43	2	3.56	11.63	4.35	7.28	61.0	20.63	-1.00
5319	161.5	163.5	2.0	-1	4CA3	3	3.36	4.40	.42	3.98	12.0	20.08	-1.00
5320	163.5	165.0	1.5	-1	4CA3	3	3.21	3.18	.45	2.73	22.0	24.92	-1.00
5321	165.0	166.1	1.1	-1	4CA3	3	3.83	7.98	4.17	3.81	69.0	27.66	-1.00
0	166.1	198.7	32.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5322	198.7	200.4	1.7	-1	4EL	5	3.65	4.62	2.06	2.56	25.0	-1.00	-1.00
0	200.4	242.8	42.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5323	242.8	243.5	.7	-1	4E84	5	4.26	7.27	3.60	3.67	56.0	33.19	-1.00
5324	243.5	244.3	.8	-1	4L0	52	2.93	1.38	.78	.60	12.0	8.10	-1.00
5325	244.3	245.1	.8	-1	4E84	5	4.35	9.55	5.23	4.32	69.0	33.89	-1.00
5326	245.1	245.7	.6	-1	4D3	3	3.32	6.51	3.40	3.11	39.0	20.73	-1.00
5327	245.7	247.7	2.0	-1	4E84	5	3.99	7.85	4.38	3.47	56.0	32.44	-1.00
5328	247.7	249.2	1.5	-1	4E84	5	3.78	7.66	3.98	3.68	49.0	27.11	-1.00
5329	249.2	250.2	1.0	-1	4E84	5	3.84	9.09	4.80	4.29	59.0	28.74	-1.00
5330	250.2	252.4	2.2	-1	4EL	5	3.74	5.27	2.70	2.57	40.0	30.92	-1.00
5331	252.4	253.0	.6	-1	4KL	6	3.97	8.59	4.76	3.83	82.0	32.72	-1.00
0	253.0	267.8	14.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA143 Section:
 Northing: 6211.0 Easting: 2879.0 Elevation: 1295.7
 Length: 168.0 Core: NQ Record: 175

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	140.5	140.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1644	140.5	141.8	1.3	62	4L4	52	3.27	10.88	3.78	7.10	59.0	12.75	-1.00
0	141.8	145.1	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1645	145.1	146.9	1.8	100	4E4	5	4.30	9.82	4.09	5.73	87.0	29.21	-1.00
1646	146.9	148.3	1.4	100	4A4	2	3.22	5.16	1.87	3.29	30.0	15.56	-1.00
0	148.3	168.0	19.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA144 Section:
 Northing: 6818.2 Easting: 3040.7 Elevation: 1312.5
 Length: 145.4 Core: NQ Record: 176

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	145.4	145.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA145 Section:
 Northing: 6211.8 Easting: 2576.9 Elevation: 1275.4
 Length: 86.0 Core: NQ Record: 177

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	41.8	41.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5199	41.8	43.3	1.5	100	4L0	52	3.11	1.75	.81	.94	13.0	-1.00	-1.00
0	43.3	48.0	4.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5200	48.0	50.3	2.3	83	4K4	6	4.52	24.20	11.40	12.80	148.0	25.79	-1.00
0	50.3	78.3	28.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5214	78.3	80.0	1.7	88	4CAD	3	3.57	4.24	1.39	2.85	35.0	21.96	-1.00
5215	80.0	83.1	3.1	77	4K4	6	4.59	6.87	3.28	3.59	55.0	36.67	-1.00
0	83.1	86.0	2.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA146 Section:
 Northing: 6940.4 Easting: 3036.4 Elevation: 1313.2
 Length: 149.4 Core: NQ Record: 178

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	149.4	149.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA147 Section:
 Northing: 6211.6 Easting: 2704.1 Elevation: 1278.2
 Length: 184.4 Core: NQ Record: 179

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	43.7	43.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5166	43.7	46.1	2.4	-1	4A0	2	2.88	5.00	1.22	3.78	32.0	5.48	-1.00
0	46.1	47.4	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5167	47.4	48.0	.6	-1	4A0	2	2.91	3.77	1.15	2.62	20.0	6.25	-1.00
5168	48.0	49.4	1.4	-1	4L2	52	2.91	2.86	.81	2.05	15.0	6.20	-1.00
5169	49.4	51.0	1.6	-1	4A0	2	2.95	2.19	.74	1.45	12.0	7.95	-1.00
5170	51.0	52.7	1.7	-1	4A0	2	3.00	4.79	1.40	3.39	21.0	9.93	-1.00
0	52.7	77.6	24.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5171	77.6	78.6	1.0	-1	5B19	40	2.92	1.30	.50	.80	8.0	-1.00	-1.00
0	78.6	82.0	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5172	82.0	85.2	3.2	-1	5B19	40	2.92	1.93	.64	1.29	15.0	-1.00	-1.00
5173	85.2	88.4	3.2	-1	4L42	52	2.85	1.01	.25	.76	3.0	-1.00	-1.00
5174	88.4	90.0	1.6	-1	5B19	40	2.88	1.97	.61	1.36	9.0	-1.00	-1.00
5175	90.0	92.0	2.0	-1	5B19	40	2.84	.88	.30	.58	7.0	-1.00	-1.00
5176	92.0	94.0	2.0	-1	5B19	40	2.58	1.96	.55	1.41	7.0	-1.00	-1.00
5177	94.0	97.0	3.0	-1	5B19	40	2.90	2.07	.58	1.49	7.0	-1.00	-1.00
5178	97.0	99.0	2.0	-1	4A3	2	3.44	1.68	.61	1.07	25.0	20.83	-1.00
5179	99.0	101.0	2.0	-1	4A0	2	3.25	2.87	.49	2.38	17.0	16.84	-1.00
5180	101.0	103.0	2.0	-1	4A4	2	3.26	8.06	2.99	5.07	52.0	14.01	-1.00
5181	103.0	105.0	2.0	-1	4A0	2	3.14	1.78	.49	1.29	15.0	14.48	-1.00
5182	105.0	106.8	1.8	-1	4A0	2	3.03	2.13	.75	1.38	20.0	-1.00	-1.00
0	106.8	136.2	29.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90173	136.2	137.8	1.6	100	4L0	52	-1.00	.75	.22	.53	3.1	-1.00	-1.00
0	137.8	146.9	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5183	146.9	148.4	1.5	-1	4C0	3	3.03	1.42	.50	.92	9.0	-1.00	-1.00
5184	148.4	150.0	1.6	-1	4A0	2	2.83	.82	.32	.50	6.0	-1.00	-1.00
5185	150.0	152.0	2.0	-1	4A0	2	2.90	.88	.27	.61	8.0	-1.00	-1.00
5186	152.0	154.5	2.5	-1	4A0	2	2.91	2.00	.71	1.29	15.0	-1.00	-1.00
5187	154.5	156.1	1.6	-1	4L1	52	2.93	.31	.10	.21	2.0	-1.00	-1.00
5188	156.1	157.6	1.5	-1	4A0	2	3.00	1.00	.33	.67	9.0	-1.00	-1.00
0	157.6	159.0	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90174	159.0	160.7	1.7	88	5A1	30	-1.00	.27	.07	.20	3.1	-1.00	-1.00
5189	160.7	163.4	2.7	-1	4AC	2	2.92	.33	.04	.29	6.0	-1.00	-1.00
5190	163.4	165.4	2.0	-1	4C3	3	3.26	.31	.04	.27	7.0	-1.00	-1.00
5191	165.4	166.7	1.3	-1	4A0	2	3.01	.64	.04	.60	9.0	-1.00	-1.00
5192	166.7	167.5	.8	-1	4C0	3	3.11	.73	.10	.63	7.0	15.68	-1.00
5193	167.5	168.5	1.0	-1	4CA3	3	3.61	3.03	.78	2.25	25.0	24.55	-1.00
5194	168.5	170.6	2.1	-1	4E14	5	4.41	7.73	3.08	4.65	48.0	32.20	-1.00
0	170.6	171.8	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5195	171.8	172.8	1.0	-1	4D43	3	4.01	12.95	4.73	8.22	61.0	24.45	-1.00
5196	172.8	174.4	1.6	-1	4A0	2	3.08	4.69	1.40	3.29	33.0	11.33	-1.00
5197	174.4	175.2	.8	-1	4E1	5	3.43	1.88	.65	1.23	21.0	34.96	-1.00
5198	175.2	175.9	.7	-1	4AD	2	3.43	8.02	3.08	4.94	51.0	15.99	-1.00
0	175.9	184.4	8.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA148 Section:
 Northing: 6940.9 Easting: 3158.3 Elevation: 1312.2
 Length: 113.7 Core: NQ Record: 180

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	113.7	113.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA149 Section:
 Northing: 6090.8 Easting: 2764.5 Elevation: 1284.6
 Length: 198.4 Core: NQ Record: 181

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	147.2	147.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9064	147.2	148.7	1.5	100	4A1	2	-1.00	.54	.15	.39	7.0	-1.00	-1.00
0	148.7	161.3	12.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9065	161.3	161.7	.4	100	4G4#8	7	4.50	13.10	6.50	6.60	76.0	25.42	-1.00
9066	161.7	162.6	.9	78	4E0#	5	4.60	4.75	1.55	3.20	27.0	38.18	-1.00
9067	162.6	164.6	2.0	100	4G4#8	7	4.40	13.20	6.70	6.50	87.0	21.38	-1.00
9068	164.6	166.6	2.0	95	4G4#8	7	4.47	11.90	6.10	5.80	77.0	24.38	-1.00
9069	166.6	168.6	2.0	100	4G4#8	7	4.60	13.80	6.50	7.30	90.0	19.98	-1.00
9070	168.6	170.6	2.0	100	4CE8	3	-1.00	.76	.38	.38	14.0	-1.00	-1.00
9071	170.6	172.6	2.0	100	4CE8	3	-1.00	.29	.11	.18	8.0	-1.00	-1.00
9072	172.6	174.6	2.0	100	4CE8	3	-1.00	.25	.09	.16	7.0	-1.00	-1.00
9073	174.6	176.6	2.0	100	4CE8	3	-1.00	.74	.28	.46	13.0	-1.00	-1.00
9074	176.6	178.2	1.6	100	4CE8	3	3.30	2.13	1.54	.59	27.0	20.20	-1.00
9075	178.2	179.7	1.5	100	4DE8	3	3.36	5.10	2.80	2.30	41.0	19.50	-1.00
9076	179.7	181.3	1.6	94	4CE8	3	-1.00	1.20	.50	.70	12.0	-1.00	-1.00
9077	181.3	184.4	3.1	100	4CE8	3	-1.00	.61	.23	.38	7.0	-1.00	-1.00
9078	184.4	186.6	2.2	100	4CE8	3	-1.00	1.40	.37	1.03	11.0	-1.00	-1.00
0	186.6	198.4	11.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA150 Section:
 Northing: 6817.5 Easting: 3162.8 Elevation: 1315.8
 Length: 150.0 Core: NQ Record: 182

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	150.0	150.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA151 Section:
 Northing: 6814.7 Easting: 2979.6 Elevation: 1313.1
 Length: 145.4 Core: NQ Record: 183

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	110.2	110.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92026	110.2	112.4	2.2	-1	5D6	47	-1.00	1.25	.50	.75	8.9	-1.00	-1.00
92027	112.4	113.4	1.0	-1	4D4	3	-1.00	13.20	4.15	9.05	80.6	-1.00	-1.00
92028	113.4	115.2	1.8	-1	4AD	2	-1.00	5.15	1.80	3.35	33.3	-1.00	-1.00
0	115.2	122.5	7.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92029	122.5	123.4	.9	-1	4A0	2	-1.00	4.05	1.40	2.65	21.3	-1.00	-1.00
92030	123.4	124.9	1.5	-1	4A4	2	-1.00	10.57	3.15	7.42	48.3	-1.00	-1.00
92031	124.9	126.0	1.1	-1	4A0	2	-1.00	.94	.34	.60	6.2	-1.00	-1.00
0	126.0	129.9	3.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92032	129.9	133.2	3.3	-1	3G0	20	-1.00	4.23	1.70	2.53	24.3	-1.00	-1.00
0	133.2	145.4	12.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA152 Section:
 Northing: 6090.2 Easting: 2702.2 Elevation: 1277.3
 Length: 209.2 Core: NQ Record: 184

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	93.3	93.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5359	93.3	94.8	1.5	93	4A3	2	2.85	.50	.13	.37	5.0	-1.00	-1.00
5360	94.8	96.3	1.5	87	4A3	2	2.81	.39	.17	.22	7.0	-1.00	-1.00
5361	96.3	97.8	1.5	100	4A3	2	2.81	.27	.12	.15	6.0	-1.00	-1.00
5362	97.8	99.3	1.5	93	4A3	2	2.99	.25	.07	.18	7.0	-1.00	-1.00
5363	99.3	100.8	1.5	100	4A3	2	3.08	.44	.10	.34	7.0	-1.00	-1.00
5364	100.8	101.8	1.0	100	4A3	2	2.90	.15	.05	.10	6.0	-1.00	-1.00
0	101.8	104.3	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5365	104.3	106.3	2.0	70	4A3	2	2.98	.28	.07	.21	5.0	-1.00	-1.00
5366	106.3	108.3	2.0	-1	4A3	2	2.87	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5367	108.3	110.3	2.0	100	4A3	2	2.87	.16	.01	.15	3.0	-1.00	-1.00
5368	110.3	112.3	2.0	100	4A3	2	2.82	.19	.01	.18	3.0	-1.00	-1.00
5369	112.3	114.3	2.0	85	4A3	2	3.06	.58	.03	.55	5.0	-1.00	-1.00
5370	114.3	116.3	2.0	80	4A3	2	2.90	.38	.02	.36	5.0	-1.00	-1.00
5371	116.3	118.3	2.0	100	4A3	2	2.93	.40	.02	.38	3.0	-1.00	-1.00
5372	118.3	120.3	2.0	100	4A3	2	2.89	.21	.01	.20	2.0	-1.00	-1.00
5373	120.3	122.3	2.0	100	4A3	2	2.82	.52	.01	.51	5.0	-1.00	-1.00
5374	122.3	124.3	2.0	95	4A3	2	2.85	.39	.01	.38	6.0	-1.00	-1.00
5375	124.3	126.3	2.0	95	4A3	2	2.88	.69	.01	.68	5.0	-1.00	-1.00
5376	126.3	128.3	2.0	100	4A3	2	2.91	.33	.01	.32	3.0	-1.00	-1.00
5377	128.3	130.3	2.0	50	4A3	2	2.82	.21	.02	.19	4.0	-1.00	-1.00
5378	130.3	132.0	1.7	100	4A3	2	2.88	.26	.01	.25	4.0	-1.00	-1.00
0	132.0	136.2	4.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5379	136.2	138.2	2.0	100	4A3	2	2.83	.20	.01	.19	4.0	-1.00	-1.00
5380	138.2	140.2	2.0	90	4A3	2	2.90	.22	.01	.21	4.0	-1.00	-1.00
5381	140.2	142.2	2.0	100	4A3	2	2.75	.10	.01	.09	2.0	-1.00	-1.00
5382	142.2	144.2	2.0	85	4A3	2	2.80	.05	.01	.04	3.0	-1.00	-1.00
0	144.2	144.5	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5383	144.5	146.7	2.2	91	4A3	2	2.96	1.25	.48	.77	10.0	11.68	-1.00
5384	146.7	148.4	1.7	88	4D0	3	3.89	5.02	1.70	3.32	29.0	29.79	-1.00
5385	148.4	150.9	2.5	92	4A0	2	2.88	4.67	1.72	2.95	26.0	8.74	-1.00
0	150.9	175.3	24.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5386	175.3	177.3	2.0	95	4L1	52	3.08	2.09	1.18	.91	12.0	13.94	-1.00
5387	177.3	179.0	1.7	82	4L1	52	3.09	4.33	2.45	1.88	23.0	11.42	-1.00
5388	179.0	180.3	1.3	85	4L7	52	3.29	5.36	2.26	3.10	25.0	18.91	-1.00
0	180.3	185.3	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5389	185.3	186.8	1.5	100	4A3	2	2.72	1.46	.58	.88	9.0	-1.00	-1.00
5390	186.8	188.1	1.3	77	4A3	2	2.77	1.58	.64	.94	11.0	-1.00	-1.00
0	188.1	200.6	12.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5391	200.6	202.6	2.0	80	4EC8	5	3.98	2.88	1.53	1.35	23.0	31.81	-1.00
5392	202.6	204.6	2.0	100	4C8	3	3.80	1.73	.78	.95	18.0	29.50	-1.00
5393	204.6	206.0	1.4	93	4GD4	7	3.76	10.33	4.78	5.55	69.0	17.57	-1.00
0	206.0	209.2	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA153 Section:
 Northing: 6212.3 Easting: 2761.6 Elevation: 1286.6
 Length: 218.5 Core: NQ Record: 185

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	58.3	58.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90161	58.3	60.0	1.7	100	4A0	2	-1.00	2.58	1.18	1.40	15.1	-1.00	-1.00
0	60.0	61.7	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1579	61.7	63.7	2.0	100	4A0	2	2.90	.83	.43	.40	7.0	-1.00	-1.00
1580	63.7	65.7	2.0	100	4A0	2	2.98	3.08	1.19	1.89	23.0	-1.00	-1.00
1581	65.7	68.1	2.4	96	4A0	2	2.92	.67	.40	.27	7.0	-1.00	-1.00
0	68.1	157.6	89.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1582	157.6	158.7	1.1	82	4A0	2	2.99	2.44	.97	1.47	13.0	10.55	-1.00
1583	158.7	160.3	1.6	100	4A43	2	3.39	6.69	2.04	4.65	41.0	17.98	-1.00
1584	160.3	162.1	1.8	78	4A43	2	3.63	11.37	3.23	8.14	59.0	20.09	-1.00
1585	162.1	162.9	.8	100	5B6	40	2.81	1.39	.56	.83	9.0	4.01	-1.00
0	162.9	175.2	12.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1586	175.2	176.1	.9	89	4E64	5	4.43	5.89	2.99	2.90	47.0	33.03	-1.00
1587	176.1	177.9	1.8	100	4G4	7	4.75	18.19	9.45	8.74	106.0	24.30	-1.00
1588	177.9	179.6	1.7	94	4G4	7	4.33	12.47	5.04	7.43	75.0	19.38	-1.00
0	179.6	180.6	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1589	180.6	182.0	1.4	100	4E4	5	4.45	11.49	6.27	5.22	75.0	34.35	-1.00
1590	182.0	183.5	1.5	93	4E0	5	4.34	2.11	1.14	.97	14.0	36.27	-1.00
1591	183.5	185.0	1.5	100	4K0	6	4.38	3.80	1.99	1.81	27.0	36.40	-1.00
1592	185.0	186.5	1.5	93	4E84	5	4.33	5.77	1.17	4.60	128.0	28.11	-1.00
1593	186.5	188.0	1.5	87	4G4	7	4.30	11.42	4.12	7.30	66.0	13.22	-1.00
1594	188.0	188.8	.8	100	4G4	7	3.04	10.10	3.30	6.80	48.0	9.69	-1.00
1595	188.8	190.3	1.5	100	4C3	3	3.61	1.27	.50	.77	14.0	25.95	-1.00
1596	190.3	191.8	1.5	93	4C3	3	3.46	1.84	.77	1.07	12.0	24.89	-1.00
1597	191.8	192.5	.7	100	4C3	3	3.74	2.98	1.16	1.82	23.0	27.82	-1.00
1598	192.5	194.0	1.5	80	4C3	3	3.62	2.07	2.00	.07	39.0	25.90	-1.00
1599	194.0	197.0	3.0	90	4C3	3	3.45	1.29	.58	.71	8.0	23.08	-1.00
1600	197.0	199.9	2.9	86	4C3	3	3.71	3.12	1.23	1.89	20.0	27.53	-1.00
1601	199.9	200.6	.7	43	4C3	3	3.32	4.44	1.74	2.70	23.0	16.46	-1.00
1602	200.6	201.8	1.2	83	4D3	3	3.34	5.59	2.89	2.70	47.0	15.98	-1.00
1603	201.8	203.0	1.2	25	4C3	3	3.38	3.36	.77	2.59	16.0	22.27	-1.00
1604	203.0	206.0	3.0	100	4C7	3	3.49	2.11	.96	1.15	19.0	25.07	-1.00
1605	206.0	207.5	1.5	67	4C0	3	3.17	1.11	.53	.58	9.0	17.40	-1.00
1606	207.5	209.0	1.5	60	4C0	3	3.05	3.09	1.87	1.22	30.0	8.19	-1.00
1607	209.0	209.6	.6	50	4D3	3	3.68	6.39	2.89	3.50	42.0	24.49	-1.00
1608	209.6	210.9	1.3	100	4C3	3	3.24	1.76	.78	.98	20.0	18.02	-1.00
1609	210.9	212.4	1.5	100	4C0	3	3.21	2.65	1.58	1.07	23.0	14.78	-1.00
1610	212.4	214.0	1.6	87	4C7	3	3.13	.90	.46	.44	9.0	13.67	-1.00
0	214.0	218.5	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA154 Section:
 Northing: 6753.4 Easting: 2975.8 Elevation: 1310.7
 Length: 139.6 Core: NQ Record: 186

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	72.5	72.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14452	72.5	74.3	1.8	100	4CL	3	-1.00	2.05	.83	1.22	12.0	-1.00	-1.00
14453	74.3	76.1	1.8	94	4CL	3	-1.00	4.07	2.22	1.85	28.0	-1.00	-1.00
0	76.1	127.4	51.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14454	127.4	128.6	1.2	58	4AE	2	-1.00	2.92	.97	1.95	21.0	-1.00	-1.00
0	128.6	130.1	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14455	130.1	132.0	1.9	74	4E\$	5	-1.00	3.67	1.21	2.46	23.0	-1.00	-1.00
14456	132.0	133.8	1.8	89	4A4	2	-1.00	5.36	2.00	3.36	39.0	-1.00	-1.00
0	133.8	134.9	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14457	134.9	135.6	.7	100	4EF4	5	-1.00	19.35	4.85	14.50	92.0	-1.00	-1.00
0	135.6	136.8	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14458	136.8	139.6	2.8	82	4A4	2	-1.00	7.09	2.41	4.68	47.0	-1.00	-1.00

Drill Hole: AGA155 Section:
 Northing: 6451.9 Easting: 2923.1 Elevation: 1300.4
 Length: 94.5 Core: NQ Record: 187

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	41.8	41.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7474	41.8	43.6	1.8	89	4A41	2	3.14	5.86	1.96	3.90	41.0	10.29	-1.00
7475	43.6	44.9	1.3	100	4A41	2	3.08	8.43	2.83	5.60	47.0	6.70	-1.00
7476	44.9	45.6	.7	86	4D4	3	3.20	13.60	4.00	9.60	71.0	8.41	-1.00
7477	45.6	47.7	2.1	100	4A43	2	3.26	8.62	2.82	5.80	48.0	10.66	-1.00
7478	47.7	49.4	1.7	100	4A43	2	3.23	9.70	3.50	6.20	56.0	9.22	-1.00
7479	49.4	51.5	2.1	100	4A43	2	3.14	7.95	2.65	5.30	43.0	7.92	-1.00
7480	51.5	52.9	1.4	100	4A43	2	3.10	8.60	2.50	6.10	44.0	7.05	-1.00
7481	52.9	53.3	.4	100	4E4	5	4.08	12.08	10.10	1.98	170.0	17.84	-1.00
7482	53.3	54.1	.8	100	4A31	2	3.34	11.10	3.70	7.40	61.0	11.07	-1.00
0	54.1	56.9	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7483	56.9	57.7	.8	88	4D0	3	3.55	9.60	2.80	6.80	56.0	17.46	-1.00
7484	57.7	59.1	1.4	100	4D4	3	3.06	11.00	4.80	6.20	79.0	5.47	-1.00
7485	59.1	60.7	1.6	94	4D4	3	3.04	10.20	3.60	6.60	62.0	4.34	-1.00
7486	60.7	62.3	1.6	100	4D0	3	3.01	6.10	2.40	3.70	41.0	6.39	-1.00
7487	62.3	63.1	.8	100	4A10	2	3.04	4.70	2.00	2.70	35.0	7.59	-1.00
7488	63.1	64.0	.9	100	4A14	2	3.27	6.30	2.50	3.80	45.0	11.98	-1.00
7489	64.0	66.0	2.0	100	4A10	2	3.04	2.44	1.20	1.24	22.0	7.85	-1.00
7490	66.0	67.8	1.8	100	4A30	2	3.33	2.42	.87	1.55	22.0	22.23	-1.00
7491	67.8	69.5	1.7	100	4A0	2	3.06	2.64	.82	1.82	20.0	12.61	-1.00
7492	69.5	71.2	1.7	100	4A4	2	3.03	7.90	3.40	4.50	57.0	6.18	-1.00
0	71.2	74.9	3.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7493	74.9	75.9	1.0	100	4A0	2	-1.00	1.11	.48	.63	15.0	-1.00	-1.00
7494	75.9	76.6	.7	86	5D4*	47	-1.00	.51	.07	.44	1.0	-1.00	-1.00
7495	76.6	77.4	.8	100	4D0	3	3.28	5.87	3.81	2.06	41.0	12.38	-1.00
7496	77.4	79.6	2.2	100	4E41	5	3.03	19.80	7.20	12.60	116.0	17.19	-1.00
7497	79.6	80.5	.9	100	4A4	2	3.41	12.40	5.50	6.90	84.0	12.71	-1.00
7498	80.5	81.7	1.2	100	4E4	5	3.92	27.90	10.70	17.20	182.0	15.00	-1.00
7499	81.7	83.9	2.2	100	3G0	20	2.98	1.14	.50	.64	11.0	6.90	-1.00
7500	83.9	84.9	1.0	100	4A1	2	3.94	5.86	1.86	4.00	43.0	11.17	-1.00
7501	84.9	85.6	.7	100	5D4a	47	2.99	2.02	.16	1.86	2.0	9.45	-1.00
7502	85.6	87.2	1.6	100	4A4	2	3.25	9.05	2.75	6.30	53.0	12.42	-1.00
0	87.2	94.5	7.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA156 Section:
 Northing: 6698.6 Easting: 2883.0 Elevation: 1308.8
 Length: 206.3 Core: NQ Record: 188

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	85.1	85.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14654	85.1	87.1	2.0	85	4A41	2	3.35	7.98	2.98	5.00	46.0	14.86	-1.00
14655	87.1	88.7	1.6	100	4A41	2	3.20	5.06	1.92	3.14	32.0	13.80	-1.00
14656	88.7	89.7	1.0	90	4D0	3	3.21	5.59	1.75	3.84	30.0	15.57	-1.00
0	89.7	91.3	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14657	91.3	92.4	1.1	91	4C0	3	2.98	3.93	1.37	2.56	18.0	7.00	-1.00
0	92.4	95.9	3.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14658	95.9	97.4	1.5	100	4ACD	3	3.10	4.64	1.69	2.95	29.0	5.30	-1.00
14659	97.4	98.9	1.5	100	4C0	3	2.91	4.16	1.27	2.89	24.0	3.10	-1.00
14660	98.9	100.9	2.0	70	4A1	2	3.01	3.67	1.39	2.28	24.0	4.90	-1.00
14661	100.9	103.4	2.5	76	4A14	2	3.16	8.84	3.74	5.10	61.0	5.90	-1.00
14662	103.4	104.2	.8	100	4D514	3	3.73	10.65	3.45	7.20	67.0	20.70	-1.00
0	104.2	106.2	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14663	106.2	109.0	2.8	89	4A14	2	3.10	6.18	1.88	4.30	31.0	7.92	-1.00
14664	109.0	109.7	.7	100	4ACD	2	3.10	4.32	1.41	2.91	29.0	6.70	-1.00
14665	109.7	111.5	1.8	83	4A14	2	3.26	10.06	4.16	5.90	61.0	9.04	-1.00
14666	111.5	113.2	1.7	100	4A14	2	3.64	7.97	3.65	4.32	55.0	10.62	-1.00
14667	113.2	114.3	1.1	100	4A14	2	3.13	7.31	2.97	4.34	51.0	7.00	-1.00
14668	114.3	116.3	2.0	100	4D54	3	3.10	10.42	4.02	6.40	65.0	3.80	-1.00
14669	116.3	118.3	2.0	100	4D5	3	3.03	9.04	3.34	5.70	53.0	3.30	-1.00
14670	118.3	119.5	1.2	100	4D5	3	3.03	6.07	2.24	3.83	32.0	4.20	-1.00
0	119.5	122.3	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14671	122.3	124.0	1.7	76	4D5	3	2.95	5.51	2.22	3.29	31.0	3.10	-1.00
14672	124.0	126.3	2.3	96	4A14	2	3.25	8.59	2.29	6.30	39.0	7.38	-1.00
14673	126.3	128.3	2.0	55	4D0	3	3.06	7.56	2.26	5.30	37.0	5.20	-1.00
14674	128.3	130.6	2.3	57	4D0	3	3.08	8.57	2.37	6.20	42.0	5.51	-1.00
0	130.6	132.7	2.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14675	132.7	134.2	1.5	93	4D5	3	3.11	5.06	2.01	3.05	33.0	9.46	-1.00
14676	134.2	135.3	1.1	91	5D*	47	3.05	4.56	2.73	1.83	41.0	6.71	-1.00
14677	135.3	136.7	1.4	100	4D0	3	3.13	8.51	3.31	5.20	51.0	6.40	-1.00
14678	136.7	138.7	2.0	100	4A14	2	3.12	6.62	2.70	3.92	39.0	6.30	-1.00
14679	138.7	140.7	2.0	90	4A14	2	3.14	7.28	2.68	4.60	50.0	8.00	-1.00
14680	140.7	142.7	2.0	95	4A10	2	3.07	4.96	1.57	3.39	31.0	6.00	-1.00
14681	142.7	144.7	2.0	100	4A10	2	3.06	3.49	1.29	2.20	28.0	8.11	-1.00
14682	144.7	146.7	2.0	100	4A10	2	3.06	4.39	1.38	3.01	27.0	7.22	-1.00
14683	146.7	148.7	2.0	65	4A10	2	3.10	2.90	1.47	1.43	27.0	9.53	-1.00
14684	148.7	150.7	2.0	90	4A10	2	3.23	4.71	2.12	2.59	31.0	8.93	-1.00
14685	150.7	154.7	4.0	80	4A10	2	3.20	2.78	1.21	1.57	24.0	8.93	-1.00
14687	154.7	156.7	2.0	95	4A14	2	3.30	7.29	2.09	5.20	36.0	11.99	-1.00
14688	156.7	157.9	1.2	100	4A10	2	3.01	3.80	1.24	2.56	25.0	11.90	-1.00
0	157.9	169.8	11.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14689	169.8	170.7	.9	89	4D4	3	3.10	14.53	3.33	11.20	77.0	6.10	-1.00
0	170.7	174.3	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14690	174.3	175.5	1.2	100	4A4	2	3.89	12.34	3.44	8.90	72.0	3.50	-1.00

14691	175.5	177.0	1.5	100	4A10	2	3.06	4.77	1.80	2.97	29.0	22.60	-1.00
0	177.0	194.3	17.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14692	194.3	196.3	2.0	90	4C5	3	3.25	4.79	1.86	2.93	31.0	7.80	-1.00
14693	196.3	198.3	2.0	90	4DA	3	3.24	8.02	3.45	4.57	61.0	12.30	-1.00
14694	198.3	200.3	2.0	95	4DA	3	3.24	8.00	2.70	5.30	49.0	11.40	-1.00
14695	200.3	201.5	1.2	100	4A14	2	3.16	5.03	1.88	3.15	31.0	11.13	-1.00
14696	201.5	202.3	.8	87	4A0	2	3.03	4.87	1.70	3.17	24.0	10.18	-1.00
0	202.3	206.3	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA157 Section:
 Northing: 6151.4 Easting: 2580.5 Elevation: 1273.9
 Length: 155.4 Core: NQ Record: 189

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	32.7	32.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9296	32.7	33.3	.6	100	4E#4	5	4.20	7.10	3.90	3.20	62.0	30.16	-1.00
9297	33.3	34.1	.8	100	4Q#	60	3.41	4.80	2.50	2.30	45.0	19.10	-1.00
0	34.1	67.6	33.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90154	67.6	70.7	3.1	19	4LEA	52	-1.00	1.60	1.00	.60	13.0	-1.00	-1.00
0	70.7	70.9	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9299	70.9	72.6	1.7	100	4CL#	3	3.71	2.17	1.07	1.10	25.0	26.45	-1.00
9300	72.6	74.6	2.0	100	4C3	3	4.18	3.07	2.30	.77	34.0	32.82	-1.00
9451	74.6	76.6	2.0	80	4E4	5	4.45	5.20	2.50	2.70	37.0	35.84	-1.00
9452	76.6	78.0	1.4	100	4L0	52	3.15	1.60	.69	.91	11.0	9.05	-1.00
0	78.0	104.6	26.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9453	104.6	105.8	1.2	58	4E1	5	-1.00	1.54	.93	.61	23.0	-1.00	-1.00
9454	105.8	107.7	1.9	53	4E1	5	-1.00	.45	.17	.28	15.0	-1.00	-1.00
0	107.7	108.8	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9455	108.8	110.3	1.5	87	4A3	2	-1.00	.32	.13	.19	12.0	-1.00	-1.00
9456	110.3	111.9	1.6	88	4A3	2	-1.00	.30	.13	.17	12.0	-1.00	-1.00
9457	111.9	113.7	1.8	94	4A3	2	-1.00	.31	.15	.16	12.0	-1.00	-1.00
9458	113.7	115.5	1.8	100	4A3	2	-1.00	.65	.21	.44	17.0	-1.00	-1.00
9459	115.5	116.5	1.0	100	4A3	2	-1.00	.35	.14	.21	15.0	-1.00	-1.00
9460	116.5	118.0	1.5	100	4C3	3	-1.00	.36	.14	.22	16.0	-1.00	-1.00
9461	118.0	119.3	1.3	100	4C3	3	3.95	5.32	1.82	3.50	40.0	27.15	-1.00
9462	119.3	119.8	.5	100	4E4#	5	4.19	14.80	7.60	7.20	100.0	25.05	-1.00
9463	119.8	120.8	1.0	100	4E4#	5	4.89	23.30	12.40	10.90	156.0	27.42	-1.00
9464	120.8	122.6	1.8	94	4C#	3	3.55	2.87	1.61	1.26	30.0	20.67	-1.00
0	122.6	155.4	32.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA158 Section:
 Northing: 6512.7 Easting: 2885.5 Elevation: 1302.0
 Length: 135.6 Core: NQ Record: 190

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	17.7	17.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11921	17.7	20.1	2.4	58	4E4	5	4.28	17.70	6.90	10.80	129.0	27.49	-1.00
11922	20.1	23.2	3.1	39	4D4	3	3.08	8.80	3.00	5.80	54.0	8.03	-1.00
0	23.2	49.4	26.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11923	49.4	51.6	2.2	91	4D0	3	3.02	7.70	2.20	5.50	49.0	7.50	-1.00
11924	51.6	53.5	1.9	100	4D0	3	3.12	9.10	2.60	6.50	53.0	9.50	-1.00
0	53.5	67.5	14.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11925	67.5	68.5	1.0	100	4D0	3	3.05	9.40	2.50	6.90	51.0	6.87	-1.00
0	68.5	69.0	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11926	69.0	71.0	2.0	100	4DE	3	3.17	7.98	1.98	6.00	40.0	11.80	-1.00
0	71.0	91.2	20.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11927	91.2	94.1	2.9	97	4AD	2	2.98	6.90	2.10	4.80	39.0	6.03	-1.00
0	94.1	96.5	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11928	96.5	99.0	2.5	100	4A0	2	2.95	.46	.13	.33	4.0	6.14	-1.00
11929	99.0	101.8	2.8	100	4A4	2	3.01	6.70	2.20	4.50	43.0	5.19	-1.00
0	101.8	103.2	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11930	103.2	105.1	1.9	58	4E1	5	3.64	5.59	1.29	4.30	22.0	23.84	-1.00
11931	105.1	106.6	1.5	93	4A43	2	3.65	5.43	1.03	4.40	29.0	24.64	-1.00
0	106.6	110.8	4.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11932	110.8	113.0	2.2	91	4H1	8	3.77	10.60	4.60	6.00	92.0	27.53	-1.00
11933	113.0	114.7	1.7	94	4AE	2	3.90	19.70	7.50	12.20	158.0	20.09	-1.00
0	114.7	115.8	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11934	115.8	117.2	1.4	100	4A4	2	3.25	5.90	2.20	3.70	42.0	10.17	-1.00
0	117.2	118.3	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11935	118.3	119.8	1.5	100	4A4	2	3.34	8.70	3.30	5.40	52.0	12.05	-1.00
11936	119.8	121.0	1.2	100	4L0	52	3.56	7.90	3.10	4.80	55.0	20.37	-1.00
11937	121.0	123.3	2.3	61	4AD	2	3.69	12.70	4.30	8.40	83.0	20.13	-1.00
0	123.3	125.7	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11938	125.7	128.7	3.0	80	4A4	2	3.41	14.40	4.90	9.50	96.0	12.80	-1.00
11939	128.7	131.6	2.9	100	4A4	2	3.08	6.29	1.89	4.40	29.0	9.40	-1.00
0	131.6	135.6	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA159 Section:
 Northing: 6272.2 Easting: 2580.2 Elevation: 1276.8
 Length: 148.4 Core: NQ Record: 191

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	102.7	102.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11268	102.7	103.5	.8	100	4E#4	5	4.67	6.18	4.30	1.88	53.0	38.89	-1.00
11269	103.5	104.5	1.0	100	4A3	2	3.74	1.66	.68	.98	23.0	23.27	-1.00
11270	104.5	105.2	.7	100	4E#4	5	4.23	8.80	4.00	4.80	67.0	27.20	-1.00
0	105.2	107.0	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11271	107.0	107.5	.5	80	5A1	30	3.33	1.59	.80	.79	18.0	16.60	-1.00
11272	107.5	107.8	.3	100	4E*4	5	4.24	7.30	3.30	4.00	54.0	30.95	-1.00
11273	107.8	108.5	.7	86	4E*	5	3.92	4.50	2.40	2.10	37.0	26.25	-1.00
11274	108.5	109.2	.7	100	4C*	3	3.67	4.12	2.20	1.92	28.0	20.12	-1.00
11275	109.2	111.4	2.2	100	4E#8	5	4.83	4.22	2.30	1.92	37.0	35.85	-1.00
11276	111.4	111.8	.4	100	4E*4	5	4.81	13.10	5.70	7.40	104.0	32.92	-1.00
11277	111.8	112.3	.5	100	4C0	3	3.45	2.75	1.32	1.43	30.0	17.50	-1.00
0	112.3	148.4	36.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA160 Section:
 Northing: 6580.6 Easting: 2881.3 Elevation: 1301.7
 Length: 145.1 Core: NQ Record: 192

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	49.2	49.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8332	49.2	51.5	2.3	96	4A0	2	2.99	4.49	1.39	3.10	29.0	6.26	-1.00
8333	51.5	54.0	2.5	60	4A0	2	2.95	6.56	1.56	5.00	39.0	5.96	-1.00
8334	54.0	56.1	2.1	48	4A0	2	3.11	7.77	2.07	5.70	47.0	9.74	-1.00
0	56.1	65.9	9.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8335	65.9	68.0	2.1	95	4A0	2	3.15	8.20	2.50	5.70	43.0	11.61	-1.00
8336	68.0	70.2	2.2	100	4DA4	3	3.16	7.60	2.80	4.80	50.0	10.81	-1.00
0	70.2	71.3	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8337	71.3	73.5	2.2	95	4A4	2	3.18	13.50	4.10	9.40	73.0	14.22	-1.00
8338	73.5	75.7	2.2	100	4A4	2	3.10	9.30	3.90	5.40	65.0	9.21	-1.00
0	75.7	79.2	3.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8339	79.2	81.1	1.9	95	4C0	3	-1.00	2.16	.94	1.22	19.0	-1.00	-1.00
0	81.1	84.3	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8340	84.3	86.0	1.7	94	4C0	3	2.89	2.79	1.08	1.71	20.0	4.93	-1.00
8341	86.0	87.8	1.8	89	4C0	3	2.95	2.10	.99	1.11	19.0	6.03	-1.00
0	87.8	88.6	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8342	88.6	90.3	1.7	100	4B0	3	2.89	1.61	.73	.88	18.0	5.36	-1.00
0	90.3	95.6	5.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8343	95.6	97.5	1.9	100	4A4	2	2.99	6.80	1.70	5.10	28.0	5.51	-1.00
8344	97.5	99.5	2.0	50	4A0	2	2.88	3.31	1.01	2.30	17.0	4.74	-1.00
8345	99.5	101.5	2.0	60	4A4	2	2.94	5.81	1.81	4.00	30.0	5.36	-1.00
8346	101.5	102.1	.6	100	4ED	5	3.66	7.17	1.97	5.20	34.0	24.25	-1.00
0	102.1	108.6	6.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8347	108.6	110.0	1.4	-1	4A0	2	2.99	4.58	1.38	3.20	27.0	5.96	-1.00
8348	110.0	112.0	2.0	100	4A0	2	2.95	4.74	1.84	2.90	35.0	14.13	-1.00
8349	112.0	113.7	1.7	94	4A0	2	3.14	1.49	.47	1.02	12.0	11.81	-1.00
0	113.7	116.8	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8350	116.8	118.3	1.5	100	4L4	52	-1.00	1.09	.60	.49	10.0	-1.00	-1.00
8351	118.3	119.8	1.5	73	4L4	52	-1.00	1.28	.51	.77	12.0	-1.00	-1.00
0	119.8	120.6	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8352	120.6	121.8	1.2	100	4D0	3	3.02	5.65	1.85	3.80	25.0	4.60	-1.00
8353	121.8	123.4	1.6	100	4H14	8	3.55	9.40	2.90	6.50	58.0	22.30	-1.00
8354	123.4	125.2	1.8	100	4D0	3	2.52	8.30	3.30	5.00	60.0	12.47	-1.00
8355	125.2	126.9	1.7	100	4D0	3	3.11	8.90	3.20	5.70	55.0	8.35	-1.00
0	126.9	129.4	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8356	129.4	130.8	1.4	100	4D0	3	3.05	6.58	1.98	4.60	33.0	6.53	-1.00
8357	130.8	132.0	1.2	83	4A4	2	2.88	5.40	1.50	3.90	23.0	2.04	-1.00
8358	132.0	134.1	2.1	76	4D0	3	3.53	8.80	3.20	5.60	46.0	15.28	-1.00
0	134.1	145.1	11.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA161 Section:
 Northing: 6513.4 Easting: 2886.9 Elevation: 1301.9
 Length: 122.2 Core: NQ Record: 193

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	36.3	36.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11869	36.3	40.3	4.0	43	4A0	2	-1.00	4.03	1.23	2.80	26.0	-1.00	-1.00
0	40.3	48.7	8.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11870	48.7	50.4	1.7	100	4A0	2	3.08	4.98	1.68	3.30	36.0	10.20	-1.00
11871	50.4	51.5	1.1	100	4D0	3	3.04	8.70	2.80	5.90	53.0	8.38	-1.00
0	51.5	55.2	3.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11872	55.2	57.3	2.1	76	4A0	2	3.01	2.83	.90	1.93	23.0	9.09	-1.00
11873	57.3	61.1	3.8	50	4A0	2	2.95	.84	.30	.54	4.0	6.16	-1.00
0	61.1	61.6	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92079	61.6	63.3	1.7	29	4A0	2	-1.00	2.38	.90	1.48	14.7	-1.00	-1.00
11875	63.1	64.6	1.5	67	4A0	2	3.08	3.33	1.13	2.20	22.0	8.38	-1.00
0	63.3	63.1	-.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11876	64.6	67.8	3.2	75	4A0	2	3.16	3.91	1.01	2.90	23.0	13.06	-1.00
11877	67.8	69.8	2.0	100	4A4	2	3.08	5.49	1.59	3.90	34.0	10.20	-1.00
11878	69.8	71.5	1.7	100	4A0	2	3.17	4.77	1.97	2.80	37.0	13.07	-1.00
11879	71.5	73.8	2.3	43	4A4	2	3.13	6.18	1.88	4.30	40.0	11.31	-1.00
11880	73.8	76.8	3.0	23	4A0	2	3.09	2.61	1.22	1.39	17.0	11.94	-1.00
11881	76.8	81.0	4.2	100	4A0	2	3.17	4.19	2.70	1.49	41.0	13.05	-1.00
11883	81.0	82.7	1.7	88	4A4	2	3.15	6.26	1.96	4.30	46.0	10.98	-1.00
11884	82.7	84.3	1.6	69	4A4	2	3.06	5.04	1.34	3.70	29.0	9.50	-1.00
11885	84.3	86.9	2.6	46	4A0	2	2.88	1.61	.54	1.07	10.0	3.78	-1.00
11886	86.9	89.0	2.1	71	4A0	2	2.92	1.93	.58	1.35	11.0	4.15	-1.00
0	89.0	109.8	20.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11887	109.8	111.3	1.5	93	4A4	2	-1.00	5.35	1.95	3.40	32.0	-1.00	-1.00
0	111.3	114.7	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11888	114.7	116.7	2.0	85	4A0	2	2.94	4.70	1.70	3.00	32.0	3.82	-1.00
11889	116.7	120.0	3.3	64	4A4	2	2.92	7.40	3.20	4.20	54.0	3.75	-1.00
0	120.0	122.2	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA162 Section:
 Northing: 6030.2 Easting: 2519.5 Elevation: 1263.7
 Length: 130.1 Core: NQ Record: 194

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	62.3	62.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6664	62.3	63.2	.9	100	4EL	5	3.81	2.19	1.09	1.10	20.0	24.10	-1.00
6665	63.2	65.0	1.8	89	4EL	5	3.86	5.20	2.60	2.60	33.0	28.21	-1.00
6666	65.0	66.4	1.4	100	4E0	5	4.84	5.00	3.40	1.60	43.0	37.04	-1.00
6667	66.4	67.5	1.1	91	4CL9	3	-1.00	.76	.27	.49	19.0	-1.00	-1.00
6668	67.5	69.2	1.7	100	4C35	3	-1.00	.41	.16	.25	8.0	-1.00	-1.00
6669	69.2	70.9	1.7	100	4C35	3	-1.00	.29	.08	.21	9.0	-1.00	-1.00
6670	70.9	72.0	1.1	100	4C3	3	-1.00	.32	.10	.22	20.0	-1.00	-1.00
6671	72.0	74.5	2.5	96	4C35	3	-1.00	.32	.11	.21	14.0	-1.00	-1.00
6672	74.5	76.9	2.4	92	4C35	3	-1.00	.43	.14	.29	11.0	-1.00	-1.00
6673	76.9	78.0	1.1	100	4C*L	3	-1.00	.44	.18	.26	11.0	-1.00	-1.00
6674	78.0	80.5	2.5	88	4E#	5	4.42	3.17	2.09	1.08	51.0	36.89	-1.00
6675	80.5	82.0	1.5	100	4AC3	2	3.35	.43	.17	.26	12.0	20.01	-1.00
6676	82.0	83.5	1.5	100	4C*L	3	3.70	2.16	.47	1.69	18.0	23.26	-1.00
6677	83.5	84.8	1.3	92	4GE*4	7	4.56	14.30	6.50	7.80	100.0	28.61	-1.00
0	84.8	130.1	45.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA163 Section:
 Northing: 6581.4 Easting: 2978.6 Elevation: 1302.1
 Length: 119.5 Core: NQ Record: 195

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	26.0	26.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8474	26.0	28.0	2.0	100	4A12	2	3.09	5.00	2.70	2.30	39.0	6.99	-1.00
8475	28.0	29.9	1.9	89	4A14	2	3.17	8.10	3.60	4.50	40.0	8.42	-1.00
8476	29.9	34.6	4.7	34	4B4	2	3.01	5.17	1.67	3.50	34.0	5.50	-1.00
8477	34.6	36.1	1.5	100	4B4	2	2.89	6.37	1.47	4.90	37.0	1.83	-1.00
8478	36.1	38.0	1.9	100	4A14	2	2.96	5.28	1.68	3.60	36.0	4.80	-1.00
8479	38.0	39.8	1.8	100	4A4	2	2.98	6.31	1.91	4.40	36.0	4.31	-1.00
8480	39.8	41.5	1.7	94	4A4	2	2.93	5.52	1.92	3.60	31.0	3.41	-1.00
8481	41.5	43.0	1.5	100	4A4	2	3.06	10.50	3.70	6.80	45.0	6.72	-1.00
90265	43.0	45.4	2.4	-1	4A0	2	-1.00	3.58	1.20	2.38	16.1	-1.00	-1.00
0	45.4	50.4	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8482	50.4	53.9	3.5	86	4A14	2	2.96	8.70	3.00	5.70	54.0	4.35	-1.00
8483	53.9	55.6	1.7	94	4A4	2	2.96	5.29	1.69	3.60	24.0	6.09	-1.00
0	55.6	66.4	10.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8484	66.4	68.4	2.0	85	4A41	2	3.16	10.30	3.30	7.00	55.0	8.99	-1.00
8485	68.4	70.2	1.8	100	4A4	2	3.16	6.76	1.86	4.90	33.0	8.50	-1.00
8486	70.2	71.8	1.6	100	4A0	2	3.08	2.64	.83	1.81	20.0	7.39	-1.00
8487	71.8	73.7	1.9	100	4E4	5	3.82	9.34	7.80	1.54	139.0	15.99	-1.00
8488	73.7	75.3	1.6	100	5D0	47	3.21	4.99	1.29	3.70	31.0	11.04	-1.00
8489	75.3	76.8	1.5	100	4E10	5	3.53	4.51	1.21	3.30	27.0	19.72	-1.00
8490	76.8	79.0	2.2	100	4D4	3	3.42	13.50	3.70	9.80	68.0	12.51	-1.00
0	79.0	85.5	6.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8303	85.5	86.2	.7	86	4A4	2	-1.00	11.50	3.30	8.20	70.0	-1.00	-1.00
0	86.2	91.4	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8491	91.4	93.3	1.9	100	4A0	2	3.15	3.98	1.08	2.90	21.0	8.76	-1.00
8492	93.3	95.4	2.1	100	4A34	2	3.20	5.04	1.74	3.30	35.0	11.07	-1.00
8493	95.4	96.6	1.2	100	4A0	2	3.08	2.17	.92	1.25	18.0	8.91	-1.00
8494	96.6	98.3	1.7	100	4A0	2	3.09	2.31	.91	1.40	19.0	7.57	-1.00
8495	98.3	99.8	1.5	100	5D4	47	3.23	7.90	3.20	4.70	53.0	8.18	-1.00
8496	99.8	102.6	2.8	100	4A0	2	3.09	1.49	.52	.97	14.0	7.95	-1.00
8497	102.6	103.6	1.0	100	5D4	47	3.06	1.06	.35	.71	9.0	6.49	-1.00
8498	103.6	104.2	.6	83	4D4	3	3.92	29.00	8.60	20.40	148.0	15.17	-1.00
8499	104.2	107.3	3.1	52	4A4	2	3.01	5.64	1.44	4.20	28.0	5.14	-1.00
0	107.3	108.5	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8500	108.5	109.4	.9	89	4A14	2	3.37	7.30	2.60	4.70	41.0	14.06	-1.00
8301	109.4	110.3	.9	89	4E14	5	4.40	14.30	5.60	8.70	130.0	29.95	-1.00
8302	110.3	112.4	2.1	95	4A4	2	3.27	7.60	3.00	4.60	58.0	10.63	-1.00
0	112.4	119.5	7.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA164 Section:
 Northing: 6585.3 Easting: 3043.3 Elevation: 1302.2
 Length: 110.3 Core: NQ Record: 196

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	83.2	83.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5141	83.2	84.9	1.7	88	5A0	30	2.88	2.74	.71	2.03	17.0	3.50	-1.00
5142	84.9	86.4	1.5	47	4A4	2	2.85	5.20	1.57	3.63	35.0	2.19	-1.00
5143	86.4	87.9	1.5	53	4A4	2	2.89	5.65	1.30	4.35	23.0	21.93	-1.00
5144	87.9	89.4	1.5	27	4A0	2	2.83	3.06	.67	2.39	11.0	22.57	-1.00
0	89.4	110.3	20.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA200 Section:
 Northing: 6182.8 Easting: 2730.3 Elevation: 1280.5
 Length: 283.8 Core: NQ Record: 197

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	63.7	63.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5394	63.7	64.9	1.2	100	4A0	2	2.92	2.19	.81	1.38	20.0	11.57	-1.00
5395	64.9	66.1	1.2	92	4A0	2	2.91	4.21	1.76	2.45	28.0	11.41	-1.00
5396	66.1	67.7	1.6	94	4E4	5	4.44	26.33	11.10	15.23	131.0	27.59	-1.00
5397	67.7	68.8	1.1	100	4A0	2	3.08	2.11	.99	1.12	17.0	14.56	-1.00
5398	68.8	70.0	1.2	92	4A0	2	3.16	2.38	1.10	1.28	22.0	15.98	-1.00
5399	70.0	71.2	1.2	92	4E4	5	4.24	30.58	10.90	19.68	141.0	22.63	-1.00
5400	71.2	72.5	1.3	100	4E4	5	4.52	24.59	9.10	15.49	129.0	29.79	-1.00
2051	72.5	73.9	1.4	86	4A0	2	3.21	4.07	1.55	2.52	32.0	13.58	-1.00
0	73.9	78.7	4.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
2052	78.7	79.8	1.1	100	4A0	2	2.88	2.33	.92	1.41	15.0	-1.00	-1.00
2053	79.8	80.8	1.0	100	4A0	2	2.94	3.26	1.45	1.81	20.0	-1.00	-1.00
0	80.8	157.5	76.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
2054	157.5	159.0	1.5	93	4A0	2	2.85	.49	.10	.39	4.0	-1.00	-1.00
2055	159.0	160.5	1.5	87	4A0	2	2.81	.29	.01	.28	2.0	-1.00	-1.00
2056	160.5	162.0	1.5	100	4A0	2	2.81	.08	.03	.05	2.0	-1.00	-1.00
2057	162.0	163.5	1.5	93	4A0	2	2.86	.27	.06	.21	2.0	-1.00	-1.00
2058	163.5	165.4	1.9	95	4A0	2	2.88	2.00	.60	1.40	10.0	-1.00	-1.00
0	165.4	167.2	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
2059	167.2	168.9	1.7	94	4A0	2	2.88	.77	.12	.65	4.0	-1.00	-1.00
0	168.9	175.0	6.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
2060	175.0	175.9	.9	100	4D47	3	4.03	16.17	9.50	6.67	122.0	25.45	-1.00
2061	175.9	177.5	1.6	100	4A0	2	2.89	3.96	1.60	2.36	23.0	5.07	-1.00
2062	177.5	179.0	1.5	100	4A0	2	2.88	1.89	.59	1.30	12.0	4.56	-1.00
2063	179.0	180.7	1.7	94	4AD	2	2.95	6.03	2.12	3.91	44.0	9.85	-1.00
2064	180.7	182.0	1.3	100	4G4	7	4.53	18.96	9.30	9.66	120.0	12.87	-1.00
2065	182.0	183.2	1.2	100	4G4	7	4.56	11.40	5.00	6.40	69.0	21.71	-1.00
2066	183.2	184.7	1.5	100	4E84	5	4.55	6.54	4.01	2.53	37.0	38.22	-1.00
2067	184.7	186.2	1.5	100	4E8	5	4.50	2.40	1.41	.99	22.0	43.46	-1.00
2068	186.2	187.7	1.5	100	4E8	5	4.52	2.86	1.45	1.41	24.0	42.99	-1.00
2069	187.7	189.2	1.5	100	4E8	5	4.59	2.83	1.63	1.20	27.0	42.81	-1.00
2070	189.2	190.7	1.5	100	4E84	5	3.42	14.83	4.70	10.13	76.0	13.11	-1.00
2071	190.7	192.2	1.5	100	4E8	5	4.37	2.61	1.15	1.46	25.0	42.36	-1.00
2072	192.2	193.7	1.5	100	4E8	5	4.79	2.15	1.24	.91	15.0	35.95	-1.00
2073	193.7	195.0	1.3	100	4E8	5	3.95	3.07	1.97	1.10	26.0	31.14	-1.00
2074	195.0	195.8	.8	100	4G4	7	4.17	23.63	11.60	12.03	140.0	23.25	-1.00
2075	195.8	197.3	1.5	100	4D89	3	3.92	6.05	2.19	3.86	34.0	32.08	-1.00
2076	197.3	198.3	1.0	100	4C89	3	3.64	3.04	1.06	1.98	17.0	27.80	-1.00
2077	198.3	199.3	1.0	100	4C39	3	3.51	1.77	.73	1.04	14.0	25.16	-1.00
2078	199.3	200.3	1.0	100	4C39	3	3.30	1.44	1.30	.14	20.0	18.98	-1.00
2079	200.3	201.2	.9	89	4C3	3	3.43	4.69	1.41	3.28	19.0	24.17	-1.00
2080	201.2	202.7	1.5	100	4C89	3	3.89	.36	.25	.11	11.0	-1.00	-1.00
2081	202.7	204.2	1.5	93	4C89	3	3.77	.83	.45	.38	11.0	-1.00	-1.00
2082	204.2	205.3	1.1	100	4C89	3	3.70	1.45	.66	.79	12.0	-1.00	-1.00

2083	205.3	206.0	.7	100	4C3	3	4.53	1.21	.50	.71	18.0	-1.00	-1.00
0	206.0	208.2	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
2084	208.2	209.7	1.5	100	4C38	3	3.76	2.24	1.18	1.06	20.0	28.60	-1.00
2085	209.7	211.2	1.5	93	4C38	3	3.95	3.95	1.51	2.44	26.0	34.60	-1.00
2086	211.2	212.2	1.0	100	4C38	3	4.46	2.71	1.45	1.26	26.0	41.63	-1.00
2087	212.2	213.1	.9	100	4G4	7	4.12	11.49	4.64	6.85	74.0	19.36	-1.00
2088	213.1	214.4	1.3	92	4ALDG	2	3.12	6.05	2.12	3.93	32.0	10.39	-1.00
2089	214.4	215.9	1.5	100	5D4*	47	2.91	1.17	.73	.44	10.0	7.61	-1.00
2090	215.9	217.4	1.5	100	5D4*	47	2.99	.47	.14	.33	5.0	-1.00	-1.00
0	217.4	219.6	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
2091	219.6	221.1	1.5	100	4L2	52	2.81	.08	.03	.05	1.0	-1.00	-1.00
2092	221.1	222.6	1.5	100	4L2	52	2.88	.06	.03	.03	1.0	-1.00	-1.00
2093	222.6	224.1	1.5	100	4L2	52	2.92	.08	.04	.04	2.0	-1.00	-1.00
2094	224.1	225.6	1.5	100	4L2	52	2.92	.02	.01	.01	3.0	-1.00	-1.00
2095	225.6	227.0	1.4	100	4L2	52	2.93	.03	.01	.02	4.0	-1.00	-1.00
0	227.0	283.8	56.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA201 Section:
 Northing: 5998.0 Easting: 2610.9 Elevation: 1269.0
 Length: 243.2 Core: NQ Record: 198

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	120.9	120.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5401	120.9	122.0	1.1	100	4G4	7	3.71	10.65	4.15	6.50	72.0	-1.00	-1.00
0	122.0	130.9	8.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5402	130.9	131.9	1.0	100	4C3	3	3.49	3.58	1.75	1.83	38.0	-1.00	-1.00
5403	131.9	132.9	1.0	100	4C3	3	3.63	1.02	.59	.43	20.0	-1.00	-1.00
5404	132.9	134.4	1.5	40	4A0	2	2.80	.08	.04	.04	4.0	-1.00	-1.00
5405	134.4	135.9	1.5	47	4A0	2	2.92	.07	.04	.03	4.0	-1.00	-1.00
5406	135.9	137.4	1.5	80	4A0	2	2.89	.03	.01	.02	2.0	-1.00	-1.00
5407	137.4	138.9	1.5	93	4A0	2	2.86	.06	.04	.02	2.0	-1.00	-1.00
5408	138.9	140.4	1.5	93	4A0	2	2.88	.07	.05	.02	5.0	-1.00	-1.00
5409	140.4	141.9	1.5	93	4A0	2	2.82	.36	.16	.20	5.0	-1.00	-1.00
5410	141.9	143.0	1.1	91	4C37	3	3.57	1.62	.94	.68	20.0	-1.00	-1.00
5411	143.0	144.1	1.1	100	4C37	3	3.28	1.29	.84	.45	19.0	-1.00	-1.00
0	144.1	146.3	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5412	146.3	147.8	1.5	100	4A0	2	2.86	.04	.01	.03	3.0	-1.00	-1.00
5413	147.8	149.3	1.5	100	4A0	2	2.86	.12	.07	.05	3.0	-1.00	-1.00
5414	149.3	150.8	1.5	93	4A0	2	2.92	.11	.05	.06	3.0	-1.00	-1.00
5415	150.8	152.3	1.5	93	4A0	2	2.92	.09	.05	.04	2.0	-1.00	-1.00
5416	152.3	153.7	1.4	100	4A0	2	2.96	.43	.23	.20	4.0	-1.00	-1.00
0	153.7	172.4	18.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5417	172.4	173.7	1.3	92	4C0	3	4.12	3.07	1.71	1.36	31.0	-1.00	-1.00
5418	173.7	174.6	.9	100	4A3	2	2.87	.06	.02	.04	2.0	-1.00	-1.00
0	174.6	186.0	11.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5419	186.0	187.1	1.1	100	4G4#	7	4.10	9.90	5.03	4.87	80.0	22.46	-1.00
5420	187.1	188.2	1.1	100	4C83	3	3.44	5.31	2.54	2.77	36.0	23.17	-1.00
5421	188.2	189.2	1.0	100	4E4#	5	3.70	6.04	3.16	2.88	43.0	29.16	-1.00
5422	189.2	190.1	.9	100	4E4#	5	3.54	6.36	3.21	3.15	41.0	21.06	-1.00
5423	190.1	191.6	1.5	100	4C83	3	3.69	2.77	1.68	1.09	39.0	28.48	-1.00
5424	191.6	193.1	1.5	100	4C83	3	4.25	3.23	1.94	1.29	41.0	36.16	-1.00
5425	193.1	194.6	1.5	100	4C83	3	4.25	2.58	1.56	1.02	35.0	35.56	-1.00
5426	194.6	196.1	1.5	100	4D83	3	4.15	6.38	3.48	2.90	60.0	36.24	-1.00
5427	196.1	197.6	1.5	87	4C83	3	3.58	1.75	1.06	.69	21.0	29.63	-1.00
5428	197.6	199.1	1.5	93	4C83	3	3.71	.98	.74	.24	19.0	30.84	-1.00
5429	199.1	200.6	1.5	100	4C83	3	4.17	2.71	1.76	.95	33.0	35.42	-1.00
5430	200.6	202.1	1.5	93	4C83	3	4.15	3.17	1.91	1.26	40.0	33.86	-1.00
5431	202.1	203.1	1.0	100	4C83	3	3.93	.83	.61	.22	17.0	33.44	-1.00
5432	203.1	204.0	.9	89	4C83	3	3.23	1.35	.91	.44	16.0	16.50	-1.00
5433	204.0	205.2	1.2	92	4A0	2	2.87	1.25	.49	.76	11.0	-1.00	-1.00
5434	205.2	206.4	1.2	75	4A0	2	3.09	1.03	.61	.42	13.0	-1.00	-1.00
5435	206.4	207.6	1.2	92	4A0	2	2.99	1.69	1.05	.64	17.0	-1.00	-1.00
0	207.6	243.2	35.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA202 Section:
 Northing: 6120.3 Easting: 2733.0 Elevation: 1278.8
 Length: 288.6 Core: NQ Record: 199

ASSAYS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0 40.6	40.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5436	40.6 41.5	.9	89	4A3	2	3.44	4.36	1.81	2.55	29.0	18.78	-1.00
5437	41.5 42.6	1.1	73	4D4	3	4.09	22.95	8.85	14.10	116.0	22.36	-1.00
5438	42.6 43.7	1.1	91	4D4	3	4.80	24.14	8.84	15.30	161.0	31.82	-1.00
5439	43.7 44.6	.9	100	4A3	2	3.21	6.81	2.41	4.40	46.0	13.43	-1.00
5440	44.6 45.4	.8	100	4L2	52	2.89	.64	.16	.48	2.0	6.38	-1.00
0	45.4 105.7	60.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5441	105.7 107.2	1.5	93	4L4	52	2.91	.54	.46	.08	3.0	-1.00	-1.00
0	107.2 141.5	34.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5442	141.5 143.0	1.5	93	4A0	2	2.83	.64	.19	.45	3.0	-1.00	-1.00
5443	143.0 144.5	1.5	87	4A0	2	2.94	.15	.03	.12	4.0	-1.00	-1.00
5444	144.5 146.0	1.5	100	4A0	2	2.91	.12	.02	.10	4.0	-1.00	-1.00
5445	146.0 147.5	1.5	100	4A0	2	2.90	.31	.09	.22	5.0	-1.00	-1.00
5446	147.5 149.2	1.7	94	4A3	2	3.56	.12	.03	.09	2.0	-1.00	-1.00
0	149.2 150.4	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5447	150.4 151.8	1.4	100	4A0	2	2.93	.50	.15	.35	9.0	9.31	-1.00
5448	151.8 153.1	1.3	92	4A0	2	2.92	4.28	.98	3.30	22.0	6.72	-1.00
5449	153.1 153.6	.5	100	4G4	7	4.33	9.90	5.00	4.90	76.0	32.98	-1.00
5450	153.6 155.1	1.5	100	4A4	2	3.08	5.50	1.90	3.60	31.0	9.65	-1.00
5451	155.1 156.6	1.5	100	4A4	2	2.95	3.79	1.09	2.70	19.0	7.81	-1.00
5452	156.6 158.0	1.4	100	4A4	2	2.93	2.89	.80	2.09	17.0	5.89	-1.00
0	158.0 162.2	4.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5453	162.2 163.2	1.0	100	4L4	52	2.87	.13	.04	.09	3.0	-1.00	-1.00
5454	163.2 164.3	1.1	100	4L4	52	2.88	.73	.33	.40	3.0	-1.00	-1.00
0	164.3 166.3	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5455	166.3 168.0	1.7	100	4L24	52	2.82	.25	.11	.14	3.0	4.38	-1.00
5456	168.0 168.8	.8	100	4C3	3	4.57	8.24	4.55	3.69	59.0	33.57	-1.00
5457	168.8 170.4	1.6	88	4G4#	7	4.71	19.20	9.70	9.50	119.0	24.29	-1.00
5458	170.4 172.0	1.6	94	4G4#	7	4.30	13.50	6.00	7.50	105.0	19.38	-1.00
5459	172.0 173.6	1.6	100	4G4#	7	4.01	12.30	5.30	7.00	80.0	13.77	-1.00
5460	173.6 174.7	1.1	82	4E0#	5	4.00	1.33	.72	.61	13.0	30.10	-1.00
5461	174.7 175.8	1.1	100	4E8#	5	4.63	1.62	1.11	.51	17.0	38.93	-1.00
5462	175.8 176.8	1.0	100	4E8#	5	4.42	1.02	.90	.12	15.0	38.18	-1.00
5463	176.8 178.3	1.5	100	4G4#	7	4.07	4.98	3.80	1.18	33.0	28.19	-1.00
5464	178.3 179.8	1.5	93	4G4#	7	4.35	15.71	8.66	7.05	104.0	27.06	-1.00
5465	179.8 181.4	1.6	94	4G4#	7	4.15	11.42	4.43	6.99	75.0	19.04	-1.00
5466	181.4 182.9	1.5	100	4C7	3	3.53	3.08	1.61	1.47	28.0	22.13	-1.00
5467	182.9 184.4	1.5	80	4C7	3	3.74	3.93	1.90	2.03	30.0	33.18	-1.00
5468	184.4 185.9	1.5	93	4C7	3	3.59	2.48	1.07	1.41	23.0	24.72	-1.00
5469	185.9 187.4	1.5	100	4C7	3	3.70	4.33	1.51	2.82	23.0	24.90	-1.00
5470	187.4 188.4	1.0	100	4C7	3	3.45	1.25	.82	.43	12.0	22.19	-1.00
5471	188.4 189.9	1.5	93	4L4	52	3.50	2.14	.86	1.28	15.0	23.03	-1.00
5472	189.9 191.4	1.5	100	4L4	52	3.32	1.62	.60	1.02	12.0	-1.00	-1.00
5473	191.4 192.8	1.4	100	4L4	52	3.21	3.30	1.16	2.14	20.0	-1.00	-1.00

5474	192.8	194.4	1.6	100	4C73	3	4.03	1.50	.40	1.10	11.0	-1.00	-1.00
5475	194.4	196.0	1.6	100	4C73	3	4.16	1.18	.39	.79	16.0	-1.00	-1.00
5476	196.0	196.9	.9	100	4L24	52	2.95	.12	.05	.07	2.0	-1.00	-1.00
5477	196.9	198.2	1.3	100	4L247	52	3.09	2.41	1.27	1.14	19.0	-1.00	-1.00
5478	198.2	199.7	1.5	100	4L0	52	2.90	.18	.08	.10	3.0	-1.00	-1.00
5479	199.7	201.2	1.5	100	4L0	52	3.09	.50	.08	.42	3.0	-1.00	-1.00
5480	201.2	202.7	1.5	80	4L0	52	2.86	.17	.09	.08	3.0	-1.00	-1.00
5481	202.7	204.2	1.5	100	4L0	52	2.89	.63	.09	.54	4.0	-1.00	-1.00
5482	204.2	205.2	1.0	100	4L0	52	2.94	.10	.01	.09	1.0	-1.00	-1.00
5483	205.2	206.2	1.0	100	4L0	52	2.86	.06	.01	.05	1.0	-1.00	-1.00
0	206.2	207.6	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5484	207.6	208.8	1.2	100	4L0	52	2.84	.03	.01	.02	2.0	-1.00	-1.00
5485	208.8	210.0	1.2	92	4L0	52	2.92	.34	.33	.01	7.0	-1.00	-1.00
5486	210.0	211.2	1.2	100	4L0	52	2.83	.06	.05	.01	9.0	-1.00	-1.00
0	211.2	212.0	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5487	212.0	213.7	1.7	100	4L0	52	2.94	.05	.01	.04	3.0	-1.00	-1.00
0	213.7	214.3	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5488	214.3	216.1	1.8	94	4L0	52	2.87	.05	.02	.03	1.0	-1.00	-1.00
0	216.1	288.6	72.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA203 Section:
 Northing: 6062.1 Easting: 2611.5 Elevation: 1269.6
 Length: 279.8 Core: NQ Record: 200

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	54.2	54.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5489	54.2	55.3	1.1	100	4A0#	2	2.91	.78	.16	.62	5.0	-1.00	-1.00
0	55.3	68.6	13.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5490	68.6	69.3	.7	86	4E4#	5	4.46	18.10	9.20	8.90	118.0	28.71	-1.00
0	69.3	69.7	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5491	69.7	71.2	1.5	100	4G4	7	4.35	30.40	11.80	18.60	156.0	20.49	-1.00
5492	71.2	72.7	1.5	100	4G4	7	4.56	35.50	12.50	23.00	155.0	19.66	-1.00
5493	72.7	74.2	1.5	100	4G4	7	4.56	24.80	8.30	16.50	111.0	17.45	-1.00
5494	74.2	75.7	1.5	93	4G4	7	4.27	10.70	4.10	6.60	83.0	29.32	-1.00
0	75.7	76.2	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5495	76.2	77.4	1.2	100	4GD#4	7	3.76	14.91	6.55	8.36	74.0	19.15	-1.00
5496	77.4	78.7	1.3	92	4GD#4	7	4.57	25.30	10.90	14.40	135.0	24.65	-1.00
0	78.7	84.4	5.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5497	84.4	86.0	1.6	100	4A0	2	2.87	.52	.21	.31	5.0	-1.00	-1.00
5498	86.0	89.2	3.2	47	4A0	2	2.92	2.47	.79	1.68	14.0	-1.00	-1.00
5500	89.2	90.8	1.6	87	5D4*	47	2.93	1.13	.51	.62	15.0	-1.00	-1.00
0	90.8	104.2	13.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5501	104.2	105.9	1.7	94	4G4	7	3.43	10.99	4.62	6.37	86.0	16.58	-1.00
5502	105.9	106.8	.9	100	4A4	2	3.06	6.35	2.67	3.68	40.0	11.65	-1.00
5503	106.8	108.3	1.5	100	4G4#	7	4.67	17.24	8.63	8.61	144.0	23.89	-1.00
5504	108.3	109.8	1.5	100	4G0#	7	4.75	14.10	5.80	8.30	119.0	26.66	-1.00
5505	109.8	111.4	1.6	100	4G0#	7	4.50	9.20	3.50	5.70	63.0	27.05	-1.00
5506	111.4	112.4	1.0	100	4C3	3	4.62	5.30	2.50	2.80	52.0	35.78	-1.00
5507	112.4	113.9	1.5	93	4A0	2	2.84	.88	.34	.54	10.0	7.63	-1.00
5508	113.9	115.4	1.5	87	4A0	2	2.89	.98	.45	.53	12.0	9.52	-1.00
5509	115.4	116.9	1.5	87	4A0	2	2.83	.48	.25	.23	7.0	-1.00	-1.00
5510	116.9	118.4	1.5	100	4A0	2	2.88	.21	.11	.10	7.0	-1.00	-1.00
5511	118.4	119.9	1.5	100	4A0	2	2.85	.17	.04	.13	7.0	-1.00	-1.00
5512	119.9	121.4	1.5	100	4A0	2	2.83	.05	.02	.03	4.0	-1.00	-1.00
5513	121.4	122.9	1.5	100	4A0	2	2.90	.10	.02	.08	2.0	-1.00	-1.00
5514	122.9	124.4	1.5	93	4A0	2	2.81	.30	.09	.21	6.0	-1.00	-1.00
5515	124.4	125.4	1.0	100	4A3	2	3.32	.90	.40	.50	13.0	-1.00	-1.00
5516	125.4	126.4	1.0	100	4A0	2	2.90	.04	.02	.02	4.0	-1.00	-1.00
5517	126.4	127.2	.8	88	4K#	6	3.68	.67	.40	.27	17.0	-1.00	-1.00
5518	127.2	128.3	1.1	82	4DLA	3	3.45	2.27	1.18	1.09	25.0	-1.00	-1.00
5519	128.3	129.4	1.1	100	4L0	52	2.98	1.61	.99	.62	17.0	-1.00	-1.00
5520	129.4	130.9	1.5	93	4GC#	7	3.35	5.50	2.80	2.70	32.0	-1.00	-1.00
5521	130.9	132.3	1.4	86	4GC#	7	3.59	3.33	1.71	1.62	26.0	-1.00	-1.00
5522	132.3	133.5	1.2	75	4A0	2	2.92	.20	.14	.06	5.0	-1.00	-1.00
5523	133.5	134.7	1.2	50	4L2	52	2.98	.34	.11	.23	5.0	-1.00	-1.00
5524	134.7	136.0	1.3	62	4L2	52	3.06	.95	.30	.65	7.0	-1.00	-1.00
5525	136.0	137.3	1.3	38	4L2	52	2.93	.40	.17	.23	3.0	-1.00	-1.00
0	137.3	184.9	47.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5526	184.9	186.3	1.4	93	4L2	52	2.94	.21	.07	.14	2.0	-1.00	-1.00

5527	186.3	187.7	1.4	100	4L2	52	2.87	.39	.23	.16	3.0	-1.00	-1.00
5528	187.7	189.1	1.4	100	4L2	52	2.82	.41	.23	.18	3.0	-1.00	-1.00
5529	189.1	190.8	1.7	94	4HL5	8	3.68	3.95	1.93	2.02	27.0	-1.00	-1.00
5530	190.8	192.2	1.4	100	4L0	52	2.86	.36	.10	.26	2.0	-1.00	-1.00
5531	192.2	193.2	1.0	90	4A0	2	2.83	.05	.01	.04	1.0	-1.00	-1.00
5532	193.2	194.3	1.1	91	4A0	2	2.90	.04	.02	.02	1.0	-1.00	-1.00
0	194.3	197.5	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5533	197.5	198.9	1.4	100	4L2	52	2.80	.43	.12	.31	2.0	-1.00	-1.00
5534	198.9	200.3	1.4	100	4L2	52	2.88	.08	.02	.06	1.0	-1.00	-1.00
5535	200.3	201.7	1.4	100	4L2	52	2.85	.06	.05	.01	1.0	-1.00	-1.00
5536	201.7	203.1	1.4	100	4L2	52	2.97	.04	.02	.02	1.0	-1.00	-1.00
5537	203.1	204.5	1.4	100	4L2	52	2.94	.04	.02	.02	2.0	-1.00	-1.00
5538	204.5	205.8	1.3	100	4L2	52	2.84	.04	.02	.02	2.0	-1.00	-1.00
0	205.8	206.5	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5539	206.5	207.4	.9	100	4G4	7	4.14	10.60	5.00	5.60	71.0	26.83	-1.00
5540	207.4	208.5	1.1	82	4D8	3	4.07	7.80	3.90	3.90	55.0	26.00	-1.00
5541	208.5	210.0	1.5	100	4D8	3	4.35	6.31	3.35	2.96	40.0	36.30	-1.00
5542	210.0	211.5	1.5	93	4C8	3	4.00	2.17	1.28	.89	47.0	32.52	-1.00
5543	211.5	213.0	1.5	100	4D8	3	4.43	6.19	3.39	2.80	47.0	31.95	-1.00
5544	213.0	214.8	1.8	94	4D8	3	4.19	6.11	3.22	2.89	61.0	29.73	-1.00
5545	214.8	216.0	1.2	100	4C8	3	4.21	6.71	3.79	2.92	55.0	31.81	-1.00
5546	216.0	217.2	1.2	100	4C8	3	4.26	1.08	.73	.35	29.0	38.65	-1.00
5547	217.2	218.4	1.2	100	4C8	3	4.35	1.66	1.10	.56	35.0	35.30	-1.00
5548	218.4	219.7	1.3	100	4C8	3	4.09	2.07	1.31	.76	29.0	29.20	-1.00
5549	219.7	221.5	1.8	100	4G4	7	4.43	10.20	5.25	4.95	69.0	22.64	-1.00
5550	221.5	222.4	.9	100	4C8	3	3.78	.75	.62	.13	17.0	27.73	-1.00
0	222.4	223.2	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5551	223.2	224.9	1.7	100	4C0	3	2.92	.72	.29	.43	6.0	-1.00	-1.00
5552	224.9	226.7	1.8	100	4A0	2	2.92	1.70	1.06	.64	16.0	-1.00	-1.00
5553	226.7	227.5	.8	100	4C0	3	3.00	.70	.32	.38	9.0	-1.00	-1.00
5554	227.5	229.0	1.5	100	4L2	52	2.84	.02	.01	.01	1.0	-1.00	-1.00
5555	229.0	230.5	1.5	100	4L2	52	2.82	.02	.01	.01	1.0	-1.00	-1.00
5556	230.5	232.0	1.5	100	4L2	52	2.86	.05	.01	.04	1.0	-1.00	-1.00
5557	232.0	233.5	1.5	100	4L2	52	2.93	.16	.14	.02	3.0	-1.00	-1.00
0	233.5	236.9	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5558	236.9	238.5	1.6	94	4L2	52	2.91	.16	.08	.08	3.0	-1.00	-1.00
5559	238.5	240.1	1.6	100	4L2	52	2.89	.40	.30	.10	5.0	-1.00	-1.00
5560	240.1	241.7	1.6	88	4L2	52	3.04	.36	.28	.08	5.0	-1.00	-1.00
5561	241.7	243.3	1.6	100	4L2	52	2.96	.15	.07	.08	4.0	-1.00	-1.00
5562	243.3	244.9	1.6	100	4L2	52	2.90	.11	.05	.06	4.0	-1.00	-1.00
5563	244.9	246.7	1.8	94	4L2	52	2.87	.08	.02	.06	2.0	-1.00	-1.00
5564	246.7	248.4	1.7	100	4A0	2	3.02	.65	.38	.27	10.0	-1.00	-1.00
5565	248.4	249.6	1.2	100	4L2	52	2.91	.14	.05	.09	3.0	-1.00	-1.00
0	249.6	250.1	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5566	250.1	251.1	1.0	90	4L2	52	2.89	.13	.04	.09	4.0	-1.00	-1.00
5567	251.1	252.1	1.0	70	4L2	52	2.96	.16	.05	.11	3.0	-1.00	-1.00
5568	252.1	252.9	.8	88	4L1	52	2.95	.30	.15	.15	5.0	-1.00	-1.00
5569	252.9	254.0	1.1	91	4L2	52	2.91	.66	.33	.33	3.0	-1.00	-1.00
5570	254.0	255.1	1.1	91	4L2	52	2.88	.04	.02	.02	1.0	-1.00	-1.00
0	255.1	279.8	24.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA204 Section:
 Northing: 6061.7 Easting: 2734.8 Elevation: 1277.9
 Length: 254.8 Core: NQ Record: 201

ASSAYS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0 100.5	100.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5580	100.5 102.0	1.5	100	4L2	52	2.94	1.37	.69	.68	13.0	-1.00	-1.00
5581	102.0 103.5	1.5	100	4L2	52	2.85	1.03	.42	.61	5.0	-1.00	-1.00
5582	103.5 105.0	1.5	100	4L2	52	2.85	1.38	1.06	.32	10.0	-1.00	-1.00
5583	105.0 106.6	1.6	100	4L2	52	2.83	.81	.55	.26	6.0	-1.00	-1.00
5584	106.6 108.2	1.6	69	4L2	52	2.88	1.63	1.12	.51	13.0	-1.00	-1.00
5585	108.2 109.7	1.5	93	4A0	2	2.85	.08	.03	.05	2.0	-1.00	-1.00
5586	109.7 111.3	1.6	94	4A0	2	2.82	.17	.04	.13	1.0	-1.00	-1.00
5587	111.3 112.1	.8	100	4C0	3	3.01	.21	.04	.17	4.0	-1.00	-1.00
5588	112.1 113.6	1.5	100	4L2	52	2.88	.19	.06	.13	15.0	-1.00	-1.00
5589	113.6 115.1	1.5	100	4L2	52	2.83	.27	.17	.10	4.0	-1.00	-1.00
5590	115.1 116.7	1.6	100	4L2	52	2.91	.52	.43	.09	6.0	-1.00	-1.00
5591	116.7 118.3	1.6	94	4L2	52	2.84	.42	.27	.15	4.0	-1.00	-1.00
0	118.3 135.6	17.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5592	135.6 136.9	1.3	100	4A0	2	2.98	.50	.13	.37	5.0	-1.00	-1.00
5593	136.9 138.2	1.3	85	4A0	2	3.08	.68	.12	.56	5.0	-1.00	-1.00
5594	138.2 139.5	1.3	62	4A0	2	2.93	.53	.18	.35	6.0	-1.00	-1.00
5595	139.5 140.9	1.4	79	4A0	2	2.87	.34	.02	.32	2.0	-1.00	-1.00
5596	140.9 142.3	1.4	100	4A0	2	3.02	.16	.02	.14	4.0	-1.00	-1.00
0	142.3 142.9	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5597	142.9 144.4	1.5	93	4A0	2	2.90	.40	.14	.26	4.0	-1.00	-1.00
5598	144.4 145.9	1.5	100	4A0	2	2.92	.40	.10	.30	5.0	-1.00	-1.00
5599	145.9 147.3	1.4	100	4A0	2	2.96	1.57	.50	1.07	14.0	-1.00	-1.00
5600	147.3 148.7	1.4	100	4A0	2	2.91	4.55	1.55	3.00	35.0	-1.00	-1.00
5601	148.7 150.1	1.4	86	4A0	2	2.93	2.22	.69	1.53	14.0	-1.00	-1.00
0	150.1 166.8	16.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5602	166.8 168.4	1.6	100	4L2	52	2.97	2.28	1.23	1.05	15.0	-1.00	-1.00
5603	168.4 170.1	1.7	100	4L2	52	2.83	.65	.43	.22	9.0	-1.00	-1.00
0	170.1 171.7	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5604	171.7 172.6	.9	100	4G4	7	4.55	10.80	4.30	6.50	59.0	-1.00	-1.00
0	172.6 178.0	5.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5605	178.0 179.2	1.2	100	4A3	2	3.21	7.00	2.60	4.40	43.0	14.00	-1.00
5606	179.2 180.6	1.4	100	4G4	7	4.54	14.50	5.80	8.70	98.0	17.88	-1.00
5607	180.6 181.9	1.3	100	4G4	7	4.63	13.60	5.10	8.50	76.0	16.13	-1.00
5608	181.9 183.2	1.3	92	4E4	5	4.50	5.10	2.70	2.40	33.0	37.20	-1.00
5609	183.2 184.5	1.3	92	4E0	5	4.33	2.79	1.39	1.40	23.0	34.46	-1.00
5610	184.5 186.2	1.7	65	4G4#	7	4.27	18.20	7.20	11.00	117.0	21.87	-1.00
5611	186.2 187.5	1.3	100	4E0#	5	4.29	4.71	2.11	2.60	35.0	33.20	-1.00
5612	187.5 188.8	1.3	92	4E0#	5	4.23	1.48	.92	.56	20.0	35.49	-1.00
5613	188.8 190.0	1.2	100	4C8	3	4.41	2.83	1.24	1.59	22.0	34.62	-1.00
5614	190.0 191.2	1.2	100	4C8	3	4.29	.82	.59	.23	12.0	34.44	-1.00
5615	191.2 192.3	1.1	82	4D8	3	3.71	7.20	3.40	3.80	53.0	23.42	-1.00
0	192.3 254.8	62.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA205 Section:
 Northing: 6182.9 Easting: 2672.1 Elevation: 1277.3
 Length: 284.3 Core: NQ Record: 202

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	65.2	65.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5616	65.2	66.2	1.0	100	4D3	3	3.95	11.00	3.90	7.10	66.0	24.60	-1.00
5617	66.2	67.5	1.3	100	4A0	2	2.90	4.25	1.85	2.40	29.0	4.98	-1.00
5618	67.5	68.9	1.4	100	4A0	2	2.88	2.20	.98	1.22	14.0	4.85	-1.00
0	68.9	91.0	22.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5619	91.0	93.1	2.1	95	4A0	2	2.97	1.92	.54	1.38	7.0	7.83	-1.00
5621	93.1	94.4	1.3	85	4D43	3	4.01	16.00	5.90	10.10	97.0	20.82	-1.00
5622	94.4	95.3	.9	100	4E0	5	4.89	4.20	1.20	3.00	39.0	38.27	-1.00
5623	95.3	96.6	1.3	100	4G4	7	4.86	12.90	5.50	7.40	102.0	33.34	-1.00
5624	96.6	97.9	1.3	92	4G4	7	4.39	20.80	7.20	13.60	138.0	24.98	-1.00
5625	97.9	99.6	1.7	94	4EG4	7	4.89	17.00	6.20	10.80	95.0	34.62	-1.00
5626	99.6	101.2	1.6	94	4G4	7	4.71	21.70	7.10	14.60	103.0	29.02	-1.00
5627	101.2	102.7	1.5	93	4AD	2	3.46	8.70	3.50	5.20	52.0	16.36	-1.00
5628	102.7	104.2	1.5	100	4A0	2	3.14	1.38	.39	.99	15.0	17.63	-1.00
5629	104.2	105.7	1.5	100	4A0	2	3.03	.24	.08	.16	7.0	14.09	-1.00
5630	105.7	107.2	1.5	100	4A0	2	3.05	.58	.07	.51	7.0	-1.00	-1.00
5631	107.2	108.7	1.5	100	4A0	2	3.02	.91	.08	.83	7.0	-1.00	-1.00
5632	108.7	110.2	1.5	100	4A0	2	3.06	2.60	.39	2.21	31.0	-1.00	-1.00
5633	110.2	111.7	1.5	93	4A0	2	2.89	.68	.27	.41	9.0	-1.00	-1.00
5634	111.7	113.2	1.5	100	4A0	2	2.86	1.18	.20	.98	7.0	-1.00	-1.00
5635	113.2	114.7	1.5	100	4A3	2	3.37	1.54	.19	1.35	13.0	-1.00	-1.00
5636	114.7	116.2	1.5	100	4A0	2	3.21	1.15	.26	.89	14.0	-1.00	-1.00
5637	116.2	117.7	1.5	93	4A0	2	2.93	.52	.16	.36	6.0	-1.00	-1.00
0	117.7	122.5	4.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5641	122.5	124.0	1.5	100	4A0	2	2.86	.38	.08	.30	6.0	-1.00	-1.00
5642	124.0	125.5	1.5	93	4A0	2	2.97	.78	.05	.73	11.0	12.42	-1.00
5643	125.5	127.0	1.5	100	4A0	2	3.13	1.37	.23	1.14	17.0	16.91	-1.00
5644	127.0	128.5	1.5	100	4A3	2	3.41	3.77	1.56	2.21	34.0	18.96	-1.00
5645	128.5	130.0	1.5	100	4A0	2	3.16	3.33	1.58	1.75	39.0	17.67	-1.00
5646	130.0	131.5	1.5	100	4A0	2	3.11	3.93	2.31	1.62	42.0	16.48	-1.00
5647	131.5	133.0	1.5	100	4A0	2	3.21	3.09	1.65	1.44	31.0	17.18	-1.00
5648	133.0	134.5	1.5	100	4A0	2	3.06	1.39	.33	1.06	29.0	17.91	-1.00
5649	134.5	135.9	1.4	100	4A3	2	3.31	1.29	.36	.93	15.0	19.49	-1.00
5650	135.9	137.1	1.2	100	4C3	3	3.63	1.98	.13	1.85	8.0	-1.00	-1.00
5651	137.1	138.8	1.7	100	4A3	2	3.40	.57	.10	.47	7.0	-1.00	-1.00
5652	138.8	140.5	1.7	100	4A3	2	3.32	1.40	.32	1.08	14.0	-1.00	-1.00
5653	140.5	142.2	1.7	100	4A0	2	2.95	1.80	.09	1.71	9.0	-1.00	-1.00
5654	142.2	143.9	1.7	100	4A0	2	3.04	1.89	.13	1.76	14.0	-1.00	-1.00
5655	143.9	145.7	1.8	100	4A0	2	2.97	1.90	.11	1.79	11.0	-1.00	-1.00
5656	145.7	147.4	1.7	100	4C3	3	3.43	2.76	.84	1.92	21.0	-1.00	-1.00
5657	147.4	149.0	1.6	100	4A3	2	3.33	2.03	.11	1.92	12.0	-1.00	-1.00
5658	149.0	150.6	1.6	100	4A0	2	2.94	1.34	.04	1.30	6.0	-1.00	-1.00
5659	150.6	152.2	1.6	100	4A0	2	2.87	1.24	.10	1.14	6.0	-1.00	-1.00
5660	152.2	153.8	1.6	100	4A0	2	2.84	1.23	.05	1.18	6.0	-1.00	-1.00

5661	153.8	155.3	1.5	100	4A0	2	2.88	1.23	.04	1.19	6.0	-1.00	-1.00
5662	155.3	156.5	1.2	100	4C0	3	3.12	.86	.05	.81	1.0	-1.00	-1.00
5663	156.5	158.0	1.5	100	4A0	2	2.99	1.38	.08	1.30	2.0	-1.00	-1.00
5664	158.0	159.5	1.5	100	4A0	2	2.87	.90	.08	.82	1.0	10.10	-1.00
5665	159.5	160.9	1.4	100	4A0	2	3.17	1.01	.04	.97	4.0	18.79	-1.00
5666	160.9	161.9	1.0	100	4E4	5	4.31	5.02	1.22	3.80	30.0	34.04	-1.00
5667	161.9	162.9	1.0	100	4E4	5	4.35	6.50	1.80	4.70	34.0	32.73	-1.00
0	162.9	197.5	34.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1951	197.5	199.4	1.9	79	4D3	3	3.68	8.50	4.00	4.50	49.0	-1.00	-1.00
0	199.4	241.3	41.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
1952	241.3	242.6	1.3	54	4CD	3	3.27	7.40	3.00	4.40	47.0	13.53	-1.00
1953	242.6	243.8	1.2	67	4L2	52	2.88	.25	.07	.18	1.0	7.79	-1.00
5668	243.8	244.4	.6	100	4G4	7	3.76	12.30	5.00	7.30	102.0	18.80	-1.00
5669	244.4	245.9	1.5	100	4C38	3	4.27	3.43	1.72	1.71	40.0	37.87	-1.00
5670	245.9	247.5	1.6	100	4C38	3	3.99	3.27	1.44	1.83	38.0	32.73	-1.00
5671	247.5	249.1	1.6	100	4CG	3	4.44	5.14	1.94	3.20	38.0	37.38	-1.00
5672	249.1	250.7	1.6	100	4CG	3	4.23	7.60	3.90	3.70	78.0	32.94	-1.00
5673	250.7	252.1	1.4	100	4G4	7	4.06	12.80	5.30	7.50	100.0	25.81	-1.00
0	252.1	257.8	5.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5674	257.8	258.8	1.0	100	4C38	3	4.04	4.26	1.96	2.30	43.0	-1.00	-1.00
5675	258.8	259.9	1.1	91	4C38	3	3.60	5.00	2.30	2.70	46.0	-1.00	-1.00
0	259.9	266.9	7.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5676	266.9	268.2	1.3	100	4C38	3	3.63	2.91	1.81	1.10	33.0	-1.00	-1.00
5677	268.2	269.9	1.7	100	4L2	52	2.95	.37	.17	.20	4.0	-1.00	-1.00
5678	269.9	270.8	.9	89	4A0	2	3.19	1.53	1.01	.52	32.0	-1.00	-1.00
0	270.8	284.3	13.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA206 Section:
 Northing: 6122.3 Easting: 2610.2 Elevation: 1275.3
 Length: 318.1 Core: NQ Record: 203

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	104.5	104.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5680	104.5	108.8	4.3	30	4EG4	7	4.01	16.80	5.80	11.00	104.0	21.82	-1.00
0	108.8	126.8	18.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5682	126.8	129.8	3.0	27	4A0	2	2.67	.31	.14	.17	5.0	-1.00	-1.00
5683	129.8	132.6	2.8	36	4A0	2	2.76	.65	.23	.42	7.0	-1.00	-1.00
5684	132.6	133.1	.5	100	4C0	3	3.22	.88	.18	.70	5.0	-1.00	-1.00
0	133.1	201.9	68.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5685	201.9	203.6	1.7	88	4A3	2	2.90	.38	.18	.20	5.0	-1.00	-1.00
0	203.6	224.5	20.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5686	224.5	227.1	2.6	54	4D8	3	3.55	5.60	2.70	2.90	39.0	28.15	-1.00
5687	227.1	228.6	1.5	87	4D8	3	3.89	7.50	4.00	3.50	36.0	28.89	-1.00
5688	228.6	229.7	1.1	100	4C83	3	3.91	3.00	2.01	.99	30.0	35.77	-1.00
5689	229.7	231.1	1.4	100	4C83	3	3.91	4.03	2.90	1.13	44.0	34.17	-1.00
5690	231.1	232.5	1.4	100	4C83	3	3.98	1.60	.98	.62	24.0	36.26	-1.00
0	232.5	236.3	3.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5828	236.3	237.8	1.5	100	4L2	52	3.05	.37	.12	.25	5.0	-1.00	-1.00
5829	237.8	239.3	1.5	100	4L2	52	3.06	.19	.07	.12	5.0	-1.00	-1.00
5830	239.3	240.8	1.5	93	4L2	52	3.09	.06	.03	.03	3.0	-1.00	-1.00
5831	240.8	242.3	1.5	33	4L2	52	2.99	.07	.04	.03	2.0	-1.00	-1.00
5832	242.3	243.9	1.6	100	4L2	52	2.88	.05	.02	.03	1.0	-1.00	-1.00
5833	243.9	245.5	1.6	50	4L2	52	2.93	.05	.01	.04	2.0	-1.00	-1.00
5834	245.5	247.1	1.6	100	4L2	52	2.93	.07	.01	.06	1.0	-1.00	-1.00
0	247.1	248.4	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5835	248.4	249.6	1.2	100	4L2	52	2.90	.08	.01	.07	1.0	-1.00	-1.00
0	249.6	254.6	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5691	254.6	255.8	1.2	100	4ACL	2	3.27	2.91	1.46	1.45	26.0	-1.00	-1.00
5692	255.8	256.8	1.0	100	4A0	2	2.86	1.26	.56	.70	12.0	-1.00	-1.00
5693	256.8	257.9	1.1	100	4A0	2	2.99	3.01	1.33	1.68	23.0	-1.00	-1.00
0	257.9	259.6	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5836	259.6	261.1	1.5	100	4L2	52	2.93	.20	.09	.11	4.0	-1.00	-1.00
5837	261.1	262.6	1.5	100	4L2	52	2.91	.19	.14	.05	3.0	-1.00	-1.00
5838	262.6	264.1	1.5	100	4L2	52	2.93	.35	.14	.21	2.0	-1.00	-1.00
5839	264.1	265.6	1.5	100	4L2	52	2.99	.40	.24	.16	4.0	-1.00	-1.00
5840	265.6	267.2	1.6	100	4L2	52	2.93	.18	.05	.13	4.0	-1.00	-1.00
5841	267.2	268.8	1.6	100	4L2	52	2.96	.24	.13	.11	5.0	-1.00	-1.00
5842	268.8	270.4	1.6	100	4L2	52	2.93	.26	.07	.19	3.0	-1.00	-1.00
0	270.4	278.2	7.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5843	278.2	280.1	1.9	79	4L2	52	2.97	.41	.08	.33	4.0	-1.00	-1.00
0	280.1	318.1	38.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA207 Section:
 Northing: 6006.0 Easting: 2731.4 Elevation: 1277.2
 Length: 233.7 Core: NQ Record: 204

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	97.4	97.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5944	97.4	97.9	.5	100	4A0	2	2.91	.43	.06	.37	3.0	-1.00	-1.00
0	97.9	99.3	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5927	99.3	100.2	.9	100	4A0	2	2.81	.15	.03	.12	4.0	-1.00	-1.00
5928	100.2	101.0	.8	100	4L12	52	2.93	.43	.02	.41	4.0	-1.00	-1.00
5929	101.0	102.4	1.4	100	4A0	2	2.82	.53	.04	.49	3.0	-1.00	-1.00
5930	102.4	103.5	1.1	100	4L2	52	2.80	.35	.09	.26	2.0	-1.00	-1.00
5931	103.5	104.5	1.0	80	4A0	2	2.81	.09	.01	.08	1.0	-1.00	-1.00
0	104.5	126.2	21.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5932	126.2	127.6	1.4	100	4A0	2	2.79	.64	.26	.38	8.0	-1.00	-1.00
5933	127.6	128.9	1.3	100	4A0	2	2.77	.78	.70	.08	10.0	-1.00	-1.00
5934	128.9	130.3	1.4	100	4A0	2	2.87	.31	.19	.12	2.0	-1.00	-1.00
5935	130.3	131.0	.7	100	4L2	52	2.84	.06	.01	.05	1.0	-1.00	-1.00
0	131.0	131.6	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5936	131.6	133.0	1.4	43	4A0	2	2.86	.18	.02	.16	4.0	9.98	-1.00
5937	133.0	134.4	1.4	100	4A0	2	2.86	1.08	.44	.64	8.0	7.86	-1.00
5938	134.4	135.8	1.4	100	4A4	2	2.91	5.80	2.60	3.20	29.0	6.11	-1.00
5939	135.8	137.2	1.4	100	4A0	2	3.03	4.48	1.28	3.20	25.0	9.64	-1.00
5940	137.2	138.5	1.3	100	4A4	2	3.04	5.60	2.20	3.40	37.0	9.96	-1.00
0	138.5	151.2	12.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5941	151.2	152.1	.9	100	4L2	52	3.07	2.43	1.30	1.13	18.0	-1.00	-1.00
5942	152.1	152.9	.8	100	4E4#6	5	4.55	13.00	7.30	5.70	88.0	-1.00	-1.00
0	152.9	153.3	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5943	153.3	154.4	1.1	100	4G4	7	4.51	16.70	7.40	9.30	99.0	-1.00	-1.00
0	154.4	233.7	79.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA208 Section:
 Northing: 6273.6 Easting: 2619.5 Elevation: 1278.1
 Length: 224.6 Core: NQ Record: 205

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	76.7	76.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5801	76.7	77.6	.9	100	4D3	3	3.82	6.40	3.40	3.00	60.0	28.82	-1.00
5802	77.6	78.4	.8	100	4L2	52	2.84	.17	.14	.03	4.0	5.04	-1.00
5803	78.4	80.0	1.6	100	4C3	3	3.57	1.82	1.08	.74	22.0	20.52	-1.00
5804	80.0	81.6	1.6	100	4C3	3	3.87	4.12	2.40	1.72	39.0	28.66	-1.00
5805	81.6	82.7	1.1	100	4L2	52	3.09	1.26	.83	.43	13.0	12.41	-1.00
5806	82.7	83.5	.8	100	4GC4	7	4.09	15.00	6.70	8.30	109.0	20.23	-1.00
5807	83.5	84.2	.7	100	4D4	3	4.64	14.50	5.80	8.70	99.0	35.31	-1.00
5808	84.2	85.6	1.4	100	4G4	7	4.45	18.20	5.90	12.30	115.0	17.56	-1.00
5809	85.6	87.0	1.4	100	4G4	7	4.47	12.27	4.70	7.57	77.0	12.16	-1.00
5810	87.0	88.4	1.4	100	4G4	7	4.50	13.93	5.70	8.23	80.0	9.04	-1.00
0	88.4	125.5	37.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5811	125.5	126.4	.9	100	4E4	5	4.00	7.90	3.40	4.50	55.0	-1.00	-1.00
0	126.4	140.3	13.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5812	140.3	141.8	1.5	100	4A0	2	3.00	3.61	1.08	2.53	20.0	-1.00	-1.00
5813	141.8	143.3	1.5	87	4A0	2	2.92	1.32	.51	.81	10.0	-1.00	-1.00
5814	143.3	144.8	1.5	100	4A0	2	2.83	1.91	.68	1.23	12.0	-1.00	-1.00
5815	144.8	146.3	1.5	60	4A0	2	2.87	2.90	.95	1.95	16.0	-1.00	-1.00
5816	146.3	147.7	1.4	100	4A0	2	2.84	1.90	.70	1.20	11.0	-1.00	-1.00
5817	147.7	149.1	1.4	100	4A0	2	2.82	1.88	.63	1.25	11.0	5.24	-1.00
5818	149.1	150.5	1.4	100	4A0	2	2.85	1.72	.65	1.07	11.0	6.32	-1.00
5819	150.5	153.3	2.8	64	4A0	2	2.86	3.07	1.16	1.91	20.0	5.23	-1.00
5820	153.3	154.7	1.4	100	4A0	2	2.77	.88	.31	.57	6.0	4.63	-1.00
5821	154.7	156.1	1.4	100	4A0	2	2.86	3.32	1.02	2.30	14.0	5.41	-1.00
0	156.1	172.4	16.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5823	172.4	173.9	1.5	100	4D3	3	3.49	7.33	3.40	3.93	59.0	19.12	-1.00
5824	173.9	175.3	1.4	93	4C3	3	3.55	1.43	.58	.85	14.0	21.18	-1.00
5825	175.3	176.7	1.4	100	4C3	3	3.52	3.23	1.42	1.81	18.0	22.30	-1.00
5826	176.7	178.1	1.4	100	4C3	3	3.64	1.21	.37	.84	18.0	25.83	-1.00
0	178.1	224.6	46.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA209 Section:
 Northing: 6001.3 Easting: 2672.1 Elevation: 1274.9
 Length: 235.0 Core: NQ Record: 206

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	65.0	65.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5915	65.0	65.8	.8	100	4EG	7	4.84	8.10	4.10	4.00	74.0	40.40	-1.00
5916	65.8	67.4	1.6	38	4G4	7	4.76	13.70	5.30	8.40	101.0	23.49	-1.00
5917	67.4	68.7	1.3	100	4E4	5	4.23	9.30	4.40	4.90	89.0	39.60	-1.00
5918	68.7	69.9	1.2	100	4E4	5	4.80	14.90	6.80	8.10	90.0	29.88	-1.00
5919	69.9	71.3	1.4	79	4G4	7	4.50	16.80	6.00	10.80	94.0	17.89	-1.00
0	71.3	96.9	25.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5920	96.9	98.9	2.0	100	4A0	2	2.81	.78	.28	.50	5.0	-1.00	-1.00
5921	98.9	100.3	1.4	100	4A0	2	2.74	.54	.24	.30	4.0	-1.00	-1.00
5922	100.3	101.4	1.1	100	4A0	2	2.93	.92	.28	.64	5.0	-1.00	-1.00
0	101.4	110.9	9.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5923	110.9	112.1	1.2	100	4C3	3	3.31	2.53	1.20	1.33	19.0	-1.00	-1.00
5924	112.1	113.6	1.5	100	4C3	3	3.49	4.68	1.78	2.90	25.0	-1.00	-1.00
0	113.6	117.1	3.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5925	117.1	119.1	2.0	100	4E0	5	4.35	4.26	1.46	2.80	27.0	39.00	-1.00
5926	119.1	120.7	1.6	100	4E4	5	4.37	6.70	2.60	4.10	48.0	36.30	-1.00
0	120.7	235.0	114.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA210 Section:
 Northing: 6121.4 Easting: 2671.9 Elevation: 1276.3
 Length: 127.4 Core: NQ Record: 207

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	66.4	66.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5694	66.4	67.9	1.5	93	4G4	7	4.60	15.20	5.10	10.10	84.0	24.03	-1.00
5695	67.9	69.5	1.6	94	4G4	7	4.61	9.60	3.00	6.60	58.0	18.83	-1.00
5696	69.5	70.6	1.1	100	4D4	3	4.17	23.70	8.20	15.50	114.0	19.29	-1.00
5697	70.6	71.8	1.2	92	4D4	3	3.95	24.70	8.40	16.30	172.0	18.78	-1.00
5698	71.8	72.5	.7	100	4G4	7	4.41	18.30	5.40	12.90	116.0	16.68	-1.00
5699	72.5	73.7	1.2	75	4EG	7	4.77	6.01	1.71	4.30	30.0	33.87	-1.00
5700	73.7	74.9	1.2	92	4EG	7	4.70	5.68	1.18	4.50	29.0	34.71	-1.00
5701	74.9	76.3	1.4	100	4G4	7	4.60	13.20	4.90	8.30	70.0	19.38	-1.00
5702	76.3	77.7	1.4	100	4G4	7	4.76	14.20	5.30	8.90	94.0	20.85	-1.00
5703	77.7	79.1	1.4	100	4EG	7	4.82	5.52	1.92	3.60	51.0	40.14	-1.00
5704	79.1	80.5	1.4	86	4EG	7	4.78	11.30	4.70	6.60	82.0	35.91	-1.00
5705	80.5	81.5	1.0	100	4DA4	3	4.78	19.30	7.70	11.60	114.0	34.24	-1.00
5706	81.5	83.2	1.7	100	4D4	3	3.70	14.30	6.30	8.00	92.0	19.46	-1.00
5707	83.2	85.3	2.1	100	4A4	2	3.44	15.50	6.40	9.10	85.0	16.66	-1.00
5709	85.3	86.6	1.3	100	4E4	5	4.56	29.90	9.80	20.10	122.0	25.75	-1.00
5710	86.6	88.4	1.8	100	4D4	3	3.54	24.70	8.80	15.90	123.0	13.21	-1.00
5711	88.4	89.6	1.2	100	4A0	2	2.94	.50	.19	.31	10.0	14.38	-1.00
5712	89.6	90.8	1.2	100	4A0	2	2.78	.45	.13	.32	5.0	10.47	-1.00
5713	90.8	92.0	1.2	100	4A0	2	2.79	.45	.19	.26	9.0	-1.00	-1.00
5714	92.0	93.2	1.2	100	4A0	2	3.12	.44	.06	.38	11.0	-1.00	-1.00
5715	93.2	94.4	1.2	100	4A0	2	3.22	.44	.06	.38	7.0	-1.00	-1.00
5716	94.4	95.7	1.3	100	4A0	2	3.15	.16	.06	.10	8.0	-1.00	-1.00
5717	95.7	97.0	1.3	100	4A3	2	3.38	.49	.09	.40	11.0	-1.00	-1.00
5718	97.0	98.3	1.3	100	4A0	2	2.96	.44	.07	.37	9.0	-1.00	-1.00
5719	98.3	99.6	1.3	85	4A0	2	3.03	.74	.06	.68	8.0	-1.00	-1.00
0	99.6	108.5	8.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5722	108.5	110.1	1.6	88	4A0	2	2.99	3.15	.95	2.20	27.0	-1.00	-1.00
5723	110.1	111.7	1.6	100	4A0	2	3.03	1.26	.48	.78	18.0	-1.00	-1.00
5724	111.7	113.3	1.6	100	4A3	2	3.32	1.87	.28	1.59	13.0	-1.00	-1.00
5725	113.3	114.0	.7	100	4E0#	5	3.89	3.23	.16	3.07	10.0	-1.00	-1.00
5726	114.0	115.6	1.6	100	4A0	2	2.96	1.29	.07	1.22	11.0	-1.00	-1.00
5727	115.6	117.2	1.6	44	4A0	2	2.83	.20	.04	.16	7.0	-1.00	-1.00
5728	117.2	118.8	1.6	100	4A0	2	2.79	.44	.08	.36	8.0	-1.00	-1.00
5729	118.8	127.4	8.6	14	4A0	2	3.10	.78	.07	.71	11.0	-1.00	-1.00

Drill Hole: AGA211 Section:
 Northing: 6060.9 Easting: 2672.1 Elevation: 1276.7
 Length: 261.2 Core: NQ Record: 208

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	53.3	53.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5735	53.3	55.3	2.0	100	4DE4	3	3.79	28.20	8.10	20.10	138.0	16.31	-1.00
5736	55.3	57.3	2.0	100	4D43	3	3.62	26.40	8.00	18.40	144.0	14.65	-1.00
5737	57.3	58.6	1.3	100	4D43	3	3.70	21.90	6.30	15.60	112.0	16.14	-1.00
5738	58.6	59.7	1.1	100	4E4	5	4.55	10.20	2.70	7.50	62.0	37.71	-1.00
5739	59.7	60.8	1.1	100	4E0	5	4.82	4.15	1.35	2.80	30.0	44.02	-1.00
5740	60.8	62.4	1.6	100	4D43	3	3.83	25.30	7.60	17.70	144.0	16.47	-1.00
5741	62.4	63.6	1.2	100	4C3	3	3.56	16.40	5.00	11.40	92.0	12.90	-1.00
5742	63.6	65.1	1.5	100	4C3	3	3.46	9.30	3.20	6.10	56.0	13.39	-1.00
5743	65.1	66.3	1.2	100	4G4	7	3.62	15.10	4.70	10.40	82.0	14.45	-1.00
5744	66.3	67.6	1.3	100	4D34	3	3.95	22.80	6.40	16.40	120.0	18.42	-1.00
5745	67.6	68.9	1.3	100	4D34	3	4.20	23.80	7.40	16.40	132.0	22.15	-1.00
5746	68.9	70.6	1.7	100	4E4	5	4.30	25.30	8.20	17.10	134.0	22.82	-1.00
5747	70.6	72.0	1.4	100	4D435	3	3.78	14.90	6.30	8.60	104.0	18.83	-1.00
5748	72.0	73.8	1.8	100	4C3	3	3.64	.65	.20	.45	12.0	26.09	-1.00
5749	73.8	75.1	1.3	100	4A3	2	3.21	.59	.08	.51	10.0	16.25	-1.00
5750	75.1	76.3	1.2	100	4A3	2	3.31	.62	.08	.54	12.0	-1.00	-1.00
5751	76.3	78.3	2.0	100	4C35	3	3.32	.81	.08	.73	14.0	-1.00	-1.00
5752	78.3	80.3	2.0	100	4C35	3	3.54	.41	.06	.35	14.0	-1.00	-1.00
5753	80.3	81.5	1.2	100	4C35	3	3.55	1.14	.14	1.00	17.0	23.87	-1.00
5754	81.5	83.2	1.7	100	4C3	3	3.51	.39	.06	.33	9.0	23.55	-1.00
5755	83.2	84.4	1.2	100	4C35	3	3.66	3.93	2.20	1.73	26.0	20.83	-1.00
5756	84.4	85.7	1.3	100	4C35	3	3.42	6.40	3.20	3.20	45.0	18.15	-1.00
5757	85.7	87.7	2.0	100	4D354	3	3.62	16.40	6.90	9.50	82.0	17.87	-1.00
5758	87.7	89.7	2.0	100	4D35	3	3.37	7.90	3.40	4.50	55.0	16.65	-1.00
5759	89.7	91.2	1.5	100	4A0	2	3.49	2.64	1.29	1.35	18.0	21.32	-1.00
5760	91.2	92.8	1.6	100	4A0	2	3.19	2.39	1.05	1.34	24.0	16.06	-1.00
5761	92.8	94.5	1.7	100	4C3	3	3.53	1.67	.75	.92	14.0	23.90	-1.00
5762	94.5	96.3	1.8	100	4C3	3	3.56	.83	.43	.40	10.0	23.85	-1.00
5763	96.3	98.3	2.0	100	4A0	2	3.28	.88	.27	.61	8.0	-1.00	-1.00
5764	98.3	100.3	2.0	100	4A0	2	3.36	1.07	.40	.67	12.0	-1.00	-1.00
5765	100.3	102.3	2.0	100	4A0	2	3.38	2.27	.95	1.32	22.0	-1.00	-1.00
5766	102.3	104.3	2.0	100	4A0	2	3.21	.35	.07	.28	8.0	-1.00	-1.00
5767	104.3	106.3	2.0	100	4A0	2	3.29	.39	.07	.32	6.0	-1.00	-1.00
5768	106.3	108.3	2.0	100	4A0	2	3.21	.24	.07	.17	6.0	-1.00	-1.00
5769	108.3	110.3	2.0	100	4A0	2	3.48	.34	.10	.24	14.0	-1.00	-1.00
5770	110.3	112.3	2.0	100	4A0	2	2.96	.44	.07	.37	10.0	-1.00	-1.00
5771	112.3	113.0	.7	100	4A0	2	3.02	.67	.07	.60	8.0	-1.00	-1.00
5772	113.0	114.0	1.0	100	4C0	3	3.19	.34	.06	.28	8.0	-1.00	-1.00
5773	114.0	116.0	2.0	100	4A0	2	2.89	.39	.06	.33	4.0	-1.00	-1.00
5774	116.0	118.0	2.0	100	4A0	2	2.97	.71	.07	.64	8.0	-1.00	-1.00
5775	118.0	120.0	2.0	100	4A0	2	2.92	.43	.06	.37	6.0	-1.00	-1.00
5776	120.0	122.0	2.0	100	4A0	2	2.85	.65	.01	.64	3.0	7.05	-1.00
5777	122.0	124.0	2.0	100	4A0	2	3.04	.61	.02	.59	4.0	13.29	-1.00

5778	124.0	125.7	1.7	100	4A0	2	3.22	2.59	1.48	1.11	20.0	12.68	-1.00
5779	125.7	128.0	2.3	100	4E0	5	4.68	3.66	2.50	1.16	40.0	41.38	-1.00
5780	128.0	129.7	1.7	100	4E4	5	4.67	5.63	3.90	1.73	66.0	40.55	-1.00
5781	129.7	131.0	1.3	100	4E0	5	4.69	2.83	1.41	1.42	30.0	43.51	-1.00
5782	131.0	132.3	1.3	100	4E0	5	4.85	3.35	1.77	1.58	33.0	43.92	-1.00
5783	132.3	134.3	2.0	100	4EC	5	4.03	2.44	1.23	1.21	32.0	31.61	-1.00
5784	134.3	136.0	1.7	100	4EC4	5	3.90	7.10	3.20	3.90	56.0	26.93	-1.00
5785	136.0	138.0	2.0	100	4EA4	5	4.22	7.80	3.70	4.10	87.0	27.95	-1.00
5786	138.0	140.0	2.0	100	4EA4	5	3.79	6.90	2.60	4.30	63.0	31.01	-1.00
5787	140.0	141.6	1.6	100	4EA	5	4.33	2.50	1.14	1.36	26.0	34.87	-1.00
5788	141.6	143.3	1.7	100	4EA4	5	4.19	6.60	3.00	3.60	50.0	28.82	-1.00
5789	143.3	143.8	.5	100	4D74	3	3.80	20.50	9.00	11.50	141.0	19.13	-1.00
0	143.8	174.0	30.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5790	174.0	175.8	1.8	100	4CE84	3	3.93	5.40	2.90	2.50	45.0	-1.00	-1.00
0	175.8	202.0	26.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5791	202.0	204.2	2.2	100	4G4	7	4.21	13.10	5.50	7.60	86.0	17.60	-1.00
5792	204.2	206.2	2.0	100	4E84	5	4.31	7.09	3.80	3.29	60.0	34.99	-1.00
5793	206.2	208.1	1.9	100	4E84	5	4.14	5.14	2.50	2.64	38.0	35.77	-1.00
0	208.1	261.2	53.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA212 Section:
 Northing: 6136.2 Easting: 2665.9 Elevation: 1276.8
 Length: 311.1 Core: NQ Record: 209

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	67.1	67.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5794	67.1	68.4	1.3	100	4G4	7	4.68	12.74	4.40	8.34	62.0	22.01	-1.00
5795	68.4	69.7	1.3	100	4G4	7	4.36	18.05	6.20	11.85	104.0	19.37	-1.00
5796	69.7	71.0	1.3	100	4E4	5	4.70	13.60	4.70	8.90	86.0	20.30	-1.00
5797	71.0	72.3	1.3	100	4G4	7	3.78	22.20	8.00	14.20	127.0	17.89	-1.00
5798	72.3	74.1	1.8	100	4D3	3	3.78	17.70	5.40	12.30	134.0	15.67	-1.00
5799	74.1	74.9	.8	100	4G4	7	4.61	11.20	3.50	7.70	64.0	-1.00	-1.00
5800	74.9	76.2	1.3	100	4D43	3	3.78	23.10	3.90	19.20	170.0	10.46	-1.00
5851	76.2	77.5	1.3	100	4D43	3	4.09	26.10	7.70	18.40	141.0	18.73	-1.00
5852	77.5	79.1	1.6	100	4G4	7	4.63	13.30	4.60	8.70	99.0	18.65	-1.00
5853	79.1	80.8	1.7	100	4G4	7	4.68	12.60	4.50	8.10	98.0	17.56	-1.00
5854	80.8	82.8	2.0	100	4D0	3	3.64	8.00	2.30	5.70	44.0	16.34	-1.00
5855	82.8	83.7	.9	100	4E4	5	4.51	14.10	6.80	7.30	114.0	17.76	-1.00
5856	83.7	85.6	1.9	100	4D4	3	3.52	13.40	4.20	9.20	101.0	16.44	-1.00
5857	85.6	86.3	.7	100	4G0	7	4.53	8.10	2.30	5.80	42.0	17.14	-1.00
5858	86.3	88.7	2.4	100	4E4	5	4.37	17.30	6.20	11.10	127.0	23.17	-1.00
5859	88.7	90.1	1.4	100	4E4	5	4.22	16.90	5.80	11.10	101.0	28.23	-1.00
5860	90.1	91.6	1.5	100	4DE4	3	3.78	22.60	8.80	13.80	138.0	13.96	-1.00
5861	91.6	92.8	1.2	100	4A3	2	3.42	1.20	.11	1.09	14.0	22.19	-1.00
5862	92.8	94.0	1.2	100	4A3	2	3.49	5.74	1.44	4.30	32.0	21.36	-1.00
5863	94.0	96.1	2.1	100	4E4	5	4.56	16.60	5.40	11.20	89.0	33.85	-1.00
5864	96.1	97.4	1.3	100	4D34	3	3.90	13.90	5.10	8.80	86.0	22.68	-1.00
5865	97.4	99.4	2.0	100	4A0	2	3.29	2.98	1.18	1.80	25.0	17.94	-1.00
5866	99.4	101.4	2.0	100	4A0	2	3.23	1.39	.17	1.22	13.0	18.42	-1.00
5867	101.4	103.4	2.0	100	4A0	2	2.91	.59	.09	.50	7.0	-1.00	-1.00
5868	103.4	106.1	2.7	100	4A0	2	2.69	.95	.36	.59	13.0	-1.00	-1.00
5869	106.1	108.1	2.0	100	4A0	2	3.11	1.61	.39	1.22	13.0	-1.00	-1.00
5870	108.1	110.1	2.0	100	4A0	2	3.02	1.13	.32	.81	12.0	-1.00	-1.00
5871	110.1	112.2	2.1	95	4A0	2	3.16	.99	.24	.75	9.0	-1.00	-1.00
5872	112.2	114.2	2.0	100	4A3	2	3.60	1.02	.22	.80	11.0	-1.00	-1.00
5873	114.2	116.2	2.0	100	4A3	2	3.63	1.26	.35	.91	11.0	-1.00	-1.00
5874	116.2	117.9	1.7	100	4A3	2	3.67	1.01	.39	.62	14.0	-1.00	-1.00
5875	117.9	120.0	2.1	100	4A3	2	3.34	.63	.09	.54	13.0	-1.00	-1.00
5876	120.0	122.0	2.0	100	4A0	2	3.02	.51	.05	.46	7.0	-1.00	-1.00
5877	122.0	124.0	2.0	100	4A0	2	3.73	.86	.11	.75	11.0	-1.00	-1.00
5878	124.0	127.1	3.1	100	4A0	2	3.10	.69	.11	.58	12.0	-1.00	-1.00
5879	127.1	129.1	2.0	100	4C9	3	3.30	1.55	.33	1.22	10.0	-1.00	-1.00
5880	129.1	131.1	2.0	100	4C9	3	3.21	.82	.04	.78	12.0	-1.00	-1.00
5881	131.1	132.1	1.0	100	4C9	3	3.28	1.42	.04	1.38	12.0	-1.00	-1.00
5882	132.1	134.1	2.0	100	4A0	2	3.19	1.56	.05	1.51	12.0	-1.00	-1.00
5883	134.1	136.1	2.0	100	4A0	2	3.42	1.27	.17	1.10	10.0	-1.00	-1.00
5884	136.1	138.1	2.0	100	4A0	2	3.05	1.13	.03	1.10	9.0	-1.00	-1.00
5885	138.1	139.5	1.4	100	4A0	2	3.00	4.01	.08	3.93	7.0	-1.00	-1.00
5886	139.5	140.9	1.4	100	4A0	2	3.19	.63	.06	.57	8.0	17.76	-1.00

5887	140.9	142.1	1.2	100	4C3	3	3.43	1.11	.05	1.06	10.0	21.74	-1.00
5888	142.1	143.2	1.1	100	4C3	3	3.79	4.90	2.00	2.90	40.0	29.63	-1.00
5889	143.2	145.2	2.0	100	4E4	5	4.56	5.16	1.36	3.80	34.0	35.08	-1.00
5890	145.2	147.2	2.0	100	4E4	5	4.67	5.60	.90	4.70	20.0	41.06	-1.00
5891	147.2	149.2	2.0	100	4E0	5	4.75	3.37	.77	2.60	18.0	44.04	-1.00
5892	149.2	151.2	2.0	100	4E4	5	4.78	6.80	2.40	4.40	35.0	41.64	-1.00
5893	151.2	153.2	2.0	100	4E4	5	4.77	7.89	3.00	4.89	51.0	40.71	-1.00
5894	153.2	154.7	1.5	100	4E0	5	4.75	2.22	.90	1.32	23.0	44.43	-1.00
5895	154.7	156.2	1.5	100	4E4	5	4.71	8.48	3.50	4.98	59.0	39.10	-1.00
0	156.2	311.1	154.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA213 Section:
 Northing: 6178.7 Easting: 2608.4 Elevation: 1277.0
 Length: 307.1 Core: NQ Record: 210

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	37.2	37.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5896	37.2	38.6	1.4	100	4E0	5	4.32	4.56	2.80	1.76	67.0	-1.00	-1.00
0	38.6	44.8	6.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5897	44.8	47.7	2.9	100	4EL	5	3.44	2.09	1.16	.93	18.0	23.85	-1.00
5898	47.7	49.0	1.3	100	4E4	5	4.59	10.80	5.80	5.00	84.0	36.51	-1.00
0	49.0	49.3	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5899	49.3	51.4	2.1	100	4E4	5	4.25	14.50	7.10	7.40	108.0	34.85	-1.00
0	51.4	52.6	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5900	52.6	53.3	.7	100	4C3	3	3.76	4.70	1.80	2.90	27.0	24.79	-1.00
5901	53.3	54.9	1.6	100	4A3	2	3.29	2.73	.97	1.76	20.0	18.06	-1.00
5902	54.9	56.1	1.2	100	4E4	5	4.27	14.00	6.20	7.80	114.0	27.38	-1.00
5903	56.1	57.3	1.2	100	4E4	5	4.27	9.26	4.08	5.18	57.0	32.01	-1.00
5904	57.3	58.2	.9	100	4A3	2	3.35	.90	.43	.47	13.0	19.06	-1.00
5905	58.2	59.2	1.0	100	4D3	3	3.73	7.13	2.43	4.70	23.0	25.38	-1.00
5906	59.2	61.6	2.4	100	4E4	5	4.56	8.39	3.59	4.80	54.0	37.95	-1.00
5907	61.6	63.1	1.5	100	4L2	52	3.39	2.33	1.00	1.33	13.0	19.88	-1.00
5908	63.1	64.3	1.2	100	4L2	52	2.94	1.27	.47	.80	9.0	8.36	-1.00
0	64.3	115.8	51.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5909	115.8	117.1	1.3	100	4DL	3	3.58	8.97	3.89	5.08	73.0	-1.00	-1.00
0	117.1	242.0	124.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5910	242.0	246.9	4.9	41	4EC	5	3.64	4.90	2.50	2.40	36.0	25.90	-1.00
0	246.9	260.2	13.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5911	260.2	262.2	2.0	100	4E81	5	4.14	4.73	2.72	2.01	40.0	-1.00	-1.00
0	262.2	272.0	9.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5912	272.0	273.6	1.6	100	4A0	2	2.96	.84	.39	.45	10.0	-1.00	-1.00
0	273.6	279.2	5.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5913	279.2	281.9	2.7	100	4A0	2	3.08	.15	.09	.06	7.0	-1.00	-1.00
5914	281.9	283.1	1.2	100	4L0	52	3.08	.46	.26	.20	11.0	-1.00	-1.00
0	283.1	307.1	24.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA214 Section:
 Northing: 6583.6 Easting: 3007.0 Elevation: 1302.0
 Length: 492.8 Core: NQ Record: 211

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	53.0	53.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11558	53.0	55.8	2.8	25	4A4*	2	3.23	6.20	2.70	3.50	46.0	10.16	-1.00
0	55.8	67.7	11.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11559	67.7	68.3	.6	83	4AE	2	3.55	10.20	3.90	6.30	69.0	8.53	-1.00
11560	68.3	69.1	.8	88	5D*	47	3.20	6.20	2.90	3.30	59.0	6.93	-1.00
11561	69.1	69.5	.4	100	4D4	3	3.23	11.70	4.00	7.70	62.0	5.69	-1.00
0	69.5	70.8	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11562	70.8	71.5	.7	100	4C0	3	3.56	4.11	1.61	2.50	29.0	18.13	-1.00
0	71.5	71.8	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11563	71.8	72.2	.4	100	4CA	3	3.09	3.46	1.56	1.90	23.0	5.20	-1.00
0	72.2	74.2	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11564	74.2	74.7	.5	100	4D4	3	3.41	10.40	5.70	4.70	62.0	9.62	-1.00
0	74.7	75.9	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11565	75.9	76.2	.3	100	4E4	5	4.78	31.30	11.10	20.20	200.0	19.11	-1.00
11566	76.2	76.6	.4	75	4A0	2	3.41	2.58	.83	1.75	18.0	10.72	-1.00
11567	76.6	77.0	.4	75	4E4	5	4.63	21.70	7.30	14.40	130.0	28.91	-1.00
11568	77.0	78.0	1.0	100	4A4	2	3.51	9.40	3.00	6.40	56.0	11.34	-1.00
11569	78.0	79.5	1.5	100	4E4*	5	3.89	19.60	5.90	13.70	115.0	15.13	-1.00
11570	79.5	80.9	1.4	100	4E4*	5	3.99	24.20	8.50	15.70	153.0	15.69	-1.00
11571	80.9	81.4	.5	100	4A0	2	2.99	.60	.22	.38	4.0	4.47	-1.00
11572	81.4	82.5	1.1	100	4E4	5	4.05	19.80	5.50	14.30	111.0	22.00	-1.00
11573	82.5	84.5	2.0	100	4D4	3	3.18	15.80	4.30	11.50	82.0	5.70	-1.00
11574	84.5	86.5	2.0	100	4D4	3	3.17	12.40	3.00	9.40	58.0	5.79	-1.00
11575	86.5	88.0	1.5	100	4D4	3	3.31	16.80	5.20	11.60	104.0	4.37	-1.00
0	88.0	93.0	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11576	93.0	93.4	.4	100	4A41	2	3.38	10.60	2.90	7.70	55.0	9.77	-1.00
11577	93.4	94.1	.7	100	4A0	2	3.04	.41	.11	.30	3.0	4.47	-1.00
11578	94.1	94.7	.6	100	4E4	5	4.47	8.35	1.65	6.70	26.0	35.87	-1.00
11579	94.7	95.4	.7	100	4A14	2	3.20	15.60	3.90	11.70	63.0	3.13	-1.00
11580	95.4	96.8	1.4	100	4A0	2	2.96	.25	.08	.17	3.0	3.29	-1.00
0	96.8	98.6	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11581	98.6	100.6	2.0	100	4A0	2	2.96	2.17	.71	1.46	16.0	3.29	-1.00
11582	100.6	102.1	1.5	60	4A0	2	2.98	4.42	1.12	3.30	22.0	2.16	-1.00
0	102.1	180.8	78.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11583	180.8	182.8	2.0	100	5A19	30	-1.00	.11	.03	.08	3.0	-1.00	-1.00
11584	182.8	184.8	2.0	100	5A19	30	-1.00	.14	.05	.09	3.0	-1.00	-1.00
11585	184.8	186.8	2.0	90	5A19	30	-1.00	.16	.05	.11	3.0	-1.00	-1.00
11586	186.8	188.9	2.1	81	5A19	30	-1.00	.06	.02	.04	1.0	-1.00	-1.00
0	188.9	291.1	102.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11776	291.1	293.7	2.6	100	4GE4	7	4.46	22.00	9.60	12.40	150.0	21.56	-1.00
11777	293.7	295.9	2.2	100	4DC	3	2.98	3.73	1.23	2.50	25.0	7.33	-1.00
11778	295.9	297.3	1.4	100	4L14	52	2.88	1.34	.60	.74	6.0	3.90	-1.00
0	297.3	321.2	23.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11779	321.2	325.5	4.3	37	4E4	5	3.48	5.30	2.10	3.20	40.0	17.79	-1.00

11780	325.5	327.2	1.7	100	4A4	2	3.31	6.10	2.20	3.90	44.0	15.67	-1.00
0	327.2	492.8	165.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA215 Section:
 Northing: 6395.4 Easting: 2820.4 Elevation: 1302.8
 Length: 394.3 Core: NQ Record: 212

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	61.7	61.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12251	61.7	63.7	2.0	45	4A0	2	-1.00	.13	.04	.09	3.0	-1.00	-1.00
12252	63.7	65.7	2.0	75	4A0	2	-1.00	.06	.01	.05	1.0	-1.00	-1.00
12253	65.7	67.0	1.3	100	4A0	2	-1.00	.61	.20	.41	5.0	-1.00	-1.00
12254	67.0	69.0	2.0	85	4A0	2	-1.00	.61	.06	.55	3.0	-1.00	-1.00
12255	69.0	71.0	2.0	90	4A0	2	-1.00	.11	.01	.10	1.0	-1.00	-1.00
12256	71.0	72.4	1.4	100	4A0	2	-1.00	.07	.01	.06	1.0	-1.00	-1.00
12257	72.4	73.8	1.4	79	4A0	2	-1.00	1.29	.52	.77	11.0	-1.00	-1.00
0	73.8	75.4	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12258	75.4	76.1	.7	86	4D0	3	3.21	9.47	1.97	7.50	34.0	11.80	-1.00
12259	76.1	77.0	.9	100	4C0	3	3.06	5.28	1.88	3.40	29.0	7.76	-1.00
12260	77.0	77.8	.8	100	4D0	3	3.15	14.30	4.60	9.70	100.0	12.91	-1.00
12261	77.8	78.3	.5	100	4E0	5	4.29	11.91	2.31	9.60	57.0	30.82	-1.00
0	78.3	78.7	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12262	78.7	79.7	1.0	70	4E0	5	4.42	5.24	1.94	3.30	39.0	39.86	-1.00
12263	79.7	80.3	.6	100	4A0	2	3.46	4.34	.94	3.40	23.0	16.06	-1.00
12264	80.3	82.2	1.9	47	4D4	3	3.16	8.50	2.40	6.10	42.0	10.74	-1.00
12265	82.2	83.1	.9	78	4A4	2	3.57	6.24	.84	5.40	20.0	16.04	-1.00
12266	83.1	85.1	2.0	90	5A1	30	-1.00	.37	.04	.33	5.0	-1.00	-1.00
12267	85.1	86.3	1.2	92	5A1	30	-1.00	.21	.01	.20	6.0	-1.00	-1.00
0	86.3	99.8	13.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12268	99.8	101.0	1.2	100	4A13	2	3.50	10.50	4.00	6.50	64.0	14.08	-1.00
0	101.0	101.5	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12269	101.5	102.4	.9	67	4L12	52	3.28	2.35	.82	1.53	15.0	14.84	-1.00
0	102.4	102.8	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12270	102.8	103.3	.5	100	4D0	3	3.53	10.40	3.50	6.90	47.0	14.38	-1.00
0	103.3	103.7	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12271	103.7	105.2	1.5	93	4A4	2	3.08	7.90	2.50	5.40	36.0	3.97	-1.00
12272	105.2	106.6	1.4	100	4A4	2	3.12	6.52	2.32	4.20	40.0	4.96	-1.00
12273	106.6	107.3	.7	86	4C0	3	4.14	4.04	.74	3.30	15.0	13.78	-1.00
12274	107.3	108.5	1.2	100	4A14	2	3.29	5.63	1.93	3.70	35.0	13.18	-1.00
12275	108.5	110.3	1.8	100	4L0	52	3.22	2.15	.66	1.49	13.0	6.64	-1.00
12276	110.3	111.8	1.5	100	4L0	52	3.18	2.37	.95	1.42	18.0	10.20	-1.00
12277	111.8	112.8	1.0	100	4L0	52	3.50	2.69	1.18	1.51	23.0	18.12	-1.00
12278	112.8	113.5	.7	100	4C3	3	3.66	5.52	2.12	3.40	36.0	20.36	-1.00
12279	113.5	114.4	.9	89	4L3	52	3.10	2.96	1.01	1.95	21.0	10.52	-1.00
12280	114.4	115.8	1.4	93	5C4*	44	3.68	27.70	10.80	16.90	144.0	13.10	-1.00
0	115.8	119.3	3.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12281	119.3	120.9	1.6	100	4L14	52	3.18	4.62	1.62	3.00	30.0	12.11	-1.00
12282	120.9	122.0	1.1	91	4L0	52	3.12	.96	.14	.82	10.0	9.20	-1.00
12283	122.0	123.0	1.0	90	4A14	2	3.21	6.68	2.18	4.50	50.0	11.47	-1.00
12284	123.0	123.3	.3	100	4D4	3	3.31	10.42	2.92	7.50	46.0	12.55	-1.00
12285	123.3	125.3	2.0	95	4A14	2	3.51	19.31	6.61	12.70	106.0	9.44	-1.00
12377	125.3	127.3	2.0	95	4A14	2	-1.00	13.20	4.50	8.70	68.0	-1.00	-1.00

12286	127.3	129.1	1.8	100	4A14	2	3.27	11.64	3.94	7.70	63.0	11.04	-1.00
12287	129.1	131.1	2.0	95	4A13	2	3.12	4.12	1.32	2.80	24.0	13.25	-1.00
12288	131.1	132.3	1.2	92	4A13	2	3.02	4.62	1.92	2.70	36.0	9.42	-1.00
0	132.3	143.9	11.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12289	143.9	146.7	2.8	79	4A*	2	-1.00	.21	.07	.14	4.0	-1.00	-1.00
0	146.7	160.0	13.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12290	160.0	160.6	.6	100	4A0	2	-1.00	.05	.01	.04	3.0	-1.00	-1.00
12291	160.6	161.8	1.2	92	5A19	30	-1.00	2.84	.64	2.20	15.0	-1.00	-1.00
12292	161.8	162.4	.6	83	4D0	3	-1.00	6.25	1.55	4.70	27.0	-1.00	-1.00
0	162.4	210.8	48.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12293	210.8	212.1	1.3	92	4A0	2	2.86	.06	.01	.05	3.0	3.94	-1.00
12294	212.1	213.4	1.3	100	4A0	2	2.97	1.19	.46	.73	10.0	4.27	-1.00
12295	213.4	213.9	.5	100	4E4*	5	3.80	16.50	6.60	9.90	133.0	19.66	-1.00
12296	213.9	214.7	.8	100	4E4*	5	4.60	34.30	12.30	22.00	161.0	21.86	-1.00
12297	214.7	215.0	.3	100	4L*	52	3.96	3.74	1.04	2.70	18.0	9.78	-1.00
12298	215.0	215.4	.4	75	4K4	6	4.20	16.60	4.90	11.70	90.0	25.08	-1.00
12299	215.4	215.7	.3	100	4A0	2	3.98	21.30	6.80	14.50	118.0	20.37	-1.00
12300	215.7	217.3	1.6	94	4G4*	7	4.48	15.00	4.90	10.10	93.0	16.37	-1.00
12301	217.3	219.3	2.0	70	4G4*	7	4.51	12.10	4.10	8.00	70.0	16.21	-1.00
12302	219.3	220.3	1.0	100	4G4*	7	4.58	8.50	2.90	5.60	52.0	14.40	-1.00
12303	220.3	222.5	2.2	95	4G4*	7	4.49	15.80	5.70	10.10	104.0	19.20	-1.00
12304	222.5	223.1	.6	100	4A14	2	3.23	12.90	4.60	8.30	79.0	10.46	-1.00
0	223.1	276.4	53.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12305	276.4	278.2	1.8	94	4E*	5	4.57	11.70	6.00	5.70	80.0	32.56	-1.00
12306	278.2	279.2	1.0	-1	4L*3	52	3.11	2.03	.97	1.06	19.0	9.57	-1.00
0	279.2	286.6	7.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12309	286.6	287.8	1.2	100	4E4	5	3.61	6.80	3.30	3.50	44.0	20.23	-1.00
12310	287.8	288.6	.8	100	4E4*	5	3.37	10.20	5.90	4.30	50.0	31.92	-1.00
12311	288.6	290.1	1.5	100	4E*	5	-1.00	1.14	.43	.71	14.0	-1.00	-1.00
12312	290.1	291.6	1.5	100	4E8*	5	3.89	.97	.51	.46	16.0	28.81	-1.00
12313	291.6	292.6	1.0	100	4E8*	5	4.20	6.90	3.40	3.50	42.0	33.96	-1.00
12314	292.6	293.8	1.2	100	4G48	7	3.18	12.00	5.20	6.80	80.0	19.30	-1.00
12315	293.8	294.5	.7	100	4G4	7	4.17	14.10	5.90	8.20	95.0	18.34	-1.00
12316	294.5	294.8	.3	100	4D48	3	3.49	5.80	2.60	3.20	35.0	18.91	-1.00
12317	294.8	296.0	1.2	92	4E18	5	3.79	3.92	1.52	2.40	33.0	29.05	-1.00
12318	296.0	297.2	1.2	100	4E18	5	3.72	1.25	.56	.69	18.0	28.71	-1.00
12319	297.2	299.0	1.8	100	4C38	3	3.39	1.55	.53	1.02	13.0	22.41	-1.00
12320	299.0	300.9	1.9	95	4C38	3	3.53	3.70	1.00	2.70	17.0	22.12	-1.00
12321	300.9	301.6	.7	100	4D4	3	3.28	1.90	.48	1.42	16.0	17.83	-1.00
12322	301.6	303.3	1.7	100	4C38	3	3.36	3.30	.70	2.60	17.0	19.61	-1.00
12323	303.3	305.1	1.8	94	4C38	3	3.45	1.25	.42	.83	14.0	23.72	-1.00
12324	305.1	306.9	1.8	100	4C38	3	3.44	1.31	.60	.71	13.0	22.19	-1.00
12325	306.9	307.5	.6	100	4C8*	3	3.45	2.60	.84	1.76	15.0	22.96	-1.00
12326	307.5	309.2	1.7	94	4C37	3	-1.00	1.13	.43	.70	13.0	-1.00	-1.00
12327	309.2	310.9	1.7	100	4C37	3	-1.00	1.07	.37	.70	12.0	-1.00	-1.00
12328	310.9	312.6	1.7	100	4C37	3	-1.00	.52	.19	.33	11.0	-1.00	-1.00
0	312.6	313.5	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12329	313.5	314.8	1.3	100	4L*3	52	-1.00	.51	.13	.38	13.0	-1.00	-1.00
0	314.8	375.3	60.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12330	375.3	376.9	1.6	94	5A19	30	-1.00	.02	.01	.01	6.0	-1.00	-1.00
0	376.9	394.3	17.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA216 Section:
 Northing: 6213.1 Easting: 2515.0 Elevation: 1273.8
 Length: 429.1 Core: NQ Record: 213

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	175.9	175.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12331	175.9	176.7	.8	87	4E18	5	-1.00	2.22	1.23	.99	27.0	-1.00	-1.00
12332	176.7	177.9	1.2	92	4LE	52	-1.00	1.85	1.17	.68	22.0	-1.00	-1.00
0	177.9	188.3	10.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12333	188.3	189.6	1.3	92	4C7*	3	-1.00	1.00	.49	.51	15.0	-1.00	-1.00
0	189.6	190.7	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12334	190.7	191.3	.6	100	4C68	3	4.02	2.09	1.16	.93	26.0	32.51	-1.00
12335	191.3	193.4	2.1	95	4C8*	3	3.90	4.73	2.13	2.60	31.0	29.50	-1.00
12336	193.4	194.7	1.3	92	4EG*	7	4.05	6.40	3.30	3.10	46.0	29.16	-1.00
12337	194.7	195.5	.8	100	4D8*	3	3.81	5.40	2.50	2.90	37.0	27.30	-1.00
12338	195.5	196.6	1.1	91	4E6*	5	3.62	1.58	.88	.70	22.0	25.57	-1.00
12339	196.6	197.3	.7	100	5A19	30	2.92	.35	.21	.14	10.0	3.84	-1.00
12340	197.3	199.4	2.1	95	4E1*	5	3.00	2.85	1.44	1.41	23.0	30.36	-1.00
12341	199.4	201.5	2.1	95	4E1*	5	3.65	2.21	1.11	1.10	19.0	24.92	-1.00
12342	201.5	204.0	2.5	92	4E1*	5	3.94	5.20	2.80	2.40	34.0	26.45	-1.00
12343	204.0	205.7	1.7	94	4EL	5	3.45	1.92	1.21	.71	20.0	18.79	-1.00
12344	205.7	207.4	1.7	94	4A1	2	3.19	.47	.21	.26	8.0	15.81	-1.00
12345	207.4	208.4	1.0	90	4E6*	5	3.94	2.90	1.45	1.45	25.0	29.42	-1.00
12346	208.4	208.8	.4	100	4L48	52	3.38	3.67	1.96	1.71	28.0	16.89	-1.00
12347	208.8	209.5	.7	86	4E16	5	3.82	6.50	3.30	3.20	43.0	25.95	-1.00
12348	209.5	211.4	1.9	95	4E8*	5	3.85	2.67	1.47	1.20	25.0	30.90	-1.00
12349	211.4	212.1	.7	100	4C78	3	3.90	1.36	.80	.56	18.0	33.65	-1.00
0	212.1	215.3	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12350	215.3	215.8	.5	100	4G8#	7	3.86	1.90	1.10	.80	20.0	33.00	-1.00
0	215.8	216.4	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12351	216.4	217.7	1.3	92	4E16	5	-1.00	1.54	.96	.58	18.0	-1.00	-1.00
0	217.7	219.0	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12352	219.0	220.3	1.3	92	4G+8	7	-1.00	1.32	.80	.52	15.0	-1.00	-1.00
12353	220.3	221.7	1.4	100	4G*8	7	-1.00	1.30	.92	.38	16.0	-1.00	-1.00
0	221.7	222.2	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12354	222.2	224.1	1.9	95	4E16	5	-1.00	2.41	1.24	1.17	21.0	-1.00	-1.00
12355	224.1	224.6	.5	80	4L4	52	-1.00	.69	.33	.36	10.0	-1.00	-1.00
12356	224.6	225.1	.5	100	4EL	5	-1.00	.59	.26	.33	7.0	-1.00	-1.00
12357	225.1	226.6	1.5	93	4A13	2	4.53	3.76	2.01	1.75	36.0	28.20	-1.00
12358	226.6	228.1	1.5	93	4A13	2	4.53	3.76	2.01	1.75	36.0	28.20	-1.00
12359	228.1	228.6	.5	80	4G48	7	3.66	6.90	2.80	4.10	45.0	15.77	-1.00
0	228.6	235.8	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12360	235.8	236.6	.8	100	4C0	3	3.35	2.25	1.08	1.17	19.0	16.86	-1.00
0	236.6	237.1	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12361	237.1	237.7	.6	100	4G4	7	4.18	12.90	6.50	6.40	94.0	19.50	-1.00
12362	237.7	239.7	2.0	95	4A1	2	3.28	.58	.31	.27	9.0	17.91	-1.00
12363	239.7	240.6	.9	89	4A1	2	3.23	2.34	1.21	1.13	17.0	15.79	-1.00
12364	240.6	241.9	1.3	100	4A1	2	3.25	.38	.16	.22	7.0	16.45	-1.00
12365	241.9	243.0	1.1	91	4A1	2	3.37	4.93	2.13	2.80	33.0	17.23	-1.00

12366	243.0	243.8	.8	87	4E1	5	4.14	.62	.36	.26	14.0	33.50	-1.00
12367	243.8	244.3	.5	80	4C3	3	3.61	1.96	1.55	.41	32.0	20.18	-1.00
12368	244.3	246.3	2.0	95	4C83	3	3.43	2.05	1.18	.87	22.0	18.92	-1.00
12369	246.3	247.4	1.1	91	4E16	5	3.65	1.49	.76	.73	18.0	25.58	-1.00
12370	247.4	249.3	1.9	95	4E1	5	3.11	1.19	.58	.61	13.0	14.28	-1.00
0	249.3	261.5	12.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12371	261.5	262.9	1.4	100	5A19	30	-1.00	.05	.02	.03	4.0	-1.00	-1.00
12372	262.9	264.3	1.4	93	5A19	30	-1.00	.04	.01	.03	4.0	-1.00	-1.00
0	264.3	265.3	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12373	265.3	266.8	1.5	93	5A19	30	-1.00	.02	.01	.01	5.0	-1.00	-1.00
12374	266.8	268.2	1.4	100	5A19	30	-1.00	.03	.01	.02	4.0	-1.00	-1.00
0	268.2	362.2	94.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12375	362.2	364.4	2.2	95	4L4	52	-1.00	.59	.19	.40	5.0	-1.00	-1.00
12376	364.4	366.6	2.2	95	4L4	52	-1.00	.04	.01	.03	4.0	-1.00	-1.00
0	366.6	429.1	62.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA217 Section:
 Northing: 5967.2 Easting: 2823.2 Elevation: 1278.0
 Length: 187.4 Core: NQ Record: 214

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	187.4	187.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA218 Section:
 Northing: 5908.7 Easting: 2671.1 Elevation: 1271.4
 Length: 246.1 Core: NQ Record: 215

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	98.4	98.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12493	98.4	99.8	1.4	50	4A1	2	-1.00	.11	.04	.07	2.0	-1.00	-1.00
12494	99.8	101.2	1.4	100	4A1	2	-1.00	.14	.04	.10	2.0	-1.00	-1.00
0	101.2	106.2	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12495	106.2	106.8	.6	100	4L0	52	-1.00	1.78	1.01	.77	19.0	-1.00	-1.00
12496	106.8	109.0	2.2	100	4H4	8	-1.00	16.41	7.55	8.86	102.0	-1.00	-1.00
0	109.0	109.5	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12497	109.5	109.9	.4	100	4A4a	2	-1.00	5.01	2.56	2.45	38.0	-1.00	-1.00
0	109.9	246.1	136.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA219 Section:
 Northing: 5847.4 Easting: 2730.7 Elevation: 1272.5
 Length: 252.0 Core: NQ Record: 216

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	252.0	252.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA220 Section:
 Northing: 5849.7 Easting: 2639.4 Elevation: 1266.2
 Length: 291.7 Core: NQ Record: 217

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	291.7	291.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA221 Section:
 Northing: 5908.4 Easting: 2638.8 Elevation: 1268.5
 Length: 291.7 Core: NQ Record: 218

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	69.7	69.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12811	69.7	71.2	1.5	87	4E4	5	4.55	17.20	6.30	10.90	118.0	20.30	-1.00
12812	71.2	72.8	1.6	87	4E4	5	4.48	17.50	5.40	12.10	109.0	25.60	-1.00
0	72.8	77.1	4.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12813	77.1	77.7	.6	100	4G4	7	-1.00	16.80	7.20	9.60	115.0	-1.00	-1.00
0	77.7	81.0	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12814	81.0	82.6	1.6	88	4ECA	5	-1.00	4.52	1.32	3.20	23.0	-1.00	-1.00
0	82.6	92.7	10.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12815	92.7	95.1	2.4	96	4HDL	8	-1.00	2.75	1.49	1.26	25.0	-1.00	-1.00
0	95.1	291.7	196.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA222 Section:
 Northing: 5848.9 Easting: 2610.4 Elevation: 1264.8
 Length: 290.2 Core: NQ Record: 219

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	290.2	290.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA223 Section:
 Northing: 5848.8 Easting: 2580.1 Elevation: 1263.8
 Length: 262.3 Core: NQ Record: 220

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	262.3	262.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA224 Section:
 Northing: 5908.5 Easting: 2580.0 Elevation: 1264.0
 Length: 215.5 Core: NQ Record: 221

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	124.9	124.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12490	124.9	125.8	.9	100	4A1	2	-1.00	.76	.26	.50	8.0	-1.00	-1.00
12491	125.8	126.7	.9	100	4E0*	5	-1.00	1.88	.92	.96	22.0	-1.00	-1.00
0	126.7	137.8	11.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12492	137.8	138.6	.8	87	4A0	2	-1.00	.77	.45	.32	11.0	-1.00	-1.00
0	138.6	215.5	76.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA225 Section:
 Northing: 5968.3 Easting: 2639.9 Elevation: 1270.3
 Length: 217.9 Core: NQ Record: 222

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	58.2	58.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12408	58.2	59.5	1.3	85	4A0	2	-1.00	4.81	2.11	2.70	36.0	-1.00	-1.00
12409	59.5	60.8	1.3	100	4A0	2	-1.00	.31	.08	.23	3.0	-1.00	-1.00
12410	60.8	62.0	1.2	83	4A0	2	-1.00	.80	.27	.53	5.0	-1.00	-1.00
0	62.0	69.0	7.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12411	69.0	69.6	.6	83	4LE	52	3.55	3.35	.12	3.23	4.0	14.60	-1.00
12412	69.6	70.7	1.1	82	4E4	5	4.82	33.00	12.50	20.50	184.0	22.65	-1.00
12413	70.7	72.0	1.3	69	4G4	7	4.89	18.01	7.11	10.90	148.0	24.96	-1.00
12414	72.0	73.3	1.3	85	4G4	7	4.81	15.03	6.03	9.00	114.0	20.19	-1.00
12415	73.3	74.0	.7	86	4E4	5	4.92	13.77	4.67	9.10	73.0	23.63	-1.00
0	74.0	74.5	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12416	74.5	75.0	.5	100	4C0	3	-1.00	2.67	1.05	1.62	16.0	-1.00	-1.00
0	75.0	93.3	18.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12417	93.3	94.5	1.2	92	4A0	2	-1.00	.96	.34	.62	7.0	-1.00	-1.00
0	94.5	96.1	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12419	96.1	96.7	.6	100	4A0	2	-1.00	.08	.02	.06	4.0	-1.00	-1.00
0	96.7	103.6	6.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12420	103.6	104.2	.6	100	4A1	2	-1.00	.11	.04	.07	4.0	-1.00	-1.00
0	104.2	104.6	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12421	104.6	105.1	.5	100	4A1	2	-1.00	.69	.13	.56	6.0	-1.00	-1.00
12422	105.1	106.6	1.5	93	4L1	52	-1.00	.10	.03	.07	4.0	-1.00	-1.00
0	106.6	107.5	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12423	107.5	108.1	.6	100	4LC	52	-1.00	.86	.19	.67	7.0	-1.00	-1.00
0	108.1	133.5	25.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12424	133.5	133.8	.3	100	4H14	8	-1.00	14.38	3.28	11.10	56.0	-1.00	-1.00
0	133.8	141.3	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12425	141.3	142.7	1.4	100	4D7	3	-1.00	7.88	2.88	5.00	38.0	-1.00	-1.00
12498	142.7	144.1	1.4	100	4C7	3	4.16	-1.00	-1.00	-1.00	-1.0	20.30	-1.00
12499	144.1	145.4	1.3	100	4C7	3	-1.00	.74	.42	.32	10.0	-1.00	-1.00
0	145.4	146.0	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12500	146.0	147.7	1.7	100	4D7	3	4.17	5.34	2.80	2.54	38.0	25.00	-1.00
12621	147.7	148.5	.8	100	4C7	3	3.78	3.63	1.74	1.89	25.0	20.83	-1.00
12622	148.5	149.1	.6	83	4D4*	3	3.89	4.83	2.31	2.52	31.0	20.94	-1.00
12623	149.1	150.1	1.0	90	4E47	5	4.43	11.45	5.25	6.20	62.0	29.80	-1.00
12624	150.1	151.1	1.0	100	4C*	3	3.44	2.27	1.32	.95	18.0	13.70	-1.00
12625	151.1	152.8	1.7	88	4L35	52	-1.00	1.20	.58	.62	9.0	-1.00	-1.00
0	152.8	155.0	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12407	155.0	156.4	1.4	100	4E41	5	-1.00	14.49	6.23	8.26	67.0	-1.00	-1.00
0	156.4	156.7	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12627	156.7	157.1	.4	100	4E4@	5	-1.00	5.07	2.10	2.97	28.0	-1.00	-1.00
0	157.1	217.9	60.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA226 Section:
 Northing: 5726.6 Easting: 2670.1 Elevation: 1262.8
 Length: 181.3 Core: NQ Record: 223

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	181.3	181.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA227 Section:
 Northing: 6582.5 Easting: 2944.4 Elevation: 1301.3
 Length: 205.1 Core: NQ Record: 224

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	57.9	57.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12426	57.9	60.4	2.5	92	4A4	2	2.96	5.26	1.79	3.47	38.0	6.68	-1.00
12427	60.4	62.9	2.5	100	4A0	2	2.92	3.00	1.17	1.83	24.0	5.96	-1.00
12428	62.9	64.1	1.2	100	4C5	3	2.80	4.33	1.24	3.09	24.0	2.45	-1.00
12429	64.1	65.5	1.4	100	4D54	3	3.10	13.44	4.67	8.77	82.0	7.14	-1.00
12430	65.5	66.9	1.4	100	4D54	3	3.20	17.35	6.35	11.00	103.0	6.30	-1.00
12431	66.9	70.0	3.1	100	4A0	2	2.92	3.15	1.15	2.00	22.0	5.18	-1.00
12433	70.0	71.4	1.4	100	4A0	2	-1.00	1.13	.94	.19	18.0	-1.00	-1.00
12434	71.4	73.3	1.9	100	5A19	30	-1.00	.69	.22	.47	6.0	-1.00	-1.00
12435	73.3	75.6	2.3	100	4A4	2	3.31	10.26	3.64	6.62	72.0	11.70	-1.00
12436	75.6	77.6	2.0	100	4E4	5	4.31	27.52	8.82	18.70	188.0	19.05	-1.00
0	77.6	131.4	53.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12437	131.4	132.1	.7	100	4A4	2	-1.00	16.18	4.48	11.70	82.0	-1.00	-1.00
0	132.1	134.7	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12438	134.7	137.1	2.4	-1	4A0	2	-1.00	3.06	1.26	1.80	22.0	-1.00	-1.00
0	137.1	205.1	68.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA228 Section:
 Northing: 6633.6 Easting: 2975.1 Elevation: 1303.2
 Length: 194.8 Core: NQ Record: 225

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	52.8	52.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12439	52.8	54.8	2.0	95	4D5	3	2.86	7.80	2.03	5.77	40.0	1.77	-1.00
12440	54.8	56.0	1.2	83	4D5	3	2.88	8.37	1.82	6.55	46.0	1.98	-1.00
12441	56.0	58.0	2.0	95	4D0	3	2.88	7.85	2.08	5.77	41.0	1.97	-1.00
12442	58.0	60.1	2.1	100	4D0	3	2.92	9.72	3.24	6.48	46.0	2.53	-1.00
12443	60.1	61.0	.9	100	4D0	3	2.99	5.93	3.52	2.41	45.0	6.55	-1.00
12444	61.0	63.0	2.0	70	4D0	3	2.93	6.13	2.96	3.17	38.0	3.75	-1.00
12445	63.0	65.3	2.3	78	4D0	3	2.92	8.01	2.65	5.36	40.0	4.12	-1.00
12446	65.3	67.9	2.6	77	4C5	3	2.93	4.66	1.42	3.24	24.0	5.64	-1.00
12447	67.9	69.9	2.0	75	4CA	3	2.84	3.76	1.11	2.65	20.0	3.45	-1.00
12448	69.9	71.1	1.2	58	4CA	3	2.88	3.52	.88	2.64	17.0	4.80	-1.00
12449	71.1	72.8	1.7	94	4C5	3	2.87	3.72	1.21	2.51	18.0	4.97	-1.00
0	72.8	85.2	12.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12450	85.2	87.2	2.0	100	4A0	2	-1.00	1.10	.37	.73	9.0	-1.00	-1.00
12451	87.2	88.7	1.5	93	4A1	2	3.13	4.34	1.58	2.76	33.0	10.35	-1.00
12452	88.7	90.5	1.8	100	4A41	2	3.20	10.46	3.86	6.60	86.0	9.98	-1.00
12453	90.5	91.3	.8	87	4A0	2	3.29	4.04	1.89	2.15	35.0	13.48	-1.00
12454	91.3	93.5	2.2	91	4A14	2	3.26	7.02	2.76	4.26	59.0	10.44	-1.00
0	93.5	95.8	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12455	95.8	97.2	1.4	100	4JD7	9	4.02	35.60	12.90	22.70	369.0	16.10	-1.00
0	97.2	118.0	20.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12456	118.0	119.0	1.0	90	4G4	7	4.23	15.46	6.34	9.12	117.0	26.93	-1.00
0	119.0	121.5	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12457	121.5	122.0	.5	100	4D4	3	-1.00	14.62	7.36	7.26	105.0	-1.00	-1.00
0	122.0	125.3	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12458	125.3	126.5	1.2	100	4A4	2	3.30	14.99	4.69	10.30	78.0	10.41	-1.00
0	126.5	128.1	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12459	128.1	130.5	2.4	96	4A4	2	3.31	9.42	2.79	6.63	54.0	10.38	-1.00
0	130.5	132.3	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12460	132.3	133.6	1.3	100	4D0	3	3.34	9.95	3.16	6.79	67.0	12.80	-1.00
12461	133.6	135.7	2.1	100	4A4	2	3.28	7.27	2.14	5.13	42.0	13.49	-1.00
12462	135.7	137.7	2.0	100	4A4	2	3.63	12.33	3.83	8.50	86.0	18.41	-1.00
12463	137.7	139.2	1.5	100	4A0	2	3.46	4.77	1.45	3.32	32.0	19.40	-1.00
12464	139.2	141.0	1.8	94	4A4	2	3.26	7.44	2.45	4.99	42.0	11.97	-1.00
0	141.0	143.6	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12465	143.6	145.8	2.2	91	4AE	2	3.09	5.93	1.74	4.19	29.0	7.79	-1.00
0	145.8	194.8	49.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA229 Section:
 Northing: 6633.7 Easting: 3035.8 Elevation: 1304.0
 Length: 159.5 Core: NQ Record: 226

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	103.0	103.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12466	103.0	104.8	1.8	-1	4A4	2	2.95	6.79	1.39	5.40	29.0	5.06	-1.00
12467	104.8	105.5	.7	-1	4C0	3	2.99	3.46	.73	2.73	15.0	4.32	-1.00
12468	105.5	107.3	1.8	-1	4A0	2	2.90	3.22	.88	2.34	18.0	3.08	-1.00
12469	107.3	108.8	1.5	-1	4A0	2	2.87	2.38	.83	1.55	14.0	2.53	-1.00
0	108.8	159.5	50.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA230 Section:
 Northing: 6693.8 Easting: 3005.6 Elevation: 1307.0
 Length: 221.6 Core: NQ Record: 227

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	83.7	83.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12470	83.7	85.4	1.7	94	4EDH	5	4.25	3.70	.78	2.92	21.0	34.15	-1.00
0	85.4	85.7	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12471	85.7	87.5	1.8	89	4EDH	5	4.18	12.70	2.50	10.20	30.0	28.50	-1.00
0	87.5	90.4	2.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12472	90.4	92.5	2.1	95	4A4	2	3.04	8.91	2.61	6.30	42.0	5.45	-1.00
12473	92.5	94.3	1.8	100	4A4	2	3.02	9.97	3.47	6.50	58.0	4.63	-1.00
0	94.3	102.7	8.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12474	102.7	103.3	.6	83	4A4	2	3.04	7.72	2.22	5.50	43.0	5.34	-1.00
12475	103.3	105.7	2.4	96	4D0	3	3.16	5.29	1.47	3.82	28.0	8.40	-1.00
12476	105.7	107.7	2.0	95	4A4	2	3.06	7.89	2.61	5.28	48.0	5.75	-1.00
12477	107.7	109.7	2.0	100	4A4	2	3.02	6.10	2.25	3.85	35.0	3.93	-1.00
12478	109.7	111.5	1.8	83	4A4	2	3.23	6.26	1.58	4.68	25.0	8.90	-1.00
0	111.5	114.1	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12479	114.1	115.8	1.7	100	4A0	2	-1.00	2.44	.41	2.03	10.0	-1.00	-1.00
0	115.8	117.9	2.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12480	117.9	119.8	1.9	95	4A4	2	3.16	10.79	4.62	6.17	70.0	6.38	-1.00
12481	119.8	121.6	1.8	94	4A4	2	3.12	9.20	3.22	5.98	48.0	6.84	-1.00
0	121.6	136.8	15.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12482	136.8	138.1	1.3	85	4A4	2	3.56	7.22	2.33	4.89	29.0	18.35	-1.00
0	138.1	139.6	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12483	139.6	142.4	2.8	93	4A4	2	3.13	11.47	3.67	7.80	64.0	8.30	-1.00
0	142.4	143.0	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12484	143.0	144.2	1.2	83	4DA	3	3.01	6.84	1.55	5.29	25.0	6.72	-1.00
0	144.2	147.8	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12485	147.8	149.2	1.4	100	4A4	2	3.50	13.67	3.83	9.84	83.0	14.39	-1.00
0	149.2	150.2	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12486	150.2	151.0	.8	87	4AD	2	3.02	8.07	2.06	6.01	44.0	6.35	-1.00
0	151.0	153.0	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12487	153.0	155.1	2.1	67	4A4	2	3.35	16.06	4.76	11.30	90.0	9.50	-1.00
0	155.1	162.0	6.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12488	162.0	165.1	3.1	87	4A4	2	3.03	5.60	1.39	4.21	28.0	7.59	-1.00
0	165.1	165.6	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12489	165.6	167.9	2.3	87	4A0	2	2.92	3.19	1.03	2.16	17.0	5.10	-1.00
0	167.9	221.6	53.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA231 Section:
 Northing: 6752.0 Easting: 3037.2 Elevation: 1308.9
 Length: 185.9 Core: NQ Record: 228

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	117.8	117.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12608	117.8	119.3	1.5	73	4A4	2	3.26	11.00	3.12	7.88	56.0	5.54	-1.00
12609	119.3	120.7	1.4	100	4A4	2	3.60	16.98	5.13	11.85	116.0	5.68	-1.00
0	120.7	121.0	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12610	121.0	122.7	1.7	100	4A4	2	3.40	12.08	3.60	8.48	81.0	3.90	-1.00
0	122.7	123.3	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12611	123.3	123.9	.6	100	4A4	2	-1.00	10.84	2.96	7.88	71.0	-1.00	-1.00
0	123.9	152.2	28.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12612	152.2	154.0	1.8	100	4A4	2	3.60	12.47	2.85	9.62	59.0	9.20	-1.00
12613	154.0	155.6	1.6	94	4A4	2	3.27	9.63	3.04	6.59	60.0	4.35	-1.00
12614	155.6	157.3	1.7	94	4A4	2	3.28	8.73	2.08	6.65	46.0	3.95	-1.00
12615	157.3	159.3	2.0	-1	4A4	2	3.19	7.22	1.56	5.66	38.0	2.60	-1.00
12616	159.3	161.1	1.8	-1	4A4	2	3.18	7.88	1.59	6.29	39.0	3.33	-1.00
0	161.1	164.2	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12617	164.2	165.4	1.2	-1	4A0	2	3.39	4.37	.82	3.55	16.0	6.50	-1.00
12618	165.4	167.6	2.2	-1	4A4	2	3.22	6.01	2.16	3.85	45.0	3.97	-1.00
0	167.6	172.4	4.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12619	172.4	173.7	1.3	-1	4A0	2	3.16	4.14	1.12	3.02	34.0	2.97	-1.00
12620	173.7	174.9	1.2	-1	4A4	2	3.25	8.46	1.75	6.71	46.0	4.40	-1.00
0	174.9	185.9	11.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA232 Section:
 Northing: 6753.7 Easting: 3005.2 Elevation: 1310.0
 Length: 206.3 Core: NQ Record: 229

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	75.6	75.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12628	75.6	77.1	1.5	100	4C0	3	-1.00	4.31	2.16	2.15	31.0	-1.00	-1.00
0	77.1	89.4	12.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12629	89.4	91.5	2.1	95	4A0	2	3.33	3.37	1.18	2.19	22.0	5.95	-1.00
12630	91.5	92.8	1.3	92	4A0	2	3.29	2.82	1.00	1.82	20.0	8.23	-1.00
0	92.8	97.1	4.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12631	97.1	100.9	3.8	39	4A0	2	3.30	3.51	.98	2.53	19.0	7.85	-1.00
0	100.9	107.3	6.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12632	107.3	108.8	1.5	93	4A0	2	3.43	4.47	1.53	2.94	35.0	10.20	-1.00
12633	108.8	110.2	1.4	93	4A4	2	3.36	5.81	2.00	3.81	45.0	10.00	-1.00
0	110.2	115.6	5.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12634	115.6	116.1	.5	100	4C0	3	-1.00	3.75	.99	2.76	18.0	-1.00	-1.00
0	116.1	118.7	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12635	118.7	120.7	2.0	100	5D*	47	-1.00	2.37	.59	1.78	12.0	-1.00	-1.00
0	120.7	121.6	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12636	121.6	123.0	1.4	93	4A4	2	3.20	7.55	1.14	6.41	37.0	4.00	-1.00
12637	123.0	124.4	1.4	93	4A4	2	3.19	8.18	1.77	6.41	43.0	3.14	-1.00
12638	124.4	126.4	2.0	100	4D4	3	3.36	13.04	3.04	10.00	63.0	2.85	-1.00
12639	126.4	127.9	1.5	100	4D0	3	3.19	9.64	1.64	8.00	23.0	3.63	-1.00
12640	127.9	129.9	2.0	100	4A4	2	3.16	7.99	1.64	6.35	34.0	2.67	-1.00
12641	129.9	131.6	1.7	100	4A4	2	3.24	6.52	1.48	5.04	31.0	5.85	-1.00
0	131.6	132.7	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12642	132.7	135.3	2.6	58	4A4	2	3.40	9.67	2.67	7.00	53.0	11.10	-1.00
12643	135.3	137.9	2.6	27	4A4	2	3.26	8.10	2.40	5.70	54.0	2.95	-1.00
0	137.9	139.3	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12644	139.3	141.3	2.0	95	4A4	2	3.21	7.45	2.10	5.35	48.0	2.10	-1.00
12645	141.3	143.3	2.0	100	4A0	2	3.10	5.30	1.41	3.89	28.0	3.75	-1.00
12646	143.3	145.3	2.0	100	4A4	2	3.28	6.82	1.82	5.00	31.0	4.91	-1.00
12647	145.3	147.8	2.5	96	4A4	2	3.21	8.46	2.22	6.24	42.0	3.11	-1.00
12648	147.8	149.8	2.0	95	4A4	2	3.20	5.84	1.75	4.09	39.0	4.30	-1.00
12649	149.8	151.8	2.0	95	4A0	2	3.13	4.40	1.01	3.39	21.0	5.22	-1.00
12650	151.8	153.2	1.4	100	4A4	2	3.29	7.95	2.12	5.83	44.0	6.47	-1.00
12651	153.2	155.2	2.0	100	4A4	2	3.16	5.60	1.51	4.09	30.0	4.00	-1.00
12652	155.2	157.2	2.0	100	4A0	2	3.24	4.85	2.12	2.73	30.0	6.65	-1.00
12653	157.2	158.7	1.5	100	4A4	2	3.45	7.56	2.30	5.26	39.0	9.80	-1.00
12654	158.7	160.8	2.1	100	4A0	2	3.24	3.98	1.36	2.62	26.0	7.35	-1.00
12655	160.8	163.0	2.2	100	4A0	2	3.64	4.13	1.05	3.08	22.0	18.50	-1.00
12656	163.0	165.0	2.0	100	4A0	2	3.29	4.73	1.42	3.31	25.0	9.80	-1.00
12657	165.0	167.0	2.0	100	4A4	2	3.34	5.54	2.12	3.42	39.0	9.72	-1.00
12658	167.0	168.9	1.9	100	4A4	2	3.08	5.31	1.46	3.85	34.0	3.14	-1.00
12659	168.9	171.0	2.1	86	4A0	2	3.35	4.33	1.75	2.58	33.0	9.10	-1.00
12660	171.0	172.0	1.0	90	4A0	2	3.20	3.96	1.61	2.35	31.0	7.20	-1.00
12661	172.0	174.1	2.1	95	4A0	2	3.60	4.97	1.82	3.15	33.0	17.00	-1.00
12662	174.1	175.1	1.0	100	4A34	2	3.55	10.45	3.78	6.67	65.0	13.08	-1.00

12663	175.1	177.0	1.9	89	5D4*	47	3.14	3.30	.84	2.46	14.0	5.97	-1.00
12664	177.0	178.5	1.5	100	4A0	2	3.12	4.60	1.06	3.54	18.0	9.91	-1.00
0	178.5	179.8	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12665	179.8	181.3	1.5	93	4A0	2	3.06	3.67	.86	2.81	18.0	3.37	-1.00
12666	181.3	182.8	1.5	93	4A0	2	3.10	1.51	.61	.90	11.0	3.65	-1.00
12667	182.8	184.8	2.0	100	4A4	2	3.12	5.06	1.14	3.92	23.0	4.69	-1.00
12668	184.8	186.8	2.0	70	4A0	2	3.14	7.47	2.30	5.17	33.0	3.19	-1.00
12669	186.8	188.8	2.0	85	4A0	2	3.10	4.84	.99	3.85	23.0	4.50	-1.00
12670	188.8	190.0	1.2	83	4A4	2	3.35	4.42	.96	3.46	23.0	4.87	-1.00
12671	190.0	191.5	1.5	67	4A4	2	3.12	3.22	.96	2.26	13.0	5.02	-1.00
0	191.5	206.3	14.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA233 Section:
 Northing: 6692.7 Easting: 2974.8 Elevation: 1306.9
 Length: 197.8 Core: NQ Record: 230

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	102.4	102.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12672	102.4	106.7	4.3	100	4A0	2	3.17	4.38	1.44	2.94	28.0	11.67	-1.00
0	106.7	108.1	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12673	108.1	108.5	.4	100	4E4	5	4.45	12.59	3.98	8.61	64.0	32.76	-1.00
0	108.5	109.3	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12674	109.3	110.8	1.5	100	4A4D	2	3.21	8.43	4.47	3.96	71.0	11.52	-1.00
12675	110.8	113.0	2.2	100	4A4	2	3.04	8.71	3.60	5.11	55.0	6.44	-1.00
12676	113.0	115.1	2.1	100	4AC3	2	3.24	5.73	2.37	3.36	44.0	13.21	-1.00
0	115.1	116.8	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12677	116.8	117.7	.9	100	4D0	3	3.08	6.20	1.89	4.31	33.0	10.05	-1.00
0	117.7	121.0	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12678	121.0	122.6	1.6	100	4DE	3	3.45	9.16	3.04	6.12	60.0	17.20	-1.00
0	122.6	123.0	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12679	123.0	124.2	1.2	100	4E4	5	3.92	18.80	8.50	10.30	138.0	21.90	-1.00
0	124.2	124.7	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12680	124.7	125.1	.4	100	4D4	3	3.40	16.77	6.77	10.00	89.0	10.91	-1.00
0	125.1	127.0	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12681	127.0	128.6	1.6	100	4A4	2	3.02	9.22	2.28	6.94	46.0	6.15	-1.00
0	128.6	130.1	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12682	130.1	131.4	1.3	100	4E0	5	4.40	1.87	.28	1.59	14.0	40.75	-1.00
0	131.4	134.1	2.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12683	134.1	134.8	.7	100	4EA	5	4.30	27.77	11.27	16.50	209.0	20.65	-1.00
0	134.8	159.1	24.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12684	159.1	160.8	1.7	71	4DEA	3	3.51	19.30	7.20	12.10	133.0	12.89	-1.00
0	160.8	169.1	8.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12685	169.1	170.2	1.1	100	4E4	5	3.50	6.41	1.83	4.58	36.0	18.89	-1.00
12686	170.2	173.6	3.4	100	4A4	2	2.98	5.12	1.42	3.70	25.0	6.32	-1.00
0	173.6	175.5	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12687	175.5	177.4	1.9	100	4A4	2	3.23	9.69	4.18	5.51	87.0	9.74	-1.00
12688	177.4	179.4	2.0	100	4A4	2	3.50	14.32	5.36	8.96	128.0	11.49	-1.00
0	179.4	180.9	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12689	180.9	184.1	3.2	87	4A0	2	2.99	2.30	.85	1.45	15.0	7.65	-1.00
0	184.1	197.8	13.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA234 Section:
 Northing: 6631.8 Easting: 3005.1 Elevation: 1303.0
 Length: 165.0 Core: NQ Record: 231

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	76.6	76.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12690	76.6	79.1	2.5	100	4E4	5	4.33	7.08	1.66	5.42	29.0	32.86	-1.00
0	79.1	79.8	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12691	79.8	80.1	.3	100	4E4	5	-1.00	11.61	3.70	7.91	57.0	-1.00	-1.00
0	80.1	83.7	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12692	83.7	84.0	.3	100	4E0	5	-1.00	2.46	.84	1.62	17.0	-1.00	-1.00
12693	84.0	86.9	2.9	79	4A0	2	-1.00	2.49	.94	1.55	18.0	-1.00	-1.00
12694	86.9	89.1	2.2	100	4ED	5	3.75	21.14	7.64	13.50	134.0	15.25	-1.00
0	89.1	91.1	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12695	91.1	91.8	.7	71	4D4	3	-1.00	14.46	5.16	9.30	116.0	-1.00	-1.00
0	91.8	96.3	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12696	96.3	98.1	1.8	78	4DA	3	3.46	8.97	3.90	5.07	58.0	16.55	-1.00
0	98.1	103.8	5.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12697	103.8	105.0	1.2	92	4DE4	3	4.08	23.30	8.10	15.20	128.0	20.96	-1.00
12698	105.0	107.5	2.5	100	4DA	3	3.02	6.88	1.90	4.98	30.0	6.83	-1.00
0	107.5	110.4	2.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12699	110.4	112.6	2.2	82	4D4	3	3.57	18.42	7.42	11.00	152.0	11.80	-1.00
12700	112.6	114.6	2.0	100	4A0	2	3.02	4.57	1.66	2.91	31.0	7.68	-1.00
0	114.6	120.6	6.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12701	120.6	125.0	4.4	43	4A0	2	3.07	1.88	.64	1.24	16.0	9.58	-1.00
0	125.0	125.5	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12702	125.5	128.2	2.7	100	4A4	2	2.91	6.04	3.13	2.91	33.0	3.42	-1.00
0	128.2	165.0	36.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA235 Section:
 Northing: 6632.7 Easting: 2944.8 Elevation: 1303.2
 Length: 175.8 Core: NQ Record: 232

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	61.6	61.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12703	61.6	63.9	2.3	100	4A4	2	2.93	6.18	1.51	4.67	37.0	2.91	-1.00
0	63.9	67.4	3.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12704	67.4	68.0	.6	83	4C0	3	2.94	3.97	.80	3.17	22.0	5.18	-1.00
12705	68.0	69.9	1.9	95	4A4	2	2.89	6.21	1.59	4.62	49.0	3.85	-1.00
12706	69.9	72.8	2.9	62	4AD	2	2.95	6.61	2.48	4.13	44.0	4.34	-1.00
12707	72.8	75.3	2.5	100	4A4	2	3.06	8.58	2.80	5.78	48.0	5.92	-1.00
12708	75.3	77.0	1.7	100	4C5	3	2.98	2.15	.92	1.23	15.0	7.31	-1.00
12709	77.0	78.9	1.9	100	4C5	3	2.93	3.72	1.82	1.90	29.0	5.36	-1.00
12710	78.9	80.7	1.8	83	4A0	2	2.95	2.48	.98	1.50	16.0	5.79	-1.00
0	80.7	136.7	56.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12711	136.7	137.2	.5	100	4E4	5	-1.00	12.52	2.72	9.80	47.0	-1.00	-1.00
0	137.2	138.3	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12712	138.3	139.1	.8	100	4E4	5	4.59	10.32	4.26	6.06	94.0	33.54	-1.00
12713	139.1	142.0	2.9	100	4A4	2	3.16	7.08	2.32	4.76	43.0	9.82	-1.00
12714	142.0	143.7	1.7	100	4A0	2	2.97	2.70	1.10	1.60	23.0	5.90	-1.00
12715	143.7	145.7	2.0	95	4A4	2	2.99	5.42	1.80	3.62	40.0	5.44	-1.00
0	145.7	146.0	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12716	146.0	148.4	2.4	63	4A0	2	-1.00	3.19	1.04	2.15	20.0	-1.00	-1.00
0	148.4	159.6	11.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12717	159.6	160.8	1.2	92	4AE0	2	-1.00	3.82	.97	2.85	17.0	-1.00	-1.00
0	160.8	165.7	4.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12718	165.7	166.4	.7	86	4A0	2	-1.00	3.95	.83	3.12	20.0	-1.00	-1.00
0	166.4	166.7	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12719	166.7	168.4	1.7	100	3G46	20	-1.00	.80	.40	.40	9.0	-1.00	-1.00
0	168.4	175.8	7.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA236 Section:
 Northing: 6634.7 Easting: 2886.3 Elevation: 1304.0
 Length: 439.2 Core: NQ Record: 233

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	65.6	65.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12720	65.6	67.6	2.0	100	4A4	2	3.27	5.01	1.93	3.08	39.0	10.10	-1.00
12721	67.6	69.6	2.0	100	4A0	2	3.08	1.13	.44	.69	11.0	7.25	-1.00
12722	69.6	71.6	2.0	100	4A0	2	2.96	2.70	1.08	1.62	19.0	6.00	-1.00
12723	71.6	73.8	2.2	91	4A4	2	3.06	5.72	1.80	3.92	32.0	7.10	-1.00
12724	73.8	75.6	1.8	100	4C0	3	3.00	4.38	1.18	3.20	22.0	6.32	-1.00
12725	75.6	77.4	1.8	100	4C0	3	3.10	4.16	1.25	2.91	22.0	6.54	-1.00
12726	77.4	79.2	1.8	100	4D0	3	3.17	5.72	1.89	3.83	29.0	10.80	-1.00
0	79.2	88.1	8.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12727	88.1	89.2	1.1	100	4AD	2	3.06	6.51	2.29	4.22	32.0	4.82	-1.00
0	89.2	93.9	4.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12728	93.9	95.3	1.4	100	4A4	2	3.10	5.78	1.60	4.18	28.0	7.25	-1.00
12729	95.3	96.9	1.6	100	4A0	2	2.95	4.43	1.62	2.81	25.0	4.46	-1.00
12730	96.9	98.5	1.6	100	4A0	2	2.96	4.32	1.08	3.24	20.0	4.85	-1.00
12731	98.5	99.3	.8	100	4D0	3	2.97	4.38	1.30	3.08	24.0	4.35	-1.00
0	99.3	100.3	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12732	100.3	101.0	.7	100	4AD	2	3.09	8.49	2.69	5.80	46.0	5.15	-1.00
12733	101.0	103.1	2.1	100	4A4	2	3.10	5.30	2.15	3.15	36.0	7.17	-1.00
12734	103.1	105.2	2.1	86	4A0	2	3.11	4.79	1.70	3.09	33.0	6.90	-1.00
12735	105.2	107.3	2.1	57	4A4	2	3.08	10.61	3.01	7.60	61.0	4.14	-1.00
12736	107.3	109.4	2.1	48	4A4	2	3.01	7.47	2.37	5.10	44.0	3.81	-1.00
12737	109.4	110.6	1.2	100	4D0	3	3.05	6.06	1.78	4.28	32.0	6.08	-1.00
12738	110.6	111.5	.9	11	4A4	2	2.98	6.25	1.94	4.31	36.0	4.65	-1.00
12739	111.5	112.8	1.3	85	4A4	2	3.09	7.29	2.42	4.87	36.0	6.57	-1.00
12740	112.8	114.0	1.2	100	4AD	2	3.01	5.17	1.59	3.58	27.0	4.97	-1.00
0	114.0	114.6	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12741	114.6	117.0	2.4	100	4D4	3	3.20	9.73	3.23	6.50	50.0	7.95	-1.00
12742	117.0	118.5	1.5	100	4E4	5	4.28	11.43	3.33	8.10	67.0	28.40	-1.00
0	118.5	119.2	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12743	119.2	120.1	.9	11	4E0	5	-1.00	1.72	.30	1.42	17.0	-1.00	-1.00
0	120.1	122.5	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12744	122.5	124.0	1.5	93	4C0	3	2.96	3.88	1.63	2.25	25.0	6.75	-1.00
12745	124.0	126.4	2.4	83	4A4	2	3.16	5.37	2.14	3.23	36.0	10.20	-1.00
12746	126.4	128.8	2.4	92	4A4	2	3.10	5.81	2.13	3.68	33.0	6.33	-1.00
12747	128.8	131.2	2.4	88	4A4	2	3.16	5.62	3.02	2.60	43.0	8.25	-1.00
12748	131.2	133.8	2.6	85	4A0	2	3.05	4.38	1.78	2.60	29.0	7.98	-1.00
0	133.8	134.7	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12749	134.7	136.2	1.5	87	4A34	2	-1.00	8.91	4.03	4.88	71.0	-1.00	-1.00
0	136.2	136.8	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12750	136.8	138.1	1.3	92	4DA	3	-1.00	6.69	2.40	4.29	40.0	-1.00	-1.00
0	138.1	138.9	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12751	138.9	140.5	1.6	100	4A4	2	3.12	9.34	3.04	6.30	52.0	8.00	-1.00
12752	140.5	142.2	1.7	100	4A4	2	2.96	6.88	1.94	4.94	39.0	3.19	-1.00
12753	142.2	143.4	1.2	92	3G96	30	2.96	3.23	1.48	1.75	24.0	2.65	-1.00

12754	143.4	144.8	1.4	100	3G46	20	2.94	3.46	1.25	2.21	15.0	3.25	-1.00
0	144.8	146.1	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12755	146.1	147.0	.9	78	4CH	3	-1.00	6.02	2.24	3.78	44.0	-1.00	-1.00
12756	147.0	148.1	1.1	100	3G96	30	-1.00	2.90	.70	2.20	13.0	-1.00	-1.00
0	148.1	154.8	6.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12757	154.8	156.1	1.3	100	4D5	3	-1.00	3.75	1.43	2.32	24.0	-1.00	-1.00
0	156.1	157.1	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12758	157.1	158.1	1.0	100	5D4*9	47	-1.00	1.82	.80	1.02	14.0	-1.00	-1.00
12759	158.1	160.1	2.0	100	4C5	3	3.10	4.75	1.62	3.13	30.0	7.95	-1.00
0	160.1	161.9	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12760	161.9	164.0	2.1	100	4A4	2	3.16	6.97	2.54	4.43	43.0	10.00	-1.00
12761	164.0	166.1	2.1	90	4A4	2	3.16	7.31	2.21	5.10	36.0	7.27	-1.00
0	166.1	290.9	124.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12762	290.9	292.4	1.5	100	4G4#	7	4.16	14.14	4.82	9.32	97.0	19.79	-1.00
0	292.4	357.3	64.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12763	357.3	359.0	1.7	100	4EGL	7	3.92	9.14	3.91	5.23	54.0	15.70	-1.00
0	359.0	360.0	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12764	360.0	361.1	1.1	91	4G4	7	4.57	12.85	6.23	6.62	89.0	24.99	-1.00
12765	361.1	363.0	1.9	95	4E0*	5	4.64	2.91	1.66	1.25	24.0	40.60	-1.00
0	363.0	363.5	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12766	363.5	364.7	1.2	92	4ELD	5	-1.00	1.15	.68	.47	13.0	-1.00	-1.00
12767	364.7	365.9	1.2	100	4G4	7	4.50	11.17	5.24	5.93	66.0	23.30	-1.00
12768	365.9	367.9	2.0	100	4C79	3	3.75	3.13	1.26	1.87	22.0	27.60	-1.00
12769	367.9	369.8	1.9	100	4C79	3	3.38	2.61	.76	1.85	17.0	16.80	-1.00
0	369.8	439.2	69.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA237 Section:
 Northing: 6696.3 Easting: 2913.5 Elevation: 1308.2
 Length: 215.5 Core: NQ Record: 234

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	78.5	78.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12782	78.5	80.5	2.0	60	4A4	2	3.03	9.37	2.87	6.50	47.0	4.90	-1.00
12783	80.5	82.5	2.0	95	4A0	2	2.97	2.54	.88	1.66	18.0	5.00	-1.00
12784	82.5	85.1	2.6	77	4A0	2	2.91	3.11	1.02	2.09	17.0	3.50	-1.00
0	85.1	85.8	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12785	85.8	89.8	4.0	38	4A4	2	2.99	7.29	2.36	4.93	43.0	2.90	-1.00
12786	89.8	91.8	2.0	80	4A4	2	3.06	7.80	2.70	5.10	37.0	5.70	-1.00
12787	91.8	93.8	2.0	60	4A4	2	2.92	6.70	2.01	4.69	39.0	2.10	-1.00
12788	93.8	95.8	2.0	35	4A0	2	2.87	2.83	.76	2.07	17.0	1.90	-1.00
12789	95.8	97.8	2.0	30	4A4	2	2.91	5.92	1.16	4.76	26.0	2.20	-1.00
12790	97.8	99.8	2.0	20	4A4	2	2.96	6.47	2.25	4.22	38.0	2.70	-1.00
12791	99.8	102.3	2.5	84	4A4	2	3.18	14.30	5.20	9.10	82.0	5.40	-1.00
12792	102.3	104.4	2.1	95	4DC5	3	3.10	8.60	3.83	4.77	50.0	6.00	-1.00
12793	104.4	105.8	1.4	93	4L41	52	-1.00	.72	.23	.49	7.0	-1.00	-1.00
12794	105.8	107.8	2.0	100	4C5	3	3.00	3.36	1.25	2.11	25.0	5.90	-1.00
12795	107.8	109.8	2.0	100	4C5	3	-1.00	1.89	.56	1.33	12.0	-1.00	-1.00
12796	109.8	111.8	2.0	100	4C5	3	-1.00	2.67	.99	1.68	18.0	-1.00	-1.00
12797	111.8	113.7	1.9	100	4C5	3	2.99	2.95	1.18	1.77	20.0	6.10	-1.00
0	113.7	129.6	15.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12798	129.6	131.6	2.0	100	4C5	3	-1.00	2.16	.69	1.47	16.0	-1.00	-1.00
12799	131.6	133.6	2.0	100	4C5	3	2.94	3.86	1.23	2.63	26.0	5.10	-1.00
12800	133.6	135.5	1.9	100	4C5	3	2.95	3.70	1.06	2.64	22.0	4.90	-1.00
12801	135.5	137.5	2.0	100	4A4	2	3.03	6.28	1.80	4.48	36.0	6.60	-1.00
12802	137.5	139.5	2.0	70	4A4	2	3.02	9.23	2.53	6.70	50.0	5.50	-1.00
12803	139.5	141.0	1.5	80	4A4	2	3.05	9.16	2.26	6.90	50.0	5.20	-1.00
12804	141.0	142.3	1.3	100	4A0	2	2.96	4.80	1.29	3.51	29.0	4.90	-1.00
0	142.3	181.8	39.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12805	181.8	183.8	2.0	70	4A0	2	2.99	3.14	1.00	2.14	19.0	6.10	-1.00
12806	183.8	185.5	1.7	82	4A4	2	2.94	5.93	1.82	4.11	29.0	2.80	-1.00
0	185.5	186.8	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12807	186.8	188.1	1.3	100	4A4	2	3.01	8.51	2.61	5.90	55.0	3.60	-1.00
0	188.1	194.5	6.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12808	194.5	195.6	1.1	91	4A0	2	3.07	3.75	.93	2.82	20.0	7.60	-1.00
12809	195.6	197.3	1.7	100	4E45	5	4.26	11.98	3.08	8.90	64.0	27.45	-1.00
0	197.3	200.1	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12810	200.1	202.2	2.1	95	4A0	2	3.01	3.88	1.25	2.63	24.0	6.30	-1.00
0	202.2	215.5	13.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA238 Section:
 Northing: 6512.0 Easting: 2943.6 Elevation: 1300.7
 Length: 132.0 Core: NQ Record: 235

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	48.5	48.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12770	48.5	49.9	1.4	71	4C5	3	-1.00	.57	.24	.33	8.0	-1.00	-1.00
12771	49.9	51.6	1.7	94	4C5	3	3.06	2.77	.82	1.95	20.0	11.00	-1.00
12772	51.6	54.5	2.9	69	4C5	3	3.08	2.21	.61	1.60	16.0	9.47	-1.00
12773	54.5	56.5	2.0	100	4C5	3	3.02	2.19	.56	1.63	16.0	10.50	-1.00
12774	56.5	58.5	2.0	90	4C5	3	3.09	2.43	.54	1.89	17.0	9.80	-1.00
12775	58.5	61.3	2.8	79	4C5	3	2.98	2.97	1.00	1.97	21.0	5.51	-1.00
12776	61.3	63.3	2.0	95	3G14	20	-1.00	.51	.20	.31	6.0	-1.00	-1.00
12777	63.3	65.8	2.5	92	3G14	20	-1.00	2.22	.77	1.45	16.0	-1.00	-1.00
12778	65.8	67.8	2.0	100	4L14	52	-1.00	1.50	.62	.88	13.0	-1.00	-1.00
12779	67.8	69.9	2.1	90	4L14	52	-1.00	1.53	.68	.85	14.0	-1.00	-1.00
0	69.9	89.3	19.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12780	89.3	89.9	.6	100	4E4#	5	-1.00	15.60	5.50	10.10	130.0	-1.00	-1.00
0	89.9	96.2	6.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12781	96.2	98.8	2.6	42	4A4	2	2.96	7.14	2.35	4.79	46.0	2.20	-1.00
0	98.8	132.0	33.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA239 Section:
 Northing: 6452.3 Easting: 2952.6 Elevation: 1299.7
 Length: 109.1 Core: NQ Record: 236

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	53.9	53.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12842	53.9	57.9	4.0	68	4A4	2	2.95	6.35	1.53	4.82	29.0	2.23	-1.00
12843	57.9	59.3	1.4	93	4A4	2	3.04	9.78	3.08	6.70	62.0	4.17	-1.00
12844	59.3	62.8	3.5	69	4E4	5	4.27	20.80	8.20	12.60	153.0	21.70	-1.00
12845	62.8	64.0	1.2	100	4A0	2	3.11	3.26	.66	2.60	12.0	8.89	-1.00
12846	64.0	68.6	4.6	41	4A4	2	3.10	5.06	1.18	3.88	22.0	5.22	-1.00
0	68.6	109.1	40.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA240 Section:
 Northing: 6274.0 Easting: 2761.0 Elevation: 1289.5
 Length: 111.3 Core: NQ Record: 237

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	48.0	48.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12816	48.0	49.4	1.4	93	4A0	2	-1.00	2.42	.86	1.56	21.0	-1.00	-1.00
12817	49.4	51.8	2.4	96	4ED	5	4.09	11.80	4.00	7.80	70.0	23.82	-1.00
12818	51.8	53.3	1.5	80	4A4	2	3.24	11.93	4.13	7.80	56.0	10.98	-1.00
12819	53.3	55.0	1.7	100	4A4	2	3.38	15.80	5.70	10.10	81.0	11.44	-1.00
12820	55.0	58.2	3.2	75	4A4	2	3.19	5.87	1.82	4.05	36.0	11.40	-1.00
0	58.2	64.8	6.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12822	64.8	66.4	1.6	100	4D5	3	3.11	5.31	1.54	3.77	31.0	9.38	-1.00
12823	66.4	68.3	1.9	89	4C5	3	3.14	4.52	1.42	3.10	31.0	10.47	-1.00
12824	68.3	70.1	1.8	94	4C5	3	3.13	4.65	1.53	3.12	30.0	9.75	-1.00
12825	70.1	72.2	2.1	100	4C5	3	3.06	3.43	1.34	2.09	24.0	6.82	-1.00
0	72.2	75.0	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12826	75.0	78.6	3.6	47	4C5	3	3.00	3.88	1.17	2.71	22.0	5.36	-1.00
12827	78.6	80.5	1.9	95	4C5	3	3.19	3.50	1.00	2.50	20.0	4.80	-1.00
12828	80.5	82.3	1.8	100	4C5	3	2.87	3.04	.93	2.11	16.0	1.60	-1.00
12829	82.3	84.1	1.8	100	4D5	3	3.06	5.37	1.54	3.83	39.0	7.06	-1.00
12830	84.1	86.3	2.2	91	4C5	3	3.12	4.47	1.25	3.22	27.0	10.25	-1.00
12831	86.3	87.8	1.5	67	4C5	3	3.12	4.17	1.23	2.94	28.0	10.25	-1.00
12832	87.8	89.6	1.8	100	4C5	3	3.00	4.90	1.48	3.42	29.0	5.80	-1.00
0	89.6	90.7	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12833	90.7	92.4	1.7	71	4C5	3	3.09	4.93	1.20	3.73	29.0	8.38	-1.00
12834	92.4	93.9	1.5	93	4D5	3	3.16	6.53	1.55	4.98	33.0	10.58	-1.00
12835	93.9	95.0	1.1	82	4D5	3	3.35	5.85	1.00	4.85	26.0	15.61	-1.00
12836	95.0	96.9	1.9	100	4DEA	3	3.83	14.28	4.58	9.70	78.0	20.45	-1.00
12837	96.9	98.8	1.9	89	4DEA	3	3.82	10.58	2.58	8.00	49.0	23.50	-1.00
12838	98.8	100.3	1.5	100	4DEA	3	3.69	10.68	3.18	7.50	52.0	21.21	-1.00
12839	100.3	101.8	1.5	100	4CEA	3	3.76	3.31	.73	2.58	22.0	25.77	-1.00
0	101.8	105.7	3.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12840	105.7	108.1	2.4	96	4EA4	5	3.88	14.50	5.10	9.40	92.0	22.24	-1.00
12841	108.1	110.0	1.9	95	4A0	2	3.27	4.00	1.11	2.89	31.0	15.71	-1.00
0	110.0	111.3	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGA241 Section:
 Northing: 6150.9 Easting: 2757.9 Elevation: 1284.8
 Length: 161.8 Core: NQ Record: 238

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	150.6	150.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14697	150.6	151.8	1.2	100	3G91	30	-1.00	.29	.09	.20	7.0	-1.00	-1.00
14698	151.8	152.9	1.1	100	3G91	30	-1.00	.14	.06	.08	3.0	-1.00	-1.00
14699	152.9	153.9	1.0	100	4AE4	2	3.09	6.17	2.16	4.01	34.0	5.10	-1.00
0	153.9	157.0	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14700	157.0	157.9	.9	100	4E46#	5	4.62	6.73	3.09	3.64	44.0	15.23	-1.00
14701	157.9	159.9	2.0	100	4G4#	7	4.68	16.20	8.00	8.20	98.0	36.31	-1.00
14702	159.9	161.8	1.9	100	4E4#	5	4.73	15.30	7.20	8.10	100.0	22.56	-1.00

Drill Hole: AGADL1 Section:
 Northing: 6152.9 Easting: 3082.4 Elevation: 1300.0
 Length: 99.7 Core: NQ Record: 239

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	99.7	99.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGADL2 Section:
 Northing: 6694.5 Easting: 2823.9 Elevation: 1309.8
 Length: 111.8 Core: NQ Record: 240

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	111.8	111.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGADL3 Section:
 Northing: 6516.6 Easting: 2504.3 Elevation: 1296.0
 Length: 102.7 Core: NQ Record: 241

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	102.7	102.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGADL4 Section:
 Northing: 5955.8 Easting: 2432.3 Elevation: 1259.6
 Length: 61.6 Core: NQ Record: 242

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	61.6	61.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU001 Section:
 Northing: 6328.7 Easting: 2786.3 Elevation: 1144.0
 Length: 62.5 Core: NQ Record: 243

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
92150	.0	2.0	2.0	90	4A4	2	-1.00	9.87	3.98	5.89	55.5	-1.00	-1.00
92151	2.0	4.0	2.0	90	4A4	2	-1.00	8.77	4.17	4.60	54.5	-1.00	-1.00
92152	4.0	6.0	2.0	95	4A4	2	-1.00	10.73	4.28	6.45	62.4	-1.00	-1.00
92153	6.0	8.0	2.0	95	4A4	2	-1.00	13.50	4.05	9.45	63.4	-1.00	-1.00
92154	8.0	9.0	1.0	100	4A4	2	-1.00	10.99	4.09	6.90	57.6	-1.00	-1.00
0	9.0	14.0	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92155	14.0	15.0	1.0	80	4D4	3	-1.00	24.26	9.26	15.00	129.2	-1.00	-1.00
92156	15.0	17.3	2.3	65	4K4*	6	-1.00	13.84	3.38	10.46	55.5	-1.00	-1.00
92157	17.3	18.8	1.5	93	4K4*	6	-1.00	25.72	8.50	17.22	111.1	-1.00	-1.00
0	18.8	44.1	25.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92158	44.1	45.7	1.6	12	4E4	5	-1.00	20.87	8.35	12.52	139.2	-1.00	-1.00
92159	45.7	47.2	1.5	47	4E4	5	-1.00	22.96	8.15	14.81	115.9	-1.00	-1.00
92160	47.2	48.8	1.6	75	4E4	5	-1.00	20.53	6.79	13.74	109.0	-1.00	-1.00
92161	48.8	50.3	1.5	87	4AE4	2	-1.00	19.72	7.56	12.16	97.7	-1.00	-1.00
0	50.3	51.8	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92162	51.8	53.3	1.5	20	4E4	5	-1.00	18.06	7.99	10.07	164.9	-1.00	-1.00
92163	53.3	54.9	1.6	50	4EG4	7	-1.00	23.45	8.85	14.60	129.2	-1.00	-1.00
0	54.9	62.5	7.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU002 Section:
 Northing: 6329.6 Easting: 2786.9 Elevation: 1144.0
 Length: 50.2 Core: NQ Record: 244

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
6242	.0	1.1	1.1	73	4D42	3	3.75	12.90	4.74	8.16	79.0	18.72	-1.00
6243	1.1	3.0	1.9	100	4A14	2	4.62	9.05	3.15	5.90	59.0	21.38	-1.00
6244	3.0	3.9	.9	100	4D4	3	4.29	13.57	5.09	8.48	83.0	20.32	-1.00
6245	3.9	6.1	2.2	95	4A14	2	3.48	14.64	4.89	9.75	99.0	12.40	-1.00
6246	6.1	7.4	1.3	100	4A14	2	3.18	7.62	1.72	5.90	42.0	10.03	-1.00
6247	7.4	8.6	1.2	92	4A14	2	3.28	8.83	2.40	6.43	45.0	12.00	-1.00
0	8.6	14.0	5.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6248	14.0	14.5	.5	100	4E4	5	4.48	26.64	6.60	20.04	158.0	21.07	-1.00
0	14.5	50.2	35.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU003 Section:
 Northing: 6331.9 Easting: 2698.4 Elevation: 1144.7
 Length: 82.2 Core: NQ Record: 245

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
2451	.0	1.0	1.0	50	4A1	2	3.05	3.49	1.36	2.13	18.0	5.36	-1.00
2452	1.0	3.0	2.0	95	4A14	2	3.11	9.40	3.39	6.01	46.0	2.94	-1.00
2453	3.0	5.0	2.0	100	4A14	2	3.55	9.86	4.03	5.83	46.0	3.62	-1.00
2454	5.0	6.8	1.8	94	4A4	2	3.10	10.85	4.65	6.20	61.0	2.82	-1.00
2455	6.8	7.8	1.0	100	4AD	2	3.42	10.32	4.40	5.92	73.0	17.09	-1.00
2456	7.8	8.8	1.0	100	4A14	2	3.79	12.67	3.80	8.87	69.0	6.15	-1.00
2457	8.8	10.4	1.6	81	4C0	3	4.47	2.89	1.62	1.27	44.0	25.07	-1.00
2458	10.4	11.9	1.5	100	4C0	3	4.52	2.90	1.27	1.63	35.0	28.63	-1.00
2459	11.9	14.3	2.4	100	4CA	3	3.75	3.30	1.34	1.96	31.0	21.93	-1.00
2460	14.3	16.1	1.8	100	4E4	5	4.33	27.05	9.35	17.70	143.0	22.95	-1.00
0	16.1	42.7	26.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
2461	42.7	43.7	1.0	100	4G42	7	3.49	18.34	9.72	8.62	153.0	14.61	-1.00
2462	43.7	45.6	1.9	100	4E4	5	4.96	10.94	6.13	4.81	99.0	34.28	-1.00
2463	45.6	46.7	1.1	100	4E42	5	4.54	10.58	5.92	4.66	92.0	33.86	-1.00
2464	46.7	48.8	2.1	100	4G4	7	4.59	17.92	10.70	7.22	142.0	22.04	-1.00
2465	48.8	49.7	.9	78	4C48	3	5.00	4.85	2.54	2.31	40.0	18.79	-1.00
2466	49.7	51.1	1.4	100	4L2	52	3.45	2.19	1.11	1.08	11.0	12.83	-1.00
2467	51.1	52.8	1.7	100	4C8	3	4.46	3.78	1.93	1.85	26.0	26.96	-1.00
0	52.8	64.0	11.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90144	64.0	65.4	1.4	86	4LD	52	-1.00	2.30	1.00	1.30	15.1	-1.00	-1.00
90145	65.4	66.7	1.3	100	4LD	52	-1.00	12.69	7.04	5.65	88.8	-1.00	-1.00
0	66.7	72.2	5.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
2470	72.2	73.9	1.7	100	4CG	3	3.96	8.44	4.87	3.57	68.0	26.70	-1.00
0	73.9	82.2	8.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU004 Section:
 Northing: 6331.7 Easting: 2702.5 Elevation: 1145.0
 Length: 53.3 Core: NQ Record: 246

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	.2	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6152	.2	1.4	1.2	100	4A2	2	3.04	4.21	2.29	1.92	30.0	8.80	-1.00
6153	1.4	2.7	1.3	69	4A2	2	2.96	3.94	1.56	2.38	22.0	7.08	-1.00
6154	2.7	4.8	2.1	95	4A2	2	2.97	2.28	1.87	.41	19.0	7.72	-1.00
6155	4.8	6.8	2.0	100	4A2	2	2.99	2.16	1.77	.39	17.0	8.21	-1.00
0	6.8	6.9	.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90086	6.9	10.6	3.7	-1	4A24	2	-1.00	7.93	2.98	4.95	40.5	-1.00	-1.00
90087	10.6	14.2	3.6	-1	4A24	2	-1.00	7.31	2.68	4.63	38.4	-1.00	-1.00
90088	14.2	14.9	.7	-1	4A2	2	-1.00	3.23	1.13	2.10	19.2	-1.00	-1.00
90089	14.9	15.5	.6	-1	4A24	2	-1.00	6.20	2.40	3.80	39.4	-1.00	-1.00
6157	15.5	16.8	1.3	92	4A4	2	3.60	23.42	8.42	15.00	142.0	10.70	-1.00
6158	16.8	17.8	1.0	100	4D4	3	4.16	32.00	11.00	21.00	171.0	15.62	-1.00
6159	17.8	19.0	1.2	100	4E4	5	4.44	23.94	8.44	15.50	153.0	25.98	-1.00
0	19.0	44.8	25.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6160	44.8	45.7	.9	100	4L4	52	3.28	1.87	1.05	.82	13.0	14.00	-1.00
6161	45.7	46.3	.6	100	4D0	3	3.60	5.33	2.67	2.66	34.0	22.46	-1.00
6162	46.3	47.9	1.6	100	4GE4	7	4.69	15.70	9.19	6.51	122.0	26.69	-1.00
6163	47.9	48.7	.8	88	4H0	8	3.64	4.05	2.36	1.69	33.0	34.53	-1.00
0	48.7	53.3	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU005 Section:
 Northing: 6331.6 Easting: 2703.3 Elevation: 1141.0
 Length: 99.0 Core: NQ Record: 247

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	2.7	2.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6306	2.7	4.7	2.0	100	4A1	2	2.89	2.76	1.09	1.67	13.0	3.10	-1.00
0	4.7	5.9	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6307	5.9	8.0	2.1	100	4A0	2	2.96	4.40	2.20	2.20	25.0	3.20	-1.00
6308	8.0	10.0	2.0	100	4A0	2	2.89	3.71	1.11	2.60	12.0	2.15	-1.00
0	10.0	11.1	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6309	11.1	12.9	1.8	100	4L14	52	3.02	4.60	1.90	2.70	28.0	6.38	-1.00
6310	12.9	14.9	2.0	100	4L14	52	2.94	2.78	1.37	1.41	19.0	5.15	-1.00
6311	14.9	16.9	2.0	100	4L14	52	3.04	2.12	.86	1.26	14.0	10.60	-1.00
6312	16.9	17.7	.8	100	4L14	52	3.04	2.48	.87	1.61	14.0	10.40	-1.00
0	17.7	21.8	4.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6313	21.8	22.3	.5	100	4C0	3	-1.00	1.02	.57	.45	8.0	-1.00	-1.00
0	22.3	24.8	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6314	24.8	25.4	.6	100	4L14	52	2.93	3.73	2.90	.83	39.0	2.54	-1.00
0	25.4	27.4	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6315	27.4	29.0	1.6	50	4E4	5	4.52	18.10	6.20	11.90	85.0	29.00	-1.00
6316	29.0	30.5	1.5	87	4E4	5	4.90	15.40	4.90	10.50	80.0	32.70	-1.00
0	30.5	30.9	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6317	30.9	32.0	1.1	64	4E2	5	4.00	1.53	.55	.98	21.0	29.00	-1.00
6318	32.0	33.7	1.7	88	4E42	5	4.74	13.90	4.20	9.70	88.0	33.50	-1.00
0	33.7	34.9	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6319	34.9	36.1	1.2	100	4G4	7	4.14	10.40	3.00	7.40	56.0	20.40	-1.00
6320	36.1	37.2	1.1	100	4G*	7	4.34	8.10	2.50	5.60	50.0	22.77	-1.00
6321	37.2	37.8	.6	100	4G4	7	4.11	13.80	5.20	8.60	57.0	24.10	-1.00
0	37.8	40.5	2.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6322	40.5	41.9	1.4	100	4G0	7	4.80	8.20	2.40	5.80	36.0	16.40	-1.00
6323	41.9	44.0	2.1	86	4G0	7	4.25	9.00	2.80	6.20	51.0	27.70	-1.00
6324	44.0	44.2	.2	100	4A14	2	3.53	10.70	3.60	7.10	66.0	16.00	-1.00
90073	44.2	48.7	4.5	-1	4A14	2	-1.00	5.73	1.95	3.78	37.8	-1.00	-1.00
6325	48.7	48.9	.2	100	4A13	2	4.15	10.20	3.80	6.40	138.0	26.70	-1.00
6326	48.9	49.7	.8	100	4D0	3	3.86	7.30	2.50	4.80	50.0	21.70	-1.00
6327	49.7	51.1	1.4	86	4E46	5	4.46	15.80	4.60	11.20	80.0	21.50	-1.00
6328	51.1	52.1	1.0	100	4G4	7	4.34	11.80	3.40	8.40	65.0	15.90	-1.00
6329	52.1	54.3	2.2	95	4DG4	3	3.86	11.90	3.50	8.40	67.0	15.20	-1.00
6330	54.3	55.3	1.0	100	4D46	3	3.94	24.10	7.50	16.60	120.0	17.72	-1.00
6331	55.3	57.1	1.8	100	4E4	5	4.82	5.60	2.50	3.10	44.0	36.60	-1.00
6332	57.1	58.3	1.2	100	4G4	7	4.64	16.90	5.50	11.40	122.0	27.50	-1.00
6333	58.3	59.4	1.1	100	4E48	5	4.46	11.40	4.40	7.00	68.0	29.20	-1.00
6334	59.4	61.8	2.4	100	4E@	5	5.04	1.51	.63	.88	19.0	41.50	-1.00
6335	61.8	63.5	1.7	94	4G4*	7	4.72	24.20	7.80	16.40	136.0	23.20	-1.00
6336	63.5	65.0	1.5	100	4G4*	7	4.50	23.70	7.40	16.30	131.0	24.70	-1.00
6337	65.0	66.4	1.4	100	4E14	5	4.50	12.50	4.40	8.10	69.0	29.30	-1.00
6338	66.4	67.9	1.5	87	4E14	5	4.55	8.40	3.70	4.70	65.0	31.60	-1.00
6339	67.9	70.1	2.2	100	4AD4	2	4.35	26.20	7.10	19.10	126.0	20.60	-1.00

6340	70.1	70.9	.8	100	4A4	2	3.41	19.30	7.70	11.60	96.0	10.24	-1.00
6341	70.9	72.8	1.9	89	4A4	2	3.72	14.40	5.80	8.60	89.0	16.60	-1.00
6342	72.8	74.0	1.2	100	4AC	2	3.53	4.61	1.21	3.40	12.0	19.30	-1.00
6343	74.0	76.0	2.0	100	4A13	2	3.57	3.40	.80	2.60	13.0	19.60	-1.00
6344	76.0	78.0	2.0	90	4A13	2	3.43	1.18	.37	.81	14.0	18.40	-1.00
6345	78.0	80.0	2.0	75	4A13	2	3.39	.66	.26	.40	18.0	18.80	-1.00
6346	80.0	81.0	1.0	100	4A13	2	-1.00	.45	.22	.23	11.0	-1.00	-1.00
0	81.0	99.0	18.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU006 Section:
 Northing: 6330.7 Easting: 2702.8 Elevation: 1145.0
 Length: 36.6 Core: NQ Record: 248

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
90074	.0	2.4	2.4	17	4A14	2	-1.00	6.50	2.85	3.65	40.5	-1.00	-1.00
6164	2.4	4.2	1.8	100	4A14	2	2.99	6.02	1.91	4.11	32.0	4.40	-1.00
6165	4.2	6.0	1.8	100	4A14	2	3.18	5.94	1.98	3.96	34.0	5.13	-1.00
90075	6.0	9.1	3.1	94	4A14	2	-1.00	6.86	2.28	4.58	34.3	-1.00	-1.00
6166	9.1	10.4	1.3	100	4A14	2	3.77	9.12	3.07	6.05	45.0	4.72	-1.00
6167	10.4	12.4	2.0	100	4A14	2	3.52	6.71	2.90	3.81	36.0	4.59	-1.00
6168	12.4	14.4	2.0	100	4A14	2	3.79	9.03	2.70	6.33	39.0	3.02	-1.00
90076	14.4	15.2	.8	100	4A14	2	-1.00	3.65	.95	2.70	15.4	-1.00	-1.00
92146	15.2	18.5	3.3	100	4A14	2	-1.00	5.58	1.93	3.65	37.7	-1.00	-1.00
92147	18.5	19.4	.9	100	4A14	2	-1.00	5.28	1.78	3.50	38.7	-1.00	-1.00
6169	19.4	20.6	1.2	100	4A4	2	3.53	10.51	3.92	6.59	76.0	9.90	-1.00
6170	20.6	21.8	1.2	100	4A4	2	3.28	11.27	3.90	7.37	67.0	11.09	-1.00
6171	21.8	23.8	2.0	100	4E24	5	4.80	36.06	12.66	23.40	203.0	19.95	-1.00
6172	23.8	25.9	2.1	100	4E24	5	4.50	31.94	10.44	21.50	197.0	19.25	-1.00
6173	25.9	28.0	2.1	100	4A14	2	3.27	10.69	3.29	7.40	65.0	9.90	-1.00
6174	28.0	28.6	.6	100	4E24	5	4.29	27.36	8.76	18.60	163.0	21.46	-1.00
6175	28.6	30.3	1.7	100	4D24	3	3.92	28.06	9.56	18.50	189.0	13.40	-1.00
6176	30.3	32.1	1.8	100	4D24	3	3.94	23.35	8.15	15.20	147.0	17.94	-1.00
6177	32.1	33.1	1.0	100	4E4	5	4.42	24.04	8.04	16.00	151.0	24.98	-1.00
0	33.1	36.6	3.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU007 Section:
 Northing: 6334.7 Easting: 2736.3 Elevation: 1141.2
 Length: 73.2 Core: NQ Record: 249

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	10.7	10.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90207	10.7	11.2	.5	-1	4A14	2	-1.00	4.93	3.40	1.53	46.3	-1.00	-1.00
6724	11.2	14.0	2.8	82	4L14	52	3.16	6.10	4.00	2.10	43.0	10.75	-1.00
6725	14.0	15.2	1.2	100	4A14	2	3.05	6.10	3.30	2.80	37.0	7.10	-1.00
90208	15.2	19.8	4.6	9	4A14	2	-1.00	5.36	2.93	2.43	45.3	-1.00	-1.00
90209	19.8	21.4	1.6	100	4A1	2	-1.00	1.29	.39	.90	8.9	-1.00	-1.00
90210	21.4	23.0	1.6	94	4A1	2	-1.00	1.68	.68	1.00	11.0	-1.00	-1.00
6726	23.0	25.1	2.1	100	4A14	2	3.02	5.80	2.30	3.50	36.0	6.45	-1.00
0	25.1	32.0	6.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90211	32.0	35.0	3.0	-1	4L24	52	-1.00	4.10	1.65	2.45	28.5	-1.00	-1.00
90212	35.0	35.7	.7	-1	4L12	52	-1.00	8.47	3.38	5.09	56.6	-1.00	-1.00
0	35.7	53.8	18.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90213	53.8	54.7	.9	89	4E4	5	-1.00	20.11	7.39	12.72	128.2	-1.00	-1.00
90214	54.7	56.1	1.4	100	4A13	2	-1.00	7.00	3.00	4.00	44.2	-1.00	-1.00
0	56.1	73.2	17.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU008 Section:
 Northing: 6334.7 Easting: 2736.3 Elevation: 1145.3
 Length: 50.2 Core: NQ Record: 250

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	24.8	24.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6249	24.8	27.0	2.2	100	4A1	2	3.05	2.07	.69	1.38	17.0	7.97	-1.00
6250	27.0	29.2	2.2	77	4A1	2	3.55	1.93	.65	1.28	15.0	7.51	-1.00
6251	29.2	31.2	2.0	45	4A1	2	3.18	2.99	.99	2.00	24.0	14.00	-1.00
6252	31.2	33.4	2.2	100	4L14	52	3.33	4.86	1.79	3.07	26.0	8.59	-1.00
6253	33.4	35.5	2.1	100	4L14	52	3.02	5.29	2.04	3.25	31.0	7.75	-1.00
6254	35.5	36.5	1.0	100	4A14	2	3.02	10.36	3.46	6.90	58.0	5.78	-1.00
6255	36.5	38.7	2.2	100	4L14	52	2.95	6.06	1.70	4.36	37.0	4.05	-1.00
6256	38.7	40.8	2.1	100	4L14	52	2.99	5.97	1.99	3.98	38.0	6.62	-1.00
6257	40.8	42.3	1.5	93	4E4	5	4.85	20.77	7.10	13.67	112.0	30.40	-1.00
6258	42.3	43.9	1.6	100	4E4	5	4.11	18.94	6.18	12.76	104.0	22.70	-1.00
0	43.9	50.2	6.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU009 Section:
 Northing: 6334.1 Easting: 2763.2 Elevation: 1141.4
 Length: 64.0 Core: NQ Record: 251

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	2.3	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6648	2.3	3.2	.9	89	4D0	3	3.55	5.14	1.03	4.11	23.0	20.38	-1.00
0	3.2	4.5	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6649	4.5	6.1	1.6	100	4A14	2	3.32	6.64	3.14	3.50	48.0	13.46	-1.00
6650	6.1	7.7	1.6	100	4A14	2	3.60	5.64	1.71	3.93	34.0	22.96	-1.00
6701	7.7	9.4	1.7	100	4A14	2	3.79	8.22	4.67	3.55	54.0	21.56	-1.00
6702	9.4	11.5	2.1	81	4A14	2	3.82	9.08	5.64	3.44	59.0	19.85	-1.00
6703	11.5	13.6	2.1	81	4A14	2	3.61	10.18	3.34	6.84	44.0	18.11	-1.00
6704	13.6	15.6	2.0	100	4A14	2	3.87	9.23	3.79	5.44	55.0	23.94	-1.00
6705	15.6	16.8	1.2	100	4A4	2	3.16	6.08	2.09	3.99	37.0	9.73	-1.00
6706	16.8	18.0	1.2	100	4A4	2	3.25	10.25	3.21	7.04	52.0	9.42	-1.00
0	18.0	18.9	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6707	18.9	19.5	.6	100	4L14	52	3.14	6.03	1.72	4.31	26.0	9.38	-1.00
0	19.5	22.3	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6708	22.3	23.7	1.4	100	4A1	2	3.01	3.49	.74	2.75	18.0	7.61	-1.00
6709	23.7	25.0	1.3	100	4A14	2	3.25	13.75	4.17	9.58	71.0	8.63	-1.00
6710	25.0	25.6	.6	100	4E14	5	3.94	24.66	7.36	17.30	113.0	16.32	-1.00
6711	25.6	27.1	1.5	100	4A14	2	3.74	21.50	9.20	12.30	126.0	15.81	-1.00
0	27.1	29.0	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6712	29.0	29.7	.7	100	4A14	2	3.61	12.50	5.50	7.00	116.0	16.72	-1.00
6713	29.7	31.0	1.3	92	4E1*	5	4.11	23.90	7.20	16.70	207.0	19.01	-1.00
90077	31.0	32.0	1.0	50	3G46	20	-1.00	4.10	2.10	2.00	35.3	-1.00	-1.00
90078	32.0	33.0	1.0	100	4L4	52	-1.00	5.18	2.20	2.98	34.3	-1.00	-1.00
0	33.0	35.2	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6714	35.2	36.7	1.5	93	4A34	2	3.45	8.80	3.20	5.60	44.0	15.95	-1.00
0	36.7	38.1	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90079	38.1	39.5	1.4	-1	3G4	20	-1.00	1.43	.33	1.10	4.1	-1.00	-1.00
6715	39.5	40.2	.7	100	4D4	3	3.68	11.00	4.10	6.90	73.0	18.98	-1.00
6716	40.2	41.7	1.5	67	4E14	5	4.03	20.80	7.90	12.90	115.0	20.78	-1.00
6717	41.7	42.5	.8	100	4E64	5	4.55	18.60	6.70	11.90	120.0	24.03	-1.00
6718	42.5	44.0	1.5	47	4D4	3	3.93	20.30	8.40	11.90	161.0	19.05	-1.00
6719	44.0	45.5	1.5	100	4D4	3	3.94	13.70	4.60	9.10	93.0	22.53	-1.00
6720	45.5	47.4	1.9	26	4E4	5	3.17	12.90	4.80	8.10	97.0	32.50	-1.00
6721	47.4	49.3	1.9	100	4E4	5	4.69	13.50	5.40	8.10	67.0	34.31	-1.00
6722	49.3	51.2	1.9	100	4E4	5	4.75	14.90	6.00	8.90	90.0	32.59	-1.00
6723	51.2	53.3	2.1	95	4A14	2	3.74	5.67	1.87	3.80	28.0	20.03	-1.00
0	53.3	64.0	10.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU010 Section:
 Northing: 6334.1 Easting: 2763.2 Elevation: 1145.3
 Length: 64.0 Core: NQ Record: 252

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.0	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6361	1.0	2.3	1.3	85	4D4	3	3.08	12.70	3.90	8.80	86.0	4.10	-1.00
6362	2.3	3.9	1.6	56	4A14	2	2.97	6.70	2.10	4.60	46.0	3.48	-1.00
6363	3.9	6.1	2.2	82	4L14	52	3.05	11.30	3.30	8.00	67.0	3.86	-1.00
6364	6.1	8.3	2.2	91	4L14	52	3.09	10.40	3.00	7.40	54.0	5.98	-1.00
6365	8.3	10.3	2.0	75	4L14	52	3.07	9.00	3.90	5.10	71.0	6.06	-1.00
6366	10.3	12.2	1.9	68	4LD4	52	3.37	20.60	8.70	11.90	166.0	5.77	-1.00
6367	12.2	12.8	.6	100	4L0	52	4.07	.50	.28	.22	5.0	5.46	-1.00
6368	12.8	14.4	1.6	56	5B19	40	3.20	3.78	.88	2.90	14.0	2.25	-1.00
6369	14.4	16.1	1.7	76	5B19	40	2.88	1.55	.41	1.14	7.0	4.75	-1.00
6370	16.1	18.1	2.0	60	4A1	2	2.97	3.02	1.00	2.02	14.0	6.65	-1.00
0	18.1	38.2	20.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6371	38.2	39.6	1.4	43	4L14	52	3.14	7.00	2.40	4.60	35.0	10.20	-1.00
0	39.6	40.8	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6372	40.8	42.9	2.1	62	4A4	2	3.34	12.80	5.10	7.70	83.0	13.80	-1.00
6373	42.9	44.4	1.5	73	4L14	52	2.95	8.70	2.90	5.80	49.0	4.10	-1.00
0	44.4	50.4	6.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6374	50.4	52.5	2.1	95	4L1	52	3.74	2.62	.99	1.63	19.0	7.05	-1.00
0	52.5	53.4	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6375	53.4	55.4	2.0	100	4A14	2	3.28	6.90	2.60	4.30	47.0	8.60	-1.00
6376	55.4	56.5	1.1	100	4A14	2	3.17	12.00	3.80	8.20	69.0	7.48	-1.00
6377	56.5	57.1	.6	100	4E12	5	4.13	22.10	7.80	14.30	133.0	19.40	-1.00
0	57.1	64.0	6.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU011 Section:
 Northing: 6328.8 Easting: 2790.3 Elevation: 1143.1
 Length: 24.3 Core: NQ Record: 253

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	.4	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6510	.4	1.7	1.3	69	4D45	3	3.40	13.09	3.67	9.42	70.0	14.70	-1.00
6511	1.7	3.0	1.3	54	4D45	3	3.28	9.10	2.87	6.23	47.0	13.50	-1.00
0	3.0	5.3	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6512	5.3	6.7	1.4	100	4E*4	5	4.20	21.58	3.98	17.60	83.0	23.90	-1.00
6513	6.7	8.0	1.3	100	4E*4	5	4.48	29.43	6.93	22.50	143.0	23.30	-1.00
6514	8.0	9.3	1.3	92	4K4	6	4.03	11.47	2.75	8.72	67.0	24.90	-1.00
0	9.3	24.3	15.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU012 Section:
 Northing: 6330.5 Easting: 2656.3 Elevation: 1142.3
 Length: 79.7 Core: NQ Record: 254

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	15.8	15.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6559	15.8	17.4	1.6	94	4E4	5	4.49	16.73	5.63	11.10	90.0	28.40	-1.00
6560	17.4	19.1	1.7	94	4E4	5	4.50	11.53	4.57	6.96	86.0	30.40	-1.00
6561	19.1	20.7	1.6	100	4E4	5	4.58	13.06	5.52	7.54	100.0	30.90	-1.00
6562	20.7	22.3	1.6	94	5C4*	44	3.19	3.97	.60	3.37	21.0	14.90	-1.00
6563	22.3	23.6	1.3	100	4E4	5	4.78	11.02	4.49	6.53	84.0	34.30	-1.00
6564	23.6	25.0	1.4	93	4E4	5	4.77	15.91	5.41	10.50	95.0	29.90	-1.00
6565	25.0	26.2	1.2	100	4G4	7	4.63	14.56	5.10	9.46	80.0	14.90	-1.00
6566	26.2	26.8	.6	83	4E4	5	4.70	8.57	3.92	4.65	57.0	33.90	-1.00
6567	26.8	27.3	.5	100	4G0	7	3.99	5.06	1.36	3.70	23.0	15.40	-1.00
6568	27.3	28.8	1.5	100	4E4	5	4.42	9.55	3.57	5.98	68.0	28.40	-1.00
0	28.8	55.1	26.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6569	55.1	56.4	1.3	100	4D4	3	3.75	12.29	6.59	5.70	133.0	21.00	-1.00
6570	56.4	57.6	1.2	100	4D4	3	3.80	15.94	5.64	10.30	100.0	19.97	-1.00
6571	57.6	58.7	1.1	100	4E41	5	4.32	16.91	6.01	10.90	90.0	26.20	-1.00
6572	58.7	59.9	1.2	100	4E41	5	4.14	11.80	4.18	7.62	69.0	26.80	-1.00
6573	59.9	61.0	1.1	91	4C0	3	3.58	1.35	.54	.81	16.0	24.43	-1.00
6574	61.0	62.5	1.5	87	4C5	3	4.50	2.16	1.25	.91	31.0	20.40	-1.00
6575	62.5	63.9	1.4	86	4C5	3	4.03	.42	.12	.30	10.0	23.30	-1.00
6576	63.9	65.5	1.6	63	4D0	3	3.16	6.32	2.61	3.71	56.0	24.00	-1.00
6577	65.5	66.9	1.4	43	4D4	3	4.55	11.51	5.15	6.36	78.0	19.60	-1.00
6578	66.9	70.1	3.2	38	4C0	3	3.92	1.83	.48	1.35	18.0	23.30	-1.00
6579	70.1	73.0	2.9	59	4C0	3	3.39	1.43	.18	1.25	13.0	28.70	-1.00
6580	73.0	74.9	1.9	42	4C0	3	3.73	3.86	1.57	2.29	39.0	25.10	-1.00
6581	74.9	75.9	1.0	50	4D*	3	3.49	8.05	.27	7.78	12.0	22.80	-1.00
6582	75.9	77.7	1.8	100	4C0	3	3.25	2.76	.36	2.40	20.0	21.70	-1.00
6583	77.7	79.8	2.1	86	4C0	3	2.97	2.23	.37	1.86	21.0	19.70	-1.00

Drill Hole: AGU013 Section:
 Northing: 6330.5 Easting: 2655.7 Elevation: 1142.3
 Length: 182.9 Core: NQ Record: 255

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	16.8	16.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6423	16.8	18.3	1.5	100	4E4	5	4.21	9.66	4.01	5.65	61.0	30.10	-1.00
6424	18.3	19.4	1.1	100	4E4\$	5	4.56	7.40	6.14	1.26	117.0	26.70	-1.00
6425	19.4	21.3	1.9	100	4E4	5	4.62	15.62	7.06	8.56	121.0	30.50	-1.00
6426	21.3	23.1	1.8	100	4E4	5	4.51	8.32	3.79	4.53	70.0	33.80	-1.00
6427	23.1	24.9	1.8	100	4E4	5	4.65	10.10	4.06	6.04	61.0	34.40	-1.00
6428	24.9	25.9	1.0	80	4G4\$	7	4.21	12.52	4.95	7.57	99.0	25.40	-1.00
6429	25.9	27.5	1.6	37	4E41	5	4.08	28.50	10.30	18.20	141.0	18.50	-1.00
0	27.5	55.4	27.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6430	55.4	57.2	1.8	100	4D45	3	3.61	14.13	5.67	8.46	86.0	16.50	-1.00
6431	57.2	59.5	2.3	87	4D45	3	3.66	10.41	4.30	6.11	73.0	22.20	-1.00
6432	59.5	60.4	.9	67	4A0	2	2.92	4.73	1.34	3.39	21.0	5.32	-1.00
6433	60.4	62.5	2.1	71	4D5	3	3.59	8.70	4.79	3.91	74.0	21.20	-1.00
6434	62.5	64.4	1.9	95	4C5	3	3.62	1.58	.89	.69	18.0	25.90	-1.00
6435	64.4	66.3	1.9	100	4C5	3	3.53	1.89	.93	.96	21.0	24.50	-1.00
6436	66.3	68.6	2.3	70	4C5	3	3.40	1.54	.15	1.39	7.0	22.30	-1.00
6437	68.6	71.6	3.0	73	4D5	3	3.45	6.04	2.76	3.28	42.0	20.70	-1.00
0	71.6	77.4	5.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6438	77.4	78.6	1.2	75	4E41	5	-1.00	29.60	11.30	18.30	162.0	-1.00	-1.00
0	78.6	148.4	69.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6439	148.4	149.0	.6	100	4A0	2	2.83	1.02	.42	.60	10.0	6.50	-1.00
6440	149.0	150.6	1.6	100	4C0	3	3.79	1.87	1.01	.86	21.0	27.77	-1.00
6441	150.6	152.5	1.9	100	4A0	2	2.98	1.61	.77	.84	10.0	9.54	-1.00
6442	152.5	153.9	1.4	100	4C2	3	3.16	2.71	1.35	1.36	15.0	14.80	-1.00
6443	153.9	157.2	3.3	33	4A0	2	3.04	1.59	.78	.81	9.0	10.10	-1.00
6444	157.2	158.6	1.4	57	4EL4	5	3.58	5.22	2.59	2.63	30.0	24.10	-1.00
6445	158.6	161.1	2.5	100	4G8#	7	4.34	7.71	4.04	3.67	49.0	32.70	-1.00
6446	161.1	161.5	.4	100	4E47	5	4.29	8.01	4.40	3.61	56.0	35.30	-1.00
0	161.5	178.0	16.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6447	178.0	179.8	1.8	100	4E8*	5	4.21	2.42	1.56	.86	33.0	34.50	-1.00
6448	179.8	181.3	1.5	100	4E8*	5	4.14	3.11	2.66	.45	46.0	32.90	-1.00
6449	181.3	182.9	1.6	100	4E8*	5	4.00	1.72	1.36	.36	32.0	32.02	-1.00

Drill Hole: AGU014 Section:
 Northing: 6328.3 Easting: 2657.0 Elevation: 1147.1
 Length: 51.8 Core: NQ Record: 256

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	19.4	19.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6136	19.4	21.2	1.8	100	4ED4	5	4.52	13.01	7.56	5.45	105.0	31.26	-1.00
6137	21.2	21.9	.7	100	4C*	3	4.21	1.06	.56	.50	33.0	28.14	-1.00
6138	21.9	23.7	1.8	100	4E*	5	4.46	.51	.35	.16	31.0	37.62	-1.00
6139	23.7	24.9	1.2	100	4G#4	7	4.35	10.37	5.01	5.36	80.0	29.70	-1.00
0	24.9	25.5	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6140	25.5	26.5	1.0	100	4E0	5	4.51	.88	.52	.36	30.0	39.96	-1.00
6141	26.5	28.7	2.2	100	4G84	7	4.59	12.28	5.95	6.33	92.0	20.95	-1.00
6142	28.7	29.5	.8	100	4G4	7	4.70	17.59	10.17	7.42	150.0	22.20	-1.00
6143	29.5	30.5	1.0	70	4C0	3	3.33	3.18	1.44	1.74	22.0	15.20	-1.00
6144	30.5	32.3	1.8	44	4C0	3	3.86	3.10	1.40	1.70	20.0	34.03	-1.00
0	32.3	35.3	3.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6145	35.3	36.1	.8	100	4L2	52	3.37	3.41	1.80	1.61	27.0	18.14	-1.00
6146	36.1	37.3	1.2	100	4C8	3	3.42	3.37	1.48	1.89	22.0	20.55	-1.00
6147	37.3	38.7	1.4	100	4G48	7	4.65	14.86	7.68	7.18	117.0	9.54	-1.00
6148	38.7	40.7	2.0	100	4G48	7	4.57	13.95	6.36	7.59	105.0	8.49	-1.00
6149	40.7	42.7	2.0	100	4G48	7	4.58	14.39	6.42	7.97	111.0	5.50	-1.00
6150	42.7	44.7	2.0	100	4G48	7	4.58	13.56	6.22	7.34	94.0	13.02	-1.00
6151	44.7	45.2	.5	100	4C6	3	3.86	4.35	2.53	1.82	45.0	31.50	-1.00
0	45.2	51.8	6.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU015 Section:
 Northing: 6393.2 Easting: 2621.8 Elevation: 1155.6
 Length: 185.9 Core: NQ Record: 257

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	19.9	19.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6919	19.9	24.4	4.5	29	4E4	5	4.54	7.30	4.50	2.80	65.0	35.52	-1.00
6920	24.4	26.7	2.3	83	4E4	5	4.67	5.70	3.00	2.70	64.0	38.38	-1.00
6921	26.7	27.6	.9	78	4GE#	7	4.89	12.70	6.50	6.20	86.0	26.17	-1.00
6922	27.6	28.1	.5	80	4E48	5	4.86	13.90	7.60	6.30	105.0	31.40	-1.00
6923	28.1	29.1	1.0	90	4GE	7	4.67	18.40	11.40	7.00	158.0	26.12	-1.00
6924	29.1	30.5	1.4	71	4L74	52	3.69	5.80	3.00	2.80	39.0	24.68	-1.00
0	30.5	67.1	36.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6925	67.1	67.9	.8	100	4D4	3	4.11	13.40	5.30	8.10	97.0	24.03	-1.00
6926	67.9	68.6	.7	100	4L52	52	3.21	1.93	.55	1.38	9.0	14.07	-1.00
6927	68.6	70.4	1.8	44	4G4	7	4.76	18.00	7.10	10.90	130.0	26.56	-1.00
6928	70.4	71.2	.8	75	4D4	3	3.66	15.70	6.60	9.10	125.0	33.13	-1.00
0	71.2	108.2	37.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6929	108.2	112.8	4.6	37	4D43	3	3.98	14.40	6.50	7.90	119.0	21.86	-1.00
6930	112.8	114.0	1.2	100	4E1	5	4.43	4.25	1.65	2.60	43.0	36.04	-1.00
6931	114.0	114.9	.9	67	4D4	3	3.82	12.10	4.30	7.80	74.0	18.85	-1.00
6932	114.9	116.9	2.0	90	4E1	5	5.01	5.00	2.20	2.80	43.0	36.41	-1.00
6933	116.9	118.3	1.4	93	4C0	3	4.54	5.10	2.30	2.80	46.0	34.68	-1.00
6934	118.3	120.0	1.7	82	4D0	3	4.21	9.40	3.00	6.40	56.0	28.91	-1.00
6935	120.0	121.2	1.2	100	4D53	3	3.80	8.30	3.40	4.90	66.0	19.06	-1.00
6936	121.2	123.6	2.4	67	4C0	3	3.93	3.17	1.60	1.57	30.0	27.33	-1.00
6937	123.6	125.9	2.3	78	4D0	3	3.99	9.10	3.00	6.10	56.0	24.39	-1.00
6938	125.9	127.7	1.8	89	4C0	3	3.53	4.79	1.39	3.40	30.0	20.85	-1.00
0	127.7	171.7	44.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6939	171.7	172.2	.5	80	4K0	6	4.47	1.03	.50	.53	23.0	38.92	-1.00
6940	172.2	173.9	1.7	82	4D*8	3	3.65	5.70	2.80	2.90	39.0	19.51	-1.00
6941	173.9	175.7	1.8	89	4D*8	3	3.94	8.90	4.80	4.10	55.0	23.16	-1.00
6942	175.7	177.9	2.2	91	4E86	5	4.38	5.40	2.50	2.90	44.0	34.62	-1.00
6943	177.9	179.8	1.9	100	4D0	3	3.89	6.10	2.90	3.20	41.0	25.68	-1.00
6944	179.8	181.4	1.6	100	4D0	3	3.94	5.80	3.00	2.80	41.0	27.29	-1.00
6945	181.4	182.9	1.5	100	4LE	52	3.45	5.10	3.00	2.10	38.0	17.89	-1.00
6946	182.9	184.0	1.1	91	4LE	52	3.85	4.60	2.50	2.10	42.0	27.06	-1.00
6947	184.0	184.8	.8	100	4A0	2	2.99	1.57	.54	1.03	20.0	7.68	-1.00
6948	184.8	185.9	1.1	100	4GEL	7	3.71	26.60	8.70	17.90	36.0	26.69	-1.00

Drill Hole: AGU016 Section:
 Northing: 6330.5 Easting: 2713.1 Elevation: 1141.2
 Length: 106.7 Core: NQ Record: 258

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	43.2	43.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6639	43.2	43.8	.6	100	4A1	2	-1.00	3.18	.60	2.58	13.0	-1.00	-1.00
0	43.8	58.9	15.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6640	58.9	59.9	1.0	100	4A0	2	-1.00	.68	.24	.44	15.0	-1.00	-1.00
6641	59.9	60.3	.4	100	4H4	8	4.04	28.17	9.57	18.60	122.0	20.10	-1.00
90080	60.3	61.1	.8	100	10Q0	60	-1.00	1.80	.75	1.05	17.1	-1.00	-1.00
6642	61.1	63.0	1.9	100	4E*4	5	4.48	19.41	6.81	12.60	116.0	28.97	-1.00
6643	63.0	63.9	.9	100	4G4	7	4.39	20.80	6.40	14.40	128.0	25.93	-1.00
6644	63.9	65.1	1.2	100	4K4	6	4.16	11.22	2.47	8.75	54.0	28.58	-1.00
6645	65.1	66.3	1.2	58	4KD	6	4.19	6.54	1.46	5.08	52.0	30.57	-1.00
6646	66.3	66.7	.4	100	4A34	2	3.63	14.69	4.49	10.20	65.0	17.55	-1.00
6647	66.7	68.7	2.0	100	4A13	2	3.21	1.63	.63	1.00	18.0	15.85	-1.00
0	68.7	106.7	38.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU017 Section:
 Northing: 6331.0 Easting: 2713.3 Elevation: 1141.2
 Length: 125.0 Core: NQ Record: 259

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	35.8	35.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6752	35.8	36.6	.8	100	4A1	2	3.27	4.45	1.65	2.80	39.0	15.22	-1.00
6753	36.6	38.3	1.7	82	4E4	5	4.65	11.00	3.60	7.40	85.0	35.81	-1.00
6754	38.3	39.8	1.5	93	4E4	5	4.66	7.30	2.80	4.50	57.0	39.36	-1.00
6755	39.8	41.1	1.3	100	4E46	5	4.76	8.80	3.40	5.40	67.0	38.07	-1.00
6756	41.1	42.3	1.2	100	4E46	5	4.58	20.20	7.00	13.20	130.0	28.11	-1.00
6757	42.3	43.3	1.0	100	4D45	3	3.36	11.20	4.00	7.20	76.0	12.53	-1.00
6758	43.3	44.1	.8	88	4G4	7	4.46	11.60	4.00	7.60	91.0	31.45	-1.00
6759	44.1	44.6	.5	100	4K0	6	3.84	1.62	.64	.98	40.0	28.20	-1.00
6760	44.6	45.0	.4	100	4E46	5	4.44	15.30	4.90	10.40	88.0	28.61	-1.00
6761	45.0	45.5	.5	80	4K4	6	4.20	8.60	2.40	6.20	51.0	30.38	-1.00
6762	45.5	46.3	.8	75	4E6#	5	4.35	12.20	4.10	8.10	87.0	28.06	-1.00
6763	46.3	47.3	1.0	100	4G4	7	4.80	10.20	3.40	6.80	96.0	20.68	-1.00
6764	47.3	48.5	1.2	83	4E4	5	4.87	9.20	4.40	4.80	71.0	37.25	-1.00
6765	48.5	50.9	2.4	100	4G4	7	4.61	21.40	7.40	14.00	131.0	24.84	-1.00
6766	50.9	52.9	2.0	100	4A0	2	3.31	3.87	1.47	2.40	35.0	14.50	-1.00
6767	52.9	54.9	2.0	100	4A4	2	3.44	6.80	2.80	4.00	50.0	12.54	-1.00
6768	54.9	56.5	1.6	13	4A0	2	3.17	1.81	.61	1.20	18.0	10.51	-1.00
0	56.5	68.2	11.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6769	68.2	69.8	1.6	94	4A1	2	-1.00	1.96	.69	1.27	15.0	-1.00	-1.00
6770	69.8	71.3	1.5	100	4A1	2	-1.00	2.47	.95	1.52	19.0	-1.00	-1.00
0	71.3	73.4	2.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6771	73.4	74.7	1.3	100	4L12	52	-1.00	1.46	.51	.95	12.0	-1.00	-1.00
0	74.7	81.7	7.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6772	81.7	83.4	1.7	94	4A1	2	-1.00	.19	.08	.11	8.0	-1.00	-1.00
0	83.4	93.7	10.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6773	93.7	95.4	1.7	88	4A1	2	-1.00	.64	.13	.51	7.0	-1.00	-1.00
0	95.4	102.4	7.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6774	102.4	103.6	1.2	92	4A1	2	-1.00	.34	.07	.27	13.0	-1.00	-1.00
0	103.6	108.0	4.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6775	108.0	108.5	.5	100	4E1	5	-1.00	1.20	.07	1.13	15.0	-1.00	-1.00
6776	108.5	110.4	1.9	84	4A1	2	-1.00	.58	.07	.51	9.0	-1.00	-1.00
0	110.4	114.0	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6777	114.0	116.1	2.1	100	4E1	5	4.55	2.92	1.34	1.58	35.0	37.94	-1.00
0	116.1	117.7	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6778	117.7	118.3	.6	100	4D45	3	3.92	17.20	5.70	11.50	91.0	19.44	-1.00
6779	118.3	118.7	.4	100	4A41	2	3.39	9.20	3.30	5.90	47.0	13.56	-1.00
6780	118.7	119.2	.5	100	4L0	52	2.96	.69	.12	.57	2.0	6.93	-1.00
6781	119.2	119.9	.7	100	4D4	3	3.49	11.00	3.40	7.60	52.0	13.04	-1.00
0	119.9	125.0	5.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU018 Section:
 Northing: 6330.5 Easting: 2656.3 Elevation: 1142.4
 Length: 88.4 Core: NQ Record: 260

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	14.3	14.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6605	14.3	16.0	1.7	88	4E4	5	4.56	26.85	9.45	17.40	152.0	24.10	-1.00
6606	16.0	16.8	.8	63	4D45	3	4.31	14.40	5.34	9.06	91.0	15.70	-1.00
6607	16.8	18.8	2.0	100	4E4	5	4.83	27.50	11.70	15.80	142.0	28.00	-1.00
6608	18.8	20.7	1.9	100	4E4	5	4.80	19.21	7.01	12.20	94.0	29.10	-1.00
6609	20.7	22.9	2.2	95	4E4	5	4.74	18.35	5.65	12.70	92.0	29.20	-1.00
6610	22.9	24.1	1.2	100	4E4	5	4.61	16.16	4.96	11.20	74.0	32.97	-1.00
6611	24.1	25.6	1.5	100	4E4	5	4.42	11.10	4.24	6.86	88.0	27.80	-1.00
6612	25.6	26.1	.5	100	5C4\$	44	3.08	1.59	.40	1.19	11.0	10.00	-1.00
6613	26.1	27.5	1.4	100	4E0	5	4.00	4.55	1.70	2.85	47.0	30.00	-1.00
6614	27.5	29.6	2.1	90	4E51	5	3.91	7.65	2.66	4.99	47.0	22.40	-1.00
6615	29.6	31.6	2.0	100	4E4	5	4.79	15.88	4.68	11.20	70.0	35.65	-1.00
6616	31.6	33.5	1.9	79	4E4	5	4.77	25.13	8.03	17.10	115.0	28.03	-1.00
6617	33.5	35.6	2.1	81	4E4	5	4.63	11.55	3.63	7.92	69.0	37.38	-1.00
6618	35.6	36.6	1.0	100	4E4	5	4.63	8.75	2.80	5.95	65.0	37.89	-1.00
6619	36.6	38.5	1.9	84	4E4	5	4.57	11.56	4.13	7.43	80.0	35.29	-1.00
0	38.5	51.8	13.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6620	51.8	53.3	1.5	100	4E46	5	4.07	6.67	2.08	4.59	70.0	22.69	-1.00
0	53.3	57.6	4.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90217	57.6	58.1	.5	-1	4L0	52	-1.00	1.80	.75	1.05	17.1	-1.00	-1.00
6621	58.1	59.6	1.5	100	4G#	7	4.56	7.41	1.95	5.46	42.0	13.59	-1.00
6622	59.6	61.0	1.4	86	4D0	3	3.76	5.62	2.07	3.55	52.0	23.27	-1.00
6623	61.0	62.5	1.5	100	4A34	2	3.59	5.47	1.79	3.68	38.0	23.40	-1.00
6624	62.5	64.0	1.5	100	4D0	3	3.46	6.92	1.91	5.01	49.0	15.37	-1.00
6625	64.0	65.5	1.5	100	4D0	3	3.43	5.53	1.80	3.73	51.0	15.54	-1.00
6626	65.5	66.3	.8	100	4D4	3	3.70	24.49	7.09	17.40	98.0	10.02	-1.00
6627	66.3	67.6	1.3	100	4D0	3	3.66	7.76	2.04	5.72	49.0	18.46	-1.00
6628	67.6	69.3	1.7	100	4G4*	7	4.07	15.40	4.50	10.90	76.0	16.54	-1.00
6629	69.3	70.2	.9	100	4G*	7	3.53	9.77	3.00	6.77	68.0	16.89	-1.00
6630	70.2	72.4	2.2	100	4G4*	7	3.82	13.31	3.81	9.50	69.0	17.81	-1.00
6631	72.4	74.7	2.3	96	4E4	5	4.70	9.66	3.84	5.82	63.0	36.36	-1.00
6632	74.7	76.8	2.1	100	4E0	5	4.61	3.80	1.33	2.47	39.0	38.62	-1.00
6633	76.8	79.2	2.4	100	4E4	5	4.65	9.99	3.70	6.29	77.0	36.14	-1.00
6634	79.2	79.9	.7	86	4A4	2	3.41	17.78	6.28	11.50	105.0	10.29	-1.00
90218	79.9	80.4	.5	-1	4A14	2	-1.00	7.30	3.30	4.00	45.3	-1.00	-1.00
6635	80.4	82.3	1.9	100	4A1	2	-1.00	1.34	.46	.88	16.0	-1.00	-1.00
6636	82.3	84.2	1.9	100	4A1	2	-1.00	1.71	.72	.99	19.0	-1.00	-1.00
6637	84.2	86.3	2.1	100	4A1	2	-1.00	.21	.07	.14	20.0	-1.00	-1.00
6638	86.3	88.4	2.1	100	4A1	2	-1.00	.37	.10	.27	18.0	-1.00	-1.00

Drill Hole: AGU019 Section:
 Northing: 6330.6 Easting: 2653.6 Elevation: 1144.7
 Length: 59.4 Core: NQ Record: 261

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	20.3	20.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6114	20.3	21.3	1.0	80	4E9*	5	4.59	7.78	4.55	3.23	75.0	34.80	-1.00
6115	21.3	22.9	1.6	50	4C*	3	3.79	3.10	1.60	1.50	39.0	26.57	-1.00
0	22.9	29.3	6.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6116	29.3	30.5	1.2	100	4C0	3	3.47	3.62	1.74	1.88	33.0	16.99	-1.00
6117	30.5	31.2	.7	100	4G*	7	4.48	9.62	4.24	5.38	78.0	27.62	-1.00
6118	31.2	33.4	2.2	100	4E8	5	4.59	4.02	2.33	1.69	47.0	33.66	-1.00
6119	33.4	34.8	1.4	93	4E48	5	4.66	10.50	5.39	5.11	91.0	21.57	-1.00
6120	34.8	36.6	1.8	100	4G48	7	4.62	13.02	6.60	6.42	106.0	25.42	-1.00
6121	36.6	38.2	1.6	87	4G48	7	4.33	17.32	8.37	8.95	140.0	11.37	-1.00
6122	38.2	39.1	.9	100	4G2	7	4.01	5.58	3.64	1.94	54.0	27.82	-1.00
6123	39.1	40.6	1.5	93	4G2	7	4.26	8.76	4.51	4.25	68.0	27.62	-1.00
6124	40.6	42.6	2.0	100	4G4	7	4.57	14.69	7.83	6.86	126.0	8.92	-1.00
6125	42.6	44.6	2.0	100	4G4	7	4.69	15.13	6.84	8.29	127.0	11.89	-1.00
6126	44.6	46.6	2.0	95	4G4	7	4.48	12.66	5.30	7.36	90.0	13.14	-1.00
6127	46.6	48.5	1.9	100	4E48	5	3.82	9.35	5.22	4.13	75.0	32.82	-1.00
6128	48.5	49.0	.5	100	4EL	5	3.65	4.67	2.60	2.07	39.0	23.45	-1.00
0	49.0	59.4	10.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU020 Section:
 Northing: 6330.5 Easting: 2655.0 Elevation: 1142.3
 Length: 74.7 Core: NQ Record: 262

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	18.3	18.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6450	18.3	20.6	2.3	100	4G4	7	4.27	21.67	7.87	13.80	150.0	21.90	-1.00
6451	20.6	21.1	.5	100	5C4	44	3.16	2.79	1.06	1.73	15.0	12.20	-1.00
6452	21.1	23.0	1.9	95	4G4	7	4.30	18.83	7.23	11.60	123.0	23.90	-1.00
0	23.0	38.1	15.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6453	38.1	41.6	3.5	60	4A1	2	-1.00	2.05	.79	1.26	14.0	-1.00	-1.00
6454	41.6	45.0	3.4	53	4A1	2	-1.00	1.55	.60	.95	17.0	-1.00	-1.00
6455	45.0	47.2	2.2	77	4A1	2	-1.00	1.60	.82	.78	22.0	-1.00	-1.00
6456	47.2	48.7	1.5	73	4A0	2	-1.00	1.61	.73	.88	19.0	-1.00	-1.00
0	48.7	59.4	10.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6457	59.4	60.3	.9	89	4D4	3	-1.00	12.47	5.34	7.13	88.0	-1.00	-1.00
0	60.3	71.3	11.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6458	71.3	72.8	1.5	100	4CDJ	3	-1.00	12.97	5.94	7.03	97.0	-1.00	-1.00
0	72.8	74.7	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU021 Section:
 Northing: 6331.5 Easting: 2698.0 Elevation: 1145.0
 Length: 76.2 Core: NQ Record: 263

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.8	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6178	1.8	3.9	2.1	100	4A14	2	3.01	6.83	2.93	3.90	37.0	5.25	-1.00
6179	3.9	5.9	2.0	100	4A14	2	3.19	11.74	6.00	5.74	71.0	6.45	-1.00
6180	5.9	7.9	2.0	100	4A14	2	3.14	12.28	5.35	6.93	64.0	4.98	-1.00
6181	7.9	9.9	2.0	100	4A14	2	3.14	13.35	4.99	8.36	63.0	4.37	-1.00
6182	9.9	11.9	2.0	100	4A14	2	3.14	9.14	3.19	5.95	42.0	4.50	-1.00
6183	11.9	12.3	.4	100	4E24	5	4.18	37.56	16.26	21.30	242.0	12.55	-1.00
6184	12.3	13.5	1.2	100	4D54	3	3.58	19.47	7.53	11.94	114.0	11.46	-1.00
6185	13.5	14.8	1.3	100	4A4	2	3.24	7.47	2.57	4.90	40.0	11.82	-1.00
6186	14.8	15.9	1.1	100	4E4	5	4.00	28.16	9.22	18.94	153.0	19.29	-1.00
0	15.9	36.4	20.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6187	36.4	38.0	1.6	100	4L2	52	3.06	1.34	.54	.80	6.0	9.84	-1.00
6188	38.0	39.6	1.6	100	4L2	52	3.20	1.13	.58	.55	7.0	12.11	-1.00
6189	39.6	41.8	2.2	100	4G4#	7	4.72	14.44	7.56	6.88	105.0	20.69	-1.00
6190	41.8	43.0	1.2	100	4E6#4	5	4.60	17.19	11.21	5.98	113.0	25.82	-1.00
6191	43.0	44.5	1.5	100	4L24	52	3.41	3.32	1.99	1.33	24.0	17.06	-1.00
6192	44.5	45.5	1.0	100	4G#1	7	4.14	6.20	3.80	2.40	46.0	32.86	-1.00
6193	45.5	45.9	.4	100	4L14	52	3.28	2.72	1.57	1.15	19.0	14.97	-1.00
0	45.9	76.2	30.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU022 Section:
 Northing: 6331.5 Easting: 2702.8 Elevation: 1141.1
 Length: 99.0 Core: NQ Record: 264

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
6801	.0	.4	.4	100	4C0	3	3.03	3.43	1.41	2.02	21.0	8.00	-1.00
6802	.4	3.0	2.6	62	4A1	2	3.14	2.32	1.95	.37	34.0	10.22	-1.00
90219	3.0	4.6	1.6	100	4A1	2	-1.00	3.66	1.63	2.03	24.3	-1.00	-1.00
6803	4.6	5.5	.9	100	4A1	2	3.17	2.15	1.76	.39	32.0	10.65	-1.00
6804	5.5	7.2	1.7	100	4C0	3	2.98	3.16	1.49	1.67	20.0	7.03	-1.00
6805	7.2	9.1	1.9	100	4A1	2	2.99	3.72	1.91	1.81	29.0	6.19	-1.00
6806	9.1	10.7	1.6	100	4A1	2	2.94	3.16	1.99	1.17	24.0	4.78	-1.00
90220	10.7	12.2	1.5	100	4A1	2	-1.00	4.65	3.40	1.25	37.4	-1.00	-1.00
6807	12.2	14.0	1.8	100	4A1	2	3.01	2.79	2.20	.59	24.0	6.87	-1.00
6808	14.0	16.2	2.2	100	4A1	2	3.71	.64	.40	.24	9.0	8.63	-1.00
6809	16.2	18.2	2.0	100	4A1	2	3.20	1.45	.63	.82	15.0	12.12	-1.00
6810	18.2	19.8	1.6	100	4A1	2	3.16	2.99	1.23	1.76	16.0	7.18	-1.00
6811	19.8	21.3	1.5	100	4A1	2	3.05	4.17	2.30	1.87	33.0	6.89	-1.00
90221	21.3	22.2	.9	100	4A1	2	-1.00	3.13	2.20	.93	24.3	-1.00	-1.00
90222	22.2	22.9	.7	100	4A14	2	-1.00	6.20	4.00	2.20	50.4	-1.00	-1.00
6812	22.9	24.5	1.6	100	4A14	2	3.44	9.30	3.80	5.50	59.0	14.53	-1.00
6813	24.5	26.3	1.8	100	4A1	2	3.55	4.68	1.98	2.70	35.0	19.56	-1.00
6814	26.3	26.8	.5	100	4E14	5	4.18	6.60	2.20	4.40	49.0	31.11	-1.00
6815	26.8	27.5	.7	71	4D45	3	3.98	20.70	9.70	11.00	132.0	18.56	-1.00
6816	27.5	28.9	1.4	100	4E4	5	3.59	25.80	10.70	15.10	220.0	25.74	-1.00
6817	28.9	32.0	3.1	100	4E4	5	4.52	23.10	7.90	15.20	127.0	25.10	-1.00
6818	32.0	34.2	2.2	86	4E4	5	4.66	17.10	6.10	11.00	101.0	29.95	-1.00
6819	34.2	35.7	1.5	53	5C43	44	4.00	7.40	2.50	4.90	40.0	25.57	-1.00
6820	35.7	37.0	1.3	100	5C43	44	3.93	3.85	1.55	2.30	25.0	24.78	-1.00
6821	37.0	39.1	2.1	95	4E4	5	4.65	12.40	3.90	8.50	71.0	33.31	-1.00
6822	39.1	41.0	1.9	100	4E4	5	4.50	12.80	4.80	8.00	89.0	29.74	-1.00
0	41.0	63.8	22.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6823	63.8	65.8	2.0	95	4D4	3	3.94	14.30	7.90	6.40	123.0	18.11	-1.00
6824	65.8	67.8	2.0	100	4D4	3	4.04	19.20	7.20	12.00	129.0	20.86	-1.00
6825	67.8	69.8	2.0	100	4D4	3	3.72	10.20	4.10	6.10	73.0	20.41	-1.00
6826	69.8	71.3	1.5	100	4D4	3	3.73	17.40	8.30	9.10	116.0	17.16	-1.00
6827	71.3	72.4	1.1	100	4D4	3	3.79	13.80	6.60	7.20	110.0	19.76	-1.00
6828	72.4	73.4	1.0	100	4L0	52	3.00	1.29	.73	.56	14.0	6.46	-1.00
6829	73.4	75.5	2.1	100	4AD	2	3.94	8.50	4.90	3.60	94.0	15.25	-1.00
6830	75.5	77.4	1.9	53	4D4	3	3.87	14.03	5.87	8.16	90.0	18.04	-1.00
6831	77.4	78.8	1.4	100	4D4	3	3.81	10.90	5.30	5.60	90.0	21.48	-1.00
6832	78.8	80.8	2.0	100	4D0	3	3.82	9.80	5.10	4.70	95.0	22.98	-1.00
6833	80.8	82.8	2.0	100	4D0	3	3.71	5.50	3.30	2.20	59.0	24.47	-1.00
6834	82.8	84.6	1.8	100	4D4	3	3.76	11.50	6.40	5.10	112.0	20.59	-1.00
6835	84.6	85.6	1.0	100	4D0	3	3.77	7.80	3.60	4.20	62.0	23.75	-1.00
0	85.6	99.0	13.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU023 Section:
 Northing: 6331.2 Easting: 2703.7 Elevation: 1141.1
 Length: 70.0 Core: NQ Record: 265

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
90223	.0	1.9	1.9	32	4A1	2	-1.00	4.58	2.03	2.55	24.3	-1.00	-1.00
0	1.9	8.8	6.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6727	8.8	10.2	1.4	100	4A0	2	2.89	4.64	1.74	2.90	23.0	2.24	-1.00
6728	10.2	11.6	1.4	100	4A0	2	2.86	3.60	1.20	2.40	14.0	1.64	-1.00
0	11.6	19.2	7.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6729	19.2	20.5	1.3	100	4A1	2	-1.00	3.42	.92	2.50	11.0	-1.00	-1.00
6730	20.5	22.3	1.8	94	4A1	2	-1.00	1.88	1.39	.49	21.0	-1.00	-1.00
90224	22.3	23.9	1.6	94	4A1	2	-1.00	4.44	1.94	2.50	15.1	-1.00	-1.00
0	23.9	31.8	7.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6731	31.8	33.9	2.1	90	4E4	5	4.49	8.20	3.30	4.90	68.0	40.86	-1.00
6732	33.9	35.7	1.8	94	4E4	5	4.74	9.00	3.20	5.80	63.0	37.92	-1.00
6733	35.7	37.7	2.0	80	4E4	5	4.80	14.20	4.80	9.40	104.0	33.22	-1.00
6734	37.7	39.9	2.2	77	4E4	5	4.57	13.30	4.70	8.60	93.0	24.69	-1.00
6735	39.9	41.6	1.7	88	4E0	5	4.69	4.83	1.43	3.40	32.0	40.92	-1.00
6736	41.6	43.8	2.2	77	4E4	5	4.51	10.90	4.30	6.60	80.0	33.95	-1.00
6737	43.8	45.7	1.9	79	4E4	5	4.74	7.70	3.30	4.40	85.0	39.26	-1.00
6738	45.7	48.8	3.1	58	4E4	5	4.73	5.80	2.40	3.40	55.0	38.85	-1.00
6739	48.8	50.6	1.8	100	4E4	5	4.75	6.60	2.60	4.00	53.0	40.79	-1.00
6740	50.6	52.5	1.9	100	4E0	5	4.69	2.23	.89	1.34	26.0	41.17	-1.00
6741	52.5	54.9	2.4	100	4E0	5	4.57	2.80	1.23	1.57	30.0	39.51	-1.00
6742	54.9	56.6	1.7	100	4E4	5	4.56	5.05	2.25	2.80	63.0	37.21	-1.00
6743	56.6	56.9	.3	100	4045	3	3.88	21.00	7.50	13.50	143.0	16.77	-1.00
6744	56.9	58.7	1.8	100	4A1	2	3.20	2.13	.82	1.31	20.0	14.08	-1.00
6745	58.7	60.7	2.0	100	4A1	2	3.07	.77	.33	.44	10.0	11.39	-1.00
0	60.7	62.6	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6746	62.6	64.0	1.4	100	4A1	2	3.09	.91	.41	.50	10.0	11.83	-1.00
6747	64.0	65.5	1.5	100	4A1	2	3.13	2.50	1.18	1.32	21.0	13.47	-1.00
6748	65.5	67.1	1.6	100	4A1	2	3.19	.29	.08	.21	16.0	16.18	-1.00
90225	67.1	67.8	.7	100	4A1	2	-1.00	1.41	.48	.93	16.1	-1.00	-1.00
6749	67.8	69.2	1.4	100	4A4	2	3.51	16.20	5.80	10.40	100.0	12.53	-1.00
6750	69.2	70.1	.9	100	4A1	2	3.45	1.74	.66	1.08	27.0	17.74	-1.00

Drill Hole: AGU024 Section:
 Northing: 6329.7 Easting: 2713.1 Elevation: 1144.6
 Length: 59.4 Core: NQ Record: 266

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	59.4	59.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU025 Section:
 Northing: 6329.7 Easting: 2713.1 Elevation: 1144.6
 Length: 114.3 Core: NQ Record: 267

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	58.0	58.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6378	58.0	59.4	1.4	100	4B0	2	2.85	2.31	.79	1.52	13.0	2.78	-1.00
90081	59.4	61.0	1.6	75	4D0	3	-1.00	5.28	2.18	3.10	42.5	-1.00	-1.00
92148	61.0	62.5	1.5	80	4C0	3	-1.00	3.73	.88	2.85	14.1	-1.00	-1.00
6379	62.5	64.2	1.7	94	4D4	3	3.09	17.41	3.81	13.60	80.0	4.16	-1.00
6380	64.2	66.4	2.2	73	4L14	52	2.88	6.70	1.70	5.00	35.0	3.27	-1.00
6381	66.4	68.5	2.1	90	4L14	52	2.85	4.24	1.34	2.90	32.0	2.88	-1.00
6382	68.5	70.6	2.1	86	4L14	52	2.84	5.25	1.15	4.10	29.0	2.78	-1.00
6383	70.6	72.7	2.1	71	4L14	52	2.82	2.93	.78	2.15	21.0	2.88	-1.00
0	72.7	90.9	18.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6384	90.9	91.9	1.0	100	4A14	2	4.59	7.90	2.90	5.00	49.0	9.96	-1.00
6385	91.9	94.1	2.2	73	5D40	47	3.00	2.87	.77	2.10	12.0	8.29	-1.00
6386	94.1	96.1	2.0	100	4A14	2	3.15	7.30	2.50	4.80	39.0	10.44	-1.00
6387	96.1	97.8	1.7	100	4A1	2	3.20	4.39	1.29	3.10	29.0	13.47	-1.00
6388	97.8	99.5	1.7	88	4A14	2	3.34	7.00	3.20	3.80	47.0	15.20	-1.00
6389	99.5	100.8	1.3	100	4E14	5	3.68	21.50	7.30	14.20	118.0	14.21	-1.00
6390	100.8	102.0	1.2	92	4E14	5	4.44	28.40	9.90	18.50	140.0	21.96	-1.00
0	102.0	114.3	12.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU026 Section:
 Northing: 6330.0 Easting: 2783.8 Elevation: 1146.2
 Length: 76.2 Core: NQ Record: 268

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
6391	.0	1.8	1.8	83	4A3	2	3.69	1.03	.55	.48	8.0	25.78	-1.00
6392	1.8	2.8	1.0	90	5D4a	47	3.39	3.13	.22	2.91	4.0	18.36	-1.00
6393	2.8	4.1	1.3	100	4D0	3	3.65	5.34	1.27	4.07	14.0	23.57	-1.00
6394	4.1	5.8	1.7	100	4D4	3	2.96	11.02	3.35	7.67	40.0	3.37	-1.00
6395	5.8	7.5	1.7	100	4D0	3	2.76	6.29	2.01	4.28	17.0	2.88	-1.00
6396	7.5	9.2	1.7	100	4D0	3	2.85	5.43	1.71	3.72	11.0	2.29	-1.00
6397	9.2	11.0	1.8	100	4D0	3	2.88	5.92	1.80	4.12	15.0	3.57	-1.00
6398	11.0	12.5	1.5	100	4D4	3	3.00	10.84	3.29	7.55	42.0	4.16	-1.00
6399	12.5	13.9	1.4	100	4D4	3	3.01	11.76	3.54	8.22	40.0	4.16	-1.00
6400	13.9	15.4	1.5	100	4D4	3	3.00	11.22	3.27	7.95	52.0	4.47	-1.00
6401	15.4	17.4	2.0	90	4D4	3	2.96	10.26	3.44	6.82	37.0	3.37	-1.00
6402	17.4	19.4	2.0	100	4D0	3	2.89	7.18	1.82	5.36	10.0	3.96	-1.00
6403	19.4	21.4	2.0	100	4D4	3	3.12	10.55	3.55	7.00	41.0	7.40	-1.00
6404	21.4	22.7	1.3	92	4D0	3	3.16	9.90	3.67	6.23	45.0	9.11	-1.00
6405	22.7	24.1	1.4	100	4C0	3	3.10	4.92	1.30	3.62	13.0	9.85	-1.00
6406	24.1	25.8	1.7	100	4C0	3	2.93	4.50	1.16	3.34	4.0	3.57	-1.00
6407	25.8	27.5	1.7	100	4C0	3	2.83	2.57	1.16	1.41	4.0	2.29	-1.00
6408	27.5	29.3	1.8	50	4C0	3	2.80	4.19	2.26	1.93	23.0	4.06	-1.00
6409	29.3	31.4	2.1	90	4D0	3	3.00	5.89	1.74	4.15	17.0	3.76	-1.00
6410	31.4	33.5	2.1	100	4D0	3	2.96	5.91	1.82	4.09	36.0	5.77	-1.00
6411	33.5	35.5	2.0	85	4C0	3	2.94	3.99	2.05	1.94	17.0	5.93	-1.00
6412	35.5	37.0	1.5	100	4L\$	52	2.86	2.77	.92	1.85	4.0	3.57	-1.00
6413	37.0	38.6	1.6	100	4L1\$	52	2.88	3.23	1.09	2.14	5.0	5.81	-1.00
6414	38.6	40.0	1.4	100	4L14	52	2.90	7.13	2.83	4.30	51.0	3.64	-1.00
0	40.0	48.1	8.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6415	48.1	49.7	1.6	100	4A24	2	3.22	12.13	3.57	8.56	58.0	11.34	-1.00
6416	49.7	50.3	.6	83	4L14	52	3.09	11.51	3.46	8.05	58.0	8.68	-1.00
6417	50.3	52.4	2.1	100	4A14	2	3.14	11.59	3.22	8.37	60.0	9.26	-1.00
6418	52.4	54.1	1.7	94	4A4	2	3.21	10.15	3.72	6.43	49.0	11.03	-1.00
6419	54.1	55.9	1.8	100	4A4	2	3.26	13.66	4.66	9.00	66.0	10.32	-1.00
6420	55.9	57.1	1.2	100	4D0	3	2.99	5.36	1.22	4.14	21.0	7.78	-1.00
6421	57.1	58.2	1.1	91	4C0	3	-1.00	2.78	1.43	1.35	22.0	-1.00	-1.00
6422	58.2	59.1	.9	33	4D4	3	3.47	11.20	4.27	6.93	58.0	14.72	-1.00
0	59.1	76.2	17.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU027 Section:
 Northing: 6329.0 Easting: 2789.4 Elevation: 1146.8
 Length: 106.1 Core: NQ Record: 269

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
6459	.0	1.5	1.5	20	4D5	3	3.91	8.74	7.44	1.30	116.0	19.12	-1.00
6460	1.5	3.0	1.5	47	4A14	2	3.33	10.23	3.62	6.61	61.0	13.98	-1.00
6461	3.0	4.7	1.7	71	4A13	2	3.75	6.68	2.92	3.76	54.0	23.48	-1.00
6462	4.7	6.3	1.6	94	4A13	2	3.30	4.60	2.74	1.86	54.0	15.40	-1.00
6463	6.3	7.7	1.4	100	4A13	2	3.75	1.37	.69	.68	38.0	26.30	-1.00
6464	7.7	9.0	1.3	69	4A13	2	3.94	4.36	2.02	2.34	62.0	27.33	-1.00
6465	9.0	10.7	1.7	100	4A14	2	3.25	6.77	1.97	4.80	47.0	12.74	-1.00
6466	10.7	11.2	.5	80	4D0	3	2.91	5.09	2.03	3.06	44.0	5.42	-1.00
0	11.2	13.7	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6467	13.7	15.5	1.8	100	4A13	2	3.40	2.85	.88	1.97	36.0	19.83	-1.00
6468	15.5	17.3	1.8	94	4A13	2	3.88	8.00	3.10	4.90	52.0	26.49	-1.00
6469	17.3	19.1	1.8	72	4A13	2	3.36	3.54	1.01	2.53	35.0	18.67	-1.00
6470	19.1	19.8	.7	100	4D0	3	3.52	9.45	3.88	5.57	50.0	17.94	-1.00
0	19.8	21.1	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6471	21.1	22.0	.9	100	4E14	5	3.93	12.37	7.05	5.32	98.0	22.90	-1.00
0	22.0	22.5	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6472	22.5	23.1	.6	100	4E14	5	3.90	15.30	7.28	8.02	122.0	20.09	-1.00
0	23.1	24.2	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6473	24.2	25.8	1.6	44	4D0	3	3.33	6.43	1.59	4.84	47.0	17.18	-1.00
6474	25.8	27.4	1.6	62	4D0	3	3.39	6.24	1.93	4.31	49.0	16.95	-1.00
0	27.4	29.1	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6475	29.1	30.2	1.1	55	4A1	2	3.05	3.52	1.03	2.49	35.0	10.15	-1.00
6476	30.2	31.5	1.3	100	4A34	2	3.56	8.25	2.07	6.18	59.0	18.45	-1.00
6477	31.5	33.3	1.8	83	4A14	2	3.73	7.76	2.69	5.07	59.0	12.08	-1.00
6478	33.3	35.1	1.8	89	4A14	2	3.20	5.95	1.57	4.38	40.0	5.71	-1.00
6479	35.1	36.9	1.8	100	4A1	2	3.42	3.57	1.22	2.35	37.0	15.90	-1.00
6480	36.9	38.9	2.0	100	4A14	2	3.42	5.71	1.92	3.79	44.0	16.03	-1.00
6481	38.9	40.9	2.0	100	4A14	2	3.50	7.94	1.72	6.22	53.0	15.72	-1.00
6482	40.9	42.9	2.0	75	4A14	2	3.62	10.86	4.10	6.76	84.0	16.74	-1.00
6483	42.9	44.9	2.0	90	4A14	2	3.51	5.46	1.40	4.06	45.0	19.90	-1.00
6484	44.9	46.9	2.0	100	4A1	2	3.20	4.53	1.34	3.19	44.0	12.97	-1.00
6485	46.9	48.9	2.0	100	4A1	2	3.21	3.66	1.22	2.44	39.0	14.39	-1.00
6486	48.9	50.9	2.0	100	4A14	2	3.37	10.07	3.30	6.77	55.0	14.47	-1.00
6487	50.9	52.9	2.0	100	4A14	2	3.20	8.35	2.40	5.95	43.0	10.83	-1.00
6488	52.9	54.9	2.0	100	4A14	2	3.30	11.29	4.03	7.26	67.0	12.10	-1.00
6489	54.9	56.9	2.0	100	4A14	2	3.31	5.77	1.96	3.81	38.0	16.04	-1.00
6490	56.9	58.9	2.0	100	4A1	2	3.47	3.79	1.41	2.38	30.0	14.82	-1.00
6491	58.9	60.9	2.0	95	4A1	2	3.21	4.49	1.75	2.74	34.0	13.78	-1.00
6492	60.9	62.4	1.5	93	4A14	2	3.14	6.12	2.12	4.00	37.0	10.82	-1.00
6493	62.4	63.9	1.5	100	4A14	2	3.18	10.84	4.22	6.62	66.0	8.59	-1.00
6494	63.9	65.9	2.0	100	4A4	2	3.26	15.54	5.14	10.40	88.0	8.77	-1.00
6495	65.9	67.9	2.0	85	4A4	2	3.29	12.10	3.49	8.61	62.0	10.51	-1.00
6496	67.9	69.7	1.8	78	4AE4	2	3.41	5.76	.46	5.30	13.0	20.73	-1.00
6497	69.7	71.6	1.9	79	4A24	2	3.86	21.79	7.69	14.10	133.0	10.51	-1.00

6498	71.6	73.5	1.9	79	4A24	2	3.49	17.77	6.17	11.60	99.0	10.40	-1.00
6499	73.5	74.8	1.3	77	4D4	3	3.67	11.20	3.59	7.61	66.0	20.33	-1.00
6500	74.8	76.1	1.3	38	4D4	3	3.48	13.33	4.40	8.93	67.0	11.30	-1.00
0	76.1	78.7	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6551	78.7	79.8	1.1	100	4L4	52	3.34	3.44	1.25	2.19	25.0	8.39	-1.00
0	79.8	84.3	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6552	84.3	85.3	1.0	100	4L12	52	-1.00	1.57	.49	1.08	13.0	-1.00	-1.00
0	85.3	92.8	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6553	92.8	94.7	1.9	100	4A4	2	3.37	12.01	3.72	8.29	72.0	12.26	-1.00
90082	94.7	96.0	1.3	62	4L4	52	-1.00	5.83	2.23	3.60	33.3	-1.00	-1.00
6554	96.0	97.1	1.1	55	4D4	3	4.01	14.28	6.18	8.10	104.0	15.26	-1.00
6555	97.1	98.1	1.0	80	4A1	2	3.04	6.66	2.31	4.35	40.0	11.94	-1.00
6556	98.1	99.1	1.0	20	4C0	3	3.70	2.12	.81	1.31	20.0	23.05	-1.00
90083	99.1	100.6	1.5	73	4A1	2	-1.00	3.55	1.20	2.35	18.2	-1.00	-1.00
90084	100.6	102.1	1.5	73	4A14	2	-1.00	6.10	2.80	3.30	34.3	-1.00	-1.00
90085	102.1	103.5	1.4	71	4A1	2	-1.00	3.23	.90	2.33	12.0	-1.00	-1.00
6557	103.5	103.9	.4	25	4L4	52	3.07	5.84	1.47	4.37	26.0	9.20	-1.00
0	103.9	104.5	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6558	104.5	106.1	1.6	100	4A13	2	3.65	16.75	6.45	10.30	110.0	18.16	-1.00

Drill Hole: AGU028 Section:
 Northing: 6390.9 Easting: 2630.0 Elevation: 1155.9
 Length: 64.0 Core: NQ Record: 270

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	7.2	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9142	7.2	9.1	1.9	79	4L0	52	-1.00	.87	.53	.34	10.0	-1.00	-1.00
9143	9.1	12.4	3.3	42	4L2	52	3.04	.76	.37	.39	8.0	9.75	-1.00
9144	12.4	14.8	2.4	58	4C3*	3	3.89	.83	.64	.19	30.0	31.39	-1.00
9145	14.8	16.6	1.8	67	4D384	3	4.33	10.90	6.60	4.30	87.0	32.76	-1.00
9146	16.6	17.2	.6	100	4G4#	7	4.25	14.50	7.40	7.10	106.0	13.17	-1.00
9147	17.2	17.7	.5	80	4L9	52	3.64	8.70	4.10	4.60	61.0	17.65	-1.00
9148	17.7	19.5	1.8	94	4GE#	7	4.51	18.00	9.70	8.30	136.0	11.82	-1.00
9149	19.5	21.1	1.6	100	4GE#	7	4.45	25.80	15.80	10.00	170.0	21.75	-1.00
9150	21.1	22.5	1.4	50	4E1*	5	3.77	8.60	4.70	3.90	65.0	26.03	-1.00
0	22.5	56.7	34.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9301	56.7	58.3	1.6	94	4E4	5	4.50	20.10	7.80	12.30	146.0	27.25	-1.00
9302	58.3	60.5	2.2	82	4E4	5	4.84	17.80	6.70	11.10	132.0	32.90	-1.00
9303	60.5	62.3	1.8	100	4E4	5	4.49	20.20	7.20	13.00	112.0	28.69	-1.00
9304	62.3	64.0	1.7	100	4E4	5	4.61	17.00	5.90	11.10	110.0	33.67	-1.00

Drill Hole: AGU029 Section:
 Northing: 6391.4 Easting: 2630.2 Elevation: 1156.6
 Length: 68.5 Core: NQ Record: 271

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	22.6	22.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8763	22.6	25.4	2.8	100	4D3	3	-1.00	3.47	1.66	1.81	36.0	-1.00	-1.00
0	25.4	55.7	30.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8764	55.7	56.4	.7	86	4E4	5	3.96	12.90	4.80	8.10	76.0	26.39	-1.00
8765	56.4	57.7	1.3	46	4A0	2	2.91	2.13	.57	1.56	13.0	7.74	-1.00
8766	57.7	59.8	2.1	95	4E4	5	3.85	22.20	7.40	14.80	117.0	24.53	-1.00
8767	59.8	62.0	2.2	91	4A4	2	3.25	13.30	3.80	9.50	65.0	11.46	-1.00
8768	62.0	64.2	2.2	91	4A0	2	3.16	4.12	1.62	2.50	37.0	13.61	-1.00
8769	64.2	66.4	2.2	100	4A0	2	2.87	4.86	1.26	3.60	26.0	3.30	-1.00
8770	66.4	68.6	2.2	100	4A0	2	2.81	4.84	1.34	3.50	26.0	3.23	-1.00

Drill Hole: AGU030 Section:
 Northing: 6391.6 Easting: 2630.0 Elevation: 1159.0
 Length: 36.6 Core: NQ Record: 272

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	3.0	3.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8580	3.0	4.6	1.6	94	4EL	5	3.86	6.80	3.70	3.10	72.0	23.80	-1.00
8581	4.6	6.3	1.7	100	4EL	5	3.54	.86	.65	.21	25.0	21.43	-1.00
8582	6.3	7.9	1.6	100	4G4	7	4.30	10.40	5.60	4.80	98.0	20.09	-1.00
8583	7.9	9.6	1.7	100	4G4	7	4.39	15.60	8.10	7.50	128.0	9.76	-1.00
8584	9.6	12.3	2.7	100	4LC	52	3.80	2.35	1.19	1.16	23.0	15.90	-1.00
8585	12.3	15.0	2.7	100	4LC	52	3.21	2.29	1.08	1.21	18.0	14.80	-1.00
8586	15.0	17.7	2.7	100	4LC	52	3.18	2.63	1.26	1.37	18.0	11.56	-1.00
8587	17.7	20.3	2.6	100	4LC	52	3.14	2.30	1.06	1.24	18.0	10.21	-1.00
8588	20.3	21.4	1.1	91	4LC	52	3.09	.13	.06	.07	9.0	4.56	-1.00
8589	21.4	23.1	1.7	100	4LC	52	3.07	1.49	.58	.91	16.0	11.80	-1.00
8590	23.1	24.8	1.7	100	4LC	52	3.37	3.64	1.82	1.82	34.0	13.27	-1.00
8591	24.8	26.0	1.2	100	4E86	5	3.98	6.10	3.30	2.80	51.0	28.60	-1.00
8592	26.0	29.0	3.0	97	4EL8	5	3.70	7.30	4.10	3.20	58.0	22.10	-1.00
0	29.0	36.6	7.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU031 Section:
 Northing: 6389.4 Easting: 2623.2 Elevation: 1156.2
 Length: 61.0 Core: NQ Record: 273

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	61.0	61.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU032 Section:
 Northing: 6391.5 Easting: 2621.9 Elevation: 1155.8
 Length: 121.9 Core: NQ Record: 274

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8771	.0	1.8	1.8	61	4DA	3	3.47	7.50	2.90	4.60	40.0	18.39	-1.00
0	1.8	27.7	25.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8772	27.7	29.4	1.7	82	4LC	52	2.99	.89	.43	.46	10.0	9.79	-1.00
8773	29.4	30.5	1.1	100	4E48	5	3.08	5.30	2.90	2.40	50.0	28.72	-1.00
0	30.5	53.3	22.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8774	53.3	54.7	1.4	64	4GE	7	4.57	13.50	5.00	8.50	105.0	30.17	-1.00
0	54.7	90.3	35.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8775	90.3	92.2	1.9	100	4E4	5	3.27	7.70	3.50	4.20	51.0	31.30	-1.00
8776	92.2	93.0	.8	100	4CA	3	3.55	.74	.33	.41	13.0	17.20	-1.00
0	93.0	107.9	14.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8777	107.9	111.4	3.5	31	4L2	52	-1.00	1.87	1.00	.87	22.0	-1.00	-1.00
8778	111.4	112.9	1.5	93	4A3	2	-1.00	1.94	.57	1.37	13.0	-1.00	-1.00
0	112.9	118.4	5.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8779	118.4	119.2	.8	88	4A1	2	-1.00	1.89	.68	1.21	14.0	-1.00	-1.00
0	119.2	121.9	2.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU033 Section:
 Northing: 6391.3 Easting: 2618.1 Elevation: 1158.8
 Length: 21.8 Core: NQ Record: 275

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	2.7	2.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8780	2.7	4.9	2.2	91	4ELG	7	3.16	4.65	2.60	2.05	41.0	16.52	-1.00
0	4.9	6.2	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8781	6.2	7.0	.8	100	4E7#	5	4.34	12.40	5.70	6.70	88.0	26.60	-1.00
8782	7.0	7.8	.8	100	4GE4	7	2.96	17.20	7.00	10.20	107.0	20.31	-1.00
0	7.8	21.8	14.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU034 Section:
 Northing: 6395.1 Easting: 2707.2 Elevation: 1134.0
 Length: 126.5 Core: NQ Record: 276

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7997	.0	2.1	2.1	52	4L14	52	2.99	7.60	3.50	4.10	45.0	6.36	-1.00
7998	2.1	4.2	2.1	76	4L14	52	2.89	1.21	1.01	.20	13.0	5.05	-1.00
7999	4.2	6.3	2.1	95	4L14	52	2.83	2.80	1.27	1.53	17.0	3.83	-1.00
8000	6.3	8.3	2.0	100	4L14	52	2.97	6.20	2.30	3.90	32.0	4.13	-1.00
0	8.3	39.6	31.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8951	39.6	40.8	1.2	75	4L12	52	2.99	14.50	4.70	9.80	80.0	9.26	-1.00
8952	40.8	43.7	2.9	66	4AL	2	3.04	6.40	2.50	3.90	33.0	12.47	-1.00
8953	43.7	45.2	1.5	73	4L12	52	3.38	1.02	.30	.72	10.0	10.72	-1.00
8954	45.2	46.8	1.6	88	4L12	52	3.15	.86	.23	.63	10.0	9.76	-1.00
8955	46.8	48.3	1.5	93	4A3	2	3.16	4.56	1.76	2.80	32.0	12.42	-1.00
8956	48.3	49.8	1.5	93	4G4#	7	4.58	21.50	7.90	13.60	166.0	25.01	-1.00
8957	49.8	51.3	1.5	67	4G4#	7	4.43	5.80	2.10	3.70	97.0	28.02	-1.00
8958	51.3	51.9	.6	83	5D4	47	3.34	2.02	1.00	1.02	10.0	14.90	-1.00
8959	51.9	53.7	1.8	83	4E4	5	4.57	12.90	5.20	7.70	104.0	35.10	-1.00
8960	53.7	55.2	1.5	100	4G4#	7	4.61	10.80	4.00	6.80	64.0	23.16	-1.00
8961	55.2	56.7	1.5	100	4G4#	7	4.37	8.60	2.60	6.00	52.0	22.97	-1.00
8962	56.7	58.2	1.5	100	4G4#	7	4.66	10.00	3.30	6.70	54.0	23.92	-1.00
8963	58.2	59.8	1.6	100	4G4#	7	4.54	13.60	4.70	8.90	68.0	24.16	-1.00
8964	59.8	62.7	2.9	90	4E4	5	4.61	8.90	3.50	5.40	60.0	34.71	-1.00
8965	62.7	65.0	2.3	91	4G4	7	4.66	14.40	5.70	8.70	100.0	20.21	-1.00
8966	65.0	67.3	2.3	100	4G4	7	4.61	9.10	2.40	6.70	44.0	22.96	-1.00
8967	67.3	69.7	2.4	96	4G4	7	4.31	13.20	4.80	8.40	80.0	26.16	-1.00
8968	69.7	70.3	.6	100	4L13	52	2.87	.47	.16	.31	4.0	5.66	-1.00
8969	70.3	70.9	.6	100	4D4	3	4.02	19.20	7.80	11.40	111.0	21.38	-1.00
8970	70.9	73.8	2.9	100	4GE	7	4.50	8.00	2.80	5.20	50.0	25.49	-1.00
8971	73.8	76.7	2.9	100	4GE	7	4.33	10.30	3.50	6.80	63.0	20.35	-1.00
8972	76.7	79.2	2.5	100	4E4	5	4.37	7.80	3.30	4.50	50.0	29.59	-1.00
8973	79.2	80.2	1.0	90	4G4#	7	4.72	11.20	4.00	7.20	69.0	19.85	-1.00
8974	80.2	81.0	.8	100	4E4#	5	4.76	7.30	3.10	4.20	46.0	39.12	-1.00
8975	81.0	81.9	.9	67	4G4	7	4.61	16.10	5.60	10.50	89.0	17.24	-1.00
8976	81.9	83.4	1.5	100	4EGD	7	4.86	12.40	5.40	7.00	72.0	36.03	-1.00
8977	83.4	84.9	1.5	87	4EGD	7	4.72	11.40	4.40	7.00	66.0	34.18	-1.00
8978	84.9	86.4	1.5	100	4EGD	7	4.78	10.00	3.80	6.20	69.0	36.22	-1.00
8979	86.4	87.9	1.5	100	4EGD	7	4.33	8.80	2.90	5.90	48.0	35.20	-1.00
8980	87.9	89.4	1.5	100	4EGD	7	4.57	19.40	8.00	11.40	115.0	27.92	-1.00
8981	89.4	90.8	1.4	100	4EGD	7	4.51	10.10	4.30	5.80	66.0	35.02	-1.00
8982	90.8	93.3	2.5	92	4D4	3	4.06	10.10	3.50	6.60	58.0	26.97	-1.00
8983	93.3	95.7	2.4	100	4EA4	5	3.69	11.30	4.00	7.30	60.0	17.33	-1.00
8984	95.7	98.1	2.4	92	4EA4	5	3.80	14.70	6.40	8.30	80.0	15.46	-1.00
8985	98.1	100.6	2.5	60	4EA0	5	3.67	.72	.37	.35	15.0	23.38	-1.00
8986	100.6	102.6	2.0	100	4C0	3	-1.00	1.67	.21	1.46	17.0	-1.00	-1.00
8987	102.6	103.3	.7	100	4AC0	2	-1.00	1.29	.07	1.22	9.0	-1.00	-1.00
8988	103.3	105.7	2.4	96	4CA	3	-1.00	.85	.36	.49	15.0	-1.00	-1.00
8989	105.7	108.1	2.4	96	4CA	3	-1.00	2.69	1.37	1.32	32.0	-1.00	-1.00

0	108.1	126.5	18.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU035 Section:
 Northing: 6395.2 Easting: 2707.7 Elevation: 1134.0
 Length: 147.8 Core: NQ Record: 277

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8058	.0	3.0	3.0	67	4L124	52	2.93	4.61	1.31	3.30	25.0	6.58	-1.00
8059	3.0	4.6	1.6	100	4L124	52	2.90	4.79	1.59	3.20	28.0	2.71	-1.00
8060	4.6	6.1	1.5	93	4L124	52	2.89	6.70	2.30	4.40	33.0	2.47	-1.00
8061	6.1	8.0	1.9	100	4L124	52	2.96	3.17	.97	2.20	21.0	8.32	-1.00
0	8.0	51.0	43.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90348	51.0	52.1	1.1	100	4A96	2	-1.00	8.45	2.58	5.87	41.5	-1.00	-1.00
0	52.1	58.3	6.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8062	58.3	61.5	3.2	37	4AL	2	3.09	1.31	.59	.72	17.0	13.74	-1.00
8063	61.5	63.1	1.6	81	4E4	5	4.43	6.60	3.00	3.60	58.0	36.58	-1.00
8064	63.1	65.1	2.0	85	4G4	7	4.40	10.00	3.60	6.40	57.0	32.11	-1.00
8065	65.1	67.1	2.0	95	4G4	7	4.66	9.00	3.40	5.60	56.0	28.05	-1.00
8066	67.1	68.0	.9	100	4G4	7	4.56	8.80	3.00	5.80	38.0	23.65	-1.00
8067	68.0	70.1	2.1	90	4E4#	5	4.42	10.90	4.60	6.30	95.0	32.59	-1.00
8068	70.1	71.9	1.8	100	4E4#	5	4.58	5.50	2.80	2.70	39.0	37.67	-1.00
8069	71.9	73.9	2.0	90	4G4	7	4.31	15.70	6.00	9.70	95.0	26.37	-1.00
8070	73.9	75.5	1.6	100	4G4	7	4.29	17.70	6.30	11.40	106.0	25.98	-1.00
8071	75.5	76.0	.5	100	4D5	3	3.50	19.20	6.00	13.20	101.0	11.68	-1.00
8072	76.0	77.6	1.6	88	4G4	7	4.43	18.00	6.00	12.00	129.0	27.94	-1.00
8073	77.6	79.3	1.7	100	4EK	5	4.50	5.10	1.73	3.37	36.0	37.46	-1.00
8074	79.3	79.9	.6	83	4G4#	7	4.42	24.70	7.50	17.20	143.0	25.94	-1.00
8075	79.9	81.1	1.2	92	4AD	2	3.27	6.38	1.88	4.50	36.0	13.02	-1.00
0	81.1	84.2	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8076	84.2	85.6	1.4	43	4L2	52	3.12	4.51	1.91	2.60	32.0	11.03	-1.00
8077	85.6	86.9	1.3	100	4A0	2	3.06	1.79	.54	1.25	11.0	10.76	-1.00
8078	86.9	88.2	1.3	100	4A0	2	2.90	2.59	.86	1.73	15.0	3.91	-1.00
8079	88.2	90.5	2.3	96	4L124	52	3.21	6.47	3.10	3.37	42.0	11.55	-1.00
0	90.5	94.5	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5332	94.5	96.0	1.5	100	4A0	2	3.11	1.10	.43	.67	15.0	-1.00	-1.00
5333	96.0	97.5	1.5	93	4A0	2	3.28	1.31	.34	.97	17.0	-1.00	-1.00
5334	97.5	98.2	.7	100	4A0	2	3.19	1.19	.27	.92	15.0	-1.00	-1.00
0	98.2	100.7	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5335	100.7	102.1	1.4	100	4A0	2	3.28	1.38	.48	.90	24.0	-1.00	-1.00
5336	102.1	103.6	1.5	100	4A0	2	3.43	1.52	.26	1.26	26.0	-1.00	-1.00
5337	103.6	105.2	1.6	94	4A0	2	3.28	1.76	.12	1.64	8.0	-1.00	-1.00
5338	105.2	106.7	1.5	100	4A0	2	3.33	1.27	.24	1.03	11.0	-1.00	-1.00
8080	106.7	108.2	1.5	100	4A0	2	-1.00	3.51	1.12	2.39	26.0	-1.00	-1.00
5339	108.2	109.7	1.5	100	4A0	2	3.18	.51	.08	.43	7.0	-1.00	-1.00
5340	109.7	110.6	.9	89	4A0	2	2.93	.35	.02	.33	4.0	-1.00	-1.00
0	110.6	147.8	37.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU036 Section:
 Northing: 6234.9 Easting: 2669.5 Elevation: 1157.3
 Length: 19.8 Core: NQ Record: 278

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	15.2	15.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90587	15.2	16.8	1.6	100	4J0	9	-1.00	18.99	8.17	10.82	133.0	-1.00	-1.00
0	16.8	19.8	3.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU037 Section:
 Northing: 6235.3 Easting: 2671.2 Elevation: 1157.1
 Length: 53.3 Core: NQ Record: 279

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	10.1	10.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90588	10.1	10.7	.6	100	4E4	5	-1.00	7.22	2.15	5.07	32.2	-1.00	-1.00
90589	10.7	12.2	1.5	100	4E4	5	-1.00	7.08	2.10	4.98	49.4	-1.00	-1.00
90590	12.2	13.7	1.5	100	4EAG	7	-1.00	8.28	2.60	5.68	47.3	-1.00	-1.00
90591	13.7	15.2	1.5	40	4EG4	7	-1.00	18.38	4.70	13.68	97.7	-1.00	-1.00
90592	15.2	16.8	1.6	25	4E4	5	-1.00	17.69	4.93	12.76	80.6	-1.00	-1.00
90593	16.8	18.3	1.5	80	4E4	5	-1.00	15.06	4.80	10.26	86.7	-1.00	-1.00
90594	18.3	19.8	1.5	67	4E4	5	-1.00	19.88	6.51	13.37	98.7	-1.00	-1.00
90595	19.8	21.3	1.5	100	4E4	5	-1.00	19.48	6.36	13.12	99.8	-1.00	-1.00
90596	21.3	22.9	1.6	87	4E4	5	-1.00	11.42	4.65	6.77	80.6	-1.00	-1.00
90597	22.9	24.4	1.5	100	4A31	2	-1.00	3.11	1.43	1.68	24.3	-1.00	-1.00
90598	24.4	25.9	1.5	93	4A31	2	-1.00	2.93	1.18	1.75	24.3	-1.00	-1.00
0	25.9	53.3	27.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU038 Section:
 Northing: 6235.2 Easting: 2670.6 Elevation: 1157.2
 Length: 85.2 Core: NQ Record: 280

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	11.1	11.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90937	11.1	12.2	1.1	100	4E4	5	-1.00	7.87	2.35	5.52	33.3	-1.00	-1.00
90938	12.2	13.7	1.5	100	4EA4	5	-1.00	5.83	1.70	4.13	31.2	-1.00	-1.00
90939	13.7	15.2	1.5	100	4E4	5	-1.00	16.43	4.63	11.80	76.8	-1.00	-1.00
90940	15.2	16.8	1.6	50	4E4	5	-1.00	20.76	5.63	15.13	85.7	-1.00	-1.00
90941	16.8	18.3	1.5	87	4G0	7	-1.00	8.76	2.48	6.28	46.3	-1.00	-1.00
90942	18.3	19.8	1.5	93	4G4	7	-1.00	14.50	3.73	10.77	62.4	-1.00	-1.00
90943	19.8	21.3	1.5	93	4G4	7	-1.00	11.44	3.45	7.99	60.3	-1.00	-1.00
90944	21.3	22.9	1.6	75	4G4	7	-1.00	13.49	4.03	9.46	93.9	-1.00	-1.00
90945	22.9	24.4	1.5	100	4ED4	5	-1.00	18.70	6.20	12.50	104.9	-1.00	-1.00
90946	24.4	25.9	1.5	100	4E4	5	-1.00	15.57	5.42	10.15	75.8	-1.00	-1.00
90947	25.9	27.4	1.5	100	4AD	2	-1.00	10.27	4.25	6.02	71.7	-1.00	-1.00
90948	27.4	29.0	1.6	100	4A13	2	-1.00	1.83	.65	1.18	13.0	-1.00	-1.00
0	29.0	85.2	56.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU039 Section:
 Northing: 6395.6 Easting: 2706.7 Elevation: 1134.0
 Length: 110.3 Core: NQ Record: 281

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
9354	.0	1.5	1.5	80	4CL	3	2.99	3.62	2.10	1.52	30.0	8.13	-1.00
9355	1.5	2.8	1.3	46	4C0	3	3.02	1.31	.41	.90	8.0	10.07	-1.00
9356	2.8	4.1	1.3	100	4C0	3	3.10	3.62	2.10	1.52	33.0	10.49	-1.00
90349	4.1	6.2	2.1	100	5C4*	44	-1.00	.22	.14	.08	3.1	-1.00	-1.00
9357	6.2	8.4	2.2	100	4A1	2	2.95	1.70	1.38	.32	17.0	6.75	-1.00
9358	8.4	9.7	1.3	100	4C0	3	2.92	4.90	2.00	2.90	29.0	2.49	-1.00
9359	9.7	11.0	1.3	100	4C0	3	3.06	3.83	1.33	2.50	27.0	5.91	-1.00
0	11.0	15.5	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9360	15.5	16.1	.6	83	4LC	52	2.89	3.90	1.84	2.06	29.0	3.58	-1.00
0	16.1	16.5	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9361	16.5	17.9	1.4	43	4AL	2	2.91	1.60	.40	1.20	8.0	5.52	-1.00
0	17.9	18.3	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9362	18.3	19.4	1.1	100	4CL	3	2.89	4.70	1.70	3.00	25.0	5.61	-1.00
0	19.4	20.8	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9363	20.8	22.8	2.0	100	4A4	2	3.06	7.17	2.37	4.80	33.0	7.57	-1.00
0	22.8	23.3	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9364	23.3	25.9	2.6	100	4LC	52	2.95	2.33	.77	1.56	12.0	5.48	-1.00
9365	25.9	28.0	2.1	100	4A1	2	2.91	2.41	1.53	.88	14.0	4.73	-1.00
0	28.0	28.8	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9366	28.8	29.7	.9	100	4CL	3	2.90	4.87	1.97	2.90	26.0	5.13	-1.00
0	29.7	35.9	6.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9367	35.9	36.7	.8	75	4CL	3	2.96	2.98	1.71	1.27	22.0	8.27	-1.00
0	36.7	37.3	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9368	37.3	37.9	.6	83	4CL	3	2.92	1.57	.54	1.03	10.0	7.22	-1.00
0	37.9	38.7	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9369	38.7	40.9	2.2	100	4CL	3	2.96	1.95	.45	1.50	13.0	9.00	-1.00
0	40.9	42.7	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9370	42.7	44.2	1.5	87	4EG	7	4.35	22.20	7.50	14.70	116.0	26.73	-1.00
0	44.2	48.8	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9371	48.8	49.3	.5	100	4E0	5	4.18	4.20	1.30	2.90	28.0	31.99	-1.00
0	49.3	50.7	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9372	50.7	53.0	2.3	100	4E46	5	4.34	11.80	4.70	7.10	88.0	27.36	-1.00
9373	53.0	54.9	1.9	100	4G4*	7	4.66	14.30	5.10	9.20	81.0	15.37	-1.00
9374	54.9	56.4	1.5	100	4E46	5	4.53	18.90	6.80	12.10	74.0	29.62	-1.00
9375	56.4	57.9	1.5	100	4E46	5	4.66	10.40	4.10	6.30	62.0	39.75	-1.00
9376	57.9	59.2	1.3	92	4G4	7	4.93	11.50	3.80	7.70	76.0	21.30	-1.00
9377	59.2	60.5	1.3	100	4G4	7	4.60	11.70	4.10	7.60	74.0	30.41	-1.00
9378	60.5	61.0	.5	80	4C3	3	3.52	4.08	1.18	2.90	25.0	22.03	-1.00
9379	61.0	62.5	1.5	100	4E4	5	4.72	7.00	2.90	4.10	42.0	40.69	-1.00
9380	62.5	64.0	1.5	100	4E4	5	4.24	5.20	2.30	2.90	41.0	36.32	-1.00
0	64.0	65.9	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9381	65.9	67.9	2.0	95	4E4	5	4.34	6.20	3.20	3.00	66.0	34.29	-1.00
9382	67.9	70.2	2.3	100	4E4	5	4.40	6.50	3.00	3.50	47.0	32.88	-1.00
0	70.2	72.6	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

9383	72.6	73.2	.6	100	4LD	52	4.49	12.00	4.40	7.60	67.0	8.93	-1.00
9384	73.2	75.2	2.0	100	4CG	3	3.91	8.30	2.40	5.90	46.0	16.83	-1.00
9385	75.2	77.2	2.0	90	4CG	3	3.63	7.60	2.50	5.10	47.0	15.21	-1.00
9386	77.2	79.2	2.0	100	4CG	3	3.91	9.90	3.10	6.80	96.0	13.95	-1.00
9387	79.2	81.2	2.0	100	4CG	3	3.62	10.10	3.30	6.80	49.0	11.37	-1.00
9388	81.2	83.4	2.2	100	4D43	3	4.03	26.70	8.70	18.00	151.0	14.99	-1.00
9389	83.4	84.8	1.4	100	4E4	5	4.81	13.60	5.20	8.40	77.0	34.33	-1.00
9390	84.8	85.4	.6	100	4G4*6	7	4.49	19.00	6.70	12.30	105.0	28.40	-1.00
9391	85.4	87.4	2.0	100	4E4	5	4.51	12.90	4.70	8.20	63.0	33.12	-1.00
9392	87.4	89.4	2.0	100	4E4	5	4.63	7.60	2.70	4.90	49.0	39.70	-1.00
9393	89.4	91.2	1.8	100	4E0	5	4.57	3.30	1.10	2.20	29.0	39.10	-1.00
9394	91.2	93.2	2.0	100	4DE	3	3.99	7.90	3.50	4.40	58.0	27.77	-1.00
9395	93.2	95.2	2.0	100	4DE	3	4.04	3.75	2.40	1.35	37.0	26.65	-1.00
9396	95.2	96.7	1.5	100	4DA	3	4.01	14.94	4.40	10.54	73.0	20.44	-1.00
0	96.7	110.3	13.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU040 Section:
 Northing: 6395.3 Easting: 2706.3 Elevation: 1134.0
 Length: 108.8 Core: NQ Record: 282

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8948	.0	2.0	2.0	45	4C0	3	2.99	2.84	1.14	1.70	18.0	8.90	-1.00
8949	2.0	4.0	2.0	45	4C0	3	3.07	3.50	1.76	1.74	29.0	9.90	-1.00
8950	4.0	5.8	1.8	89	4C0	3	2.96	1.66	1.01	.65	17.0	6.70	-1.00
0	5.8	6.6	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9104	6.6	7.9	1.3	100	4A0	2	2.95	4.66	1.76	2.90	27.0	5.34	-1.00
0	7.9	8.5	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9105	8.5	10.1	1.6	87	4CA	3	2.92	2.38	1.02	1.36	16.0	8.58	-1.00
0	10.1	11.1	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9106	11.1	12.9	1.8	100	4A0	2	2.89	2.08	1.43	.65	16.0	5.59	-1.00
0	12.9	17.7	4.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9107	17.7	18.6	.9	89	4A0	2	2.89	4.09	1.59	2.50	19.0	3.53	-1.00
9108	18.6	20.5	1.9	95	4A0	2	2.94	3.28	1.44	1.84	17.0	4.29	-1.00
0	20.5	21.5	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9109	21.5	23.5	2.0	95	4A0	2	3.02	4.53	2.50	2.03	28.0	8.16	-1.00
9110	23.5	25.5	2.0	100	4A0	2	2.98	3.53	2.60	.93	27.0	6.70	-1.00
9111	25.5	27.5	2.0	100	4A0	2	2.98	.77	.33	.44	8.0	8.83	-1.00
9112	27.5	29.5	2.0	90	4A0	2	2.93	.88	.27	.61	7.0	8.17	-1.00
9113	29.5	31.0	1.5	100	4A0	2	3.06	.49	.13	.36	5.0	12.04	-1.00
9114	31.0	32.2	1.2	100	4A0	2	2.96	.32	.08	.24	5.0	9.93	-1.00
0	32.2	36.3	4.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9115	36.3	37.8	1.5	100	4A0	2	3.10	1.29	.29	1.00	8.0	12.06	-1.00
9116	37.8	39.5	1.7	94	4A0	2	3.15	4.17	1.47	2.70	27.0	9.47	-1.00
9117	39.5	41.5	2.0	100	4A4	2	3.26	5.60	2.60	3.00	50.0	12.78	-1.00
9118	41.5	43.6	2.1	100	4A0	2	3.28	.45	.09	.36	7.0	17.94	-1.00
9119	43.6	45.6	2.0	100	4E4	5	4.43	15.00	5.40	9.60	76.0	28.37	-1.00
9120	45.6	46.6	1.0	100	4G4	7	4.15	13.60	5.50	8.10	97.0	25.72	-1.00
0	46.6	54.4	7.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9121	54.4	56.2	1.8	100	4AG	2	3.65	7.30	2.60	4.70	87.0	18.52	-1.00
0	56.2	57.9	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9122	57.9	59.9	2.0	100	4GE#	7	4.06	8.60	3.40	5.20	69.0	26.66	-1.00
9123	59.9	61.9	2.0	100	4GE#	7	3.97	7.80	2.80	5.00	59.0	14.66	-1.00
9124	61.9	63.5	1.6	100	4GE#	7	4.43	14.00	5.10	8.90	92.0	19.13	-1.00
0	63.5	64.6	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9125	64.6	65.6	1.0	90	4EL	5	3.59	6.60	2.90	3.70	60.0	17.20	-1.00
9126	65.6	67.6	2.0	95	4GE#	7	4.08	9.50	3.40	6.10	63.0	18.18	-1.00
9127	67.6	69.6	2.0	100	4GE#	7	4.29	10.60	3.80	6.80	85.0	21.75	-1.00
9128	69.6	71.6	2.0	100	4GE#	7	4.17	9.80	3.50	6.30	105.0	24.22	-1.00
9129	71.6	73.0	1.4	100	4GE#	7	4.38	12.50	4.70	7.80	114.0	21.28	-1.00
9130	73.0	74.7	1.7	53	4GE#	7	4.33	12.00	4.70	7.30	122.0	23.69	-1.00
0	74.7	85.8	11.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9131	85.8	87.8	2.0	80	4A0	2	3.16	1.92	.67	1.25	19.0	16.80	-1.00
9132	87.8	89.8	2.0	85	4A0	2	2.98	1.10	.16	.94	8.0	11.70	-1.00
9133	89.8	91.8	2.0	100	4A0	2	3.02	2.26	.26	2.00	15.0	13.70	-1.00
9134	91.8	93.8	2.0	85	4A0	2	3.43	4.79	1.69	3.10	44.0	21.70	-1.00

9135	93.8	95.8	2.0	45	4A0	2	3.28	2.77	.47	2.30	16.0	18.90	-1.00
9136	95.8	97.8	2.0	100	4A0	2	3.08	2.77	.79	1.98	17.0	12.30	-1.00
9137	97.8	99.0	1.2	100	4A0	2	2.93	.65	.09	.56	6.0	10.05	-1.00
9138	99.0	100.5	1.5	100	4A0	2	3.03	1.15	.16	.99	8.0	11.79	-1.00
9139	100.5	102.7	2.2	100	4E4	5	3.84	15.50	4.10	11.40	79.0	22.50	-1.00
9140	102.7	104.9	2.2	82	4E4	5	3.76	9.20	4.20	5.00	72.0	18.67	-1.00
0	104.9	108.8	3.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU041 Section:
 Northing: 6395.0 Easting: 2709.3 Elevation: 1134.0
 Length: 97.5 Core: NQ Record: 283

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	42.7	42.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8933	42.7	44.7	2.0	55	4A1	2	-1.00	.86	.38	.48	10.0	-1.00	-1.00
8934	44.7	46.7	2.0	95	4A1	2	-1.00	.96	.32	.64	11.0	-1.00	-1.00
8935	46.7	47.7	1.0	100	4A1	2	-1.00	1.63	.40	1.23	8.0	-1.00	-1.00
0	47.7	48.4	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8936	48.4	50.4	2.0	75	4C0	3	-1.00	.96	.47	.49	11.0	-1.00	-1.00
8937	50.4	52.8	2.4	96	4C0	3	-1.00	.68	.30	.38	8.0	-1.00	-1.00
8938	52.8	54.8	2.0	100	4A1	2	2.84	2.37	1.70	.67	29.0	4.68	-1.00
8939	54.8	56.8	2.0	100	4A1	2	2.98	5.46	1.86	3.60	26.0	4.34	-1.00
8940	56.8	58.8	2.0	100	4A1	2	3.07	.52	.13	.39	10.0	6.13	-1.00
8941	58.8	60.8	2.0	100	4A1	2	3.03	2.70	1.70	1.00	23.0	50.66	-1.00
8942	60.8	62.0	1.2	58	4A14	2	2.96	11.70	4.90	6.80	81.0	1.59	-1.00
8943	62.0	63.3	1.3	100	4A14	2	3.10	19.10	7.10	12.00	120.0	9.91	-1.00
0	63.3	87.8	24.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8944	87.8	89.4	1.6	100	4E4*	5	4.58	5.26	1.66	3.60	23.0	37.14	-1.00
8945	89.4	91.0	1.6	94	4E4*	5	4.45	7.30	2.80	4.50	36.0	31.70	-1.00
8946	91.0	92.1	1.1	100	4K0	6	4.10	.77	.29	.48	11.0	27.00	-1.00
8947	92.1	93.5	1.4	71	4A0	2	3.14	.73	.26	.47	10.0	12.90	-1.00
0	93.5	97.5	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU042 Section:
 Northing: 6394.7 Easting: 2708.2 Elevation: 1138.0
 Length: 53.3 Core: NQ Record: 284

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8801	.0	2.7	2.7	56	5C4	44	2.94	1.25	.59	.66	12.0	9.02	-1.00
8802	2.7	4.8	2.1	100	4CL	3	3.00	3.19	1.11	2.08	21.0	6.99	-1.00
8803	4.8	7.3	2.5	100	5C4	44	3.23	1.07	.52	.55	11.0	7.80	-1.00
8804	7.3	9.8	2.5	100	4A4	2	2.99	9.90	4.80	5.10	63.0	7.22	-1.00
8805	9.8	12.3	2.5	100	4A4	2	3.20	10.50	3.40	7.10	55.0	10.90	-1.00
8806	12.3	14.9	2.6	100	4A4	2	3.21	12.60	5.00	7.60	76.0	8.15	-1.00
8807	14.9	17.1	2.2	91	4CL	3	2.89	3.20	1.00	2.20	19.0	5.54	-1.00
8808	17.1	19.7	2.6	100	4A34	2	3.01	7.50	2.40	5.10	37.0	7.21	-1.00
8809	19.7	22.0	2.3	100	4CL	3	2.94	2.74	1.00	1.74	18.0	7.37	-1.00
8810	22.0	24.3	2.3	100	4CL	3	2.92	5.50	1.80	3.70	29.0	4.28	-1.00
8811	24.3	26.5	2.2	100	4CL	3	2.96	2.92	1.09	1.83	19.0	8.23	-1.00
8812	26.5	29.6	3.1	100	4A4	2	3.16	5.80	2.30	3.50	41.0	12.82	-1.00
8813	29.6	30.2	.6	100	4E4	5	3.73	21.40	7.00	14.40	118.0	16.54	-1.00
8814	30.2	32.9	2.7	100	4E4	5	4.39	17.40	5.50	11.90	94.0	29.94	-1.00
8815	32.9	33.8	.9	100	4J4	9	3.68	26.70	9.00	17.70	164.0	6.71	-1.00
0	33.8	53.3	19.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU043 Section:
 Northing: 6394.8 Easting: 2707.4 Elevation: 1138.1
 Length: 45.7 Core: NQ Record: 285

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7810	.0	3.0	3.0	67	4CL	3	4.38	27.50	9.90	17.60	177.0	20.30	-1.00
7811	3.0	5.0	2.0	95	4CL	3	2.93	2.47	1.37	1.10	16.0	7.30	-1.00
0	5.0	6.8	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7812	6.8	7.6	.8	100	4CL	3	2.89	3.77	1.53	2.24	21.0	4.67	-1.00
7813	7.6	9.1	1.5	100	4A4	2	2.97	8.40	4.05	4.35	50.0	5.11	-1.00
7814	9.1	10.7	1.6	100	4A4	2	2.86	9.20	4.50	4.70	53.0	5.61	-1.00
7815	10.7	12.7	2.0	100	4A4	2	3.53	13.42	4.32	9.10	77.0	15.83	-1.00
7816	12.7	14.4	1.7	100	4E14	5	2.89	30.81	11.21	19.60	183.0	5.20	-1.00
7817	14.4	16.0	1.6	100	4E14	5	4.64	29.50	10.40	19.10	174.0	22.01	-1.00
7818	16.0	17.7	1.7	100	4E14	5	3.87	26.90	9.50	17.40	178.0	13.29	-1.00
7819	17.7	19.2	1.5	100	4E4	5	4.66	45.00	12.60	32.40	202.0	17.45	-1.00
7820	19.2	20.7	1.5	100	4E14	5	3.86	23.00	8.40	14.60	144.0	14.24	-1.00
7821	20.7	21.8	1.1	100	4A34	2	3.46	19.90	6.80	13.10	109.0	10.18	-1.00
7822	21.8	23.3	1.5	93	4E4	5	4.58	21.70	7.50	14.20	136.0	28.60	-1.00
7823	23.3	24.7	1.4	100	4E4	5	4.45	22.40	7.50	14.90	128.0	25.51	-1.00
0	24.7	45.7	21.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU044 Section:
 Northing: 6396.7 Easting: 2706.4 Elevation: 1138.2
 Length: 45.7 Core: NQ Record: 286

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8880	.0	.9	.9	78	4L12	52	3.06	1.17	.52	.65	11.0	9.66	-1.00
8881	.9	4.0	3.1	100	4A0	2	3.04	3.34	1.48	1.86	24.0	9.58	-1.00
8882	4.0	6.1	2.1	100	4A14	2	2.98	5.22	2.02	3.20	29.0	5.06	-1.00
8883	6.1	8.1	2.0	90	4A14	2	3.15	9.90	4.30	5.60	52.0	7.36	-1.00
8884	8.1	10.2	2.1	100	4A14	2	3.03	10.70	3.80	6.90	47.0	4.08	-1.00
8885	10.2	12.2	2.0	100	4A0	2	3.28	4.76	1.56	3.20	32.0	14.78	-1.00
8886	12.2	13.4	1.2	100	4A4	2	3.69	15.20	6.30	8.90	100.0	16.47	-1.00
8887	13.4	15.1	1.7	94	4E4	5	4.45	28.10	10.60	17.50	185.0	21.65	-1.00
8888	15.1	16.8	1.7	100	4E4	5	4.86	22.10	7.30	14.80	114.0	32.86	-1.00
8889	16.8	18.1	1.3	92	4E0	5	4.78	1.93	.95	.98	21.0	46.33	-1.00
8890	18.1	19.8	1.7	88	4E4	5	4.25	5.90	2.50	3.40	34.0	21.82	-1.00
0	19.8	45.7	25.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU045 Section:
 Northing: 6397.2 Easting: 2793.1 Elevation: 1132.6
 Length: 62.5 Core: NQ Record: 287

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8858	.0	2.0	2.0	60	4DE4	3	3.65	14.80	5.70	9.10	90.0	16.96	-1.00
8859	2.0	4.0	2.0	100	4DE4	3	3.68	10.50	5.90	4.60	68.0	18.99	-1.00
8860	4.0	6.0	2.0	100	4DE4	3	3.62	9.20	4.20	5.00	64.0	17.23	-1.00
8861	6.0	7.7	1.7	100	4DE4	3	3.65	15.70	5.50	10.20	90.0	15.99	-1.00
8862	7.7	8.4	.7	100	5D4	47	3.29	1.04	.53	.51	11.0	13.85	-1.00
8863	8.4	11.0	2.6	100	4A4	2	3.50	8.70	2.70	6.00	47.0	16.82	-1.00
8864	11.0	12.8	1.8	89	4L0	52	2.98	.45	.16	.29	5.0	6.16	-1.00
8865	12.8	13.7	.9	89	4D4	3	3.73	15.80	6.50	9.30	86.0	16.59	-1.00
8866	13.7	16.3	2.6	88	4K4	6	4.14	8.45	2.05	6.40	44.0	28.14	-1.00
0	16.3	35.1	18.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8867	35.1	36.0	.9	89	4K4	6	3.80	21.30	6.20	15.10	107.0	14.90	-1.00
8868	36.0	36.6	.6	100	4D45	3	3.79	10.60	5.00	5.60	86.0	20.49	-1.00
8869	36.6	37.6	1.0	70	4A0	2	3.14	6.86	2.06	4.80	38.0	7.76	-1.00
0	37.6	38.1	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8870	38.1	39.5	1.4	100	4A4	2	3.34	8.80	3.20	5.60	52.0	12.91	-1.00
8871	39.5	41.2	1.7	100	4E4	5	3.25	11.20	5.60	5.60	76.0	28.27	-1.00
0	41.2	45.7	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8872	45.7	48.5	2.8	71	4A34	2	3.71	10.20	4.70	5.50	68.0	18.69	-1.00
8873	48.5	50.3	1.8	100	4E4	5	4.51	22.60	8.10	14.50	117.0	25.92	-1.00
8874	50.3	52.5	2.2	100	4E4	5	4.88	11.30	4.50	6.80	72.0	39.03	-1.00
8875	52.5	53.1	.6	83	4G4	7	4.78	15.20	5.90	9.30	88.0	18.07	-1.00
8876	53.1	54.6	1.5	100	4EG	7	4.76	19.40	7.50	11.90	107.0	29.74	-1.00
8877	54.6	56.2	1.6	100	4EG	7	4.64	7.90	2.80	5.10	80.0	35.74	-1.00
8878	56.2	57.8	1.6	100	4A1	2	3.34	4.34	1.44	2.90	27.0	13.51	-1.00
8879	57.8	59.6	1.8	94	4L2	52	3.06	1.18	.33	.85	15.0	8.57	-1.00
0	59.6	61.5	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90350	61.5	62.5	1.0	-1	4L2	52	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU046 Section:
 Northing: 6397.2 Easting: 2793.1 Elevation: 1132.6
 Length: 83.7 Core: NQ Record: 288

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7974	.0	2.4	2.4	71	4D453	3	3.35	14.50	4.90	9.60	94.0	15.90	-1.00
7975	2.4	4.0	1.6	100	4D453	3	2.98	4.71	2.01	2.70	35.0	9.42	-1.00
7976	4.0	5.2	1.2	100	4D43	3	3.26	11.70	4.40	7.30	81.0	13.51	-1.00
7977	5.2	5.7	.5	100	5D4*	47	2.92	1.15	.30	.85	9.0	7.89	-1.00
7978	5.7	7.4	1.7	100	4D453	3	3.20	14.10	5.00	9.10	81.0	10.70	-1.00
7979	7.4	10.0	2.6	100	5D4*	47	2.99	5.12	1.02	4.10	19.0	10.24	-1.00
7980	10.0	10.5	.5	100	4D43	3	3.38	16.70	6.10	10.60	98.0	14.41	-1.00
7981	10.5	11.2	.7	100	4A43	2	3.31	13.90	4.40	9.50	76.0	15.21	-1.00
7982	11.2	12.5	1.3	100	4A13	2	3.55	4.39	.59	3.80	15.0	24.44	-1.00
0	12.5	14.3	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7983	14.3	14.7	.4	100	4E0	5	-1.00	.34	.13	.21	3.0	-1.00	-1.00
7984	14.7	15.7	1.0	100	4K4	6	3.51	11.30	4.90	6.40	80.0	13.36	-1.00
7985	15.7	17.4	1.7	100	4A0	2	-1.00	.51	.22	.29	10.0	-1.00	-1.00
0	17.4	41.1	23.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7986	41.1	43.5	2.4	87	4A43	2	3.34	7.10	3.20	3.90	48.0	15.00	-1.00
7987	43.5	45.4	1.9	100	4A43	2	3.38	8.10	4.30	3.80	73.0	18.37	-1.00
7988	45.4	46.9	1.5	100	4A43	2	3.31	8.20	4.10	4.10	67.0	16.31	-1.00
0	46.9	60.7	13.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7989	60.7	61.9	1.2	100	4EG4	7	4.26	15.80	5.70	10.10	90.0	21.01	-1.00
7990	61.9	62.4	.5	100	4D4	3	3.72	22.10	8.40	13.70	124.0	20.08	-1.00
7991	62.4	62.9	.5	100	4GE*	7	4.37	19.00	7.10	11.90	117.0	23.66	-1.00
7992	62.9	64.9	2.0	100	4E4*6	5	4.50	8.60	3.20	5.40	75.0	39.48	-1.00
7993	64.9	66.8	1.9	100	4GE	7	4.43	14.00	4.80	9.20	77.0	20.20	-1.00
7994	66.8	68.3	1.5	100	4GE	7	4.30	12.80	4.50	8.30	76.0	20.10	-1.00
7995	68.3	69.8	1.5	100	4GE	7	4.28	12.50	4.20	8.30	71.0	12.31	-1.00
7996	69.8	70.8	1.0	100	4E4*6	5	4.80	19.10	6.30	12.80	104.0	29.26	-1.00
0	70.8	83.7	12.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU047 Section:
 Northing: 6397.2 Easting: 2793.1 Elevation: 1132.6
 Length: 80.7 Core: NQ Record: 289

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7824	.0	2.4	2.4	100	4D4	3	3.72	16.00	7.30	8.70	119.0	17.26	-1.00
7825	2.4	4.2	1.8	100	4A4	2	3.63	10.70	6.10	4.60	80.0	17.77	-1.00
7826	4.2	5.0	.8	100	4C3	3	3.64	4.51	2.80	1.71	31.0	23.49	-1.00
7827	5.0	5.8	.8	87	5D4*	47	3.87	6.60	3.50	3.10	47.0	25.21	-1.00
7828	5.8	6.4	.6	100	4C0	3	2.96	.25	.21	.04	2.0	6.39	-1.00
7829	6.4	8.2	1.8	100	5D4*	47	3.01	1.54	.64	.90	9.0	9.23	-1.00
7830	8.2	10.7	2.5	100	4A14	2	3.73	5.95	3.70	2.25	42.0	22.78	-1.00
7831	10.7	12.8	2.1	100	4A14	2	3.64	9.70	3.60	6.10	62.0	19.00	-1.00
7832	12.8	15.0	2.2	100	4A14	2	3.23	7.70	3.00	4.70	53.0	13.02	-1.00
7833	15.0	16.3	1.3	100	4D4	3	3.51	20.90	7.40	13.50	124.0	15.50	-1.00
7834	16.3	17.8	1.5	100	4D4	3	3.80	14.00	5.40	8.60	94.0	19.53	-1.00
7835	17.8	19.7	1.9	100	4G4#	7	4.42	32.00	8.00	24.00	176.0	20.64	-1.00
7836	19.7	21.0	1.3	100	4D4	3	3.72	24.40	7.50	16.90	107.0	13.20	-1.00
7837	21.0	22.2	1.2	92	4G4#	7	4.42	38.50	11.60	26.90	207.0	16.04	-1.00
0	22.2	30.3	8.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7838	30.3	32.2	1.9	100	4AE4	2	3.65	14.30	5.10	9.20	94.0	16.30	-1.00
7839	32.2	33.7	1.5	100	4K47	6	3.65	13.10	4.10	9.00	81.0	13.72	-1.00
7840	33.7	34.4	.7	71	4D45	3	3.60	13.30	4.70	8.60	83.0	14.74	-1.00
0	34.4	37.5	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7841	37.5	39.5	2.0	90	4A0	2	3.74	8.90	3.90	5.00	62.0	21.63	-1.00
0	39.5	57.5	18.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7842	57.5	59.4	1.9	100	4EG4	7	4.47	13.50	5.20	8.30	88.0	30.27	-1.00
7843	59.4	61.2	1.8	100	4EG4	7	3.99	8.50	3.90	4.60	72.0	30.13	-1.00
7844	61.2	62.9	1.7	100	4EG4	7	4.70	13.70	5.40	8.30	92.0	32.49	-1.00
7845	62.9	64.8	1.9	100	4EG4	7	4.50	16.30	5.60	10.70	97.0	29.38	-1.00
7846	64.8	65.4	.6	100	4A0	2	3.30	4.16	1.56	2.60	24.0	13.80	-1.00
0	65.4	80.7	15.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU048 Section:
 Northing: 6395.4 Easting: 2788.7 Elevation: 1132.7
 Length: 120.7 Core: NQ Record: 290

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8694	.0	1.0	1.0	100	4A4	2	3.59	11.90	3.00	8.90	63.0	18.28	-1.00
8695	1.0	3.3	2.3	100	4ED	5	3.95	15.40	7.90	7.50	120.0	20.88	-1.00
8696	3.3	4.2	.9	67	4E41	5	4.38	11.70	7.80	3.90	90.0	29.32	-1.00
8697	4.2	6.4	2.2	100	4D0	3	3.75	8.10	4.40	3.70	53.0	22.16	-1.00
8698	6.4	8.3	1.9	100	4D0	3	3.23	7.40	2.50	4.90	40.0	10.34	-1.00
8699	8.3	10.5	2.2	95	4A1	2	2.87	4.23	1.33	2.90	20.0	1.64	-1.00
8700	10.5	12.5	2.0	100	4A1	2	3.09	5.30	2.10	3.20	42.0	6.66	-1.00
7901	12.5	12.9	.4	100	5D4*	47	3.29	.45	.07	.38	9.0	12.99	-1.00
7902	12.9	14.7	1.8	100	4E1	5	3.54	7.70	2.60	5.10	44.0	19.01	-1.00
0	14.7	22.3	7.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7903	22.3	24.4	2.1	81	4D5	3	3.06	8.80	2.60	6.20	56.0	9.24	-1.00
7904	24.4	25.9	1.5	100	4D5	3	4.22	17.10	5.10	12.00	115.0	11.44	-1.00
7905	25.9	27.2	1.3	100	4D5	3	3.40	11.50	3.70	7.80	69.0	11.00	-1.00
0	27.2	28.8	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7906	28.8	31.1	2.3	100	4L14	52	3.08	8.80	2.30	6.50	33.0	6.67	-1.00
0	31.1	32.1	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7907	32.1	33.2	1.1	91	4LD	52	2.89	5.14	1.34	3.80	26.0	4.88	-1.00
7908	33.2	35.3	2.1	81	4LD	52	3.27	12.50	4.30	8.20	72.0	11.52	-1.00
7909	35.3	37.4	2.1	95	4LD	52	3.32	10.40	3.10	7.30	60.0	10.03	-1.00
7910	37.4	38.0	.6	100	5D4*	47	3.03	2.77	.37	2.40	10.0	7.70	-1.00
7911	38.0	39.6	1.6	100	4D453	3	3.24	14.90	4.80	10.10	77.0	15.40	-1.00
7912	39.6	41.6	2.0	100	4D453	3	3.72	22.20	9.10	13.10	152.0	17.96	-1.00
7913	41.6	43.6	2.0	100	4D453	3	3.40	18.40	5.30	13.10	83.0	14.02	-1.00
7914	43.6	45.5	1.9	100	4D453	3	3.40	11.60	4.40	7.20	73.0	17.06	-1.00
7915	45.5	48.0	2.5	100	4A1	2	2.90	1.92	.71	1.21	18.0	6.67	-1.00
0	48.0	61.7	13.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7916	61.7	62.7	1.0	100	4A0	2	3.08	2.34	.51	1.83	8.0	13.00	-1.00
7917	62.7	64.5	1.8	94	4A1	2	3.09	2.60	.50	2.10	11.0	12.60	-1.00
7918	64.5	66.2	1.7	100	4A1	2	3.14	4.05	1.25	2.80	18.0	12.85	-1.00
7919	66.2	67.1	.9	100	4H1	8	3.68	2.36	.89	1.47	24.0	31.51	-1.00
7920	67.1	68.2	1.1	100	4H4	8	4.31	22.00	7.20	14.80	159.0	26.98	-1.00
7921	68.2	70.1	1.9	100	4H1	8	3.80	8.60	3.10	5.50	70.0	34.01	-1.00
7922	70.1	70.6	.5	100	4E46	5	4.20	13.70	4.70	9.00	104.0	30.19	-1.00
7923	70.6	71.8	1.2	92	4A1	2	3.29	15.10	6.40	8.70	120.0	14.45	-1.00
7924	71.8	72.8	1.0	70	4LH	52	3.50	14.50	4.90	9.60	86.0	17.03	-1.00
7925	72.8	73.2	.4	100	10Q0	60	2.98	.33	.13	.20	6.0	4.73	-1.00
7926	73.2	73.6	.4	100	4J41	9	3.66	29.10	10.20	18.90	180.0	16.41	-1.00
7927	73.6	75.5	1.9	100	4E46	5	4.11	12.30	4.10	8.20	66.0	29.79	-1.00
7928	75.5	77.3	1.8	100	4E46	5	4.19	17.20	5.70	11.50	124.0	28.40	-1.00
7929	77.3	79.2	1.9	100	4A1	2	3.35	4.50	2.20	2.30	41.0	15.59	-1.00
7930	79.2	80.6	1.4	100	4A1	2	3.06	.19	.13	.06	11.0	16.74	-1.00
7931	80.6	81.8	1.2	100	4A1	2	3.05	1.78	.65	1.13	13.0	14.49	-1.00
0	81.8	100.1	18.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7932	100.1	101.4	1.3	100	4C0	3	-1.00	1.53	.69	.84	13.0	-1.00	-1.00

7933	101.4	103.1	1.7	100	4A1	2	-1.00	.90	.32	.58	9.0	-1.00	-1.00
7934	103.1	104.7	1.6	100	4A1	2	-1.00	.70	.15	.55	8.0	-1.00	-1.00
0	104.7	120.7	16.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU049 Section:
 Northing: 6396.7 Easting: 2786.8 Elevation: 1133.9
 Length: 82.2 Core: NQ Record: 291

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8816	.0	2.8	2.8	100	4C5	3	2.84	4.62	1.42	3.20	24.0	4.99	-1.00
8817	2.8	5.6	2.8	89	4D5	3	2.96	5.34	1.64	3.70	29.0	6.41	-1.00
8818	5.6	8.4	2.8	100	4D5	3	3.06	6.00	2.10	3.90	38.0	8.94	-1.00
8819	8.4	11.2	2.8	100	4C5	3	2.89	4.66	.96	3.70	16.0	4.99	-1.00
8820	11.2	14.1	2.9	100	4C5	3	2.91	4.74	1.54	3.20	25.0	4.98	-1.00
8821	14.1	16.5	2.4	100	4L14	52	3.00	5.80	2.20	3.60	38.0	5.90	-1.00
8822	16.5	18.9	2.4	100	4L14	52	2.95	7.40	2.40	5.00	42.0	4.38	-1.00
8823	18.9	21.3	2.4	88	4L14	52	3.00	9.70	2.40	7.30	49.0	4.08	-1.00
0	21.3	76.2	54.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8824	76.2	79.2	3.0	100	4C5	3	2.84	3.49	1.29	2.20	24.0	3.74	-1.00
8825	79.2	82.3	3.1	100	4C5	3	2.91	1.69	1.34	.35	10.0	4.00	-1.00

Drill Hole: AGU050 Section:
 Northing: 6395.7 Easting: 2787.0 Elevation: 1133.9
 Length: 91.4 Core: NQ Record: 292

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	91.4	91.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU051 Section:
 Northing: 6396.7 Easting: 2786.8 Elevation: 1135.4
 Length: 70.0 Core: NQ Record: 293

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8733	.0	2.5	2.5	88	4A4	2	3.33	10.70	2.90	7.80	54.0	14.05	-1.00
8734	2.5	5.0	2.5	100	4A4	2	3.41	9.50	3.10	6.40	60.0	17.31	-1.00
8735	5.0	7.6	2.6	92	4A4	2	3.46	7.20	2.20	5.00	44.0	16.83	-1.00
8736	7.6	10.1	2.5	64	4C5	3	2.92	5.72	1.82	3.90	33.0	5.88	-1.00
8737	10.1	12.6	2.5	64	4C5	3	3.01	4.30	1.60	2.70	29.0	8.64	-1.00
8738	12.6	15.2	2.6	42	4C5	3	2.96	5.20	2.60	2.60	41.0	6.16	-1.00
0	15.2	22.9	7.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8739	22.9	24.0	1.1	82	4A4	2	3.10	9.20	3.50	5.70	71.0	9.18	-1.00
8740	24.0	27.4	3.4	88	5D4	47	3.05	5.90	1.20	4.70	23.0	10.27	-1.00
8741	27.4	29.2	1.8	67	4A41	2	3.42	6.08	1.78	4.30	33.0	4.13	-1.00
8742	29.2	29.9	.7	86	4L14	52	2.85	5.54	1.34	4.20	25.0	3.66	-1.00
8743	29.9	30.7	.8	100	5C4*	44	2.85	.18	.06	.12	2.0	7.09	-1.00
8744	30.7	31.9	1.2	92	4L124	52	2.90	2.93	1.09	1.84	18.0	6.26	-1.00
8745	31.9	33.8	1.9	100	4L14	52	2.84	2.65	.93	1.72	15.0	4.98	-1.00
8746	33.8	35.7	1.9	100	4L14	52	2.88	1.92	.74	1.18	15.0	7.36	-1.00
8747	35.7	38.2	2.5	96	4A4	2	3.02	7.20	2.50	4.70	45.0	8.15	-1.00
8748	38.2	40.7	2.5	92	4A4	2	3.14	4.81	1.71	3.10	33.0	10.00	-1.00
8749	40.7	41.7	1.0	80	4E4	5	4.04	25.00	8.70	16.30	158.0	17.18	-1.00
0	41.7	70.0	28.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU052 Section:
 Northing: 6397.0 Easting: 2787.2 Elevation: 1136.7
 Length: 57.9 Core: NQ Record: 294

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
9168	.0	3.0	3.0	80	4A14	2	3.38	7.98	1.88	6.10	47.0	17.37	-1.00
9169	3.0	5.0	2.0	100	4A14	2	3.33	6.95	1.65	5.30	40.0	19.81	-1.00
9170	5.0	7.0	2.0	100	4A14	2	3.29	7.90	2.40	5.50	46.0	16.59	-1.00
9171	7.0	8.7	1.7	82	4A14	2	3.16	7.22	2.02	5.20	36.0	11.29	-1.00
9172	8.7	10.6	1.9	95	4A14	2	2.88	5.94	1.74	4.20	64.0	4.68	-1.00
9173	10.6	13.7	3.1	58	4A1	2	2.89	4.49	1.89	2.60	35.0	6.19	-1.00
9174	13.7	16.2	2.5	36	4A14	2	2.95	6.50	3.20	3.30	45.0	7.26	-1.00
0	16.2	19.8	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9175	19.8	20.8	1.0	100	4A4	2	-1.00	13.20	4.60	8.60	81.0	-1.00	-1.00
0	20.8	25.9	5.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9176	25.9	27.5	1.6	69	4A14	2	3.18	6.80	2.40	4.40	43.0	11.89	-1.00
9177	27.5	28.2	.7	100	4L14	52	3.03	6.15	1.55	4.60	30.0	6.50	-1.00
0	28.2	29.6	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9178	29.6	30.9	1.3	100	4L14	52	3.01	4.79	2.05	2.74	30.0	6.02	-1.00
9179	30.9	32.8	1.9	95	4A1	2	2.97	2.24	.93	1.31	15.0	9.25	-1.00
9180	32.8	34.8	2.0	100	4A1	2	2.99	3.66	2.70	.96	23.0	5.49	-1.00
9181	34.8	35.9	1.1	100	4A14	2	3.01	6.04	3.10	2.94	33.0	7.68	-1.00
9182	35.9	37.5	1.6	100	4A4	2	3.10	7.52	3.20	4.32	53.0	10.87	-1.00
9183	37.5	38.9	1.4	100	4A0	2	3.41	4.66	1.62	3.04	35.0	17.88	-1.00
9184	38.9	39.4	.5	100	5C*	44	2.98	.57	.27	.30	5.0	7.64	-1.00
9185	39.4	40.5	1.1	91	4AE	2	3.61	15.10	5.50	9.60	100.0	17.62	-1.00
0	40.5	57.9	17.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU053 Section:
 Northing: 6396.9 Easting: 2787.9 Elevation: 1136.9
 Length: 60.9 Core: NQ Record: 295

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
9030	.0	1.0	1.0	100	4A34	2	3.68	6.41	1.81	4.60	41.0	22.40	-1.00
9050	1.0	1.8	.8	-1	4L5	52	3.16	3.57	.87	2.70	23.0	12.42	-1.00
9031	1.8	3.0	1.2	50	4A134	2	3.78	6.40	2.00	4.40	41.0	13.39	-1.00
9032	3.0	5.0	2.0	70	4A134	2	3.34	5.71	1.71	4.00	34.0	16.00	-1.00
9033	5.0	7.0	2.0	100	4A134	2	3.56	9.60	2.70	6.90	49.0	18.40	-1.00
9034	7.0	9.1	2.1	100	4A134	2	3.56	7.66	1.86	5.80	43.0	19.60	-1.00
9035	9.1	12.2	3.1	65	4A14	2	2.96	6.29	1.49	4.80	28.0	4.68	-1.00
9036	12.2	15.2	3.0	87	4A14	2	2.99	8.00	2.60	5.40	47.0	4.17	-1.00
9037	15.2	19.8	4.6	26	4A1	2	2.98	4.81	1.51	3.30	28.0	6.85	-1.00
0	19.8	28.9	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9038	28.9	29.9	1.0	100	4A134	2	3.41	8.30	2.30	6.00	45.0	15.90	-1.00
9039	29.9	31.0	1.1	100	4D0	3	3.27	8.90	2.70	6.20	46.0	12.70	-1.00
9040	31.0	33.4	2.4	12	5C4*	44	3.21	1.10	.48	.62	10.0	12.19	-1.00
9041	33.4	34.5	1.1	91	4A14	2	3.24	7.40	2.20	5.20	38.0	22.56	-1.00
9042	34.5	34.9	.4	100	5C4*	44	3.00	.84	.16	.68	8.0	9.00	-1.00
9043	34.9	36.0	1.1	100	4L14	52	2.97	4.43	1.93	2.50	30.0	6.52	-1.00
9044	36.0	37.7	1.7	76	4A1	2	3.01	3.75	2.30	1.45	29.0	7.54	-1.00
9045	37.7	39.0	1.3	100	4A1	2	2.96	4.10	1.40	2.70	20.0	4.43	-1.00
9046	39.0	41.1	2.1	100	4A04	2	3.01	6.90	2.30	4.60	38.0	4.93	-1.00
9047	41.1	42.6	1.5	100	4A14	2	3.00	6.55	1.85	4.70	35.0	3.55	-1.00
9048	42.6	44.6	2.0	100	4A4	2	3.13	6.80	2.20	4.60	36.0	9.97	-1.00
9049	44.6	45.7	1.1	82	4E4	5	4.01	20.70	7.20	13.50	124.0	18.88	-1.00
0	45.7	60.9	15.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU054 Section:
 Northing: 6397.4 Easting: 2790.9 Elevation: 1137.5
 Length: 150.9 Core: NQ Record: 296

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
9585	.0	2.0	2.0	75	4A4	2	3.45	6.38	1.88	4.50	42.0	23.57	-1.00
9586	2.0	4.0	2.0	95	4A0	2	3.28	4.60	1.50	3.10	33.0	11.84	-1.00
9587	4.0	6.0	2.0	85	4A4	2	3.11	5.31	1.71	3.60	39.0	14.82	-1.00
9588	6.0	8.0	2.0	80	4A4	2	3.27	5.07	1.57	3.50	37.0	18.84	-1.00
9589	8.0	10.0	2.0	100	4A4	2	3.29	9.60	2.90	6.70	56.0	15.54	-1.00
9590	10.0	12.0	2.0	100	4A4	2	3.48	6.90	2.40	4.50	52.0	20.89	-1.00
9591	12.0	15.2	3.2	66	4A4	2	2.90	5.80	2.20	3.60	29.0	7.08	-1.00
9592	15.2	16.8	1.6	100	4A0	2	3.18	4.67	1.67	3.00	33.0	15.38	-1.00
9593	16.8	18.2	1.4	100	4A0	2	3.40	2.64	1.02	1.62	25.0	18.17	-1.00
9594	18.2	19.8	1.6	100	4A4	2	3.31	8.90	2.40	6.50	44.0	13.90	-1.00
9595	19.8	21.3	1.5	100	4A4	2	3.39	7.70	2.90	4.80	45.0	16.41	-1.00
9596	21.3	23.3	2.0	95	4A4	2	3.48	12.50	3.90	8.60	63.0	13.60	-1.00
9597	23.3	25.3	2.0	100	4A4	2	3.31	13.50	4.50	9.00	73.0	10.09	-1.00
9598	25.3	27.3	2.0	90	4A4	2	3.16	11.20	3.20	8.00	55.0	8.89	-1.00
9599	27.3	29.3	2.0	100	4A4	2	3.25	13.30	3.90	9.40	69.0	10.89	-1.00
9600	29.3	30.9	1.6	100	4A4	2	3.49	20.10	6.90	13.20	116.0	13.13	-1.00
9601	30.9	32.5	1.6	94	4A4	2	3.41	19.70	6.20	13.50	106.0	10.14	-1.00
9602	32.5	33.9	1.4	100	4A4	2	3.28	15.40	5.40	10.00	85.0	10.04	-1.00
9603	33.9	34.9	1.0	90	4D0	3	3.01	12.20	3.60	8.60	61.0	5.51	-1.00
9604	34.9	35.6	.7	100	4A4	2	3.41	25.00	8.30	16.70	141.0	10.09	-1.00
9605	35.6	37.2	1.6	100	4D0	3	3.07	10.50	3.20	7.30	58.0	9.30	-1.00
0	37.2	40.0	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9606	40.0	42.0	2.0	60	4A4	2	3.39	8.40	3.20	5.20	53.0	13.91	-1.00
9607	42.0	44.3	2.3	65	4C0	3	3.03	1.95	.34	1.61	10.0	12.20	-1.00
9608	44.3	45.9	1.6	100	4C0	3	2.99	2.51	1.07	1.44	17.0	10.18	-1.00
9609	45.9	47.2	1.3	62	4AE	2	3.38	2.07	.82	1.25	18.0	21.49	-1.00
9610	47.2	51.3	4.1	39	4AE	2	3.49	4.75	1.65	3.10	26.0	22.94	-1.00
9611	51.3	53.3	2.0	100	4A4	2	3.14	11.30	3.40	7.90	48.0	10.07	-1.00
9612	53.3	55.4	2.1	100	4A4	2	3.34	7.90	2.80	5.10	46.0	12.32	-1.00
9613	55.4	56.1	.7	86	5D4*	47	3.01	12.20	3.30	8.90	52.0	10.35	-1.00
9614	56.1	57.9	1.8	100	4A14	2	2.99	8.20	3.20	5.00	54.0	4.42	-1.00
9615	57.9	59.9	2.0	35	4A14	2	2.87	6.20	2.70	3.50	40.0	2.76	-1.00
9616	59.9	61.9	2.0	100	4A1	2	3.07	3.14	1.93	1.21	27.0	8.01	-1.00
9617	61.9	62.5	.6	100	4A1	2	2.99	2.65	1.34	1.31	20.0	8.66	-1.00
9618	62.5	63.4	.9	89	4L12	52	2.96	4.35	1.75	2.60	21.0	5.85	-1.00
9619	63.4	65.4	2.0	100	4A14	2	3.13	8.20	2.80	5.40	39.0	8.79	-1.00
9620	65.4	67.1	1.7	100	4A14	2	2.96	9.60	3.50	6.10	44.0	7.38	-1.00
9621	67.1	68.7	1.6	100	4A14	2	2.93	7.70	2.30	5.40	33.0	5.93	-1.00
0	68.7	69.6	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9622	69.6	70.2	.6	100	4D0	3	3.06	7.10	2.40	4.70	31.0	10.04	-1.00
9623	70.2	70.5	.3	100	5C4*	44	2.99	5.82	.22	5.60	3.0	11.66	-1.00
9624	70.5	71.2	.7	100	4AE4	2	3.70	11.40	4.50	6.90	77.0	16.30	-1.00
0	71.2	94.0	22.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9625	94.0	94.7	.7	100	4A14	2	3.25	9.90	2.90	7.00	56.0	12.19	-1.00

9626	94.7	96.7	2.0	90	4L124	52	3.05	3.88	1.68	2.20	33.0	9.57	-1.00
9627	96.7	98.7	2.0	100	4L124	52	3.10	7.10	2.30	4.80	46.0	9.53	-1.00
9628	98.7	100.6	1.9	100	4L124	52	2.95	5.16	1.76	3.40	29.0	7.15	-1.00
9629	100.6	101.8	1.2	100	4L124	52	2.93	5.90	2.20	3.70	40.0	9.15	-1.00
9630	101.8	103.3	1.5	100	4A14	2	3.12	12.90	3.20	9.70	77.0	8.63	-1.00
9631	103.3	104.8	1.5	100	4A14	2	3.41	11.60	3.60	8.00	82.0	12.45	-1.00
9632	104.8	106.6	1.8	100	4D0	3	3.14	13.80	3.80	10.00	84.0	9.65	-1.00
9633	106.6	107.3	.7	100	50C4*	47	3.14	6.46	.56	5.90	14.0	15.14	-1.00
9634	107.3	109.1	1.8	100	4A0	2	3.10	2.43	.55	1.88	10.0	14.18	-1.00
0	109.1	115.2	6.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9635	115.2	116.3	1.1	100	4B0	2	3.01	9.95	1.85	8.10	35.0	11.37	-1.00
9636	116.3	117.0	.7	100	5D6	47	3.80	4.17	1.37	2.80	29.0	29.70	-1.00
0	117.0	150.9	33.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU055 Section:
 Northing: 6396.6 Easting: 2786.9 Elevation: 1134.4
 Length: 36.4 Core: NQ Record: 297

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	36.4	36.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU056 Section:
 Northing: 6396.6 Easting: 2786.9 Elevation: 1135.5
 Length: 61.0 Core: NQ Record: 298

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8565	.0	3.1	3.1	39	4LA1	52	2.71	3.90	1.40	2.50	26.0	6.91	-1.00
8566	3.1	6.2	3.1	100	4LA1	52	2.84	2.36	.49	1.87	15.0	7.70	-1.00
8567	6.2	9.3	3.1	100	4LA1	52	3.01	5.25	1.25	4.00	25.0	6.50	-1.00
8568	9.3	12.3	3.0	100	4LA1	52	3.08	4.38	1.18	3.20	28.0	8.73	-1.00
8569	12.3	15.3	3.0	100	4LA1	52	3.14	5.05	1.25	3.80	28.0	10.11	-1.00
8570	15.3	18.3	3.0	100	4LA1	52	3.14	4.71	1.71	3.00	39.0	10.77	-1.00
8571	18.3	21.3	3.0	70	4LA1	52	3.50	5.67	1.97	3.70	31.0	4.75	-1.00
8572	21.3	24.3	3.0	43	4A1	2	3.11	3.29	1.09	2.20	23.0	4.36	-1.00
0	24.3	45.4	21.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8573	45.4	47.7	2.3	100	4A3	2	3.51	3.53	1.23	2.30	26.0	12.55	-1.00
8574	47.7	50.1	2.4	100	4A3	2	2.92	1.85	.72	1.13	16.0	8.12	-1.00
8575	50.1	50.6	.5	100	4CL	3	2.86	.38	.19	.19	6.0	6.40	-1.00
8576	50.6	51.3	.7	71	5D4	47	2.84	.25	.14	.11	5.0	5.92	-1.00
8577	51.3	52.3	1.0	100	4L14	52	3.23	4.50	2.40	2.10	29.0	3.49	-1.00
8578	52.3	53.3	1.0	100	4A14	2	3.06	12.00	5.50	6.50	60.0	5.94	-1.00
8579	53.3	55.5	2.2	100	4A4	2	3.01	9.80	3.30	6.50	42.0	6.65	-1.00
0	55.5	61.0	5.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU057 Section:
 Northing: 6396.7 Easting: 2786.8 Elevation: 1133.2
 Length: 53.3 Core: NQ Record: 299

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8891	.0	1.8	1.8	61	4D0	3	3.23	5.82	1.92	3.90	41.0	9.65	-1.00
8892	1.8	3.8	2.0	95	4A14	2	3.04	5.24	1.74	3.50	35.0	3.31	-1.00
8893	3.8	5.8	2.0	100	4A1	2	2.96	2.71	.81	1.90	15.0	6.50	-1.00
8894	5.8	7.2	1.4	86	4A1	2	2.96	4.19	1.19	3.00	20.0	4.56	-1.00
8895	7.2	8.8	1.6	100	4D0	3	3.18	5.95	1.65	4.30	31.0	9.74	-1.00
0	8.8	11.6	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8896	11.6	13.2	1.6	75	4D0	3	3.02	6.34	1.74	4.60	28.0	4.92	-1.00
8897	13.2	15.2	2.0	85	4A1	2	2.99	4.71	1.41	3.30	22.0	2.69	-1.00
8898	15.2	17.2	2.0	100	4A1	2	3.00	2.36	1.81	.55	35.0	3.64	-1.00
8899	17.2	19.2	2.0	40	4A14	2	2.96	8.25	1.95	6.30	38.0	2.59	-1.00
8900	19.2	21.4	2.2	59	4A14	2	2.96	5.25	1.85	3.40	36.0	4.11	-1.00
9151	21.4	22.8	1.4	93	4D0	3	2.97	9.10	3.40	5.70	52.0	4.99	-1.00
9152	22.8	24.7	1.9	100	4A14	2	2.86	7.80	2.60	5.20	39.0	2.33	-1.00
9153	24.7	26.7	2.0	35	4A14	2	2.81	4.03	.63	3.40	12.0	1.25	-1.00
9154	26.7	28.7	2.0	80	4A14	2	2.97	10.70	3.60	7.10	60.0	3.86	-1.00
9155	28.7	30.3	1.6	100	4A1	2	2.80	3.42	.82	2.60	15.0	1.33	-1.00
9156	30.3	32.3	2.0	75	4A14	2	2.96	8.60	3.10	5.50	47.0	2.56	-1.00
9157	32.3	34.3	2.0	100	4A1	2	2.81	3.64	1.04	2.60	17.0	1.97	-1.00
9158	34.3	36.3	2.0	100	4A1	2	2.86	2.44	.92	1.52	15.0	2.73	-1.00
9159	36.3	38.3	2.0	95	4A1	2	2.91	2.81	1.05	1.76	18.0	2.56	-1.00
9160	38.3	40.3	2.0	95	4A1	2	2.84	1.65	.58	1.07	9.0	3.13	-1.00
9161	40.3	42.3	2.0	100	4A1	2	2.79	3.33	1.65	1.68	24.0	2.29	-1.00
9162	42.3	44.3	2.0	100	4A1	2	2.88	1.34	.54	.80	11.0	6.56	-1.00
9163	44.3	46.3	2.0	75	4A1	2	2.94	1.39	.66	.73	14.0	8.89	-1.00
9164	46.3	48.3	2.0	100	4A1	2	2.86	1.17	.52	.65	10.0	6.75	-1.00
9165	48.3	50.3	2.0	25	4A1	2	2.87	.96	.43	.53	9.0	7.60	-1.00
9166	50.3	52.3	2.0	75	4A1	2	2.96	1.21	.64	.57	14.0	10.22	-1.00
9167	52.3	53.3	1.0	70	4A1	2	3.01	3.06	1.77	1.29	26.0	5.03	-1.00

Drill Hole: AGU058 Section:
 Northing: 6455.6 Easting: 2691.4 Elevation: 1125.7
 Length: 106.7 Core: NQ Record: 300

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
6950	.0	2.1	2.1	71	4E4	5	4.74	5.80	2.70	3.10	43.0	38.55	-1.00
6951	2.1	4.2	2.1	100	4E4	5	4.93	12.20	4.80	7.40	59.0	37.04	-1.00
6952	4.2	5.9	1.7	76	4G4	7	4.81	15.70	6.40	9.30	105.0	22.25	-1.00
6953	5.9	7.6	1.7	88	4G4	7	4.68	19.90	7.20	12.70	163.0	15.91	-1.00
6954	7.6	9.0	1.4	93	4E4	5	4.59	19.90	7.50	12.40	99.0	29.21	-1.00
6955	9.0	9.7	.7	71	5C*	44	2.94	.49	.18	.31	2.0	8.60	-1.00
6956	9.7	10.2	.5	100	4L0	52	3.37	1.71	.66	1.05	7.0	17.17	-1.00
6957	10.2	11.7	1.5	87	4E4	5	3.75	5.07	1.77	3.30	36.0	27.87	-1.00
6958	11.7	13.0	1.3	92	5A6	30	3.01	1.02	.43	.59	3.0	7.62	-1.00
6959	13.0	13.7	.7	86	5C3	44	3.69	11.00	3.90	7.10	80.0	21.79	-1.00
6960	13.7	14.7	1.0	100	5B12	40	2.99	1.93	.62	1.31	10.0	5.87	-1.00
6961	14.7	15.7	1.0	80	4E4	5	4.84	29.40	9.60	19.80	139.0	23.15	-1.00
6962	15.7	16.6	.9	89	4G4	7	4.56	21.70	5.80	15.90	86.0	17.65	-1.00
6963	16.6	17.6	1.0	100	4E4	5	4.60	21.30	5.80	15.50	87.0	24.94	-1.00
6964	17.6	18.5	.9	100	4E4	5	4.40	25.40	7.40	18.00	120.0	25.61	-1.00
0	18.5	26.6	8.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6965	26.6	28.3	1.7	88	4E10	5	3.21	1.56	.76	.80	8.0	20.49	-1.00
0	28.3	87.1	58.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6966	87.1	88.3	1.2	92	4E84	5	4.43	10.30	6.80	3.50	72.0	37.94	-1.00
6967	88.3	89.4	1.1	91	4E84	5	4.50	11.40	8.00	3.40	97.0	35.19	-1.00
6968	89.4	91.1	1.7	82	4E0	5	4.46	.95	.55	.40	21.0	42.51	-1.00
6969	91.1	92.7	1.6	94	4E0	5	4.44	1.16	.52	.64	19.0	40.82	-1.00
6970	92.7	94.3	1.6	75	4E4	5	4.32	9.00	4.70	4.30	78.0	32.90	-1.00
6971	94.3	96.3	2.0	95	4E0	5	4.57	2.99	1.88	1.11	48.0	37.85	-1.00
6972	96.3	98.0	1.7	100	4E4	5	4.08	4.80	3.20	1.60	59.0	33.37	-1.00
6973	98.0	98.6	.6	50	5D4\$	47	3.34	.47	.29	.18	14.0	19.43	-1.00
6974	98.6	99.8	1.2	75	4E4#	5	4.04	13.13	5.93	7.20	92.0	24.09	-1.00
0	99.8	106.7	6.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU059 Section:
 Northing: 6455.7 Easting: 2692.1 Elevation: 1124.8
 Length: 127.2 Core: NQ Record: 301

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7081	.0	2.0	2.0	95	4A4	2	3.37	15.60	4.50	11.10	74.0	12.34	-1.00
7082	2.0	4.0	2.0	100	4A4	2	3.37	9.10	2.90	6.20	55.0	16.61	-1.00
7083	4.0	6.0	2.0	100	4A4	2	3.23	12.30	4.20	8.10	73.0	11.15	-1.00
7084	6.0	7.8	1.8	100	4A4	2	3.32	11.90	3.70	8.20	68.0	14.02	-1.00
7085	7.8	9.7	1.9	100	4E14	5	3.46	19.30	5.80	13.50	98.0	11.85	-1.00
7086	9.7	10.6	.9	100	4D4	3	4.02	26.40	9.50	16.90	165.0	9.04	-1.00
7087	10.6	12.8	2.2	100	4E14	5	3.82	28.80	10.40	18.40	169.0	10.10	-1.00
7088	12.8	14.9	2.1	100	4E14	5	4.11	27.60	9.20	18.40	158.0	13.28	-1.00
7089	14.9	17.0	2.1	100	4E14	5	4.55	29.80	11.80	18.00	191.0	15.85	-1.00
7090	17.0	18.8	1.8	100	4E4	5	4.81	13.40	6.40	7.00	92.0	35.43	-1.00
7091	18.8	20.0	1.2	100	4E4	5	4.65	29.60	11.00	18.60	167.0	24.83	-1.00
7092	20.0	21.1	1.1	100	4E4	5	4.55	27.20	10.00	17.20	156.0	24.85	-1.00
7093	21.1	23.1	2.0	100	4G4	7	4.69	16.30	6.30	10.00	110.0	17.72	-1.00
7094	23.1	25.1	2.0	100	4G4	7	4.72	17.40	6.90	10.50	123.0	20.05	-1.00
7095	25.1	27.1	2.0	100	4G4	7	4.70	17.80	6.80	11.00	112.0	24.42	-1.00
7096	27.1	29.1	2.0	100	4G4	7	4.61	17.00	6.50	10.50	133.0	20.71	-1.00
7097	29.1	31.1	2.0	100	4G4	7	4.64	20.80	8.30	12.50	144.0	23.07	-1.00
7098	31.1	32.8	1.7	82	4G4	7	4.71	16.60	6.60	10.00	124.0	24.34	-1.00
7099	32.8	33.8	1.0	100	4E4	5	4.62	25.50	9.60	15.90	150.0	16.51	-1.00
7100	33.8	35.2	1.4	100	4E4	5	4.89	26.10	11.00	15.10	157.0	24.28	-1.00
7201	35.2	37.2	2.0	100	4G4	7	3.54	16.50	6.50	10.00	112.0	20.58	-1.00
7202	37.2	39.2	2.0	100	4G4	7	4.51	16.70	6.50	10.20	101.0	22.82	-1.00
7203	39.2	41.2	2.0	100	4G4	7	4.62	17.10	6.90	10.20	90.0	20.52	-1.00
7204	41.2	42.9	1.7	82	4G4	7	4.71	16.70	6.40	10.30	101.0	23.32	-1.00
7205	42.9	44.6	1.7	100	4G4	7	4.61	18.30	6.90	11.40	115.0	19.27	-1.00
7206	44.6	46.3	1.7	100	4G4	7	4.49	20.40	7.00	13.40	120.0	26.83	-1.00
7207	46.3	47.5	1.2	100	4E64	5	4.77	23.20	9.40	13.80	180.0	28.50	-1.00
7208	47.5	48.5	1.0	90	4E4	5	4.51	29.10	8.40	20.70	138.0	25.92	-1.00
7209	48.5	50.4	1.9	100	4E4	5	4.74	21.30	7.70	13.60	108.0	32.15	-1.00
7210	50.4	52.0	1.6	100	4E0	5	4.61	1.93	1.17	.76	30.0	43.41	-1.00
7211	52.0	53.6	1.6	100	4E0	5	4.54	.98	.47	.51	21.0	43.57	-1.00
7212	53.6	54.5	.9	100	4E4	5	4.35	17.70	6.50	11.20	107.0	27.85	-1.00
0	54.5	101.9	47.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7213	101.9	102.9	1.0	100	4A0	2	3.06	3.76	1.26	2.50	23.0	10.77	-1.00
7214	102.9	104.5	1.6	100	4E4	5	3.91	5.30	2.50	2.80	38.0	28.05	-1.00
7215	104.5	105.1	.6	100	4C0	3	3.31	3.68	1.65	2.03	26.0	19.40	-1.00
7216	105.1	107.3	2.2	100	4A13	2	3.02	.64	.19	.45	6.0	11.17	-1.00
7217	107.3	109.5	2.2	100	4A13	2	3.07	.62	.20	.42	8.0	12.75	-1.00
7218	109.5	110.1	.6	100	4E0	5	4.04	4.80	2.30	2.50	31.0	28.10	-1.00
0	110.1	127.2	17.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU060 Section:
 Northing: 6455.7 Easting: 2693.4 Elevation: 1124.4
 Length: 122.0 Core: NQ Record: 302

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.1	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7444	1.1	2.7	1.6	94	4A14	2	4.49	7.30	3.20	4.10	35.0	8.39	-1.00
7445	2.7	4.3	1.6	100	4A14	2	3.29	7.90	2.90	5.00	33.0	7.42	-1.00
7446	4.3	6.5	2.2	100	4A14	2	3.12	6.10	2.70	3.40	33.0	7.17	-1.00
7447	6.5	8.6	2.1	100	4A14	2	3.14	6.90	3.20	3.70	40.0	7.99	-1.00
7448	8.6	10.7	2.1	100	4A10	2	2.92	2.48	.53	1.95	12.0	3.61	-1.00
7449	10.7	12.2	1.5	53	4A14	2	3.08	7.90	3.80	4.10	49.0	5.44	-1.00
7450	12.2	14.4	2.2	68	4A10	2	2.54	2.03	1.18	.85	19.0	7.90	-1.00
7451	14.4	16.6	2.2	100	4A10	2	2.96	2.44	1.14	1.30	22.0	7.85	-1.00
7452	16.6	18.7	2.1	100	4A10	2	3.12	3.60	1.58	2.02	31.0	12.16	-1.00
7453	18.7	20.8	2.1	100	4A13	2	2.94	2.29	1.08	1.21	23.0	8.61	-1.00
7454	20.8	22.8	2.0	100	4A13	2	3.04	2.08	.84	1.24	19.0	11.70	-1.00
7455	22.8	24.0	1.2	100	4A14	2	3.36	5.92	2.02	3.90	39.0	16.50	-1.00
7456	24.0	25.8	1.8	100	4A10	2	3.18	3.61	1.58	2.03	28.0	13.68	-1.00
7457	25.8	27.6	1.8	100	4A14	2	3.05	6.13	2.63	3.50	42.0	8.04	-1.00
7458	27.6	28.1	.5	100	4A30	2	3.50	.98	.35	.63	16.0	24.19	-1.00
7459	28.1	29.2	1.1	91	4E0	5	4.02	1.57	.16	1.41	14.0	35.22	-1.00
7460	29.2	29.9	.7	100	4E*4	5	4.20	14.80	5.50	9.30	91.0	26.88	-1.00
7461	29.9	31.5	1.6	81	4A10	2	3.37	1.66	.46	1.20	18.0	21.95	-1.00
7462	31.5	32.5	1.0	90	4E4	5	4.63	18.10	9.00	9.10	143.0	30.32	-1.00
7463	32.5	34.1	1.6	100	4G4	7	4.59	12.50	4.70	7.80	80.0	21.74	-1.00
0	34.1	42.8	8.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7464	42.8	44.0	1.2	100	4E64	5	4.53	9.60	4.20	5.40	61.0	31.31	-1.00
0	44.0	56.4	12.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7465	56.4	56.8	.4	100	4G#4	7	4.01	16.70	6.00	10.70	107.0	20.58	-1.00
0	56.8	59.4	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7466	59.4	60.7	1.3	92	4E#4	5	4.02	6.50	2.70	3.80	74.0	19.49	-1.00
7467	60.7	62.0	1.3	38	4E#4	5	4.13	16.80	6.10	10.70	102.0	17.83	-1.00
0	62.0	96.0	34.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7468	96.0	97.0	1.0	100	4A0	2	2.97	3.70	1.20	2.50	23.0	6.39	-1.00
0	97.0	105.5	8.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7469	105.5	106.1	.6	100	4D4	3	3.67	22.10	8.60	13.50	152.0	12.22	-1.00
7470	106.1	107.9	1.8	100	4E4	5	4.39	8.30	3.30	5.00	67.0	32.84	-1.00
7471	107.9	109.7	1.8	100	4E4	5	4.01	11.70	4.30	7.40	82.0	24.56	-1.00
7472	109.7	111.5	1.8	100	4E0	5	4.04	3.36	.86	2.50	31.0	30.56	-1.00
7473	111.5	112.3	.8	100	4E14	5	3.56	11.50	4.40	7.10	75.0	19.27	-1.00
0	112.3	122.0	9.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU061 Section:
 Northing: 6455.8 Easting: 2693.3 Elevation: 1124.4
 Length: 120.5 Core: NQ Record: 303

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.2	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7415	1.2	3.2	2.0	95	4A14	2	3.52	8.40	3.10	5.30	38.0	9.00	-1.00
7416	3.2	5.2	2.0	100	4A14	2	3.11	6.20	2.40	3.80	32.0	7.45	-1.00
7417	5.2	7.2	2.0	100	4A14	2	3.16	8.80	3.60	5.20	48.0	6.84	-1.00
7418	7.2	9.2	2.0	100	4A14	2	3.33	8.90	3.80	5.10	62.0	12.51	-1.00
7419	9.2	11.3	2.1	100	4A30	2	3.66	1.34	.31	1.03	13.0	25.62	-1.00
7420	11.3	13.4	2.1	100	4A30	2	3.72	1.00	.65	.35	35.0	28.20	-1.00
7421	13.4	15.5	2.1	100	4A30	2	3.50	2.37	.82	1.55	31.0	22.57	-1.00
7422	15.5	16.9	1.4	100	4A14	2	3.08	6.23	2.03	4.20	38.0	6.82	-1.00
7423	16.9	18.4	1.5	100	4A13	2	3.45	1.01	.46	.55	29.0	22.51	-1.00
7424	18.4	20.4	2.0	90	4E0	5	3.72	.52	.14	.38	15.0	28.72	-1.00
7425	20.4	22.4	2.0	100	4E0	5	3.60	.40	.08	.32	11.0	25.39	-1.00
7426	22.4	24.3	1.9	100	4E0	5	3.67	.41	.11	.30	13.0	28.79	-1.00
7427	24.3	25.1	.8	87	4E4	5	4.49	18.30	8.30	10.00	141.0	28.21	-1.00
7428	25.1	25.8	.7	100	4E14	5	3.82	6.50	3.30	3.20	58.0	25.95	-1.00
7429	25.8	27.4	1.6	100	4E74	5	4.85	16.80	9.70	7.10	147.0	33.60	-1.00
7430	27.4	29.0	1.6	100	4E74	5	4.85	13.00	8.60	4.40	137.0	35.20	-1.00
7431	29.0	30.0	1.0	100	4E0	5	-1.00	1.12	.77	.35	28.0	-1.00	-1.00
7432	30.0	30.6	.6	100	4G4	7	4.83	16.90	7.60	9.30	115.0	24.70	-1.00
7433	30.6	32.8	2.2	86	4E4	5	4.18	13.70	5.90	7.80	100.0	25.63	-1.00
0	32.8	55.8	23.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7434	55.8	56.3	.5	100	4G4	7	4.20	12.40	5.00	7.40	92.0	18.87	-1.00
0	56.3	59.9	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7435	59.9	60.9	1.0	100	4G4	7	4.46	17.50	6.80	10.70	136.0	13.02	-1.00
0	60.9	87.4	26.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7436	87.4	89.1	1.7	100	4E1	5	4.39	4.60	2.10	2.50	45.0	34.27	-1.00
7437	89.1	90.8	1.7	88	4E1	5	4.24	4.70	2.20	2.50	37.0	31.39	-1.00
7438	90.8	91.3	.5	100	5A\$	30	3.17	2.29	1.14	1.15	24.0	12.02	-1.00
7439	91.3	91.7	.4	100	4A1	2	2.95	3.42	1.12	2.30	23.0	7.00	-1.00
7440	91.7	92.8	1.1	100	4H1	8	3.99	2.39	.99	1.40	24.0	34.59	-1.00
7441	92.8	96.7	3.9	100	4A1	2	-1.00	1.30	.56	.74	14.0	-1.00	-1.00
0	96.7	112.2	15.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7442	112.2	113.7	1.5	100	4D4	3	3.62	21.40	6.90	14.50	108.0	15.69	-1.00
7443	113.7	115.2	1.5	100	4D4	3	3.55	21.70	7.00	14.70	121.0	12.09	-1.00
0	115.2	120.5	5.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU062 Section:
 Northing: 6455.4 Easting: 2691.6 Elevation: 1125.0
 Length: 109.7 Core: NQ Record: 304

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7219	.0	1.6	1.6	94	4E4	5	4.13	16.00	6.40	9.60	107.0	25.73	-1.00
7220	1.6	3.2	1.6	94	4E4	5	4.69	9.20	4.60	4.60	78.0	38.03	-1.00
7221	3.2	4.8	1.6	100	4E4	5	4.70	10.80	5.30	5.50	79.0	37.24	-1.00
7222	4.8	6.0	1.2	83	4L14	52	3.10	3.08	1.16	1.92	23.0	11.37	-1.00
7223	6.0	8.0	2.0	95	4E4	5	4.72	16.00	6.70	9.30	135.0	21.70	-1.00
7224	8.0	9.8	1.8	89	4G4	7	4.66	14.40	5.20	9.20	122.0	21.68	-1.00
7225	9.8	10.5	.7	100	4G4	7	4.73	10.40	3.70	6.70	89.0	26.03	-1.00
7226	10.5	12.0	1.5	100	4E64	5	4.71	18.30	6.20	12.10	111.0	21.55	-1.00
7227	12.0	13.6	1.6	94	4E4	5	4.69	17.40	5.90	11.50	83.0	31.79	-1.00
0	13.6	90.4	76.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7228	90.4	92.3	1.9	100	4E4	5	4.42	13.20	5.00	8.20	111.0	27.11	-1.00
7229	92.3	94.1	1.8	78	4E4	5	4.69	18.00	7.40	10.60	121.0	20.29	-1.00
7230	94.1	95.5	1.4	100	4E4	5	4.66	12.10	4.40	7.70	107.0	30.39	-1.00
7231	95.5	96.9	1.4	100	4E4	5	4.61	13.90	5.10	8.80	114.0	28.27	-1.00
0	96.9	109.7	12.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU063 Section:
 Northing: 6455.4 Easting: 2691.6 Elevation: 1126.8
 Length: 106.6 Core: NQ Record: 305

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7693	.0	2.5	2.5	100	4E4	5	4.80	18.20	7.40	10.80	86.0	31.40	-1.00
7694	2.5	4.5	2.0	100	4G4	7	4.84	14.60	5.90	8.70	135.0	25.91	-1.00
7695	4.5	6.8	2.3	65	4G4	7	4.78	15.50	5.10	10.40	105.0	18.15	-1.00
7696	6.8	9.1	2.3	100	4E4	5	4.86	19.00	7.40	11.60	101.0	29.13	-1.00
7697	9.1	9.6	.5	100	4D45	3	3.88	14.90	10.00	4.90	139.0	14.81	-1.00
7698	9.6	11.2	1.6	100	4E4	5	4.38	24.60	4.40	20.20	68.0	28.03	-1.00
7699	11.2	11.9	.7	57	5C3\$	44	3.28	4.65	1.15	3.50	29.0	12.78	-1.00
7700	11.9	13.3	1.4	100	5A9	30	2.98	2.14	.19	1.95	4.0	5.63	-1.00
7801	13.3	14.7	1.4	100	5A9	30	-1.00	.86	.08	.78	1.0	-1.00	-1.00
0	14.7	39.6	24.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7802	39.6	41.1	1.5	87	4E47	5	4.40	10.20	6.00	4.20	58.0	37.12	-1.00
7803	41.1	42.6	1.5	100	4E47	5	4.30	9.80	5.90	3.90	60.0	36.67	-1.00
0	42.6	56.7	14.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7804	56.7	58.0	1.3	100	4G4#	7	4.39	11.10	5.30	5.80	83.0	16.64	-1.00
7805	58.0	59.4	1.4	100	4G0#	7	4.01	5.50	2.70	2.80	41.0	29.92	-1.00
7806	59.4	59.8	.4	100	4L0	52	3.20	1.86	.69	1.17	14.0	11.97	-1.00
7807	59.8	60.9	1.1	100	4G48	7	4.42	13.90	5.50	8.40	95.0	13.18	-1.00
7808	60.9	62.7	1.8	94	4G48	7	4.57	15.40	7.00	8.40	117.0	7.91	-1.00
7809	62.7	64.4	1.7	88	4KEG	6	3.95	25.00	12.90	12.10	203.0	15.08	-1.00
0	64.4	106.6	42.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU064 Section:
 Northing: 6454.8 Easting: 2694.2 Elevation: 1128.2
 Length: 57.9 Core: NQ Record: 306

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7701	.0	1.5	1.5	87	4E4	5	4.91	14.10	4.80	9.30	73.0	34.52	-1.00
7702	1.5	3.6	2.1	67	4E4	5	4.91	19.80	7.50	12.30	126.0	35.88	-1.00
7703	3.6	5.6	2.0	85	4E46	5	4.83	14.90	5.70	9.20	139.0	21.77	-1.00
7704	5.6	7.6	2.0	65	4E4	5	4.78	15.80	5.80	10.00	138.0	20.90	-1.00
7705	7.6	9.3	1.7	71	4E4	5	4.67	21.20	7.80	13.40	162.0	18.44	-1.00
7706	9.3	10.5	1.2	67	4E41	5	4.07	27.70	10.10	17.60	182.0	16.56	-1.00
7707	10.5	12.1	1.6	75	4E41	5	4.25	9.80	5.10	4.70	100.0	29.95	-1.00
7708	12.1	13.3	1.2	83	4E41	5	4.23	8.30	4.20	4.10	66.0	27.86	-1.00
7709	13.3	16.1	2.8	50	4E4	5	4.50	17.60	5.30	12.30	95.0	30.17	-1.00
7710	16.1	17.1	1.0	60	5A9	30	3.08	3.83	1.13	2.70	16.0	10.15	-1.00
0	17.1	38.3	21.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7711	38.3	40.8	2.5	72	4E4*	5	4.08	9.00	2.90	6.10	99.0	25.31	-1.00
0	40.8	57.9	17.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU065 Section:
 Northing: 6455.6 Easting: 2693.5 Elevation: 1128.4
 Length: 59.4 Core: NQ Record: 307

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7519	.0	3.8	3.8	66	4E4	5	4.75	16.30	5.60	10.70	96.0	3.43	-1.00
7520	3.8	5.7	1.9	100	4G4	7	4.80	18.20	7.30	10.90	140.0	20.63	-1.00
7521	5.7	7.6	1.9	95	4G4	7	4.76	15.50	5.90	9.60	125.0	27.81	-1.00
7522	7.6	9.8	2.2	73	4G4	7	4.69	23.60	8.10	15.50	144.0	9.63	-1.00
7523	9.8	12.4	2.6	73	4E4	5	4.78	23.28	8.08	15.20	133.0	30.42	-1.00
7524	12.4	12.9	.5	80	4D4	3	3.71	26.35	7.95	18.40	138.0	11.95	-1.00
7525	12.9	14.2	1.3	100	4A4	2	3.12	10.54	2.84	7.70	59.0	7.03	-1.00
7526	14.2	15.1	.9	100	4D4	3	3.23	15.31	4.01	11.30	82.0	7.58	-1.00
7527	15.1	16.7	1.6	100	4E4	5	3.78	11.16	4.96	6.20	93.0	23.59	-1.00
7528	16.7	19.0	2.3	100	4E4	5	4.18	28.60	10.70	17.90	170.0	21.12	-1.00
7529	19.0	21.5	2.5	60	4A0	2	3.12	3.40	1.15	2.25	21.0	9.66	-1.00
0	21.5	42.8	21.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7530	42.8	43.3	.5	100	4L24	52	3.07	1.43	.55	.88	13.0	9.34	-1.00
7531	43.3	43.8	.5	100	4C0*	3	3.55	3.99	1.75	2.24	29.0	23.11	-1.00
7532	43.8	45.6	1.8	100	4G4	7	4.61	22.50	12.40	10.10	161.0	14.23	-1.00
7533	45.6	47.6	2.0	100	4E4	5	4.58	24.00	14.40	9.60	178.0	26.34	-1.00
7534	47.6	49.6	2.0	95	4E4	5	4.30	17.70	9.60	8.10	131.0	27.90	-1.00
7535	49.6	50.4	.8	100	4L24	52	3.56	4.03	1.98	2.05	36.0	23.26	-1.00
0	50.4	59.4	9.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU066 Section:
 Northing: 6454.2 Easting: 2692.7 Elevation: 1126.3
 Length: 99.0 Core: NQ Record: 308

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
12083	.0	2.0	2.0	80	4E42	5	4.34	24.10	9.30	14.80	136.0	21.98	-1.00
12084	2.0	3.4	1.4	71	4E42	5	4.69	24.20	7.20	17.00	98.0	27.58	-1.00
12085	3.4	5.4	2.0	100	4E4	5	4.91	12.30	4.30	8.00	69.0	36.04	-1.00
12086	5.4	7.3	1.9	84	4E4	5	4.76	17.50	6.60	10.90	76.0	32.23	-1.00
12087	7.3	9.3	2.0	100	4EG4	7	4.78	15.60	6.20	9.40	121.0	20.04	-1.00
12088	9.3	11.4	2.1	81	4EG4	7	4.86	15.60	5.70	9.90	117.0	23.26	-1.00
12089	11.4	13.9	2.5	80	4G4	7	4.75	12.60	3.90	8.70	83.0	15.19	-1.00
12090	13.9	15.9	2.0	70	4EG4	7	4.75	17.60	6.70	10.90	123.0	35.25	-1.00
12091	15.9	16.7	.8	100	4AL0	2	3.27	3.80	1.30	2.50	34.0	12.83	-1.00
12092	16.7	18.4	1.7	41	4EA4	5	3.58	7.00	2.90	4.10	49.0	18.87	-1.00
12093	18.4	19.4	1.0	90	5D4a	47	3.08	.97	.38	.59	8.0	10.99	-1.00
12094	19.4	20.5	1.1	82	4E4	5	4.47	21.70	9.00	12.70	126.0	23.58	-1.00
12095	20.5	22.0	1.5	100	4EG4	7	4.73	25.90	8.40	17.50	117.0	24.53	-1.00
12096	22.0	23.4	1.4	93	4G4	7	4.86	15.30	5.60	9.70	98.0	23.51	-1.00
12097	23.4	25.9	2.5	100	4E4	5	4.60	26.20	6.80	19.40	109.0	25.11	-1.00
0	25.9	39.2	13.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12098	39.2	41.3	2.1	71	4E4	5	4.51	8.90	4.40	4.50	72.0	33.93	-1.00
12099	41.3	45.7	4.4	95	4L2	52	3.45	2.77	1.40	1.37	32.0	18.24	-1.00
0	45.7	47.2	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12100	47.2	48.7	1.5	73	4E8	5	-1.00	4.43	2.50	1.93	37.0	-1.00	-1.00
0	48.7	71.6	22.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12101	71.6	72.6	1.0	100	4E0	5	4.20	2.49	2.01	.48	42.0	24.57	-1.00
12102	72.6	73.3	.7	71	4L0	52	3.11	.72	.53	.19	22.0	9.66	-1.00
12103	73.3	76.1	2.8	71	4E4	5	4.39	5.50	2.40	3.10	62.0	32.73	-1.00
12104	76.1	78.5	2.4	96	4G4#	7	4.45	11.90	5.70	6.20	105.0	18.80	-1.00
12105	78.5	80.7	2.2	100	4G4	7	4.53	14.10	6.00	8.10	91.0	9.34	-1.00
12106	80.7	83.2	2.5	80	4G4#	7	4.28	13.90	6.80	7.10	117.0	23.32	-1.00
12107	83.2	85.5	2.3	48	4LEG	52	3.39	1.74	1.00	.74	30.0	18.07	-1.00
12108	85.5	86.8	1.3	100	4G0#	7	3.32	7.80	3.90	3.90	95.0	26.38	-1.00
12109	86.8	87.5	.7	86	4L2	52	3.45	2.76	1.90	.86	41.0	19.41	-1.00
12110	87.5	88.8	1.3	100	4G4#	7	4.14	12.70	6.20	6.50	78.0	24.72	-1.00
12111	88.8	89.5	.7	71	4L3	52	3.12	.81	.35	.46	39.0	6.54	-1.00
12112	89.5	91.3	1.8	100	4G4	7	4.63	14.40	5.70	8.70	100.0	9.94	-1.00
12113	91.3	93.1	1.8	22	4G4	7	4.64	14.00	6.40	7.60	105.0	9.35	-1.00
12114	93.1	95.0	1.9	100	5D4*	47	3.11	1.76	.91	.85	23.0	9.55	-1.00
12115	95.0	98.7	3.7	73	4GE4	7	4.61	14.40	5.90	8.50	108.0	10.03	-1.00
0	98.7	99.0	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU067 Section:
 Northing: 6516.0 Easting: 2695.4 Elevation: 1116.0
 Length: 76.2 Core: NQ Record: 309

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11474	.0	3.1	3.1	65	4A0	2	3.10	3.10	1.57	1.53	25.0	10.90	-1.00
11475	3.1	5.4	2.3	87	4A0	2	3.11	3.45	1.67	1.78	24.0	10.22	-1.00
11476	5.4	7.6	2.2	91	4AE	2	3.04	7.20	2.60	4.60	34.0	7.68	-1.00
11477	7.6	9.2	1.6	69	4A14	2	3.12	9.30	4.30	5.00	48.0	17.34	-1.00
11478	9.2	10.8	1.6	100	4A14	2	2.96	6.90	2.90	4.00	37.0	4.95	-1.00
11479	10.8	12.1	1.3	100	4E05	5	3.87	2.66	.73	1.93	23.0	29.57	-1.00
11480	12.1	13.5	1.4	100	4AE	2	4.27	2.33	.48	1.85	12.0	14.19	-1.00
11481	13.5	15.5	2.0	95	4A43	2	3.34	5.29	2.09	3.20	45.0	15.71	-1.00
11482	15.5	18.2	2.7	100	4A43	2	3.56	12.00	3.60	8.40	56.0	17.36	-1.00
11483	18.2	20.2	2.0	100	4E4	5	4.46	24.20	9.70	14.50	140.0	27.05	-1.00
11484	20.2	22.4	2.2	100	4E4	5	4.86	27.20	11.10	16.10	134.0	27.11	-1.00
11485	22.4	24.4	2.0	100	4G4	7	4.63	11.80	3.60	8.20	75.0	15.57	-1.00
11486	24.4	26.4	2.0	95	4G4	7	4.63	19.10	5.70	13.40	112.0	14.42	-1.00
11487	26.4	27.5	1.1	100	4E4	5	4.17	19.10	5.90	13.20	95.0	22.37	-1.00
11488	27.5	29.5	2.0	90	4E4	5	4.57	22.70	3.20	19.50	45.0	29.19	-1.00
11489	29.5	31.5	2.0	90	4E4	5	4.56	29.80	5.80	24.00	83.0	25.43	-1.00
11490	31.5	33.5	2.0	100	4E4	5	4.86	27.70	5.70	22.00	85.0	25.79	-1.00
11491	33.5	35.4	1.9	100	4EA4	5	4.35	21.70	5.30	16.40	140.0	24.69	-1.00
0	35.4	76.2	40.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU068 Section:
 Northing: 6515.5 Easting: 2694.5 Elevation: 1117.2
 Length: 53.3 Core: NQ Record: 310

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11734	.0	2.0	2.0	100	4A0	2	3.07	1.02	.46	.56	14.0	11.42	-1.00
11735	2.0	4.0	2.0	100	4A0	2	3.14	2.40	1.51	.89	26.0	13.32	-1.00
11736	4.0	6.0	2.0	100	4A0	2	3.02	3.90	2.50	1.40	28.0	8.66	-1.00
11737	6.0	7.3	1.3	92	4A4	2	2.88	6.50	2.80	3.70	28.0	25.67	-1.00
11738	7.3	9.3	2.0	100	4A4	2	2.93	6.66	1.96	4.70	29.0	5.05	-1.00
11739	9.3	11.0	1.7	100	4A4	2	3.39	11.20	3.70	7.50	51.0	14.41	-1.00
11740	11.0	13.0	2.0	100	4E4	5	4.50	26.20	8.90	17.30	127.0	25.35	-1.00
11741	13.0	15.0	2.0	100	4E4	5	4.76	24.70	9.20	15.50	159.0	28.39	-1.00
11742	15.0	17.0	2.0	90	4E4	5	4.76	24.80	8.50	16.30	149.0	27.58	-1.00
11743	17.0	18.9	1.9	100	4E4	5	4.57	16.00	4.50	11.50	91.0	29.03	-1.00
11744	18.9	21.1	2.2	100	4E54	5	3.93	11.60	4.50	7.10	78.0	24.62	-1.00
11745	21.1	22.2	1.1	100	4A42	2	3.49	8.20	3.60	4.60	68.0	17.60	-1.00
0	22.2	53.3	31.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU069 Section:
 Northing: 6515.8 Easting: 2696.2 Elevation: 1119.6
 Length: 38.1 Core: NQ Record: 311

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11759	.0	1.5	1.5	73	4AL	2	3.01	1.10	.50	.60	11.0	10.18	-1.00
11760	1.5	3.3	1.8	67	4A0	2	3.01	3.05	1.70	1.35	21.0	9.10	-1.00
11761	3.3	4.7	1.4	86	4A4	2	3.10	7.20	2.60	4.60	40.0	8.71	-1.00
11762	4.7	6.0	1.3	92	4A43	2	3.37	6.20	2.00	4.20	41.0	16.33	-1.00
11763	6.0	8.0	2.0	80	4A43	2	3.78	11.70	4.00	7.70	70.0	21.65	-1.00
11764	8.0	10.0	2.0	100	4E4	5	4.47	21.60	7.10	14.50	139.0	26.16	-1.00
11765	10.0	11.4	1.4	93	4E4	5	4.50	20.80	6.80	14.00	130.0	28.13	-1.00
11766	11.4	13.4	2.0	100	4A4	2	3.14	6.41	1.81	4.60	40.0	11.67	-1.00
11767	13.4	14.4	1.0	90	4A0	2	3.29	1.27	.52	.75	16.0	17.63	-1.00
11768	14.4	16.4	2.0	100	4A41	2	3.22	13.20	4.00	9.20	65.0	9.98	-1.00
11769	16.4	18.4	2.0	100	4A41	2	3.31	18.20	5.60	12.60	99.0	8.51	-1.00
11770	18.4	20.4	2.0	90	4A41	2	3.21	16.50	4.60	11.90	80.0	7.75	-1.00
11771	20.4	22.0	1.6	94	4A41	2	3.19	16.50	5.10	11.40	90.0	7.63	-1.00
11772	22.0	23.5	1.5	87	4A41	2	3.84	18.00	7.00	11.00	124.0	20.14	-1.00
11773	23.5	25.0	1.5	73	4E4	5	4.46	16.90	6.40	10.50	119.0	27.38	-1.00
11774	25.0	26.7	1.7	18	4E4	5	4.46	21.50	7.10	14.40	156.0	20.26	-1.00
11775	26.7	27.4	.7	86	4G4	7	4.42	18.10	5.60	12.50	134.0	19.76	-1.00
0	27.4	38.1	10.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU070 Section:
 Northing: 6515.8 Easting: 2697.6 Elevation: 1119.4
 Length: 39.6 Core: NQ Record: 312

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11746	.0	1.8	1.8	39	4A0	2	3.00	2.07	.55	1.52	15.0	10.41	-1.00
11747	1.8	3.8	2.0	70	4A0	2	3.07	3.43	2.40	1.03	32.0	10.51	-1.00
11748	3.8	6.6	2.8	89	4A24	2	3.18	6.10	2.40	3.70	38.0	12.48	-1.00
11749	6.6	8.7	2.1	95	4A42	2	3.64	19.70	8.00	11.70	120.0	15.42	-1.00
11750	8.7	10.8	2.1	100	4A42	2	3.90	21.60	8.00	13.60	118.0	19.01	-1.00
11751	10.8	12.8	2.0	80	4E4	5	4.54	29.00	9.40	19.60	136.0	23.77	-1.00
11752	12.8	14.8	2.0	80	4E4	5	4.64	27.60	10.00	17.60	131.0	26.03	-1.00
11753	14.8	16.7	1.9	89	4E4	5	4.47	23.50	7.90	15.60	138.0	26.31	-1.00
11754	16.7	19.3	2.6	73	5D4\$	47	2.96	2.02	.30	1.72	9.0	9.98	-1.00
11755	19.3	20.8	1.5	73	4A42	2	3.38	9.10	3.00	6.10	45.0	14.38	-1.00
11756	20.8	22.2	1.4	100	4A42	2	3.35	11.40	4.10	7.30	66.0	13.76	-1.00
11757	22.2	24.0	1.8	83	4E4	5	3.79	19.60	6.90	12.70	120.0	16.37	-1.00
11758	24.0	25.2	1.2	42	4E4	5	4.02	23.90	6.70	17.20	125.0	18.97	-1.00
0	25.2	39.6	14.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU071 Section:
 Northing: 6516.0 Easting: 2698.1 Elevation: 1119.3
 Length: 45.7 Core: NQ Record: 313

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11587	.0	.9	.9	56	4C1	3	3.09	.84	.42	.42	10.0	10.73	-1.00
11588	.9	1.3	.4	100	4L0	52	2.95	.24	.11	.13	5.0	6.98	-1.00
11589	1.3	3.1	1.8	100	4A1	2	3.19	3.04	1.91	1.13	34.0	11.49	-1.00
11590	3.1	4.9	1.8	94	4A14	2	3.15	7.90	3.40	4.50	42.0	7.76	-1.00
11591	4.9	6.1	1.2	67	4A3	2	3.38	3.85	1.15	2.70	23.0	15.72	-1.00
11592	6.1	7.9	1.8	100	4A34	2	3.50	7.01	2.11	4.90	44.0	17.95	-1.00
11593	7.9	9.8	1.9	74	4A34	2	3.39	8.10	2.50	5.60	43.0	15.25	-1.00
11594	9.8	11.2	1.4	93	4E4	5	4.60	36.50	13.50	23.00	209.0	18.41	-1.00
11595	11.2	12.6	1.4	71	4E4	5	4.58	29.40	9.80	19.60	166.0	25.74	-1.00
11596	12.6	14.8	2.2	95	4A34	2	3.24	6.70	2.20	4.50	37.0	15.62	-1.00
11597	14.8	17.0	2.2	100	4A34	2	3.17	10.90	3.30	7.60	56.0	11.88	-1.00
11598	17.0	17.3	.3	100	4E4	5	3.80	19.00	5.80	13.20	103.0	21.12	-1.00
11599	17.3	19.3	2.0	90	4AE4	2	3.49	8.60	2.80	5.80	53.0	16.44	-1.00
11600	19.3	21.3	2.0	90	4AE4	2	3.34	20.50	5.40	15.10	97.0	11.88	-1.00
11601	21.3	21.7	.4	100	4E4	5	3.89	25.30	7.50	17.80	133.0	19.34	-1.00
11602	21.7	22.8	1.1	64	4EA4	5	3.32	15.10	5.40	9.70	83.0	10.49	-1.00
11603	22.8	24.3	1.5	80	4EA4	5	3.50	20.30	7.90	12.40	126.0	12.35	-1.00
11604	24.3	24.7	.4	75	4E84	5	4.30	32.20	12.10	20.10	150.0	21.40	-1.00
11605	24.7	26.2	1.5	67	5A69	30	3.16	5.56	1.86	3.70	35.0	11.06	-1.00
0	26.2	45.7	19.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU072 Section:
 Northing: 6515.0 Easting: 2696.3 Elevation: 1114.0
 Length: 137.3 Core: NQ Record: 314

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11803	.0	2.0	2.0	80	4A0	2	3.13	3.50	2.20	1.30	30.0	12.31	-1.00
11804	2.0	4.0	2.0	80	4A0	2	3.19	2.53	1.85	.68	29.0	13.63	-1.00
11805	4.0	6.0	2.0	90	4A0	2	3.16	3.80	3.00	.80	45.0	12.50	-1.00
11806	6.0	8.0	2.0	100	4A0	2	3.12	1.47	1.00	.47	20.0	12.96	-1.00
11807	8.0	10.0	2.0	95	4A0	2	-1.00	1.63	.90	.73	18.0	-1.00	-1.00
11808	10.0	11.7	1.7	88	4A0	2	-1.00	1.49	.58	.91	10.0	-1.00	-1.00
11809	11.7	13.6	1.9	84	4A0	2	-1.00	.87	.33	.54	9.0	-1.00	-1.00
11810	13.6	15.8	2.2	91	4ACL	2	-1.00	.60	.24	.36	7.0	-1.00	-1.00
11811	15.8	17.3	1.5	80	4A0	2	-1.00	.81	.26	.55	7.0	-1.00	-1.00
11812	17.3	19.0	1.7	94	4A10	2	3.08	2.63	.85	1.78	20.0	11.46	-1.00
11813	19.0	20.5	1.5	80	4A0	2	3.11	3.73	1.73	2.00	26.0	11.98	-1.00
11814	20.5	22.2	1.7	88	4A4	2	4.04	6.10	2.60	3.50	53.0	30.45	-1.00
11815	22.2	24.3	2.1	95	4AE	2	3.78	1.93	.65	1.28	29.0	27.76	-1.00
11816	24.3	25.9	1.6	69	4A34	2	3.01	5.40	2.20	3.20	37.0	7.48	-1.00
11817	25.9	27.9	2.0	95	4A4	2	3.93	5.13	2.03	3.10	41.0	28.76	-1.00
11818	27.9	30.4	2.5	92	4AE	2	3.81	4.17	1.57	2.60	44.0	21.90	-1.00
0	30.4	40.5	10.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11819	40.5	42.0	1.5	93	4EC	5	3.41	2.44	1.38	1.06	26.0	20.00	-1.00
11820	42.0	42.7	.7	71	4D0	3	3.96	8.20	3.00	5.20	69.0	23.29	-1.00
0	42.7	63.4	20.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11821	63.4	65.2	1.8	89	4EA	5	-1.00	3.75	1.45	2.30	27.0	-1.00	-1.00
0	65.2	103.0	37.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11823	103.0	104.7	1.7	100	4A03	2	3.49	4.18	1.68	2.50	27.0	19.63	-1.00
11822	104.7	106.0	1.3	100	4E6a	5	4.26	6.50	3.10	3.40	43.0	29.07	-1.00
11824	106.0	107.5	1.5	93	4EA	5	3.13	1.68	.70	.98	14.0	14.21	-1.00
11825	107.5	109.0	1.5	87	4A13	2	3.08	3.02	1.34	1.68	23.0	11.56	-1.00
11827	109.0	110.2	1.2	92	4A13	2	2.84	1.65	.50	1.15	9.0	3.26	-1.00
11826	110.2	111.7	1.5	93	4ES	5	4.11	5.80	2.90	2.90	45.0	38.01	-1.00
0	111.7	114.2	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11829	114.2	116.8	2.6	46	4A0	2	3.02	2.47	.76	1.71	13.0	9.95	-1.00
11828	116.8	118.0	1.2	100	4AEL	2	3.27	2.31	.92	1.39	16.0	16.60	-1.00
11830	118.0	120.0	2.0	100	4A0	2	2.99	2.42	.90	1.52	19.0	8.76	-1.00
11832	120.0	122.0	2.0	60	4A0	2	2.91	2.69	1.00	1.69	19.0	6.29	-1.00
11831	122.0	123.6	1.6	100	4EAH	5	3.96	3.20	1.48	1.72	36.0	34.64	-1.00
11834	123.6	124.6	1.0	80	4A4	2	2.86	3.21	2.50	.71	5.0	5.35	-1.00
11833	124.6	126.6	2.0	100	4D45	3	3.51	19.90	7.20	12.70	126.0	12.65	-1.00
11835	126.6	128.6	2.0	100	4D45	3	3.56	28.60	9.00	19.60	159.0	9.74	-1.00
11836	128.6	131.0	2.4	100	4D4	3	3.54	23.00	7.30	15.70	115.0	9.74	-1.00
11837	131.0	132.9	1.9	100	4A30	2	3.78	4.55	1.45	3.10	38.0	24.43	-1.00
11838	132.9	134.1	1.2	100	4EG	7	4.03	7.80	2.30	5.50	54.0	27.73	-1.00
11839	134.1	135.6	1.5	87	4D45	3	3.59	23.00	8.80	14.20	141.0	11.52	-1.00
11840	135.6	137.1	1.5	100	4D45	3	3.62	24.50	10.00	14.50	162.0	10.39	-1.00
0	137.1	137.3	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU073 Section:
 Northing: 6514.1 Easting: 2695.1 Elevation: 1115.4
 Length: 121.9 Core: NQ Record: 315

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
12211	.0	3.0	3.0	60	4A0	2	3.05	3.60	2.10	1.50	38.0	10.10	-1.00
12212	3.0	5.5	2.5	100	4A0	2	3.04	2.97	1.67	1.30	29.0	8.35	-1.00
12213	5.5	8.6	3.1	97	4A4	2	3.02	11.20	3.80	7.40	52.0	4.37	-1.00
12214	8.6	10.3	1.7	88	4D5	3	3.01	9.50	4.30	5.20	52.0	3.99	-1.00
12215	10.3	12.0	1.7	100	4D5	3	2.92	6.70	2.70	4.00	39.0	3.53	-1.00
12216	12.0	13.4	1.4	100	4A0	2	2.89	1.19	.38	.81	14.0	5.41	-1.00
12217	13.4	15.4	2.0	100	4A3	2	3.44	4.03	1.13	2.90	34.0	20.45	-1.00
12218	15.4	17.4	2.0	90	4A34	2	3.16	7.60	2.60	5.00	51.0	11.85	-1.00
12219	17.4	19.4	2.0	95	4A34	2	3.25	11.50	2.90	8.60	52.0	11.41	-1.00
12220	19.4	21.4	2.0	90	4A34	2	3.36	10.60	2.90	7.70	47.0	14.20	-1.00
12221	21.4	23.2	1.8	94	4A34	2	3.17	10.40	3.00	7.40	53.0	10.83	-1.00
12222	23.2	25.9	2.7	96	4E4	5	4.51	17.40	5.60	11.80	113.0	21.38	-1.00
12223	25.9	27.9	2.0	85	4G4	7	4.54	19.10	7.30	11.80	131.0	29.51	-1.00
12224	27.9	29.8	1.9	100	4G4	7	4.67	18.10	6.20	11.90	119.0	22.03	-1.00
12225	29.8	31.6	1.8	100	4E4	5	4.15	31.90	10.60	21.30	151.0	16.31	-1.00
12226	31.6	32.6	1.0	90	4E4	5	4.73	23.90	8.50	15.40	153.0	25.52	-1.00
12227	32.6	33.8	1.2	100	5D4*	47	3.28	3.52	1.12	2.40	30.0	12.05	-1.00
12228	33.8	35.4	1.6	19	4E4	5	4.45	18.30	6.90	11.40	156.0	23.99	-1.00
0	35.4	38.5	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92080	38.5	39.2	.7	86	4A4	2	-1.00	25.20	7.59	17.61	55.5	-1.00	-1.00
92081	39.2	41.9	2.7	100	4A0	2	-1.00	2.40	.78	1.62	12.0	-1.00	-1.00
0	41.9	121.9	80.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU074 Section:
 Northing: 6177.2 Easting: 2682.0 Elevation: 1164.3
 Length: 107.9 Core: NQ Record: 316

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	56.5	56.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92164	56.5	57.9	1.4	86	4A134	2	-1.00	6.90	3.38	3.52	44.2	-1.00	-1.00
92165	57.9	59.2	1.3	100	4A13	2	-1.00	2.25	.85	1.40	13.0	-1.00	-1.00
92166	59.2	60.5	1.3	100	4A134	2	-1.00	8.73	3.33	5.40	35.3	-1.00	-1.00
92167	60.5	61.6	1.1	100	4A13	2	-1.00	3.57	1.72	1.85	23.3	-1.00	-1.00
0	61.6	67.9	6.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92168	67.9	69.3	1.4	100	4C3	3	-1.00	.79	.11	.68	11.0	-1.00	-1.00
92169	69.3	70.6	1.3	100	4C3	3	-1.00	.57	.12	.45	8.9	-1.00	-1.00
92170	70.6	71.9	1.3	100	4C3	3	-1.00	1.52	.32	1.20	17.1	-1.00	-1.00
92171	71.9	73.1	1.2	100	4C3	3	-1.00	1.85	.70	1.15	6.2	-1.00	-1.00
92172	73.1	74.5	1.4	100	4C3	3	-1.00	.78	.05	.73	8.2	-1.00	-1.00
92173	74.5	75.7	1.2	100	4C3	3	-1.00	2.70	.80	1.90	30.2	-1.00	-1.00
92174	75.7	77.0	1.3	100	4C3	3	-1.00	2.22	.49	1.73	23.3	-1.00	-1.00
92175	77.0	78.6	1.6	88	4C3	3	-1.00	2.03	.45	1.58	21.3	-1.00	-1.00
92176	78.6	79.9	1.3	100	4C3	3	-1.00	1.88	.48	1.40	16.1	-1.00	-1.00
92177	79.9	81.5	1.6	100	4C3	3	-1.00	.69	.09	.60	11.0	-1.00	-1.00
92178	81.5	82.8	1.3	100	4C3	3	-1.00	2.82	.49	2.33	15.1	-1.00	-1.00
92179	82.8	84.3	1.5	100	4C3	3	-1.00	.53	.08	.45	7.2	-1.00	-1.00
92180	84.3	85.6	1.3	100	4C3	3	-1.00	.75	.07	.68	7.2	-1.00	-1.00
92181	85.6	86.8	1.2	100	4C3	3	-1.00	.77	.10	.67	8.9	-1.00	-1.00
92182	86.8	88.2	1.4	100	4C3	3	-1.00	.66	.08	.58	8.9	-1.00	-1.00
92183	88.2	91.4	3.2	100	4C3	3	-1.00	1.25	.50	.75	17.1	-1.00	-1.00
0	91.4	96.8	5.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92184	96.8	97.5	.7	100	4A0	2	-1.00	1.62	.62	1.00	28.5	-1.00	-1.00
0	97.5	103.1	5.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92185	103.1	104.5	1.4	-1	4L124	52	-1.00	3.95	1.67	2.28	26.4	-1.00	-1.00
92186	104.5	105.9	1.4	-1	4L124	52	-1.00	5.03	2.25	2.78	34.3	-1.00	-1.00
0	105.9	107.9	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU075 Section:
 Northing: 6515.4 Easting: 2697.3 Elevation: 1114.0
 Length: 170.5 Core: NQ Record: 317

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11940	.0	1.7	1.7	100	4A30	2	-1.00	2.58	1.17	1.41	26.0	-1.00	-1.00
0	1.7	4.8	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11941	4.8	7.1	2.3	96	4C5	3	-1.00	2.36	1.02	1.34	12.0	-1.00	-1.00
11942	7.1	8.5	1.4	100	4L14	52	-1.00	2.93	1.16	1.77	15.0	-1.00	-1.00
0	8.5	12.1	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11943	12.1	13.4	1.3	92	4L41	52	-1.00	5.20	2.30	2.90	31.0	-1.00	-1.00
0	13.4	22.2	8.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11944	22.2	24.6	2.4	92	4L4	52	-1.00	1.14	.34	.80	7.0	-1.00	-1.00
0	24.6	26.3	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11945	26.3	29.0	2.7	100	4L4	52	-1.00	1.28	1.07	.21	14.0	-1.00	-1.00
0	29.0	39.7	10.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11946	39.7	41.0	1.3	92	4L4	52	-1.00	.54	.24	.30	4.0	-1.00	-1.00
11947	41.0	43.8	2.8	96	4A0	2	-1.00	1.37	.37	1.00	10.0	-1.00	-1.00
0	43.8	48.4	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11948	48.4	50.9	2.5	76	4A0	2	3.04	4.81	2.01	2.80	41.0	9.59	-1.00
11949	50.9	53.8	2.9	86	4A3	2	3.67	.53	.14	.39	16.0	26.66	-1.00
11950	53.8	56.7	2.9	100	4E4	5	4.49	13.20	4.80	8.40	100.0	21.51	-1.00
11951	56.7	57.5	.8	75	5D4\$	47	3.07	2.32	1.34	.98	25.0	9.30	-1.00
11952	57.5	59.0	1.5	93	4E4	5	4.60	7.90	2.90	5.00	58.0	31.11	-1.00
11953	59.0	61.0	2.0	85	4E4	5	4.66	8.00	3.30	4.70	73.0	35.19	-1.00
11954	61.0	61.4	.4	75	5D4\$	47	3.10	5.22	1.52	3.70	30.0	9.02	-1.00
11955	61.4	63.4	2.0	90	4G4	7	4.70	19.10	9.00	10.10	156.0	21.43	-1.00
11956	63.4	65.4	2.0	90	4G4	7	4.24	14.10	5.20	8.90	95.0	19.52	-1.00
11957	65.4	67.4	2.0	75	4G4	7	4.73	13.20	4.40	8.80	96.0	22.30	-1.00
11958	67.4	69.4	2.0	100	4G0	7	4.64	6.10	2.10	4.00	94.0	18.80	-1.00
11959	69.4	71.4	2.0	95	4G4	7	4.67	10.70	3.50	7.20	79.0	18.90	-1.00
11960	71.4	73.0	1.6	81	4G4	7	4.64	12.10	4.50	7.60	76.0	24.67	-1.00
11961	73.0	74.5	1.5	93	4G4	7	4.56	12.00	4.30	7.70	84.0	18.41	-1.00
0	74.5	127.6	53.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11962	127.6	129.2	1.6	88	4D4	3	3.69	15.50	4.70	10.80	83.0	16.14	-1.00
11963	129.2	131.0	1.8	89	4E4	5	4.33	7.20	2.60	4.60	50.0	33.41	-1.00
11964	131.0	133.1	2.1	76	4A3	2	3.52	3.72	1.22	2.50	34.0	22.47	-1.00
0	133.1	147.8	14.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11965	147.8	149.9	2.1	100	4L	52	-1.00	1.36	.60	.76	14.0	-1.00	-1.00
0	149.9	165.8	15.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11966	165.8	169.0	3.2	78	4A0	2	-1.00	3.25	1.66	1.59	23.0	-1.00	-1.00
0	169.0	170.5	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU076 Section:
 Northing: 6177.3 Easting: 2681.2 Elevation: 1164.3
 Length: 65.5 Core: NQ Record: 318

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	27.4	27.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90949	27.4	29.3	1.9	79	4E4	5	-1.00	8.90	3.90	5.00	50.4	-1.00	-1.00
90950	29.3	30.5	1.2	100	4E4	5	-1.00	12.20	5.15	7.05	83.7	-1.00	-1.00
90951	30.5	32.0	1.5	100	4E4	5	-1.00	10.45	4.60	5.85	73.7	-1.00	-1.00
90952	32.0	32.8	.8	100	4E4	5	-1.00	17.13	6.92	10.21	86.7	-1.00	-1.00
90953	32.8	34.3	1.5	93	4E4	5	-1.00	9.40	4.30	5.10	57.6	-1.00	-1.00
90954	34.3	36.4	2.1	95	4D4	3	-1.00	24.81	12.04	12.77	183.4	-1.00	-1.00
90955	36.4	38.5	2.1	95	4CEA	3	-1.00	4.30	2.70	1.60	40.5	-1.00	-1.00
90956	38.5	41.1	2.6	96	4A3	2	-1.00	3.10	1.95	1.15	32.2	-1.00	-1.00
90957	41.1	42.7	1.6	87	4A3	2	-1.00	1.45	1.20	.25	20.2	-1.00	-1.00
0	42.7	65.5	22.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU077 Section:
 Northing: 6515.4 Easting: 2698.7 Elevation: 1114.3
 Length: 167.5 Core: NQ Record: 319

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.7	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11890	1.7	3.7	2.0	100	4C5	3	-1.00	.93	.55	.38	7.0	-1.00	-1.00
11891	3.7	5.4	1.7	100	4L24	52	-1.00	3.60	1.30	2.30	19.0	-1.00	-1.00
0	5.4	12.0	6.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11892	12.0	14.2	2.2	95	4L41	52	-1.00	3.95	1.45	2.50	20.0	-1.00	-1.00
0	14.2	66.0	51.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11893	66.0	68.0	2.0	70	4A0	2	3.10	1.45	.53	.92	16.0	11.33	-1.00
11894	68.0	70.1	2.1	100	4A4	2	3.10	5.40	2.40	3.00	35.0	9.28	-1.00
11895	70.1	72.2	2.1	86	4A34	2	3.65	5.85	.15	5.70	25.0	26.33	-1.00
11896	72.2	74.8	2.6	100	4E4	5	4.42	20.50	7.90	12.60	130.0	24.16	-1.00
11897	74.8	76.2	1.4	79	4A3	2	3.31	1.50	.65	.85	20.0	20.08	-1.00
11898	76.2	78.2	2.0	100	4A3	2	3.39	.47	.06	.41	10.0	22.00	-1.00
11899	78.2	80.2	2.0	45	4A3	2	2.93	1.72	.69	1.03	27.0	27.38	-1.00
11900	80.2	82.3	2.1	100	4A3	2	3.53	.77	.28	.49	11.0	22.91	-1.00
11901	82.3	84.2	1.9	95	4A43	2	3.74	9.10	3.80	5.30	79.0	22.98	-1.00
11902	84.2	86.6	2.4	100	4A0	2	3.01	4.07	1.47	2.60	26.0	9.36	-1.00
11903	86.6	88.9	2.3	100	4A0	2	3.00	2.38	1.04	1.34	17.0	8.79	-1.00
0	88.9	90.0	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11904	90.0	91.4	1.4	43	4A3	2	3.10	1.84	.79	1.05	18.0	13.32	-1.00
11905	91.4	94.4	3.0	93	4A0	2	2.95	2.63	1.05	1.58	20.0	7.51	-1.00
11906	94.4	97.5	3.1	84	4A0	2	2.92	1.89	.85	1.04	18.0	6.88	-1.00
11907	97.5	100.4	2.9	100	4A0	2	2.98	2.75	1.16	1.59	21.0	8.64	-1.00
11908	100.4	102.0	1.6	100	4A41	2	2.93	8.10	2.90	5.20	40.0	3.50	-1.00
11909	102.0	102.5	.5	100	4A3	2	3.19	1.57	.52	1.05	16.0	14.95	-1.00
11910	102.5	104.5	2.0	100	4E46	5	4.68	10.70	4.80	5.90	75.0	29.56	-1.00
11911	104.5	106.5	2.0	100	4E46	5	4.73	11.80	5.30	6.50	97.0	33.03	-1.00
11912	106.5	108.2	1.7	100	4E46	5	4.57	7.40	4.70	2.70	88.0	36.10	-1.00
0	108.2	123.0	14.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11913	123.0	125.2	2.2	100	4EG	7	4.57	11.30	5.40	5.90	83.0	31.55	-1.00
0	125.2	132.8	7.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11914	132.8	134.1	1.3	85	4E4	5	4.17	12.30	4.80	7.50	84.0	27.03	-1.00
11915	134.1	136.1	2.0	100	4A4	2	3.28	7.10	2.70	4.40	46.0	12.18	-1.00
11916	136.1	138.1	2.0	100	4A3	2	3.52	4.60	2.50	2.10	40.0	20.90	-1.00
11917	138.1	140.1	2.0	100	4A4	2	3.48	17.50	7.50	10.00	94.0	12.66	-1.00
11918	140.1	142.1	2.0	100	4A30	2	3.23	4.60	1.10	3.50	19.0	16.90	-1.00
11919	142.1	143.7	1.6	81	4A31	2	3.17	1.04	.13	.91	10.0	12.65	-1.00
11920	143.7	145.6	1.9	95	4EA	5	3.52	9.30	4.20	5.10	56.0	17.82	-1.00
0	145.6	163.0	17.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92082	163.0	163.7	.7	100	4L0	52	-1.00	3.28	1.50	1.78	22.3	-1.00	-1.00
0	163.7	167.5	3.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU078 Section:
 Northing: 6177.1 Easting: 2682.8 Elevation: 1164.4
 Length: 106.7 Core: NQ Record: 320

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	38.1	38.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92227	38.1	39.6	1.5	93	4A31	2	-1.00	1.45	.25	1.20	17.1	-1.00	-1.00
0	39.6	44.2	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92228	44.2	45.7	1.5	87	4A31	2	-1.00	1.05	.05	1.00	9.9	-1.00	-1.00
0	45.7	50.3	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92229	50.3	51.8	1.5	100	4A31	2	-1.00	.67	.05	.62	5.1	-1.00	-1.00
0	51.8	56.1	4.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92230	56.1	57.6	1.5	100	4A10	2	-1.00	.82	.40	.42	26.4	-1.00	-1.00
0	57.6	64.0	6.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92231	64.0	65.5	1.5	100	4A31	2	-1.00	.30	.05	.25	4.1	-1.00	-1.00
0	65.5	70.1	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92232	70.1	71.6	1.5	100	4A31	2	-1.00	.43	.06	.37	9.9	-1.00	-1.00
0	71.6	77.7	6.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92233	77.7	79.2	1.5	93	4A31	2	-1.00	.89	.14	.75	8.2	-1.00	-1.00
0	79.2	83.8	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92234	83.8	85.3	1.5	100	4A31	2	-1.00	.66	.11	.55	18.2	-1.00	-1.00
0	85.3	89.9	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92235	89.9	91.4	1.5	100	4A31	2	-1.00	.34	.09	.25	9.9	-1.00	-1.00
0	91.4	94.9	3.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92236	94.9	96.5	1.6	75	4A31	2	-1.00	3.93	1.73	2.20	28.5	-1.00	-1.00
92237	96.5	97.8	1.3	100	4A31	2	-1.00	1.94	.66	1.28	20.2	-1.00	-1.00
92238	97.8	99.4	1.6	94	4A31	2	-1.00	.88	.13	.75	9.9	-1.00	-1.00
0	99.4	106.7	7.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU079 Section:
 Northing: 6515.2 Easting: 2695.5 Elevation: 1114.5
 Length: 97.5 Core: NQ Record: 321

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11841	.0	2.5	2.5	80	4A0	2	3.18	2.21	1.30	.91	21.0	12.52	-1.00
11842	2.5	4.9	2.4	92	4A0	2	2.99	.71	.47	.24	11.0	6.18	-1.00
11843	4.9	6.4	1.5	93	4A4	2	3.05	6.90	3.70	3.20	44.0	5.87	-1.00
11844	6.4	7.8	1.4	100	4A4	2	-1.00	5.77	3.17	2.60	34.0	-1.00	-1.00
11845	7.8	9.8	2.0	100	4A4	2	3.06	5.10	2.70	2.40	31.0	5.87	-1.00
11846	9.8	11.8	2.0	100	4A0	2	2.96	4.15	3.10	1.05	31.0	5.45	-1.00
11847	11.8	13.8	2.0	100	4A0	2	3.19	3.05	2.40	.65	28.0	14.67	-1.00
11848	13.8	15.4	1.6	100	4A0	2	3.09	1.37	.95	.42	27.0	12.55	-1.00
11849	15.4	16.7	1.3	100	4A0	2	3.31	1.42	.90	.52	19.0	14.75	-1.00
11850	16.7	18.2	1.5	100	4A4	2	3.13	9.00	3.30	5.70	31.0	12.06	-1.00
11851	18.2	19.7	1.5	100	4A0	2	3.16	3.97	2.60	1.37	33.0	12.01	-1.00
11852	19.7	21.7	2.0	100	4A4	2	3.18	9.10	3.80	5.30	51.0	12.25	-1.00
11853	21.7	23.0	1.3	100	4A0	2	3.01	2.11	1.66	.45	25.0	8.37	-1.00
11854	23.0	25.0	2.0	95	4A4	2	3.07	8.20	3.90	4.30	50.0	6.50	-1.00
11855	25.0	27.0	2.0	100	4A4	2	3.22	6.10	2.50	3.60	40.0	12.54	-1.00
11856	27.0	29.1	2.1	100	4A4	2	2.92	10.10	5.10	5.00	96.0	19.45	-1.00
11857	29.1	31.2	2.1	100	4A4	2	3.56	8.00	3.70	4.30	70.0	19.04	-1.00
11858	31.2	33.2	2.0	85	4E4	5	4.29	5.03	1.83	3.20	34.0	36.11	-1.00
11859	33.2	35.2	2.0	95	4E4	5	4.61	8.80	3.80	5.00	64.0	37.63	-1.00
11860	35.2	36.5	1.3	62	4E4	5	4.67	14.30	4.30	10.00	93.0	31.68	-1.00
0	36.5	64.7	28.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11861	64.7	66.6	1.9	100	4H2	8	3.65	12.20	4.50	7.70	65.0	21.60	-1.00
11862	66.6	68.6	2.0	100	4EH	5	4.07	17.40	6.30	11.10	100.0	27.24	-1.00
11863	68.6	70.6	2.0	100	4E4	5	4.63	21.30	8.80	12.50	145.0	29.71	-1.00
11864	70.6	72.6	2.0	100	4E4	5	4.34	13.40	5.40	8.00	106.0	25.33	-1.00
11865	72.6	74.6	2.0	100	4E46	5	4.54	13.00	4.90	8.10	117.0	23.38	-1.00
11866	74.6	76.6	2.0	95	4E4	5	4.50	11.30	4.60	6.70	113.0	27.12	-1.00
11867	76.6	78.4	1.8	100	4EG4	7	4.43	15.60	5.80	9.80	127.0	25.43	-1.00
11868	78.4	80.1	1.7	94	4D7	3	3.20	5.18	1.98	3.20	39.0	11.62	-1.00
0	80.1	97.5	17.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU080 Section:
 Northing: 6330.2 Easting: 2782.3 Elevation: 1144.2
 Length: 76.2 Core: NQ Record: 322

ASSAYS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From To											
92187	.0 1.5	1.5	53	4E15	5	-1.00	1.17	.82	.35	34.3	-1.00	-1.00
92188	1.5 3.0	1.5	93	4AE1	2	-1.00	3.50	2.45	1.05	52.5	-1.00	-1.00
92189	3.0 4.6	1.6	100	4A13	2	-1.00	3.08	1.98	1.10	50.4	-1.00	-1.00
92190	4.6 5.5	.9	89	4A13	2	-1.00	1.39	.80	.59	21.3	-1.00	-1.00
0	5.5 6.4	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92191	6.4 7.6	1.2	100	4C0	3	-1.00	4.23	.23	4.00	8.9	-1.00	-1.00
92192	7.6 9.1	1.5	100	4C0	3	-1.00	3.23	.40	2.83	15.1	-1.00	-1.00
92193	9.1 10.7	1.6	100	4D53	3	-1.00	5.53	.83	4.70	21.3	-1.00	-1.00
92194	10.7 12.2	1.5	100	4D53	3	-1.00	7.05	2.05	5.00	39.4	-1.00	-1.00
92195	12.2 13.7	1.5	93	4D0	3	-1.00	5.40	1.52	3.88	28.5	-1.00	-1.00
92196	13.7 15.2	1.5	80	4D0	3	-1.00	7.42	1.77	5.65	28.5	-1.00	-1.00
92197	15.2 16.8	1.6	75	4DA4	3	-1.00	12.31	5.20	7.11	72.7	-1.00	-1.00
92198	16.8 18.3	1.5	93	4A134	2	-1.00	7.55	2.40	5.15	37.4	-1.00	-1.00
92199	18.3 19.8	1.5	87	4A134	2	-1.00	6.48	2.10	4.38	34.3	-1.00	-1.00
92200	19.8 21.3	1.5	80	4A134	2	-1.00	4.98	2.10	2.88	30.2	-1.00	-1.00
92201	21.3 22.9	1.6	94	4A13	2	-1.00	3.55	1.00	2.55	16.1	-1.00	-1.00
92202	22.9 24.4	1.5	100	4C0	3	-1.00	3.72	1.29	2.43	21.3	-1.00	-1.00
92203	24.4 25.9	1.5	100	4C0	3	-1.00	3.96	1.04	2.92	19.2	-1.00	-1.00
92204	25.9 27.4	1.5	93	4C0	3	-1.00	3.70	1.05	2.65	17.1	-1.00	-1.00
92205	27.4 29.0	1.6	100	4A134	2	-1.00	9.42	3.35	6.07	50.4	-1.00	-1.00
92206	29.0 30.5	1.5	93	4A134	2	-1.00	11.79	3.30	8.49	56.6	-1.00	-1.00
92207	30.5 32.0	1.5	87	4A134	2	-1.00	7.98	2.50	5.48	39.4	-1.00	-1.00
92208	32.0 33.5	1.5	87	4A13	2	-1.00	3.10	1.45	1.65	22.3	-1.00	-1.00
92209	33.5 35.1	1.6	94	4A13	2	-1.00	1.33	.15	1.18	9.9	-1.00	-1.00
92210	35.1 36.6	1.5	87	4A13	2	-1.00	1.75	.35	1.40	13.0	-1.00	-1.00
92211	36.6 38.1	1.5	47	4A13	2	-1.00	3.09	1.14	1.95	22.3	-1.00	-1.00
92212	38.1 39.6	1.5	73	4A134	2	-1.00	7.15	2.65	4.50	37.4	-1.00	-1.00
92213	39.6 41.1	1.5	87	4AE4	2	-1.00	14.57	5.05	9.52	65.5	-1.00	-1.00
92214	41.1 42.7	1.6	87	4E4	5	-1.00	8.60	3.45	5.15	52.5	-1.00	-1.00
92215	42.7 44.2	1.5	73	4E4	5	-1.00	7.90	4.95	2.95	89.8	-1.00	-1.00
92216	44.2 45.7	1.5	100	4E4	5	-1.00	13.38	4.40	8.98	65.5	-1.00	-1.00
92217	45.7 47.2	1.5	100	4C3	3	-1.00	4.56	2.43	2.13	35.3	-1.00	-1.00
92218	47.2 48.8	1.6	100	4D3	3	-1.00	9.95	5.65	4.30	71.7	-1.00	-1.00
92219	48.8 50.3	1.5	100	4AE4	2	-1.00	6.13	2.33	3.80	32.2	-1.00	-1.00
92220	50.3 51.8	1.5	100	4AE4	2	-1.00	5.23	1.45	3.78	26.4	-1.00	-1.00
92221	51.8 53.3	1.5	100	4AE4	2	-1.00	10.55	5.35	5.20	72.7	-1.00	-1.00
92222	53.3 54.9	1.6	100	4AE4	2	-1.00	7.68	2.78	4.90	39.4	-1.00	-1.00
92223	54.9 56.4	1.5	100	4AE4	2	-1.00	9.75	3.05	6.70	50.4	-1.00	-1.00
92224	56.4 57.9	1.5	100	4AE4	2	-1.00	9.98	3.00	6.98	39.4	-1.00	-1.00
92225	57.9 59.4	1.5	100	4AE0	2	-1.00	3.53	1.00	2.53	20.2	-1.00	-1.00
92226	59.4 60.5	1.1	100	4AE4	2	-1.00	11.23	3.43	7.80	55.5	-1.00	-1.00
0	60.5 76.2	15.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU081 Section:
 Northing: 6455.4 Easting: 2743.0 Elevation: 1127.2
 Length: 38.1 Core: NQ Record: 323

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	9.1	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7682	9.1	9.7	.6	83	4A4	2	3.33	7.50	4.00	3.50	56.0	14.27	-1.00
7683	9.7	10.0	.3	100	4L0	52	3.01	.88	.38	.50	7.0	5.69	-1.00
7684	10.0	11.0	1.0	100	4D4	3	3.02	11.70	4.40	7.30	70.0	3.89	-1.00
7685	11.0	12.7	1.7	100	4D4	3	3.07	10.70	4.80	5.90	79.0	5.29	-1.00
7686	12.7	15.0	2.3	96	4A14	2	3.04	6.90	3.60	3.30	52.0	5.31	-1.00
7687	15.0	16.8	1.8	100	4L1	52	2.89	1.55	.97	.58	11.0	2.86	-1.00
7688	16.8	18.8	2.0	100	4L1	52	2.95	3.19	1.66	1.53	21.0	2.90	-1.00
7689	18.8	20.8	2.0	95	4L1	52	2.96	3.08	1.91	1.17	26.0	3.57	-1.00
7690	20.8	22.8	2.0	100	4L1	52	2.93	2.02	1.32	.70	19.0	2.83	-1.00
7691	22.8	24.8	2.0	90	4L1	52	2.98	2.61	1.76	.85	26.0	4.45	-1.00
7692	24.8	26.4	1.6	100	4L1	52	2.93	5.10	2.70	2.40	34.0	2.99	-1.00
0	26.4	38.1	11.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU082 Section:
 Northing: 6330.6 Easting: 2781.3 Elevation: 1144.1
 Length: 45.7 Core: NQ Record: 324

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	45.7	45.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU083 Section:
 Northing: 6455.5 Easting: 2743.6 Elevation: 1131.5
 Length: 38.1 Core: NQ Record: 325

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	5.7	5.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6799	5.7	7.6	1.9	79	4A41	2	3.15	10.61	3.51	7.10	65.0	8.95	-1.00
6800	7.6	8.3	.7	100	4A10	2	3.12	4.30	1.30	3.00	21.0	14.37	-1.00
6901	8.3	9.9	1.6	69	5C4*	44	2.99	.92	.36	.56	11.0	9.02	-1.00
6902	9.9	11.3	1.4	100	4A1	2	3.01	3.19	1.25	1.94	24.0	8.81	-1.00
6903	11.3	13.7	2.4	75	4L1	52	2.91	2.28	.79	1.49	19.0	6.46	-1.00
6904	13.7	15.5	1.8	22	4L1	52	3.04	3.87	1.17	2.70	25.0	9.35	-1.00
6905	15.5	16.6	1.1	100	4A4	2	3.26	10.00	3.20	6.80	59.0	11.79	-1.00
6906	16.6	17.8	1.2	92	4ED	5	3.08	8.78	7.30	1.48	121.0	23.62	-1.00
6907	17.8	20.5	2.7	67	4A4	2	3.35	13.80	4.10	9.70	89.0	11.05	-1.00
6908	20.5	23.5	3.0	57	4E4	5	3.70	17.30	4.00	13.30	123.0	14.77	-1.00
0	23.5	38.1	14.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU084 Section:
 Northing: 6333.2 Easting: 2784.9 Elevation: 1142.6
 Length: 76.2 Core: NQ Record: 326

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.6	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6515	1.6	2.4	.8	100	4D5	3	3.52	7.96	3.52	4.44	49.0	21.05	-1.00
6516	2.4	4.3	1.9	100	4A4	2	3.46	11.87	4.80	7.07	74.0	17.80	-1.00
6517	4.3	6.3	2.0	100	4A4	2	3.25	11.62	3.50	8.12	62.0	13.72	-1.00
90351	6.3	10.2	3.9	90	4L0	52	-1.00	.19	.05	.14	.3	-1.00	-1.00
6518	10.2	11.8	1.6	87	4D4	3	3.59	19.71	6.91	12.80	122.0	16.35	-1.00
6519	11.8	12.4	.6	100	4D24	3	3.82	19.59	7.69	11.90	146.0	20.25	-1.00
90352	12.4	13.1	.7	86	4L3	52	-1.00	2.20	.10	2.10	2.1	-1.00	-1.00
6520	13.1	14.1	1.0	100	4D*4	3	3.47	18.96	6.56	12.40	129.0	14.06	-1.00
6521	14.1	15.5	1.4	100	4E4	5	4.06	23.84	8.64	15.20	184.0	21.85	-1.00
6522	15.5	16.7	1.2	100	4E*4	5	3.63	22.23	6.83	15.40	134.0	16.32	-1.00
90353	16.7	17.1	.4	100	4L0	52	-1.00	.27	.05	.22	2.1	-1.00	-1.00
6523	17.1	18.6	1.5	100	4K4	6	3.74	10.97	3.13	7.84	84.0	24.13	-1.00
0	18.6	37.6	19.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6524	37.6	38.1	.5	100	4A34	2	-1.00	5.08	2.54	2.54	42.0	-1.00	-1.00
0	38.1	41.2	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6525	41.2	43.3	2.1	100	4E12	5	4.19	17.07	7.18	9.89	114.0	24.66	-1.00
6526	43.3	45.2	1.9	89	4D4	3	3.87	24.11	6.61	17.50	103.0	19.12	-1.00
6527	45.2	47.1	1.9	32	4D4	3	3.77	16.68	4.88	11.80	79.0	19.35	-1.00
6528	47.1	47.9	.8	100	4G4	7	4.46	13.08	4.03	9.05	61.0	21.70	-1.00
6529	47.9	48.9	1.0	90	4E*4	5	4.69	16.32	5.62	10.70	94.0	29.85	-1.00
6530	48.9	51.1	2.2	73	4G4	7	4.73	11.37	4.38	6.99	84.0	28.46	-1.00
6531	51.1	52.8	1.7	100	4E24	5	4.67	17.29	7.37	9.92	103.0	34.35	-1.00
6532	52.8	54.7	1.9	100	4G4	7	4.28	15.02	5.39	9.63	99.0	24.15	-1.00
0	54.7	76.2	21.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU085 Section:
 Northing: 6454.8 Easting: 2742.1 Elevation: 1131.6
 Length: 44.2 Core: NQ Record: 327

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	8.9	8.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6909	8.9	10.7	1.8	100	4A0	2	3.36	1.93	.70	1.23	20.0	18.73	-1.00
6910	10.7	12.2	1.5	100	4A0	2	3.17	2.80	.80	2.00	17.0	9.59	-1.00
6911	12.2	13.9	1.7	76	4A0	2	2.97	2.01	.64	1.37	16.0	8.63	-1.00
6912	13.9	14.4	.5	60	4A14	2	3.17	9.30	2.60	6.70	44.0	9.71	-1.00
6913	14.4	15.2	.8	100	4E4	5	4.61	9.40	.40	9.00	79.0	34.42	-1.00
6914	15.2	17.0	1.8	100	4E4	5	4.67	14.70	6.90	7.80	127.0	28.25	-1.00
6915	17.0	19.1	2.1	71	4E4	5	4.70	28.50	7.70	20.80	142.0	26.19	-1.00
6916	19.1	21.0	1.9	95	4E4	5	4.67	21.60	6.40	15.20	119.0	30.35	-1.00
6917	21.0	22.5	1.5	100	4E4	5	4.10	18.80	5.80	13.00	109.0	23.14	-1.00
6918	22.5	23.3	.8	100	4E51	5	2.90	12.10	3.70	8.40	64.0	21.64	-1.00
0	23.3	44.2	20.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU086 Section:
 Northing: 6330.4 Easting: 2790.2 Elevation: 1143.4
 Length: 94.5 Core: NQ Record: 328

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
6501	.0	2.4	2.4	62	4A12	2	3.41	13.39	4.69	8.70	95.0	14.23	-1.00
6502	2.4	3.3	.9	100	4A12	2	3.15	5.73	1.50	4.23	47.0	12.15	-1.00
0	3.3	6.1	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6503	6.1	6.7	.6	100	4D4	3	3.75	14.61	5.79	8.82	121.0	20.61	-1.00
6504	6.7	8.8	2.1	100	4E*4	5	4.09	21.95	4.75	17.20	109.0	23.09	-1.00
6505	8.8	9.9	1.1	100	4K4	6	3.68	14.04	3.94	10.10	87.0	19.86	-1.00
0	9.9	54.6	44.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6506	54.6	55.6	1.0	70	4E#4	5	-1.00	14.57	5.21	9.36	113.0	-1.00	-1.00
0	55.6	81.2	25.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6507	81.2	82.6	1.4	100	4A14	2	3.03	5.79	1.89	3.90	44.0	6.58	-1.00
6508	82.6	84.0	1.4	100	4A14	2	3.04	8.58	3.49	5.09	62.0	6.33	-1.00
90226	84.0	85.3	1.3	100	4L3	52	-1.00	1.30	.78	.52	9.9	-1.00	-1.00
0	85.3	94.5	9.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU087 Section:
 Northing: 6455.9 Easting: 2740.5 Elevation: 1127.2
 Length: 61.0 Core: NQ Record: 329

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	55.0	55.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7311	55.0	56.6	1.6	75	4A10	2	3.49	4.91	1.31	3.60	33.0	16.42	-1.00
0	56.6	61.0	4.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU088 Section:
 Northing: 6279.4 Easting: 2794.6 Elevation: 1145.4
 Length: 65.2 Core: NQ Record: 330

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.4	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11225	1.4	1.8	.4	100	4K4	6	4.54	18.00	6.90	11.10	91.0	30.62	-1.00
11226	1.8	4.6	2.8	21	4E4*	5	4.57	13.10	4.70	8.40	108.0	34.53	-1.00
11228	4.6	6.2	1.6	44	4E4	5	4.61	5.89	1.69	4.20	41.0	38.52	-1.00
11229	6.2	7.6	1.4	43	4D4	3	2.93	21.40	6.10	15.30	119.0	15.28	-1.00
11230	7.6	8.8	1.2	67	4E4#	5	4.53	12.00	4.10	7.90	94.0	34.95	-1.00
11231	8.8	9.3	.5	100	4D4	3	4.03	24.90	7.60	17.30	107.0	20.09	-1.00
11232	9.3	10.9	1.6	69	4E4	5	4.86	15.50	6.10	9.40	94.0	34.65	-1.00
11233	10.9	12.6	1.7	53	4E4a	5	4.80	13.10	6.10	7.00	107.0	36.29	-1.00
11234	12.6	14.3	1.7	41	4E4a	5	4.84	19.90	7.70	12.20	133.0	31.80	-1.00
11235	14.3	15.6	1.3	54	4GE	7	4.78	18.10	6.70	11.40	110.0	23.69	-1.00
11236	15.6	16.9	1.3	54	4A0	2	3.30	4.98	1.88	3.10	39.0	13.80	-1.00
0	16.9	20.9	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11237	20.9	22.1	1.2	100	4L2	52	-1.00	.69	.36	.33	12.0	-1.00	-1.00
11238	22.1	23.7	1.6	100	4A0	2	-1.00	3.06	1.23	1.83	26.0	-1.00	-1.00
0	23.7	44.2	20.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90228	44.2	45.7	1.5	-1	4E4	5	-1.00	13.55	5.65	7.90	79.5	-1.00	-1.00
0	45.7	50.4	4.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11239	50.4	51.8	1.4	93	4G4	7	4.60	14.10	5.40	8.70	86.0	11.10	-1.00
11240	51.8	53.4	1.6	87	4G4#	7	4.68	15.30	6.70	8.60	103.0	13.55	-1.00
11241	53.4	54.3	.9	89	4G4	7	4.54	15.90	6.20	9.70	89.0	8.09	-1.00
11242	54.3	54.6	.3	100	4G4#	7	4.56	19.80	8.60	11.20	95.0	16.35	-1.00
90229	54.6	56.2	1.6	-1	4L34	52	-1.00	6.98	2.83	4.15	41.5	-1.00	-1.00
11243	56.2	57.0	.8	100	4G4#	7	4.21	12.40	5.90	6.50	80.0	25.26	-1.00
11244	57.0	57.5	.5	100	4G4*	7	4.58	17.80	8.20	9.60	114.0	17.76	-1.00
11245	57.5	59.3	1.8	100	4E18#	5	4.54	3.95	2.40	1.55	36.0	38.84	-1.00
11246	59.3	61.2	1.9	100	4E18#	5	4.56	4.30	2.10	2.20	40.0	38.38	-1.00
11247	61.2	63.2	2.0	100	4G4#8	7	4.35	11.20	5.00	6.20	80.0	17.34	-1.00
11248	63.2	65.2	2.0	100	4G4#8	7	4.26	8.10	2.60	5.50	44.0	14.02	-1.00

Drill Hole: AGU089 Section:
 Northing: 6453.8 Easting: 2724.8 Elevation: 1130.7
 Length: 38.1 Core: NQ Record: 331

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7056	.0	1.1	1.1	100	4L12	52	3.08	2.79	.73	2.06	16.0	7.83	-1.00
7057	1.1	3.0	1.9	79	4C0	3	3.05	1.90	.62	1.28	14.0	8.94	-1.00
7058	3.0	4.8	1.8	100	4L12	52	3.11	6.28	2.08	4.20	31.0	2.86	-1.00
7059	4.8	6.7	1.9	100	4L12	52	2.94	5.34	1.64	3.70	32.0	2.63	-1.00
7060	6.7	9.1	2.4	100	4L12	52	3.03	1.89	.75	1.14	14.0	5.56	-1.00
7061	9.1	11.0	1.9	100	4L12	52	4.02	2.10	1.00	1.10	20.0	7.74	-1.00
7062	11.0	12.2	1.2	100	4A10	2	2.91	3.87	1.57	2.30	31.0	5.32	-1.00
7063	12.2	14.8	2.6	100	4L12	52	2.90	2.42	.41	2.01	32.0	3.39	-1.00
7064	14.8	15.2	.4	100	4D0	3	2.91	6.34	1.74	4.60	26.0	2.27	-1.00
7065	15.2	16.8	1.6	94	4L12	52	2.87	6.83	2.03	4.80	39.0	2.51	-1.00
7066	16.8	18.3	1.5	100	4L12	52	2.87	4.23	1.43	2.80	27.0	3.60	-1.00
7067	18.3	19.8	1.5	80	4E4	5	4.45	24.70	8.70	16.00	127.0	27.36	-1.00
7068	19.8	21.8	2.0	65	4E4	5	4.73	23.10	7.70	15.40	150.0	28.70	-1.00
7069	21.8	24.1	2.3	78	4E41	5	3.89	24.80	7.60	17.20	145.0	19.57	-1.00
7070	24.1	26.4	2.3	96	4E4	5	4.38	32.00	10.00	22.00	165.0	22.90	-1.00
7071	26.4	26.9	.5	100	4A14	2	3.34	7.76	1.86	5.90	32.0	21.00	-1.00
7072	26.9	28.4	1.5	100	4E41	5	4.38	25.10	8.50	16.60	155.0	17.00	-1.00
7073	28.4	30.5	2.1	33	5A61	30	2.99	1.65	.53	1.12	14.0	5.55	-1.00
7074	30.5	31.7	1.2	50	4E41	5	4.10	21.50	8.70	12.80	170.0	20.51	-1.00
0	31.7	38.1	6.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU090 Section:
 Northing: 6280.9 Easting: 2796.7 Elevation: 1145.4
 Length: 79.2 Core: NQ Record: 332

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11008	.0	3.0	3.0	23	4E4	5	4.67	18.60	8.50	10.10	119.0	28.85	-1.00
11009	3.0	6.1	3.1	35	4E4	5	4.70	28.90	9.20	19.70	138.0	25.21	-1.00
11010	6.1	9.2	3.1	52	4E4	5	4.63	20.40	7.20	13.20	121.0	27.90	-1.00
11011	9.2	12.2	3.0	57	4E4	5	4.64	17.50	6.60	10.90	113.0	29.90	-1.00
11012	12.2	13.7	1.5	100	4A4	2	3.70	6.90	2.90	4.00	62.0	21.78	-1.00
11013	13.7	15.2	1.5	67	4A4	2	4.29	8.70	3.30	5.40	61.0	22.88	-1.00
11014	15.2	17.0	1.8	67	4E4	5	3.49	6.60	2.50	4.10	53.0	16.39	-1.00
11015	17.0	18.3	1.3	100	4A0	2	3.07	.13	.06	.07	4.0	4.60	-1.00
0	18.3	79.2	60.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU091 Section:
 Northing: 6517.9 Easting: 2809.9 Elevation: 1114.7
 Length: 97.5 Core: NQ Record: 333

ASSAYS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From To											
11970	.0 3.0	3.0	50	4A30	2	3.62	4.64	1.94	2.70	46.0	22.64	-1.00
11971	3.0 5.5	2.5	100	4A30	2	3.28	3.73	1.13	2.60	28.0	14.57	-1.00
11972	5.5 8.0	2.5	96	4A34	2	3.41	5.70	2.00	3.70	45.0	16.57	-1.00
11973	8.0 10.0	2.0	95	4A1	2	3.01	4.78	1.68	3.10	33.0	7.74	-1.00
11974	10.0 12.0	2.0	100	4A14	2	2.98	5.40	2.10	3.30	39.0	6.20	-1.00
11975	12.0 14.0	2.0	95	4A14	2	2.97	6.40	2.10	4.30	35.0	4.44	-1.00
11976	14.0 16.0	2.0	100	4A1	2	2.89	3.64	1.24	2.40	20.0	1.72	-1.00
11977	16.0 17.4	1.4	100	4A1	2	2.85	1.73	.46	1.27	8.0	.89	-1.00
11978	17.4 19.4	2.0	100	4D5	3	3.07	7.50	3.30	4.20	54.0	7.26	-1.00
11979	19.4 21.4	2.0	100	4D5	3	2.85	5.00	1.60	3.40	26.0	1.66	-1.00
11980	21.4 23.3	1.9	100	4C5	3	2.84	4.97	1.57	3.40	21.0	5.08	-1.00
11981	23.3 26.0	2.7	100	4C5	3	2.83	1.17	.55	.62	10.0	1.34	-1.00
11982	26.0 29.0	3.0	40	4L41	52	2.88	3.38	1.08	2.30	18.0	2.46	-1.00
11983	29.0 32.0	3.0	90	4L41	52	2.95	3.59	1.83	1.76	32.0	6.13	-1.00
11984	32.0 35.0	3.0	97	4L41	52	2.96	2.36	1.30	1.06	25.0	6.95	-1.00
11985	35.0 37.5	2.5	100	4L41	52	2.84	2.30	.58	1.72	10.0	.85	-1.00
11986	37.5 41.5	4.0	60	4C0	3	2.92	3.02	1.31	1.71	23.0	5.52	-1.00
11987	41.5 42.7	1.2	83	4L41	52	2.92	4.04	1.34	2.70	30.0	5.11	-1.00
0	42.7 62.6	19.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11988	62.6 65.1	2.5	92	4AE4	2	3.63	7.90	3.00	4.90	48.0	21.36	-1.00
11989	65.1 67.6	2.5	84	4AE4	2	3.50	6.00	2.10	3.90	39.0	22.77	-1.00
11990	67.6 70.0	2.4	100	4A0	2	2.89	1.72	.69	1.03	11.0	2.39	-1.00
11991	70.0 72.0	2.0	95	4A0	2	-1.00	1.27	.64	.63	3.0	-1.00	-1.00
11992	72.0 75.0	3.0	23	4A0	2	-1.00	1.84	.64	1.20	16.0	-1.00	-1.00
11993	75.0 77.7	2.7	100	4L42	52	-1.00	1.58	.66	.92	16.0	-1.00	-1.00
0	77.7 79.1	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11994	79.1 81.4	2.3	91	4C0	3	-1.00	1.30	.45	.85	12.0	-1.00	-1.00
11995	81.4 83.3	1.9	89	4L42	52	2.93	2.54	.70	1.84	9.0	6.81	-1.00
11996	83.3 86.9	3.6	97	4L42	52	2.86	4.53	3.10	1.43	35.0	3.86	-1.00
11997	86.9 91.4	4.5	56	4L42	52	-1.00	1.49	.61	.88	11.0	-1.00	-1.00
11998	91.4 94.4	3.0	93	4L42	52	-1.00	1.03	.46	.57	3.0	-1.00	-1.00
11999	94.4 97.5	3.1	100	4A34	2	3.09	5.10	2.10	3.00	30.0	10.21	-1.00

Drill Hole: AGU092 Section:
 Northing: 6280.7 Easting: 2792.0 Elevation: 1146.4
 Length: 73.2 Core: NQ Record: 334

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.0	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11132	1.0	2.0	1.0	100	4DE4	3	3.90	24.20	8.00	16.20	128.0	17.49	-1.00
11133	2.0	3.3	1.3	100	4ED4	5	4.69	22.90	9.40	13.50	166.0	29.70	-1.00
11134	3.3	4.6	1.3	100	4ED4	5	3.41	21.10	8.40	12.70	123.0	28.03	-1.00
11135	4.6	6.1	1.5	100	4D43	3	3.79	24.20	9.10	15.10	139.0	14.37	-1.00
11136	6.1	7.6	1.5	100	4D43	3	3.67	22.60	8.00	14.60	113.0	13.70	-1.00
11137	7.6	8.9	1.3	100	4E4	5	4.64	28.30	10.00	18.30	126.0	26.37	-1.00
11138	8.9	10.7	1.8	100	4E4	5	4.73	9.13	1.53	7.60	35.0	40.87	-1.00
11139	10.7	11.0	.3	100	4E4	5	4.40	11.36	.46	10.90	15.0	37.08	-1.00
11140	11.0	12.3	1.3	100	4E4	5	4.40	12.18	1.58	10.60	40.0	35.87	-1.00
11141	12.3	12.7	.4	100	4E4	5	3.21	6.90	.80	6.10	26.0	25.61	-1.00
11142	12.7	14.6	1.9	47	4E4*	5	4.83	7.86	1.56	6.30	31.0	41.78	-1.00
11143	14.6	16.6	2.0	95	4E4*	5	4.86	23.70	7.70	16.00	109.0	31.51	-1.00
11144	16.6	18.1	1.5	100	4ED4	5	4.30	19.60	7.30	12.30	107.0	23.97	-1.00
11145	18.1	19.7	1.6	69	4ED4	5	4.25	8.80	2.20	6.60	39.0	31.80	-1.00
11146	19.7	21.2	1.5	73	4DE4	3	3.87	9.10	2.80	6.30	53.0	25.90	-1.00
11147	21.2	22.8	1.6	81	4D3	3	3.71	5.41	1.01	4.40	24.0	24.41	-1.00
11148	22.8	24.4	1.6	100	4ED	5	3.61	5.11	1.11	4.00	29.0	22.65	-1.00
11149	24.4	26.4	2.0	100	4A34	2	3.69	8.30	3.00	5.30	49.0	20.48	-1.00
11150	26.4	28.4	2.0	95	4A34	2	4.03	8.70	3.10	5.60	53.0	25.68	-1.00
11301	28.4	29.9	1.5	100	4EC	5	4.08	5.50	2.50	3.00	52.0	30.25	-1.00
11302	29.9	31.4	1.5	100	4EC	5	3.89	3.83	.93	2.90	32.0	28.82	-1.00
11303	31.4	32.8	1.4	100	4AE	2	3.59	6.00	2.00	4.00	43.0	21.34	-1.00
11304	32.8	34.3	1.5	100	4AE	2	3.82	1.71	.40	1.31	16.0	29.73	-1.00
11305	34.3	35.9	1.6	100	4AE4	2	3.94	6.40	2.30	4.10	43.0	26.83	-1.00
11306	35.9	37.5	1.6	100	4AE4	2	3.82	9.30	3.40	5.90	56.0	23.64	-1.00
11307	37.5	39.6	2.1	100	4E14	5	3.82	5.60	2.30	3.30	50.0	25.89	-1.00
11308	39.6	41.7	2.1	100	4E14	5	3.68	5.30	2.40	2.90	46.0	23.25	-1.00
11309	41.7	42.7	1.0	90	4A34	2	3.65	4.52	1.62	2.90	35.0	22.70	-1.00
11310	42.7	44.0	1.3	92	4AC3	2	3.67	2.35	.71	1.64	24.0	25.93	-1.00
11311	44.0	45.4	1.4	86	4AC3	2	3.82	4.36	.86	3.50	32.0	29.05	-1.00
11312	45.4	46.6	1.2	83	4B4	2	2.95	8.70	2.70	6.00	34.0	4.13	-1.00
11313	46.6	47.7	1.1	91	4B4	2	2.99	9.20	4.00	5.20	50.0	3.41	-1.00
0	47.7	73.2	25.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU093 Section:
 Northing: 6516.3 Easting: 2810.0 Elevation: 1116.3
 Length: 76.2 Core: NQ Record: 335

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
12035	.0	3.0	3.0	53	4A3	2	3.62	4.43	1.53	2.90	37.0	23.79	-1.00
12036	3.0	5.0	2.0	85	4A14	2	3.34	7.80	2.80	5.00	55.0	26.39	-1.00
12037	5.0	7.1	2.1	57	4A14	2	3.54	6.20	2.10	4.10	47.0	9.72	-1.00
12038	7.1	9.6	2.5	92	4D5	3	3.41	7.00	2.80	4.20	49.0	21.39	-1.00
12039	9.6	12.2	2.6	100	4D5	3	3.38	6.60	2.70	3.90	46.0	16.77	-1.00
12040	12.2	14.2	2.0	100	4C5	3	3.44	4.74	1.74	3.00	28.0	17.51	-1.00
12041	14.2	15.9	1.7	100	4C5	3	2.95	4.35	1.25	3.10	16.0	19.02	-1.00
12042	15.9	18.0	2.1	86	4C0	3	3.01	4.77	1.27	3.50	26.0	5.26	-1.00
12043	18.0	19.8	1.8	100	4A0	2	2.86	4.87	1.57	3.30	26.0	6.04	-1.00
12044	19.8	22.8	3.0	93	4C5	3	2.87	5.00	1.70	3.30	27.0	2.34	-1.00
12045	22.8	24.8	2.0	100	4C0	3	3.04	2.27	1.12	1.15	24.0	3.01	-1.00
12046	24.8	26.3	1.5	100	4C0	3	2.91	4.04	1.54	2.50	27.0	9.22	-1.00
12047	26.3	27.4	1.1	91	4L12	52	2.96	3.45	1.57	1.88	26.0	4.35	-1.00
0	27.4	43.9	16.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12048	43.9	46.7	2.8	89	4A4	2	3.28	8.90	3.20	5.70	48.0	6.44	-1.00
12049	46.7	48.8	2.1	95	4L4	52	2.96	5.93	2.03	3.90	35.0	11.56	-1.00
12050	48.8	49.6	.8	100	4D0	3	2.87	7.55	2.15	5.40	34.0	14.20	-1.00
12051	49.6	52.3	2.7	48	4L14	52	2.86	3.60	1.00	2.60	23.0	6.64	-1.00
12052	52.3	54.3	2.0	100	4L14	52	3.03	2.25	.70	1.55	10.0	3.37	-1.00
12053	54.3	57.0	2.7	96	4L21	52	2.95	1.53	.53	1.00	12.0	8.72	-1.00
12054	57.0	59.5	2.5	76	4B0	52	2.90	2.88	1.67	1.21	21.0	6.93	-1.00
12055	59.5	61.5	2.0	80	4A0	2	3.12	3.90	1.10	2.80	28.0	3.68	-1.00
12056	61.5	63.1	1.6	88	4A0	2	3.28	4.05	1.45	2.60	30.0	11.41	-1.00
12057	63.1	64.8	1.7	94	4A4	2	3.36	6.75	2.05	4.70	37.0	16.61	-1.00
12058	64.8	65.7	.9	100	4A4	2	3.43	10.30	3.70	6.60	67.0	16.72	-1.00
12059	65.7	67.1	1.4	79	4E41	5	3.13	20.60	7.10	13.50	108.0	12.83	-1.00
0	67.1	76.2	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU094 Section:
 Northing: 6686.0 Easting: 2706.0 Elevation: 1089.2
 Length: 26.2 Core: NQ Record: 336

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	26.2	26.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU095 Section:
 Northing: 6517.1 Easting: 2810.6 Elevation: 1113.9
 Length: 121.9 Core: NQ Record: 337

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
12168	.0	3.8	3.8	42	4A4	2	3.10	7.50	3.20	4.30	55.0	8.59	-1.00
12169	3.8	6.7	2.9	-1	4A43	2	3.36	8.70	3.80	4.90	72.0	15.69	-1.00
12170	6.7	9.1	2.4	-1	4A43	2	3.24	7.60	2.40	5.20	48.0	14.60	-1.00
12171	9.1	12.0	2.9	-1	4A43	2	3.15	5.60	1.60	4.00	34.0	13.71	-1.00
12172	12.0	14.6	2.6	-1	4A43	2	3.24	11.20	3.90	7.30	72.0	12.28	-1.00
12173	14.6	15.4	.8	-1	4D45	3	3.32	18.40	6.90	11.50	138.0	11.52	-1.00
12174	15.4	17.2	1.8	-1	4A3	2	3.29	4.67	1.47	3.20	33.0	13.75	-1.00
12175	17.2	19.6	2.4	-1	4A43	2	3.34	5.34	1.74	3.60	38.0	16.38	-1.00
12176	19.6	20.5	.9	-1	4L3	52	2.82	.98	.36	.62	10.0	5.45	-1.00
12177	20.5	22.3	1.8	-1	4E4	5	3.84	16.30	6.30	10.00	110.0	16.14	-1.00
12178	22.3	24.0	1.7	-1	4E41	5	3.75	15.60	6.50	9.10	105.0	20.84	-1.00
12179	24.0	25.5	1.5	-1	4A0	2	2.93	.56	.27	.29	8.0	6.14	-1.00
12180	25.5	27.7	2.2	-1	4G4	7	3.61	11.40	2.80	8.60	58.0	18.42	-1.00
12181	27.7	28.6	.9	-1	4L3	52	3.43	1.33	.33	1.00	12.0	16.83	-1.00
12182	28.6	30.7	2.1	-1	4G0	7	3.62	8.14	1.84	6.30	40.0	21.41	-1.00
12183	30.7	32.0	1.3	-1	4A0	2	2.88	2.68	.83	1.85	18.0	5.98	-1.00
0	32.0	38.3	6.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12184	38.3	41.1	2.8	-1	4EK4	5	3.82	19.30	5.40	13.90	94.0	19.93	-1.00
12185	41.1	42.9	1.8	-1	4AD4	2	3.39	18.20	5.40	12.80	94.0	14.83	-1.00
12186	42.9	45.2	2.3	-1	4A34	2	3.32	12.00	4.80	7.20	78.0	14.01	-1.00
12187	45.2	47.2	2.0	-1	4AD	2	3.53	7.00	3.00	4.00	50.0	17.67	-1.00
0	47.2	50.3	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12188	50.3	52.6	2.3	-1	4A43	2	3.39	7.00	2.80	4.20	50.0	20.75	-1.00
12189	52.6	54.9	2.3	-1	4A43	2	2.97	5.90	2.70	3.20	43.0	9.87	-1.00
0	54.9	110.5	55.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12190	110.5	113.0	2.5	-1	4A0	2	3.12	.56	.16	.40	10.0	14.58	-1.00
12191	113.0	115.2	2.2	-1	4A0	2	2.92	3.87	1.57	2.30	35.0	9.89	-1.00
12192	115.2	117.2	2.0	-1	4E46	5	4.38	14.20	5.90	8.30	103.0	29.97	-1.00
12193	117.2	119.3	2.1	-1	4E46	5	4.45	9.50	4.40	5.10	95.0	35.59	-1.00
0	119.3	121.9	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU096 Section:
 Northing: 6280.5 Easting: 2792.3 Elevation: 1147.4
 Length: 121.9 Core: NQ Record: 338

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.0	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11401	1.0	3.0	2.0	50	4E4#	5	5.36	17.50	5.30	12.20	105.0	33.99	-1.00
11402	3.0	4.6	1.6	19	4E4#	5	5.03	17.00	4.10	12.90	52.0	35.25	-1.00
11403	4.6	6.0	1.4	86	4E4#	5	4.91	19.60	4.50	15.10	64.0	31.76	-1.00
11404	6.0	7.4	1.4	57	4E4#	5	5.03	16.00	3.90	12.10	73.0	35.79	-1.00
11405	7.4	9.3	1.9	100	4D4	3	4.25	24.70	8.50	16.20	126.0	18.93	-1.00
11406	9.3	10.4	1.1	100	4E4#	5	5.01	19.90	6.20	13.70	105.0	29.28	-1.00
11407	10.4	11.2	.8	100	4D34#	3	4.01	23.30	7.50	15.80	117.0	16.55	-1.00
11408	11.2	13.0	1.8	100	4A34#	2	4.42	20.00	7.10	12.90	108.0	21.01	-1.00
11409	13.0	14.8	1.8	100	4A34#	2	3.73	15.40	4.30	11.10	70.0	12.14	-1.00
11410	14.8	16.7	1.9	100	4A34#	2	3.66	16.70	5.50	11.20	86.0	16.48	-1.00
11411	16.7	18.6	1.9	100	4KE	6	5.03	4.91	.61	4.30	22.0	40.92	-1.00
11412	18.6	19.3	.7	100	4A14	2	3.89	6.92	1.82	5.10	48.0	21.89	-1.00
11413	19.3	20.0	.7	100	4EA	5	4.99	3.75	.95	2.80	23.0	32.90	-1.00
11414	20.0	20.3	.3	100	4E0	5	3.84	4.42	1.72	2.70	32.0	27.78	-1.00
11415	20.3	21.5	1.2	100	4AC3	2	3.85	3.35	.85	2.50	24.0	27.95	-1.00
11416	21.5	22.7	1.2	92	4AC3	2	3.77	4.27	.97	3.30	25.0	17.18	-1.00
11417	22.7	24.4	1.7	100	4A1	2	3.02	1.30	.42	.88	13.0	7.60	-1.00
11418	24.4	26.1	1.7	100	4A1	2	3.12	4.38	1.18	3.20	23.0	9.13	-1.00
11419	26.1	28.1	2.0	100	4ED	5	3.96	8.40	2.90	5.50	48.0	25.82	-1.00
11420	28.1	30.4	2.3	96	4A134	2	3.61	7.20	3.30	3.90	48.0	19.66	-1.00
11421	30.4	31.5	1.1	100	4A3	2	3.99	1.96	1.01	.95	25.0	26.88	-1.00
11422	31.5	32.2	.7	86	4E1	5	3.85	5.40	2.40	3.00	39.0	25.42	-1.00
11423	32.2	33.7	1.5	100	4A10	2	2.93	4.56	1.26	3.30	19.0	3.06	-1.00
11424	33.7	35.3	1.6	94	4A14	2	2.90	5.59	1.89	3.70	29.0	1.49	-1.00
11425	35.3	36.2	.9	89	5C4*	44	3.01	1.42	.49	.93	11.0	6.73	-1.00
11426	36.2	37.7	1.5	100	4L14	52	3.02	5.83	1.93	3.90	34.0	3.69	-1.00
11444	37.7	39.2	1.5	100	4L14	52	3.03	9.20	2.90	6.30	47.0	5.80	-1.00
11427	39.2	40.4	1.2	75	4L3	52	2.99	5.02	1.72	3.30	36.0	7.44	-1.00
11428	40.4	41.7	1.3	46	4L3	52	2.92	1.03	.56	.47	12.0	6.82	-1.00
11429	41.7	43.5	1.8	39	4A10	2	3.00	2.87	1.01	1.86	25.0	6.18	-1.00
11430	43.5	45.4	1.9	42	4A1	2	2.92	3.61	1.31	2.30	35.0	6.35	-1.00
11431	45.4	47.3	1.9	63	4A10	2	2.90	1.75	.66	1.09	17.0	5.69	-1.00
11432	47.3	48.8	1.5	53	4A31	2	3.28	4.62	1.42	3.20	34.0	15.72	-1.00
11433	48.8	50.3	1.5	53	4A31	2	3.02	2.22	.60	1.62	16.0	10.21	-1.00
11434	50.3	51.8	1.5	40	4A31	2	2.85	3.03	1.38	1.65	19.0	3.75	-1.00
0	51.8	53.2	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11435	53.2	56.4	3.2	19	4A1	2	2.88	3.15	1.29	1.86	22.0	3.87	-1.00
11436	56.4	57.9	1.5	80	5B96	40	2.85	2.02	.50	1.52	11.0	2.22	-1.00
11437	57.9	59.5	1.6	100	5B96	40	2.91	1.68	.55	1.13	12.0	2.82	-1.00
11438	59.5	61.2	1.7	59	5B96	40	2.93	.57	.21	.36	10.0	6.62	-1.00
0	61.2	97.9	36.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11439	97.9	99.0	1.1	64	4A143	2	3.42	5.70	3.30	2.40	48.0	16.55	-1.00
11440	99.0	99.8	.8	87	4A4	2	3.47	11.57	3.70	7.87	51.0	11.61	-1.00

11441	99.8	101.7	1.9	53	4E4	5	4.45	24.30	8.30	16.00	131.0	26.21	-1.00
11442	101.7	103.7	2.0	100	4E4	5	4.42	25.80	8.10	17.70	122.0	23.57	-1.00
11443	103.7	104.0	.3	100	4E4	5	3.78	24.40	7.70	16.70	130.0	15.13	-1.00
0	104.0	121.9	17.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU097 Section:
 Northing: 6517.0 Easting: 2810.7 Elevation: 1114.1
 Length: 62.5 Core: NQ Record: 339

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
12060	.0	3.0	3.0	47	4A34	2	3.45	9.20	3.20	6.00	68.0	20.59	-1.00
12061	3.0	4.6	1.6	63	4A34	2	3.63	8.10	3.30	4.80	60.0	16.52	-1.00
12062	4.6	6.6	2.0	100	4A43	2	3.36	6.50	2.90	3.60	50.0	20.40	-1.00
12063	6.6	8.6	2.0	90	4A43	2	3.24	6.20	1.90	4.30	44.0	16.80	-1.00
12064	8.6	10.6	2.0	95	4A3	2	3.39	3.90	1.10	2.80	30.0	12.67	-1.00
12065	10.6	12.6	2.0	70	4A3	2	3.14	4.19	1.29	2.90	28.0	18.45	-1.00
12066	12.6	14.6	2.0	80	4A43	2	3.16	5.79	1.19	4.60	29.0	11.20	-1.00
12067	14.6	16.6	2.0	95	4A3	2	3.51	4.85	.85	4.00	26.0	18.24	-1.00
12068	16.6	18.6	2.0	80	4A43	2	3.24	7.30	2.30	5.00	35.0	12.04	-1.00
12069	18.6	21.3	2.7	30	4A34	2	3.47	7.97	1.87	6.10	40.0	15.98	-1.00
12070	21.3	23.3	2.0	75	4A4	2	3.24	5.50	1.10	4.40	23.0	25.85	-1.00
12071	23.3	25.3	2.0	85	4A4	2	3.26	5.04	1.14	3.90	32.0	13.90	-1.00
12072	25.3	27.3	2.0	95	4A4	2	3.23	7.90	2.10	5.80	55.0	12.07	-1.00
12073	27.3	29.3	2.0	70	4A0	2	3.05	4.71	1.51	3.20	40.0	8.96	-1.00
12074	29.3	31.3	2.0	55	4A4	2	3.23	8.00	2.60	5.40	67.0	11.80	-1.00
12075	31.3	33.3	2.0	100	4A4	2	2.95	6.00	1.80	4.20	44.0	5.37	-1.00
12076	33.3	35.3	2.0	80	4A4	2	2.96	8.80	3.00	5.80	62.0	3.59	-1.00
12077	35.3	37.0	1.7	82	4A4	2	2.95	5.92	2.02	3.90	47.0	4.35	-1.00
12078	37.0	39.6	2.6	100	4D5	3	3.04	8.50	2.40	6.10	55.0	6.53	-1.00
12079	39.6	42.3	2.7	78	4D5	3	3.14	9.80	3.30	6.50	71.0	7.99	-1.00
12080	42.3	44.7	2.4	46	4E4	5	4.17	17.00	4.10	12.90	70.0	24.52	-1.00
12081	44.7	46.7	2.0	70	4A30	2	3.38	4.01	1.11	2.90	30.0	17.56	-1.00
12082	46.7	48.4	1.7	88	4A34	2	3.47	5.94	1.94	4.00	35.0	17.39	-1.00
0	48.4	62.5	14.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU098 Section:
 Northing: 6279.5 Easting: 2792.5 Elevation: 1145.5
 Length: 52.1 Core: NQ Record: 340

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
90232	.0	2.0	2.0	-1	4ED	5	-1.00	13.36	4.75	8.61	70.6	-1.00	-1.00
90233	2.0	3.8	1.8	-1	4D4	3	-1.00	28.04	8.37	19.67	145.0	-1.00	-1.00
90234	3.8	5.8	2.0	-1	4D4	3	-1.00	33.08	9.17	23.91	152.2	-1.00	-1.00
90235	5.8	8.1	2.3	-1	4LE	52	-1.00	6.75	2.10	4.65	43.5	-1.00	-1.00
90236	8.1	10.2	2.1	-1	4E4	5	-1.00	16.76	7.02	9.74	121.0	-1.00	-1.00
90237	10.2	12.6	2.4	-1	4DL	3	-1.00	17.01	5.46	11.55	76.8	-1.00	-1.00
90238	12.6	14.2	1.6	-1	4EK	5	-1.00	7.15	3.10	4.05	46.3	-1.00	-1.00
90239	14.2	15.6	1.4	-1	4E4	5	-1.00	12.70	5.26	7.44	94.6	-1.00	-1.00
90240	15.6	17.1	1.5	-1	4A4	2	-1.00	7.38	2.68	4.70	45.3	-1.00	-1.00
90241	17.1	18.3	1.2	-1	4A0	2	-1.00	2.91	1.13	1.78	14.1	-1.00	-1.00
0	18.3	21.5	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90242	21.5	22.9	1.4	-1	4A0	2	-1.00	1.98	.68	1.30	9.9	-1.00	-1.00
90243	22.9	23.4	.5	-1	4A0	2	-1.00	1.48	.73	.75	18.2	-1.00	-1.00
90244	23.4	25.9	2.5	-1	4A0	2	-1.00	4.60	1.80	2.80	29.1	-1.00	-1.00
90245	25.9	27.4	1.5	-1	4A4	2	-1.00	10.83	3.78	7.05	46.3	-1.00	-1.00
0	27.4	52.1	24.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU099 Section:
 Northing: 6515.5 Easting: 2824.2 Elevation: 1113.8
 Length: 184.5 Core: NQ Record: 341

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
12151	.0	1.3	1.3	-1	4A4	2	3.10	5.51	1.91	3.60	42.0	8.65	-1.00
12152	1.3	3.9	2.6	-1	4D4	3	3.20	12.70	4.00	8.70	63.0	8.85	-1.00
12153	3.9	5.6	1.7	-1	4D4	3	3.29	11.60	3.20	8.40	84.0	11.70	-1.00
12154	5.6	7.5	1.9	-1	4D4	3	3.32	6.47	1.97	4.50	38.0	13.46	-1.00
0	7.5	49.2	41.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
92083	49.2	50.6	1.4	100	4EA	5	-1.00	9.87	4.09	5.78	62.4	-1.00	-1.00
0	50.6	114.3	63.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12155	114.3	116.8	2.5	-1	4E4	5	4.28	13.80	4.80	9.00	96.0	28.37	-1.00
12156	116.8	119.1	2.3	-1	4E4	5	4.63	12.30	5.10	7.20	95.0	33.74	-1.00
12157	119.1	121.2	2.1	-1	4E4	5	4.42	13.70	5.20	8.50	102.0	31.79	-1.00
12158	121.2	123.7	2.5	-1	4A4	2	3.26	6.40	2.90	3.50	45.0	14.94	-1.00
12159	123.7	126.5	2.8	-1	4A0	2	3.13	3.85	1.25	2.60	23.0	14.53	-1.00
0	126.5	132.8	6.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12160	132.8	134.8	2.0	-1	4A0	2	-1.00	1.12	.50	.62	20.0	-1.00	-1.00
12161	134.8	138.7	3.9	-1	4A0	2	-1.00	.56	.15	.41	14.0	-1.00	-1.00
12162	138.7	142.3	3.6	-1	4A0	2	-1.00	.88	.40	.48	14.0	-1.00	-1.00
12163	142.3	145.3	3.0	-1	4A0	2	-1.00	.59	.11	.48	11.0	-1.00	-1.00
12164	145.3	147.0	1.7	-1	4A0	2	-1.00	.85	.24	.61	13.0	-1.00	-1.00
12165	147.0	148.9	1.9	-1	4AC	2	-1.00	.64	.21	.43	15.0	-1.00	-1.00
0	148.9	151.4	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12166	151.4	152.3	.9	-1	4A0	2	3.25	2.12	1.18	.94	23.0	17.49	-1.00
12167	152.3	153.2	.9	-1	4E4	5	3.83	8.50	3.70	4.80	78.0	25.31	-1.00
0	153.2	184.5	31.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU100 Section:
 Northing: 6279.6 Easting: 2792.4 Elevation: 1148.4
 Length: 121.9 Core: NQ Record: 342

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11358	.0	3.0	3.0	47	4E4	5	4.75	17.70	6.10	11.60	121.0	31.34	-1.00
11359	3.0	6.1	3.1	68	4D45	3	4.08	26.60	9.00	17.60	137.0	17.88	-1.00
11360	6.1	7.6	1.5	100	4D45	3	4.17	24.10	8.20	15.90	132.0	14.12	-1.00
11361	7.6	9.1	1.5	100	4D45	3	3.73	20.00	6.50	13.50	101.0	13.70	-1.00
11362	9.1	10.7	1.6	100	4D45	3	4.05	17.50	5.90	11.60	98.0	19.38	-1.00
11363	10.7	12.2	1.5	93	4D45	3	3.84	9.60	3.10	6.50	49.0	20.31	-1.00
11364	12.2	13.5	1.3	100	4D45	3	3.65	15.30	5.50	9.80	81.0	16.03	-1.00
11365	13.5	15.2	1.7	100	4E45	5	4.05	8.90	2.40	6.50	40.0	28.64	-1.00
11366	15.2	17.8	2.6	38	4ED	5	4.53	5.69	.89	4.80	30.0	34.99	-1.00
11367	17.8	19.8	2.0	80	4AD	2	3.84	6.90	2.60	4.30	44.0	23.77	-1.00
11368	19.8	22.0	2.2	55	4ED	5	4.11	6.67	1.87	4.80	39.0	27.47	-1.00
11369	22.0	24.4	2.4	100	4A4	2	3.65	4.47	1.77	2.70	33.0	16.40	-1.00
91572	24.4	25.9	1.5	100	4A4	2	-1.00	7.33	2.78	4.55	36.3	-1.00	-1.00
11371	25.9	27.4	1.5	100	4A4	2	3.59	5.61	1.71	3.90	31.0	18.26	-1.00
11372	27.4	29.0	1.6	100	4A4	2	3.43	3.82	1.22	2.60	23.0	15.23	-1.00
11373	29.0	30.5	1.5	100	4A4	2	3.69	6.71	1.91	4.80	37.0	19.96	-1.00
11374	30.5	32.0	1.5	100	4A4	2	3.35	9.50	3.30	6.20	54.0	12.56	-1.00
11375	32.0	33.5	1.5	100	4A4	2	3.01	8.40	3.20	5.20	32.0	2.01	-1.00
11376	33.5	36.0	2.5	60	4A4	2	2.92	4.93	1.53	3.40	25.0	1.56	-1.00
11377	36.0	37.8	1.8	56	4A4	2	2.93	4.34	1.04	3.30	16.0	2.24	-1.00
11378	37.8	39.6	1.8	72	4A4	2	3.19	8.40	2.30	6.10	36.0	7.76	-1.00
11379	39.6	44.2	4.6	46	4DA	3	3.04	11.70	3.30	8.40	63.0	2.97	-1.00
11380	44.2	47.2	3.0	43	4A4	2	2.99	6.10	2.40	3.70	44.0	4.62	-1.00
11381	47.2	53.3	6.1	49	4A4	2	3.20	5.50	3.00	2.50	51.0	10.05	-1.00
11382	53.3	56.5	3.2	87	4L2	52	3.04	.35	.16	.19	6.0	6.32	-1.00
11383	56.5	58.7	2.2	95	4A0	2	3.01	3.24	.94	2.30	20.0	5.94	-1.00
0	58.7	80.2	21.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90170	80.2	82.0	1.8	89	4A4	2	-1.00	7.40	2.20	5.20	31.2	-1.00	-1.00
0	82.0	82.1	.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11385	82.1	82.8	.7	100	4L4	52	2.96	4.68	1.28	3.40	28.0	3.84	-1.00
11386	82.8	89.7	6.9	58	5D4*	47	3.10	2.37	.54	1.83	13.0	8.32	-1.00
11387	89.7	90.4	.7	100	4A4	2	3.14	6.04	2.04	4.00	37.0	8.07	-1.00
11388	90.4	92.6	2.2	45	4EA4	5	4.23	9.00	3.00	6.00	60.0	25.19	-1.00
0	92.6	121.9	29.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU101 Section:
 Northing: 6516.3 Easting: 2825.5 Elevation: 1113.3
 Length: 175.3 Core: NQ Record: 343

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
12116	.0	2.7	2.7	19	4D4	3	3.65	13.50	5.60	7.90	94.0	16.74	-1.00
12117	2.7	4.2	1.5	100	4D0	3	3.43	7.80	2.30	5.50	52.0	10.95	-1.00
0	4.2	54.9	50.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12118	54.9	55.8	.9	89	4GE4	7	3.84	27.10	9.50	17.60	166.0	9.26	-1.00
12119	55.8	58.0	2.2	91	4A43	2	3.22	6.40	2.80	3.60	57.0	9.55	-1.00
12120	58.0	60.5	2.5	100	5D4@	47	3.46	7.10	3.80	3.30	57.0	14.06	-1.00
12121	60.5	63.1	2.6	100	5D4@	47	3.34	7.00	3.30	3.70	56.0	11.27	-1.00
12122	63.1	65.6	2.5	100	4A4	2	3.50	9.70	4.40	5.30	73.0	14.29	-1.00
0	65.6	67.7	2.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12123	67.7	69.2	1.5	87	4AD	2	3.14	5.90	2.30	3.60	38.0	8.31	-1.00
12124	69.2	70.6	1.4	100	4A0	2	2.96	3.47	.97	2.50	25.0	4.37	-1.00
12125	70.6	72.3	1.7	100	4A41	2	3.42	6.70	3.10	3.60	53.0	14.07	-1.00
12126	72.3	74.0	1.7	76	4A1	2	3.35	3.87	1.57	2.30	31.0	13.15	-1.00
12127	74.0	76.8	2.8	71	4A0	2	2.99	2.44	.55	1.89	10.0	4.90	-1.00
12128	76.8	79.3	2.5	92	4A0	2	2.95	3.14	.84	2.30	20.0	4.80	-1.00
12129	79.3	80.8	1.5	87	5A94	30	2.93	5.36	1.66	3.70	36.0	3.79	-1.00
12130	80.8	82.1	1.3	100	4A0	2	2.93	2.85	.87	1.98	19.0	6.80	-1.00
12131	82.1	84.5	2.4	100	5B6	40	2.93	1.19	.55	.64	11.0	6.32	-1.00
12132	84.5	86.8	2.3	100	4A31	2	3.02	4.39	1.59	2.80	32.0	6.77	-1.00
12133	86.8	88.9	2.1	100	5B62	40	-1.00	.11	.04	.07	1.0	-1.00	-1.00
12134	88.9	90.6	1.7	100	5A6	30	2.94	2.03	.77	1.26	19.0	4.90	-1.00
12135	90.6	93.6	3.0	97	4A03	2	3.14	3.99	1.39	2.60	30.0	11.49	-1.00
12136	93.6	95.2	1.6	100	5B6	40	-1.00	.21	.09	.12	3.0	-1.00	-1.00
12137	95.2	98.1	2.9	83	5B6	40	-1.00	1.51	.61	.90	11.0	-1.00	-1.00
12138	98.1	99.1	1.0	70	4E4*	5	4.28	19.20	6.80	12.40	118.0	24.94	-1.00
0	99.1	131.1	32.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12139	131.1	133.9	2.8	96	4A0	2	-1.00	.28	.10	.18	4.0	-1.00	-1.00
12140	133.9	134.8	.9	89	4AC	2	3.00	.08	.03	.05	1.0	11.57	-1.00
12141	134.8	137.3	2.5	96	4A0	2	-1.00	.15	.04	.11	2.0	-1.00	-1.00
12142	137.3	138.7	1.4	100	4A0	2	-1.00	2.25	.73	1.52	14.0	-1.00	-1.00
12143	138.7	140.0	1.3	92	4A0	2	-1.00	.15	.05	.10	5.0	-1.00	-1.00
12144	140.0	142.0	2.0	100	4AC0	2	-1.00	.29	.07	.22	5.0	-1.00	-1.00
12145	142.0	143.4	1.4	86	5D\$	47	-1.00	.10	.03	.07	3.0	-1.00	-1.00
12146	143.4	145.7	2.3	74	4A4	2	3.24	5.15	1.95	3.20	36.0	13.27	-1.00
12147	145.7	147.8	2.1	90	4G45	7	3.65	10.90	3.40	7.50	63.0	18.59	-1.00
12148	147.8	149.0	1.2	100	4A0	2	3.10	4.26	1.26	3.00	26.0	9.36	-1.00
0	149.0	175.3	26.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU102 Section:
 Northing: 6280.1 Easting: 2793.3 Elevation: 1150.0
 Length: 47.2 Core: NQ Record: 344

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11389	.0	1.9	1.9	32	4D435	3	4.53	25.80	9.10	16.70	147.0	22.36	-1.00
11390	1.9	4.0	2.1	100	4DE4	3	3.93	23.40	7.60	15.80	133.0	16.32	-1.00
11391	4.0	6.1	2.1	71	4DE4	3	4.08	24.90	7.90	17.00	134.0	18.82	-1.00
11392	6.1	8.1	2.0	75	4DE4	3	4.23	27.70	9.40	18.30	132.0	17.82	-1.00
11393	8.1	12.1	4.0	38	4EL	5	3.18	3.87	1.37	2.50	26.0	9.96	-1.00
11394	12.1	13.7	1.6	94	4D435	3	3.87	11.60	4.50	7.10	65.0	22.56	-1.00
11395	13.7	15.2	1.5	80	4D435	3	3.80	11.90	3.70	8.20	61.0	18.65	-1.00
11396	15.2	17.9	2.7	26	5B62	40	3.10	1.49	.35	1.14	9.0	7.56	-1.00
11397	17.9	19.8	1.9	74	4D435	3	3.62	9.40	4.70	4.70	66.0	20.64	-1.00
11398	19.8	21.3	1.5	20	5B6	40	3.04	.94	.33	.61	10.0	6.61	-1.00
11399	21.3	21.7	.4	100	4E4	5	4.31	18.50	6.50	12.00	132.0	24.95	-1.00
11400	21.7	27.4	5.7	49	4A0	2	3.33	2.67	.89	1.78	21.0	13.43	-1.00
90246	27.4	29.0	1.6	-1	4L4	52	-1.00	6.58	2.58	4.00	44.2	-1.00	-1.00
90247	29.0	33.5	4.5	-1	4L4	52	-1.00	6.98	2.58	4.40	35.3	-1.00	-1.00
0	33.5	37.9	4.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90248	37.9	39.2	1.3	-1	4DL	3	-1.00	8.73	2.48	6.25	27.4	-1.00	-1.00
11251	39.2	41.1	1.9	100	4AE	2	3.79	8.60	3.30	5.30	46.0	22.75	-1.00
11252	41.1	42.7	1.6	100	4E45	5	3.74	10.90	3.10	7.80	53.0	20.55	-1.00
11253	42.7	44.2	1.5	100	4E45	5	4.10	11.10	4.00	7.10	66.0	24.95	-1.00
11254	44.2	45.7	1.5	100	4E45	5	3.69	8.60	2.80	5.80	46.0	21.46	-1.00
0	45.7	47.2	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU103 Section:
 Northing: 6515.8 Easting: 2825.3 Elevation: 1113.8
 Length: 129.5 Core: NQ Record: 345

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
12149	.0	2.4	2.4	50	4A4	2	3.72	14.60	5.20	9.40	97.0	17.59	-1.00
12150	2.4	4.6	2.2	55	5D4a	47	3.04	5.86	1.96	3.90	34.0	8.54	-1.00
0	4.6	129.5	124.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU104 Section:
 Northing: 6280.1 Easting: 2795.4 Elevation: 1150.0
 Length: 31.4 Core: NQ Record: 346

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11278	.0	2.3	2.3	96	4ED4	5	4.61	23.10	7.50	15.60	114.0	26.00	-1.00
11279	2.3	4.6	2.3	78	4ED4	5	3.84	22.60	7.40	15.20	112.0	14.73	-1.00
11280	4.6	6.9	2.3	61	4ED4	5	4.28	23.60	7.40	16.20	108.0	18.63	-1.00
11281	6.9	9.2	2.3	100	4ED4	5	4.61	29.60	10.60	19.00	154.0	20.43	-1.00
11282	9.2	11.5	2.3	100	4ED4	5	4.45	31.70	11.80	19.90	166.0	17.58	-1.00
11283	11.5	13.7	2.2	68	4ED4	5	4.26	21.80	7.80	14.00	133.0	22.87	-1.00
0	13.7	31.4	17.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU105 Section:
 Northing: 6515.3 Easting: 2827.1 Elevation: 1115.1
 Length: 38.1 Core: NQ Record: 347

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
12194	.0	3.8	3.8	79	4K0	6	3.10	1.77	.52	1.25	14.0	13.20	-1.00
12195	3.8	5.8	2.0	80	5D4a	47	3.45	2.03	.67	1.36	21.0	20.70	-1.00
0	5.8	38.1	32.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU106 Section:
 Northing: 6279.8 Easting: 2797.0 Elevation: 1146.6
 Length: 137.1 Core: NQ Record: 348

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
9993	.0	1.7	1.7	65	4D4	3	4.01	28.20	8.70	19.50	162.0	15.13	-1.00
9994	1.7	3.5	1.8	100	4D4	3	2.89	26.80	7.70	19.10	136.0	12.39	-1.00
9995	3.5	4.6	1.1	91	4D4	3	3.50	19.80	4.90	14.90	83.0	10.33	-1.00
9996	4.6	6.2	1.6	63	4D4	3	2.97	25.60	7.90	17.70	140.0	12.79	-1.00
9997	6.2	9.2	3.0	23	4E4	5	4.86	26.40	9.20	17.20	177.0	28.23	-1.00
9998	9.2	10.7	1.5	87	4E4	5	4.70	26.00	9.90	16.10	161.0	27.16	-1.00
9999	10.7	13.8	3.1	45	4E4	5	4.76	24.60	9.10	15.50	148.0	29.59	-1.00
10000	13.8	15.2	1.4	50	4A0	2	3.54	3.13	1.48	1.65	26.0	14.57	-1.00
90249	15.2	16.8	1.6	-1	4A0	2	-1.00	.75	.30	.45	6.2	-1.00	-1.00
0	16.8	97.5	80.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90250	97.5	100.0	2.5	-1	4LD	52	-1.00	1.31	.78	.53	9.9	-1.00	-1.00
9901	100.0	102.0	2.0	75	4D4	3	2.93	11.60	5.00	6.60	94.0	19.85	-1.00
9902	102.0	104.0	2.0	80	4D4	3	3.01	16.90	7.70	9.20	116.0	18.95	-1.00
9903	104.0	106.0	2.0	55	4A4	2	3.34	7.60	2.30	5.30	35.0	15.30	-1.00
9904	106.0	108.0	2.0	100	4A4	2	3.20	6.20	1.80	4.40	31.0	12.42	-1.00
9905	108.0	110.0	2.0	85	4A4	2	3.15	5.12	1.62	3.50	30.0	14.15	-1.00
9906	110.0	111.3	1.3	92	4A4	2	3.01	4.86	1.46	3.40	26.0	8.66	-1.00
9907	111.3	113.3	2.0	80	4A0	2	3.12	3.56	1.16	2.40	23.0	11.19	-1.00
9908	113.3	115.3	2.0	100	4A0	2	3.31	2.66	.92	1.74	22.0	16.92	-1.00
9909	115.3	117.3	2.0	100	4A0	2	3.16	4.07	.97	3.10	19.0	11.89	-1.00
9910	117.3	119.3	2.0	100	4A0	2	3.09	3.35	.95	2.40	21.0	10.38	-1.00
9911	119.3	121.9	2.6	100	4A0	2	3.20	4.73	1.03	3.70	23.0	12.24	-1.00
9912	121.9	123.5	1.6	100	4A4	2	3.21	5.92	1.22	4.70	29.0	12.08	-1.00
9913	123.5	125.3	1.8	100	4A4	2	3.15	7.14	1.54	5.60	42.0	10.58	-1.00
90251	125.3	127.5	2.2	-1	5A9	30	-1.00	.38	.13	.25	-1.0	-1.00	-1.00
90252	127.5	129.9	2.4	-1	5A9	30	-1.00	.23	.10	.13	-1.0	-1.00	-1.00
0	129.9	137.1	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU107 Section:
 Northing: 6516.3 Easting: 2825.5 Elevation: 1117.0
 Length: 70.0 Core: NQ Record: 349

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
92084	.0	3.0	3.0	40	4DE	3	-1.00	4.38	1.78	2.60	28.5	-1.00	-1.00
0	3.0	10.7	7.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12230	10.7	12.7	2.0	80	4A4	2	3.19	5.07	1.67	3.40	37.0	10.02	-1.00
12231	12.7	14.7	2.0	80	4A0	2	3.25	4.22	1.42	2.80	33.0	12.01	-1.00
12232	14.7	16.7	2.0	65	4A0	2	3.36	4.71	1.51	3.20	38.0	14.34	-1.00
12233	16.7	18.7	2.0	90	4A0	2	3.46	3.03	.83	2.20	24.0	15.45	-1.00
12234	18.7	21.7	3.0	97	4A0	2	3.49	3.62	1.42	2.20	33.0	14.45	-1.00
12235	21.7	23.7	2.0	100	4A4	2	3.47	7.00	2.80	4.20	50.0	13.92	-1.00
12236	23.7	25.7	2.0	100	4A4	2	3.52	8.50	3.60	4.90	56.0	10.98	-1.00
12237	25.7	27.8	2.1	100	4A4	2	3.22	7.90	2.70	5.20	52.0	6.57	-1.00
12238	27.8	30.3	2.5	84	4A43	2	3.48	17.50	5.70	11.80	101.0	9.92	-1.00
12239	30.3	32.8	2.5	100	4A43	2	3.57	13.60	4.80	8.80	86.0	12.70	-1.00
12240	32.8	35.0	2.2	100	4D4	3	3.23	11.30	3.20	8.10	58.0	10.39	-1.00
12241	35.0	37.4	2.4	100	4D0	3	3.05	8.20	3.00	5.20	52.0	5.33	-1.00
12242	37.4	38.6	1.2	100	5D4	47	3.27	1.44	.51	.93	11.0	14.12	-1.00
0	38.6	42.0	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12243	42.0	42.6	.6	100	4D4	3	3.75	23.00	7.70	15.30	144.0	11.74	-1.00
12244	42.6	45.2	2.6	92	4AC0	2	3.38	2.18	.58	1.60	18.0	14.63	-1.00
12245	45.2	47.7	2.5	100	4C5	3	3.05	4.19	1.89	2.30	35.0	5.13	-1.00
12246	47.7	50.2	2.5	100	4C5	3	2.94	4.36	1.56	2.80	30.0	2.11	-1.00
12247	50.2	52.2	2.0	85	4L14	52	3.20	4.01	1.81	2.20	31.0	5.33	-1.00
0	52.2	57.4	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12248	57.4	60.7	3.3	100	4A03	2	3.54	2.38	2.04	.34	43.0	17.65	-1.00
12249	60.7	62.5	1.8	89	4A43	2	3.38	17.30	6.00	11.30	112.0	11.03	-1.00
0	62.5	70.0	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU108 Section:
 Northing: 6278.8 Easting: 2796.6 Elevation: 1145.6
 Length: 72.5 Core: NQ Record: 350

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11445	.0	3.0	3.0	37	4D4	3	3.74	29.20	9.00	20.20	136.0	10.55	-1.00
11446	3.0	4.6	1.6	44	4E4*	5	4.86	9.40	2.90	6.50	50.0	38.11	-1.00
11447	4.6	6.1	1.5	53	4E4*	5	4.82	10.50	3.90	6.60	110.0	35.24	-1.00
11448	6.1	8.7	2.6	42	4E4*	5	4.80	21.80	7.60	14.20	127.0	28.28	-1.00
11449	8.7	9.0	.3	67	4A0	2	3.68	2.78	1.19	1.59	32.0	24.31	-1.00
11450	9.0	10.9	1.9	100	4A0	2	3.33	2.62	.91	1.71	24.0	14.74	-1.00
11255	10.9	12.8	1.9	100	4A0	2	3.10	2.00	.63	1.37	21.0	12.90	-1.00
0	12.8	54.5	41.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11256	54.5	55.9	1.4	100	4G4#	7	4.66	16.60	7.10	9.50	113.0	18.30	-1.00
11257	55.9	57.9	2.0	90	4E4#	5	4.29	14.80	6.50	8.30	103.0	18.45	-1.00
11258	57.9	59.5	1.6	31	4E4#	5	4.43	13.70	5.40	8.30	94.0	17.60	-1.00
11259	59.5	60.6	1.1	64	4E4#	5	4.40	14.00	5.70	8.30	95.0	30.40	-1.00
11260	60.6	61.6	1.0	90	4D4	3	3.86	13.20	6.20	7.00	88.0	23.44	-1.00
11261	61.6	64.0	2.4	92	4C3	3	3.72	2.16	.89	1.27	24.0	26.19	-1.00
11262	64.0	64.5	.5	100	4D4	3	3.67	10.10	4.30	5.80	58.0	19.80	-1.00
11263	64.5	65.0	.5	100	4A14	2	3.77	7.00	3.40	3.60	37.0	20.13	-1.00
11264	65.0	66.5	1.5	100	4A13	2	3.74	2.70	1.35	1.35	27.0	26.29	-1.00
11265	66.5	68.9	2.4	58	4C3	3	3.79	2.39	.99	1.40	26.0	25.63	-1.00
11266	68.9	70.5	1.6	69	4E1	5	-1.00	.77	.17	.60	13.0	-1.00	-1.00
11267	70.5	72.1	1.6	88	4E1	5	-1.00	1.20	.43	.77	18.0	-1.00	-1.00
0	72.1	72.5	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU109 Section:
 Northing: 6515.0 Easting: 2826.7 Elevation: 1117.5
 Length: 116.7 Core: NQ Record: 351

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
12196	.0	3.0	3.0	50	4A4	2	3.23	6.26	1.66	4.60	44.0	13.33	-1.00
12197	3.0	4.6	1.6	75	4A4	2	3.47	17.00	4.80	12.20	128.0	13.18	-1.00
0	4.6	50.9	46.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12198	50.9	53.3	2.4	100	4A43	2	3.59	13.60	4.80	8.80	89.0	17.77	-1.00
0	53.3	67.3	14.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12199	67.3	69.2	1.9	89	4D0	3	3.32	6.50	2.40	4.10	50.0	14.80	-1.00
12200	69.2	71.2	2.0	90	4ECA	5	3.42	6.20	2.70	3.50	52.0	20.23	-1.00
12201	71.2	73.2	2.0	95	4D0	3	2.93	5.97	1.77	4.20	34.0	6.35	-1.00
12202	73.2	74.8	1.6	94	5D*	47	2.94	.64	.26	.38	11.0	6.46	-1.00
12203	74.8	76.7	1.9	89	4A43	2	3.45	7.60	2.80	4.80	53.0	18.66	-1.00
12204	76.7	78.3	1.6	100	4E4	5	4.18	16.50	5.50	11.00	113.0	27.03	-1.00
12205	78.3	79.7	1.4	79	4L25	52	3.21	3.72	1.22	2.50	36.0	11.66	-1.00
0	79.7	90.8	11.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12206	90.8	91.7	.9	89	4D0	3	2.92	5.20	2.80	2.40	47.0	6.67	-1.00
12207	91.7	92.6	.9	89	5D\$	47	2.88	.31	.03	.28	8.0	6.35	-1.00
12208	92.6	95.5	2.9	86	4D0	3	2.90	5.51	1.71	3.80	37.0	6.14	-1.00
12209	95.5	97.3	1.8	100	4D0	3	2.93	6.40	2.20	4.20	49.0	5.93	-1.00
12210	97.3	98.7	1.4	79	5D4@	47	2.88	.44	.06	.38	8.0	7.32	-1.00
12229	98.7	100.5	1.8	100	4A0	2	3.04	3.84	1.14	2.70	21.0	11.90	-1.00
0	100.5	116.7	16.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU110 Section:
 Northing: 6455.4 Easting: 2825.4 Elevation: 1122.4
 Length: 90.7 Core: NQ Record: 352

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	55.1	55.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7291	55.1	57.9	2.8	21	4A4	2	2.99	5.46	1.96	3.50	38.0	6.00	-1.00
7292	57.9	61.4	3.5	94	4AC	2	3.34	8.20	3.60	4.60	65.0	12.91	-1.00
7293	61.4	64.6	3.2	84	4A0	2	3.22	4.52	1.82	2.70	37.0	13.72	-1.00
7294	64.6	66.7	2.1	67	5A19	30	2.98	3.08	1.06	2.02	12.0	7.17	-1.00
0	66.7	90.7	24.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU111 Section:
 Northing: 6279.5 Easting: 2792.5 Elevation: 1145.5
 Length: 122.8 Core: NQ Record: 353

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	2.4	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11186	2.4	3.9	1.5	7	4E4	5	4.83	39.20	14.20	25.00	253.0	20.37	-1.00
11187	3.9	4.2	.3	100	4K4	6	3.99	11.20	5.60	5.60	63.0	26.83	-1.00
11188	4.2	5.6	1.4	57	4E4	5	4.70	21.00	10.50	10.50	94.0	33.69	-1.00
11189	5.6	6.7	1.1	64	4D4	3	3.60	22.60	6.60	16.00	106.0	13.00	-1.00
11190	6.7	7.8	1.1	100	4D4	3	3.63	25.90	7.90	18.00	122.0	13.96	-1.00
11191	7.8	9.4	1.6	56	4E4	5	4.72	24.20	12.10	12.10	132.0	31.03	-1.00
11192	9.4	9.9	.5	100	4D4	3	3.52	22.80	6.40	16.40	86.0	11.15	-1.00
11193	9.9	11.3	1.4	29	4E4*	5	4.67	13.40	5.00	8.40	108.0	35.47	-1.00
11194	11.3	12.7	1.4	43	4E4*	5	4.84	19.20	9.30	9.90	144.0	32.50	-1.00
11195	12.7	14.2	1.5	53	4E4*	5	4.80	7.50	3.40	4.10	69.0	42.43	-1.00
11196	14.2	16.0	1.8	78	4E4	5	4.83	19.70	8.10	11.60	186.0	34.18	-1.00
0	16.0	16.4	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11197	16.4	17.6	1.2	100	4A4	2	3.16	5.60	2.30	3.30	53.0	12.85	-1.00
0	17.6	23.7	6.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11198	23.7	24.3	.6	100	4A4	2	-1.00	5.30	2.30	3.00	41.0	-1.00	-1.00
0	24.3	59.8	35.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11199	59.8	60.3	.5	100	4G4#	7	4.51	18.40	8.40	10.00	134.0	22.19	-1.00
11200	60.3	61.6	1.3	92	4G48#	7	4.56	6.50	3.60	2.90	48.0	39.66	-1.00
11201	61.6	62.9	1.3	100	4G48#	7	4.40	12.50	5.40	7.10	94.0	25.30	-1.00
11202	62.9	64.0	1.1	91	4G4	7	4.24	8.90	3.50	5.40	60.0	16.33	-1.00
11203	64.0	66.0	2.0	100	4CE8	3	3.65	2.62	1.04	1.58	29.0	21.50	-1.00
11204	66.0	67.4	1.4	100	4C38	3	3.58	1.21	.54	.67	23.0	25.20	-1.00
11205	67.4	68.2	.8	100	4C8	3	3.62	.66	.28	.38	13.0	23.08	-1.00
11206	68.2	69.3	1.1	100	4C8	3	-1.00	.63	.29	.34	17.0	-1.00	-1.00
11207	69.3	70.1	.8	100	4D8	3	4.35	6.10	2.50	3.60	38.0	23.44	-1.00
11208	70.1	72.3	2.2	95	4C83	3	3.73	1.69	.64	1.05	19.0	18.93	-1.00
11209	72.3	74.4	2.1	90	4C83	3	-1.00	1.18	.45	.73	16.0	-1.00	-1.00
11210	74.4	76.5	2.1	100	4C83	3	-1.00	1.22	.74	.48	15.0	-1.00	-1.00
11211	76.5	78.6	2.1	100	4C83	3	-1.00	.73	.25	.48	9.0	-1.00	-1.00
11212	78.6	80.7	2.1	100	4C83	3	-1.00	.59	.27	.32	9.0	-1.00	-1.00
11213	80.7	80.9	.2	100	4E8	5	-1.00	.42	.12	.30	7.0	-1.00	-1.00
11214	80.9	83.4	2.5	96	4L1	52	-1.00	.64	.24	.40	7.0	-1.00	-1.00
90253	83.4	85.3	1.9	-1	4L12	52	-1.00	.40	.10	.30	2.1	-1.00	-1.00
0	85.3	86.8	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90254	86.8	88.3	1.5	-1	4L2	52	-1.00	.63	.38	.25	7.2	-1.00	-1.00
90255	88.3	89.8	1.5	-1	4L21	52	-1.00	.08	.05	.03	3.1	-1.00	-1.00
0	89.8	105.8	16.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90256	105.8	107.5	1.7	-1	4L	52	-1.00	.12	.02	.10	-1.0	-1.00	-1.00
0	107.5	122.8	15.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU112 Section:
 Northing: 6455.5 Easting: 2824.0 Elevation: 1122.4
 Length: 45.7 Core: NQ Record: 354

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	45.7	45.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU113 Section:
 Northing: 6279.1 Easting: 2795.6 Elevation: 1146.0
 Length: 102.7 Core: NQ Record: 355

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	62.2	62.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11284	62.2	63.0	.8	50	4E0	5	3.35	4.47	1.27	3.20	31.0	13.21	-1.00
11285	63.0	63.8	.8	88	4D0	3	3.25	9.00	3.70	5.30	50.0	10.31	-1.00
11286	63.8	65.2	1.4	86	4E4#	5	3.69	10.10	5.60	4.50	77.0	16.75	-1.00
11287	65.2	66.1	.9	100	4E4#	5	4.61	16.30	9.90	6.40	118.0	28.34	-1.00
90257	66.1	66.9	.8	-1	4L0	52	-1.00	1.38	.74	.64	9.1	-1.00	-1.00
0	66.9	69.9	3.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11288	69.9	70.4	.5	100	4G4#	7	4.42	14.40	5.40	9.00	74.0	13.35	-1.00
0	70.4	73.7	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11289	73.7	74.7	1.0	100	4E48*	5	3.56	8.90	4.80	4.10	69.0	17.14	-1.00
11290	74.7	76.1	1.4	100	4G487	7	4.56	19.90	12.60	7.30	142.0	26.60	-1.00
11291	76.1	77.5	1.4	93	4G487	7	4.42	17.70	9.20	8.50	109.0	21.60	-1.00
11292	77.5	78.0	.5	100	4H4@	8	4.63	20.30	13.50	6.80	134.0	30.10	-1.00
11293	78.0	79.7	1.7	100	4E84	5	4.70	5.60	2.80	2.80	43.0	40.43	-1.00
11294	79.7	81.5	1.8	100	4E84	5	4.29	6.40	2.80	3.60	43.0	31.60	-1.00
11295	81.5	83.2	1.7	59	4E84	5	4.72	10.40	5.10	5.30	65.0	34.23	-1.00
11296	83.2	84.9	1.7	100	4E84	5	4.53	10.10	4.50	5.60	64.0	32.23	-1.00
11297	84.9	86.3	1.4	100	4G4#	7	4.35	13.40	4.70	8.70	72.0	17.21	-1.00
11298	86.3	87.7	1.4	100	4G4#	7	4.43	11.30	3.30	8.00	60.0	9.66	-1.00
11299	87.7	88.2	.5	100	4E4*	5	4.35	9.10	3.40	5.70	54.0	22.80	-1.00
11300	88.2	89.5	1.3	85	4C87*	3	3.51	3.86	1.76	2.10	30.0	22.60	-1.00
11451	89.5	90.8	1.3	100	4C87*	3	3.76	2.91	.98	1.93	25.0	27.59	-1.00
11452	90.8	93.3	2.5	100	4C78*	3	3.65	.93	.41	.52	15.0	23.30	-1.00
0	93.3	102.7	9.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU114 Section:
 Northing: 6455.4 Easting: 2822.0 Elevation: 1123.6
 Length: 45.7 Core: NQ Record: 356

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7295	.0	2.3	2.3	87	4A4	2	3.33	12.70	3.80	8.90	64.0	11.23	-1.00
7296	2.3	4.6	2.3	91	4A4	2	3.20	13.10	4.20	8.90	70.0	8.16	-1.00
7297	4.6	6.6	2.0	100	4A4	2	3.06	7.80	3.00	4.80	47.0	6.34	-1.00
7298	6.6	8.6	2.0	100	4A4	2	3.32	9.90	4.10	5.80	70.0	11.66	-1.00
7299	8.6	10.2	1.6	63	4A0	2	3.65	3.15	1.12	2.03	36.0	22.70	-1.00
7300	10.2	11.8	1.6	100	5A3	30	-1.00	1.06	.43	.63	11.0	-1.00	-1.00
0	11.8	16.4	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7401	16.4	18.4	2.0	100	4A4	2	3.41	13.30	4.30	9.00	76.0	11.28	-1.00
7402	18.4	20.4	2.0	95	4A4	2	3.59	8.70	2.90	5.80	58.0	16.41	-1.00
7403	20.4	22.9	2.5	100	4A4	2	3.41	5.97	1.87	4.10	40.0	19.38	-1.00
90072	22.9	24.4	1.5	100	4A4	2	-1.00	6.18	2.33	3.85	35.3	-1.00	-1.00
7404	24.4	26.4	2.0	100	4A4	2	3.41	6.48	1.88	4.60	44.0	15.14	-1.00
7405	26.4	28.4	2.0	100	4A4	2	3.45	6.16	1.96	4.20	42.0	14.31	-1.00
7406	28.4	30.4	2.0	100	4A0	2	3.01	2.60	.81	1.79	22.0	7.02	-1.00
7407	30.4	32.4	2.0	100	4A4	2	3.47	5.26	1.56	3.70	38.0	15.15	-1.00
7408	32.4	34.4	2.0	100	4A4	2	3.49	8.03	2.93	5.10	56.0	15.37	-1.00
7409	34.4	36.4	2.0	100	4A4	2	3.84	10.64	3.84	6.80	70.0	18.91	-1.00
7410	36.4	38.4	2.0	100	4A4	2	3.57	7.87	3.17	4.70	60.0	19.11	-1.00
7411	38.4	40.4	2.0	50	4D0	3	3.18	6.97	2.77	4.20	52.0	10.43	-1.00
7412	40.4	42.4	2.0	95	4D0	3	2.97	5.83	1.73	4.10	33.0	3.65	-1.00
7413	42.4	44.4	2.0	100	4D0	3	2.86	5.69	1.59	4.10	26.0	3.17	-1.00
7414	44.4	45.7	1.3	100	4C0	3	3.02	4.96	1.86	3.10	29.0	7.02	-1.00

Drill Hole: AGU115 Section:
 Northing: 6278.9 Easting: 2793.7 Elevation: 1145.4
 Length: 74.0 Core: NQ Record: 357

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	2.0	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11227	2.0	3.8	1.8	94	4DE4	3	3.81	16.20	4.90	11.30	83.0	21.46	-1.00
11249	3.8	5.5	1.7	65	4DE4	3	3.77	17.80	5.80	12.00	117.0	13.97	-1.00
11250	5.5	8.5	3.0	20	4E4	5	4.70	10.30	3.00	7.30	60.0	32.72	-1.00
11124	8.5	10.7	2.2	68	4E4	5	4.94	15.60	6.00	9.60	156.0	31.32	-1.00
11125	10.7	13.7	3.0	40	4E4	5	5.26	13.50	4.40	9.10	93.0	35.25	-1.00
11126	13.7	15.5	1.8	39	4D4	3	3.84	17.50	5.00	12.50	99.0	14.14	-1.00
11127	15.5	17.6	2.1	95	4EKD	5	5.01	7.50	2.90	4.60	51.0	40.50	-1.00
11128	17.6	19.1	1.5	93	4EKD	5	4.83	15.10	5.40	9.70	105.0	32.97	-1.00
11129	19.1	22.2	3.1	42	4A4	2	3.46	6.80	2.60	4.20	49.0	13.67	-1.00
0	22.2	24.6	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11130	24.6	27.0	2.4	100	4A0	2	3.49	1.86	.93	.93	25.0	14.23	-1.00
11131	27.0	30.2	3.2	62	4A4	2	3.66	7.50	2.60	4.90	40.0	14.89	-1.00
0	30.2	74.0	43.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU116 Section:
 Northing: 6455.4 Easting: 2822.0 Elevation: 1125.8
 Length: 68.5 Core: NQ Record: 358

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7577	.0	1.9	1.9	68	4A14	2	3.55	13.40	4.30	9.10	80.0	17.21	-1.00
7578	1.9	3.3	1.4	64	4K4	6	3.02	7.90	2.50	5.40	63.0	24.89	-1.00
7579	3.3	4.3	1.0	80	5A6	30	3.19	.61	.18	.43	11.0	9.42	-1.00
7580	4.3	5.2	.9	100	4E6*	5	5.13	2.55	.74	1.81	28.0	25.24	-1.00
0	5.2	5.4	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90311	5.4	7.1	1.7	47	5A69	30	-1.00	.07	.02	.05	1.0	-1.00	-1.00
92086	7.1	9.2	2.1	67	4L0	52	-1.00	.09	.01	.08	-1.0	-1.00	-1.00
7581	9.2	10.6	1.4	100	4D0	3	3.80	9.60	3.80	5.80	70.0	16.51	-1.00
7582	10.6	11.2	.6	100	4A14	2	3.65	9.20	3.80	5.40	67.0	18.61	-1.00
0	11.2	19.0	7.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7583	19.0	21.3	2.3	74	4A14	2	4.02	5.01	1.61	3.40	35.0	18.74	-1.00
7584	21.3	22.9	1.6	94	4A10	2	3.37	3.56	1.16	2.40	24.0	19.89	-1.00
7585	22.9	24.4	1.5	93	4A14	2	3.46	10.70	3.80	6.90	62.0	14.07	-1.00
7586	24.4	25.9	1.5	93	4A14	2	3.54	9.60	3.90	5.70	66.0	15.64	-1.00
7587	25.9	27.4	1.5	67	4L14	52	3.01	2.41	.70	1.71	16.0	7.09	-1.00
0	27.4	45.4	18.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7588	45.4	47.2	1.8	100	4L14	52	3.31	11.30	3.70	7.60	61.0	12.24	-1.00
0	47.2	48.6	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7589	48.6	49.2	.6	100	4L14	52	3.45	8.90	2.90	6.00	52.0	7.59	-1.00
0	49.2	50.1	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7590	50.1	51.8	1.7	88	4AC	2	3.44	4.81	1.51	3.30	31.0	17.69	-1.00
7591	51.8	53.0	1.2	92	4A14	2	3.21	5.46	1.86	3.60	29.0	6.43	-1.00
0	53.0	53.6	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7592	53.6	55.6	2.0	85	4L14	52	3.04	3.27	1.30	1.97	21.0	5.45	-1.00
7593	55.6	57.4	1.8	72	4L14	52	4.21	4.70	2.20	2.50	25.0	4.28	-1.00
7594	57.4	58.4	1.0	50	4L14	52	2.84	2.91	1.60	1.31	20.0	2.35	-1.00
7595	58.4	61.0	2.6	100	4A4	2	3.86	7.20	2.40	4.80	38.0	9.96	-1.00
7596	61.0	62.6	1.6	100	4A4	2	4.51	7.40	3.00	4.40	50.0	17.42	-1.00
7597	62.6	63.2	.6	100	4J14	9	4.14	25.20	8.10	17.10	141.0	17.17	-1.00
0	63.2	68.5	5.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU117 Section:
 Northing: 6395.0 Easting: 2797.1 Elevation: 1133.1
 Length: 61.0 Core: NQ Record: 359

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8750	.0	2.4	2.4	37	4A14	2	3.38	6.01	1.91	4.10	47.0	17.65	-1.00
8751	2.4	4.8	2.4	83	4A14	2	3.66	5.14	1.24	3.90	35.0	25.30	-1.00
8752	4.8	7.2	2.4	100	4A14	2	3.25	5.00	1.30	3.70	33.0	15.31	-1.00
8753	7.2	9.6	2.4	96	4A14	2	3.33	8.60	2.40	6.20	46.0	15.65	-1.00
0	9.6	15.7	6.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8754	15.7	17.4	1.7	76	4EC0	5	3.52	4.36	1.36	3.00	35.0	19.86	-1.00
8755	17.4	18.1	.7	100	4A4	2	3.08	11.70	4.40	7.30	75.0	7.40	-1.00
8756	18.1	18.6	.5	100	4D4	3	3.15	11.50	4.30	7.20	71.0	8.38	-1.00
8757	18.6	19.2	.6	100	5D4	47	2.95	1.72	.52	1.20	10.0	6.53	-1.00
8758	19.2	19.8	.6	100	4A4	2	4.12	13.70	6.80	6.90	105.0	15.00	-1.00
8759	19.8	20.4	.6	100	5D4	47	2.87	.26	.13	.13	5.0	5.60	-1.00
8760	20.4	21.8	1.4	93	4D45	3	3.37	17.10	6.00	11.10	100.0	11.62	-1.00
8761	21.8	22.9	1.1	100	5D4	47	2.88	.39	.18	.21	8.0	6.91	-1.00
8762	22.9	23.4	.5	100	4DE	3	3.49	13.40	3.70	9.70	66.0	15.28	-1.00
0	23.4	61.0	37.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU118 Section:
 Northing: 6455.0 Easting: 2823.7 Elevation: 1127.6
 Length: 76.2 Core: NQ Record: 360

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7598	.0	1.5	1.5	33	4H0	8	-1.00	1.47	.43	1.04	17.0	-1.00	-1.00
7599	1.5	2.9	1.4	86	4AD4	2	3.43	16.30	5.60	10.70	93.0	11.96	-1.00
7600	2.9	4.1	1.2	100	4E4#	5	4.04	9.10	2.30	6.80	51.0	30.33	-1.00
7601	4.1	6.1	2.0	90	4KDL	6	3.49	8.50	2.40	6.10	42.0	15.36	-1.00
7602	6.1	8.7	2.6	100	4KD	6	3.56	17.90	5.50	12.40	128.0	14.57	-1.00
7603	8.7	10.6	1.9	58	4K4	6	4.31	29.70	10.10	19.60	250.0	18.71	-1.00
0	10.6	13.7	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7604	13.7	14.3	.6	100	4L04	52	3.13	8.10	3.50	4.60	60.0	8.57	-1.00
7605	14.3	16.6	2.3	91	4K4	6	3.80	14.10	4.40	9.70	90.0	20.20	-1.00
0	16.6	21.3	4.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7606	21.3	23.3	2.0	75	4A0	2	3.42	4.51	1.21	3.30	30.0	18.45	-1.00
7607	23.3	25.1	1.8	83	4A4	2	3.38	7.90	2.40	5.50	44.0	16.51	-1.00
7608	25.1	25.5	.4	100	4D4	3	3.83	14.20	6.20	8.00	114.0	21.94	-1.00
7609	25.5	28.0	2.5	80	4A4	2	3.50	20.20	6.60	13.60	118.0	12.56	-1.00
7610	28.0	30.0	2.0	75	4L14	52	3.14	4.50	2.00	2.50	36.0	12.39	-1.00
7611	30.0	31.5	1.5	87	4L1	52	-1.00	.68	.14	.54	8.0	-1.00	-1.00
0	31.5	39.6	8.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7612	39.6	41.1	1.5	87	4L4	52	3.19	12.20	4.30	7.90	66.0	9.72	-1.00
7613	41.1	42.6	1.5	67	4L4	52	2.48	12.30	3.80	8.50	58.0	4.09	-1.00
7614	42.6	44.1	1.5	87	4A0	2	3.35	2.82	.95	1.87	23.0	20.27	-1.00
7615	44.1	46.1	2.0	75	4L4	52	3.02	5.61	1.71	3.90	38.0	7.26	-1.00
7616	46.1	48.1	2.0	80	4L4	52	3.04	3.95	1.05	2.90	23.0	9.28	-1.00
7617	48.1	50.1	2.0	100	4L4	52	3.02	6.90	3.40	3.50	45.0	6.75	-1.00
7618	50.1	52.0	1.9	84	4L4	52	2.91	4.36	1.56	2.80	26.0	5.33	-1.00
7619	52.0	53.9	1.9	100	4L4	52	2.90	3.31	1.66	1.65	24.0	4.61	-1.00
7620	53.9	55.4	1.5	100	4A0	2	3.29	3.98	1.28	2.70	31.0	16.50	-1.00
7621	55.4	56.5	1.1	73	4D46	3	3.02	21.10	6.80	14.30	117.0	17.20	-1.00
0	56.5	76.2	19.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU119 Section:
 Northing: 6273.6 Easting: 2669.5 Elevation: 1150.0
 Length: 103.6 Core: NQ Record: 361

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11020	.0	4.6	4.6	37	4GE4	7	4.84	18.00	6.00	12.00	118.0	21.14	-1.00
11021	4.6	6.1	1.5	93	4GE4	7	5.38	13.10	4.80	8.30	91.0	16.58	-1.00
11022	6.1	7.6	1.5	87	4GE4	7	4.94	13.90	4.70	9.20	91.0	17.73	-1.00
11023	7.6	8.6	1.0	100	4GE4	7	4.84	15.20	5.40	9.80	96.0	18.31	-1.00
0	8.6	57.9	49.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11024	57.9	59.4	1.5	100	4D5	3	4.11	7.20	2.90	4.30	50.0	24.14	-1.00
11025	59.4	60.7	1.3	92	4A0	2	4.23	.51	.10	.41	15.0	20.77	-1.00
11026	60.7	62.7	2.0	100	4EDA	5	4.63	18.50	7.20	11.30	120.0	18.38	-1.00
11027	62.7	64.7	2.0	100	4A0	2	4.21	5.40	2.40	3.00	43.0	23.12	-1.00
11028	64.7	66.8	2.1	100	4CD	3	3.61	5.70	2.50	3.20	46.0	21.63	-1.00
11029	66.8	68.8	2.0	100	4C0	3	4.66	1.77	1.13	.64	31.0	23.05	-1.00
11030	68.8	70.9	2.1	95	4C0	3	3.60	1.93	.23	1.70	15.0	23.20	-1.00
11031	70.9	73.4	2.5	100	4ALC	2	3.49	.81	.14	.67	16.0	22.27	-1.00
11032	73.4	75.1	1.7	100	4C0	3	3.40	.92	.18	.74	17.0	19.74	-1.00
11033	75.1	76.2	1.1	73	4DA4	3	3.66	13.20	5.80	7.40	81.0	18.00	-1.00
0	76.2	103.6	27.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU120 Section:
 Northing: 6455.7 Easting: 2827.2 Elevation: 1123.6
 Length: 61.0 Core: NQ Record: 362

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	61.0	61.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU121 Section:
 Northing: 6273.6 Easting: 2668.2 Elevation: 1150.0
 Length: 65.5 Core: NQ Record: 363

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11121	.0	2.7	2.7	19	4EGC	7	4.28	8.30	2.90	5.40	62.0	26.51	-1.00
0	2.7	30.5	27.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90258	30.5	32.0	1.5	-1	4CO	3	-1.00	1.16	.38	.78	9.9	-1.00	-1.00
0	32.0	37.8	5.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90259	37.8	40.5	2.7	-1	4LC	52	-1.00	.78	.28	.50	8.2	-1.00	-1.00
11122	40.5	42.5	2.0	100	4AO	2	3.57	3.04	1.44	1.60	27.0	4.76	-1.00
11123	42.5	44.6	2.1	100	4AO	2	3.56	3.11	1.16	1.95	23.0	5.08	-1.00
0	44.6	65.5	20.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU122 Section:
 Northing: 6455.8 Easting: 2827.1 Elevation: 1122.4
 Length: 91.4 Core: NQ Record: 364

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	91.4	91.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU123 Section:
 Northing: 6273.4 Easting: 2672.3 Elevation: 1150.0
 Length: 118.9 Core: NQ Record: 365

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
9914	.0	2.9	2.9	69	4E4	5	4.56	11.50	3.50	8.00	81.0	34.92	-1.00
9915	2.9	4.9	2.0	90	4GE4	7	4.67	12.70	3.90	8.80	82.0	11.51	-1.00
9916	4.9	6.4	1.5	100	4GE4	7	4.60	11.10	3.50	7.60	62.0	14.49	-1.00
9917	6.4	8.4	2.0	100	4GE4	7	4.83	14.40	5.60	8.80	94.0	24.87	-1.00
9918	8.4	10.4	2.0	100	4GE4	7	4.69	9.10	2.70	6.40	60.0	21.66	-1.00
9919	10.4	12.4	2.0	80	4GE4	7	4.56	7.90	1.70	6.20	38.0	8.77	-1.00
9920	12.4	14.4	2.0	100	4GE4	7	4.51	8.50	2.00	6.50	55.0	20.41	-1.00
9921	14.4	16.8	2.4	100	4GE4	7	4.70	9.90	3.00	6.90	58.0	18.63	-1.00
9922	16.8	18.1	1.3	100	4GE4	7	4.60	13.00	4.50	8.50	96.0	26.39	-1.00
9923	18.1	20.3	2.2	100	4A0	2	3.34	2.88	1.29	1.59	32.0	13.57	-1.00
9924	20.3	22.9	2.6	100	4AL	2	3.51	3.68	1.84	1.84	39.0	17.81	-1.00
9925	22.9	24.4	1.5	100	4E4	5	4.53	9.30	4.30	5.00	107.0	33.31	-1.00
9926	24.4	25.8	1.4	100	4EL	5	4.13	6.10	3.00	3.10	61.0	29.84	-1.00
0	25.8	31.0	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9927	31.0	33.5	2.5	100	4E46	5	4.63	12.90	4.70	8.20	83.0	23.99	-1.00
9928	33.5	34.3	.8	88	4GL	7	3.62	5.81	1.71	4.10	32.0	17.20	-1.00
0	34.3	45.7	11.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9929	45.7	47.9	2.2	100	4D45	3	2.95	31.10	10.90	20.20	182.0	10.48	-1.00
9930	47.9	50.4	2.5	100	4D4	3	3.87	31.40	10.30	21.10	150.0	15.50	-1.00
9931	50.4	51.8	1.4	100	4DEKL	3	4.04	17.40	5.80	11.60	79.0	23.81	-1.00
9932	51.8	54.2	2.4	100	4ED	5	4.64	14.70	4.90	9.80	88.0	35.13	-1.00
9933	54.2	56.2	2.0	100	4A0	2	3.20	1.39	.38	1.01	20.0	15.13	-1.00
9934	56.2	58.2	2.0	100	4A0	2	3.10	.41	.17	.24	19.0	13.86	-1.00
9935	58.2	60.2	2.0	90	4A0	2	3.19	.84	.14	.70	13.0	16.01	-1.00
9936	60.2	62.2	2.0	100	4A0	2	3.30	1.12	.32	.80	18.0	18.04	-1.00
9937	62.2	64.4	2.2	100	4A4	2	3.43	5.61	1.81	3.80	42.0	19.93	-1.00
9938	64.4	66.0	1.6	100	4EA4	5	3.54	11.10	4.50	6.60	65.0	17.50	-1.00
9939	66.0	68.0	2.0	100	4A0	2	3.34	2.06	.79	1.27	24.0	19.20	-1.00
9940	68.0	70.0	2.0	100	4A0	2	3.42	1.65	.59	1.06	17.0	22.05	-1.00
9941	70.0	72.0	2.0	100	4A0	2	-1.00	.78	.14	.64	11.0	-1.00	-1.00
9942	72.0	74.0	2.0	100	4A0	2	-1.00	.47	.14	.33	7.0	-1.00	-1.00
9943	74.0	76.0	2.0	100	4A0	2	-1.00	.75	.12	.63	8.0	-1.00	-1.00
9944	76.0	78.0	2.0	100	4A0	2	-1.00	.55	.12	.43	9.0	-1.00	-1.00
9945	78.0	80.0	2.0	100	4A0	2	-1.00	.93	.09	.84	7.0	-1.00	-1.00
9946	80.0	81.0	1.0	100	4LCE	52	3.87	4.72	1.52	3.20	35.0	29.29	-1.00
9947	81.0	82.0	1.0	100	4D4	3	2.92	12.20	4.30	7.90	78.0	19.34	-1.00
0	82.0	101.5	19.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9948	101.5	102.1	.6	100	4G#	7	4.01	10.20	3.90	6.30	65.0	14.98	-1.00
9949	102.1	103.7	1.6	100	4EL#	5	3.98	10.30	4.60	5.70	77.0	22.11	-1.00
9950	103.7	105.6	1.9	100	4E08	5	4.50	3.87	1.87	2.00	33.0	38.27	-1.00
11001	105.6	107.0	1.4	100	4E46	5	4.47	6.28	4.60	1.68	35.0	37.39	-1.00
11002	107.0	108.7	1.7	100	4E46	5	4.46	13.20	8.40	4.80	89.0	32.44	-1.00
11003	108.7	110.8	2.1	100	4E0	5	-1.00	1.47	.85	.62	20.0	-1.00	-1.00
11004	110.8	112.8	2.0	100	4CE0	3	-1.00	.38	.24	.14	15.0	-1.00	-1.00

11005	112.8	114.8	2.0	100	4CEO	3	-1.00	.43	.25	.18	18.0	-1.00	-1.00
11006	114.8	116.8	2.0	100	4CEO	3	-1.00	.33	.18	.15	17.0	-1.00	-1.00
11007	116.8	118.9	2.1	100	4CEO	3	-1.00	3.48	1.08	2.40	24.0	-1.00	-1.00

Drill Hole: AGU124 Section:
 Northing: 6455.6 Easting: 2782.6 Elevation: 1127.4
 Length: 91.4 Core: NQ Record: 366

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7656	.0	1.5	1.5	33	4A1	2	2.99	3.34	1.55	1.79	25.0	7.51	-1.00
7657	1.5	4.6	3.1	84	4A14	2	3.20	6.58	2.08	4.50	38.0	9.64	-1.00
7658	4.6	6.6	2.0	95	4A1	2	2.89	4.68	1.08	3.60	19.0	3.05	-1.00
7659	6.6	8.6	2.0	70	4A14	2	3.03	5.22	1.62	3.60	25.0	2.10	-1.00
7660	8.6	10.6	2.0	80	4A14	2	3.10	5.73	1.83	3.90	26.0	2.00	-1.00
7661	10.6	12.2	1.6	94	4A14	2	3.34	7.70	2.60	5.10	40.0	4.28	-1.00
7662	12.2	14.2	2.0	100	4D0	3	3.30	9.50	3.00	6.50	51.0	9.25	-1.00
7663	14.2	16.2	2.0	100	4D4	3	3.50	13.10	5.20	7.90	74.0	15.17	-1.00
7664	16.2	18.2	2.0	100	4D4	3	3.50	14.40	5.30	9.10	86.0	9.73	-1.00
7665	18.2	19.7	1.5	87	4D4	3	3.42	13.20	5.40	7.80	82.0	12.57	-1.00
7666	19.7	20.8	1.1	100	4A3	2	3.41	3.57	.97	2.60	21.0	16.45	-1.00
0	20.8	25.9	5.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7667	25.9	27.9	2.0	90	4C@	3	3.58	4.85	1.65	3.20	43.0	19.76	-1.00
7668	27.9	29.5	1.6	94	4D@	3	3.56	7.00	2.70	4.30	63.0	18.81	-1.00
7669	29.5	30.4	.9	100	4L0	52	2.94	.30	.09	.21	5.0	5.66	-1.00
7670	30.4	32.7	2.3	100	4A3	2	3.40	3.16	1.46	1.70	40.0	16.35	-1.00
7671	32.7	34.1	1.4	100	4A34	2	3.53	6.20	2.60	3.60	51.0	16.26	-1.00
7672	34.1	34.8	.7	100	4D0	3	3.01	9.10	3.20	5.90	59.0	22.22	-1.00
7673	34.8	37.5	2.7	100	4A14	2	3.54	7.60	3.30	4.30	59.0	19.27	-1.00
0	37.5	38.7	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7674	38.7	39.6	.9	100	4D@4	3	3.31	10.70	2.70	8.00	36.0	10.96	-1.00
7675	39.6	42.3	2.7	100	4D4	3	4.40	42.50	15.50	27.00	254.0	11.90	-1.00
7676	42.3	43.0	.7	100	4A0	2	3.03	1.44	1.17	.27	22.0	4.24	-1.00
0	43.0	44.9	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7677	44.9	46.5	1.6	100	4K14	6	3.96	23.30	5.60	17.70	108.0	16.73	-1.00
7678	46.5	47.5	1.0	100	4AL4	2	3.24	6.30	2.60	3.70	41.0	11.16	-1.00
7679	47.5	49.2	1.7	100	4AE4	2	4.05	14.60	8.40	6.20	115.0	22.69	-1.00
7680	49.2	51.9	2.7	100	4AD4	2	3.65	9.90	4.30	5.60	57.0	19.47	-1.00
7681	51.9	54.5	2.6	96	4LA	52	2.96	3.43	1.03	2.40	16.0	5.09	-1.00
0	54.5	91.4	36.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU125 Section:
 Northing: 6279.1 Easting: 2792.1 Elevation: 1146.0
 Length: 92.2 Core: NQ Record: 367

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11314	.0	1.5	1.5	33	4E4	5	4.49	40.00	13.20	26.80	141.0	17.02	-1.00
11315	1.5	3.9	2.4	75	4EK	5	4.70	17.90	6.50	11.40	113.0	32.69	-1.00
11316	3.9	7.0	3.1	52	4EK	5	4.69	13.00	4.70	8.30	95.0	35.53	-1.00
11317	7.0	10.0	3.0	70	4EK	5	4.94	13.60	5.00	8.60	110.0	25.78	-1.00
11318	10.0	12.5	2.5	52	4E4	5	4.93	17.70	5.50	12.20	92.0	33.33	-1.00
11319	12.5	14.6	2.1	48	4D4	3	3.92	16.10	4.60	11.50	83.0	21.98	-1.00
11320	14.6	16.2	1.6	94	4D4	3	3.74	25.30	7.60	17.70	133.0	10.25	-1.00
11321	16.2	18.2	2.0	100	4D4	3	3.69	25.20	8.80	16.40	160.0	12.09	-1.00
11322	18.2	20.4	2.2	100	4D4	3	3.90	31.60	8.60	23.00	151.0	11.52	-1.00
11323	20.4	22.1	1.7	88	4D4	3	4.07	35.40	10.00	25.40	166.0	11.81	-1.00
11324	22.1	23.3	1.2	50	4D4	3	4.03	27.90	10.40	17.50	169.0	15.93	-1.00
11325	23.3	25.3	2.0	85	4D41	3	4.64	12.00	3.30	8.70	54.0	34.33	-1.00
11326	25.3	28.2	2.9	86	4EL	5	4.04	22.40	6.70	15.70	121.0	16.34	-1.00
11327	28.2	30.4	2.2	95	4EKD	5	4.80	18.90	6.00	12.90	120.0	28.01	-1.00
11328	30.4	32.8	2.4	96	4DA4	3	3.82	26.90	9.40	17.50	168.0	13.94	-1.00
11329	32.8	34.2	1.4	100	4DA4	3	3.96	31.20	10.60	20.60	185.0	14.34	-1.00
11330	34.2	36.0	1.8	72	4ED4	5	4.28	17.20	5.20	12.00	100.0	25.83	-1.00
11331	36.0	37.0	1.0	60	4D12	3	3.64	10.20	3.00	7.20	48.0	19.53	-1.00
11332	37.0	38.5	1.5	100	4E4#	5	4.88	14.20	5.30	8.90	67.0	37.13	-1.00
11333	38.5	39.7	1.2	100	4E4#	5	4.83	15.90	6.10	9.80	92.0	34.94	-1.00
11334	39.7	40.7	1.0	100	4CD4	3	3.68	11.50	3.80	7.70	77.0	17.73	-1.00
11335	40.7	42.1	1.4	86	4ED4	5	4.42	15.80	5.10	10.70	88.0	26.88	-1.00
11336	42.1	44.7	2.6	100	5B69	40	3.04	2.12	.56	1.56	8.0	6.53	-1.00
0	44.7	52.2	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11337	52.2	54.2	2.0	-1	4E4#	5	4.06	17.50	6.40	11.10	114.0	22.62	-1.00
11338	54.2	56.2	2.0	-1	4E4#	5	4.63	15.20	5.30	9.90	97.0	31.66	-1.00
11339	56.2	58.2	2.0	-1	4E4#	5	4.98	12.70	5.10	7.60	91.0	36.51	-1.00
11340	58.2	60.2	2.0	-1	4E4#	5	4.94	14.10	5.80	8.30	98.0	36.07	-1.00
11341	60.2	61.2	1.0	-1	4E4#	5	4.86	18.50	6.50	12.00	125.0	32.70	-1.00
11342	61.2	61.9	.7	-1	4A4	2	3.33	14.10	5.60	8.50	77.0	9.11	-1.00
11343	61.9	64.0	2.1	-1	4A0	2	3.31	3.72	1.40	2.32	31.0	15.94	-1.00
11344	64.0	66.0	2.0	-1	4A0	2	3.19	4.68	1.68	3.00	34.0	13.27	-1.00
11345	66.0	68.0	2.0	-1	4A0	2	3.29	1.39	.37	1.02	20.0	17.12	-1.00
11346	68.0	70.0	2.0	-1	4A0	2	3.20	1.40	.54	.86	21.0	14.66	-1.00
11347	70.0	72.4	2.4	-1	4A0	2	3.10	1.26	.40	.86	16.0	11.92	-1.00
11348	72.4	75.0	2.6	-1	4ECA	5	3.91	15.90	5.30	10.60	100.0	22.15	-1.00
11349	75.0	77.0	2.0	75	4E4	5	4.78	10.20	3.10	7.10	52.0	35.87	-1.00
11350	77.0	78.5	1.5	100	4E4	5	4.76	7.30	2.40	4.90	43.0	37.74	-1.00
11351	78.5	80.5	2.0	100	4D4	3	4.04	23.60	6.10	17.50	114.0	17.80	-1.00
11352	80.5	83.4	2.9	100	4D4	3	3.99	30.80	10.20	20.60	170.0	14.14	-1.00
11353	83.4	84.7	1.3	100	4D41	3	3.41	8.40	1.90	6.50	27.0	13.76	-1.00
11354	84.7	86.6	1.9	100	4D4	3	3.79	18.20	4.50	13.70	116.0	16.86	-1.00
11355	86.6	89.0	2.4	100	4D4	3	3.69	26.10	7.90	18.20	138.0	11.08	-1.00
11356	89.0	90.7	1.7	82	4D4	3	3.71	29.10	8.60	20.50	140.0	10.41	-1.00

11357	90.7	92.3	1.6	100	4A4	2	3.47	5.70	3.30	2.40	52.0	17.98	-1.00

Drill Hole: AGU126 Section:
 Northing: 6455.4 Easting: 2781.5 Elevation: 1127.4
 Length: 144.8 Core: NQ Record: 368

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7893	.0	3.7	3.7	38	4A1	2	2.89	3.11	1.37	1.74	25.0	4.71	-1.00
7894	3.7	6.1	2.4	67	4A14	2	2.95	5.82	1.62	4.20	30.0	4.32	-1.00
7895	6.1	7.6	1.5	100	4D0	3	3.15	5.70	2.70	3.00	47.0	9.56	-1.00
7896	7.6	9.7	2.1	76	4C0	3	2.88	4.23	1.53	2.70	28.0	4.51	-1.00
7897	9.7	12.2	2.5	100	4A14	2	2.98	5.82	1.62	4.20	36.0	4.80	-1.00
7898	12.2	15.2	3.0	97	4A14	2	2.97	8.70	2.90	5.80	44.0	3.14	-1.00
7899	15.2	17.4	2.2	91	4A14	2	2.93	6.60	1.70	4.90	34.0	2.17	-1.00
7900	17.4	19.4	2.0	100	4A14	2	2.80	6.51	1.81	4.70	33.0	1.63	-1.00
8001	19.4	20.9	1.5	100	4A41	2	3.12	9.50	3.80	5.70	62.0	7.69	-1.00
8002	20.9	22.9	2.0	95	4AE4	2	3.63	13.20	8.40	4.80	104.0	16.69	-1.00
8003	22.9	24.4	1.5	100	4AE4	2	3.41	8.30	5.00	3.30	55.0	15.55	-1.00
8004	24.4	25.9	1.5	100	4AE4	2	3.60	6.80	3.60	3.20	40.0	21.11	-1.00
8005	25.9	27.4	1.5	100	4AE4	2	3.55	11.40	7.30	4.10	95.0	15.23	-1.00
8006	27.4	28.3	.9	67	4AE4	2	3.30	14.00	5.60	8.40	83.0	10.52	-1.00
8007	28.3	30.0	1.7	100	4D4	3	4.25	14.80	5.10	9.70	83.0	9.09	-1.00
8008	30.0	31.9	1.9	100	4A4	2	3.27	15.10	4.90	10.20	80.0	8.87	-1.00
8009	31.9	33.5	1.6	100	4D45	3	3.22	12.10	3.90	8.20	75.0	9.63	-1.00
8010	33.5	35.5	2.0	95	4D45	3	3.12	12.60	4.20	8.40	73.0	9.68	-1.00
8011	35.5	37.2	1.7	100	4D45	3	3.25	11.90	4.30	7.60	78.0	10.17	-1.00
8012	37.2	38.5	1.3	100	4D45	3	3.26	11.30	4.30	7.00	74.0	10.01	-1.00
8013	38.5	40.3	1.8	100	4D45	3	3.31	14.00	5.10	8.90	81.0	9.83	-1.00
8014	40.3	42.1	1.8	100	4AE4	2	3.49	14.70	4.60	10.10	85.0	14.20	-1.00
8015	42.1	43.9	1.8	94	4AE4	2	3.43	14.40	5.30	9.10	90.0	12.50	-1.00
8016	43.9	45.7	1.8	100	4D45	3	3.34	13.10	5.00	8.10	85.0	11.51	-1.00
8017	45.7	47.2	1.5	100	4D50	3	3.36	8.40	3.30	5.10	62.0	4.83	-1.00
8018	47.2	48.8	1.6	94	4D45	3	3.43	15.70	5.20	10.50	84.0	11.26	-1.00
8019	48.8	50.7	1.9	100	4D45	3	3.61	15.70	6.80	8.90	96.0	14.97	-1.00
8020	50.7	51.4	.7	100	4A14	2	3.30	6.10	3.30	2.80	44.0	17.11	-1.00
8021	51.4	53.3	1.9	100	4L1	52	2.98	2.74	.55	2.19	6.0	4.89	-1.00
8022	53.3	54.9	1.6	94	4L1	52	2.96	2.06	.53	1.53	9.0	4.18	-1.00
8023	54.9	56.8	1.9	100	4L1	52	3.00	2.54	.58	1.96	8.0	6.60	-1.00
8024	56.8	58.3	1.5	100	4A1	2	2.99	4.52	1.42	3.10	20.0	5.69	-1.00
0	58.3	74.2	15.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8025	74.2	76.2	2.0	100	4A13	2	3.00	1.72	.56	1.16	9.0	8.67	-1.00
8026	76.2	78.3	2.1	100	4A13	2	3.28	2.93	.84	2.09	18.0	15.19	-1.00
8027	78.3	79.9	1.6	100	4E46	5	4.61	13.80	4.80	9.00	88.0	28.22	-1.00
8028	79.9	81.1	1.2	100	4E4	5	4.37	11.60	4.00	7.60	74.0	29.03	-1.00
8029	81.1	83.0	1.9	95	4A0	2	3.15	4.45	1.65	2.80	26.0	10.88	-1.00
8030	83.0	85.3	2.3	100	4A4	2	2.92	8.37	2.97	5.40	40.0	5.30	-1.00
8031	85.3	87.5	2.2	100	4A0	2	2.18	1.05	.44	.61	11.0	14.33	-1.00
8032	87.5	89.9	2.4	92	4A4	2	3.29	8.20	3.00	5.20	43.0	13.40	-1.00
8033	89.9	91.4	1.5	100	4E4	5	4.29	14.70	5.40	9.30	94.0	27.96	-1.00
8034	91.4	93.0	1.6	94	4E4	5	3.88	8.60	3.60	5.00	54.0	22.12	-1.00
8035	93.0	94.5	1.5	100	4E0	5	4.56	2.24	1.33	.91	21.0	39.01	-1.00

8036	94.5	96.2	1.7	100	4E4	5	4.86	6.40	2.70	3.70	49.0	40.33	-1.00
8037	96.2	97.5	1.3	100	4G4	7	4.64	15.30	5.40	9.90	115.0	18.69	-1.00
8038	97.5	98.8	1.3	85	4E4	5	4.56	14.80	3.40	11.40	65.0	27.72	-1.00
8039	98.8	100.3	1.5	100	4G0	7	4.67	8.30	2.30	6.00	32.0	17.33	-1.00
8040	100.3	101.8	1.5	100	4G4	7	4.46	16.00	6.20	9.80	110.0	24.35	-1.00
8041	101.8	103.6	1.8	89	4E4	5	4.57	13.20	6.10	7.10	36.0	33.02	-1.00
8042	103.6	105.2	1.6	100	4E4	5	4.42	7.50	4.20	3.30	75.0	34.69	-1.00
8043	105.2	107.5	2.3	100	4E4	5	4.78	6.00	3.40	2.60	45.0	40.41	-1.00
0	107.5	118.6	11.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8044	118.6	119.7	1.1	100	4E#4	5	4.14	6.20	2.40	3.80	34.0	23.82	-1.00
8045	119.7	120.4	.7	86	3G0	20	3.12	2.12	1.00	1.12	25.0	9.22	-1.00
8046	120.4	121.9	1.5	100	4E4	5	4.24	9.40	4.30	5.10	83.0	33.88	-1.00
8047	121.9	123.2	1.3	100	4E4	5	4.67	11.20	4.00	7.20	70.0	24.49	-1.00
8048	123.2	125.4	2.2	91	4G0	7	4.10	8.50	3.20	5.30	44.0	24.21	-1.00
8049	125.4	127.3	1.9	100	4E4	5	4.67	11.60	4.00	7.60	73.0	24.04	-1.00
8050	127.3	129.0	1.7	100	4E4	5	4.42	8.80	3.40	5.40	47.0	34.43	-1.00
8051	129.0	129.5	.5	100	4C0	3	3.84	3.14	1.02	2.12	29.0	33.45	-1.00
8052	129.5	130.2	.7	100	4A4	2	3.54	14.45	5.00	9.45	75.0	27.95	-1.00
8053	130.2	131.3	1.1	91	4C0	3	3.74	4.04	1.24	2.80	34.0	14.86	-1.00
8054	131.3	133.1	1.8	94	4C@	3	3.56	1.64	.40	1.24	27.0	25.55	-1.00
8055	133.1	134.6	1.5	100	4A30	2	3.57	.64	.06	.58	73.0	23.82	-1.00
8056	134.6	136.1	1.5	100	4C0	3	3.50	.60	.16	.44	13.0	22.05	-1.00
8057	136.1	137.0	.9	100	4C0	3	3.57	3.51	1.42	2.09	32.0	19.73	-1.00
0	137.0	144.8	7.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU127 Section:
 Northing: 6273.3 Easting: 2672.5 Elevation: 1151.2
 Length: 45.7 Core: NQ Record: 369

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
11165	.0	3.0	3.0	33	4E4	5	4.83	20.40	7.80	12.60	121.0	28.24	-1.00
11166	3.0	4.6	1.6	-1	4E4	5	4.72	27.40	9.50	17.90	143.0	26.57	-1.00
11167	4.6	5.9	1.3	-1	4ELA	5	3.19	4.42	1.62	2.80	27.0	9.49	-1.00
11168	5.9	7.3	1.4	-1	4L5	52	3.16	1.79	.70	1.09	15.0	14.27	-1.00
11169	7.3	8.8	1.5	-1	4G4	7	4.64	19.50	7.10	12.40	117.0	18.38	-1.00
11170	8.8	10.6	1.8	-1	4G4	7	4.81	19.30	5.60	13.70	87.0	16.11	-1.00
11171	10.6	12.4	1.8	-1	4E4	5	4.51	13.70	5.50	8.20	74.0	31.76	-1.00
11172	12.4	13.8	1.4	-1	4L24	52	3.80	14.31	1.61	12.70	38.0	16.03	-1.00
11173	13.8	15.1	1.3	-1	4G4	7	4.57	15.00	4.80	10.20	104.0	14.59	-1.00
11174	15.1	17.1	2.0	-1	4E4	5	4.75	18.50	6.30	12.20	88.0	32.32	-1.00
11175	17.1	19.1	2.0	-1	4E4	5	4.70	14.90	4.90	10.00	74.0	34.54	-1.00
11176	19.1	21.1	2.0	-1	4E4	5	4.69	13.30	4.40	8.90	60.0	34.57	-1.00
11177	21.1	23.1	2.0	-1	4E4	5	4.57	16.10	5.30	10.80	99.0	32.18	-1.00
11178	23.1	25.5	2.4	-1	4E4	5	4.57	19.50	6.00	13.50	106.0	30.31	-1.00
11179	25.5	26.4	.9	-1	4A0	2	3.63	4.90	2.20	2.70	48.0	24.55	-1.00
11180	26.4	27.5	1.1	-1	4C0	3	3.91	2.46	.62	1.84	33.0	28.71	-1.00
11181	27.5	29.2	1.7	-1	4A0	2	3.38	1.32	.37	.95	19.0	21.52	-1.00
11182	29.2	30.6	1.4	-1	4A4	2	3.25	10.90	4.20	6.70	65.0	11.75	-1.00
11183	30.6	32.8	2.2	-1	4A0	2	2.99	2.38	1.27	1.11	25.0	8.32	-1.00
11184	32.8	35.0	2.2	-1	4AC	2	-1.00	.76	.22	.54	9.0	-1.00	-1.00
11185	35.0	38.5	3.5	-1	4L2	52	-1.00	1.17	.42	.75	10.0	-1.00	-1.00
0	38.5	45.7	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU128 Section:
 Northing: 6455.0 Easting: 2782.5 Elevation: 1127.4
 Length: 83.7 Core: NQ Record: 370

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7374	.0	3.6	3.6	11	4A0	2	3.02	4.12	1.92	2.20	27.0	8.10	-1.00
7375	3.6	5.0	1.4	100	4A4	2	3.24	7.25	2.95	4.30	55.0	11.59	-1.00
7376	5.0	6.5	1.5	100	4A4	2	3.41	8.63	2.96	5.67	55.0	15.41	-1.00
7377	6.5	8.0	1.5	100	4A4	2	3.10	5.92	1.92	4.00	32.0	9.37	-1.00
7378	8.0	9.5	1.5	100	4A4	2	3.04	5.98	2.18	3.80	37.0	7.36	-1.00
7379	9.5	11.1	1.6	100	4A4	2	3.38	6.63	2.53	4.10	40.0	5.46	-1.00
7380	11.1	13.3	2.2	100	4A0	2	2.89	4.97	1.87	3.10	28.0	4.20	-1.00
7381	13.3	14.8	1.5	80	4A14	2	2.95	5.89	1.89	4.00	26.0	4.10	-1.00
7382	14.8	16.7	1.9	100	4A14	2	3.21	5.80	1.40	4.40	30.0	11.06	-1.00
7383	16.7	18.7	2.0	75	4D4\$	3	3.80	16.88	7.78	9.10	128.0	19.00	-1.00
7384	18.7	19.6	.9	100	4D0	3	3.31	8.33	4.53	3.80	53.0	12.19	-1.00
0	19.6	24.5	4.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7385	24.5	26.5	2.0	95	4A14	2	3.67	6.35	2.75	3.60	48.0	20.67	-1.00
0	26.5	67.5	41.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7386	67.5	67.8	.3	100	4A4	2	-1.00	13.04	4.64	8.40	92.0	-1.00	-1.00
0	67.8	69.7	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7387	69.7	70.6	.9	100	4D4	3	3.65	16.62	6.42	10.20	97.0	16.88	-1.00
7388	70.6	72.0	1.4	100	4A14	2	3.79	8.82	4.32	4.50	76.0	22.51	-1.00
7389	72.0	74.7	2.7	93	4D4@	3	3.79	16.86	7.26	9.60	103.0	18.27	-1.00
7390	74.7	76.3	1.6	100	4D4	3	3.68	16.31	6.21	10.10	90.0	16.52	-1.00
7391	76.3	77.6	1.3	100	4D4@	3	3.54	15.37	5.47	9.90	87.0	14.11	-1.00
7392	77.6	78.9	1.3	77	5A0	30	3.05	6.76	3.06	3.70	48.0	6.82	-1.00
0	78.9	79.4	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7393	79.4	81.6	2.2	100	4GE4	7	4.64	15.96	5.26	10.70	92.0	20.10	-1.00
7394	81.6	82.5	.9	89	4G4@	7	4.63	15.87	5.47	10.40	100.0	27.04	-1.00
7395	82.5	83.8	1.3	100	4G4	7	4.66	17.34	6.84	10.50	104.0	19.38	-1.00

Drill Hole: AGU129 Section:
 Northing: 6455.5 Easting: 2763.9 Elevation: 1127.0
 Length: 142.3 Core: NQ Record: 371

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	5.0	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7536	5.0	7.0	2.0	100	4A14	2	2.97	8.73	3.83	4.90	64.0	3.39	-1.00
7537	7.0	9.0	2.0	75	4A14	2	3.00	10.30	4.60	5.70	79.0	3.33	-1.00
7538	9.0	10.9	1.9	95	4A14	2	2.90	5.69	2.99	2.70	44.0	3.19	-1.00
7539	10.9	12.5	1.6	62	4L14	52	2.92	3.78	2.03	1.75	35.0	5.07	-1.00
7540	12.5	14.1	1.6	100	4L14	52	2.92	1.65	1.02	.63	17.0	7.28	-1.00
7541	14.1	15.8	1.7	82	4L14	52	2.96	2.85	1.57	1.28	29.0	6.84	-1.00
7542	15.8	17.3	1.5	27	4L14	52	3.00	4.19	2.96	1.23	43.0	6.27	-1.00
7543	17.3	19.3	2.0	45	4L14	52	2.90	4.70	2.30	2.40	28.0	6.76	-1.00
7544	19.3	21.3	2.0	80	4L14	52	2.89	3.99	2.41	1.58	28.0	6.27	-1.00
7545	21.3	23.4	2.1	100	4L14	52	2.88	3.69	1.66	2.03	26.0	3.00	-1.00
7546	23.4	25.7	2.3	100	4A1	2	2.88	3.12	1.26	1.86	20.0	2.80	-1.00
7547	25.7	27.0	1.3	100	4A1	2	2.95	2.49	.81	1.68	14.0	5.88	-1.00
0	27.0	53.9	26.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7548	53.9	55.9	2.0	100	4L1	52	-1.00	1.34	.49	.85	11.0	-1.00	-1.00
7549	55.9	58.5	2.6	92	4L1	52	-1.00	2.96	1.04	1.92	21.0	-1.00	-1.00
0	58.5	68.3	9.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7550	68.3	70.3	2.0	90	4A1	2	2.97	.71	.17	.54	5.0	11.28	-1.00
7551	70.3	72.2	1.9	79	4A1	2	3.06	4.19	1.29	2.90	27.0	8.87	-1.00
7552	72.2	73.6	1.4	100	4A13	2	3.14	3.56	1.36	2.20	27.0	16.53	-1.00
7553	73.6	74.9	1.3	100	4A13	2	3.59	1.28	.48	.80	22.0	24.82	-1.00
7554	74.9	75.6	.7	100	4E#	5	4.42	9.00	3.70	5.30	99.0	32.53	-1.00
7555	75.6	77.3	1.7	71	4E#4	5	4.42	5.60	2.60	3.00	46.0	39.77	-1.00
7556	77.3	79.1	1.8	44	4E#4	5	4.94	11.53	4.13	7.40	53.0	40.14	-1.00
7557	79.1	80.9	1.8	39	4E#4	5	4.69	8.10	2.20	5.90	41.0	24.66	-1.00
7558	80.9	82.3	1.4	86	4G0	7	4.73	5.80	1.20	4.60	26.0	15.81	-1.00
7559	82.3	83.5	1.2	100	4G0	7	4.86	9.20	3.10	6.10	48.0	21.98	-1.00
7560	83.5	84.1	.6	83	4GK0	7	4.12	8.70	2.70	6.00	5.0	26.25	-1.00
7561	84.1	85.1	1.0	70	4G4	7	4.64	11.20	3.70	7.50	75.0	22.50	-1.00
7562	85.1	87.2	2.1	100	4E#4	5	4.70	11.01	4.41	6.60	72.0	35.63	-1.00
0	87.2	89.2	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7563	89.2	90.6	1.4	64	4G0	7	4.61	7.45	2.25	5.20	45.0	11.75	-1.00
7564	90.6	92.0	1.4	36	4G0	7	4.40	6.50	2.70	3.80	64.0	23.52	-1.00
0	92.0	121.3	29.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7565	121.3	121.9	.6	100	4HD	8	3.77	14.40	5.70	8.70	87.0	8.80	-1.00
7566	121.9	122.6	.7	86	4D4	3	3.95	30.80	12.50	18.30	200.0	14.10	-1.00
7567	122.6	123.0	.4	100	4E#4	5	4.56	6.80	2.80	4.00	44.0	37.27	-1.00
7568	123.0	124.3	1.3	100	4E4	5	4.67	13.60	5.20	8.40	76.0	35.10	-1.00
7569	124.3	125.6	1.3	100	4E4	5	4.37	11.70	4.00	7.70	74.0	32.13	-1.00
7570	125.6	127.3	1.7	100	4E#4	5	4.14	5.06	1.66	3.40	39.0	34.66	-1.00
7571	127.3	129.0	1.7	100	4E#	5	4.38	4.12	1.72	2.40	44.0	38.01	-1.00
7572	129.0	129.9	.9	100	4E#	5	4.39	3.71	1.41	2.30	40.0	37.73	-1.00
7573	129.9	131.3	1.4	100	4E4	5	4.98	10.50	4.30	6.20	78.0	34.29	-1.00
7574	131.3	132.8	1.5	93	4E0	5	3.72	4.48	1.48	3.00	34.0	25.15	-1.00

7575	132.8	133.6	.8	100	400	3	3.52	7.70	3.70	4.00	51.0	19.26	-1.00
7576	133.6	134.6	1.0	100	404	3	3.70	21.60	8.60	13.00	114.0	15.50	-1.00
0	134.6	142.3	7.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU130 Section:
 Northing: 6455.2 Easting: 2781.6 Elevation: 1132.1
 Length: 45.7 Core: NQ Record: 372

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7503	.0	2.2	2.2	45	4L14	52	2.98	4.40	2.80	1.60	45.0	4.14	-1.00
0	2.2	8.5	6.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7504	8.5	10.0	1.5	100	4A14	2	3.07	5.71	1.81	3.90	36.0	8.87	-1.00
7505	10.0	11.0	1.0	100	4A14	2	3.11	8.09	2.99	5.10	47.0	8.60	-1.00
0	11.0	18.2	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7506	18.2	19.5	1.3	100	4D0	3	3.12	8.44	2.84	5.60	43.0	7.92	-1.00
7507	19.5	21.0	1.5	100	4A14	2	3.02	11.70	4.00	7.70	68.0	10.43	-1.00
7508	21.0	22.9	1.9	89	4A14	2	3.34	11.10	3.80	7.30	63.0	12.86	-1.00
7509	22.9	24.3	1.4	100	4A14	2	3.12	7.53	2.53	5.00	47.0	8.72	-1.00
7510	24.3	24.9	.6	100	5C*3	44	3.02	.21	.08	.13	2.0	5.87	-1.00
7511	24.9	26.9	2.0	100	4L14	52	3.03	5.21	2.33	2.88	35.0	3.78	-1.00
7512	26.9	28.1	1.2	100	4L14	52	3.10	8.30	4.60	3.70	74.0	6.91	-1.00
7513	28.1	29.5	1.4	100	4L14	52	3.02	6.60	3.00	3.60	49.0	5.27	-1.00
7514	29.5	31.0	1.5	100	4L14	52	3.01	4.19	1.49	2.70	27.0	6.56	-1.00
7515	31.0	32.6	1.6	94	4L14	52	3.02	3.36	1.34	2.02	22.0	7.16	-1.00
7516	32.6	34.2	1.6	100	4L0	52	3.41	2.87	1.40	1.47	19.0	3.39	-1.00
7517	34.2	36.0	1.8	94	4A0	2	3.14	4.84	1.74	3.10	39.0	9.24	-1.00
7518	36.0	37.6	1.6	94	4AE	2	3.42	13.20	4.50	8.70	72.0	15.89	-1.00
0	37.6	45.7	8.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU131 Section:
 Northing: 6273.5 Easting: 2668.3 Elevation: 1151.2
 Length: 45.7 Core: NQ Record: 373

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	.5	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11096	.5	1.5	1.0	50	4G4	7	4.67	10.50	3.80	6.70	80.0	23.80	-1.00
11097	1.5	3.2	1.7	59	4GE#	7	4.75	14.10	4.70	9.40	89.0	20.74	-1.00
11098	3.2	4.6	1.4	100	4G4	7	4.51	12.80	4.40	8.40	105.0	12.27	-1.00
11099	4.6	5.5	.9	100	4E4	5	4.64	16.20	5.70	10.50	109.0	32.00	-1.00
0	5.5	15.3	9.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11100	15.3	16.8	1.5	67	4EGD	7	4.20	12.60	5.10	7.50	89.0	23.31	-1.00
0	16.8	45.7	28.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU132 Section:
 Northing: 6455.2 Easting: 2827.0 Elevation: 1127.4
 Length: 134.1 Core: NQ Record: 374

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	15.5	15.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7622	15.5	16.2	.7	100	4HE4	8	-1.00	11.99	1.79	10.20	90.0	-1.00	-1.00
0	16.2	43.5	27.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7623	43.5	44.8	1.3	100	4A0	2	-1.00	4.19	.69	3.50	33.0	-1.00	-1.00
0	44.8	52.3	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7624	52.3	53.5	1.2	100	4A4	2	3.16	10.20	3.10	7.10	59.0	9.58	-1.00
0	53.5	62.1	8.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7625	62.1	64.7	2.6	100	4D4	3	3.54	10.40	3.90	6.50	76.0	16.59	-1.00
7626	64.7	66.6	1.9	100	4AC0	2	3.25	3.65	1.35	2.30	24.0	12.91	-1.00
7627	66.6	69.3	2.7	100	5B62	40	2.92	2.40	1.09	1.31	13.0	4.76	-1.00
7628	69.3	70.6	1.3	100	5A61	30	2.87	2.42	1.05	1.37	13.0	3.05	-1.00
7629	70.6	72.3	1.7	100	4D4	3	3.43	10.50	3.90	6.60	72.0	14.59	-1.00
7630	72.3	74.3	2.0	95	5A61	30	3.10	3.24	1.21	2.03	30.0	9.47	-1.00
7631	74.3	77.3	3.0	90	5A61	30	2.93	1.39	.38	1.01	10.0	3.43	-1.00
0	77.3	83.6	6.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7632	83.6	84.9	1.3	100	4A4	2	3.03	6.50	2.50	4.00	48.0	8.30	-1.00
7633	84.9	86.6	1.7	59	5D4a	47	3.25	5.31	1.31	4.00	33.0	14.76	-1.00
7634	86.6	87.8	1.2	100	4D07	3	3.06	9.50	3.00	6.50	61.0	7.42	-1.00
7635	87.8	89.0	1.2	100	5D4a	47	3.26	2.39	.72	1.67	15.0	17.11	-1.00
7636	89.0	91.0	2.0	100	4D0	3	3.14	8.10	3.20	4.90	62.0	9.89	-1.00
7637	91.0	93.0	2.0	95	4D0	3	2.95	5.90	2.40	3.50	42.0	6.85	-1.00
7638	93.0	95.0	2.0	100	4D0	3	2.90	5.05	1.65	3.40	30.0	5.14	-1.00
7639	95.0	97.0	2.0	100	4D0	3	3.06	6.60	2.80	3.80	47.0	8.75	-1.00
7640	97.0	99.0	2.0	100	4C0	3	2.90	4.70	2.00	2.70	35.0	5.94	-1.00
7641	99.0	100.4	1.4	71	4D0	3	3.02	7.90	3.00	4.90	54.0	6.94	-1.00
7642	100.4	101.7	1.3	100	4AD	2	2.94	5.40	2.60	2.80	47.0	5.33	-1.00
7643	101.7	103.9	2.2	100	4AD	2	2.99	6.33	1.73	4.60	37.0	6.85	-1.00
7644	103.9	105.2	1.3	77	5AD	30	2.96	1.72	.28	1.44	7.0	6.94	-1.00
7645	105.2	108.8	3.6	56	5D4L	47	2.96	4.16	1.36	2.80	30.0	6.66	-1.00
0	108.8	134.1	25.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU133 Section:
 Northing: 6273.3 Easting: 2671.8 Elevation: 1149.9
 Length: 126.5 Core: NQ Record: 375

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
9898	.0	3.0	3.0	43	4GE4	7	4.88	12.90	4.60	8.30	85.0	25.50	-1.00
9899	3.0	5.0	2.0	100	4EG4	7	5.03	13.10	4.30	8.80	87.0	13.10	-1.00
9900	5.0	7.0	2.0	100	4GE4	7	4.84	11.80	3.90	7.90	73.0	18.02	-1.00
11101	7.0	8.5	1.5	100	4GE4	7	5.19	13.80	4.70	9.10	84.0	15.08	-1.00
11102	8.5	10.2	1.7	100	4E4	5	4.94	15.60	5.90	9.70	100.0	33.70	-1.00
11103	10.2	12.1	1.9	100	4G4	7	4.64	14.20	5.30	8.90	94.0	30.33	-1.00
11104	12.1	14.5	2.4	100	4E46	5	5.13	6.70	2.30	4.40	70.0	34.69	-1.00
11105	14.5	16.3	1.8	100	4G4	7	4.64	10.90	3.40	7.50	63.0	23.34	-1.00
11106	16.3	18.2	1.9	100	4EKG	7	4.50	11.50	4.80	6.70	113.0	30.32	-1.00
0	18.2	47.3	29.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11107	47.3	49.3	2.0	100	4DA4	3	3.56	29.00	10.00	19.00	152.0	9.50	-1.00
11108	49.3	51.3	2.0	100	4DA4	3	3.74	26.90	9.20	17.70	151.0	12.17	-1.00
11109	51.3	53.1	1.8	100	4DA4	3	3.57	22.80	8.20	14.60	131.0	11.48	-1.00
0	53.1	54.5	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11110	54.5	56.0	1.5	100	4DA4	3	3.54	10.70	5.00	5.70	89.0	20.09	-1.00
11111	56.0	57.3	1.3	100	4E4	5	4.17	7.20	2.30	4.90	45.0	33.14	-1.00
11112	57.3	59.2	1.9	100	4A4	2	3.83	12.70	4.10	8.60	70.0	18.50	-1.00
11113	59.2	61.2	2.0	95	4A0	2	3.41	3.50	1.00	2.50	23.0	19.74	-1.00
11114	61.2	63.3	2.1	100	4A0	2	3.18	1.29	.17	1.12	12.0	14.98	-1.00
11115	63.3	64.0	.7	71	4E0	5	3.55	4.16	1.66	2.50	27.0	20.20	-1.00
11116	64.0	67.1	3.1	74	4A0	2	3.23	1.01	.14	.87	19.0	14.78	-1.00
11117	67.1	70.0	2.9	79	4A0	2	-1.00	.98	.18	.80	16.0	-1.00	-1.00
0	70.0	93.0	23.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11118	93.0	96.3	3.3	91	4EL	5	4.07	2.86	.26	2.60	23.0	35.85	-1.00
0	96.3	114.3	18.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11119	114.3	115.8	1.5	100	4G4	7	4.12	14.60	6.20	8.40	106.0	14.85	-1.00
11120	115.8	117.6	1.8	100	4EGB	7	5.56	5.90	2.80	3.10	41.0	31.20	-1.00
0	117.6	126.5	8.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU134 Section:
 Northing: 6455.5 Easting: 2705.7 Elevation: 1123.5
 Length: 99.0 Core: NQ Record: 376

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	5.9	5.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7396	5.9	6.7	.8	100	4L4	52	2.90	2.12	.67	1.45	12.0	5.93	-1.00
7397	6.7	8.0	1.3	85	5A19	30	2.97	1.82	1.12	.70	12.0	6.23	-1.00
0	8.0	19.3	11.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7398	19.3	20.6	1.3	100	4L0	52	3.13	.58	.14	.44	1.0	5.73	-1.00
0	20.6	29.0	8.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7399	29.0	29.8	.8	100	4D0	3	3.34	7.75	4.85	2.90	84.0	6.03	-1.00
7400	29.8	31.8	2.0	100	4A1	2	3.05	3.81	2.64	1.17	37.0	4.25	-1.00
8101	31.8	33.9	2.1	100	4A1	2	3.01	3.44	2.30	1.14	30.0	4.03	-1.00
8102	33.9	36.3	2.4	100	4A1	2	2.95	2.79	1.71	1.08	18.0	4.13	-1.00
8103	36.3	38.7	2.4	100	4A1	2	2.96	2.07	1.36	.71	14.0	5.67	-1.00
8104	38.7	41.0	2.3	100	4A1	2	2.97	1.67	.94	.73	18.0	5.36	-1.00
8105	41.0	42.0	1.0	100	4A1	2	3.02	4.46	3.20	1.26	33.0	4.54	-1.00
8106	42.0	44.1	2.1	100	4A1	2	3.00	4.79	2.39	2.40	25.0	3.51	-1.00
8107	44.1	45.8	1.7	94	4A1	2	2.93	1.30	.54	.76	7.0	3.20	-1.00
8108	45.8	46.6	.8	100	4A17	2	2.93	.73	.32	.41	4.0	4.44	-1.00
8109	46.6	48.3	1.7	100	4A17	2	2.96	1.40	.64	.76	10.0	4.54	-1.00
8110	48.3	49.6	1.3	100	4A17	2	2.81	2.22	.77	1.45	11.0	3.16	-1.00
8111	49.6	51.6	2.0	100	4A17	2	2.91	2.18	.86	1.32	12.0	2.28	-1.00
8112	51.6	53.6	2.0	100	4A17	2	2.91	2.92	1.28	1.64	20.0	2.07	-1.00
8113	53.6	55.1	1.5	100	4A17	2	2.90	2.36	.93	1.43	12.0	2.18	-1.00
8114	55.1	57.0	1.9	100	4A1	2	2.95	3.73	1.53	2.20	29.0	23.52	-1.00
8115	57.0	58.5	1.5	100	4A1	2	3.40	3.56	1.56	2.00	29.0	16.74	-1.00
8116	58.5	60.0	1.5	100	4A14	2	3.57	10.00	4.90	5.10	71.0	17.54	-1.00
8117	60.0	62.1	2.1	86	4D45	3	3.28	10.70	3.90	6.80	61.0	11.02	-1.00
8118	62.1	63.4	1.3	85	4A14	2	3.64	11.40	4.40	7.00	74.0	18.45	-1.00
8119	63.4	64.7	1.3	100	4A14	2	3.43	10.00	3.70	6.30	52.0	15.10	-1.00
8120	64.7	65.3	.6	100	4C0	3	3.88	1.43	.32	1.11	14.0	29.46	-1.00
0	65.3	69.6	4.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8121	69.6	71.4	1.8	100	4A0	2	-1.00	3.16	.76	2.40	12.0	-1.00	-1.00
0	71.4	85.3	13.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8122	85.3	86.8	1.5	7	4A4	2	2.99	15.70	6.70	9.00	103.0	17.82	-1.00
0	86.8	88.1	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8123	88.1	91.4	3.3	30	4A1	2	3.41	3.37	1.76	1.61	33.0	23.68	-1.00
0	91.4	99.0	7.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU135 Section:
 Northing: 6576.1 Easting: 2825.9 Elevation: 1103.4
 Length: 190.5 Core: NQ Record: 377

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8436	.0	3.5	3.5	94	4A4	2	3.30	11.90	4.10	7.80	70.0	12.39	-1.00
0	3.5	43.7	40.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8437	43.7	45.7	2.0	100	4AD4	2	3.63	17.20	5.90	11.30	159.0	13.22	-1.00
8438	45.7	48.2	2.5	96	4AD4	2	3.56	12.80	5.00	7.80	83.0	35.42	-1.00
0	48.2	49.6	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8439	49.6	49.9	.3	100	4A0	2	3.80	.31	.17	.14	12.0	25.09	-1.00
8440	49.9	51.8	1.9	100	4CAE	3	3.98	.28	.19	.09	22.0	10.87	-1.00
0	51.8	55.1	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8441	55.1	56.9	1.8	100	4A41	2	3.28	8.40	3.40	5.00	66.0	8.77	-1.00
8442	56.9	58.6	1.7	100	4A41	2	3.16	7.90	3.20	4.70	55.0	12.11	-1.00
8443	58.6	60.5	1.9	100	4A41	2	3.38	10.40	3.60	6.80	79.0	13.60	-1.00
8444	60.5	62.5	2.0	100	4A41	2	3.42	9.40	3.90	5.50	72.0	7.80	-1.00
0	62.5	64.5	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8445	64.5	67.3	2.8	100	4A1	2	3.06	3.24	1.19	2.05	19.0	6.00	-1.00
0	67.3	68.9	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8446	68.9	70.6	1.7	100	4A1	2	3.00	2.80	.90	1.90	13.0	6.68	-1.00
8447	70.6	72.0	1.4	100	4A1	2	3.06	2.87	1.19	1.68	19.0	4.19	-1.00
8448	72.0	74.3	2.3	100	4L21	52	2.94	.72	.26	.46	6.0	1.90	-1.00
0	74.3	82.1	7.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8449	82.1	83.8	1.7	100	4L21	52	-1.00	3.68	1.08	2.60	20.0	-1.00	-1.00
8450	83.8	85.3	1.5	100	4A1	2	-1.00	1.32	.46	.86	7.0	-1.00	-1.00
8451	85.3	86.9	1.6	100	4A1	2	-1.00	2.03	.53	1.50	6.0	-1.00	-1.00
0	86.9	105.2	18.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8452	105.2	106.5	1.3	100	4A0	2	3.22	2.89	1.22	1.67	22.0	13.25	-1.00
8453	106.5	109.7	3.2	47	4G4	7	3.79	12.00	4.40	7.60	85.0	23.05	-1.00
8454	109.7	111.3	1.6	25	4C0	3	3.11	.84	.29	.55	6.0	13.36	-1.00
0	111.3	125.5	14.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91064	125.5	128.5	3.0	97	4L2	52	-1.00	1.53	.53	1.00	11.0	-1.00	-1.00
91065	128.5	131.5	3.0	100	4L0	52	-1.00	.38	.25	.13	5.1	-1.00	-1.00
0	131.5	133.8	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8455	133.8	134.1	.3	100	4A0	2	3.18	.86	.32	.54	8.0	14.59	-1.00
8456	134.1	135.6	1.5	100	4E4	5	4.19	13.90	6.00	7.90	97.0	27.60	-1.00
8457	135.6	137.2	1.6	94	4E4	5	4.54	10.50	3.80	6.70	68.0	33.48	-1.00
8458	137.2	139.1	1.9	100	4A4	2	3.20	5.34	1.64	3.70	31.0	10.96	-1.00
8459	139.1	140.8	1.7	100	4A0	2	2.97	.25	.09	.16	2.0	7.36	-1.00
8460	140.8	142.4	1.6	38	4A0	2	3.00	1.16	.47	.69	8.0	7.48	-1.00
8461	142.4	143.3	.9	100	4AE4	2	4.08	6.10	2.20	3.90	37.0	20.44	-1.00
8462	143.3	144.6	1.3	100	4AE	2	3.42	2.34	1.03	1.31	21.0	16.89	-1.00
0	144.6	170.1	25.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8463	170.1	172.0	1.9	84	4A4	2	3.34	6.40	2.50	3.90	34.0	11.88	-1.00
8464	172.0	174.0	2.0	100	4G4	7	4.31	13.80	5.40	8.40	91.0	17.04	-1.00
8465	174.0	176.0	2.0	100	4E84	5	4.47	5.80	2.80	3.00	35.0	35.45	-1.00
8466	176.0	177.8	1.8	100	4E8	5	4.42	4.21	1.81	2.40	33.0	38.17	-1.00
8467	177.8	179.7	1.9	100	4E8	5	3.93	4.53	2.70	1.83	26.0	29.35	-1.00

8468	179.7	181.8	2.1	100	4E84	5	4.51	5.50	2.90	2.60	45.0	37.69	-1.00
8469	181.8	182.1	.3	100	4G4	7	4.40	14.70	6.40	8.30	86.0	14.77	-1.00
8470	182.1	183.1	1.0	100	4E8	5	4.64	1.57	1.11	.46	25.0	41.38	-1.00
8471	183.1	183.7	.6	100	4G0*	7	4.21	9.90	5.70	4.20	72.0	23.62	-1.00
8472	183.7	184.4	.7	100	4E7	5	4.29	3.79	1.83	1.96	32.0	37.02	-1.00
8473	184.4	185.5	1.1	100	4A0	2	3.23	3.32	1.63	1.69	28.0	13.08	-1.00
0	185.5	190.5	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU136 Section:
 Northing: 6273.5 Easting: 2669.6 Elevation: 1152.9
 Length: 76.2 Core: NQ Record: 378

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	31.0	31.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11151	31.0	32.0	1.0	80	4L4	52	4.24	5.20	2.90	2.30	41.0	23.40	-1.00
11152	32.0	34.6	2.6	69	4G4#	7	4.72	11.10	5.30	5.80	80.0	24.41	-1.00
0	34.6	39.1	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11153	39.1	41.1	2.0	65	4GEL	7	4.94	4.74	2.70	2.04	57.0	36.18	-1.00
11154	41.1	44.2	3.1	52	4E4#	5	4.83	8.10	4.40	3.70	71.0	38.58	-1.00
11155	44.2	46.2	2.0	50	4G4	7	4.67	14.00	6.30	7.70	98.0	16.54	-1.00
11156	46.2	48.2	2.0	50	4G4	7	5.01	13.40	6.60	6.80	110.0	16.25	-1.00
11157	48.2	50.2	2.0	90	4G4	7	4.86	14.90	7.30	7.60	125.0	13.58	-1.00
11158	50.2	51.7	1.5	100	4G4	7	4.64	12.20	5.60	6.60	90.0	21.49	-1.00
11159	51.7	53.3	1.6	88	4G4	7	4.54	12.80	6.20	6.60	101.0	21.50	-1.00
11160	53.3	54.7	1.4	71	4EK8	5	4.29	7.90	4.30	3.60	66.0	36.00	-1.00
11161	54.7	56.2	1.5	67	4LC	52	3.38	2.82	1.57	1.25	30.0	16.21	-1.00
11162	56.2	58.2	2.0	50	4EC	5	3.98	2.82	1.67	1.15	33.0	33.20	-1.00
11163	58.2	60.2	2.0	45	4EC	5	4.35	3.75	2.40	1.35	42.0	31.28	-1.00
11164	60.2	61.4	1.2	67	4EC	5	3.02	2.82	1.49	1.33	44.0	30.10	-1.00
0	61.4	76.2	14.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU137 Section:
 Northing: 6274.8 Easting: 2671.8 Elevation: 1153.4
 Length: 61.0 Core: NQ Record: 379

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	61.0	61.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU138 Section:
 Northing: 6455.4 Easting: 2705.8 Elevation: 1123.3
 Length: 122.2 Core: NQ Record: 380

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	2.6	2.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7312	2.6	3.9	1.3	85	5CD	44	-1.00	2.60	.88	1.72	16.0	-1.00	-1.00
0	3.9	6.2	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7313	6.2	7.1	.9	100	4L14	52	-1.00	5.30	2.40	2.90	37.0	-1.00	-1.00
0	7.1	31.6	24.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7314	31.6	33.3	1.7	94	4A1	2	2.96	3.61	2.10	1.51	27.0	5.94	-1.00
7315	33.3	34.9	1.6	100	4A1	2	2.93	1.03	.60	.43	9.0	6.85	-1.00
7316	34.9	36.5	1.6	94	4A1	2	3.03	3.72	1.32	2.40	22.0	7.48	-1.00
7317	36.5	38.0	1.5	100	4A14	2	2.94	6.12	1.82	4.30	26.0	4.33	-1.00
7318	38.0	39.5	1.5	100	4A14	2	2.95	6.70	4.00	2.70	56.0	3.62	-1.00
7319	39.5	41.7	2.2	100	4A1	2	2.96	2.28	1.58	.70	25.0	7.15	-1.00
7320	41.7	43.9	2.2	91	4A1	2	2.86	.67	.23	.44	5.0	4.44	-1.00
7321	43.9	46.0	2.1	90	4A1	2	2.94	1.64	1.04	.60	15.0	4.50	-1.00
7322	46.0	47.7	1.7	100	4L04	52	2.98	5.80	4.80	1.00	53.0	3.75	-1.00
7323	47.7	49.4	1.7	100	4L04	52	2.87	2.59	1.26	1.33	19.0	1.90	-1.00
7324	49.4	51.1	1.7	100	4L04	52	2.91	3.09	1.18	1.91	21.0	1.90	-1.00
7325	51.1	52.7	1.6	87	4L04	52	2.89	2.01	.60	1.41	9.0	2.95	-1.00
7326	52.7	54.8	2.1	100	4L14	52	3.05	3.08	2.40	.68	29.0	5.25	-1.00
7327	54.8	56.8	2.0	100	4L14	52	3.04	2.08	1.18	.90	18.0	5.58	-1.00
7328	56.8	59.1	2.3	96	4A1	2	2.92	4.21	1.61	2.60	30.0	4.65	-1.00
7329	59.1	61.0	1.9	100	4L14	52	2.96	2.25	1.10	1.15	22.0	5.47	-1.00
7330	61.0	63.0	2.0	100	4L1	52	2.85	1.06	.49	.57	7.0	4.71	-1.00
0	63.0	76.3	13.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7331	76.3	77.0	.7	100	4L14	52	2.97	1.38	.42	.96	10.0	16.19	-1.00
7332	77.0	78.9	1.9	100	4A1	2	3.14	4.24	1.54	2.70	29.0	10.88	-1.00
7333	78.9	80.3	1.4	100	4A3	2	3.55	.23	.07	.16	28.0	22.73	-1.00
7334	80.3	81.7	1.4	100	4A3	2	3.15	1.48	.80	.68	19.0	12.43	-1.00
7335	81.7	83.5	1.8	100	4A14	2	3.02	7.00	2.70	4.30	43.0	5.30	-1.00
7336	83.5	84.6	1.1	100	4A13	2	3.04	.80	.31	.49	12.0	10.52	-1.00
0	84.6	107.7	23.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7337	107.7	108.5	.8	100	4E1	5	3.31	13.70	4.70	9.00	64.0	19.42	-1.00
7338	108.5	110.2	1.7	100	4A3	2	3.17	1.64	.67	.97	17.0	14.22	-1.00
7339	110.2	112.0	1.8	100	4A3	2	3.21	2.88	1.02	1.86	21.0	12.83	-1.00
0	112.0	112.7	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7340	112.7	114.0	1.3	62	4A1	2	2.79	3.43	1.03	2.40	19.0	11.12	-1.00
7341	114.0	115.8	1.8	61	4A1	2	2.98	2.47	.93	1.54	16.0	6.92	-1.00
7342	115.8	117.6	1.8	78	4A1	2	2.91	3.41	1.25	2.16	15.0	5.45	-1.00
0	117.6	122.2	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU139 Section:
 Northing: 6274.1 Easting: 2670.4 Elevation: 1153.4
 Length: 76.2 Core: NQ Record: 381

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	37.9	37.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11215	37.9	39.8	1.9	-1	4EG#	7	4.31	14.50	7.20	7.30	107.0	21.00	-1.00
11216	39.8	40.8	1.0	-1	4E0	5	4.50	3.56	1.06	2.50	30.0	40.65	-1.00
11217	40.8	42.7	1.9	-1	4EG	7	4.67	7.90	4.00	3.90	66.0	35.00	-1.00
90929	42.7	44.2	1.5	100	4EL#	5	-1.00	11.12	5.97	5.15	82.6	-1.00	-1.00
11219	44.2	45.5	1.3	-1	4GC#	7	3.65	16.30	8.70	7.60	113.0	23.97	-1.00
11220	45.5	46.9	1.4	-1	4L24	52	3.39	2.51	1.26	1.25	20.0	21.90	-1.00
0	46.9	50.9	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11221	50.9	53.3	2.4	-1	4LC#	52	3.39	3.07	1.43	1.64	17.0	18.50	-1.00
11222	53.3	56.7	3.4	-1	4L24	52	3.50	2.75	1.32	1.43	26.0	22.20	-1.00
0	56.7	64.7	8.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11223	64.7	66.7	2.0	-1	4L245	52	3.77	9.50	4.90	4.60	71.0	22.70	-1.00
11224	66.7	68.9	2.2	-1	4L245	52	3.67	2.35	1.51	.84	30.0	22.72	-1.00
0	68.9	76.2	7.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU140 Section:
 Northing: 6576.1 Easting: 2825.9 Elevation: 1103.4
 Length: 123.4 Core: NQ Record: 382

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8082	.0	3.0	3.0	40	4A4	2	3.18	10.90	3.80	7.10	65.0	9.27	-1.00
0	3.0	55.8	52.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8083	55.8	56.9	1.1	100	4E4#	5	3.85	27.60	7.60	20.00	123.0	15.05	-1.00
0	56.9	59.7	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8084	59.7	61.8	2.1	100	4A14	2	3.43	8.10	3.60	4.50	61.0	16.94	-1.00
8085	61.8	62.5	.7	100	4D4	3	3.55	22.40	7.70	14.70	152.0	11.16	-1.00
0	62.5	70.9	8.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8086	70.9	73.0	2.1	100	4A4	2	3.01	5.95	1.55	4.40	33.0	7.49	-1.00
0	73.0	83.4	10.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8087	83.4	85.2	1.8	100	4A4	2	3.07	5.06	1.56	3.50	35.0	10.85	-1.00
8088	85.2	86.9	1.7	100	5C4*	44	2.96	.90	.34	.56	10.0	8.03	-1.00
8089	86.9	87.8	.9	89	4D47	3	3.53	13.40	6.10	7.30	93.0	18.10	-1.00
0	87.8	98.6	10.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8090	98.6	99.2	.6	100	4G4#	7	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
0	99.2	100.9	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8091	100.9	101.6	.7	100	4L4	52	-1.00	3.17	1.13	2.04	24.0	-1.00	-1.00
0	101.6	104.0	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8092	104.0	104.5	.5	100	4L14	52	-1.00	2.34	.79	1.55	20.0	-1.00	-1.00
0	104.5	123.4	18.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU141 Section:
 Northing: 6151.8 Easting: 2676.7 Elevation: 1167.8
 Length: 96.2 Core: NQ Record: 383

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
9465	.0	2.2	2.2	50	4A0	2	-1.00	2.53	.59	1.94	26.0	-1.00	-1.00
9466	2.2	4.5	2.3	96	4A0	2	-1.00	1.95	.37	1.58	25.0	-1.00	-1.00
9467	4.5	5.7	1.2	100	4A0	2	-1.00	1.49	.58	.91	24.0	-1.00	-1.00
9468	5.7	7.6	1.9	100	4A0	2	3.50	1.85	.43	1.42	18.0	20.69	-1.00
9469	7.6	9.2	1.6	94	4A4	2	3.60	11.50	4.50	7.00	66.0	18.02	-1.00
9470	9.2	10.8	1.6	100	4E4	5	4.81	20.10	7.40	12.70	108.0	30.53	-1.00
9471	10.8	12.5	1.7	100	4E4	5	4.65	20.10	7.80	12.30	118.0	30.47	-1.00
9472	12.5	13.0	.5	100	4D0	3	4.07	11.50	5.00	6.50	98.0	28.86	-1.00
9473	13.0	14.0	1.0	100	4E4	5	4.18	20.70	7.00	13.70	96.0	23.37	-1.00
9474	14.0	14.4	.4	100	4G4	7	4.58	11.60	3.70	7.90	68.0	29.92	-1.00
9475	14.4	16.4	2.0	100	4D4	3	4.03	21.20	8.30	12.90	130.0	20.96	-1.00
9476	16.4	17.6	1.2	100	4D34	3	3.58	14.75	1.95	12.80	39.0	24.03	-1.00
9477	17.6	18.5	.9	100	4A4	2	3.75	13.70	7.30	6.40	95.0	19.80	-1.00
9478	18.5	19.9	1.4	100	4D4	3	3.80	13.10	6.30	6.80	93.0	21.46	-1.00
9479	19.9	21.3	1.4	57	4D4	3	3.82	10.70	6.10	4.60	98.0	21.98	-1.00
9480	21.3	22.4	1.1	100	4C3	3	4.39	4.00	2.60	1.40	49.0	32.00	-1.00
9481	22.4	24.1	1.7	76	4D43	3	3.61	18.30	7.60	10.70	125.0	15.86	-1.00
0	24.1	59.8	35.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9482	59.8	61.5	1.7	100	4GE4	7	4.40	13.60	5.20	8.40	93.0	25.64	-1.00
9483	61.5	62.7	1.2	100	4G4	7	4.48	12.20	4.00	8.20	76.0	9.01	-1.00
0	62.7	96.2	33.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU142 Section:
 Northing: 6576.6 Easting: 2822.8 Elevation: 1103.7
 Length: 152.4 Core: NQ Record: 384

ASSAYS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From To											
7232	.0 2.1	2.1	62	4E4	5	4.35	25.00	9.10	15.90	183.0	19.70	-1.00
7233	2.1 3.0	.9	89	5A9	30	3.29	2.87	1.08	1.79	26.0	12.03	-1.00
7234	3.0 5.1	2.1	86	4E4	5	4.14	20.00	8.60	11.40	163.0	19.48	-1.00
7235	5.1 5.5	.4	100	5A9	30	3.36	2.76	.72	2.04	21.0	16.12	-1.00
7236	5.5 6.5	1.0	100	4C0	3	3.58	4.09	1.79	2.30	38.0	18.21	-1.00
7237	6.5 7.2	.7	100	4A4	2	3.89	19.20	6.20	13.00	142.0	17.70	-1.00
7238	7.2 7.9	.7	100	4D0	3	3.05	9.50	3.00	6.50	51.0	8.31	-1.00
7239	7.9 9.4	1.5	100	4A41	2	3.31	11.70	4.20	7.50	72.0	11.05	-1.00
7240	9.4 11.0	1.6	100	4A41	2	3.64	14.70	5.00	9.70	96.0	15.74	-1.00
7241	11.0 11.5	.5	100	5D4	47	3.28	4.88	1.48	3.40	27.0	12.93	-1.00
0	11.5 16.2	4.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7242	16.2 17.0	.8	100	4K1	6	-1.00	.36	.21	.15	10.0	-1.00	-1.00
0	17.0 21.3	4.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7243	21.3 23.4	2.1	95	4K1	6	3.61	.44	.25	.19	13.0	20.18	-1.00
7244	23.4 24.6	1.2	83	4A4	2	3.41	12.20	3.70	8.50	60.0	13.28	-1.00
7245	24.6 25.1	.5	100	5D4	47	3.29	7.94	1.94	6.00	33.0	11.15	-1.00
7246	25.1 25.4	.3	100	4K4	6	3.15	25.60	7.60	18.00	167.0	16.21	-1.00
7247	25.4 27.0	1.6	100	4L0	52	3.30	3.45	1.15	2.30	28.0	8.00	-1.00
7248	27.0 29.0	2.0	100	4K7	6	3.34	1.78	.68	1.10	20.0	15.61	-1.00
7249	29.0 30.6	1.6	100	4K7	6	-1.00	1.10	.52	.58	17.0	-1.00	-1.00
7250	30.6 32.4	1.8	100	4K7	6	-1.00	2.15	.88	1.27	28.0	-1.00	-1.00
7251	32.4 34.4	2.0	90	4K7	6	-1.00	.69	.37	.32	16.0	-1.00	-1.00
7252	34.4 36.2	1.8	100	4K7	6	-1.00	.47	.31	.16	14.0	-1.00	-1.00
7253	36.2 38.1	1.9	100	4K0	6	-1.00	.61	.21	.40	12.0	-1.00	-1.00
7254	38.1 39.6	1.5	100	4K0	6	3.76	.90	.21	.69	12.0	24.69	-1.00
7255	39.6 39.9	.3	100	4E4	5	4.20	28.40	9.60	18.80	184.0	17.88	-1.00
7256	39.9 40.3	.4	100	4D0	3	3.38	7.44	2.14	5.30	45.0	16.05	-1.00
7257	40.3 42.5	2.2	95	4D4	3	3.38	15.00	4.60	10.40	81.0	10.46	-1.00
7258	42.5 44.2	1.7	100	4A41	2	3.27	12.80	3.70	9.10	62.0	9.46	-1.00
7259	44.2 45.9	1.7	100	4A41	2	3.51	17.90	5.50	12.40	95.0	11.56	-1.00
7260	45.9 46.6	.7	100	4E4	5	4.61	34.50	10.30	24.20	208.0	19.00	-1.00
7261	46.6 48.5	1.9	95	4K0	6	3.98	2.73	.68	2.05	20.0	25.95	-1.00
7262	48.5 50.1	1.6	100	4K4	6	3.97	5.67	1.37	4.30	31.0	26.40	-1.00
7263	50.1 50.9	.8	100	4E4	5	4.23	20.80	4.90	15.90	120.0	22.26	-1.00
7264	50.9 51.4	.5	100	4A4	2	3.42	13.90	4.40	9.50	81.0	13.40	-1.00
7265	51.4 52.9	1.5	100	4E4	5	4.14	19.20	5.60	13.60	94.0	23.77	-1.00
7266	52.9 55.1	2.2	95	4E4	5	4.53	25.90	7.60	18.30	160.0	22.32	-1.00
7267	55.1 55.5	.4	100	4A4	2	3.64	17.80	7.80	10.00	133.0	14.68	-1.00
7268	55.5 55.9	.4	100	5D4*	47	3.00	.48	.35	.13	8.0	7.85	-1.00
7269	55.9 57.9	2.0	100	4A0	2	3.38	4.90	2.30	2.60	42.0	16.99	-1.00
7270	57.9 59.7	1.8	78	4A0	2	3.52	4.40	1.30	3.10	30.0	15.65	-1.00
0	59.7 67.0	7.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7271	67.0 68.1	1.1	100	4A4	2	3.31	8.70	3.10	5.60	60.0	13.74	-1.00
7272	68.1 70.2	2.1	100	4A4	2	2.99	5.45	1.75	3.70	31.0	2.34	-1.00

0	70.2	96.3	26.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7273	96.3	97.6	1.3	100	4C0	3	3.06	1.14	.46	.68	10.0	9.58	-1.00
7274	97.6	99.5	1.9	100	4A0	2	2.96	3.38	1.28	2.10	23.0	8.45	-1.00
7275	99.5	101.5	2.0	95	4A0	2	3.14	1.46	.43	1.03	16.0	13.26	-1.00
7276	101.5	103.6	2.1	100	4A0	2	3.16	2.28	.67	1.61	20.0	13.33	-1.00
7277	103.6	105.3	1.7	100	4A0	2	3.18	4.68	2.96	1.72	40.0	12.61	-1.00
7278	105.3	107.5	2.2	100	4A0	2	3.20	2.94	1.73	1.21	32.0	12.37	-1.00
7279	107.5	109.4	1.9	100	4A0	2	3.63	.25	.05	.20	26.0	25.50	-1.00
7280	109.4	111.1	1.7	100	4A0	2	-1.00	.36	.06	.30	30.0	-1.00	-1.00
7281	111.1	113.1	2.0	100	4A0	2	3.33	1.41	.48	.93	21.0	18.70	-1.00
7282	113.1	114.7	1.6	94	4A4	2	3.16	5.52	2.33	3.19	34.0	11.43	-1.00
7283	114.7	115.8	1.1	100	4A0	2	3.38	.26	.06	.20	13.0	19.31	-1.00
7284	115.8	117.0	1.2	100	4A0	2	3.57	.33	.10	.23	15.0	24.75	-1.00
7285	117.0	119.1	2.1	100	4G4	7	4.69	12.80	4.70	8.10	91.0	30.01	-1.00
7286	119.1	121.0	1.9	100	4G0	7	4.40	5.35	1.35	4.00	21.0	17.86	-1.00
7287	121.0	123.0	2.0	100	4G0	7	4.67	8.40	3.00	5.40	64.0	28.86	-1.00
7288	123.0	125.0	2.0	95	4E4	5	4.58	16.70	5.70	11.00	100.0	28.06	-1.00
7289	125.0	127.5	2.5	88	4E46	5	4.12	11.60	3.80	7.80	70.0	24.50	-1.00
7290	127.5	128.9	1.4	86	4E4	5	3.66	11.40	3.30	8.10	65.0	14.81	-1.00
0	128.9	152.4	23.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU143 Section:
 Northing: 6151.6 Easting: 2681.6 Elevation: 1166.9
 Length: 132.6 Core: NQ Record: 385

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
9673	.0	2.0	2.0	15	4A0	2	-1.00	.50	.23	.27	4.0	-1.00	-1.00
9674	2.0	4.0	2.0	90	4A0	2	-1.00	.67	.14	.53	5.0	-1.00	-1.00
9675	4.0	6.0	2.0	85	4A0	2	-1.00	.66	.12	.54	6.0	-1.00	-1.00
9676	6.0	8.0	2.0	100	4A0	2	-1.00	.42	.12	.30	5.0	-1.00	-1.00
9677	8.0	10.0	2.0	100	4A0	2	-1.00	.65	.16	.49	8.0	-1.00	-1.00
9678	10.0	12.0	2.0	100	4A0	2	-1.00	.29	.07	.22	4.0	-1.00	-1.00
9679	12.0	14.0	2.0	100	4A0	2	-1.00	.20	.05	.15	4.0	-1.00	-1.00
9680	14.0	16.0	2.0	100	4A0	2	-1.00	.43	.10	.33	52.0	-1.00	-1.00
9681	16.0	18.0	2.0	100	4A0	2	-1.00	.24	.08	.16	14.0	-1.00	-1.00
9682	18.0	20.0	2.0	100	4A0	2	-1.00	.71	.18	.53	7.0	-1.00	-1.00
9683	20.0	22.0	2.0	95	4A0	2	-1.00	.99	.22	.77	8.0	-1.00	-1.00
9684	22.0	24.0	2.0	100	4A0	2	-1.00	.41	.23	.18	11.0	-1.00	-1.00
9685	24.0	26.0	2.0	100	4A0	2	-1.00	.27	.14	.13	6.0	-1.00	-1.00
9686	26.0	28.0	2.0	100	4A0	2	-1.00	.28	.04	.24	4.0	-1.00	-1.00
9687	28.0	30.0	2.0	100	4A0	2	-1.00	1.03	.52	.51	14.0	-1.00	-1.00
9688	30.0	32.0	2.0	100	4A0	2	-1.00	.45	.14	.31	5.0	-1.00	-1.00
9689	32.0	34.0	2.0	100	4A0	2	-1.00	.43	.08	.35	4.0	-1.00	-1.00
9690	34.0	36.0	2.0	100	4A0	2	-1.00	.83	.34	.49	11.0	-1.00	-1.00
9691	36.0	38.0	2.0	100	4A0	2	-1.00	.31	.04	.27	6.0	-1.00	-1.00
9692	38.0	40.0	2.0	100	4A0	2	-1.00	1.13	.22	.91	8.0	-1.00	-1.00
9693	40.0	42.7	2.7	74	4A0	2	-1.00	.68	.06	.62	4.0	-1.00	-1.00
0	42.7	58.0	15.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9694	58.0	60.4	2.4	46	4A0	2	-1.00	.25	.13	.12	3.0	-1.00	-1.00
9695	60.4	62.8	2.4	67	4A0	2	-1.00	.19	.03	.16	3.0	-1.00	-1.00
0	62.8	64.0	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9696	64.0	66.0	2.0	100	4A0	2	-1.00	.74	.07	.67	6.0	-1.00	-1.00
9697	66.0	68.0	2.0	100	4A0	2	-1.00	.38	.02	.36	3.0	-1.00	-1.00
9698	68.0	70.0	2.0	60	4A0	2	-1.00	.14	.01	.13	2.0	-1.00	-1.00
0	70.0	72.0	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9699	72.0	74.0	2.0	100	4A0	2	-1.00	.05	.01	.04	3.0	-1.00	-1.00
9700	74.0	76.0	2.0	100	4A0	2	-1.00	.12	.03	.09	2.0	-1.00	-1.00
0	76.0	76.8	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9751	76.8	78.9	2.1	95	4AEL	2	3.34	2.26	.81	1.45	24.0	18.13	-1.00
9752	78.9	80.0	1.1	82	4EAL	5	2.95	5.26	2.29	2.97	64.0	23.64	-1.00
9753	80.0	82.3	2.3	87	4AE	2	3.00	1.70	.52	1.18	11.0	8.51	-1.00
0	82.3	83.3	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9754	83.3	85.3	2.0	100	4G0#	7	4.61	9.88	5.68	4.20	64.0	21.29	-1.00
9755	85.3	87.3	2.0	100	4G0#	7	4.56	9.79	5.59	4.20	67.0	31.02	-1.00
9756	87.3	88.4	1.1	100	4G0#	7	4.51	7.20	3.60	3.60	58.0	26.74	-1.00
9757	88.4	90.4	2.0	100	4E8	5	4.70	1.43	.51	.92	15.0	41.22	-1.00
9758	90.4	92.4	2.0	100	4E8	5	4.58	1.49	.62	.87	21.0	41.83	-1.00
9759	92.4	94.4	2.0	95	4E84	5	4.15	5.46	2.16	3.30	37.0	34.31	-1.00
9760	94.4	96.4	2.0	100	4E8	5	4.20	3.25	1.87	1.38	34.0	36.94	-1.00
9761	96.4	98.5	2.1	100	4E8	5	4.10	3.71	2.21	1.50	35.0	32.17	-1.00

9762	98.5	100.2	1.7	100	4E4	5	3.64	13.30	4.60	8.70	86.0	16.24	-1.00
9763	100.2	102.7	2.5	100	4ED	5	3.84	7.03	2.13	4.90	46.0	25.19	-1.00
9764	102.7	104.7	2.0	100	4C879	3	3.68	1.01	.46	.55	13.0	31.42	-1.00
9765	104.7	106.7	2.0	100	4C879	3	-1.00	.97	.41	.56	16.0	-1.00	-1.00
9766	106.7	108.7	2.0	100	4C879	3	-1.00	1.09	.42	.67	15.0	-1.00	-1.00
9767	108.7	110.7	2.0	100	4C879	3	-1.00	1.71	.71	1.00	20.0	-1.00	-1.00
9768	110.7	112.7	2.0	95	4C879	3	-1.00	.68	.47	.21	14.0	-1.00	-1.00
9769	112.7	114.7	2.0	100	4C79	3	-1.00	1.21	.43	.78	8.0	-1.00	-1.00
9770	114.7	116.7	2.0	100	4C79	3	-1.00	1.47	.83	.64	18.0	-1.00	-1.00
9771	116.7	118.7	2.0	100	4C79	3	-1.00	.86	.38	.48	11.0	-1.00	-1.00
9772	118.7	120.7	2.0	100	4C79	3	-1.00	.96	.27	.69	7.0	-1.00	-1.00
9773	120.7	121.8	1.1	100	4C79	3	-1.00	.73	.18	.55	6.0	-1.00	-1.00
9774	121.8	123.8	2.0	100	4L24	52	-1.00	.48	.18	.30	5.0	-1.00	-1.00
9775	123.8	125.8	2.0	95	4L24	52	-1.00	.72	.28	.44	3.0	-1.00	-1.00
9776	125.8	128.0	2.2	95	4L24	52	-1.00	1.32	.32	1.00	4.0	-1.00	-1.00
0	128.0	132.6	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU144 Section:
 Northing: 6575.7 Easting: 2826.3 Elevation: 1106.9
 Length: 73.2 Core: NQ Record: 386

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	57.3	57.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8431	57.3	57.9	.6	100	4B4	52	2.93	8.50	2.60	5.90	42.0	3.42	-1.00
8432	57.9	59.4	1.5	100	4A34	2	3.27	11.40	3.60	7.80	61.0	31.18	-1.00
8433	59.4	61.0	1.6	75	4A34	2	3.50	10.20	4.10	6.10	74.0	17.43	-1.00
8434	61.0	61.2	.2	100	4H14	8	3.93	13.00	5.70	7.30	96.0	30.44	-1.00
0	61.2	64.1	2.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8435	64.1	65.9	1.8	100	4A14	2	2.98	5.39	1.89	3.50	32.0	10.00	-1.00
0	65.9	73.2	7.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU145 Section:
 Northing: 6152.1 Easting: 2681.2 Elevation: 1167.9
 Length: 121.9 Core: NQ Record: 387

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	2.3	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9637	2.3	4.1	1.8	78	4A0	2	-1.00	1.04	.10	.94	8.0	-1.00	-1.00
9638	4.1	5.9	1.8	100	4A0	2	-1.00	1.28	.03	1.25	6.0	-1.00	-1.00
9639	5.9	7.7	1.8	100	4A0	2	-1.00	.62	.09	.53	8.0	-1.00	-1.00
9640	7.7	9.5	1.8	100	4A0	2	-1.00	1.38	.30	1.08	13.0	-1.00	-1.00
9641	9.5	10.0	.5	100	4A0	2	-1.00	1.54	.09	1.45	7.0	-1.00	-1.00
9642	10.0	12.1	2.1	100	4A0	2	-1.00	.84	.15	.69	11.0	-1.00	-1.00
9643	12.1	14.2	2.1	100	4A0	2	-1.00	.85	.25	.60	21.0	-1.00	-1.00
9644	14.2	16.3	2.1	100	4A0	2	-1.00	.48	.06	.42	6.0	-1.00	-1.00
9645	16.3	18.5	2.2	100	4A0	2	-1.00	.50	.06	.44	5.0	-1.00	-1.00
9646	18.5	20.7	2.2	100	4A0	2	-1.00	1.07	.23	.84	10.0	-1.00	-1.00
9647	20.7	22.9	2.2	100	4A0	2	-1.00	.37	.04	.33	6.0	-1.00	-1.00
9648	22.9	24.9	2.0	100	4A0	2	-1.00	.44	.04	.40	6.0	-1.00	-1.00
9649	24.9	26.9	2.0	100	4A0	2	-1.00	.29	.03	.26	3.0	-1.00	-1.00
9650	26.9	28.9	2.0	100	4A0	2	-1.00	.36	.03	.33	4.0	-1.00	-1.00
9651	28.9	30.9	2.0	100	4A0	2	-1.00	.43	.04	.39	6.0	-1.00	-1.00
9652	30.9	33.0	2.1	100	4A0	2	-1.00	.32	.08	.24	7.0	-1.00	-1.00
9653	33.0	35.1	2.1	90	4A0	2	-1.00	.32	.04	.28	6.0	-1.00	-1.00
0	35.1	38.5	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9654	38.5	40.4	1.9	95	4A0	2	-1.00	.34	.05	.29	7.0	-1.00	-1.00
9655	40.4	42.3	1.9	100	4A0	2	-1.00	.38	.05	.33	6.0	-1.00	-1.00
9656	42.3	44.2	1.9	100	4A0	2	-1.00	.34	.04	.30	8.0	-1.00	-1.00
9657	44.2	46.1	1.9	74	4A0	2	3.21	.78	.03	.75	10.0	14.70	-1.00
9658	46.1	48.1	2.0	100	4A0	2	3.89	4.51	1.21	3.30	28.0	25.91	-1.00
9659	48.1	49.9	1.8	100	4EA	5	4.57	5.35	1.65	3.70	35.0	34.81	-1.00
9660	49.9	51.6	1.7	100	4A4	2	3.66	5.70	2.50	3.20	45.0	18.59	-1.00
0	51.6	88.6	37.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9661	88.6	90.6	2.0	100	5A69	30	2.98	.92	.32	.60	8.0	5.34	-1.00
9662	90.6	92.8	2.2	100	4A4	2	3.08	7.20	2.60	4.60	46.0	8.87	-1.00
9663	92.8	93.2	.4	75	4G4	7	4.07	11.60	4.30	7.30	69.0	10.61	-1.00
9664	93.2	94.5	1.3	100	4A4	2	3.12	6.60	2.60	4.00	51.0	8.20	-1.00
0	94.5	97.7	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9665	97.7	98.7	1.0	90	4LG	52	3.20	3.97	1.47	2.50	28.0	9.20	-1.00
9666	98.7	99.3	.6	100	4A0	2	3.33	2.03	.71	1.32	19.0	17.46	-1.00
9667	99.3	100.7	1.4	100	4E8	5	4.26	3.82	1.87	1.95	32.0	35.50	-1.00
9668	100.7	102.0	1.3	92	4E8	5	4.10	3.04	2.04	1.00	31.0	34.10	-1.00
9669	102.0	104.1	2.1	100	4CE8	3	3.82	4.20	1.40	2.80	32.0	25.53	-1.00
9670	104.1	105.4	1.3	100	4LC	52	3.11	.66	.40	.26	14.0	8.05	-1.00
9671	105.4	106.0	.6	100	4E4	5	3.17	5.57	1.97	3.60	44.0	28.90	-1.00
9672	106.0	106.7	.7	86	4G4#	7	3.89	12.30	3.90	8.40	70.0	12.38	-1.00
0	106.7	121.9	15.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU146 Section:
 Northing: 6576.0 Easting: 2824.7 Elevation: 1108.1
 Length: 73.7 Core: NQ Record: 388

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	15.2	15.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8501	15.2	17.2	2.0	95	4A0	2	3.19	4.00	1.36	2.64	30.0	12.09	-1.00
8502	17.2	19.2	2.0	100	4A0	2	3.18	2.43	.92	1.51	26.0	12.41	-1.00
8503	19.2	21.2	2.0	100	4A0	2	3.22	2.41	.98	1.43	26.0	14.05	-1.00
8504	21.2	23.2	2.0	100	4A0	2	3.08	2.99	1.13	1.86	28.0	8.89	-1.00
8505	23.2	25.2	2.0	100	4A4	2	3.14	7.40	2.90	4.50	43.0	8.56	-1.00
8506	25.2	27.9	2.7	100	4A4	2	3.06	7.20	2.70	4.50	39.0	5.74	-1.00
8507	27.9	29.5	1.6	100	4DL4	3	3.34	10.30	4.40	5.90	69.0	13.07	-1.00
8508	29.5	31.2	1.7	94	4A14	2	3.35	21.20	8.10	13.10	149.0	7.72	-1.00
8509	31.2	32.4	1.2	75	4L4	52	3.37	6.90	3.40	3.50	54.0	16.30	-1.00
0	32.4	39.1	6.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8510	39.1	41.6	2.5	100	4ADL	2	3.30	5.22	1.72	3.50	37.0	14.54	-1.00
0	41.6	44.1	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8511	44.1	46.9	2.8	100	4A0	2	3.45	3.55	1.25	2.30	29.0	18.48	-1.00
8512	46.9	47.9	1.0	100	4A0	2	3.74	1.60	1.05	.55	32.0	27.11	-1.00
8513	47.9	49.1	1.2	92	4D4	3	4.25	16.00	6.50	9.50	111.0	26.44	-1.00
0	49.1	73.7	24.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU147 Section:
 Northing: 6151.6 Easting: 2677.5 Elevation: 1170.2
 Length: 76.2 Core: NQ Record: 389

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7869	.0	6.1	6.1	20	4A0	2	-1.00	2.02	.48	1.54	14.0	-1.00	-1.00
7870	6.1	9.1	3.0	77	4A0	2	-1.00	1.12	.31	.81	18.0	-1.00	-1.00
7871	9.1	11.2	2.1	100	4A0	2	-1.00	1.52	.33	1.19	19.0	-1.00	-1.00
7872	11.2	13.2	2.0	100	4A0	2	-1.00	1.31	.27	1.04	15.0	-1.00	-1.00
7873	13.2	15.2	2.0	95	4A0	2	-1.00	1.24	.29	.95	19.0	-1.00	-1.00
7874	15.2	17.2	2.0	100	4A0	2	3.17	1.12	.26	.86	18.0	12.94	-1.00
7875	17.2	18.7	1.5	100	4A0	2	3.32	.90	.21	.69	17.0	19.04	-1.00
7876	18.7	20.2	1.5	100	4A4	2	3.40	8.00	3.40	4.60	63.0	15.77	-1.00
7877	20.2	21.6	1.4	100	4E4	5	4.51	22.30	6.50	15.80	102.0	26.25	-1.00
7878	21.6	22.5	.9	78	4D4	3	3.37	21.90	7.50	14.40	128.0	12.32	-1.00
7879	22.5	24.8	2.3	100	4GE4	7	4.73	15.70	5.30	10.40	93.0	29.08	-1.00
7880	24.8	26.5	1.7	76	4D4	3	3.45	16.50	4.60	11.90	103.0	10.03	-1.00
7881	26.5	27.8	1.3	100	4EG	7	4.76	9.40	3.30	6.10	82.0	33.16	-1.00
7882	27.8	29.0	1.2	50	4G4	7	4.73	14.40	4.70	9.70	88.0	20.25	-1.00
7883	29.0	31.0	2.0	100	4E4	5	4.63	16.40	5.70	10.70	89.0	14.75	-1.00
7884	31.0	31.8	.8	50	5D4*	47	3.10	3.67	.17	3.50	5.0	11.37	-1.00
7885	31.8	33.3	1.5	47	4E4	5	4.70	12.10	3.90	8.20	91.0	37.29	-1.00
7886	33.3	33.7	.4	100	5D4*	47	3.96	11.70	3.60	8.10	63.0	16.52	-1.00
7887	33.7	34.6	.9	56	4G4	7	4.80	15.00	4.90	10.10	87.0	32.71	-1.00
7888	34.6	36.4	1.8	94	4A4	2	3.33	5.69	1.99	3.70	30.0	19.30	-1.00
0	36.4	51.2	14.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7889	51.2	53.3	2.1	90	4A0	2	-1.00	1.79	.51	1.28	36.0	-1.00	-1.00
7890	53.3	56.0	2.7	100	4A0	2	-1.00	.69	.12	.57	13.0	-1.00	-1.00
7891	56.0	56.6	.6	100	4E0	5	-1.00	.81	.16	.65	15.0	-1.00	-1.00
7892	56.6	57.4	.8	75	4A0	2	-1.00	.87	.36	.51	13.0	-1.00	-1.00
0	57.4	76.2	18.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU148 Section:
 Northing: 6515.8 Easting: 2704.4 Elevation: 1114.3
 Length: 68.5 Core: NQ Record: 390

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	3.6	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11781	3.6	5.6	2.0	100	4L41	52	2.90	3.21	1.75	1.46	33.0	5.27	-1.00
11782	5.6	7.6	2.0	100	4L41	52	2.85	4.12	1.72	2.40	27.0	3.65	-1.00
11783	7.6	9.8	2.2	100	4L41	52	2.85	6.40	2.30	4.10	35.0	2.49	-1.00
0	9.8	10.5	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11784	10.5	12.8	2.3	96	4CA	3	-1.00	1.25	.48	.77	10.0	-1.00	-1.00
0	12.8	27.3	14.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11785	27.3	29.3	2.0	90	4A41	2	2.81	8.00	3.20	4.80	62.0	5.09	-1.00
11786	29.3	31.3	2.0	100	4A41	2	2.92	5.20	2.10	3.10	38.0	5.29	-1.00
11787	31.3	33.4	2.1	100	4A41	2	2.99	5.91	1.81	4.10	30.0	6.98	-1.00
0	33.4	38.1	4.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11788	38.1	40.1	2.0	100	4A14	2	3.47	7.30	3.00	4.30	49.0	18.43	-1.00
11789	40.1	42.7	2.6	100	4A14	2	3.72	7.40	3.20	4.20	47.0	21.58	-1.00
11790	42.7	43.8	1.1	100	4A14	2	3.31	11.90	5.20	6.70	74.0	9.17	-1.00
11791	43.8	45.3	1.5	100	4A14	2	3.43	13.10	5.50	7.60	84.0	12.42	-1.00
11792	45.3	46.8	1.5	80	4A14	2	3.31	7.10	3.30	3.80	55.0	12.92	-1.00
11793	46.8	48.8	2.0	100	4A10	2	2.89	4.67	1.47	3.20	28.0	3.39	-1.00
0	48.8	50.4	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
11794	50.4	51.3	.9	89	4A10	2	2.89	4.84	1.44	3.40	25.0	1.17	-1.00
11795	51.3	53.3	2.0	80	4A30	2	3.04	4.73	1.83	2.90	31.0	7.08	-1.00
11796	53.3	55.3	2.0	80	4A43	2	3.28	6.20	2.60	3.60	55.0	12.57	-1.00
11797	55.3	57.3	2.0	100	4A43	2	3.14	8.70	3.10	5.60	59.0	9.17	-1.00
11798	57.3	59.3	2.0	80	4A43	2	3.24	10.30	3.30	7.00	63.0	10.06	-1.00
11799	59.3	61.3	2.0	40	4A43	2	3.19	8.10	2.80	5.30	57.0	10.16	-1.00
11800	61.3	62.9	1.6	100	4A43	2	3.35	8.40	3.20	5.20	56.0	12.96	-1.00
11801	62.9	64.2	1.3	100	4A4	2	3.04	5.25	1.95	3.30	33.0	7.38	-1.00
11802	64.2	65.2	1.0	100	4A14	2	2.88	5.27	1.87	3.40	29.0	2.59	-1.00
0	65.2	68.5	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU149 Section:
 Northing: 6576.6 Easting: 2771.5 Elevation: 1106.3
 Length: 182.9 Core: NQ Record: 391

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8220	.0	4.6	4.6	57	4L14	52	-1.00	1.53	.64	.89	9.0	-1.00	-1.00
8221	4.6	6.4	1.8	100	4L14	52	2.92	2.32	1.46	.86	14.0	3.23	-1.00
8222	6.4	9.7	3.3	94	4A1	2	2.98	2.78	1.04	1.74	14.0	4.47	-1.00
8223	9.7	12.1	2.4	100	4L14	52	3.02	2.12	.77	1.35	12.0	3.73	-1.00
8224	12.1	13.0	.9	100	4A1	2	2.93	3.38	.78	2.60	14.0	1.66	-1.00
8225	13.0	14.5	1.5	100	4L14	52	2.93	2.67	.73	1.94	13.0	3.55	-1.00
8226	14.5	16.1	1.6	100	4L14	52	2.99	6.78	1.68	5.10	31.0	2.35	-1.00
8227	16.1	18.3	2.2	100	4A1	2	3.08	3.57	.77	2.80	23.0	8.25	-1.00
8228	18.3	20.4	2.1	100	4A14	2	3.06	5.48	1.48	4.00	35.0	8.09	-1.00
8229	20.4	22.4	2.0	90	4A14	2	3.20	8.40	3.00	5.40	55.0	7.93	-1.00
8230	22.4	24.2	1.8	94	4D4	3	3.28	13.50	4.10	9.40	80.0	11.57	-1.00
8231	24.2	26.0	1.8	94	4D4	3	3.23	12.30	4.60	7.70	77.0	9.37	-1.00
0	26.0	28.1	2.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8233	28.1	30.0	1.9	95	4A0	2	3.58	3.27	1.82	1.45	28.0	20.21	-1.00
8234	30.0	31.7	1.7	100	4A4	2	3.78	19.60	6.90	12.70	126.0	17.35	-1.00
8235	31.7	33.2	1.5	100	4A4	2	3.25	10.30	3.80	6.50	64.0	11.83	-1.00
0	33.2	38.1	4.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8236	38.1	41.2	3.1	77	4A1	2	2.89	4.11	1.61	2.50	28.0	6.31	-1.00
0	41.2	97.4	56.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90262	97.4	100.0	2.6	-1	4L72	52	-1.00	1.41	.73	.68	14.1	-1.00	-1.00
0	100.0	104.5	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8237	104.5	106.4	1.9	89	4A4	2	3.20	5.05	1.65	3.40	30.0	12.32	-1.00
8238	106.4	108.0	1.6	100	4G4	7	4.29	14.30	5.60	8.70	115.0	18.50	-1.00
8239	108.0	109.7	1.7	100	4E46	5	4.45	6.80	2.90	3.90	44.0	37.50	-1.00
8240	109.7	111.3	1.6	94	4E46	5	4.78	6.20	2.90	3.30	38.0	9.52	-1.00
8241	111.3	112.7	1.4	93	4E06	5	4.49	4.79	3.00	1.79	50.0	37.22	-1.00
0	112.7	121.0	8.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8242	121.0	122.0	1.0	90	4G4	7	4.47	11.80	4.40	7.40	75.0	24.72	-1.00
0	122.0	123.0	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8244	123.0	124.1	1.1	100	4E4	5	4.42	6.00	2.80	3.20	43.0	36.98	-1.00
0	124.1	125.3	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8246	125.3	127.4	2.1	95	4G0	7	4.25	9.80	3.90	5.90	71.0	23.51	-1.00
8247	127.4	129.5	2.1	100	4G0	7	4.50	8.80	3.20	5.60	60.0	26.03	-1.00
8248	129.5	131.6	2.1	100	4G4	7	4.56	12.70	4.70	8.00	94.0	27.84	-1.00
8249	131.6	133.8	2.2	95	4A0	2	3.23	4.26	1.56	2.70	32.0	11.94	-1.00
8250	133.8	136.7	2.9	90	4L12	52	3.05	1.21	.43	.78	10.0	6.87	-1.00
8251	136.7	138.2	1.5	100	4A0	2	3.28	2.73	1.05	1.68	27.0	40.16	-1.00
8252	138.2	139.5	1.3	92	4G4	7	4.49	17.90	6.30	11.60	124.0	19.54	-1.00
8253	139.5	141.6	2.1	95	4A0	2	3.29	3.40	1.35	2.05	33.0	16.02	-1.00
0	141.6	144.4	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8254	144.4	145.2	.8	100	4L4	52	2.90	4.97	1.97	3.00	28.0	3.38	-1.00
8255	145.2	147.6	2.4	100	4A3	2	3.17	.82	.35	.47	20.0	15.09	-1.00
8256	147.6	149.4	1.8	94	4A4	2	3.45	14.90	5.00	9.90	75.0	13.67	-1.00
8257	149.4	150.9	1.5	100	4CD	3	3.67	4.54	1.24	3.30	30.0	19.53	-1.00

8258	150.9	152.6	1.7	100	4CD	3	3.61	5.34	1.44	3.90	37.0	23.67	-1.00
8259	152.6	154.2	1.6	100	4A3	2	3.45	1.57	.67	.90	25.0	14.60	-1.00
8260	154.2	155.4	1.2	100	4CD	3	3.71	5.70	2.40	3.30	40.0	15.43	-1.00
0	155.4	180.4	25.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8261	180.4	181.6	1.2	100	4G08	7	-1.00	9.20	4.40	4.80	63.0	-1.00	-1.00
0	181.6	182.9	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU150 Section:
 Northing: 6577.2 Easting: 2689.2 Elevation: 1105.0
 Length: 152.4 Core: NQ Record: 392

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7847	.0	2.1	2.1	57	4A4	2	3.23	13.67	5.50	8.17	73.0	7.86	-1.00
7848	2.1	4.1	2.0	100	4A4	2	2.99	6.06	2.40	3.66	36.0	5.81	-1.00
7849	4.1	6.1	2.0	100	4A0	2	3.17	2.26	1.57	.69	24.0	11.62	-1.00
7850	6.1	7.8	1.7	100	4A0	2	-1.00	1.79	1.41	.38	30.0	-1.00	-1.00
8201	7.8	9.8	2.0	100	4A0	2	-1.00	.88	.57	.31	20.0	-1.00	-1.00
8202	9.8	11.8	2.0	100	4A0	2	-1.00	.82	.54	.28	20.0	-1.00	-1.00
8203	11.8	12.1	.3	100	5D4	47	-1.00	.47	.19	.28	13.0	-1.00	-1.00
8204	12.1	14.7	2.6	100	4A0	2	2.99	1.29	.43	.86	17.0	9.16	-1.00
8205	14.7	16.1	1.4	100	4A0	2	3.12	3.96	1.46	2.50	31.0	10.54	-1.00
8206	16.1	17.6	1.5	100	4A0	2	3.17	2.11	.82	1.29	24.0	12.30	-1.00
8207	17.6	17.9	.3	100	4C0	3	2.99	1.28	.56	.72	18.0	8.49	-1.00
8208	17.9	19.8	1.9	100	4A4	2	2.98	5.87	2.77	3.10	39.0	5.25	-1.00
8209	19.8	22.2	2.4	100	4A0	2	3.17	4.70	1.70	3.00	33.0	10.31	-1.00
8210	22.2	24.4	2.2	100	4A0	2	3.16	3.39	1.19	2.20	24.0	25.11	-1.00
8211	24.4	26.1	1.7	100	4A4	2	3.52	11.82	4.82	7.00	70.0	15.92	-1.00
8212	26.1	27.1	1.0	90	4CE0	3	4.01	1.45	.84	.61	36.0	27.55	-1.00
8213	27.1	28.8	1.7	100	4E4	5	4.66	9.41	4.51	4.90	80.0	20.35	-1.00
8214	28.8	31.5	2.7	100	4E4	5	4.64	15.01	4.61	10.40	90.0	15.30	-1.00
0	31.5	47.8	16.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8215	47.8	49.5	1.7	88	4G0	7	-1.00	7.06	2.26	4.80	41.0	-1.00	-1.00
0	49.5	92.5	43.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90263	92.5	94.5	2.0	-1	4A0	2	-1.00	4.31	1.53	2.78	23.3	-1.00	-1.00
0	94.5	137.5	43.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8216	137.5	138.7	1.2	100	4EG4	7	4.34	15.34	6.04	9.30	103.0	23.51	-1.00
8217	138.7	139.6	.9	100	4D4	3	3.90	31.00	10.30	20.70	165.0	10.82	-1.00
8218	139.6	140.2	.6	50	4D46	3	3.86	10.90	3.70	7.20	52.0	16.49	-1.00
8219	140.2	141.6	1.4	100	4E46	5	4.57	8.50	2.20	6.30	37.0	29.36	-1.00
0	141.6	152.4	10.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU151 Section:
 Northing: 6577.9 Easting: 2687.2 Elevation: 1108.2
 Length: 76.2 Core: NQ Record: 393

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
6862	.0	2.2	2.2	73	4E4	5	4.07	17.10	6.30	10.80	102.0	20.40	-1.00
6863	2.2	2.8	.6	100	4E*4	5	4.29	14.60	6.10	8.50	85.0	30.08	-1.00
6864	2.8	4.1	1.3	92	4E4	5	4.96	26.50	10.50	16.00	137.0	26.62	-1.00
6865	4.1	4.6	.5	80	4G0	7	5.01	8.00	7.20	.80	113.0	18.37	-1.00
6866	4.6	6.1	1.5	87	4E4	5	4.81	10.50	4.70	5.80	62.0	21.51	-1.00
6867	6.1	7.4	1.3	100	4B5	5	3.41	.27	.12	.15	6.0	16.79	-1.00
6868	7.4	9.1	1.7	100	4A1	2	3.18	.17	.09	.08	7.0	9.93	-1.00
6869	9.1	11.1	2.0	100	4A41	2	3.18	5.70	2.10	3.60	34.0	11.43	-1.00
6870	11.1	13.1	2.0	100	4A41	2	3.24	6.90	2.50	4.40	44.0	10.94	-1.00
6871	13.1	14.3	1.2	100	4A41	2	3.42	9.40	2.90	6.50	56.0	14.79	-1.00
6872	14.3	15.4	1.1	100	4A41	2	3.40	12.50	4.20	8.30	75.0	12.63	-1.00
6873	15.4	16.7	1.3	77	4D4	3	3.90	20.60	9.70	10.90	145.0	17.08	-1.00
6874	16.7	18.3	1.6	100	4E4	5	4.13	11.50	5.50	6.00	92.0	24.92	-1.00
6875	18.3	20.7	2.4	79	4E4	5	4.25	7.10	3.50	3.60	57.0	32.78	-1.00
0	20.7	54.6	33.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6876	54.6	55.4	.8	100	4G41	7	4.80	17.40	9.00	8.40	134.0	18.44	-1.00
6877	55.4	57.8	2.4	88	4E0	5	4.69	3.47	2.20	1.27	39.0	37.37	-1.00
6878	57.8	58.3	.5	80	4G41	7	4.86	21.80	10.70	11.10	182.0	14.60	-1.00
6879	58.3	60.1	1.8	94	4E4	5	4.81	7.30	3.90	3.40	57.0	32.35	-1.00
6880	60.1	62.4	2.3	91	4E48	5	4.73	25.70	13.40	12.30	177.0	23.78	-1.00
6881	62.4	65.1	2.7	70	4E4	5	4.58	13.80	7.60	6.20	137.0	27.66	-1.00
0	65.1	76.2	11.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU152 Section:
 Northing: 6576.8 Easting: 2771.3 Elevation: 1111.0
 Length: 61.0 Core: NQ Record: 394

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	14.1	14.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8550	14.1	14.5	.4	75	4D7	3	-1.00	6.39	1.89	4.50	32.0	-1.00	-1.00
0	14.5	18.6	4.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8551	18.6	19.4	.8	63	4A4	2	3.34	6.05	2.05	4.00	32.0	15.90	-1.00
8552	19.4	20.9	1.5	80	4C0	3	3.21	3.36	.96	2.40	16.0	14.13	-1.00
0	20.9	21.3	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8553	21.3	22.9	1.6	75	4D0	3	3.04	5.50	2.70	2.80	30.0	6.92	-1.00
8554	22.9	24.4	1.5	80	4D0	3	3.01	7.00	3.20	3.80	39.0	4.20	-1.00
8555	24.4	26.4	2.0	95	4A0	2	2.94	2.05	.91	1.14	15.0	4.45	-1.00
8556	26.4	28.4	2.0	100	4A0	2	2.91	.82	.24	.58	4.0	5.49	-1.00
8557	28.4	30.3	1.9	100	4A0	2	2.92	.93	.38	.55	7.0	5.17	-1.00
0	30.3	33.5	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8558	33.5	34.5	1.0	80	4D4	3	2.92	10.30	3.50	6.80	52.0	6.43	-1.00
0	34.5	35.0	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8559	35.0	37.0	2.0	100	4A0	2	3.16	4.40	1.50	2.90	24.0	11.98	-1.00
8560	37.0	39.3	2.3	100	4A4	2	3.38	6.78	2.08	4.70	34.0	16.98	-1.00
8561	39.3	40.9	1.6	100	4AE4	2	3.86	11.20	3.50	7.70	65.0	21.10	-1.00
8562	40.9	42.9	2.0	100	4AE4	2	3.50	6.18	1.88	4.30	41.0	16.19	-1.00
8563	42.9	45.0	2.1	100	4DE	3	4.13	8.10	3.60	4.50	65.0	27.36	-1.00
8564	45.0	46.7	1.7	100	4CA	3	3.55	1.30	.39	.91	20.0	21.94	-1.00
0	46.7	61.0	14.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU153 Section:
 Northing: 6577.4 Easting: 2687.0 Elevation: 1105.6
 Length: 61.0 Core: NQ Record: 395

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
6836	.0	3.0	3.0	50	4A4	2	3.49	15.20	5.10	10.10	82.0	12.86	-1.00
6837	3.0	5.3	2.3	91	4A4	2	3.38	9.30	3.20	6.10	69.0	15.36	-1.00
6838	5.3	7.3	2.0	100	4A4	2	3.35	12.40	4.40	8.00	71.0	12.34	-1.00
6839	7.3	9.1	1.8	100	4A4	2	3.36	17.50	4.80	12.70	82.0	8.64	-1.00
6840	9.1	11.3	2.2	95	4A4	2	3.35	16.50	5.00	11.50	84.0	11.38	-1.00
6841	11.3	13.1	1.8	100	4A4	2	3.62	13.50	4.70	8.80	79.0	16.77	-1.00
6842	13.1	15.2	2.1	100	4A4	2	3.38	11.30	3.20	8.10	60.0	14.37	-1.00
6843	15.2	16.8	1.6	100	4A4	2	3.26	5.89	1.69	4.20	32.0	14.56	-1.00
6844	16.8	18.3	1.5	100	4A31	2	3.67	5.43	1.63	3.80	38.0	23.37	-1.00
6845	18.3	19.8	1.5	100	4A41	2	3.47	5.92	1.62	4.30	35.0	17.50	-1.00
6846	19.8	21.7	1.9	79	4A41	2	3.24	6.00	1.90	4.10	36.0	13.94	-1.00
6847	21.7	23.2	1.5	100	4A41	2	3.33	9.80	2.90	6.90	56.0	14.61	-1.00
6848	23.2	25.2	2.0	80	4E0	5	4.53	1.73	.66	1.07	25.0	42.02	-1.00
6849	25.2	26.9	1.7	94	4E0	5	4.66	2.39	.83	1.56	25.0	42.20	-1.00
6850	26.9	29.6	2.7	100	4A41	2	3.45	11.40	3.80	7.60	69.0	15.74	-1.00
6851	29.6	30.5	.9	78	4E0	5	4.70	3.60	1.82	1.78	36.0	42.51	-1.00
6852	30.5	32.0	1.5	93	4E4	5	4.43	15.30	6.00	9.30	103.0	37.41	-1.00
6853	32.0	33.5	1.5	93	4AE4	2	3.67	13.10	5.70	7.40	98.0	18.53	-1.00
6854	33.5	35.1	1.6	63	4E41	5	4.45	31.10	11.50	19.60	185.0	18.38	-1.00
6855	35.1	35.6	.5	80	4G4	7	4.78	23.30	8.00	15.30	162.0	22.70	-1.00
6856	35.6	36.6	1.0	80	4E4	5	4.37	19.30	6.30	13.00	113.0	18.59	-1.00
6857	36.6	37.0	.4	100	4A1	2	3.52	4.90	2.30	2.60	52.0	17.30	-1.00
6858	37.0	38.1	1.1	91	4G4	7	4.75	13.80	6.10	7.70	115.0	30.92	-1.00
6859	38.1	40.0	1.9	74	5C4	44	3.38	1.31	.70	.61	16.0	16.11	-1.00
6860	40.0	41.6	1.6	75	4G4	7	4.94	16.40	7.00	9.40	136.0	23.76	-1.00
0	41.6	41.9	.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
6861	41.9	42.7	.8	100	4A1	2	3.46	2.47	.89	1.58	19.0	16.31	-1.00
0	42.7	61.0	18.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU154 Section:
 Northing: 6574.5 Easting: 2715.3 Elevation: 1109.4
 Length: 61.0 Core: NQ Record: 396

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.2	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8415	1.2	2.9	1.7	100	4A4	2	3.06	8.70	2.70	6.00	41.0	7.81	-1.00
8416	2.9	4.6	1.7	100	4A4	2	3.16	8.20	3.10	5.10	52.0	10.40	-1.00
8417	4.6	6.4	1.8	100	4A4	2	3.69	16.20	5.30	10.90	96.0	17.73	-1.00
8418	6.4	7.1	.7	86	4E4	5	4.47	24.90	9.60	15.30	161.0	25.69	-1.00
8419	7.1	8.8	1.7	100	4A4	2	3.27	9.60	3.00	6.60	51.0	12.59	-1.00
8420	8.8	10.6	1.8	100	4A4	2	3.02	5.38	1.58	3.80	31.0	7.04	-1.00
8421	10.6	12.4	1.8	100	4A4	2	3.22	8.00	2.40	5.60	41.0	11.85	-1.00
8422	12.4	14.2	1.8	100	4A4	2	3.29	10.10	3.30	6.80	58.0	13.49	-1.00
8423	14.2	15.3	1.1	100	4A4	2	3.39	15.50	4.40	11.10	74.0	12.08	-1.00
8424	15.3	16.5	1.2	92	4A0	2	3.42	3.52	.82	2.70	25.0	18.98	-1.00
8425	16.5	17.8	1.3	100	4A4	2	3.36	12.80	4.10	8.70	75.0	13.74	-1.00
8426	17.8	18.8	1.0	100	5D6	47	2.93	.42	.26	.16	8.0	9.00	-1.00
8427	18.8	20.8	2.0	100	4A4	2	3.06	7.90	2.50	5.40	47.0	7.40	-1.00
8428	20.8	22.8	2.0	100	4A4	2	3.34	13.50	5.10	8.40	94.0	9.32	-1.00
8429	22.8	24.8	2.0	100	4A0	2	3.50	3.49	1.58	1.91	38.0	19.40	-1.00
8430	24.8	26.8	2.0	100	4A4	2	3.53	8.50	3.20	5.30	69.0	17.75	-1.00
0	26.8	61.0	34.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU155 Section:
 Northing: 6151.9 Easting: 2678.0 Elevation: 1166.8
 Length: 61.0 Core: NQ Record: 397

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	2.1	2.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9718	2.1	4.2	2.1	57	4A3	2	-1.00	.75	.14	.61	6.0	-1.00	-1.00
9719	4.2	6.3	2.1	100	4A3	2	-1.00	.60	.11	.49	11.0	-1.00	-1.00
9720	6.3	8.4	2.1	100	4A3	2	3.36	1.96	.57	1.39	21.0	19.92	-1.00
9721	8.4	10.4	2.0	100	4A3	2	3.37	2.67	.90	1.77	20.0	18.94	-1.00
9722	10.4	12.5	2.1	100	4A1	2	3.46	2.32	.87	1.45	20.0	21.14	-1.00
9723	12.5	14.5	2.0	100	4A1	2	3.54	1.47	.43	1.04	15.0	23.59	-1.00
9724	14.5	16.5	2.0	95	4A1	2	-1.00	.84	.14	.70	8.0	-1.00	-1.00
9725	16.5	18.5	2.0	100	4A1	2	-1.00	.78	.15	.63	10.0	-1.00	-1.00
9726	18.5	20.5	2.0	100	4A1	2	-1.00	.99	.09	.90	7.0	-1.00	-1.00
9727	20.5	22.5	2.0	100	4A1	2	-1.00	.40	.05	.35	5.0	-1.00	-1.00
9728	22.5	24.5	2.0	90	4A1	2	-1.00	.58	.08	.50	7.0	-1.00	-1.00
9729	24.5	26.5	2.0	100	4A1	2	-1.00	.77	.19	.58	10.0	-1.00	-1.00
9730	26.5	27.2	.7	100	4C0	3	-1.00	1.72	.43	1.29	11.0	-1.00	-1.00
9731	27.2	27.8	.6	100	4A31	2	-1.00	1.79	.62	1.17	13.0	-1.00	-1.00
9732	27.8	30.4	2.6	100	4CA	3	-1.00	.87	.19	.68	9.0	-1.00	-1.00
9733	30.4	31.8	1.4	86	4CA	3	-1.00	.55	.05	.50	14.0	-1.00	-1.00
9734	31.8	32.5	.7	100	4A31	2	-1.00	.47	.04	.43	10.0	-1.00	-1.00
9735	32.5	34.5	2.0	100	4CAE	3	-1.00	.98	.05	.93	16.0	-1.00	-1.00
9736	34.5	36.5	2.0	100	4CAE	3	3.39	1.20	.06	1.14	12.0	22.50	-1.00
9737	36.5	37.5	1.0	100	4CAE	3	3.88	3.23	.26	2.97	18.0	32.50	-1.00
9738	37.5	39.0	1.5	100	4CAE	3	3.38	1.40	.13	1.27	16.0	21.90	-1.00
9739	39.0	41.0	2.0	95	4C8	3	4.23	1.61	.14	1.47	18.0	39.90	-1.00
9740	41.0	43.0	2.0	100	4C8	3	3.81	2.30	.53	1.77	26.0	32.20	-1.00
9741	43.0	45.0	2.0	100	4C98	3	3.57	1.25	.20	1.05	22.0	27.80	-1.00
9742	45.0	47.3	2.3	100	4C98	3	3.78	1.77	.18	1.59	21.0	31.30	-1.00
9743	47.3	49.6	2.3	100	4C98	3	3.69	.72	.21	.51	15.0	30.70	-1.00
9744	49.6	51.0	1.4	100	4DA4	3	3.61	13.96	5.59	8.37	96.0	18.82	-1.00
9745	51.0	53.0	2.0	80	4E0	5	-1.00	1.48	.52	.96	26.0	-1.00	-1.00
0	53.0	61.0	8.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU156 Section:
 Northing: 6574.6 Easting: 2715.2 Elevation: 1105.6
 Length: 76.2 Core: NQ Record: 398

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	2.9	2.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8401	2.9	6.1	3.2	100	4L24	52	2.97	5.40	2.40	3.00	36.0	1.68	-1.00
8402	6.1	7.2	1.1	73	5D4*9	47	2.91	1.68	.69	.99	12.0	2.51	-1.00
8403	7.2	9.1	1.9	100	4L14	52	3.04	2.92	1.02	1.90	17.0	4.01	-1.00
0	9.1	15.2	6.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8404	15.2	17.4	2.2	86	4A1	2	2.93	2.88	1.31	1.57	24.0	3.00	-1.00
8405	17.4	19.7	2.3	100	4A1	2	3.02	3.81	2.09	1.72	41.0	5.27	-1.00
0	19.7	47.3	27.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8406	47.3	48.7	1.4	79	4L1	52	2.98	.67	.29	.38	10.0	7.30	-1.00
8407	48.7	51.0	2.3	100	4A4	2	3.73	6.00	2.60	3.40	42.0	8.29	-1.00
8408	51.0	53.2	2.2	100	4A0	2	3.57	2.34	1.14	1.20	36.0	22.83	-1.00
8409	53.2	55.2	2.0	95	4E46*	5	4.61	8.20	3.30	4.90	58.0	35.57	-1.00
8410	55.2	57.0	1.8	78	4E46*	5	4.76	14.60	6.80	7.80	87.0	31.59	-1.00
8411	57.0	59.0	2.0	100	4K4	6	4.21	12.80	5.10	7.70	96.0	25.50	-1.00
8412	59.0	62.1	3.1	100	4G4*	7	4.64	12.90	4.50	8.40	82.0	22.55	-1.00
8413	62.1	63.9	1.8	100	4EG4	7	4.61	12.00	4.70	7.30	97.0	30.11	-1.00
90264	63.9	65.4	1.5	-1	5A6	30	-1.00	4.53	1.65	2.88	38.4	-1.00	-1.00
0	65.4	76.2	10.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU157 Section:
 Northing: 6151.8 Easting: 2678.7 Elevation: 1166.8
 Length: 132.6 Core: NQ Record: 399

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
9484	.0	2.0	2.0	30	4A0	2	3.07	2.45	.54	1.91	16.0	11.78	-1.00
9485	2.0	4.0	2.0	40	4A0	2	3.18	1.12	.36	.76	13.0	16.92	-1.00
9486	4.0	6.0	2.0	95	4A0	2	3.40	2.27	.69	1.58	21.0	22.38	-1.00
9487	6.0	7.3	1.3	100	4A0	2	3.38	3.88	1.57	2.31	27.0	19.80	-1.00
9488	7.3	9.1	1.8	100	4A0	2	3.84	2.73	1.34	1.39	30.0	26.14	-1.00
9489	9.1	10.6	1.5	100	4A0	2	3.39	1.97	.53	1.44	18.0	20.29	-1.00
9490	10.6	12.0	1.4	100	4A0	2	-1.00	.34	.10	.24	6.0	-1.00	-1.00
9491	12.0	13.7	1.7	76	4EA	5	-1.00	1.69	.11	1.58	15.0	-1.00	-1.00
9492	13.7	15.7	2.0	85	4A0	2	-1.00	.89	.11	.78	12.0	-1.00	-1.00
9493	15.7	17.7	2.0	100	4A0	2	-1.00	.51	.09	.42	12.0	-1.00	-1.00
9494	17.7	19.7	2.0	70	4A4	2	3.01	6.63	5.50	1.13	186.0	7.52	-1.00
9495	19.7	21.7	2.0	80	4A0	2	3.08	1.40	1.18	.22	40.0	11.21	-1.00
9496	21.7	23.2	1.5	100	4A0	2	-1.00	.43	.26	.17	80.0	-1.00	-1.00
9497	23.2	24.7	1.5	100	4CA	3	-1.00	.42	.22	.20	25.0	-1.00	-1.00
9498	24.7	26.1	1.4	100	4CA	3	-1.00	.45	.14	.31	18.0	-1.00	-1.00
9499	26.1	28.1	2.0	100	4A0	2	-1.00	1.56	.04	1.52	7.0	-1.00	-1.00
9500	28.1	29.4	1.3	100	4A0	2	-1.00	.37	.04	.33	14.0	-1.00	-1.00
9701	29.4	30.9	1.5	100	4A0	2	-1.00	.78	.15	.63	13.0	-1.00	-1.00
9702	30.9	32.4	1.5	100	4C0	3	-1.00	.56	.11	.45	7.0	-1.00	-1.00
9703	32.4	33.9	1.5	100	4A9	2	-1.00	1.37	.03	1.34	5.0	-1.00	-1.00
9704	33.9	35.5	1.6	100	4A9	2	-1.00	.30	.03	.27	4.0	-1.00	-1.00
9705	35.5	37.3	1.8	100	4C0	3	-1.00	.10	.03	.07	6.0	-1.00	-1.00
9706	37.3	39.3	2.0	100	4A0	2	-1.00	.36	.04	.32	4.0	-1.00	-1.00
9707	39.3	40.3	1.0	100	4A0	2	-1.00	.28	.05	.23	5.0	-1.00	-1.00
9708	40.3	42.7	2.4	71	4A0	2	-1.00	.46	.09	.37	5.0	-1.00	-1.00
9709	42.7	44.7	2.0	85	4AE	2	3.74	2.63	.65	1.98	22.0	29.96	-1.00
9710	44.7	46.2	1.5	100	4AE	2	4.23	4.34	1.41	2.93	37.0	34.26	-1.00
0	46.2	121.2	75.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9711	121.2	121.8	.6	83	4D0	3	3.65	5.85	2.70	3.15	93.0	18.89	-1.00
9712	121.8	123.2	1.4	100	4G4*	7	4.28	15.98	6.00	9.98	120.0	6.98	-1.00
9713	123.2	124.6	1.4	100	4G4*	7	4.25	15.74	6.30	9.44	113.0	10.96	-1.00
9714	124.6	126.3	1.7	100	4E178	5	4.15	5.26	3.20	2.06	50.0	34.08	-1.00
9715	126.3	127.0	.7	100	4E178	5	4.03	7.40	3.50	3.90	57.0	30.14	-1.00
0	127.0	129.4	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9716	129.4	131.0	1.6	50	4A0	2	-1.00	1.26	.49	.77	15.0	-1.00	-1.00
0	131.0	132.6	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU158 Section:
 Northing: 6637.9 Easting: 2701.0 Elevation: 1097.7
 Length: 74.3 Core: NQ Record: 400

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.0	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14075	1.0	2.5	1.5	-1	4A4	2	3.26	8.13	2.73	5.40	50.0	11.91	-1.00
14076	2.5	4.1	1.6	-1	4A4	2	3.43	7.91	2.91	5.00	53.0	15.68	-1.00
14077	4.1	5.8	1.7	-1	4A34	2	4.03	14.00	6.10	7.90	118.0	24.37	-1.00
14078	5.8	7.6	1.8	-1	4A34	2	4.25	23.50	8.40	15.10	140.0	22.55	-1.00
14079	7.6	9.2	1.6	-1	4A4	2	3.28	16.50	5.20	11.30	86.0	9.17	-1.00
14080	9.2	10.8	1.6	-1	4A4	2	3.20	6.27	2.11	4.16	44.0	11.40	-1.00
14081	10.8	12.4	1.6	-1	4A4	2	3.12	8.90	3.40	5.50	58.0	8.27	-1.00
14082	12.4	14.1	1.7	-1	4A4	2	3.64	11.95	3.45	8.50	64.0	16.84	-1.00
0	14.1	15.5	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14083	15.5	16.8	1.3	-1	4A30	2	-1.00	4.21	1.48	2.73	32.0	-1.00	-1.00
0	16.8	39.5	22.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14085	39.5	42.7	3.2	-1	4L24	52	3.42	3.61	1.78	1.83	27.0	18.10	-1.00
14087	42.7	45.7	3.0	-1	4L42	52	-1.00	1.71	.74	.97	14.0	-1.00	-1.00
14088	45.7	47.2	1.5	-1	4GE	7	3.48	11.90	5.60	6.30	102.0	16.38	-1.00
14089	47.2	50.2	3.0	-1	4L42	52	-1.00	.51	.31	.20	7.0	-1.00	-1.00
14090	50.2	53.2	3.0	-1	4L42	52	-1.00	1.24	.67	.57	13.0	-1.00	-1.00
14091	53.2	56.0	2.8	-1	4L42	52	-1.00	.35	.19	.16	7.0	-1.00	-1.00
0	56.0	68.6	12.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14092	68.6	69.6	1.0	-1	4L67	52	-1.00	1.43	.76	.67	15.0	-1.00	-1.00
0	69.6	74.3	4.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU159 Section:
 Northing: 6150.7 Easting: 2679.7 Elevation: 1170.9
 Length: 76.2 Core: NQ Record: 401

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	19.7	19.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9524	19.7	21.7	2.0	100	4A0	2	-1.00	.76	.24	.52	15.0	-1.00	-1.00
9525	21.7	23.7	2.0	45	4A0	2	-1.00	1.13	.08	1.05	20.0	-1.00	-1.00
9526	23.7	25.7	2.0	85	4A0	2	-1.00	1.22	1.00	.22	41.0	-1.00	-1.00
9527	25.7	27.7	2.0	80	4A0	2	3.10	.93	.34	.59	16.0	14.40	-1.00
9528	27.7	29.0	1.3	38	4A4	2	3.59	12.10	4.30	7.80	72.0	14.98	-1.00
9529	29.0	30.5	1.5	73	4D4	3	3.53	18.70	7.10	11.60	127.0	15.94	-1.00
9530	30.5	30.9	.4	100	4E4	5	4.43	24.10	8.00	16.10	139.0	28.29	-1.00
9531	30.9	32.0	1.1	64	4A0	2	3.14	4.29	1.39	2.90	31.0	15.39	-1.00
0	32.0	52.3	20.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9532	52.3	54.3	2.0	100	4EA4	5	3.65	12.40	5.10	7.30	77.0	22.83	-1.00
9533	54.3	56.3	2.0	95	4EA	5	3.68	4.12	.92	3.20	26.0	28.87	-1.00
9534	56.3	57.9	1.6	94	4EA4	5	3.69	5.60	2.80	2.80	59.0	27.60	-1.00
9535	57.9	60.0	2.1	100	4A13	2	3.36	4.47	1.27	3.20	23.0	20.27	-1.00
9536	60.0	61.5	1.5	100	4EA4	5	3.85	10.50	4.00	6.50	69.0	17.84	-1.00
9537	61.5	63.0	1.5	100	4A10	2	3.59	4.85	1.35	3.50	23.0	26.12	-1.00
9538	63.0	64.0	1.0	50	4D0	3	3.58	7.50	2.00	5.50	33.0	17.79	-1.00
9539	64.0	65.3	1.3	100	4A13	2	3.30	1.19	.40	.79	10.0	21.86	-1.00
9540	65.3	67.3	2.0	65	4EA	5	3.81	1.67	.58	1.09	15.0	31.72	-1.00
9541	67.3	69.3	2.0	100	4EA4	5	3.51	5.25	2.05	3.20	43.0	24.10	-1.00
9542	69.3	71.1	1.8	83	4EA	5	3.62	3.60	.70	2.90	18.0	30.38	-1.00
9543	71.1	73.2	2.1	100	4A14	2	2.87	7.11	1.91	5.20	24.0	5.11	-1.00
9544	73.2	74.7	1.5	53	4L14	52	2.84	8.30	2.60	5.70	35.0	2.82	-1.00
9545	74.7	76.2	1.5	87	4L14	52	2.96	11.60	3.30	8.30	52.0	4.45	-1.00

Drill Hole: AGU160 Section:
 Northing: 6637.8 Easting: 2700.4 Elevation: 1095.3
 Length: 73.2 Core: NQ Record: 402

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.4	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14153	1.4	3.3	1.9	26	4D5	3	3.32	6.65	3.28	3.37	41.0	11.86	-1.00
14154	3.3	5.2	1.9	63	4D5	3	3.16	5.23	2.95	2.28	33.0	7.01	-1.00
14155	5.2	7.1	1.9	89	4D5	3	3.01	7.64	2.54	5.10	33.0	2.06	-1.00
14156	7.1	9.1	2.0	80	4A0	2	3.10	3.33	1.14	2.19	22.0	8.57	-1.00
14157	9.1	11.1	2.0	95	4A4	2	3.47	6.25	2.02	4.23	38.0	16.12	-1.00
14158	11.1	12.8	1.7	100	4A4	2	3.59	13.53	4.73	8.80	75.0	15.11	-1.00
14159	12.8	14.5	1.7	94	4A4	2	3.47	8.82	3.42	5.40	52.0	14.96	-1.00
14160	14.5	16.2	1.7	100	4A4	2	3.95	15.50	5.70	9.80	87.0	19.17	-1.00
14161	16.2	17.7	1.5	87	4A4	2	3.85	10.92	4.42	6.50	70.0	19.51	-1.00
14162	17.7	18.6	.9	100	4EA4	5	4.50	28.00	11.00	17.00	190.0	21.95	-1.00
14163	18.6	19.5	.9	100	4D0	3	3.47	5.90	1.71	4.19	31.0	17.55	-1.00
0	19.5	22.9	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14164	22.9	24.9	2.0	100	4A4	2	3.37	5.75	1.76	3.99	34.0	13.87	-1.00
14165	24.9	26.9	2.0	95	4A4	2	3.46	10.45	3.65	6.80	66.0	13.70	-1.00
14166	26.9	28.9	2.0	100	4A4	2	3.24	7.01	2.40	4.61	41.0	10.75	-1.00
14167	28.9	30.9	2.0	90	4A4	2	3.47	9.38	3.68	5.70	70.0	14.09	-1.00
14168	30.9	31.8	.9	100	4A4	2	3.58	12.19	4.19	8.00	76.0	14.56	-1.00
14169	31.8	33.6	1.8	89	4A4	2	3.21	8.04	2.44	5.60	34.0	8.63	-1.00
0	33.6	35.8	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14170	35.8	37.3	1.5	100	4E4	5	4.37	13.38	4.88	8.50	92.0	26.75	-1.00
0	37.3	38.4	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14171	38.4	39.5	1.1	100	4E4	5	4.33	12.12	4.92	7.20	82.0	28.14	-1.00
14172	39.5	41.0	1.5	100	4E4	5	4.35	14.24	5.14	9.10	96.0	27.01	-1.00
14173	41.0	42.7	1.7	88	4E46	5	4.51	18.50	6.70	11.80	109.0	21.90	-1.00
14174	42.7	44.5	1.8	100	4E46	5	4.84	27.10	10.00	17.10	174.0	21.26	-1.00
0	44.5	45.5	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14175	45.5	46.9	1.4	100	4E0	5	4.21	4.83	2.04	2.79	50.0	28.67	-1.00
14176	46.9	48.3	1.4	93	4A0	2	3.58	4.44	1.65	2.79	35.0	16.66	-1.00
14177	48.3	49.7	1.4	86	4A0	2	3.28	2.91	1.00	1.91	26.0	8.91	-1.00
14178	49.7	51.7	2.0	100	4G4	7	4.92	18.20	7.00	11.20	117.0	19.32	-1.00
14179	51.7	53.7	2.0	95	4G4	7	4.95	16.00	5.60	10.40	122.0	19.55	-1.00
14180	53.7	55.7	2.0	100	4G4	7	4.94	16.30	5.80	10.50	102.0	15.35	-1.00
14181	55.7	57.7	2.0	100	4G4	7	5.13	14.90	5.50	9.40	89.0	17.58	-1.00
14182	57.7	59.7	2.0	100	4G4	7	5.01	16.10	5.50	10.60	90.0	16.84	-1.00
14183	59.7	61.7	2.0	85	4G4	7	5.11	16.20	6.00	10.20	105.0	18.31	-1.00
14184	61.7	63.1	1.4	100	4G4	7	4.95	16.80	6.20	10.60	132.0	23.28	-1.00
14185	63.1	64.8	1.7	100	4G4	7	4.78	16.00	7.20	8.80	99.0	23.41	-1.00
0	64.8	65.3	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14186	65.3	65.6	.3	100	4G4	7	-1.00	13.10	5.50	7.60	110.0	-1.00	-1.00
0	65.6	67.1	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14187	67.1	69.2	2.1	90	4A4	2	-1.00	10.67	5.90	4.77	63.0	-1.00	-1.00
0	69.2	73.2	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU161 Section:
 Northing: 6151.3 Easting: 2676.4 Elevation: 1166.8
 Length: 59.4 Core: NQ Record: 403

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	2.7	2.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9546	2.7	4.7	2.0	65	4A3	2	-1.00	1.59	.54	1.05	12.0	-1.00	-1.00
9547	4.7	6.6	1.9	53	4A3	2	-1.00	1.02	.19	.83	10.0	-1.00	-1.00
9548	6.6	8.5	1.9	100	4A3	2	-1.00	.71	.12	.59	8.0	-1.00	-1.00
9549	8.5	10.4	1.9	100	4A3	2	3.05	1.20	.35	.85	10.0	17.45	-1.00
9550	10.4	12.3	1.9	100	4A3	2	3.31	3.55	1.05	2.50	16.0	20.16	-1.00
9551	12.3	13.7	1.4	100	4A34	2	3.37	4.68	2.08	2.60	41.0	20.02	-1.00
9552	13.7	14.7	1.0	100	4E15	5	3.87	3.39	1.53	1.86	30.0	30.12	-1.00
9553	14.7	15.7	1.0	100	4D45	3	3.47	9.10	5.00	4.10	76.0	17.36	-1.00
9554	15.7	17.2	1.5	100	4D45	3	3.70	14.00	5.70	8.30	80.0	17.85	-1.00
9555	17.2	19.0	1.8	100	4A34	2	3.60	6.60	3.10	3.50	47.0	20.93	-1.00
9556	19.0	20.1	1.1	100	4A13	2	3.62	3.81	2.70	1.11	47.0	23.21	-1.00
9557	20.1	21.8	1.7	100	4A4	2	3.39	7.60	3.90	3.70	63.0	15.23	-1.00
9558	21.8	23.5	1.7	94	4A4	2	3.34	18.00	6.40	11.60	109.0	11.20	-1.00
9559	23.5	23.9	.4	100	4D4	3	3.92	23.50	7.30	16.20	113.0	16.09	-1.00
9560	23.9	25.2	1.3	100	4E#4	5	4.81	18.00	6.40	11.60	114.0	30.39	-1.00
9561	25.2	26.6	1.4	100	4E#4	5	4.80	16.60	6.20	10.40	124.0	30.51	-1.00
9562	26.6	28.8	2.2	100	4A41	2	3.69	16.90	7.20	9.70	123.0	12.06	-1.00
9563	28.8	31.0	2.2	100	4A41	2	3.68	13.50	5.40	8.10	87.0	15.41	-1.00
9564	31.0	33.2	2.2	100	4D4	3	3.72	16.30	6.50	9.80	104.0	13.30	-1.00
9565	33.2	33.6	.4	100	4E18	5	4.47	5.30	2.90	2.40	44.0	33.04	-1.00
9566	33.6	35.2	1.6	94	4D0	3	4.06	6.00	2.40	3.60	37.0	21.53	-1.00
9567	35.2	37.2	2.0	100	4A314	2	3.52	6.20	2.80	3.40	43.0	14.98	-1.00
9568	37.2	39.2	2.0	100	4A314	2	3.41	9.30	3.50	5.80	46.0	17.98	-1.00
9569	39.2	41.2	2.0	100	4A314	2	3.56	6.30	2.60	3.70	29.0	14.59	-1.00
9570	41.2	43.0	1.8	100	4E145	5	4.01	5.45	2.05	3.40	30.0	27.09	-1.00
9571	43.0	45.2	2.2	95	4CE	3	3.94	.97	.10	.87	10.0	28.48	-1.00
9572	45.2	47.1	1.9	100	4A13	2	3.36	.50	.14	.36	15.0	22.01	-1.00
9573	47.1	48.5	1.4	100	4CE	3	3.90	1.22	.26	.96	16.0	25.37	-1.00
9574	48.5	49.9	1.4	100	4CE	3	3.94	1.58	.50	1.08	17.0	26.33	-1.00
9575	49.9	51.6	1.7	94	4DE4	3	3.85	9.10	5.20	3.90	86.0	20.47	-1.00
9576	51.6	53.3	1.7	82	4DE4	3	3.75	8.70	4.20	4.50	64.0	19.94	-1.00
0	53.3	54.3	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
9577	54.3	55.1	.8	100	4L4	52	3.21	5.31	1.71	3.60	24.0	6.12	-1.00
9578	55.1	56.1	1.0	70	4E14	5	3.68	14.70	6.70	8.00	93.0	13.70	-1.00
0	56.1	59.4	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU162 Section:
 Northing: 6637.5 Easting: 2700.6 Elevation: 1094.4
 Length: 153.9 Core: NQ Record: 404

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	10.0	10.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14031	10.0	12.0	2.0	90	4A0	2	3.05	2.65	1.97	.68	30.0	8.80	-1.00
14032	12.0	14.0	2.0	100	4A0	2	3.00	.97	.66	.31	14.0	8.05	-1.00
14033	14.0	16.0	2.0	95	4A0	2	3.14	2.56	1.41	1.15	24.0	12.01	-1.00
14034	16.0	18.0	2.0	85	4A0	2	3.10	2.52	1.30	1.22	24.0	10.13	-1.00
14035	18.0	19.6	1.6	94	4A0	2	3.03	1.65	.87	.78	17.0	10.04	-1.00
14036	19.6	21.6	2.0	100	4C5	3	2.96	2.25	.86	1.39	16.0	4.90	-1.00
14037	21.6	23.4	1.8	83	4C5	3	2.88	3.57	1.16	2.41	20.0	3.95	-1.00
14038	23.4	25.0	1.6	62	4A0	2	3.27	3.21	.93	2.28	19.0	16.48	-1.00
14039	25.0	26.6	1.6	94	4A4	2	3.16	5.87	2.19	3.68	40.0	11.84	-1.00
14040	26.6	27.7	1.1	100	4E4	5	4.37	9.84	3.94	5.90	86.0	31.05	-1.00
0	27.7	34.5	6.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14041	34.5	35.7	1.2	92	4GL	7	-1.00	11.69	3.79	7.90	84.0	-1.00	-1.00
0	35.7	49.2	13.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14042	49.2	50.7	1.5	93	4G4	7	4.01	17.90	6.10	11.80	128.0	9.20	-1.00
14043	50.7	52.3	1.6	94	4G4	7	4.00	22.50	7.40	15.10	131.0	11.88	-1.00
14044	52.3	54.0	1.7	100	4G4	7	4.35	19.90	6.80	13.10	143.0	12.34	-1.00
0	54.0	100.1	46.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14045	100.1	102.0	1.9	95	4AED	2	3.44	4.86	2.01	2.85	30.0	20.48	-1.00
14046	102.0	104.0	2.0	100	4D0	3	3.51	5.04	1.85	3.19	33.0	21.68	-1.00
14047	104.0	105.7	1.7	88	4C0	3	3.53	3.36	1.34	2.02	26.0	22.34	-1.00
14048	105.7	107.6	1.9	89	4ALD	2	3.20	4.26	1.76	2.50	32.0	14.13	-1.00
14049	107.6	110.5	2.9	100	4C5	3	-1.00	1.28	.59	.69	14.0	-1.00	-1.00
14050	110.5	112.8	2.3	83	4A0	2	-1.00	2.84	1.14	1.70	19.0	-1.00	-1.00
0	112.8	132.4	19.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14052	132.4	133.1	.7	100	4E4	5	-1.00	10.43	3.83	6.60	80.0	-1.00	-1.00
0	133.1	142.4	9.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14053	142.4	144.0	1.6	100	4GA	7	3.52	5.58	1.89	3.69	37.0	13.18	-1.00
14054	144.0	145.5	1.5	80	5C*	44	3.19	3.04	.80	2.24	17.0	10.40	-1.00
14055	145.5	147.2	1.7	94	4GH	7	4.52	11.56	4.36	7.20	77.0	24.70	-1.00
0	147.2	153.9	6.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU163 Section:
 Northing: 6091.2 Easting: 2667.5 Elevation: 1174.9
 Length: 112.0 Core: NQ Record: 405

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7646	.0	2.1	2.1	10	4C8	3	3.69	1.69	.14	1.55	15.0	27.79	-1.00
7647	2.1	4.1	2.0	65	4C8	3	3.46	1.51	.20	1.31	12.0	23.36	-1.00
7648	4.1	6.1	2.0	100	4C8	3	3.39	1.25	.33	.92	17.0	21.65	-1.00
7649	6.1	8.0	1.9	100	4C8	3	3.48	4.04	1.54	2.50	39.0	21.20	-1.00
0	8.0	19.4	11.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7650	19.4	21.0	1.6	94	4H0	8	3.66	6.30	3.50	2.80	53.0	25.60	-1.00
0	21.0	60.4	39.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7651	60.4	61.8	1.4	93	4G4	7	4.64	14.50	5.40	9.10	102.0	16.61	-1.00
7652	61.8	63.4	1.6	100	4G4	7	4.40	11.60	3.90	7.70	71.0	19.02	-1.00
0	63.4	89.6	26.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7653	89.6	91.0	1.4	43	4C3	3	3.53	1.69	1.09	.60	27.0	22.53	-1.00
7654	91.0	93.3	2.3	57	4D38	3	3.90	5.70	3.20	2.50	43.0	27.40	-1.00
7655	93.3	95.0	1.7	94	4C37	3	3.81	3.16	1.60	1.56	28.0	31.78	-1.00
0	95.0	112.0	17.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU164 Section:
 Northing: 6637.8 Easting: 2701.8 Elevation: 1099.2
 Length: 50.0 Core: NQ Record: 406

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
14097	.0	3.7	3.7	32	4A4	2	3.52	7.03	2.87	4.16	55.0	18.16	-1.00
14098	3.7	6.3	2.6	58	4E4	5	4.27	20.13	8.33	11.80	141.0	23.32	-1.00
14099	6.3	7.8	1.5	100	4A4	2	3.30	7.77	2.67	5.10	45.0	12.73	-1.00
0	7.8	8.4	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14100	8.4	10.7	2.3	83	4A4	2	3.24	8.69	3.78	4.91	68.0	11.45	-1.00
14101	10.7	11.7	1.0	100	4ADE	2	4.03	23.50	8.00	15.50	155.0	19.47	-1.00
14102	11.7	12.0	.3	100	4G4	7	4.45	15.71	4.91	10.80	112.0	23.75	-1.00
0	12.0	42.7	30.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14103	42.7	43.7	1.0	100	4GE	7	-1.00	13.70	7.10	6.60	114.0	-1.00	-1.00
0	43.7	50.0	6.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU165 Section:
 Northing: 6091.5 Easting: 2667.9 Elevation: 1174.3
 Length: 53.3 Core: NQ Record: 407

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7358	.0	2.3	2.3	39	4A34	2	3.46	8.20	3.30	4.90	47.0	19.72	-1.00
7359	2.3	4.4	2.1	86	4A3	2	3.35	3.53	1.48	2.05	24.0	20.56	-1.00
7360	4.4	6.1	1.7	100	4C0	3	3.46	.88	.13	.75	10.0	24.59	-1.00
7361	6.1	7.6	1.5	93	4C0	3	3.41	.61	.08	.53	11.0	23.77	-1.00
7362	7.6	9.5	1.9	95	4C0	3	3.57	2.31	.91	1.40	30.0	26.65	-1.00
0	9.5	18.3	8.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7363	18.3	20.7	2.4	79	4E1	5	-1.00	1.49	.67	.82	27.0	-1.00	-1.00
7364	20.7	22.9	2.2	95	4E1	5	-1.00	.79	.14	.65	31.0	-1.00	-1.00
7365	22.9	25.3	2.4	92	4C3	3	3.56	1.29	.12	1.17	14.0	23.89	-1.00
7366	25.3	27.4	2.1	95	4C5	3	3.62	3.20	1.57	1.63	46.0	24.17	-1.00
7367	27.4	30.1	2.7	81	4C3	3	-1.00	.84	.12	.72	20.0	-1.00	-1.00
7368	30.1	32.5	2.4	92	4C3	3	-1.00	.49	.07	.42	12.0	-1.00	-1.00
7369	32.5	33.1	.6	100	4C0	3	3.08	.37	.03	.34	30.0	17.55	-1.00
7370	33.1	35.0	1.9	100	4C3	3	3.64	.60	.07	.53	17.0	26.35	-1.00
7371	35.0	36.9	1.9	100	4E1	5	3.99	3.27	1.25	2.02	33.0	35.33	-1.00
7372	36.9	39.6	2.7	85	4E1	5	4.49	4.06	1.46	2.60	36.0	40.02	-1.00
7373	39.6	41.7	2.1	95	4E1	5	4.21	2.09	1.00	1.09	31.0	38.19	-1.00
0	41.7	53.3	11.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU166 Section:
 Northing: 6637.6 Easting: 2824.8 Elevation: 1094.9
 Length: 182.9 Core: NQ Record: 408

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	35.1	35.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14056	35.1	37.8	2.7	89	4EAC	5	3.46	9.82	3.62	6.20	69.0	14.10	-1.00
14057	37.8	40.2	2.4	100	4AC	2	3.35	4.48	2.26	2.22	36.0	14.96	-1.00
0	40.2	47.1	6.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14058	47.1	49.1	2.0	90	4C5	3	2.97	2.54	.93	1.61	20.0	5.60	-1.00
0	49.1	51.6	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14059	51.6	54.2	2.6	100	4C0	3	2.94	2.77	.92	1.85	19.0	5.25	-1.00
0	54.2	113.5	59.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14060	113.5	115.3	1.8	100	4AG	2	3.73	7.46	2.71	4.75	55.0	14.98	-1.00
14061	115.3	117.3	2.0	100	4E4	5	4.36	7.11	2.98	4.13	60.0	29.70	-1.00
14062	117.3	119.3	2.0	90	4E4	5	4.33	6.01	2.56	3.45	56.0	31.76	-1.00
14063	119.3	120.2	.9	100	4E4	5	4.20	7.71	2.96	4.75	71.0	25.99	-1.00
0	120.2	121.9	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14064	121.9	123.6	1.7	88	4A0	2	-1.00	2.63	1.03	1.60	20.0	-1.00	-1.00
0	123.6	130.3	6.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14065	130.3	132.3	2.0	100	4C0	3	-1.00	.95	.35	.60	9.0	-1.00	-1.00
14066	132.3	134.3	2.0	100	4C0	3	-1.00	3.25	1.19	2.06	25.0	-1.00	-1.00
14067	134.3	136.1	1.8	89	4C0	3	-1.00	1.33	.49	.84	12.0	-1.00	-1.00
0	136.1	138.3	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14068	138.3	140.0	1.7	100	4A30	2	3.29	3.62	1.51	2.11	30.0	16.43	-1.00
14069	140.0	141.7	1.7	100	4A34	2	3.52	12.60	5.00	7.60	80.0	15.53	-1.00
14070	141.7	143.5	1.8	94	4A34	2	3.39	7.76	3.44	4.32	55.0	15.44	-1.00
14071	143.5	145.9	2.4	100	4C3	3	-1.00	1.42	.57	.85	20.0	-1.00	-1.00
14072	145.9	148.3	2.4	100	4C3	3	-1.00	1.10	.51	.59	22.0	-1.00	-1.00
14073	148.3	150.9	2.6	54	4E0	5	4.67	2.36	1.48	.88	34.0	38.40	-1.00
14074	150.9	151.5	.6	100	4A4	2	3.56	9.09	3.89	5.20	61.0	18.10	-1.00
0	151.5	182.9	31.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU167 Section:
 Northing: 6091.4 Easting: 2668.0 Elevation: 1176.9
 Length: 61.8 Core: NQ Record: 409

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	.9	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7343	.9	1.8	.9	100	4CE	3	-1.00	.96	.21	.75	9.0	-1.00	-1.00
7344	1.8	4.0	2.2	86	4CE	3	3.54	1.31	.28	1.03	19.0	22.28	-1.00
7345	4.0	6.1	2.1	100	4CE	3	3.61	3.67	1.37	2.30	33.0	22.58	-1.00
0	6.1	11.6	5.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7346	11.6	12.8	1.2	100	4H14	8	3.50	11.10	5.10	6.00	84.0	18.75	-1.00
0	12.8	32.2	19.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7347	32.2	34.4	2.2	59	4G4	7	4.26	13.60	5.00	8.60	76.0	22.71	-1.00
7348	34.4	36.6	2.2	95	4G4	7	4.83	11.00	4.40	6.60	68.0	27.62	-1.00
7349	36.6	38.3	1.7	100	4E46	5	4.71	8.50	3.90	4.60	60.0	38.52	-1.00
7350	38.3	40.0	1.7	88	4E46	5	4.57	11.00	4.40	6.60	87.0	29.17	-1.00
7351	40.0	42.1	2.1	100	4G4	7	4.54	11.30	4.20	7.10	77.0	18.91	-1.00
7352	42.1	42.6	.5	100	5A16	30	3.33	6.60	2.80	3.80	60.0	11.42	-1.00
7353	42.6	44.3	1.7	100	4G4	7	4.51	16.40	5.70	10.70	102.0	17.24	-1.00
7354	44.3	45.7	1.4	100	4E46	5	4.46	12.30	5.10	7.20	79.0	34.98	-1.00
7355	45.7	46.2	.5	100	4G4	7	4.53	20.80	8.10	12.70	139.0	20.57	-1.00
7356	46.2	48.1	1.9	79	4E4	5	4.29	23.10	9.00	14.10	133.0	26.20	-1.00
7357	48.1	49.2	1.1	82	4G4	7	4.26	18.70	6.10	12.60	101.0	21.20	-1.00
0	49.2	61.8	12.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU168 Section:
 Northing: 6636.4 Easting: 2823.3 Elevation: 1094.9
 Length: 166.5 Core: NQ Record: 410

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
14001	.0	1.9	1.9	-1	4A4	2	3.99	21.90	5.80	16.10	138.0	18.77	-1.00
14002	1.9	3.8	1.9	-1	4A4	2	3.08	11.64	2.84	8.80	53.0	6.00	-1.00
14003	3.8	5.7	1.9	-1	4A4	2	3.21	13.43	4.03	9.40	74.0	8.14	-1.00
14004	5.7	7.6	1.9	-1	4A4	2	3.10	11.29	2.99	8.30	54.0	5.87	-1.00
0	7.6	30.9	23.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14005	30.9	32.0	1.1	-1	4E4\$	5	4.02	18.60	5.20	13.40	98.0	20.50	-1.00
0	32.0	33.5	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14006	33.5	34.0	.5	-1	4K4	6	3.94	13.81	4.41	9.40	84.0	21.12	-1.00
14007	34.0	36.7	2.7	-1	4A4	2	3.33	10.54	3.74	6.80	71.0	11.97	-1.00
14008	36.7	38.1	1.4	-1	4D3	3	3.63	6.82	2.58	4.24	59.0	21.85	-1.00
0	38.1	109.5	71.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14009	109.5	110.0	.5	-1	4L14	52	-1.00	.50	.34	.16	7.0	-1.00	-1.00
14010	110.0	110.8	.8	-1	4A0	2	-1.00	.40	.23	.17	7.0	-1.00	-1.00
14011	110.8	113.9	3.1	-1	4A1	2	-1.00	.88	.53	.35	14.0	-1.00	-1.00
14012	113.9	114.6	.7	-1	5D4*	47	-1.00	.43	.16	.27	6.0	-1.00	-1.00
14013	114.6	116.6	2.0	-1	4A1	2	-1.00	1.82	.84	.98	20.0	-1.00	-1.00
14014	116.6	118.9	2.3	-1	4E4	5	4.62	12.42	4.42	8.00	90.0	24.75	-1.00
14015	118.9	121.2	2.3	-1	4G4	7	4.67	14.80	5.20	9.60	92.0	16.76	-1.00
14016	121.2	123.4	2.2	-1	4G4	7	4.65	14.30	5.30	9.00	103.0	19.23	-1.00
14017	123.4	124.5	1.1	-1	4E4	5	4.78	10.53	4.03	6.50	103.0	31.48	-1.00
0	124.5	133.9	9.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14018	133.9	136.0	2.1	-1	4EG	7	4.61	4.92	2.47	2.45	46.0	37.60	-1.00
14019	136.0	138.1	2.1	-1	4EG	7	4.78	5.97	2.40	3.57	62.0	36.40	-1.00
14020	138.1	140.3	2.2	-1	4G4	7	4.67	12.36	4.03	8.33	85.0	24.70	-1.00
14021	140.3	142.4	2.1	-1	4G4	7	4.73	13.67	4.67	9.00	84.0	17.85	-1.00
14022	142.4	144.5	2.1	-1	4G4	7	4.59	14.70	5.70	9.00	94.0	23.98	-1.00
14023	144.5	145.3	.8	-1	4A34	2	3.35	6.80	2.48	4.32	45.0	14.73	-1.00
0	145.3	145.9	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14024	145.9	147.8	1.9	-1	4A1	2	-1.00	.92	.25	.67	11.0	-1.00	-1.00
0	147.8	150.0	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14025	150.0	150.4	.4	-1	4C0	3	-1.00	.29	.12	.17	9.0	-1.00	-1.00
14026	150.4	152.5	2.1	-1	4A0	2	-1.00	2.25	.84	1.41	22.0	-1.00	-1.00
14027	152.5	154.1	1.6	-1	4E46	5	4.48	8.95	3.25	5.70	57.0	30.10	-1.00
14028	154.1	155.4	1.3	-1	4D45	3	3.73	12.54	3.94	8.60	81.0	21.03	-1.00
14029	155.4	156.5	1.1	-1	4D4	3	3.75	11.40	4.80	6.60	81.0	20.90	-1.00
0	156.5	166.5	10.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU169 Section:
 Northing: 6031.5 Easting: 2663.6 Elevation: 1182.5
 Length: 45.7 Core: NQ Record: 411

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7160	.0	4.6	4.6	41	4CA3	3	-1.00	.66	.02	.64	11.0	-1.00	-1.00
7161	4.6	6.6	2.0	90	4CA3	3	-1.00	.69	.26	.43	12.0	-1.00	-1.00
7162	6.6	9.6	3.0	70	4A31	2	-1.00	.44	.04	.40	10.0	-1.00	-1.00
7163	9.6	12.6	3.0	13	4A31	2	-1.00	.70	.04	.66	10.0	-1.00	-1.00
7164	12.6	15.6	3.0	60	4A31	2	-1.00	.24	.04	.20	10.0	-1.00	-1.00
7165	15.6	18.6	3.0	70	4A31	2	-1.00	.43	.11	.32	14.0	-1.00	-1.00
7166	18.6	21.6	3.0	60	4A31	2	-1.00	.21	.04	.17	7.0	-1.00	-1.00
7167	21.6	24.6	3.0	70	4A31	2	-1.00	.31	.13	.18	10.0	-1.00	-1.00
7168	24.6	27.6	3.0	80	4A31	2	-1.00	.21	.05	.16	6.0	-1.00	-1.00
7169	27.6	30.6	3.0	83	4A31	2	-1.00	.15	.02	.13	5.0	-1.00	-1.00
7170	30.6	33.6	3.0	100	4A31	2	-1.00	.17	.01	.16	5.0	-1.00	-1.00
7171	33.6	36.6	3.0	100	4A31	2	-1.00	.24	.01	.23	7.0	-1.00	-1.00
7172	36.6	39.6	3.0	87	4A31	2	-1.00	.17	.01	.16	6.0	-1.00	-1.00
7173	39.6	42.6	3.0	73	4A31	2	-1.00	.14	.01	.13	6.0	-1.00	-1.00
7174	42.6	45.7	3.1	52	4A31	2	-1.00	.26	.02	.24	5.0	-1.00	-1.00

Drill Hole: AGU170 Section:
 Northing: 6698.8 Easting: 2768.7 Elevation: 1089.2 -
 Length: 96.2 Core: NQ Record: 412

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.0	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14214	1.0	2.9	1.9	84	4A34	2	3.30	5.86	2.14	3.72	46.0	11.65	-1.00
14215	2.9	4.8	1.9	95	4A34	2	3.56	11.22	3.92	7.30	70.0	15.94	-1.00
14216	4.8	6.7	1.9	100	4A34	2	3.43	5.50	2.10	3.40	50.0	15.46	-1.00
14217	6.7	8.7	2.0	95	4A34	2	3.53	8.40	2.80	5.60	59.0	15.05	-1.00
14218	8.7	10.7	2.0	95	4C5	3	2.98	2.18	.88	1.30	15.0	3.15	-1.00
14219	10.7	12.7	2.0	100	4C5	3	3.02	4.20	1.76	2.44	29.0	2.37	-1.00
14220	12.7	14.7	2.0	85	4D5	3	3.07	6.66	3.39	3.27	80.0	3.03	-1.00
14221	14.7	16.7	2.0	75	4D5	3	3.10	5.94	1.83	4.11	36.0	3.14	-1.00
14222	16.7	18.7	2.0	90	4D5	3	3.08	7.18	3.52	3.66	94.0	2.61	-1.00
14223	18.7	20.7	2.0	75	4C5	3	3.06	3.97	.91	3.06	19.0	2.36	-1.00
14224	20.7	23.0	2.3	87	4C5	3	-1.00	1.77	.46	1.31	9.0	-1.00	-1.00
14225	23.0	25.1	2.1	90	4C5	3	-1.00	1.13	.30	.83	7.0	-1.00	-1.00
14226	25.1	27.5	2.4	83	4C5	3	3.01	3.75	1.44	2.31	24.0	3.01	-1.00
14227	27.5	29.2	1.7	82	4C5	3	3.03	2.06	.79	1.27	16.0	3.89	-1.00
0	29.2	30.4	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14228	30.4	32.8	2.4	17	4A0	2	3.53	4.97	1.41	3.56	29.0	14.06	-1.00
14229	32.8	34.0	1.2	50	4KEA	6	3.36	12.81	4.01	8.80	83.0	9.34	-1.00
14230	34.0	35.9	1.9	53	4KE	6	3.88	19.20	6.80	12.40	120.0	17.18	-1.00
0	35.9	37.0	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14231	37.0	37.9	.9	100	4D\$4	3	3.98	13.05	3.95	9.10	75.0	20.22	-1.00
14232	37.9	40.7	2.8	89	4A34	2	3.31	10.68	4.98	5.70	81.0	10.72	-1.00
14233	40.7	43.0	2.3	70	4K4	6	3.53	10.85	3.35	7.50	59.0	5.63	-1.00
14234	43.0	45.7	2.7	85	4K4	6	3.73	6.54	2.22	4.32	46.0	21.08	-1.00
14235	45.7	46.7	1.0	90	4E4	5	3.97	15.90	6.30	9.60	134.0	20.89	-1.00
14236	46.7	48.7	2.0	85	4A4	2	3.36	11.82	4.82	7.00	80.0	11.25	-1.00
14237	48.7	50.3	1.6	63	4AE	2	3.39	5.04	1.94	3.10	40.0	14.49	-1.00
14238	50.3	52.5	2.2	91	4A34	2	3.32	11.30	4.80	6.50	73.0	11.63	-1.00
14239	52.5	54.8	2.3	87	4A34	2	3.40	7.22	3.31	3.91	52.0	16.58	-1.00
0	54.8	96.2	41.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU171 Section:
 Northing: 6031.3 Easting: 2659.0 Elevation: 1182.3
 Length: 30.5 Core: NQ Record: 413

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8139	.0	3.2	3.2	75	4EC8	5	-1.00	.37	.04	.33	11.0	-1.00	-1.00
8140	3.2	6.5	3.3	67	4EC8	5	-1.00	.43	.03	.40	8.0	-1.00	-1.00
0	6.5	15.1	8.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8141	15.1	17.0	1.9	95	5D4	47	3.14	5.21	2.21	3.00	30.0	10.37	-1.00
8142	17.0	17.7	.7	100	4G4	7	4.17	16.00	6.80	9.20	133.0	24.71	-1.00
0	17.7	30.5	12.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU172 Section:
 Northing: 6636.3 Easting: 2822.6 Elevation: 1095.2
 Length: 121.9 Core: NQ Record: 414

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
12949	.0	2.4	2.4	42	4A4	2	3.17	9.98	3.48	6.50	68.0	6.47	-1.00
12950	2.4	4.9	2.5	64	4E4	5	4.01	23.20	6.80	16.40	154.0	15.66	-1.00
12951	4.9	6.0	1.1	100	4A4	2	3.06	7.18	2.72	4.46	66.0	4.54	-1.00
12952	6.0	6.6	.6	100	4E154	5	3.37	16.15	3.65	12.50	73.0	10.73	-1.00
0	6.6	14.3	7.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12953	14.3	16.2	1.9	100	4A4	2	3.60	21.10	7.10	14.00	142.0	10.81	-1.00
12954	16.2	18.1	1.9	100	4A4	2	3.39	13.20	6.40	6.80	121.0	8.98	-1.00
12955	18.1	20.0	1.9	100	4A4	2	3.23	9.87	3.87	6.00	67.0	7.77	-1.00
12956	20.0	21.9	1.9	89	4A4	2	3.24	10.22	3.12	7.10	59.0	8.62	-1.00
12957	21.9	23.8	1.9	100	4A4	2	-1.00	7.78	3.68	4.10	70.0	-1.00	-1.00
12958	23.8	25.7	1.9	100	4A4	2	3.10	10.42	1.72	8.70	35.0	7.67	-1.00
12959	25.7	27.6	1.9	100	4A4	2	3.22	8.95	3.35	5.60	61.0	6.83	-1.00
12960	27.6	29.5	1.9	79	4A4	2	3.24	6.27	2.22	4.05	43.0	9.11	-1.00
12961	29.5	31.4	1.9	100	4A4	2	3.14	10.90	1.80	9.10	31.0	6.96	-1.00
12962	31.4	33.2	1.8	100	4A4	2	3.45	12.14	4.24	7.90	78.0	11.85	-1.00
0	33.2	35.5	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12963	35.5	37.3	1.8	100	4A4	2	3.35	11.83	3.43	8.40	69.0	10.81	-1.00
12964	37.3	39.0	1.7	100	4A4	2	3.22	9.84	2.84	7.00	57.0	9.34	-1.00
12965	39.0	40.5	1.5	100	4A4	2	3.67	7.76	2.76	5.00	58.0	18.19	-1.00
0	40.5	40.9	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12966	40.9	41.4	.5	80	4E*	5	-1.00	2.32	.94	1.38	22.0	-1.00	-1.00
0	41.4	49.4	8.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12967	49.4	51.3	1.9	100	4A4	2	3.49	12.10	5.10	7.00	81.0	13.01	-1.00
12968	51.3	53.2	1.9	100	4A4	2	3.41	16.90	6.80	10.10	105.0	9.09	-1.00
12969	53.2	55.1	1.9	100	4A4	2	3.28	12.86	4.06	8.80	71.0	8.88	-1.00
12970	55.1	57.0	1.9	100	4A4	2	3.34	9.23	2.73	6.50	53.0	11.83	-1.00
12971	57.0	58.9	1.9	100	4A4	2	3.47	13.43	4.83	8.60	87.0	11.71	-1.00
12972	58.9	60.8	1.9	100	4A4	2	3.34	5.77	2.03	3.74	39.0	13.17	-1.00
12973	60.8	62.7	1.9	100	4A0	2	3.39	1.75	.48	1.27	12.0	16.84	-1.00
12974	62.7	64.6	1.9	100	4A0	2	-1.00	2.50	.68	1.82	16.0	-1.00	-1.00
0	64.6	90.0	25.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12975	90.0	92.2	2.2	91	4L14	52	-1.00	.93	.30	.63	6.0	-1.00	-1.00
12976	92.2	94.5	2.3	100	4L14	52	-1.00	.75	.31	.44	8.0	-1.00	-1.00
12977	94.5	96.5	2.0	100	4A4	2	3.38	6.99	3.03	3.96	51.0	14.08	-1.00
12978	96.5	98.5	2.0	100	4A4	2	3.42	6.59	2.89	3.70	44.0	15.36	-1.00
12979	98.5	100.5	2.0	100	4A3	2	3.83	4.02	1.91	2.11	40.0	17.63	-1.00
12980	100.5	102.5	2.0	100	4A3	2	-1.00	1.14	.48	.66	23.0	-1.00	-1.00
12981	102.5	104.5	2.0	100	4A4	2	3.53	7.37	3.59	3.78	43.0	8.99	-1.00
12982	104.5	106.5	2.0	100	4A0	2	3.73	4.38	1.61	2.77	29.0	14.29	-1.00
12983	106.5	108.5	2.0	100	4A34	2	3.83	5.68	2.75	2.93	49.0	16.44	-1.00
12984	108.5	110.5	2.0	100	4A0	2	3.82	3.30	1.11	2.19	25.0	18.15	-1.00
12985	110.5	112.5	2.0	100	4A0	2	3.52	1.99	.83	1.16	19.0	12.23	-1.00
12986	112.5	114.0	1.5	100	4A0	2	3.79	3.51	2.67	.84	41.0	16.78	-1.00
12987	114.0	115.7	1.7	100	4A3	2	-1.00	.97	.35	.62	22.0	-1.00	-1.00

12988	115.7	116.6	.9	100	4E4	5	5.18	25.20	9.70	15.50	172.0	23.90	-1.00
12989	116.6	117.3	.7	100	4EG	7	5.36	10.22	3.52	6.70	107.0	27.66	-1.00
12990	117.3	118.7	1.4	100	4E4	5	4.62	5.29	2.61	2.68	49.0	36.82	-1.00
12991	118.7	120.1	1.4	100	4E0	5	4.78	4.40	2.24	2.16	52.0	39.82	-1.00
12992	120.1	121.9	1.8	100	4GE4	7	4.59	12.86	4.16	8.70	74.0	27.68	-1.00

Drill Hole: AGU173 Section:
 Northing: 6031.4 Easting: 2659.6 Elevation: 1182.2
 Length: 57.9 Core: NQ Record: 415

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7138	.0	3.0	3.0	20	4DE	3	3.59	4.98	1.38	3.60	32.0	23.59	-1.00
0	3.0	13.8	10.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
7139	13.8	15.8	2.0	75	4CL	3	3.07	.66	.21	.45	6.0	13.19	-1.00
7140	15.8	18.3	2.5	36	4A31	2	2.90	1.34	.53	.81	8.0	5.92	-1.00
7141	18.3	20.0	1.7	41	5A0	30	-1.00	.72	.27	.45	7.0	-1.00	-1.00
7142	20.0	20.8	.8	63	5B0	40	-1.00	.03	.01	.02	2.0	-1.00	-1.00
7143	20.8	22.8	2.0	90	4A0	2	-1.00	1.04	.32	.72	8.0	-1.00	-1.00
7144	22.8	24.8	2.0	95	4A0	2	-1.00	.43	.05	.38	2.0	-1.00	-1.00
7145	24.8	26.9	2.1	62	4A0	2	-1.00	.45	.18	.27	6.0	-1.00	-1.00
7146	26.9	29.0	2.1	43	4A0	2	-1.00	.12	.06	.06	3.0	-1.00	-1.00
7147	29.0	31.5	2.5	84	4L1?	52	-1.00	.03	.02	.01	2.0	-1.00	-1.00
7148	31.5	34.5	3.0	83	4A0	2	-1.00	1.20	.97	.23	20.0	-1.00	-1.00
7149	34.5	37.0	2.5	100	4E8	5	-1.00	.06	.04	.02	50.0	-1.00	-1.00
7150	37.0	39.1	2.1	95	4GL	7	3.39	3.33	1.58	1.75	27.0	18.83	-1.00
7151	39.1	40.1	1.0	90	4L13	52	-1.00	.04	.01	.03	3.0	-1.00	-1.00
7152	40.1	41.2	1.1	100	4A3	2	-1.00	.36	.16	.20	12.0	-1.00	-1.00
7153	41.2	42.4	1.2	92	4E0	5	-1.00	.84	.45	.39	16.0	-1.00	-1.00
7154	42.4	45.7	3.3	97	4EL8	5	4.37	2.76	1.39	1.37	33.0	23.87	-1.00
7155	45.7	47.4	1.7	100	4E81	5	4.53	.89	.50	.39	20.0	35.40	-1.00
7156	47.4	49.4	2.0	90	4LD	52	3.60	2.27	1.04	1.23	23.0	15.00	-1.00
7157	49.4	51.8	2.4	46	4A3	2	-1.00	.65	.19	.46	9.0	-1.00	-1.00
7158	51.8	54.1	2.3	78	4AE	2	-1.00	.38	.14	.24	7.0	-1.00	-1.00
7159	54.1	56.4	2.3	70	4AE	2	-1.00	.11	.03	.08	4.0	-1.00	-1.00
0	56.4	57.9	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU174 Section:
 Northing: 6638.0 Easting: 2825.2 Elevation: 1098.7
 Length: 28.0 Core: NQ Record: 416

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	18.3	18.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14094	18.3	19.9	1.6	94	4DA	3	-1.00	8.57	3.27	5.30	51.0	-1.00	-1.00
0	19.9	27.2	7.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14095	27.2	27.7	.5	100	4D54	3	-1.00	13.06	4.16	8.90	75.0	-1.00	-1.00
14096	27.7	28.0	.3	100	4E0	5	-1.00	2.39	1.29	1.10	43.0	-1.00	-1.00

Drill Hole: AGU175 Section:
 Northing: 6031.5 Easting: 2663.5 Elevation: 1181.7
 Length: 58.3 Core: NQ Record: 417

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8124	.0	1.3	1.3	77	4E81	5	-1.00	.75	.15	.60	19.0	-1.00	-1.00
8125	1.3	4.2	2.9	62	4C0	3	-1.00	.83	.08	.75	10.0	-1.00	-1.00
8126	4.2	7.2	3.0	100	4A31	2	-1.00	.59	.06	.53	13.0	-1.00	-1.00
0	7.2	12.4	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8127	12.4	15.4	3.0	100	4A31	2	-1.00	.56	.06	.50	13.0	-1.00	-1.00
0	15.4	17.4	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8128	17.4	19.4	2.0	75	4A3	2	-1.00	.18	.02	.16	5.0	-1.00	-1.00
8129	19.4	21.4	2.0	85	4A3	2	-1.00	.27	.07	.20	7.0	-1.00	-1.00
8130	21.4	24.4	3.0	90	4A31	2	-1.00	.18	.03	.15	5.0	-1.00	-1.00
0	24.4	27.5	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8131	27.5	30.5	3.0	97	4A31	2	-1.00	.30	.04	.26	4.0	-1.00	-1.00
0	30.5	32.4	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8132	32.4	35.4	3.0	100	4A31	2	3.32	4.98	1.88	3.10	39.0	18.55	-1.00
0	35.4	40.7	5.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8133	40.7	43.7	3.0	100	4A34	2	3.01	18.10	6.50	11.60	125.0	9.93	-1.00
8134	43.7	45.6	1.9	100	4C0	3	3.94	.65	.15	.50	11.0	30.54	-1.00
8135	45.6	47.5	1.9	100	4A31	2	3.18	.75	.30	.45	12.0	14.10	-1.00
8136	47.5	49.4	1.9	100	4A31	2	-1.00	.19	.10	.09	6.0	-1.00	-1.00
8137	49.4	50.3	.9	67	4A3	2	-1.00	.39	.05	.34	3.0	-1.00	-1.00
8138	50.3	53.3	3.0	100	4A31	2	-1.00	.26	.03	.23	5.0	-1.00	-1.00
0	53.3	58.3	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU176 Section:
 Northing: 6696.4 Easting: 2814.0 Elevation: 1090.1
 Length: 170.0 Core: NQ Record: 418

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	27.9	27.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14340	27.9	29.5	1.6	87	4A4	2	3.16	12.19	3.89	8.30	74.0	7.62	-1.00
14341	29.5	30.9	1.4	79	4A4	2	3.21	10.60	3.20	7.40	78.0	6.98	-1.00
0	30.9	58.6	27.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14342	58.6	61.1	2.5	68	4A34	2	3.50	13.17	4.77	8.40	77.0	13.85	-1.00
14343	61.1	62.8	1.7	88	4E4	5	3.83	5.16	1.74	3.42	39.0	23.36	-1.00
0	62.8	110.0	47.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14344	110.0	111.6	1.6	94	4AL	2	-1.00	1.44	.59	.85	16.0	-1.00	-1.00
14345	111.6	113.2	1.6	100	4A0	2	-1.00	1.86	.87	.99	20.0	-1.00	-1.00
14346	113.2	115.7	2.5	100	4A31	2	-1.00	1.32	.70	.62	24.0	-1.00	-1.00
14347	115.7	117.3	1.6	87	4E46	5	-1.00	13.00	5.00	8.00	77.0	-1.00	-1.00
0	117.3	150.8	33.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14348	150.8	152.7	1.9	95	4E46	5	4.55	11.64	4.44	7.20	78.0	23.92	-1.00
14349	152.7	154.6	1.9	100	4E46	5	5.02	15.90	6.40	9.50	119.0	26.59	-1.00
14350	154.6	157.0	2.4	92	4E4	5	4.67	6.95	3.10	3.85	50.0	36.94	-1.00
14351	157.0	159.5	2.5	96	4E0	5	4.54	4.91	1.82	3.09	38.0	35.25	-1.00
14352	159.5	162.0	2.5	100	4A34	2	3.57	12.58	4.28	8.30	75.0	15.74	-1.00
0	162.0	170.0	8.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU177 Section:
 Northing: 6031.3 Easting: 2663.1 Elevation: 1184.5
 Length: 65.5 Core: NQ Record: 419

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
7175	.0	3.1	3.1	90	4CL	3	-1.00	.43	.13	.30	110.0	-1.00	-1.00
7176	3.1	6.3	3.2	91	4A31	2	3.38	2.17	1.00	1.17	20.0	15.75	-1.00
7177	6.3	8.0	1.7	88	4CL	3	-1.00	1.84	.84	1.00	19.0	-1.00	-1.00
7178	8.0	10.5	2.5	92	4A31	2	-1.00	1.03	.28	.75	12.0	-1.00	-1.00
7179	10.5	13.0	2.5	92	4A31	2	-1.00	.67	.16	.51	9.0	-1.00	-1.00
7180	13.0	15.5	2.5	76	4A31	2	-1.00	.56	.06	.50	6.0	-1.00	-1.00
7181	15.5	18.0	2.5	100	4A31	2	-1.00	1.43	.61	.82	20.0	-1.00	-1.00
7182	18.0	20.5	2.5	96	4A31	2	-1.00	.33	.07	.26	9.0	-1.00	-1.00
7183	20.5	23.1	2.6	100	4A31	2	-1.00	.22	.07	.15	12.0	-1.00	-1.00
7184	23.1	25.7	2.6	100	4A31	2	-1.00	.36	.06	.30	12.0	-1.00	-1.00
7185	25.7	28.3	2.6	42	4A31	2	-1.00	.36	.09	.27	6.0	-1.00	-1.00
7186	28.3	30.9	2.6	88	4A31	2	-1.00	.51	.13	.38	9.0	-1.00	-1.00
7187	30.9	33.5	2.6	100	4A31	2	-1.00	.39	.14	.25	8.0	-1.00	-1.00
7188	33.5	36.1	2.6	77	4A31	2	-1.00	.60	.26	.34	7.0	-1.00	-1.00
7189	36.1	39.3	3.2	87	5D4*	47	2.97	4.32	1.62	2.70	23.0	7.09	-1.00
7190	39.3	41.2	1.9	63	4A3	2	-1.00	.48	.14	.34	6.0	-1.00	-1.00
7191	41.2	43.2	2.0	75	4A3	2	-1.00	.17	.03	.14	3.0	-1.00	-1.00
7192	43.2	45.2	2.0	100	4A3	2	-1.00	.23	.09	.14	4.0	-1.00	-1.00
7193	45.2	47.2	2.0	100	4A3	2	-1.00	1.23	.54	.69	13.0	-1.00	-1.00
7194	47.2	48.8	1.6	94	4C3	3	-1.00	.22	.10	.12	6.0	-1.00	-1.00
7195	48.8	50.6	1.8	100	4A34	2	3.33	6.40	2.80	3.60	44.0	18.15	-1.00
7196	50.6	51.9	1.3	92	4C3	3	-1.00	.15	.06	.09	7.0	-1.00	-1.00
7197	51.9	54.7	2.8	82	4A3	2	-1.00	.14	.06	.08	10.0	-1.00	-1.00
7198	54.7	57.4	2.7	85	4A3	2	-1.00	.19	.08	.11	12.0	-1.00	-1.00
7199	57.4	60.5	3.1	48	4A3	2	-1.00	.11	.05	.06	13.0	-1.00	-1.00
0	60.5	65.5	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU178 Section:
 Northing: 6696.0 Easting: 2814.4 Elevation: 1094.3
 Length: 79.5 Core: NQ Record: 420

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
14297	.0	4.7	4.7	40	4D5	3	3.33	11.36	4.06	7.30	63.0	10.56	-1.00
14298	4.7	6.7	2.0	100	4D5	3	3.24	6.11	1.71	4.40	35.0	11.52	-1.00
14299	6.7	8.7	2.0	90	4D5	3	3.16	8.65	2.85	5.80	47.0	7.72	-1.00
14300	8.7	10.7	2.0	100	4A4	2	3.19	14.55	4.95	9.60	90.0	5.66	-1.00
14301	10.7	13.5	2.8	89	4A4	2	3.09	5.41	2.32	3.09	36.0	8.39	-1.00
14302	13.5	15.4	1.9	100	4C0	3	3.08	.78	.42	.36	13.0	10.07	-1.00
14303	15.4	17.4	2.0	95	4A0	2	2.97	4.36	3.29	1.07	39.0	4.90	-1.00
14304	17.4	19.2	1.8	100	4C0	3	3.03	4.31	3.09	1.22	36.0	6.49	-1.00
0	19.2	20.1	.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14305	20.1	22.3	2.2	100	4D0	3	3.00	5.03	2.65	2.38	35.0	5.00	-1.00
14306	22.3	24.5	2.2	95	4C0	3	2.98	2.71	1.16	1.55	19.0	5.20	-1.00
14307	24.5	26.0	1.5	100	4C0	3	3.03	3.91	1.49	2.42	24.0	5.70	-1.00
14308	26.0	27.5	1.5	100	4D5	3	2.95	6.33	2.50	3.83	43.0	2.50	-1.00
14309	27.5	29.0	1.5	93	4C5	3	2.88	3.89	1.33	2.56	26.0	1.40	-1.00
0	29.0	32.8	3.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14310	32.8	34.8	2.0	100	4A0	2	-1.00	2.20	.88	1.32	11.0	-1.00	-1.00
14311	34.8	37.4	2.6	100	4A0	2	2.96	4.01	1.99	2.02	27.0	4.20	-1.00
14312	37.4	39.7	2.3	100	4ADE	2	3.27	9.04	3.04	6.00	50.0	11.14	-1.00
0	39.7	64.8	25.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14313	64.8	66.0	1.2	100	4CA	3	3.12	4.34	2.37	1.97	32.0	9.22	-1.00
14314	66.0	67.3	1.3	100	5D4*	47	3.01	2.66	.88	1.78	16.0	7.70	-1.00
14315	67.3	68.6	1.3	62	4DE	3	3.45	6.97	2.17	4.80	47.0	20.80	-1.00
0	68.6	79.5	10.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU179 Section:
 Northing: 6031.8 Easting: 2660.6 Elevation: 1185.1
 Length: 51.8 Core: NQ Record: 421

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
8536	.0	2.2	2.2	77	4C3	3	3.65	3.27	1.60	1.67	26.0	23.86	-1.00
8537	2.2	4.6	2.4	96	4C3	3	3.74	1.31	.28	1.03	16.0	28.29	-1.00
8538	4.6	5.3	.7	100	5B6	40	2.95	.75	.24	.51	5.0	6.73	-1.00
8539	5.3	6.3	1.0	100	4C0	3	3.45	5.20	2.00	3.20	41.0	21.70	-1.00
8540	6.3	7.9	1.6	88	4EA4	5	3.65	12.30	5.70	6.60	76.0	17.98	-1.00
8541	7.9	9.9	2.0	100	4D4	3	3.79	18.60	7.50	11.10	115.0	17.68	-1.00
8542	9.9	14.0	4.1	56	4D4	3	3.71	31.20	9.60	21.60	152.0	9.86	-1.00
8543	14.0	16.1	2.1	90	4D4	3	3.93	32.00	9.60	22.40	165.0	10.96	-1.00
0	16.1	30.2	14.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
8544	30.2	32.4	2.2	100	4G4	7	4.33	14.10	4.30	9.80	67.0	16.92	-1.00
8545	32.4	34.6	2.2	100	4G0	7	4.60	3.92	1.02	2.90	19.0	23.35	-1.00
8546	34.6	36.9	2.3	100	4G0	7	4.69	9.10	2.60	6.50	31.0	22.34	-1.00
8547	36.9	39.1	2.2	86	4E4	5	4.61	7.90	3.30	4.60	60.0	33.25	-1.00
8548	39.1	41.1	2.0	100	4E4	5	4.67	6.80	3.30	3.50	382.0	37.00	-1.00
8549	41.1	45.7	4.6	22	4E4	5	4.21	7.70	3.80	3.90	51.0	32.72	-1.00
0	45.7	51.8	6.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU180 Section:
 Northing: 6698.7 Easting: 2768.7 Elevation: 1093.4
 Length: 30.5 Core: NQ Record: 422

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
14285	.0	2.1	2.1	19	4A41	2	3.64	16.70	6.00	10.70	91.0	12.90	-1.00
14286	2.1	3.8	1.7	94	4C0	3	-1.00	1.29	.63	.66	10.0	-1.00	-1.00
14287	3.8	5.4	1.6	87	4C0	3	-1.00	1.35	.48	.87	10.0	-1.00	-1.00
14288	5.4	7.0	1.6	81	4A0	2	-1.00	1.02	.29	.73	6.0	-1.00	-1.00
14289	7.0	9.0	2.0	75	4A0	2	-1.00	.84	.29	.55	8.0	-1.00	-1.00
14290	9.0	11.0	2.0	95	4A0	2	-1.00	1.69	.63	1.06	11.0	-1.00	-1.00
14291	11.0	13.1	2.1	67	4A0	2	-1.00	1.51	.35	1.16	7.0	-1.00	-1.00
14292	13.1	15.2	2.1	100	4A0	2	-1.00	.99	.35	.64	13.0	-1.00	-1.00
14293	15.2	17.3	2.1	95	4A0	2	3.03	4.36	1.48	2.88	27.0	7.75	-1.00
14294	17.3	19.0	1.7	94	4A0	2	3.14	3.49	1.44	2.05	28.0	11.79	-1.00
14295	19.0	20.7	1.7	94	4A4	2	3.36	6.83	2.81	4.02	51.0	15.73	-1.00
14296	20.7	22.2	1.5	93	4A34	2	3.35	9.65	4.25	5.40	64.0	12.75	-1.00
0	22.2	30.5	8.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU181 Section:
 Northing: 6212.0 Easting: 2682.2 Elevation: 1161.4
 Length: 68.5 Core: NQ Record: 423

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
5229	.0	1.5	1.5	80	4E4	5	4.52	19.92	6.37	13.55	134.0	27.72	-1.00
5230	1.5	3.0	1.5	100	4E4	5	4.13	24.41	9.20	15.21	149.0	23.81	-1.00
5231	3.0	4.5	1.5	100	4E4	5	4.83	19.36	7.33	12.03	90.0	28.97	-1.00
5232	4.5	6.0	1.5	100	4E4	5	4.84	13.16	4.01	9.15	79.0	36.81	-1.00
5233	6.0	7.4	1.4	100	4E4	5	4.38	18.77	5.95	12.82	94.0	25.94	-1.00
5234	7.4	8.0	.6	100	4G4	7	4.76	14.87	4.86	10.01	113.0	17.04	-1.00
5235	8.0	10.0	2.0	100	4D4	3	3.99	31.10	9.80	21.30	167.0	14.46	-1.00
5236	10.0	11.8	1.8	100	4D4	3	3.85	36.30	12.60	23.70	199.0	10.58	-1.00
0	11.8	49.8	38.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
5237	49.8	51.3	1.5	100	4G4	7	4.42	13.73	4.68	9.05	105.0	22.09	-1.00
5238	51.3	52.8	1.5	93	4G4	7	4.62	18.37	6.47	11.90	106.0	14.65	-1.00
5239	52.8	54.3	1.5	100	4G4	7	4.69	14.92	5.19	9.73	94.0	16.49	-1.00
5240	54.3	55.8	1.5	100	4G4	7	4.32	14.06	4.99	9.07	106.0	14.98	-1.00
5241	55.8	57.3	1.5	100	4G0	7	3.44	7.41	2.20	5.21	44.0	10.84	-1.00
5242	57.3	58.8	1.5	100	4G4	7	4.67	13.85	5.78	8.07	118.0	22.85	-1.00
5243	58.8	60.4	1.6	100	4G4	7	4.61	16.97	7.32	9.65	166.0	25.36	-1.00
0	60.4	68.5	8.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU182 Section:
 Northing: 6693.8 Easting: 2717.2 Elevation: 1088.2
 Length: 153.6 Core: NQ Record: 424

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
14401	.0	3.3	3.3	39	4A0	2	-1.00	1.55	.46	1.09	9.0	-1.00	-1.00
14402	3.3	5.4	2.1	71	4C0	3	-1.00	1.30	.55	.75	11.0	-1.00	-1.00
14403	5.4	6.5	1.1	100	4D5	3	3.12	8.97	4.16	4.81	76.0	7.49	-1.00
14404	6.5	8.6	2.1	86	4A0	2	3.02	5.13	1.79	3.34	31.0	3.40	-1.00
14405	8.6	10.7	2.1	57	4A34	2	3.76	9.78	3.19	6.59	54.0	22.23	-1.00
0	10.7	15.4	4.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14406	15.4	20.5	5.1	41	4A0	2	-1.00	2.21	.65	1.56	13.0	-1.00	-1.00
14407	20.5	22.5	2.0	40	4A0	2	-1.00	1.71	.51	1.20	11.0	-1.00	-1.00
14408	22.5	25.0	2.5	60	4C0	3	-1.00	3.22	1.01	2.21	16.0	-1.00	-1.00
0	25.0	51.8	26.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14409	51.8	53.5	1.7	82	4A1	2	3.36	4.29	1.67	2.62	34.0	16.34	-1.00
14410	53.5	55.1	1.6	63	4C0	3	3.06	2.73	1.08	1.65	24.0	7.80	-1.00
14411	55.1	56.2	1.1	100	4G4	7	4.35	16.40	5.30	11.10	120.0	12.10	-1.00
0	56.2	59.4	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14412	59.4	61.2	1.8	94	4G4	7	4.54	13.82	4.69	9.13	95.0	17.86	-1.00
0	61.2	62.0	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14413	62.0	63.6	1.6	100	4G4	7	4.68	20.80	6.90	13.90	119.0	22.27	-1.00
14414	63.6	65.1	1.5	100	4G4	7	4.70	19.30	6.60	12.70	113.0	16.73	-1.00
14415	65.1	66.9	1.8	100	4E46	5	4.67	13.03	4.83	8.20	104.0	27.40	-1.00
14416	66.9	68.9	2.0	100	4E46	5	4.86	10.07	4.47	5.60	80.0	33.31	-1.00
14417	68.9	70.8	1.9	100	4E44	5	4.62	20.30	7.30	13.00	116.0	23.54	-1.00
0	70.8	142.6	71.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14418	142.6	143.8	1.2	100	4G4	7	-1.00	13.50	5.20	8.30	91.0	-1.00	-1.00
0	143.8	153.6	9.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU183 Section:
 Northing: 6212.1 Easting: 2682.1 Elevation: 1160.6
 Length: 76.2 Core: NQ Record: 425

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
5128	.0	1.6	1.6	-1	4E4	5	4.55	16.63	5.23	11.40	84.0	29.13	-1.00
5129	1.6	3.0	1.4	-1	4A0	2	3.07	4.40	2.57	1.83	43.0	14.84	-1.00
5130	3.0	6.0	3.0	-1	4AC3	2	3.68	4.93	1.75	3.18	34.0	22.71	-1.00
5131	6.0	7.5	1.5	-1	4A34	2	3.42	6.34	2.86	3.48	41.0	17.05	-1.00
5132	7.5	9.7	2.2	-1	4A34	2	3.42	10.59	3.90	6.69	52.0	15.23	-1.00
5133	9.7	11.2	1.5	-1	4E4	5	4.52	18.09	6.09	12.00	93.0	29.61	-1.00
5134	11.2	12.7	1.5	-1	4E4	5	4.45	23.10	8.00	15.10	142.0	25.27	-1.00
5135	12.7	14.2	1.5	-1	4E4	5	4.30	20.42	7.32	13.10	137.0	23.75	-1.00
5136	14.2	15.7	1.5	-1	4E4	5	3.71	11.53	3.90	7.63	78.0	20.00	-1.00
5137	15.7	17.2	1.5	-1	4E4	5	4.09	14.45	4.95	9.50	75.0	25.10	-1.00
5138	17.2	18.3	1.1	-1	4E4	5	4.35	17.77	4.57	13.20	91.0	27.46	-1.00
5139	18.3	20.3	2.0	-1	4D4	3	3.61	27.73	7.13	20.60	177.0	10.84	-1.00
5140	20.3	21.9	1.6	-1	4D4	3	3.54	26.28	8.08	18.20	143.0	9.59	-1.00
0	21.9	76.2	54.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU184 Section:
 Northing: 6693.8 Easting: 2713.7 Elevation: 1088.2
 Length: 167.5 Core: NQ Record: 426

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
14353	.0	2.7	2.7	26	4A0	2	-1.00	2.23	.78	1.45	17.0	-1.00	-1.00
0	2.7	3.2	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14354	3.2	5.0	1.8	100	4CA	3	-1.00	2.30	.58	1.72	13.0	-1.00	-1.00
0	5.0	5.8	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14355	5.8	7.8	2.0	100	4CA	3	-1.00	1.31	.61	.70	12.0	-1.00	-1.00
14356	7.8	9.8	2.0	100	4CA	3	-1.00	2.17	.71	1.46	15.0	-1.00	-1.00
14357	9.8	11.8	2.0	100	4CA	3	-1.00	2.04	.73	1.31	15.0	-1.00	-1.00
14358	11.8	13.8	2.0	100	4ACD	2	3.16	10.23	3.43	6.80	58.0	7.39	-1.00
0	13.8	23.2	9.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14359	23.2	24.7	1.5	60	4A4	2	-1.00	6.90	2.52	4.38	38.0	-1.00	-1.00
0	24.7	26.3	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14360	26.3	27.9	1.6	81	4C0	3	2.97	4.21	1.77	2.44	28.0	6.13	-1.00
14361	27.9	29.3	1.4	93	4A0	2	3.01	3.95	1.31	2.64	22.0	6.61	-1.00
14362	29.3	31.3	2.0	95	4C5	3	-1.00	1.64	.56	1.08	11.0	-1.00	-1.00
14363	31.3	33.3	2.0	100	4C5	3	-1.00	1.67	.71	.96	15.0	-1.00	-1.00
14364	33.3	35.8	2.5	96	4C0	3	-1.00	1.66	.44	1.22	10.0	-1.00	-1.00
14365	35.8	37.6	1.8	100	4A0	2	-1.00	1.76	.67	1.09	13.0	-1.00	-1.00
14366	37.6	39.6	2.0	90	4C0	3	-1.00	2.24	.82	1.42	15.0	-1.00	-1.00
14367	39.6	41.6	2.0	90	4C0	3	-1.00	1.39	.56	.83	11.0	-1.00	-1.00
14368	41.6	42.7	1.1	82	4C0	3	-1.00	1.78	.70	1.08	14.0	-1.00	-1.00
14369	42.7	44.7	2.0	100	4C5	3	-1.00	2.10	.68	1.42	14.0	-1.00	-1.00
14370	44.7	46.7	2.0	90	4C5	3	-1.00	1.55	.50	1.05	10.0	-1.00	-1.00
14371	46.7	49.0	2.3	87	4C5	3	-1.00	1.85	.81	1.04	19.0	-1.00	-1.00
0	49.0	50.5	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14372	50.5	51.8	1.3	54	4C0	3	-1.00	.79	.43	.36	19.0	-1.00	-1.00
14373	51.8	53.8	2.0	100	4A4	2	3.39	15.15	6.35	8.80	95.0	10.41	-1.00
14374	53.8	55.8	2.0	100	4A4	2	3.53	14.80	4.30	10.50	73.0	9.51	-1.00
14375	55.8	57.9	2.1	86	4A4	2	3.42	14.16	4.56	9.60	75.0	12.93	-1.00
14376	57.9	59.2	1.3	100	4E4	5	4.40	10.50	5.00	5.50	80.0	31.27	-1.00
0	59.2	64.3	5.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14377	64.3	66.1	1.8	100	4E44	5	4.50	21.50	7.20	14.30	125.0	24.14	-1.00
14378	66.1	67.8	1.7	94	4E44	5	4.05	27.40	11.00	16.40	148.0	15.82	-1.00
0	67.8	68.6	.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14379	68.6	70.9	2.3	65	4E4	5	3.60	16.90	7.10	9.80	104.0	14.87	-1.00
0	70.9	98.0	27.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14380	98.0	100.6	2.6	100	4ALC	2	3.15	4.11	1.67	2.44	29.0	12.25	-1.00
0	100.6	107.8	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14381	107.8	109.0	1.2	100	4A7	2	-1.00	4.22	1.85	2.37	28.0	-1.00	-1.00
14382	109.0	110.7	1.7	88	4C5	3	-1.00	1.69	.75	.94	13.0	-1.00	-1.00
14383	110.7	111.9	1.2	100	4C57	3	-1.00	1.85	.83	1.02	18.0	-1.00	-1.00
14384	111.9	113.4	1.5	100	4E68	5	4.14	6.68	2.60	4.08	48.0	28.38	-1.00
14385	113.4	114.5	1.1	100	4C5	3	3.47	3.02	1.37	1.65	28.0	22.60	-1.00
14386	114.5	117.1	2.6	96	4AC	2	-1.00	.48	.28	.20	4.0	-1.00	-1.00
14387	117.1	118.2	1.1	100	4C5	3	-1.00	1.61	.66	.95	12.0	-1.00	-1.00

14388	118.2	119.3	1.1	100	4ACD	2	-1.00	4.87	1.69	3.18	30.0	-1.00	-1.00
0	119.3	122.4	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14389	122.4	124.4	2.0	95	4E48	5	3.74	3.05	1.30	1.75	23.0	25.46	-1.00
14390	124.4	126.4	2.0	100	4CE8	3	3.77	3.94	1.76	2.18	29.0	26.54	-1.00
14391	126.4	128.2	1.8	100	4C58	3	-1.00	1.21	.52	.69	11.0	-1.00	-1.00
14392	128.2	130.7	2.5	96	4A0	2	-1.00	.27	.10	.17	9.0	-1.00	-1.00
14393	130.7	132.7	2.0	100	4C0	3	-1.00	.27	.15	.12	10.0	-1.00	-1.00
14394	132.7	134.0	1.3	100	4A0	2	-1.00	.30	.10	.20	10.0	-1.00	-1.00
14395	134.0	136.6	2.6	100	4C7	3	-1.00	1.74	.70	1.04	17.0	-1.00	-1.00
14396	136.6	137.7	1.1	100	4EG8	7	4.58	9.47	4.07	5.40	57.0	25.56	-1.00
14397	137.7	140.0	2.3	100	4C0	3	-1.00	1.14	.42	.72	13.0	-1.00	-1.00
14398	140.0	141.8	1.8	100	4GE4	7	4.26	10.04	4.34	5.70	59.0	20.70	-1.00
14399	141.8	143.5	1.7	100	4GE4	7	4.64	13.00	5.70	7.30	82.0	20.73	-1.00
14400	143.5	146.5	3.0	100	4A0	2	3.12	2.65	.98	1.67	20.0	11.42	-1.00
0	146.5	167.5	21.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU185 Section:
 Northing: 6182.5 Easting: 2680.6 Elevation: 1164.8
 Length: 91.4 Core: NQ Record: 427

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	6.1	6.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90607	6.1	7.6	1.5	87	4A0	2	-1.00	3.08	1.23	1.85	20.2	-1.00	-1.00
90608	7.6	9.1	1.5	87	4A34	2	-1.00	20.45	6.43	14.02	93.9	-1.00	-1.00
90609	9.1	10.7	1.6	100	4A34	2	-1.00	22.10	6.83	15.27	110.1	-1.00	-1.00
90610	10.7	12.2	1.5	100	4DE4	3	-1.00	17.70	5.86	11.84	66.5	-1.00	-1.00
90611	12.2	13.7	1.5	100	4E4	5	-1.00	23.80	7.81	15.99	84.7	-1.00	-1.00
90612	13.7	15.2	1.5	100	4E4	5	-1.00	18.02	6.43	11.59	84.7	-1.00	-1.00
90613	15.2	16.8	1.6	100	4E4	5	-1.00	25.54	8.11	17.43	104.9	-1.00	-1.00
90614	16.8	18.3	1.5	100	4D4	3	-1.00	36.92	10.47	26.45	172.5	-1.00	-1.00
90615	18.3	19.8	1.5	100	4D34	3	-1.00	23.75	6.23	17.52	90.9	-1.00	-1.00
90616	19.8	20.5	.7	100	4D34	3	-1.00	30.34	9.69	20.65	141.3	-1.00	-1.00
0	20.5	57.9	37.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90617	57.9	58.6	.7	100	4E46	5	-1.00	15.20	5.50	9.70	80.6	-1.00	-1.00
0	58.6	91.4	32.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU186 Section:
 Northing: 6693.9 Easting: 2716.4 Elevation: 1092.5
 Length: 61.0 Core: NQ Record: 428

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
14335	.0	3.8	3.8	68	4A0	2	-1.00	.85	.36	.49	9.0	-1.00	-1.00
14336	3.8	5.8	2.0	85	4A0	2	-1.00	3.18	1.44	1.74	25.0	-1.00	-1.00
14337	5.8	7.8	2.0	95	4A0	2	-1.00	1.64	.50	1.14	12.0	-1.00	-1.00
14338	7.8	9.8	2.0	85	4A0	2	-1.00	2.01	.63	1.38	14.0	-1.00	-1.00
0	9.8	10.8	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14339	10.8	11.6	.8	87	4DE	3	-1.00	6.34	2.12	4.22	41.0	-1.00	-1.00
0	11.6	61.0	49.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU187 Section:
 Northing: 6182.7 Easting: 2680.4 Elevation: 1164.2
 Length: 91.4 Core: NQ Record: 429

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	16.8	16.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91374	16.8	18.3	1.5	93	4A0	2	-1.00	.80	.10	.70	4.1	-1.00	-1.00
91375	18.3	19.8	1.5	87	4A13	2	-1.00	1.21	.43	.78	15.1	-1.00	-1.00
91376	19.8	21.3	1.5	87	4A13	2	-1.00	4.33	1.48	2.85	20.2	-1.00	-1.00
91377	21.3	22.9	1.6	100	4A13	2	-1.00	6.60	3.05	3.55	40.5	-1.00	-1.00
91378	22.9	24.4	1.5	100	4A13	2	-1.00	2.56	1.23	1.33	17.1	-1.00	-1.00
91379	24.4	25.9	1.5	93	4A13	2	-1.00	2.58	1.10	1.48	15.1	-1.00	-1.00
91380	25.9	27.4	1.5	93	4A13	2	-1.00	3.78	1.93	1.85	20.2	-1.00	-1.00
91381	27.4	29.0	1.6	100	4A13	2	-1.00	3.03	.98	2.05	31.2	-1.00	-1.00
91382	29.0	30.5	1.5	100	4A13	2	-1.00	1.93	.60	1.33	8.2	-1.00	-1.00
91383	30.5	32.0	1.5	53	4A13	2	-1.00	4.56	1.63	2.93	22.3	-1.00	-1.00
91384	32.0	33.5	1.5	100	4A13	2	-1.00	2.71	1.03	1.68	14.1	-1.00	-1.00
91385	33.5	35.1	1.6	100	4A13	2	-1.00	1.58	.33	1.25	9.9	-1.00	-1.00
0	35.1	45.7	10.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91386	45.7	47.2	1.5	100	4D3	3	-1.00	5.37	.47	4.90	7.2	-1.00	-1.00
91387	47.2	48.8	1.6	100	4C3	3	-1.00	1.38	.05	1.33	5.1	-1.00	-1.00
91388	48.8	50.3	1.5	100	4C3	3	-1.00	.96	.03	.93	5.1	-1.00	-1.00
91389	50.3	51.8	1.5	87	4C3	3	-1.00	2.39	.04	2.35	9.9	-1.00	-1.00
91390	51.8	53.3	1.5	33	4D3	3	-1.00	5.04	.04	5.00	8.2	-1.00	-1.00
91391	53.3	54.9	1.6	87	4C3	3	-1.00	2.23	.10	2.13	8.9	-1.00	-1.00
91392	54.9	56.4	1.5	100	4A0	2	-1.00	2.17	.09	2.08	12.0	-1.00	-1.00
91393	56.4	57.9	1.5	80	4C3	3	-1.00	2.08	.13	1.95	11.0	-1.00	-1.00
91394	57.9	59.4	1.5	60	4C3	3	-1.00	2.08	.28	1.80	8.9	-1.00	-1.00
91395	59.4	60.3	.9	100	4CE	3	-1.00	5.93	1.95	3.98	42.5	-1.00	-1.00
0	60.3	91.4	31.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU188 Section:
 Northing: 6637.4 Easting: 2705.5 Elevation: 1095.6
 Length: 83.7 Core: NQ Record: 430

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	2.9	2.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14104	2.9	4.7	1.8	94	4C5	3	-1.00	2.81	1.02	1.79	18.0	-1.00	-1.00
14105	4.7	6.5	1.8	83	4C5	3	-1.00	3.00	.85	2.15	14.0	-1.00	-1.00
14106	6.5	8.1	1.6	100	4C5	3	-1.00	2.73	.67	2.06	11.0	-1.00	-1.00
14107	8.1	10.1	2.0	100	4L12	52	-1.00	1.20	.49	.71	10.0	-1.00	-1.00
14108	10.1	12.1	2.0	95	4L12	52	-1.00	.59	.24	.35	6.0	-1.00	-1.00
14109	12.1	13.9	1.8	100	4L12	52	-1.00	.62	.24	.38	8.0	-1.00	-1.00
14110	13.9	15.5	1.6	100	4C5	3	-1.00	2.41	.73	1.68	13.0	-1.00	-1.00
14111	15.5	17.3	1.8	78	4D5	3	2.96	5.48	1.91	3.57	34.0	4.38	-1.00
14112	17.3	19.3	2.0	100	4L12	52	2.98	6.86	2.44	4.42	40.0	4.58	-1.00
14113	19.3	21.5	2.2	91	4L12	52	3.00	8.03	2.83	5.20	47.0	3.70	-1.00
0	21.5	21.9	.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14114	21.9	22.8	.9	78	4L12	52	2.95	5.09	1.47	3.62	27.0	2.91	-1.00
14115	22.8	24.8	2.0	100	4A4	2	3.08	7.30	2.60	4.70	42.0	6.34	-1.00
14116	24.8	26.8	2.0	95	4A0	2	-1.00	.91	.29	.62	7.0	-1.00	-1.00
14117	26.8	28.8	2.0	100	4A0	2	-1.00	1.80	.69	1.11	14.0	-1.00	-1.00
14118	28.8	30.8	2.0	100	4A0	2	-1.00	1.06	.37	.69	10.0	-1.00	-1.00
14119	30.8	33.1	2.3	100	4A0	2	-1.00	1.52	.48	1.04	15.0	-1.00	-1.00
14120	33.1	34.5	1.4	100	4L12	52	-1.00	1.46	.47	.99	20.0	-1.00	-1.00
14121	34.5	37.2	2.7	100	4C5	3	-1.00	2.21	.53	1.68	18.0	-1.00	-1.00
0	37.2	37.7	.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14122	37.7	40.7	3.0	93	4C5	3	-1.00	1.63	.52	1.11	11.0	-1.00	-1.00
0	40.7	42.9	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14123	42.9	44.9	2.0	100	4A4	2	-1.00	5.94	1.84	4.10	36.0	-1.00	-1.00
0	44.9	55.9	11.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14124	55.9	57.9	2.0	100	3G16	20	-1.00	1.69	.69	1.00	14.0	-1.00	-1.00
0	57.9	83.7	25.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU189 Section:
 Northing: 6182.6 Easting: 2685.2 Elevation: 1164.2
 Length: 123.4 Core: NQ Record: 431

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	56.4	56.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90683	56.4	58.4	2.0	90	4E4	5	-1.00	8.05	2.65	5.40	32.2	-1.00	-1.00
90684	58.4	60.4	2.0	65	4A10	2	-1.00	4.58	1.18	3.40	21.3	-1.00	-1.00
90685	60.4	61.0	.6	100	4E0	5	-1.00	2.85	1.05	1.80	25.4	-1.00	-1.00
90686	61.0	62.5	1.5	100	5D4\$	47	-1.00	1.28	.18	1.10	3.1	-1.00	-1.00
0	62.5	82.9	20.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90687	82.9	85.3	2.4	100	4E0	5	-1.00	5.00	3.20	1.80	29.1	-1.00	-1.00
90688	85.3	87.5	2.2	91	4E0	5	-1.00	1.93	1.08	.85	16.1	-1.00	-1.00
90689	87.5	88.4	.9	89	4E0	5	-1.00	1.45	.55	.90	14.1	-1.00	-1.00
90690	88.4	89.9	1.5	100	4E0	5	-1.00	2.46	1.03	1.43	18.2	-1.00	-1.00
90691	89.9	90.8	.9	78	4E0	5	-1.00	2.48	1.25	1.23	17.1	-1.00	-1.00
90692	90.8	93.0	2.2	86	4EC	5	-1.00	4.00	1.85	2.15	27.4	-1.00	-1.00
90693	93.0	93.9	.9	22	4C0	3	-1.00	2.48	1.05	1.43	12.0	-1.00	-1.00
90694	93.9	95.4	1.5	100	4C0	3	-1.00	.78	.40	.38	8.2	-1.00	-1.00
90695	95.4	96.3	.9	56	4C0	3	-1.00	1.38	.53	.85	5.1	-1.00	-1.00
90696	96.3	97.8	1.5	100	4C0	3	-1.00	1.53	.55	.98	6.2	-1.00	-1.00
90697	97.8	100.3	2.5	64	4C0	3	-1.00	4.91	2.78	2.13	24.3	-1.00	-1.00
90698	100.3	101.8	1.5	93	4D0	3	-1.00	5.71	3.68	2.03	32.2	-1.00	-1.00
90699	101.8	103.6	1.8	94	4C0	3	-1.00	3.05	1.85	1.20	20.2	-1.00	-1.00
90700	103.6	105.2	1.6	100	4D0	3	-1.00	5.11	2.48	2.63	29.1	-1.00	-1.00
90701	105.2	106.7	1.5	100	4D0	3	-1.00	9.40	4.45	4.95	67.5	-1.00	-1.00
90702	106.7	108.2	1.5	100	4C0	3	-1.00	2.66	1.53	1.13	25.4	-1.00	-1.00
90703	108.2	109.7	1.5	100	4EC	5	-1.00	1.86	1.03	.83	15.1	-1.00	-1.00
0	109.7	112.8	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90704	112.8	114.3	1.5	100	4C0	3	-1.00	4.68	2.03	2.65	36.3	-1.00	-1.00
0	114.3	123.4	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU190 Section:
 Northing: 6637.7 Easting: 2703.9 Elevation: 1094.4
 Length: 106.7 Core: NQ Record: 432

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	4.5	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12993	4.5	6.5	2.0	90	4C5	3	-1.00	2.55	.86	1.69	14.0	-1.00	-1.00
12994	6.5	8.5	2.0	70	4C5	3	-1.00	2.55	.94	1.61	13.0	-1.00	-1.00
12995	8.5	10.6	2.1	90	4C5	3	3.03	3.48	1.67	1.81	21.0	5.00	-1.00
12996	10.6	12.1	1.5	87	4C0	3	2.96	4.84	2.55	2.29	34.0	4.08	-1.00
12997	12.1	13.7	1.6	94	4C0	3	2.91	4.10	2.29	1.81	30.0	3.24	-1.00
12998	13.7	15.6	1.9	100	4C5	3	2.92	4.46	2.08	2.38	26.0	6.05	-1.00
0	15.6	28.0	12.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
12999	28.0	29.8	1.8	89	4D0	3	2.94	5.11	1.81	3.30	27.0	3.65	-1.00
13000	29.8	31.2	1.4	93	4C5	3	2.91	4.15	1.40	2.75	19.0	3.88	-1.00
14125	31.2	33.3	2.1	100	4A0	2	3.00	1.48	1.01	.47	19.0	7.87	-1.00
14126	33.3	34.9	1.6	100	4C5	3	2.90	2.76	1.05	1.71	17.0	3.15	-1.00
14127	34.9	36.5	1.6	94	4C5	3	2.91	2.76	.88	1.88	16.0	3.36	-1.00
14128	36.5	38.4	1.9	89	5D4*	47	-1.00	.34	.15	.19	6.0	-1.00	-1.00
14129	38.4	40.4	2.0	90	4C0	3	-1.00	1.00	.30	.70	8.0	-1.00	-1.00
14130	40.4	42.4	2.0	95	4C0	3	-1.00	1.37	.30	1.07	9.0	-1.00	-1.00
14131	42.4	44.4	2.0	95	4C0	3	-1.00	.95	.43	.52	10.0	-1.00	-1.00
14132	44.4	45.2	.8	75	4D0	3	3.14	5.88	1.82	4.06	35.0	8.88	-1.00
14133	45.2	47.2	2.0	100	4A0	2	3.31	4.91	1.45	3.46	31.0	15.06	-1.00
14134	47.2	48.7	1.5	100	4A4	2	3.29	12.76	4.26	8.50	63.0	10.67	-1.00
14135	48.7	50.7	2.0	100	4A30	2	3.69	2.63	1.16	1.47	32.0	22.97	-1.00
14136	50.7	52.7	2.0	90	4A30	2	-1.00	1.87	.62	1.25	25.0	-1.00	-1.00
14137	52.7	54.7	2.0	95	4A30	2	-1.00	2.16	.82	1.34	28.0	-1.00	-1.00
14138	54.7	55.6	.9	100	4A30	2	-1.00	1.47	.58	.89	23.0	-1.00	-1.00
14139	55.6	57.8	2.2	95	4E4	5	4.35	10.55	4.65	5.90	84.0	29.14	-1.00
14140	57.8	59.1	1.3	100	4G4	7	4.73	11.43	4.43	7.00	77.0	23.75	-1.00
14141	59.1	60.1	1.0	100	4E46	5	4.76	20.10	9.00	11.10	119.0	28.12	-1.00
14142	60.1	61.5	1.4	100	4C3	3	3.87	3.35	1.88	1.47	36.0	26.20	-1.00
14143	61.5	63.7	2.2	95	4E46	5	4.71	16.30	6.20	10.10	97.0	20.88	-1.00
14144	63.7	64.4	.7	100	4EG	7	4.87	14.33	4.63	9.70	85.0	25.30	-1.00
14145	64.4	66.0	1.6	94	4E0	5	4.89	3.97	1.89	2.08	32.0	39.72	-1.00
14146	66.0	67.1	1.1	100	4G4	7	4.79	15.10	5.00	10.10	70.0	17.63	-1.00
14147	67.1	69.1	2.0	80	4EG	7	4.64	16.80	6.20	10.60	102.0	25.45	-1.00
14148	69.1	71.1	2.0	90	4EG	7	4.81	11.20	4.30	6.90	81.0	30.35	-1.00
14149	71.1	72.9	1.8	94	4EG	7	4.92	14.40	5.70	8.70	94.0	28.55	-1.00
14150	72.9	74.1	1.2	100	4E46	5	3.59	5.70	2.60	3.10	39.0	15.90	-1.00
14151	74.1	76.1	2.0	95	4G4	7	4.94	17.50	7.20	10.30	111.0	28.58	-1.00
14152	76.1	78.0	1.9	95	4G4	7	4.95	14.60	5.70	8.90	119.0	25.76	-1.00
0	78.0	106.7	28.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU191 Section:
 Northing: 6182.5 Easting: 2682.6 Elevation: 1168.3
 Length: 61.0 Core: NQ Record: 433

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	6.1	6.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90618	6.1	9.1	3.0	77	4A13	2	-1.00	1.25	.45	.80	9.9	-1.00	-1.00
90619	9.1	12.2	3.1	97	4A13	2	-1.00	1.90	.60	1.30	25.4	-1.00	-1.00
90620	12.2	13.7	1.5	93	4A13	2	-1.00	7.10	3.35	3.75	50.4	-1.00	-1.00
90621	13.7	15.2	1.5	100	4DE4	3	-1.00	19.98	7.15	12.83	94.6	-1.00	-1.00
90622	15.2	16.8	1.6	100	4EA	5	-1.00	14.60	5.00	9.60	83.7	-1.00	-1.00
90623	16.8	18.3	1.5	93	4E4	5	-1.00	18.90	6.62	12.28	86.7	-1.00	-1.00
90624	18.3	19.8	1.5	73	4ED4	5	-1.00	20.54	6.85	13.69	103.9	-1.00	-1.00
90625	19.8	21.3	1.5	73	4D45	3	-1.00	23.67	8.96	14.71	126.2	-1.00	-1.00
90626	21.3	24.3	3.0	57	4DE4	3	-1.00	19.48	6.95	12.53	109.0	-1.00	-1.00
0	24.3	50.3	26.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90627	50.3	53.3	3.0	40	4E4	5	-1.00	20.79	5.33	15.46	75.8	-1.00	-1.00
90628	53.3	56.4	3.1	35	4EC	5	-1.00	17.60	4.40	13.20	67.5	-1.00	-1.00
90629	56.4	57.9	1.5	60	4E4	5	-1.00	23.50	7.05	16.45	114.2	-1.00	-1.00
0	57.9	61.0	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU192 Section:
 Northing: 6424.8 Easting: 2704.6 Elevation: 1129.6
 Length: 121.9 Core: NQ Record: 434

ASSAYS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From To											
90799	.0 1.9	1.9	58	4A4	2	-1.00	6.23	2.13	4.10	27.4	-1.00	-1.00
90800	1.9 3.8	1.9	89	4A4	2	-1.00	5.63	2.93	2.70	35.3	-1.00	-1.00
90801	3.8 5.3	1.5	93	4C0	3	-1.00	2.03	.85	1.18	9.9	-1.00	-1.00
90802	5.3 6.8	1.5	100	4C0	3	-1.00	4.43	1.93	2.50	22.3	-1.00	-1.00
90803	6.8 8.3	1.5	100	4C0	3	-1.00	2.15	1.10	1.05	13.0	-1.00	-1.00
90804	8.3 9.8	1.5	100	4C0	3	-1.00	2.38	.95	1.43	9.9	-1.00	-1.00
90805	9.8 12.8	3.0	100	4C0	3	-1.00	2.51	1.03	1.48	13.0	-1.00	-1.00
0	12.8 15.0	2.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90806	15.0 16.5	1.5	93	4D0	3	-1.00	5.73	2.48	3.25	35.3	-1.00	-1.00
90807	16.5 18.0	1.5	100	4C0	3	-1.00	4.73	1.93	2.80	22.3	-1.00	-1.00
90808	18.0 19.5	1.5	100	4C0	3	-1.00	3.50	1.50	2.00	17.1	-1.00	-1.00
90809	19.5 21.0	1.5	-1	4C0	3	-1.00	4.98	2.05	2.93	24.3	-1.00	-1.00
90810	21.0 22.5	1.5	100	4C0	3	-1.00	4.93	2.08	2.85	25.4	-1.00	-1.00
0	22.5 60.7	38.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90811	60.7 63.7	3.0	93	4A0	2	-1.00	1.18	.35	.83	8.9	-1.00	-1.00
90812	63.7 66.7	3.0	87	4A0	2	-1.00	3.58	1.38	2.20	22.3	-1.00	-1.00
90813	66.7 69.0	2.3	87	4A0	2	-1.00	.46	.03	.43	7.2	-1.00	-1.00
90814	69.0 70.5	1.5	100	4E4	5	-1.00	9.18	3.93	5.25	65.5	-1.00	-1.00
90815	70.5 72.0	1.5	100	4EG4	7	-1.00	10.96	3.18	7.78	57.6	-1.00	-1.00
90816	72.0 73.5	1.5	100	4E46	5	-1.00	12.74	4.50	8.24	65.5	-1.00	-1.00
90817	73.5 75.0	1.5	100	4E46	5	-1.00	7.23	2.63	4.60	33.3	-1.00	-1.00
90818	75.0 76.5	1.5	100	4E60	5	-1.00	4.31	1.13	3.18	17.1	-1.00	-1.00
90819	76.5 78.0	1.5	100	4EG0	7	-1.00	4.03	1.10	2.93	12.0	-1.00	-1.00
90820	78.0 79.5	1.5	100	4EG	7	-1.00	9.24	3.23	6.01	50.4	-1.00	-1.00
90821	79.5 81.0	1.5	100	4EG4	7	-1.00	17.01	5.85	11.16	85.7	-1.00	-1.00
90822	81.0 82.5	1.5	100	4E4	5	-1.00	8.00	4.65	3.35	50.4	-1.00	-1.00
90823	82.5 84.0	1.5	100	4E0	5	-1.00	3.95	2.20	1.75	29.1	-1.00	-1.00
90824	84.0 85.5	1.5	100	4E4	5	-1.00	7.68	3.28	4.40	51.4	-1.00	-1.00
90825	85.5 87.0	1.5	80	4E4	5	-1.00	10.33	4.08	6.25	62.4	-1.00	-1.00
90826	87.0 88.5	1.5	87	4L4	52	-1.00	3.18	1.05	2.13	15.1	-1.00	-1.00
90827	88.5 90.0	1.5	100	4E46	5	-1.00	11.95	4.78	7.17	62.4	-1.00	-1.00
90828	90.0 91.5	1.5	93	4E46	5	-1.00	11.78	3.90	7.88	60.3	-1.00	-1.00
90829	91.5 93.0	1.5	87	4A0	2	-1.00	2.18	.88	1.30	16.1	-1.00	-1.00
90830	93.0 94.5	1.5	100	4E4	5	-1.00	11.78	4.05	7.73	60.3	-1.00	-1.00
90831	94.5 96.0	1.5	100	4A4	2	-1.00	7.60	3.00	4.60	44.2	-1.00	-1.00
90832	96.0 97.5	1.5	100	4EA4	5	-1.00	8.31	2.75	5.56	40.5	-1.00	-1.00
90833	97.5 99.0	1.5	100	4A0	2	-1.00	2.36	.93	1.43	29.1	-1.00	-1.00
90834	99.0 100.5	1.5	100	4AG	2	-1.00	9.54	3.00	6.54	51.4	-1.00	-1.00
90835	100.5 102.0	1.5	100	4A34	2	-1.00	11.45	4.03	7.42	62.4	-1.00	-1.00
90836	102.0 103.5	1.5	100	4A4	2	-1.00	5.73	2.05	3.68	32.2	-1.00	-1.00
90837	103.5 105.0	1.5	100	4A4	2	-1.00	9.40	4.70	4.70	61.4	-1.00	-1.00
90838	105.0 106.5	1.5	100	4A31	2	-1.00	.78	.45	.33	16.1	-1.00	-1.00
90839	106.5 108.0	1.5	100	4AC3	2	-1.00	1.46	.08	1.38	8.2	-1.00	-1.00
90840	108.0 109.5	1.5	100	4A1	2	-1.00	1.28	.13	1.15	11.0	-1.00	-1.00

90841	109.5	111.0	1.5	100	4A1	2	-1.00	.40	.10	.30	9.9	-1.00	-1.00
90842	111.0	112.5	1.5	100	4A1	2	-1.00	.33	.08	.25	13.0	-1.00	-1.00
90843	112.5	114.0	1.5	100	4A1	2	-1.00	.61	.08	.53	12.0	-1.00	-1.00
90844	114.0	115.5	1.5	100	4C30	3	-1.00	1.18	.15	1.03	12.0	-1.00	-1.00
90845	115.5	117.3	1.8	83	4C30	3	-1.00	1.73	.43	1.30	16.1	-1.00	-1.00
0	117.3	121.9	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU193 Section:
 Northing: 6243.1 Easting: 2667.4 Elevation: 1155.6
 Length: 76.2 Core: NQ Record: 435

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	36.5	36.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90630	36.5	38.1	1.6	100	4EG4	7	-1.00	18.15	7.55	10.60	100.8	-1.00	-1.00
90631	38.1	39.6	1.5	100	4G4	7	-1.00	13.85	4.10	9.75	50.4	-1.00	-1.00
90632	39.6	41.1	1.5	93	4GA4	7	-1.00	16.76	6.55	10.21	78.9	-1.00	-1.00
90633	41.1	42.7	1.6	100	4A4	2	-1.00	15.45	6.25	9.20	98.7	-1.00	-1.00
0	42.7	76.2	33.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU194 Section:
 Northing: 6425.0 Easting: 2703.7 Elevation: 1130.9
 Length: 128.0 Core: NQ Record: 436

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.2	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90846	1.2	4.0	2.8	82	4A4	2	-1.00	5.35	2.35	3.00	28.5	-1.00	-1.00
90847	4.0	5.5	1.5	100	4C0	3	-1.00	2.48	1.55	.93	19.2	-1.00	-1.00
90848	5.5	7.0	1.5	93	4C0	3	-1.00	2.43	1.03	1.40	11.0	-1.00	-1.00
90849	7.0	8.5	1.5	100	4D0	3	-1.00	5.08	1.98	3.10	27.4	-1.00	-1.00
90850	8.5	10.0	1.5	100	4C0	3	-1.00	2.70	.90	1.80	9.9	-1.00	-1.00
90851	10.0	11.5	1.5	93	4C0	3	-1.00	2.88	1.28	1.60	12.0	-1.00	-1.00
90852	11.5	13.0	1.5	100	4C0	3	-1.00	2.23	.93	1.30	8.9	-1.00	-1.00
90853	13.0	14.5	1.5	87	4C0	3	-1.00	1.58	.95	.63	11.0	-1.00	-1.00
90854	14.5	17.5	3.0	90	4A0	2	-1.00	4.88	2.33	2.55	33.3	-1.00	-1.00
90855	17.5	19.8	2.3	100	4A0	2	-1.00	4.80	2.05	2.75	28.5	-1.00	-1.00
0	19.8	39.5	19.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90856	39.5	41.0	1.5	100	4A0	2	-1.00	1.40	.40	1.00	8.2	-1.00	-1.00
90857	41.0	42.5	1.5	93	4A0	2	-1.00	3.36	1.08	2.28	20.2	-1.00	-1.00
90858	42.5	44.0	1.5	93	4A0	2	-1.00	1.66	.53	1.13	12.0	-1.00	-1.00
90859	44.0	45.5	1.5	100	4A0	2	-1.00	1.01	.23	.78	6.2	-1.00	-1.00
90860	45.5	47.0	1.5	100	4AC0	2	-1.00	.96	.23	.73	7.2	-1.00	-1.00
90861	47.0	48.5	1.5	100	4A0	2	-1.00	.56	.13	.43	7.2	-1.00	-1.00
90862	48.5	50.0	1.5	87	4A13	2	-1.00	5.80	1.90	3.90	34.3	-1.00	-1.00
90863	50.0	51.5	1.5	100	4A13	2	-1.00	10.85	3.65	7.20	68.6	-1.00	-1.00
90864	51.5	53.4	1.9	89	4EC	5	-1.00	9.05	3.23	5.82	59.3	-1.00	-1.00
0	53.4	57.2	3.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90865	57.2	58.7	1.5	93	4C\$3	3	-1.00	7.25	3.00	4.25	58.6	-1.00	-1.00
90866	58.7	60.2	1.5	100	4E4	5	-1.00	20.04	8.97	11.07	114.9	-1.00	-1.00
90867	60.2	61.7	1.5	87	4G4	7	-1.00	12.16	4.23	7.93	96.7	-1.00	-1.00
90868	61.7	63.2	1.5	93	4Q*	60	-1.00	8.76	3.28	5.48	58.6	-1.00	-1.00
90869	63.2	64.7	1.5	100	4EG	7	-1.00	9.09	3.38	5.71	48.3	-1.00	-1.00
90870	64.7	66.2	1.5	100	4E4	5	-1.00	11.47	4.90	6.57	81.6	-1.00	-1.00
90871	66.2	67.7	1.5	93	4EG	7	-1.00	10.10	3.20	6.90	80.6	-1.00	-1.00
90872	67.7	69.2	1.5	93	4E4	5	-1.00	13.34	4.13	9.21	74.7	-1.00	-1.00
90873	69.2	70.7	1.5	87	4E4	5	-1.00	13.26	5.00	8.26	84.7	-1.00	-1.00
90874	70.7	72.2	1.5	100	4E4	5	-1.00	7.93	3.93	4.00	57.6	-1.00	-1.00
90875	72.2	73.7	1.5	80	4E0	5	-1.00	4.20	2.70	1.50	43.5	-1.00	-1.00
90876	73.7	75.2	1.5	100	4E4	5	-1.00	10.85	4.94	5.91	78.9	-1.00	-1.00
90877	75.2	76.2	1.0	100	4E4	5	-1.00	8.95	3.90	5.05	78.9	-1.00	-1.00
0	76.2	87.2	11.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90878	87.2	88.7	1.5	100	4A4	2	-1.00	27.90	9.71	18.19	147.1	-1.00	-1.00
90879	88.7	90.2	1.5	100	4E14	5	-1.00	20.99	6.99	14.00	104.9	-1.00	-1.00
90880	90.2	91.7	1.5	100	4E14	5	-1.00	13.27	5.23	8.04	79.5	-1.00	-1.00
90881	91.7	93.2	1.5	100	4EC	5	-1.00	7.78	2.73	5.05	43.5	-1.00	-1.00
90882	93.2	94.7	1.5	100	4C3	3	-1.00	1.60	.55	1.05	15.1	-1.00	-1.00
90883	94.7	96.2	1.5	100	4C3	3	-1.00	2.81	.88	1.93	17.1	-1.00	-1.00
90884	96.2	97.7	1.5	100	4D3	3	-1.00	10.44	4.25	6.19	63.4	-1.00	-1.00
90885	97.7	99.2	1.5	100	4C3	3	-1.00	3.48	1.00	2.48	21.3	-1.00	-1.00

90886	99.2	100.7	1.5	100	4C3	3	-1.00	4.41	1.43	2.98	26.4	-1.00	-1.00
90887	100.7	102.2	1.5	100	4C35	3	-1.00	2.33	1.05	1.28	25.4	-1.00	-1.00
90888	102.2	103.7	1.5	100	4C35	3	-1.00	.78	.13	.65	18.2	-1.00	-1.00
90889	103.7	105.2	1.5	100	4C3	3	-1.00	.98	.48	.50	18.2	-1.00	-1.00
90890	105.2	106.7	1.5	100	4D3	3	-1.00	5.08	2.28	2.80	37.4	-1.00	-1.00
90891	106.7	108.2	1.5	100	4D3	3	-1.00	8.88	3.88	5.00	60.3	-1.00	-1.00
90892	108.2	109.7	1.5	100	4C3	3	-1.00	2.33	.70	1.63	25.4	-1.00	-1.00
90893	109.7	111.4	1.7	88	4C3	3	-1.00	4.01	2.08	1.93	34.3	-1.00	-1.00
0	111.4	128.0	16.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU195 Section:
 Northing: 6242.9 Easting: 2672.4 Elevation: 1155.7
 Length: 91.4 Core: NQ Record: 437

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	16.8	16.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90634	16.8	18.3	1.5	80	4E4	5	-1.00	14.03	3.95	10.08	57.6	-1.00	-1.00
90635	18.3	19.8	1.5	93	4E4	5	-1.00	15.65	4.33	11.32	59.3	-1.00	-1.00
90636	19.8	21.3	1.5	93	4E4	5	-1.00	18.78	5.80	12.98	91.9	-1.00	-1.00
90637	21.3	22.9	1.6	94	4E4	5	-1.00	21.93	6.92	15.01	108.0	-1.00	-1.00
90638	22.9	24.4	1.5	100	4E4	5	-1.00	11.20	3.40	7.80	50.4	-1.00	-1.00
90639	24.4	25.9	1.5	87	4D4	3	-1.00	22.58	7.67	14.91	114.9	-1.00	-1.00
90640	25.9	27.4	1.5	100	4E4	5	-1.00	25.80	7.94	17.86	114.9	-1.00	-1.00
90641	27.4	29.0	1.6	62	4E4	5	-1.00	21.24	6.95	14.29	96.7	-1.00	-1.00
90642	29.0	30.5	1.5	80	4A13	2	-1.00	14.14	6.15	7.99	84.7	-1.00	-1.00
90643	30.5	33.5	3.0	33	4A13	2	-1.00	.18	.05	.13	6.2	-1.00	-1.00
0	33.5	91.4	57.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU196 Section:
 Northing: 6425.0 Easting: 2702.4 Elevation: 1129.6
 Length: 129.5 Core: NQ Record: 438

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
90644	.0	3.0	3.0	53	4A0	2	-1.00	3.50	1.80	1.70	20.2	-1.00	-1.00
90645	3.0	4.5	1.5	93	4A0	2	-1.00	4.88	1.95	2.93	26.4	-1.00	-1.00
90646	4.5	6.0	1.5	87	4A0	2	-1.00	3.26	1.63	1.63	22.3	-1.00	-1.00
90647	6.0	7.5	1.5	100	4C0	3	-1.00	2.48	1.60	.88	22.3	-1.00	-1.00
90648	7.5	9.0	1.5	93	4C0	3	-1.00	1.23	.88	.35	12.0	-1.00	-1.00
90649	9.0	10.5	1.5	87	4A0	2	-1.00	4.20	2.20	2.00	32.2	-1.00	-1.00
90650	10.5	12.0	1.5	87	4A4	2	-1.00	5.43	2.88	2.55	36.3	-1.00	-1.00
90651	12.0	13.5	1.5	87	4A4	2	-1.00	5.65	2.70	2.95	32.2	-1.00	-1.00
90652	13.5	15.0	1.5	80	4A0	2	-1.00	4.05	2.80	1.25	30.2	-1.00	-1.00
90653	15.0	16.5	1.5	100	4A0	2	-1.00	4.95	3.10	1.85	31.2	-1.00	-1.00
90654	16.5	18.0	1.5	87	4A0	2	-1.00	3.50	2.70	.80	26.4	-1.00	-1.00
90655	18.0	19.5	1.5	100	4A0	2	-1.00	.68	.13	.55	3.1	-1.00	-1.00
90656	19.5	21.0	1.5	100	4A0	2	-1.00	.20	.10	.10	6.2	-1.00	-1.00
90657	21.0	22.5	1.5	100	4A0	2	-1.00	.49	.14	.35	6.2	-1.00	-1.00
90658	22.5	25.5	3.0	90	4A0	2	-1.00	1.48	.75	.73	8.9	-1.00	-1.00
90659	25.5	28.5	3.0	93	4A0	2	-1.00	.58	.18	.40	3.1	-1.00	-1.00
90660	28.5	31.5	3.0	93	4A0	2	-1.00	1.06	.13	.93	3.1	-1.00	-1.00
90661	31.5	34.5	3.0	100	4A0	2	-1.00	1.76	.53	1.23	8.9	-1.00	-1.00
90662	34.5	36.6	2.1	95	4A4	2	-1.00	5.35	1.95	3.40	30.2	-1.00	-1.00
90663	36.6	38.1	1.5	100	4AE	2	-1.00	6.73	2.58	4.15	41.5	-1.00	-1.00
90664	38.1	39.6	1.5	100	4E4	5	-1.00	15.00	6.23	8.77	92.9	-1.00	-1.00
90665	39.6	40.3	.7	100	4E4	5	-1.00	14.57	6.10	8.47	102.9	-1.00	-1.00
0	40.3	62.5	22.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90666	62.5	64.0	1.5	100	4EG	7	-1.00	13.21	5.00	8.21	93.9	-1.00	-1.00
90667	64.0	65.5	1.5	100	4EG	7	-1.00	11.95	6.85	5.10	184.5	-1.00	-1.00
90668	65.5	67.0	1.5	100	4G4	7	-1.00	13.76	5.70	8.06	108.0	-1.00	-1.00
90669	67.0	68.5	1.5	100	4EG	7	-1.00	10.80	4.00	6.80	69.6	-1.00	-1.00
90670	68.5	70.0	1.5	100	4EG4	7	-1.00	13.49	5.00	8.49	82.6	-1.00	-1.00
90671	70.0	71.5	1.5	100	4EG4	7	-1.00	11.85	4.35	7.50	76.8	-1.00	-1.00
0	71.5	94.5	23.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90672	94.5	96.0	1.5	33	4J4	9	-1.00	23.47	4.28	19.19	61.4	-1.00	-1.00
90673	96.0	97.5	1.5	80	4J4	9	-1.00	29.36	9.02	20.34	150.2	-1.00	-1.00
90674	97.5	99.0	1.5	87	3G0	20	-1.00	8.18	2.53	5.65	42.5	-1.00	-1.00
90675	99.0	100.5	1.5	87	4E4	5	-1.00	6.58	2.03	4.55	36.3	-1.00	-1.00
90676	100.5	102.0	1.5	87	4E4	5	-1.00	12.96	4.65	8.31	70.6	-1.00	-1.00
90677	102.0	103.5	1.5	80	4E10	5	-1.00	4.73	1.05	3.68	25.4	-1.00	-1.00
90678	103.5	105.0	1.5	93	4E4	5	-1.00	5.38	2.23	3.15	39.4	-1.00	-1.00
90679	105.0	106.5	1.5	87	4E4	5	-1.00	5.66	1.63	4.03	30.2	-1.00	-1.00
90680	106.5	108.0	1.5	73	4C0	3	-1.00	4.38	1.20	3.18	25.4	-1.00	-1.00
90681	108.0	109.5	1.5	60	4D0	3	-1.00	5.33	2.58	2.75	45.3	-1.00	-1.00
90682	109.5	111.0	1.5	33	4D0	3	-1.00	8.10	3.25	4.85	48.3	-1.00	-1.00
0	111.0	129.5	18.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU197 Section:
 Northing: 6243.2 Easting: 2668.8 Elevation: 1158.2
 Length: 35.1 Core: NQ Record: 439

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	35.1	35.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU198 Section:
 Northing: 6441.1 Easting: 2582.4 Elevation: 1162.2
 Length: 153.9 Core: NQ Record: 440

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	45.7	45.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90705	45.7	47.2	1.5	100	4BE	3	-1.00	3.35	2.20	1.15	39.4	-1.00	-1.00
90706	47.2	49.0	1.8	100	4E0	5	-1.00	4.73	2.88	1.85	42.5	-1.00	-1.00
0	49.0	90.5	41.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90707	90.5	92.0	1.5	100	4E46	5	-1.00	13.80	5.76	8.04	101.8	-1.00	-1.00
90708	92.0	93.5	1.5	100	4E46	5	-1.00	16.35	6.65	9.70	123.1	-1.00	-1.00
90709	93.5	94.7	1.2	100	4E46	5	-1.00	15.14	5.44	9.70	91.9	-1.00	-1.00
0	94.7	134.1	39.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90710	134.1	135.6	1.5	100	4EA4	5	-1.00	5.73	2.88	2.85	36.3	-1.00	-1.00
90711	135.6	137.1	1.5	100	4A1	2	-1.00	1.76	.88	.88	13.0	-1.00	-1.00
90712	137.1	138.6	1.5	100	4A1	2	-1.00	.18	.08	.10	4.1	-1.00	-1.00
0	138.6	146.9	8.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90713	146.9	148.4	1.5	100	4A1	2	-1.00	2.78	1.28	1.50	20.2	-1.00	-1.00
90714	148.4	149.9	1.5	87	4A1	2	-1.00	.88	.18	.70	7.2	-1.00	-1.00
90715	149.9	151.4	1.5	100	4A1	2	-1.00	2.51	1.18	1.33	23.3	-1.00	-1.00
0	151.4	153.9	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU199 Section:
 Northing: 6303.6 Easting: 2670.0 Elevation: 1146.4
 Length: 132.6 Core: NQ Record: 441

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	2.1	2.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90716	2.1	3.6	1.5	60	4E4	5	-1.00	21.04	8.39	12.65	124.1	-1.00	-1.00
90717	3.6	5.1	1.5	87	4EG4	7	-1.00	17.61	7.40	10.21	114.2	-1.00	-1.00
90718	5.1	6.6	1.5	93	4G4	7	-1.00	15.25	6.40	8.85	92.9	-1.00	-1.00
90719	6.6	8.1	1.5	100	4G4	7	-1.00	18.16	7.85	10.31	113.1	-1.00	-1.00
90720	8.1	9.6	1.5	80	4G4	7	-1.00	15.45	6.50	8.95	75.8	-1.00	-1.00
90721	9.6	11.1	1.5	67	4G4	7	-1.00	16.90	6.75	10.15	76.8	-1.00	-1.00
90722	11.1	12.6	1.5	67	4E4	5	-1.00	15.66	6.97	8.69	104.9	-1.00	-1.00
90723	12.6	14.1	1.5	67	5C4*	44	-1.00	11.76	3.60	8.16	46.3	-1.00	-1.00
90724	14.1	15.6	1.5	53	4A10	2	-1.00	6.38	3.03	3.35	47.3	-1.00	-1.00
90725	15.6	17.1	1.5	87	4AE4	2	-1.00	13.27	6.75	6.52	97.7	-1.00	-1.00
90726	17.1	18.6	1.5	93	4G4	7	-1.00	20.12	8.60	11.52	156.3	-1.00	-1.00
90727	18.6	20.1	1.5	80	4G4	7	-1.00	17.33	7.40	9.93	114.2	-1.00	-1.00
90728	20.1	21.6	1.5	93	4G4	7	-1.00	16.70	7.00	9.70	93.9	-1.00	-1.00
90729	21.6	23.1	1.5	60	4G4	7	-1.00	16.85	7.20	9.65	101.8	-1.00	-1.00
90730	23.1	24.6	1.5	53	4G4	7	-1.00	10.49	4.18	6.31	79.5	-1.00	-1.00
0	24.6	27.0	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90731	27.0	28.5	1.5	100	4G4	7	-1.00	16.31	6.10	10.21	108.0	-1.00	-1.00
90732	28.5	30.0	1.5	93	4G4	7	-1.00	14.95	5.40	9.55	98.7	-1.00	-1.00
90733	30.0	31.5	1.5	100	4G4	7	-1.00	16.05	6.20	9.85	139.2	-1.00	-1.00
90734	31.5	33.0	1.5	100	4G4	7	-1.00	15.65	6.40	9.25	104.9	-1.00	-1.00
90735	33.0	34.5	1.5	87	4G4	7	-1.00	14.88	5.10	9.78	85.7	-1.00	-1.00
90736	34.5	36.0	1.5	73	4EG4	7	-1.00	13.73	4.55	9.18	62.4	-1.00	-1.00
0	36.0	103.0	67.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90737	103.0	104.5	1.5	93	4E4	5	-1.00	7.55	3.90	3.65	49.4	-1.00	-1.00
90738	104.5	106.0	1.5	100	4E0	5	-1.00	2.88	1.83	1.05	29.1	-1.00	-1.00
90739	106.0	107.5	1.5	73	4K0	6	-1.00	1.43	1.13	.30	27.4	-1.00	-1.00
90740	107.5	109.0	1.5	100	4E4	5	-1.00	13.27	6.80	6.47	68.6	-1.00	-1.00
90741	109.0	110.5	1.5	87	4E0	5	-1.00	3.68	1.95	1.73	23.3	-1.00	-1.00
0	110.5	132.6	22.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU200 Section:
 Northing: 6292.8 Easting: 2674.4 Elevation: 1147.6
 Length: 45.7 Core: NQ Record: 442

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	6.0	6.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90742	6.0	7.9	1.9	63	4E4	5	-1.00	23.75	7.95	15.80	126.2	-1.00	-1.00
90743	7.9	9.4	1.5	73	4E4	5	-1.00	25.57	9.17	16.40	138.2	-1.00	-1.00
90744	9.4	10.9	1.5	60	4E4	5	-1.00	23.11	8.88	14.23	122.1	-1.00	-1.00
90745	10.9	12.4	1.5	87	4E4	5	-1.00	21.39	9.94	11.45	147.1	-1.00	-1.00
90746	12.4	13.9	1.5	60	4E4	5	-1.00	16.73	6.30	10.43	100.8	-1.00	-1.00
90747	13.9	15.4	1.5	60	5A6	30	-1.00	3.26	.88	2.38	16.1	-1.00	-1.00
90748	15.4	16.9	1.5	73	4E4	5	-1.00	18.18	6.63	11.55	110.1	-1.00	-1.00
90749	16.9	18.4	1.5	67	4E4	5	-1.00	25.22	9.52	15.70	162.5	-1.00	-1.00
90750	18.4	20.0	1.6	62	4E4	5	-1.00	23.31	8.63	14.68	117.3	-1.00	-1.00
0	20.0	21.3	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90751	21.3	22.9	1.6	94	4A0	2	-1.00	3.43	2.33	1.10	31.2	-1.00	-1.00
90752	22.9	24.4	1.5	100	4A4	2	-1.00	6.80	2.50	4.30	43.5	-1.00	-1.00
90753	24.4	27.0	2.6	54	4A4	2	-1.00	5.50	2.05	3.45	30.2	-1.00	-1.00
0	27.0	45.7	18.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU201 Section:
 Northing: 6328.5 Easting: 2703.4 Elevation: 1142.2
 Length: 54.9 Core: NQ Record: 443

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	54.9	54.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU202 Section:
 Northing: 6328.5 Easting: 2703.4 Elevation: 1142.2
 Length: 45.7 Core: NQ Record: 444

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	45.7	45.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU203 Section:
 Northing: 6329.5 Easting: 2712.7 Elevation: 1142.2
 Length: 73.2 Core: NQ Record: 445

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	73.2	73.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU204 Section:
 Northing: 6303.8 Easting: 2794.8 Elevation: 1144.2
 Length: 36.6 Core: NQ Record: 446

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	19.8	19.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90754	19.8	21.3	1.5	87	4E4	5	-1.00	20.22	7.32	12.90	102.9	-1.00	-1.00
90755	21.3	22.9	1.6	75	4E4	5	-1.00	19.99	6.48	13.51	89.8	-1.00	-1.00
90756	22.9	24.4	1.5	100	4EK4	5	-1.00	10.59	2.33	8.26	59.3	-1.00	-1.00
90757	24.4	25.9	1.5	60	4E4	5	-1.00	13.05	3.45	9.60	49.0	-1.00	-1.00
90758	25.9	27.4	1.5	93	4E4	5	-1.00	14.88	5.51	9.37	72.7	-1.00	-1.00
90759	27.4	29.0	1.6	87	4E4	5	-1.00	28.78	11.45	17.33	150.2	-1.00	-1.00
90760	29.0	30.7	1.7	94	4E4	5	-1.00	17.92	7.25	10.67	114.2	-1.00	-1.00
90761	30.7	32.2	1.5	87	4A1	2	-1.00	4.50	1.60	2.90	26.4	-1.00	-1.00
0	32.2	36.6	4.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU205 Section:
 Northing: 6305.2 Easting: 2797.6 Elevation: 1144.9
 Length: 106.7 Core: NQ Record: 447

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	106.7	106.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU206 Section:
 Northing: 6302.9 Easting: 2794.3 Elevation: 1149.0
 Length: 106.7 Core: NQ Record: 448

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.5	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90894	1.5	3.0	1.5	93	4A4	2	-1.00	13.33	4.35	8.98	66.5	-1.00	-1.00
90895	3.0	4.6	1.6	88	4A34	2	-1.00	8.05	3.45	4.60	45.3	-1.00	-1.00
90896	4.6	6.1	1.5	100	4A34	2	-1.00	9.70	5.70	4.00	67.5	-1.00	-1.00
90897	6.1	7.6	1.5	87	4D54	3	-1.00	16.08	9.75	6.33	114.2	-1.00	-1.00
90898	7.6	9.1	1.5	93	4D5	3	-1.00	9.03	4.78	4.25	58.6	-1.00	-1.00
90899	9.1	12.2	3.1	100	4D5	3	-1.00	7.85	3.65	4.20	43.5	-1.00	-1.00
90900	12.2	13.7	1.5	100	4A43	2	-1.00	9.00	6.50	2.50	69.6	-1.00	-1.00
90901	13.7	15.2	1.5	100	4A43	2	-1.00	12.90	8.50	4.40	89.8	-1.00	-1.00
90902	15.2	16.8	1.6	94	4A43	2	-1.00	6.06	4.03	2.03	46.3	-1.00	-1.00
90903	16.8	18.3	1.5	100	4A43	2	-1.00	7.37	5.04	2.33	55.5	-1.00	-1.00
90904	18.3	19.8	1.5	100	4A43	2	-1.00	6.48	4.85	1.63	55.5	-1.00	-1.00
90905	19.8	21.3	1.5	100	4A43	2	-1.00	7.18	5.70	1.48	64.5	-1.00	-1.00
90906	21.3	22.9	1.6	100	4A34	2	-1.00	16.07	8.55	7.52	83.7	-1.00	-1.00
90907	22.9	24.4	1.5	100	4A34	2	-1.00	6.40	3.70	2.70	41.5	-1.00	-1.00
90908	24.4	25.9	1.5	100	4A34	2	-1.00	7.43	3.33	4.10	47.3	-1.00	-1.00
90909	25.9	27.4	1.5	80	4D0	3	-1.00	6.81	2.15	4.66	37.4	-1.00	-1.00
90910	27.4	29.0	1.6	94	4D0	3	-1.00	7.38	2.38	5.00	44.2	-1.00	-1.00
90911	29.0	30.5	1.5	93	4A4	2	-1.00	6.91	2.15	4.76	40.5	-1.00	-1.00
90912	30.5	32.0	1.5	100	4A4	2	-1.00	5.85	1.90	3.95	39.4	-1.00	-1.00
90913	32.0	33.5	1.5	100	4A4	2	-1.00	5.33	1.60	3.73	33.3	-1.00	-1.00
90914	33.5	35.1	1.6	100	4A4	2	-1.00	6.58	1.90	4.68	39.4	-1.00	-1.00
90915	35.1	36.6	1.5	100	4A0	2	-1.00	4.28	1.75	2.53	31.2	-1.00	-1.00
90916	36.6	38.1	1.5	100	4A4	2	-1.00	9.83	3.35	6.48	57.6	-1.00	-1.00
90917	38.1	39.6	1.5	100	4A4	2	-1.00	6.54	2.48	4.06	46.3	-1.00	-1.00
90918	39.6	41.1	1.5	100	4A4	2	-1.00	10.74	3.30	7.44	66.5	-1.00	-1.00
90919	41.1	42.7	1.6	94	4D5	3	-1.00	5.10	1.80	3.30	29.1	-1.00	-1.00
90920	42.7	44.2	1.5	100	4C5	3	-1.00	2.55	1.15	1.40	15.1	-1.00	-1.00
90921	44.2	45.7	1.5	100	4C5	3	-1.00	4.28	1.40	2.88	23.3	-1.00	-1.00
90922	45.7	47.2	1.5	100	4A0	2	-1.00	4.63	1.38	3.25	26.4	-1.00	-1.00
90923	47.2	48.8	1.6	100	4A4	2	-1.00	5.86	1.68	4.18	30.2	-1.00	-1.00
90924	48.8	50.3	1.5	93	4A0	2	-1.00	4.61	1.43	3.18	21.3	-1.00	-1.00
90925	50.3	51.8	1.5	100	4A0	2	-1.00	4.50	1.50	3.00	24.3	-1.00	-1.00
90926	51.8	53.3	1.5	53	4A4	2	-1.00	5.78	1.58	4.20	27.4	-1.00	-1.00
90927	53.3	54.9	1.6	50	4A0	2	-1.00	4.18	1.70	2.48	26.4	-1.00	-1.00
90928	54.9	56.4	1.5	33	4E0	5	-1.00	1.93	.63	1.30	11.0	-1.00	-1.00
0	56.4	57.9	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90930	57.9	59.4	1.5	53	4A10	2	-1.00	4.23	1.83	2.40	24.3	-1.00	-1.00
90931	59.4	61.0	1.6	100	4CD5	3	-1.00	7.70	2.20	5.50	30.2	-1.00	-1.00
90932	61.0	62.5	1.5	33	4A0	2	-1.00	4.23	1.35	2.88	21.3	-1.00	-1.00
90933	62.5	64.0	1.5	100	4A34	2	-1.00	13.12	5.42	7.70	67.5	-1.00	-1.00
90934	64.0	65.5	1.5	60	4A34	2	-1.00	17.20	6.65	10.55	80.6	-1.00	-1.00
90935	65.5	67.1	1.6	88	4A34	2	-1.00	19.27	7.61	11.66	102.9	-1.00	-1.00
90936	67.1	68.5	1.4	36	4E4	5	-1.00	25.89	9.89	16.00	138.2	-1.00	-1.00

0	68.5	106.7	38.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU207 Section:
 Northing: 6364.2 Easting: 2797.3 Elevation: 1139.8
 Length: 45.7 Core: NQ Record: 449

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
90762	.0	4.6	4.6	33	4A43	2	-1.00	13.58	4.80	8.78	82.6	-1.00	-1.00
90763	4.6	6.1	1.5	93	4A43	2	-1.00	11.97	4.10	7.87	63.4	-1.00	-1.00
0	6.1	7.6	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90764	7.6	9.1	1.5	80	4A43	2	-1.00	9.67	3.00	6.67	59.3	-1.00	-1.00
90765	9.1	10.6	1.5	100	4A43	2	-1.00	6.15	2.15	4.00	38.4	-1.00	-1.00
90766	10.6	12.1	1.5	100	4A43	2	-1.00	7.66	3.10	4.56	54.5	-1.00	-1.00
90767	12.1	13.6	1.5	100	4A43	2	-1.00	8.51	2.95	5.56	52.5	-1.00	-1.00
90768	13.6	15.1	1.5	80	4A43	2	-1.00	8.00	3.00	5.00	45.3	-1.00	-1.00
90769	15.1	16.7	1.6	62	4A43	2	-1.00	10.88	2.90	7.98	43.5	-1.00	-1.00
90770	16.7	18.2	1.5	67	4A43	2	-1.00	6.58	2.68	3.90	35.3	-1.00	-1.00
90771	18.2	20.4	2.2	95	4A43	2	-1.00	12.38	3.90	8.48	59.3	-1.00	-1.00
0	20.4	45.7	25.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU208 Section:
 Northing: 6363.8 Easting: 2796.3 Elevation: 1138.7
 Length: 140.1 Core: NQ Record: 450

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
91396	.0	1.5	1.5	40	4D4	3	-1.00	15.40	6.52	8.88	75.8	-1.00	-1.00
91397	1.5	3.0	1.5	100	4D4	3	-1.00	10.90	3.58	7.32	55.5	-1.00	-1.00
91398	3.0	4.6	1.6	94	4D4	3	-1.00	11.47	4.60	6.87	60.3	-1.00	-1.00
91399	4.6	6.1	1.5	100	4D4	3	-1.00	13.03	4.25	8.78	66.5	-1.00	-1.00
91400	6.1	7.5	1.4	93	4AD4	2	-1.00	10.27	2.80	7.47	47.3	-1.00	-1.00
0	7.5	8.5	1.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91401	8.5	9.9	1.4	93	4EKD	5	-1.00	16.10	5.00	11.10	68.6	-1.00	-1.00
0	9.9	33.0	23.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91570	33.0	34.0	1.0	90	3G0	20	-1.00	6.73	1.85	4.88	27.4	-1.00	-1.00
0	34.0	45.7	11.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91402	45.7	47.2	1.5	87	4ED4	5	-1.00	11.14	4.98	6.16	74.7	-1.00	-1.00
91403	47.2	48.8	1.6	63	4E4	5	-1.00	24.15	8.50	15.65	112.1	-1.00	-1.00
91404	48.8	50.3	1.5	100	4G4	7	-1.00	13.88	4.90	8.98	85.7	-1.00	-1.00
91405	50.3	51.8	1.5	100	4G4	7	-1.00	13.88	5.75	8.13	90.9	-1.00	-1.00
91406	51.8	53.3	1.5	100	4E4	5	-1.00	8.83	4.28	4.55	63.4	-1.00	-1.00
91407	53.3	55.5	2.2	100	4G4	7	-1.00	11.77	4.65	7.12	81.6	-1.00	-1.00
91408	55.5	57.1	1.6	100	4A0	2	-1.00	4.21	1.53	2.68	25.4	-1.00	-1.00
0	57.1	129.8	72.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91409	129.8	131.1	1.3	100	4E4	5	-1.00	6.45	3.25	3.20	41.5	-1.00	-1.00
91410	131.1	132.6	1.5	100	4E0	5	-1.00	2.68	1.93	.75	19.2	-1.00	-1.00
91411	132.6	134.1	1.5	100	4G4	7	-1.00	10.06	4.38	5.68	65.5	-1.00	-1.00
91412	134.1	135.6	1.5	100	4C8	3	-1.00	1.51	.58	.93	14.1	-1.00	-1.00
91413	135.6	137.2	1.6	100	4C8	3	-1.00	.83	.33	.50	8.9	-1.00	-1.00
91414	137.2	138.7	1.5	100	4C8	3	-1.00	1.08	.63	.45	9.9	-1.00	-1.00
91415	138.7	140.1	1.4	100	4C8	3	-1.00	2.28	.65	1.63	9.9	-1.00	-1.00

Drill Hole: AGU209 Section:
 Northing: 6364.5 Easting: 2795.8 Elevation: 1138.6
 Length: 99.0 Core: NQ Record: 451

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
91416	.0	3.0	3.0	47	4D3	3	-1.00	8.45	4.90	3.55	48.5	-1.00	-1.00
91417	3.0	4.5	1.5	100	4D3	3	-1.00	7.36	4.28	3.08	49.4	-1.00	-1.00
91418	4.5	6.0	1.5	100	4D34	3	-1.00	13.97	4.45	9.52	66.5	-1.00	-1.00
91419	6.0	7.5	1.5	53	4A4	2	-1.00	7.13	1.68	5.45	27.4	-1.00	-1.00
91420	7.5	9.0	1.5	47	4A4	2	-1.00	8.28	2.55	5.73	39.4	-1.00	-1.00
91421	9.0	10.5	1.5	87	4EDK	5	-1.00	17.78	6.98	10.80	122.1	-1.00	-1.00
0	10.5	13.8	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91422	13.8	16.8	3.0	57	4D4\$	3	-1.00	15.82	5.33	10.49	89.8	-1.00	-1.00
91423	16.8	18.3	1.5	93	4E4\$	5	-1.00	19.46	6.04	13.42	93.9	-1.00	-1.00
91424	18.3	19.8	1.5	40	4EDL	5	-1.00	12.46	3.55	8.91	53.5	-1.00	-1.00
0	19.8	21.3	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91425	21.3	22.8	1.5	93	4D4\$	3	-1.00	14.54	5.53	9.01	78.9	-1.00	-1.00
91426	22.8	24.3	1.5	100	4D4	3	-1.00	20.56	6.98	13.58	102.9	-1.00	-1.00
91427	24.3	26.0	1.7	94	4ED	5	-1.00	30.02	10.25	19.77	217.4	-1.00	-1.00
0	26.0	33.5	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91428	33.5	35.1	1.6	94	4D4\$	3	-1.00	11.62	4.70	6.92	65.5	-1.00	-1.00
0	35.1	39.4	4.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91429	39.4	41.1	1.7	94	4DL	3	-1.00	8.45	3.90	4.55	52.5	-1.00	-1.00
91430	41.1	42.7	1.6	94	4DL	3	-1.00	5.68	2.78	2.90	40.5	-1.00	-1.00
91431	42.7	44.2	1.5	47	4E4*	5	-1.00	16.52	6.23	10.29	131.0	-1.00	-1.00
91432	44.2	45.7	1.5	73	4E4*	5	-1.00	14.42	5.67	8.75	97.7	-1.00	-1.00
91433	45.7	47.2	1.5	67	4E4*	5	-1.00	16.74	6.49	10.25	108.0	-1.00	-1.00
91434	47.2	48.7	1.5	60	4E4*	5	-1.00	10.96	4.55	6.41	69.6	-1.00	-1.00
91435	48.7	50.2	1.5	53	4E4*	5	-1.00	8.78	3.48	5.30	48.3	-1.00	-1.00
91436	50.2	51.9	1.7	59	4A0	2	-1.00	2.95	1.05	1.90	16.1	-1.00	-1.00
0	51.9	57.9	6.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91571	57.9	59.4	1.5	-1	4A0	2	-1.00	4.81	1.98	2.83	22.3	-1.00	-1.00
0	59.4	99.0	39.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU210 Section:
 Northing: 6364.8 Easting: 2794.1 Elevation: 1138.5
 Length: 120.4 Core: NQ Record: 452

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
91437	.0	3.0	3.0	23	4D54	3	-1.00	10.97	6.42	4.55	71.7	-1.00	-1.00
91438	3.0	4.5	1.5	87	5D4*	47	-1.00	3.55	.85	2.70	14.1	-1.00	-1.00
91439	4.5	6.0	1.5	80	4D4	3	-1.00	11.84	3.73	8.11	56.6	-1.00	-1.00
91440	6.0	7.5	1.5	100	4D4	3	-1.00	11.60	3.70	7.90	53.5	-1.00	-1.00
91441	7.5	9.0	1.5	53	5D4*	47	-1.00	7.10	2.30	4.80	33.3	-1.00	-1.00
91442	9.0	10.5	1.5	93	4D45	3	-1.00	10.68	3.78	6.90	58.6	-1.00	-1.00
91443	10.5	12.0	1.5	73	4D5	3	-1.00	9.75	3.20	6.55	46.3	-1.00	-1.00
91444	12.0	13.5	1.5	73	5D4*	47	-1.00	8.20	2.90	5.30	48.3	-1.00	-1.00
91445	13.5	15.0	1.5	100	4D45	3	-1.00	12.87	3.82	9.05	68.6	-1.00	-1.00
91446	15.0	16.5	1.5	87	4D45	3	-1.00	13.14	4.13	9.01	78.9	-1.00	-1.00
91447	16.5	18.0	1.5	73	4C5	3	-1.00	4.51	1.38	3.13	23.3	-1.00	-1.00
91448	18.0	19.5	1.5	60	4D5	3	-1.00	9.80	2.88	6.92	50.4	-1.00	-1.00
91449	19.5	21.0	1.5	100	4D45	3	-1.00	21.40	7.83	13.57	125.1	-1.00	-1.00
91450	21.0	22.5	1.5	100	4D45	3	-1.00	14.74	5.00	9.74	80.6	-1.00	-1.00
91451	22.5	24.0	1.5	100	4A4	2	-1.00	8.26	2.63	5.63	42.5	-1.00	-1.00
91452	24.0	25.5	1.5	100	5D4*	47	-1.00	.78	.53	.25	8.2	-1.00	-1.00
91453	25.5	27.1	1.6	94	4A3	2	-1.00	3.23	1.75	1.48	27.4	-1.00	-1.00
0	27.1	29.8	2.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91454	29.8	32.0	2.2	100	4E4\$	5	-1.00	24.38	7.68	16.70	140.2	-1.00	-1.00
0	32.0	36.4	4.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91455	36.4	38.4	2.0	90	4A4	2	-1.00	14.06	6.19	7.87	79.5	-1.00	-1.00
0	38.4	59.4	21.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91456	59.4	60.9	1.5	100	4LDE	52	-1.00	15.81	6.22	9.59	88.8	-1.00	-1.00
91457	60.9	62.4	1.5	100	4E4	5	-1.00	12.39	4.87	7.52	71.7	-1.00	-1.00
91458	62.4	63.9	1.5	100	4E4	5	-1.00	12.70	5.00	7.70	69.6	-1.00	-1.00
91459	63.9	65.4	1.5	100	4AE	2	-1.00	16.23	5.63	10.60	81.6	-1.00	-1.00
91460	65.4	66.9	1.5	73	4AC	2	-1.00	2.58	1.13	1.45	15.1	-1.00	-1.00
0	66.9	89.9	23.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91461	89.9	92.9	3.0	57	4A0	2	-1.00	1.31	.58	.73	13.0	-1.00	-1.00
91462	92.9	94.4	1.5	100	4A0	2	-1.00	.83	.18	.65	14.1	-1.00	-1.00
91463	94.4	95.9	1.5	73	4A0	2	-1.00	.43	.15	.28	8.2	-1.00	-1.00
91464	95.9	98.9	3.0	70	4A0	2	-1.00	1.41	.33	1.08	8.2	-1.00	-1.00
91465	98.9	100.4	1.5	100	4A0	2	-1.00	2.08	.73	1.35	13.0	-1.00	-1.00
91466	100.4	101.9	1.5	87	4A0	2	-1.00	.50	.05	.45	3.1	-1.00	-1.00
91467	101.9	104.9	3.0	73	4A0	2	-1.00	.38	.05	.33	5.1	-1.00	-1.00
91468	104.9	107.9	3.0	97	4A0	2	-1.00	1.12	.07	1.05	4.1	-1.00	-1.00
91469	107.9	109.9	2.0	100	4EC	5	-1.00	2.63	1.00	1.63	23.3	-1.00	-1.00
0	109.9	113.2	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91470	113.2	114.4	1.2	100	4D45	3	-1.00	19.51	6.99	12.52	98.7	-1.00	-1.00
0	114.4	120.4	6.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU211 Section:
 Northing: 6364.4 Easting: 2702.6 Elevation: 1138.9
 Length: 114.3 Core: NQ Record: 453

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.2	1.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91471	1.2	4.6	3.4	32	4AC	2	-1.00	4.13	1.58	2.55	22.3	-1.00	-1.00
91472	4.6	7.6	3.0	53	4C5	3	-1.00	2.01	1.13	.88	14.1	-1.00	-1.00
91473	7.6	9.1	1.5	87	4C5	3	-1.00	3.21	1.68	1.53	20.2	-1.00	-1.00
91474	9.1	10.6	1.5	73	4C5	3	-1.00	2.86	1.03	1.83	14.1	-1.00	-1.00
91475	10.6	13.6	3.0	30	4C5	3	-1.00	1.83	.90	.93	9.9	-1.00	-1.00
91476	13.6	16.6	3.0	40	4AC	2	-1.00	2.28	1.53	.75	19.2	-1.00	-1.00
91477	16.6	19.6	3.0	37	4A4	2	-1.00	11.05	4.50	6.55	59.3	-1.00	-1.00
91478	19.6	21.1	1.5	67	4A4	2	-1.00	5.25	1.90	3.35	26.4	-1.00	-1.00
91479	21.1	22.6	1.5	60	4A4	2	-1.00	11.06	3.58	7.48	45.3	-1.00	-1.00
91480	22.6	24.1	1.5	53	4A4	2	-1.00	11.47	3.93	7.54	51.4	-1.00	-1.00
91481	24.1	25.9	1.8	44	4AC	2	-1.00	4.03	1.08	2.95	18.2	-1.00	-1.00
91482	25.9	27.4	1.5	100	4E4	5	-1.00	24.06	8.99	15.07	159.4	-1.00	-1.00
91483	27.4	28.1	.7	100	4E4	5	-1.00	15.65	6.43	9.22	110.1	-1.00	-1.00
0	28.1	35.4	7.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91484	35.4	36.9	1.5	100	4AEG	2	-1.00	7.48	2.63	4.85	59.3	-1.00	-1.00
91485	36.9	38.4	1.5	100	4G4	7	-1.00	12.67	4.48	8.19	69.6	-1.00	-1.00
91486	38.4	39.5	1.1	100	4G4	7	-1.00	10.56	3.40	7.16	72.7	-1.00	-1.00
91487	39.5	41.0	1.5	100	4G4	7	-1.00	11.74	4.50	7.24	75.8	-1.00	-1.00
91488	41.0	42.5	1.5	100	4G4	7	-1.00	12.87	5.00	7.87	74.7	-1.00	-1.00
91489	42.5	44.3	1.8	94	4E4	5	-1.00	6.05	2.85	3.20	60.3	-1.00	-1.00
0	44.3	71.6	27.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91490	71.6	73.1	1.5	100	4D4	3	-1.00	10.77	4.33	6.44	64.5	-1.00	-1.00
91491	73.1	74.6	1.5	100	4C3	3	-1.00	3.95	1.80	2.15	33.3	-1.00	-1.00
91492	74.6	76.1	1.5	93	4D53	3	-1.00	7.43	2.68	4.75	42.5	-1.00	-1.00
91493	76.1	77.6	1.5	100	4D53	3	-1.00	5.33	2.73	2.60	46.3	-1.00	-1.00
91494	77.6	79.1	1.5	100	4C3	3	-1.00	.78	.25	.53	11.0	-1.00	-1.00
91495	79.1	80.6	1.5	93	4C3	3	-1.00	1.20	.40	.80	15.1	-1.00	-1.00
91496	80.6	82.1	1.5	93	4C3	3	-1.00	.60	.05	.55	9.9	-1.00	-1.00
91497	82.1	83.6	1.5	100	4C3	3	-1.00	.95	.30	.65	13.0	-1.00	-1.00
91498	83.6	85.1	1.5	100	4C3	3	-1.00	.90	.25	.65	12.0	-1.00	-1.00
91499	85.1	86.6	1.5	100	4C3	3	-1.00	2.80	.80	2.00	24.3	-1.00	-1.00
91500	86.6	88.1	1.5	100	4D4	3	-1.00	12.12	5.56	6.56	73.7	-1.00	-1.00
0	88.1	114.3	26.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU212 Section:
 Northing: 6364.6 Easting: 2703.8 Elevation: 1138.9
 Length: 70.2 Core: NQ Record: 454

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	10.7	10.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91501	10.7	11.2	.5	100	4A0	2	-1.00	4.03	1.30	2.73	15.1	-1.00	-1.00
91502	11.2	12.2	1.0	100	4C5	3	-1.00	3.41	1.48	1.93	19.2	-1.00	-1.00
91503	12.2	13.7	1.5	100	4C0	3	-1.00	3.75	2.15	1.60	24.3	-1.00	-1.00
91504	13.7	15.2	1.5	87	4D0	3	-1.00	6.40	3.40	3.00	40.5	-1.00	-1.00
91505	15.2	16.8	1.6	94	4D0	3	-1.00	6.15	2.60	3.55	32.2	-1.00	-1.00
91506	16.8	18.3	1.5	80	4C0	3	-1.00	4.98	2.23	2.75	28.5	-1.00	-1.00
91507	18.3	19.8	1.5	100	4C0	3	-1.00	4.33	1.68	2.65	20.2	-1.00	-1.00
91508	19.8	21.3	1.5	100	4C0	3	-1.00	1.03	.40	.63	5.1	-1.00	-1.00
91509	21.3	22.9	1.6	62	4C0	3	-1.00	3.48	1.48	2.00	20.2	-1.00	-1.00
0	22.9	30.0	7.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91510	30.0	32.0	2.0	100	4C0	3	-1.00	1.28	.50	.78	8.2	-1.00	-1.00
91511	32.0	33.5	1.5	100	4A0	2	-1.00	1.51	.33	1.18	6.2	-1.00	-1.00
91512	33.5	36.0	2.5	100	4A4	2	-1.00	5.61	1.88	3.73	29.1	-1.00	-1.00
91513	36.0	38.1	2.1	95	4E4	5	-1.00	23.83	8.05	15.78	119.0	-1.00	-1.00
0	38.1	41.9	3.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91514	41.9	42.7	.8	100	4E46	5	-1.00	16.65	7.39	9.26	114.5	-1.00	-1.00
91515	42.7	44.2	1.5	100	4E46	5	-1.00	11.76	5.75	6.01	119.0	-1.00	-1.00
91516	44.2	45.7	1.5	100	4E46	5	-1.00	12.06	4.53	7.53	87.8	-1.00	-1.00
91517	45.7	47.2	1.5	100	4G4	7	-1.00	13.28	4.68	8.60	68.6	-1.00	-1.00
91518	47.2	48.8	1.6	100	4G4	7	-1.00	14.18	5.30	8.88	81.6	-1.00	-1.00
91519	48.8	50.3	1.5	100	4G0	7	-1.00	8.45	2.56	5.89	41.5	-1.00	-1.00
91520	50.3	51.8	1.5	100	4G4	7	-1.00	10.35	3.70	6.65	59.3	-1.00	-1.00
91521	51.8	53.3	1.5	67	4E4	5	-1.00	12.25	4.95	7.30	68.6	-1.00	-1.00
0	53.3	54.9	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91522	54.9	56.4	1.5	53	4E\$4	5	-1.00	9.21	3.15	6.06	51.4	-1.00	-1.00
91523	56.4	59.1	2.7	37	4E46	5	-1.00	12.24	4.20	8.04	80.6	-1.00	-1.00
91524	59.1	61.0	1.9	100	4ED4	5	-1.00	18.99	6.29	12.70	93.9	-1.00	-1.00
91525	61.0	62.5	1.5	100	4E4\$	5	-1.00	7.60	4.00	3.60	57.6	-1.00	-1.00
91526	62.5	64.0	1.5	100	4EGD	7	-1.00	25.13	9.15	15.98	118.6	-1.00	-1.00
91527	64.0	65.5	1.5	100	4E4\$	5	-1.00	8.00	3.85	4.15	46.3	-1.00	-1.00
91528	65.5	67.1	1.6	94	4E0\$	5	-1.00	4.50	2.80	1.70	39.8	-1.00	-1.00
91529	67.1	68.6	1.5	93	4E4*	5	-1.00	21.70	7.58	14.12	127.9	-1.00	-1.00
91530	68.6	70.2	1.6	94	4E4*	5	-1.00	7.18	3.38	3.80	47.3	-1.00	-1.00

Drill Hole: AGU213 Section:
 Northing: 6364.5 Easting: 2705.3 Elevation: 1138.9
 Length: 121.9 Core: NQ Record: 455

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	51.2	51.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91531	51.2	52.7	1.5	73	4E4	5	-1.00	10.69	3.83	6.86	63.4	-1.00	-1.00
91532	52.7	54.2	1.5	80	4E4#	5	-1.00	7.03	2.58	4.45	41.5	-1.00	-1.00
91533	54.2	55.7	1.5	93	4E4#	5	-1.00	11.93	4.23	7.70	58.6	-1.00	-1.00
91534	55.7	57.2	1.5	73	4G0	7	-1.00	9.35	3.23	6.12	54.5	-1.00	-1.00
91535	57.2	58.7	1.5	80	4EG4	7	-1.00	11.13	4.08	7.05	71.7	-1.00	-1.00
91536	58.7	60.2	1.5	60	4E4#	5	-1.00	15.14	5.97	9.17	94.6	-1.00	-1.00
91537	60.2	61.7	1.5	60	4EG4	7	-1.00	10.55	3.85	6.70	50.4	-1.00	-1.00
91538	61.7	63.2	1.5	60	4EG4	7	-1.00	14.18	5.79	8.39	78.9	-1.00	-1.00
91539	63.2	64.7	1.5	73	4E0#	5	-1.00	3.13	1.50	1.63	31.2	-1.00	-1.00
91540	64.7	66.2	1.5	53	4E0#	5	-1.00	2.48	1.28	1.20	30.2	-1.00	-1.00
91541	66.2	67.7	1.5	67	4E4#	5	-1.00	7.35	2.75	4.60	52.5	-1.00	-1.00
91542	67.7	69.2	1.5	73	4E0#	5	-1.00	3.98	1.53	2.45	28.5	-1.00	-1.00
91543	69.2	70.7	1.5	67	4A34	2	-1.00	7.93	2.93	5.00	46.3	-1.00	-1.00
91544	70.7	72.2	1.5	67	4A30	2	-1.00	2.38	.85	1.53	17.1	-1.00	-1.00
91545	72.2	73.7	1.5	47	4A34	2	-1.00	6.23	1.83	4.40	24.3	-1.00	-1.00
91546	73.7	75.2	1.5	60	4A0	2	-1.00	2.68	.85	1.83	13.0	-1.00	-1.00
91547	75.2	76.7	1.5	60	4A0	2	-1.00	1.86	.83	1.03	16.1	-1.00	-1.00
91548	76.7	78.2	1.5	67	4A0	2	-1.00	2.98	1.10	1.88	27.4	-1.00	-1.00
91549	78.2	79.7	1.5	67	4AE	2	-1.00	24.76	9.14	15.62	120.0	-1.00	-1.00
91550	79.7	81.2	1.5	67	4AE	2	-1.00	12.89	4.58	8.31	68.6	-1.00	-1.00
91551	81.2	82.7	1.5	87	4A0	2	-1.00	2.26	.88	1.38	28.1	-1.00	-1.00
91552	82.7	84.2	1.5	87	4A0	2	-1.00	.98	.18	.80	12.0	-1.00	-1.00
91553	84.2	85.7	1.5	87	4DE4	3	-1.00	20.26	6.37	13.89	88.8	-1.00	-1.00
91554	85.7	87.2	1.5	87	4A43	2	-1.00	16.93	5.70	11.23	70.6	-1.00	-1.00
91555	87.2	88.7	1.5	100	4A43	2	-1.00	6.88	2.43	4.45	33.3	-1.00	-1.00
91556	88.7	90.2	1.5	100	4A31	2	-1.00	1.98	.68	1.30	20.2	-1.00	-1.00
91557	90.2	91.7	1.5	93	4A31	2	-1.00	1.73	.45	1.28	17.1	-1.00	-1.00
91558	91.7	93.2	1.5	87	4A31	2	-1.00	1.30	.30	1.00	13.0	-1.00	-1.00
91559	93.2	94.7	1.5	87	4A31	2	-1.00	1.16	.18	.98	12.0	-1.00	-1.00
91560	94.7	96.2	1.5	100	4A31	2	-1.00	1.48	.20	1.28	6.2	-1.00	-1.00
91561	96.2	97.7	1.5	100	4A31	2	-1.00	2.56	.88	1.68	12.0	-1.00	-1.00
91562	97.7	99.2	1.5	93	4A31	2	-1.00	2.96	.43	2.53	11.0	-1.00	-1.00
91563	99.2	100.7	1.5	67	4A31	2	-1.00	.90	.05	.85	9.9	-1.00	-1.00
91564	100.7	102.2	1.5	67	4A31	2	-1.00	1.08	.05	1.03	9.9	-1.00	-1.00
91565	102.2	103.7	1.5	100	4C3	3	-1.00	.45	.02	.43	8.9	-1.00	-1.00
91566	103.7	105.2	1.5	100	4E0	5	-1.00	1.03	.03	1.00	7.9	-1.00	-1.00
91567	105.2	106.7	1.5	100	4A0	2	-1.00	.77	.02	.75	5.1	-1.00	-1.00
91568	106.7	108.9	2.2	100	4E10	5	-1.00	2.91	1.28	1.63	29.1	-1.00	-1.00
0	108.9	113.9	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
91569	113.9	114.7	.8	100	4G4	7	-1.00	18.97	6.75	12.22	88.8	-1.00	-1.00
0	114.7	121.9	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU214 Section:
 Northing: 6425.0 Easting: 2807.7 Elevation: 1128.5
 Length: 30.5 Core: NQ Record: 456

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	3.0	3.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14330	3.0	4.5	1.5	100	4A34	2	3.43	6.70	2.45	4.25	48.0	13.60	-1.00
14331	4.5	6.5	2.0	100	4A34	2	3.36	9.56	4.46	5.10	66.0	9.75	-1.00
14332	6.5	7.6	1.1	91	5D4*	47	3.19	3.69	1.49	2.20	23.0	7.35	-1.00
14333	7.6	9.1	1.5	100	4D45	3	3.39	12.26	3.76	8.50	63.0	10.50	-1.00
14334	9.1	12.3	3.2	44	4D54	3	4.35	13.25	3.95	9.30	66.0	13.50	-1.00
0	12.3	30.5	18.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU215 Section:
 Northing: 6424.9 Easting: 2805.8 Elevation: 1127.3
 Length: 138.6 Core: NQ Record: 457

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	4.2	4.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90772	4.2	6.0	1.8	39	4A34	2	-1.00	9.09	2.95	6.14	53.5	-1.00	-1.00
0	6.0	7.8	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90773	7.8	9.3	1.5	93	4AL	2	-1.00	3.38	1.28	2.10	23.3	-1.00	-1.00
90774	9.3	10.8	1.5	100	4AC	2	-1.00	3.91	1.58	2.33	25.4	-1.00	-1.00
90775	10.8	12.0	1.2	100	4ACL	2	-1.00	4.03	1.33	2.70	25.4	-1.00	-1.00
0	12.0	65.5	53.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90776	65.5	67.1	1.6	63	4G4	7	-1.00	15.16	5.99	9.17	84.7	-1.00	-1.00
90777	67.1	68.6	1.5	80	4A4	2	-1.00	14.35	5.10	9.25	86.7	-1.00	-1.00
90778	68.6	70.1	1.5	80	4AL	2	-1.00	9.77	3.63	6.14	59.3	-1.00	-1.00
0	70.1	100.6	30.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90779	100.6	103.6	3.0	100	4A1	2	-1.00	.23	.05	.18	2.1	-1.00	-1.00
90780	103.6	106.7	3.1	84	4A1	2	-1.00	.43	.05	.38	3.1	-1.00	-1.00
0	106.7	117.3	10.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90781	117.3	118.8	1.5	100	4A4	2	-1.00	6.23	2.23	4.00	38.4	-1.00	-1.00
90782	118.8	120.4	1.6	94	4A0	2	-1.00	4.48	1.55	2.93	20.2	-1.00	-1.00
0	120.4	129.5	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90783	129.5	131.1	1.6	12	4E4	5	-1.00	10.03	5.96	4.07	71.7	-1.00	-1.00
90784	131.1	132.6	1.5	13	4L0	52	-1.00	5.03	2.43	2.60	32.2	-1.00	-1.00
0	132.6	138.6	6.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU216 Section:
 Northing: 6426.0 Easting: 2803.4 Elevation: 1127.4
 Length: 138.6 Core: NQ Record: 458

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
90785	.0	1.5	1.5	27	4A34	2	-1.00	9.45	3.88	5.57	65.5	-1.00	-1.00
90786	1.5	3.0	1.5	100	4A34	2	-1.00	6.20	1.90	4.30	37.4	-1.00	-1.00
90787	3.0	4.6	1.6	100	4A34	2	-1.00	9.10	2.93	6.17	56.6	-1.00	-1.00
90788	4.6	6.1	1.5	100	4A34	2	-1.00	11.16	3.95	7.21	70.6	-1.00	-1.00
90789	6.1	7.6	1.5	100	4A34	2	-1.00	15.06	5.00	10.06	80.6	-1.00	-1.00
90790	7.6	9.1	1.5	100	4A34	2	-1.00	8.04	2.58	5.46	41.5	-1.00	-1.00
90791	9.1	10.7	1.6	100	4A34	2	-1.00	9.45	2.75	6.70	45.3	-1.00	-1.00
90792	10.7	12.5	1.8	94	4A34	2	-1.00	5.86	1.48	4.38	26.4	-1.00	-1.00
0	12.5	35.1	22.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90793	35.1	36.6	1.5	100	4E4	5	-1.00	29.50	9.57	19.93	138.2	-1.00	-1.00
90794	36.6	38.1	1.5	100	4E4	5	-1.00	34.88	13.40	21.48	215.7	-1.00	-1.00
90795	38.1	39.6	1.5	100	4E4	5	-1.00	29.05	10.43	18.62	191.7	-1.00	-1.00
0	39.6	46.1	6.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90796	46.1	48.1	2.0	100	4D4	3	-1.00	15.07	5.55	9.52	96.7	-1.00	-1.00
0	48.1	49.8	1.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90797	49.8	51.8	2.0	100	4D0	3	-1.00	7.53	3.78	3.75	50.4	-1.00	-1.00
90798	51.8	53.3	1.5	100	4A3	2	-1.00	2.40	1.05	1.35	17.1	-1.00	-1.00
0	53.3	62.8	9.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90969	62.8	64.0	1.2	100	3G0	20	-1.00	4.48	1.68	2.80	30.2	-1.00	-1.00
90970	64.0	65.5	1.5	100	4E4\$	5	-1.00	11.30	5.00	6.30	77.8	-1.00	-1.00
90971	65.5	67.1	1.6	100	4EA	5	-1.00	11.08	4.15	6.93	61.4	-1.00	-1.00
90972	67.1	68.6	1.5	93	4A1	2	-1.00	4.28	2.23	2.05	28.5	-1.00	-1.00
90973	68.6	70.1	1.5	93	4A1	2	-1.00	3.38	1.55	1.83	20.2	-1.00	-1.00
90974	70.1	71.6	1.5	87	4AE4	2	-1.00	15.77	5.60	10.17	70.6	-1.00	-1.00
90975	71.6	73.6	2.0	100	4EAL	5	-1.00	9.75	3.50	6.25	52.5	-1.00	-1.00
0	73.6	94.0	20.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90976	94.0	96.0	2.0	95	4A0	2	-1.00	.58	.23	.35	5.1	-1.00	-1.00
90977	96.0	97.5	1.5	100	4A0	2	-1.00	1.65	.45	1.20	7.2	-1.00	-1.00
90978	97.5	99.1	1.6	88	4A0	2	-1.00	.38	.08	.30	2.1	-1.00	-1.00
0	99.1	100.6	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90980	100.6	102.1	1.5	93	4A0	2	-1.00	.48	.18	.30	3.1	-1.00	-1.00
0	102.1	103.6	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90981	103.6	105.2	1.6	88	4A0	2	-1.00	.18	.08	.10	2.1	-1.00	-1.00
90982	105.2	106.7	1.5	93	4A0	2	-1.00	.51	.08	.43	2.1	-1.00	-1.00
90983	106.7	108.2	1.5	33	4AE	2	-1.00	11.22	3.88	7.34	45.3	-1.00	-1.00
90984	108.2	109.7	1.5	67	4A0	2	-1.00	1.18	.30	.88	5.1	-1.00	-1.00
0	109.7	123.3	13.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90985	123.3	123.8	.5	100	4D34	3	-1.00	18.70	9.40	9.30	90.9	-1.00	-1.00
0	123.8	126.5	2.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
90986	126.5	128.0	1.5	100	4C8	3	-1.00	3.81	1.88	1.93	18.2	-1.00	-1.00
90987	128.0	129.5	1.5	100	4D8	3	-1.00	5.10	2.75	2.35	30.2	-1.00	-1.00
0	129.5	138.6	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU217 Section:
 Northing: 6441.6 Easting: 2580.5 Elevation: 1162.2
 Length: 123.6 Core: NQ Record: 459

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	123.6	123.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: AGU218 Section:
 Northing: 6674.9 Easting: 2700.5 Elevation: 1089.9
 Length: 45.7 Core: NQ Record: 460

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	45.7	45.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-01 Section: W58
 Northing: 5909.5 Easting: 2552.2 Elevation: 1262.4
 Length: 167.6 Core: NQ Record: 461

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	44.8	44.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
111001	44.8	45.7	.9	99	4AC3	2	2.90	.28	.14	.14	10.0	17.60	-1.00
111002	45.7	46.7	.9	100	4A30	2	3.40	1.30	1.02	.28	28.0	21.60	-1.00
111003	46.7	47.9	1.2	100	4A30	2	3.00	1.04	.68	.36	22.0	19.80	-1.00
111004	47.9	48.7	.8	100	4A30	2	3.00	.68	.52	.16	16.0	19.40	-1.00
111005	48.7	49.7	1.0	100	4A30	2	3.10	.77	.37	.40	10.0	16.40	-1.00
111006	49.7	50.7	1.0	100	4C0	3	3.00	.84	.33	.51	10.0	17.50	-1.00
111007	50.7	52.4	1.7	70	4A0	2	3.10	2.68	.70	1.98	12.0	19.90	-1.00
111008	52.4	53.5	1.1	81	4A4	2	3.60	6.33	2.43	3.90	39.0	12.90	-1.00
111009	53.5	54.8	1.3	100	4E4	5	4.40	12.56	5.43	7.13	93.0	29.00	-1.00
111010	54.8	55.5	.7	100	4G4	7	4.10	12.51	5.93	6.58	81.0	15.50	-1.00
111011	55.5	56.0	.5	100	4C0	3	3.10	2.19	.93	1.26	17.0	18.90	-1.00
111012	56.0	57.0	1.0	100	5D4\$	47	2.80	.27	.11	.16	4.0	5.83	-1.00
111013	57.0	57.2	.2	99	4A0	2	3.00	.28	.16	.12	12.0	18.50	-1.00
0	57.2	167.6	110.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-02 Section: W58
 Northing: 5908.6 Easting: 2522.4 Elevation: 1260.8
 Length: 184.7 Core: NQ Record: 462

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	51.0	51.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
111095	51.0	52.2	1.2	99	4C3\$	3	3.50	1.24	.79	.45	18.0	27.80	-1.00
111096	52.2	53.2	1.0	100	4DE	3	3.50	2.82	1.44	1.38	26.0	27.50	-1.00
111097	53.2	54.3	1.1	100	4DE4	3	4.10	8.14	4.68	3.46	53.0	29.00	-1.00
111098	54.3	55.9	1.6	100	4L24	52	2.90	2.32	1.34	.98	19.0	12.90	-1.00
111099	55.9	57.5	1.6	87	4L24	52	2.70	1.31	.68	.63	8.0	8.58	-1.00
111100	57.5	59.3	1.8	100	4LD3	52	3.10	4.81	2.42	2.39	27.0	15.50	-1.00
111101	59.3	60.5	1.2	100	4L24	52	3.00	1.99	1.36	.63	22.0	13.20	-1.00
111102	60.5	61.5	1.0	100	4E0	5	3.30	2.76	1.27	1.49	20.0	24.30	-1.00
111103	61.5	62.8	1.3	100	4E4	5	3.30	8.44	3.87	4.57	46.0	22.20	-1.00
111104	62.8	64.3	1.5	99	4E4	5	4.00	9.45	4.53	4.92	54.0	34.00	-1.00
111105	64.3	65.9	1.6	100	4E4	5	3.80	8.24	4.30	3.94	50.0	31.40	-1.00
111106	65.9	67.2	1.3	92	4AC3	2	2.90	.39	.11	.28	8.0	17.30	-1.00
111107	67.2	68.4	1.2	99	4AC3	2	3.30	.74	.30	.44	12.0	20.70	-1.00
111108	68.4	69.7	1.3	92	10Q\$	60	3.20	7.07	4.30	2.77	74.0	19.10	-1.00
111109	69.7	71.3	1.6	99	4E4	5	4.50	16.23	6.54	9.69	99.0	33.00	-1.00
111110	71.3	72.8	1.5	80	4E4	5	4.00	17.35	7.25	10.10	111.0	25.30	-1.00
111111	72.8	73.9	1.1	90	4G4	7	3.90	10.92	3.68	7.24	62.0	9.96	-1.00
111112	73.9	74.7	.8	87	4G0	7	4.00	7.19	2.46	4.73	40.0	10.20	-1.00
111113	74.7	76.0	1.3	92	5B4\$	40	3.30	11.02	4.26	6.76	65.0	13.00	-1.00
111114	76.0	77.1	1.1	100	5B4\$	40	2.80	.72	.05	.67	2.0	5.40	-1.00
111115	77.1	78.1	1.0	100	5B4\$	40	2.80	.25	.06	.19	2.0	3.53	-1.00
111116	78.1	79.2	1.1	100	5B4\$	40	2.70	.29	.08	.21	2.0	5.12	-1.00
111117	79.2	80.7	1.5	100	4L124	52	3.00	4.25	1.59	2.66	21.0	4.72	-1.00
111118	80.7	81.4	.7	99	4LA	52	3.10	9.87	2.63	7.24	43.0	13.40	-1.00
0	81.4	133.0	51.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
111119	133.0	134.6	1.6	99	5B469	40	-1.00	.18	.08	.10	.7	6.45	-1.00
111120	134.6	136.4	1.8	100	4L124	52	2.90	2.82	1.17	1.65	15.0	13.40	-1.00
111121	136.4	137.7	1.3	99	4LC	52	2.80	1.70	.91	.79	12.0	10.70	-1.00
111122	137.7	139.2	1.5	100	4EG	7	4.10	6.71	2.86	3.85	35.0	29.90	-1.00
111123	139.2	140.2	1.0	100	4EG4	7	4.10	13.26	5.74	7.52	71.0	24.50	-1.00
111124	140.2	141.5	1.3	100	4AC79	2	3.20	.95	.40	.55	10.0	21.00	-1.00
111125	141.5	142.8	1.3	100	4AC79	2	3.00	.34	.16	.18	8.0	16.50	-1.00
111126	142.8	143.9	1.1	100	4AC79	2	3.00	.22	.09	.13	6.0	16.30	-1.00
111127	143.9	145.1	1.2	100	4AC79	2	3.00	.36	.16	.20	6.0	17.50	-1.00
111128	145.1	146.3	1.2	100	4AC79	2	3.00	.17	.09	.08	8.0	17.50	-1.00
111129	146.3	147.6	1.3	100	4AC79	2	3.10	.33	.18	.15	10.0	19.50	-1.00
111130	147.6	148.7	1.1	81	4AC79	2	2.90	.95	.43	.52	10.0	16.70	-1.00
111131	148.7	150.0	1.3	92	4E46	5	3.40	10.64	5.10	5.54	68.0	20.60	-1.00
111132	150.0	151.2	1.2	100	4AC0	2	3.10	.50	.07	.43	8.0	17.80	-1.00
111133	151.2	152.6	1.4	100	4AC0	2	3.00	.26	.12	.14	4.0	14.90	-1.00
111134	152.6	154.0	1.4	100	4A0	2	3.00	1.85	.84	1.01	12.0	17.30	-1.00
111135	154.0	154.8	.8	100	4E4	5	3.60	10.25	3.53	6.72	46.0	19.30	-1.00
111136	154.8	156.1	1.3	92	4A6&1	2	2.70	.56	.29	.27	4.0	5.77	-1.00

111137	156.1	157.0	.9	100	4L	52	2.80	.71	.24	.47	4.0	7.10	-1.00
111138	157.0	157.9	.9	100	4E4	5	4.20	8.22	3.81	4.41	58.0	31.60	-1.00
111139	157.9	159.4	1.5	100	4A0	2	2.70	.71	.28	.43	6.0	11.40	-1.00
111140	159.4	161.0	1.6	100	4A0	2	2.90	.20	.07	.13	4.0	14.30	-1.00
111141	161.0	162.1	1.1	100	5A196	30	2.60	.26	.13	.13	4.0	9.43	-1.00
0	162.1	184.7	22.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-03 Section: W64
 Northing: 6090.9 Easting: 2639.4 Elevation: 1276.4
 Length: 87.2 Core: NQ Record: 463

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	46.6	46.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30420	46.6	49.4	2.8	57	4D34	3	4.20	20.56	6.96	13.60	118.0	20.50	-1.00
30421	49.4	50.4	1.0	60	5B6	40	2.60	.57	.14	.43	4.0	3.39	-1.00
30422	50.4	54.0	3.6	88	5B6	40	2.90	.48	.07	.41	4.0	5.38	-1.00
30423	54.0	56.5	2.5	96	5A69	30	2.70	.35	.09	.26	.0	2.98	-1.00
30424	56.5	57.5	1.0	100	5A0	30	2.40	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30425	57.5	59.4	1.9	100	5A69	30	2.70	1.17	.42	.75	7.0	6.56	-1.00
30426	59.4	60.0	.6	100	4G4	7	3.40	17.63	5.73	11.90	95.0	13.30	-1.00
30427	60.0	61.9	1.9	100	5A196	30	2.70	1.51	.50	1.01	11.0	7.51	-1.00
30428	61.9	63.4	1.5	100	4E4	5	4.10	22.54	8.54	14.00	148.0	24.60	-1.00
30429	63.4	65.4	2.0	85	4E4	5	4.00	16.01	5.91	10.10	91.0	30.30	-1.00
30430	65.4	66.3	.9	100	4G4	7	4.00	12.00	3.50	8.50	59.0	8.60	-1.00
30431	66.3	67.3	1.0	90	4E44	5	4.40	28.80	11.00	17.80	153.0	25.20	-1.00
30432	67.3	68.6	1.3	100	4G4	7	4.40	14.95	5.49	9.46	109.0	15.40	-1.00
30433	68.6	69.8	1.2	100	4G4	7	4.50	12.04	3.99	8.05	97.0	16.80	-1.00
30434	69.8	71.2	1.4	100	4G4	7	4.30	12.72	4.84	7.88	91.0	16.90	-1.00
30435	71.2	72.6	1.4	100	4G0	7	4.50	9.96	3.75	6.21	72.0	20.30	-1.00
30436	72.6	73.8	1.2	100	4E4	5	4.40	12.19	5.04	7.15	96.0	29.80	-1.00
30437	73.8	75.1	1.3	100	4E4	5	4.50	11.53	4.78	6.75	113.0	32.10	-1.00
30438	75.1	76.4	1.3	99	4E0	5	3.90	4.16	2.47	1.69	61.0	34.40	-1.00
30439	76.4	77.7	1.3	100	3G0	20	2.80	.18	.06	.12	4.0	4.38	-1.00
30440	77.7	78.8	1.1	100	4EG	7	4.20	9.95	4.90	5.05	66.0	33.50	-1.00
30441	78.8	80.0	1.2	100	4EG	7	4.50	14.49	5.53	8.96	82.0	22.00	-1.00
0	80.0	87.2	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-04 Section: W66
 Northing: 6150.4 Easting: 2686.5 Elevation: 1277.6
 Length: 78.3 Core: NQ Record: 464

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	42.5	42.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30492	42.5	43.3	.8	100	5A6	30	2.70	1.08	.26	.82	4.0	6.60	-1.00
30493	43.3	44.4	1.1	92	4A0	2	2.80	3.71	1.04	2.67	12.0	13.00	-1.00
30494	44.4	45.5	1.1	89	3G0	20	2.80	.23	.05	.18	4.0	5.86	-1.00
30495	45.5	47.2	1.7	100	4C5	3	2.70	1.09	.23	.86	6.0	6.96	-1.00
30496	47.2	48.4	1.2	100	4C0	3	2.90	1.36	.47	.89	10.0	13.80	-1.00
30497	48.4	49.4	1.0	100	4D0	3	3.00	5.55	3.40	2.15	53.0	14.20	-1.00
30498	49.4	51.3	1.9	100	4C0	3	2.80	3.16	1.28	1.88	27.0	12.50	-1.00
30499	51.3	52.4	1.1	100	4C0	3	3.00	3.34	.53	2.81	12.0	13.70	-1.00
30500	52.4	53.5	1.1	100	4C0	3	2.80	2.82	.25	2.57	6.0	11.40	-1.00
30501	53.5	55.5	2.0	81	4C0	3	3.00	4.24	1.15	3.09	18.0	7.94	-1.00
30502	55.5	56.7	1.2	100	4D5	3	3.10	6.31	2.66	3.65	40.0	10.20	-1.00
30503	56.7	57.9	1.2	88	4C5	3	2.90	3.74	1.11	2.63	18.0	10.40	-1.00
30504	57.9	59.1	1.2	100	4D0	3	3.00	7.85	3.00	4.85	48.0	5.96	-1.00
30505	59.1	60.2	1.1	71	4D5	3	2.80	6.55	4.45	2.10	71.0	3.42	-1.00
30506	60.2	61.6	1.4	100	4D5	3	3.00	6.83	2.69	4.14	37.0	7.69	-1.00
30507	61.6	62.9	1.3	96	4C5	3	2.80	3.51	1.29	2.22	20.0	8.23	-1.00
30508	62.9	64.5	1.6	100	4D0	3	3.00	7.27	2.88	4.39	43.0	8.61	-1.00
30509	64.5	65.8	1.3	100	4C0	3	2.90	2.92	1.13	1.79	18.0	7.14	-1.00
30510	65.8	67.4	1.6	100	4C0	3	3.00	3.12	2.06	1.06	22.0	10.00	-1.00
30511	67.4	68.7	1.3	100	4D0	3	2.80	5.72	4.48	1.24	32.0	4.54	-1.00
30512	68.7	69.8	1.1	89	5A69	30	2.80	2.26	.45	1.81	4.0	7.25	-1.00
30513	69.8	71.6	1.8	100	4A34	2	3.40	5.18	1.84	3.34	30.0	26.20	-1.00
30514	71.6	72.6	1.0	100	5A6	30	2.80	2.85	.83	2.02	6.0	7.08	-1.00
30515	72.6	73.5	.9	100	5A6	30	2.80	.94	.26	.68	.0	5.90	-1.00
30516	73.5	75.0	1.5	100	5A6	30	2.70	1.46	.50	.96	10.0	5.93	-1.00
30517	75.0	77.2	2.2	70	4C5	3	2.90	2.64	.70	1.94	10.0	10.30	-1.00
30518	77.2	78.3	1.1	100	4C5	3	2.70	1.78	.62	1.16	81.0	5.80	-1.00

Drill Hole: 87G-05 Section: W68
 Northing: 6211.4 Easting: 2687.5 Elevation: 1278.6
 Length: 137.2 Core: NQ Record: 465

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	56.8	56.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30867	56.8	58.0	1.2	100	4E4	5	3.80	21.51	6.11	15.40	111.0	22.60	-1.00
30868	58.0	59.4	1.4	100	4E4	5	3.90	27.90	7.70	20.20	138.0	22.70	-1.00
30869	59.4	60.5	1.1	100	4E4	5	4.30	29.10	8.60	20.50	161.0	26.20	-1.00
30870	60.5	61.9	1.4	99	5D/4E4	47	-1.00	10.24	1.80	8.44	32.0	20.50	-1.00
30871	61.9	63.1	1.2	100	4E4	5	4.30	24.75	6.75	18.00	129.0	24.60	-1.00
30872	63.1	64.6	1.5	93	4E4	5	4.50	18.21	4.61	13.60	85.0	33.10	-1.00
30873	64.6	66.1	1.5	100	4E4	5	4.60	30.00	7.90	22.10	114.0	27.50	-1.00
30874	66.1	67.5	1.4	100	4E4	5	4.40	36.96	9.86	27.10	137.0	21.40	-1.00
30875	67.5	69.2	1.7	94	4E4	5	4.70	18.91	1.01	17.90	178.0	27.30	-1.00
30876	69.2	70.7	1.5	40	4E4	5	4.60	9.10	2.68	6.42	31.0	40.50	-1.00
30877	70.7	72.4	1.7	94	4E4	5	4.40	16.33	4.43	11.90	74.0	33.30	-1.00
30878	72.4	73.9	1.5	100	4E4	5	4.50	24.18	6.98	17.20	99.0	30.30	-1.00
30879	73.9	75.2	1.3	92	4E4	5	4.00	34.10	11.20	22.90	201.0	18.70	-1.00
30880	75.2	76.1	.9	100	4E4	5	4.50	14.06	4.18	9.88	75.0	35.30	-1.00
30881	76.1	77.1	1.0	100	4A4	2	3.40	6.75	3.98	2.77	48.0	23.30	-1.00
30882	77.1	78.2	1.1	100	4A0	2	3.50	1.27	.45	.82	15.0	28.60	-1.00
30883	78.2	79.1	.9	100	4A0	2	3.10	.77	.15	.62	12.0	22.50	-1.00
30884	79.1	80.6	1.5	8	4A4	2	3.00	10.92	3.82	7.10	58.0	10.80	-1.00
0	80.6	99.7	19.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30885	99.7	103.0	3.3	-1	4L0	52	-1.00	2.11	.10	2.01	.6	9.95	-1.00
30886	103.0	104.9	1.9	63	4E4	5	4.00	14.12	4.56	9.56	79.0	30.30	-1.00
30887	104.9	106.1	1.2	100	5D4	47	3.30	7.52	1.55	5.97	21.0	21.70	-1.00
30888	106.1	108.1	2.0	-1	4E4	5	4.20	15.48	5.08	10.40	98.0	24.90	-1.00
30889	108.1	109.5	1.4	78	4E4	5	4.20	12.80	3.99	8.81	75.0	32.70	-1.00
30890	109.5	110.6	1.1	81	4L023	52	2.90	1.19	.37	.82	6.0	11.30	-1.00
30891	110.6	111.9	1.3	100	4E4	5	3.90	15.91	5.51	10.40	97.0	24.80	-1.00
30892	111.9	113.3	1.4	100	4E4	5	4.30	19.45	6.25	13.20	93.0	32.00	-1.00
30893	113.3	114.0	.7	100	4A34	2	3.50	9.64	3.42	6.22	54.0	21.30	-1.00
0	114.0	118.0	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30894	118.0	118.9	.9	100	4E4	5	3.50	19.42	6.72	12.70	116.0	18.60	-1.00
30895	118.9	120.0	1.1	100	4E4	5	4.00	12.21	9.92	2.29	162.0	19.40	-1.00
30896	120.0	121.2	1.2	100	4A0	2	2.80	3.64	1.10	2.54	18.0	10.60	-1.00
30897	121.2	122.5	1.3	100	4A4	2	2.70	5.42	.24	5.18	7.0	10.30	-1.00
30898	122.5	123.9	1.4	100	4A0	2	3.00	1.59	.65	.94	12.0	7.75	-1.00
30899	123.9	128.2	4.3	34	5C/4L	44	2.90	2.41	.27	2.14	6.0	8.24	-1.00
0	128.2	135.7	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30900	135.7	136.5	.8	99	5C4	44	2.90	4.00	1.09	2.91	17.0	15.40	-1.00
30901	136.5	137.2	.7	100	10Q	60	2.60	.33	.09	.24	4.0	6.73	-1.00

Drill Hole: 87G-06 Section: W70
 Northing: 6273.0 Easting: 2744.2 Elevation: 1287.2
 Length: 107.3 Core: NQ Record: 466

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	56.4	56.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30456	56.4	57.9	1.5	100	5A619	30	2.80	1.02	.34	.68	6.0	4.57	-1.00
30457	57.9	59.4	1.5	100	5A619	30	2.70	3.04	.99	2.05	19.0	6.50	-1.00
30458	59.4	61.0	1.6	100	5A619	30	3.00	3.47	.81	2.66	19.0	10.80	-1.00
30459	61.0	62.9	1.9	79	5A619	30	2.80	3.13	.72	2.41	14.0	7.67	-1.00
30460	62.9	64.0	1.1	100	5C/4E	44	3.30	7.28	1.93	5.35	37.0	20.50	-1.00
30461	64.0	65.2	1.2	100	4E4	5	3.30	15.64	5.04	10.60	88.0	16.20	-1.00
30462	65.2	66.1	.9	100	4A4	2	2.90	8.74	2.44	6.30	41.0	11.40	-1.00
30463	66.1	67.5	1.4	93	4A4	2	2.80	5.31	1.47	3.84	27.0	2.66	-1.00
30464	67.5	69.0	1.5	92	4A4	2	2.80	6.18	3.22	2.96	45.0	5.22	-1.00
30465	69.0	70.6	1.6	96	4A4	2	2.90	7.03	1.91	5.12	35.0	6.26	-1.00
30466	70.6	71.8	1.2	100	4D0	3	3.00	6.34	1.72	4.62	29.0	10.40	-1.00
30467	71.8	73.0	1.2	100	4A4	2	2.00	5.83	1.74	4.09	39.0	9.28	-1.00
30468	73.0	74.0	1.0	100	4C0	3	2.80	3.87	.88	2.99	16.0	11.40	-1.00
30469	74.0	75.2	1.2	66	4D0	3	2.90	6.54	1.69	4.85	28.0	10.10	-1.00
0	75.2	107.3	32.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-07 Section: W70
 Northing: 6272.6 Easting: 2774.8 Elevation: 1290.8
 Length: 109.7 Core: NQ Record: 467

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	47.9	47.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30701	47.9	49.4	1.5	50	4A0	2	2.70	4.41	1.19	3.22	26.0	2.37	-1.00
30702	49.4	50.4	1.0	100	4D4	3	3.20	16.31	6.11	10.20	103.0	12.40	-1.00
30703	50.4	51.4	1.0	100	4ED4	5	3.40	20.63	6.83	13.80	130.0	14.40	-1.00
30704	51.4	52.4	1.0	100	4AL	2	3.20	3.08	1.04	2.04	19.0	21.20	-1.00
30705	52.4	53.6	1.2	100	5C4\$	44	2.90	3.18	.54	2.64	10.0	17.80	-1.00
30706	53.6	54.9	1.3	100	4A34	2	3.30	5.91	2.62	3.29	64.0	19.80	-1.00
30707	54.9	56.0	1.1	100	4A34	2	3.20	5.87	1.92	3.95	43.0	17.30	-1.00
30708	56.0	57.2	1.2	100	4A30	2	3.20	3.75	1.40	2.35	33.0	21.80	-1.00
30709	57.2	58.4	1.2	100	4D5	3	3.00	5.16	2.04	3.12	31.0	10.10	-1.00
30710	58.4	59.6	1.2	100	4D5	3	2.80	5.21	1.93	3.28	39.0	6.07	-1.00
30711	59.6	60.7	1.1	100	4C5	3	2.90	4.80	1.51	3.29	27.0	6.88	-1.00
30712	60.7	61.9	1.2	100	4D5	3	2.90	6.29	2.37	3.92	43.0	8.94	-1.00
30713	61.9	63.0	1.1	100	4D5	3	2.70	6.44	1.71	4.73	37.0	3.06	-1.00
30714	63.0	63.8	.8	100	4D5	3	2.90	6.70	1.92	4.78	35.0	2.45	-1.00
30715	63.8	64.9	1.1	100	4D5	3	2.80	7.43	2.39	5.04	45.0	3.87	-1.00
30716	64.9	66.1	1.2	100	4D5	3	2.70	6.58	2.04	4.54	37.0	2.94	-1.00
30717	66.1	66.9	.8	88	4D5	3	2.70	5.10	1.54	3.56	29.0	2.41	-1.00
30718	66.9	67.8	.9	100	4D5	3	2.80	5.78	1.53	4.25	29.0	4.02	-1.00
30719	67.8	69.1	1.3	100	4D0	3	2.80	7.13	2.05	5.08	43.0	5.00	-1.00
30720	69.1	70.5	1.4	100	4D0	3	2.90	6.35	2.10	4.25	41.0	6.57	-1.00
30721	70.5	71.9	1.4	100	4D0	3	2.70	5.00	1.33	3.67	23.0	3.61	-1.00
30722	71.9	73.1	1.2	100	4D0	3	2.90	5.66	1.85	3.81	31.0	6.90	-1.00
30723	73.1	74.4	1.3	100	4C0	3	3.00	3.79	1.82	1.97	27.0	10.30	-1.00
30724	74.4	75.9	1.5	100	4AD3	2	3.20	6.38	1.51	4.87	29.0	15.30	-1.00
30725	75.9	77.4	1.5	100	4AD3	2	3.20	9.43	2.48	6.95	52.0	17.10	-1.00
30726	77.4	78.9	1.5	100	4AD3	2	3.20	7.15	1.80	5.35	41.0	20.30	-1.00
30727	78.9	80.5	1.6	100	4AD3	2	3.20	6.55	1.63	4.92	42.0	18.90	-1.00
30728	80.5	82.0	1.5	100	4AD3	2	3.00	7.28	2.35	4.93	41.0	15.60	-1.00
30729	82.0	83.7	1.7	100	4AD3	2	3.30	6.93	2.85	4.08	51.0	18.70	-1.00
30730	83.7	85.0	1.3	100	4AD34	2	3.80	13.08	9.51	3.57	119.0	21.20	-1.00
30731	85.0	86.6	1.6	100	4AD34	2	3.50	10.70	5.25	5.45	69.0	18.00	-1.00
30732	86.6	88.1	1.5	100	4AD34	2	3.40	10.80	4.12	6.68	61.0	16.70	-1.00
30733	88.1	89.6	1.5	100	4AD34	2	3.30	12.50	7.18	5.32	97.0	16.80	-1.00
30734	89.6	91.1	1.5	100	4AD34	2	3.70	9.64	3.75	5.89	53.0	20.20	-1.00
30735	91.1	92.7	1.6	100	4AD34	2	3.80	10.88	2.75	8.13	51.0	20.20	-1.00
30736	92.7	94.3	1.6	100	4AD34	2	3.90	15.64	5.24	10.40	81.0	20.80	-1.00
30737	94.3	96.0	1.7	100	4AD3	2	3.50	5.95	2.25	3.70	43.0	21.10	-1.00
30738	96.0	97.5	1.5	100	4AD34	2	3.40	11.33	5.96	5.37	72.0	17.10	-1.00
30739	97.5	98.3	.8	100	4AD34	2	4.10	9.05	4.70	4.35	67.0	28.60	-1.00
30740	98.3	99.2	.9	100	4AD4	2	3.00	10.88	4.06	6.82	56.0	9.59	-1.00
30741	99.2	100.5	1.3	81	4A0	2	2.80	3.24	.79	2.45	11.0	7.95	-1.00
30742	100.5	101.6	1.1	100	4A0	2	2.80	3.03	.95	2.08	19.0	8.91	-1.00
30743	101.6	102.5	.9	100	4A0	2	2.80	2.49	1.00	1.49	19.0	5.05	-1.00

30744	102.5	103.6	1.1	100	4A0	2	3.30	1.90	.73	1.17	15.0	7.60	-1.00
30745	103.6	104.9	1.3	100	4A0	2	3.10	1.61	.68	.93	17.0	13.70	-1.00
30746	104.9	106.1	1.2	100	4A0	2	2.80	2.10	.50	1.60	11.0	8.23	-1.00
30747	106.1	107.2	1.1	100	4A4	2	3.10	9.50	.75	8.75	11.0	12.30	-1.00
30748	107.2	107.7	.5	100	4ED4	5	-1.00	22.64	7.54	15.10	141.0	22.60	-1.00
30749	107.7	108.4	.7	100	4A0	2	3.10	1.75	.69	1.06	20.0	14.00	-1.00
0	108.4	109.7	1.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-08 Section: W72
 Northing: 6334.1 Easting: 2836.6 Elevation: 1302.7
 Length: 96.3 Core: NQ Record: 468

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	46.3	46.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30470	46.3	47.5	1.2	24	FE OXID	72	2.80	1.72	.94	.78	9.0	18.50	-1.00
30471	47.5	48.2	.7	42	4C0	3	2.70	1.01	.67	.34	12.0	3.38	-1.00
30472	48.2	52.6	4.4	40	FE OXID	72	2.90	3.85	2.97	.88	66.0	20.90	-1.00
30473	52.6	55.9	3.3	75	5A	30	-1.00	1.90	1.26	.64	23.0	5.50	-1.00
30474	55.9	58.5	2.6	96	5A1	30	3.20	3.00	1.11	1.89	24.0	8.16	-1.00
30475	58.5	60.7	2.2	36	5A6	30	-1.00	.82	.14	.68	4.0	4.01	-1.00
30476	60.7	61.6	.9	55	5A6	30	-1.00	2.26	.05	2.21	2.0	7.44	-1.00
30477	61.6	63.4	1.8	61	5A6	30	2.80	.99	.15	.84	2.0	5.24	-1.00
30478	63.4	64.8	1.4	71	4F4	5	3.60	23.65	7.45	16.20	124.0	18.40	-1.00
30479	64.8	66.1	1.3	92	4A4	2	3.20	6.57	2.84	3.73	49.0	15.60	-1.00
30480	66.1	67.7	1.6	68	4D0	3	3.10	6.29	1.72	4.57	27.0	12.10	-1.00
30481	67.7	69.2	1.5	60	4A4	2	2.60	7.70	2.06	5.64	40.0	4.74	-1.00
30482	69.2	70.7	1.5	40	10Q	60	3.40	2.41	.66	1.75	11.0	17.50	-1.00
30483	70.7	72.2	1.5	86	4D3	3	3.20	9.86	3.96	5.90	68.0	13.30	-1.00
30484	72.2	73.8	1.6	37	4D34	3	3.20	11.31	4.64	6.67	72.0	13.80	-1.00
30485	73.8	75.3	1.5	40	4D34	3	3.20	16.62	7.18	9.44	95.0	8.59	-1.00
30486	75.3	76.8	1.5	26	4D34	3	-1.00	11.62	3.91	7.71	56.0	12.30	-1.00
30487	76.8	78.3	1.5	26	4E MUD	5	3.40	16.69	5.29	11.40	82.0	11.10	-1.00
30488	78.3	80.0	1.7	64	4E4	5	3.30	13.88	5.31	8.57	80.0	18.00	-1.00
30489	80.0	80.6	.6	100	5D4	47	3.00	1.88	.40	1.48	14.0	13.50	-1.00
30490	80.6	81.7	1.1	100	4D0	3	3.00	9.43	3.15	6.28	48.0	9.88	-1.00
30491	81.7	82.9	1.2	99	5D6	47	3.00	7.06	.49	6.57	7.0	12.30	-1.00
0	82.9	96.3	13.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-09 Section: W74
 Northing: 6393.5 Easting: 2869.8 Elevation: 1301.6
 Length: 106.7 Core: NQ Record: 469

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	40.4	40.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30750	40.4	41.8	1.4	100	4D0	3	2.80	5.89	1.78	4.11	35.0	4.82	-1.00
30751	41.8	43.1	1.3	100	4D0	3	3.00	5.87	1.91	3.96	35.0	6.45	-1.00
30752	43.1	44.4	1.3	100	4D0	3	2.90	7.79	2.55	5.24	49.0	6.06	-1.00
30753	44.4	45.7	1.3	100	4D0	3	2.80	5.55	1.71	3.84	25.0	4.23	-1.00
30754	45.7	47.1	1.4	100	4D0	3	2.80	5.36	1.46	3.90	29.0	3.34	-1.00
30755	47.1	47.5	.4	100	4D0	3	2.90	5.99	1.12	4.87	21.0	7.83	-1.00
0	47.5	47.7	.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30756	47.7	48.2	.5	100	5C4\$	44	2.80	4.43	.21	4.22	8.0	9.43	-1.00
30757	48.2	49.4	1.2	100	4D0	3	2.80	6.20	2.12	4.08	41.0	4.37	-1.00
30758	49.4	50.7	1.3	100	4C0	3	2.80	4.65	1.28	3.37	27.0	3.36	-1.00
30759	50.7	51.6	.9	100	4A0	2	2.90	2.86	.46	2.40	10.0	12.20	-1.00
30760	51.6	53.2	1.6	100	5C/4D	44	2.80	4.26	.76	3.50	16.0	10.70	-1.00
30761	53.2	54.9	1.7	100	5C/4D	44	2.70	3.34	.75	2.59	12.0	7.61	-1.00
30762	54.9	56.0	1.1	100	4A0	2	2.60	4.20	1.31	2.89	23.0	3.10	-1.00
30763	56.0	57.2	1.2	100	4A0	2	2.80	4.41	1.29	3.12	25.0	7.60	-1.00
30764	57.2	58.2	1.0	100	4A4	2	3.00	7.89	2.30	5.59	37.0	4.77	-1.00
30765	58.2	59.1	.9	100	4A0	2	2.70	3.88	1.18	2.70	23.0	3.88	-1.00
30766	59.1	62.0	2.9	100	4AC0	2	2.80	4.99	1.66	3.33	25.0	6.95	-1.00
30767	62.0	63.1	1.1	100	5C4\$	44	2.80	3.21	.45	2.76	12.0	9.34	-1.00
30768	63.1	64.2	1.1	100	4C0	3	3.00	1.57	1.25	.32	23.0	13.80	-1.00
30769	64.2	65.3	1.1	100	5D4\$	47	-1.00	2.97	.50	2.47	9.8	13.71	-1.00
30770	65.3	66.8	1.5	100	5A6\$9	30	2.90	.53	.21	.32	65.0	5.78	-1.00
30771	66.8	68.4	1.6	100	5A6\$9	30	2.80	.58	.16	.42	4.0	3.52	-1.00
30772	68.4	70.0	1.6	100	5A6\$9	30	2.70	.67	.19	.48	6.0	4.34	-1.00
30773	70.0	71.1	1.1	100	5A6\$9	30	1.50	1.31	.40	.91	7.0	6.06	-1.00
30774	71.1	73.2	2.1	79	5A6\$9	30	2.90	1.69	.48	1.21	11.0	7.12	-1.00
30775	73.2	74.2	1.0	94	5C/4C	44	3.80	3.50	1.75	1.75	41.0	12.10	-1.00
30776	74.2	74.7	.5	100	4E1	5	2.90	2.75	.25	2.50	4.0	13.60	-1.00
30777	74.7	75.3	.6	100	4A44	2	4.10	20.17	11.10	9.07	178.0	23.40	-1.00
30778	75.3	76.8	1.5	46	4D4	3	3.20	12.07	5.28	6.79	89.0	9.98	-1.00
30779	76.8	78.2	1.4	91	4A4	2	2.90	10.25	3.29	6.96	58.0	8.96	-1.00
30780	78.2	79.6	1.4	100	4A4	2	2.90	8.96	2.93	6.03	56.0	5.71	-1.00
30781	79.6	81.0	1.4	100	4A4	2	2.80	8.43	2.31	6.12	43.0	5.92	-1.00
30782	81.0	82.5	1.5	100	4A4	2	2.70	7.58	1.92	5.66	37.0	5.18	-1.00
30783	82.5	83.9	1.4	100	4A4	2	2.80	6.10	1.90	4.20	32.0	4.08	-1.00
30784	83.9	85.0	1.1	100	5D 4A4	47	3.10	8.63	3.03	5.60	50.0	13.90	-1.00
30785	85.0	86.0	1.0	100	4A0	2	3.10	2.57	1.05	1.52	19.0	18.10	-1.00
30786	86.0	87.2	1.2	92	4A0	2	2.90	4.50	1.63	2.87	31.0	13.50	-1.00
30787	87.2	87.7	.5	100	5D4	47	3.60	17.68	7.38	10.30	124.0	18.20	-1.00
30788	87.7	88.7	1.0	100	4C0??	3	2.90	4.32	1.39	2.93	23.0	9.04	-1.00
30789	88.7	89.9	1.2	75	4A4	2	3.10	8.33	2.64	5.69	48.0	9.75	-1.00
30790	89.9	91.1	1.2	100	4A43	2	2.90	8.42	2.58	5.84	52.0	17.80	-1.00
30791	91.1	92.3	1.2	100	4A43	2	2.80	5.30	1.62	3.68	37.0	12.00	-1.00

30792	92.3	93.7	1.4	100	4D54	3	3.50	15.01	4.71	10.30	104.0	20.00	-1.00
30793	93.7	94.9	1.2	100	4D54	3	3.20	11.42	3.45	7.97	68.0	15.10	-1.00
30794	94.9	96.3	1.4	100	4A4	2	3.30	10.99	3.83	7.16	70.0	17.20	-1.00
30795	96.3	97.6	1.3	100	4A43	2	3.10	11.49	4.20	7.29	66.0	13.20	-1.00
30796	97.6	98.8	1.2	100	4A43	2	3.20	15.55	5.74	9.81	93.0	10.50	-1.00
30797	98.8	100.9	2.1	73	5D4\$	47	3.70	7.87	2.62	5.25	47.0	18.10	-1.00
0	100.9	106.7	5.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-10 Section: W74
 Northing: 6394.3 Easting: 2836.1 Elevation: 1302.5
 Length: 125.0 Core: NQ Record: 470

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	51.5	51.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30542	51.5	53.5	2.0	85	5A619	30	2.80	1.43	.64	.79	9.0	12.70	-1.00
30543	53.5	54.1	.6	100	4C3	3	3.20	2.68	.87	1.81	16.0	25.80	-1.00
30544	54.1	56.5	2.4	100	5C\$	44	2.70	4.11	.67	3.44	11.0	9.61	-1.00
30545	56.5	57.4	.9	100	10Q9	60	2.80	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30546	57.4	58.5	1.1	90	5C\$	44	2.90	2.04	.11	1.93	8.0	11.90	-1.00
30547	58.5	59.2	.7	85	5C\$	44	2.70	.22	.07	.15	.0	5.23	-1.00
30548	59.2	60.0	.8	100	4E/5C	5	3.10	6.95	.19	6.76	11.0	17.90	-1.00
30549	60.0	60.9	.9	99	4D4	3	2.90	9.88	3.30	6.58	63.0	6.75	-1.00
30550	60.9	62.0	1.1	100	4D4	3	2.80	12.43	3.78	8.65	73.0	7.65	-1.00
30101	62.0	62.8	.8	100	5D/4C	47	3.20	3.34	.61	2.73	11.0	14.50	-1.00
30102	62.8	64.2	1.4	100	4D0	3	3.00	9.87	2.73	7.14	60.0	8.31	-1.00
30103	64.2	65.4	1.2	100	4D0	3	2.90	5.42	1.81	3.61	35.0	8.49	-1.00
30104	65.4	66.7	1.3	100	4C0	3	2.90	4.76	1.62	3.14	24.0	10.10	-1.00
30105	66.7	68.1	1.4	100	4C0	3	2.90	4.15	1.56	2.59	31.0	9.40	-1.00
30106	68.1	69.4	1.3	99	4D0	3	3.00	9.42	3.84	5.58	63.0	10.00	-1.00
30107	69.4	70.7	1.3	100	4D0	3	2.90	5.99	2.40	3.59	42.0	8.81	-1.00
30108	70.7	72.1	1.4	85	4D4	3	3.00	10.78	3.77	7.01	70.0	5.87	-1.00
30109	72.1	73.3	1.2	100	5C\$	44	2.70	1.41	.32	1.09	9.0	8.61	-1.00
30110	73.3	74.4	1.1	100	4D4	3	3.10	10.75	3.69	7.06	69.0	12.20	-1.00
30111	74.4	75.5	1.1	100	4D0&5	3	2.90	6.39	2.17	4.22	38.0	8.29	-1.00
30112	75.5	76.8	1.3	100	5C\$	44	2.70	1.74	.32	1.42	4.0	10.80	-1.00
30113	76.8	78.0	1.2	100	4D/5C	3	3.00	3.33	1.15	2.18	23.0	13.40	-1.00
30114	78.0	79.3	1.3	99	4A0	2	2.70	.58	.13	.45	4.0	6.06	-1.00
30115	79.3	84.1	4.8	100	5C\$	44	2.90	.55	.21	.34	4.0	9.12	-1.00
30116	84.1	85.1	1.0	100	4AC	2	3.10	3.28	1.11	2.17	25.0	17.90	-1.00
30117	85.1	85.5	.4	100	5A619	30	-1.00	1.42	.42	1.00	13.0	8.10	-1.00
30118	85.5	86.9	1.4	100	5A619	30	3.00	2.74	.91	1.83	17.0	10.80	-1.00
30119	86.9	88.2	1.3	100	5A619	30	2.70	1.54	.44	1.10	8.0	4.85	-1.00
30120	88.2	89.4	1.2	100	5A619	30	2.70	1.50	.50	1.00	8.0	6.43	-1.00
30121	89.4	91.0	1.6	100	4E4	5	4.30	25.54	9.24	16.30	153.0	24.00	-1.00
30122	91.0	92.4	1.4	100	4D0	3	3.30	7.14	2.76	4.38	40.0	14.10	-1.00
30123	92.4	93.8	1.4	100	4D0	3	3.00	6.61	2.28	4.33	27.0	8.55	-1.00
30124	93.8	95.3	1.5	100	4A4	2	2.80	8.35	2.44	5.91	36.0	4.48	-1.00
30125	95.3	96.7	1.4	100	4A4	2	2.80	7.97	2.27	5.70	35.0	4.53	-1.00
30126	96.7	97.9	1.2	100	5B621	40	2.80	3.05	.92	2.13	17.0	3.28	-1.00
30127	97.9	99.1	1.2	100	5B621	40	2.80	4.37	1.79	2.58	26.0	2.86	-1.00
30128	99.1	99.6	.5	80	4A4	2	2.90	6.62	4.52	2.10	69.0	8.10	-1.00
30129	99.6	100.6	1.0	100	5B62	40	2.80	1.25	.37	.88	7.0	3.56	-1.00
30130	100.6	101.9	1.3	100	4AD	2	2.90	5.38	1.52	3.86	28.0	12.10	-1.00
30131	101.9	103.0	1.1	100	4A4	2	3.00	10.11	3.72	6.39	59.0	11.40	-1.00
30132	103.0	104.2	1.2	100	4A4	2	3.30	15.26	5.57	9.69	87.0	12.80	-1.00
30133	104.2	105.5	1.3	100	4A3	2	2.90	3.01	1.18	1.83	25.0	10.40	-1.00
0	105.5	111.3	5.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

30134	111.3	112.1	.8	100	4A4	2	3.00	6.52	2.11	4.41	43.0	10.80	-1.00
30135	112.1	113.8	1.7	100	4D0	3	3.10	6.43	1.82	4.61	42.0	12.90	-1.00
30136	113.8	115.2	1.4	100	4A44	2	3.00	16.50	5.20	11.30	89.0	8.95	-1.00
30137	115.2	116.6	1.4	100	4A44	2	3.40	24.50	7.60	16.90	127.0	11.40	-1.00
30138	116.6	118.0	1.4	100	4A44	2	3.40	22.22	7.52	14.70	112.0	13.40	-1.00
30139	118.0	119.7	1.7	100	4D5	3	3.20	10.11	3.58	6.53	57.0	11.60	-1.00
30140	119.7	121.0	1.3	100	5D4\$	47	2.90	6.30	.74	5.56	13.0	10.70	-1.00
30141	121.0	121.9	.9	99	4A4	2	3.10	10.74	3.82	6.92	70.0	12.50	-1.00
0	121.9	125.0	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-11 Section: W76
 Northing: 6452.5 Easting: 2912.6 Elevation: 1301.0
 Length: 107.0 Core: NQ Record: 471

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	40.7	40.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30798	40.7	41.5	.8	100	4A0	2	2.80	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30799	41.5	43.0	1.5	20	4A4	2	2.80	6.59	2.70	3.89	39.0	3.62	-1.00
30800	43.0	44.5	1.5	66	4A4	2	2.70	5.15	1.42	3.73	30.0	6.88	-1.00
30801	44.5	45.4	.9	100	4A4	2	2.80	5.00	1.53	3.47	34.0	5.73	-1.00
30802	45.4	46.3	.9	100	4A4	2	2.90	9.26	2.38	6.88	46.0	5.31	-1.00
30803	46.3	47.5	1.2	99	4A4	2	3.10	8.26	2.84	5.42	48.0	11.80	-1.00
30804	47.5	48.5	1.0	100	4A4	2	2.90	11.68	4.48	7.20	30.0	6.48	-1.00
30805	48.5	50.0	1.5	100	4A4	2	2.60	5.78	1.75	4.03	65.0	8.04	-1.00
30806	50.0	51.1	1.1	100	4A4	2	2.80	6.48	1.68	4.80	28.0	6.27	-1.00
30807	51.1	52.1	1.0	100	4A4	2	2.90	6.15	1.34	4.81	24.0	8.24	-1.00
30808	52.1	53.3	1.2	100	5C/4D	44	3.10	1.67	.57	1.10	26.0	18.90	-1.00
30809	53.3	54.2	.9	100	5C/4D	44	3.00	5.91	.36	5.55	8.0	14.00	-1.00
30810	54.2	55.5	1.3	100	5A6	30	2.80	3.50	.50	3.00	8.0	9.91	-1.00
30811	55.5	57.0	1.5	100	5A6	30	2.70	4.95	.65	4.30	10.0	10.90	-1.00
30812	57.0	57.9	.9	100	4D0	3	2.90	8.62	2.69	5.93	45.0	8.90	-1.00
30813	57.9	58.8	.9	100	4ED4	5	4.10	22.36	6.96	15.40	136.0	26.50	-1.00
30814	58.8	59.8	1.0	100	4E4	5	4.40	25.87	8.77	17.10	180.0	28.00	-1.00
30815	59.8	62.1	2.3	100	5C4\$	44	2.90	4.93	.48	4.45	8.0	10.70	-1.00
30816	62.1	63.1	1.0	100	4ED4	5	3.70	15.84	6.15	9.69	109.0	21.80	-1.00
30817	63.1	64.1	1.0	100	4D3	3	3.40	9.07	3.44	5.63	67.0	18.70	-1.00
30818	64.1	65.4	1.3	100	4D0	3	3.00	8.31	3.22	5.09	53.0	7.41	-1.00
30819	65.4	66.7	1.3	100	4D4	3	3.10	14.47	6.78	7.69	111.0	6.65	-1.00
30820	66.7	67.9	1.2	100	4D0	3	2.80	5.41	2.31	3.10	34.0	3.88	-1.00
30821	67.9	68.9	1.0	100	4D0	3	2.80	7.00	2.45	4.55	32.0	7.45	-1.00
30822	68.9	70.0	1.1	100	4D0	3	2.80	9.43	3.50	5.93	56.0	6.18	-1.00
30823	70.0	71.2	1.2	100	4D0	3	3.00	9.62	3.39	6.23	46.0	4.26	-1.00
30824	71.2	72.7	1.5	93	4D4	3	2.80	10.04	3.44	6.60	52.0	5.95	-1.00
30825	72.7	73.7	1.0	100	4A0	2	3.00	3.36	1.04	2.32	27.0	9.01	-1.00
30826	73.7	75.0	1.3	100	4A4	2	3.00	6.90	2.80	4.10	44.0	5.79	-1.00
30827	75.0	76.2	1.2	100	4A4	2	2.80	5.77	2.37	3.40	37.0	6.39	-1.00
30828	76.2	77.3	1.1	100	4A4	2	2.90	6.57	2.50	4.07	39.0	7.57	-1.00
30829	77.3	78.3	1.0	100	4A4	2	2.80	6.86	2.62	4.24	37.0	5.16	-1.00
30830	78.3	79.0	.7	100	5B6	40	2.70	1.34	.45	.89	8.0	6.26	-1.00
30831	79.0	79.7	.7	100	4C0	3	3.00	2.80	1.64	1.16	28.0	12.20	-1.00
30832	79.7	80.3	.6	100	4EJ4	5	3.70	32.90	12.40	20.50	212.0	11.00	-1.00
30833	80.3	81.4	1.1	90	4A34	2	3.40	13.06	4.79	8.27	83.0	17.40	-1.00
30834	81.4	82.8	1.4	100	5B6	40	2.90	2.57	1.01	1.56	15.0	5.95	-1.00
30835	82.8	84.2	1.4	100	4A443	2	3.30	12.35	4.06	8.29	66.0	13.50	-1.00
30836	84.2	85.3	1.1	100	4A443	2	3.60	28.50	11.80	16.70	188.0	16.20	-1.00
30837	85.3	86.6	1.3	100	5B64	40	2.80	3.13	1.08	2.05	21.0	5.23	-1.00
30838	86.6	88.1	1.5	100	5B64	40	2.90	4.00	1.09	2.91	25.0	8.45	-1.00
30839	88.1	89.1	1.0	100	4A4	2	3.00	5.60	1.88	3.72	38.0	11.80	-1.00
30840	89.1	90.1	1.0	100	4A4	2	3.20	10.87	2.93	7.94	64.0	13.80	-1.00

30841	90.1	91.2	1.1	100	4A4	2	2.90	6.54	1.89	4.65	38.0	9.06	-1.00
0	91.2	107.0	15.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-12 Section: W78
 Northing: 6511.4 Easting: 2927.3 Elevation: 1301.0
 Length: 106.7 Core: NQ Record: 472

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	45.7	45.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30902	45.7	46.9	1.2	33	5A169	30	2.90	2.52	.87	1.65	16.0	7.56	-1.00
30903	46.9	48.2	1.3	61	5B6	40	2.80	2.66	1.03	1.63	18.0	5.93	-1.00
30904	48.2	49.1	.9	100	4C0	3	2.80	1.84	.67	1.17	15.0	6.24	-1.00
30905	49.1	50.2	1.1	100	4C5	3	2.80	4.80	2.18	2.62	32.0	4.57	-1.00
30906	50.2	51.5	1.3	100	4C5	3	2.80	3.47	.96	2.51	15.0	7.29	-1.00
30907	51.5	52.5	1.0	100	4C5	3	2.70	2.33	.87	1.46	15.0	7.79	-1.00
30908	52.5	54.0	1.5	100	4A0	2	2.90	3.77	1.20	2.57	21.0	10.80	-1.00
30909	54.0	55.2	1.2	100	4A4	2	2.80	7.07	2.02	5.05	38.0	7.12	-1.00
30910	55.2	56.4	1.2	99	4A0	2	3.10	3.25	1.11	2.14	21.0	6.94	-1.00
30911	56.4	57.6	1.2	41	4A4	2	2.80	6.37	2.80	3.57	40.0	8.32	-1.00
30912	57.6	58.3	.7	85	4A4	2	2.80	6.85	1.45	5.40	23.0	8.59	-1.00
30913	58.3	59.6	1.3	100	4A0	2	2.70	4.36	1.13	3.23	17.0	5.37	-1.00
30914	59.6	61.0	1.4	99	4A4	2	2.80	6.62	2.05	4.57	31.0	10.40	-1.00
30915	61.0	62.1	1.1	100	4A4	2	2.60	7.35	2.55	4.80	37.0	8.02	-1.00
30916	62.1	63.3	1.2	100	4A4	2	2.70	6.15	2.30	3.85	35.0	8.03	-1.00
30917	63.3	64.6	1.3	100	4A4	2	2.70	5.76	2.22	3.54	32.0	6.89	-1.00
30918	64.6	65.7	1.1	100	4A4	2	2.80	8.97	3.72	5.25	48.0	8.67	-1.00
30919	65.7	67.1	1.4	99	4A4	2	2.90	7.73	1.72	6.01	25.0	5.27	-1.00
30920	67.1	68.4	1.3	100	4A4	2	2.70	8.32	2.63	5.69	44.0	7.31	-1.00
30921	68.4	69.7	1.3	100	4A4	2	2.90	7.14	2.15	4.99	38.0	8.98	-1.00
30922	69.7	70.8	1.1	100	4A4	2	2.90	7.01	2.12	4.89	34.0	7.12	-1.00
30923	70.8	72.2	1.4	100	4A4	2	3.10	7.11	2.95	4.16	46.0	10.50	-1.00
30924	72.2	73.5	1.3	100	4A4	2	2.90	6.53	2.09	4.44	42.0	10.60	-1.00
30925	73.5	74.4	.9	100	4A0	2	2.90	4.69	1.57	3.12	32.0	9.55	-1.00
30926	74.4	75.7	1.3	100	4A0	2	2.90	4.30	1.34	2.96	28.0	11.90	-1.00
30927	75.7	77.0	1.3	100	4A4	2	2.70	6.57	2.45	4.12	42.0	8.94	-1.00
30928	77.0	78.3	1.3	100	4A4	2	2.70	7.86	2.70	5.16	40.0	7.29	-1.00
30929	78.3	79.6	1.3	100	4A4	2	2.80	9.21	3.20	6.01	46.0	10.10	-1.00
30930	79.6	80.6	1.0	100	4D4	3	3.10	13.99	4.95	9.04	84.0	10.10	-1.00
30931	80.6	81.8	1.2	100	4A4	2	2.70	7.42	2.67	4.75	44.0	8.29	-1.00
30932	81.8	83.1	1.3	100	4A4	2	2.70	7.71	2.29	5.42	36.0	6.58	-1.00
30933	83.1	84.2	1.1	100	4A4	2	2.80	6.56	2.49	4.07	37.0	8.27	-1.00
30934	84.2	85.7	1.5	100	4A4	2	2.80	7.28	2.42	4.86	40.0	8.23	-1.00
30935	85.7	87.1	1.4	99	4A4	2	2.90	5.29	1.62	3.67	27.0	7.63	-1.00
30936	87.1	88.2	1.1	100	4A0	2	2.70	1.86	.67	1.19	13.0	9.15	-1.00
30937	88.2	89.3	1.1	100	4A0	2	2.90	4.72	2.51	2.21	49.0	8.20	-1.00
30938	89.3	90.5	1.2	100	4A4	2	2.90	6.06	2.05	4.01	32.0	5.05	-1.00
30939	90.5	91.9	1.4	99	4A4	2	2.70	5.70	1.68	4.02	28.0	7.15	-1.00
30940	91.9	93.1	1.2	100	4A4	2	2.80	5.94	1.53	4.41	31.0	10.50	-1.00
30941	93.1	93.6	.5	100	4D5	3	2.90	5.04	1.71	3.33	24.0	6.78	-1.00
30942	93.6	94.3	.7	100	5B62	40	2.90	1.87	.79	1.08	11.0	5.44	-1.00
30943	94.3	96.5	2.2	100	5B6	40	2.90	.33	.04	.29	.0	5.12	-1.00
30944	96.5	97.7	1.2	100	4A4	2	2.60	6.72	1.96	4.76	34.0	1.76	-1.00

30945	97.7	98.3	.6	100	4E4	5	3.30	10.29	3.36	6.93	61.0	15.40	-1.00
30946	98.3	99.2	.9	100	4E4	5	3.60	14.15	5.05	9.10	96.0	19.10	-1.00
0	99.2	106.7	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-13 Section: W78
 Northing: 6512.3 Easting: 2897.4 Elevation: 1302.0
 Length: 124.1 Core: NQ Record: 473

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	21.9	21.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30001	21.9	23.1	1.2	49	4D0	3	2.70	6.15	1.34	4.81	23.0	4.42	-1.00
30002	23.1	24.9	1.8	38	4C0	3	2.70	4.05	1.07	2.98	19.0	2.70	-1.00
30003	24.9	26.6	1.7	94	5C73	44	2.60	.66	.18	.48	6.0	7.46	-1.00
30004	26.6	30.5	3.9	64	5A6	30	2.70	.21	.08	.13	4.0	3.77	-1.00
30005	30.5	32.8	2.3	78	5B26	40	2.80	.29	.11	.18	4.0	6.50	-1.00
30006	32.8	34.1	1.3	100	5BC	40	2.90	5.14	.10	5.04	4.0	10.50	-1.00
30007	34.1	35.7	1.6	100	5C/4D	44	2.90	3.39	.45	2.94	9.0	8.08	-1.00
30008	35.7	37.8	2.1	100	5C	44	2.70	2.03	.60	1.43	13.0	6.80	-1.00
30009	37.8	39.3	1.5	100	5C	44	2.70	.19	.09	.10	4.0	8.00	-1.00
30010	39.3	40.8	1.5	100	5C	44	2.70	.35	.12	.23	.0	6.32	-1.00
30011	40.8	42.3	1.5	100	5C	44	2.70	.11	.03	.08	2.0	4.40	-1.00
30012	42.3	43.9	1.6	62	5C	44	2.60	1.44	.05	1.39	.0	8.48	-1.00
30013	43.9	44.7	.8	100	4C0	3	2.90	4.32	1.52	2.80	28.0	5.65	-1.00
30014	44.7	46.2	1.5	53	4D0	3	3.00	8.58	2.58	6.00	26.0	7.11	-1.00
30015	46.2	47.5	1.3	100	5C	44	-1.00	2.32	.20	2.12	6.0	8.91	-1.00
30016	47.5	48.8	1.3	100	4D0	3	2.90	5.30	1.37	3.93	25.0	7.52	-1.00
30017	48.8	49.8	1.0	90	5C	44	2.90	3.41	.12	3.29	6.0	11.20	-1.00
30018	49.8	50.9	1.1	100	4D0	3	2.90	5.74	1.42	4.32	27.0	9.29	-1.00
30019	50.9	52.4	1.5	100	4D0	3	2.90	7.93	2.21	5.72	47.0	9.12	-1.00
30020	52.4	53.9	1.5	100	4D0	3	2.80	8.94	2.52	6.42	43.0	8.79	-1.00
30021	53.9	55.5	1.6	100	4D4	3	2.90	10.87	3.17	7.70	51.0	3.24	-1.00
30022	55.5	56.2	.7	99	4D0	3	2.90	6.29	1.29	5.00	26.0	5.35	-1.00
30023	56.2	57.1	.9	100	5C/4D	44	2.90	4.22	.04	4.18	6.0	10.20	-1.00
30024	57.1	58.5	1.4	99	4D0	3	2.70	6.08	2.93	3.15	51.0	6.04	-1.00
30025	58.5	59.2	.7	100	5C/4D	44	2.90	4.49	.11	4.38	6.0	10.70	-1.00
30026	59.2	60.0	.8	100	4D0	3	2.80	6.06	2.02	4.04	34.0	6.48	-1.00
30027	60.0	61.3	1.3	69	4D5	3	3.10	5.67	1.91	3.76	33.0	6.76	-1.00
30028	61.3	62.7	1.4	100	4C5	3	2.70	3.89	1.33	2.56	27.0	2.67	-1.00
30029	62.7	63.8	1.1	100	4C5	3	2.80	3.72	1.50	2.22	24.0	4.41	-1.00
30030	63.8	65.2	1.4	57	4D5	3	2.90	7.68	2.64	5.04	46.0	6.53	-1.00
30031	65.2	66.9	1.7	88	4D5	3	2.90	7.31	2.28	5.03	39.0	7.07	-1.00
30032	66.9	67.4	.5	100	5C	44	2.80	7.14	1.09	6.05	21.0	8.32	-1.00
30033	67.4	69.0	1.6	100	4D5	3	2.80	7.34	2.27	5.07	40.0	5.21	-1.00
30034	69.0	70.6	1.6	62	4D45	3	3.00	17.70	5.90	11.80	100.0	8.90	-1.00
30035	70.6	71.9	1.3	100	4D5	3	2.80	8.12	2.65	5.47	49.0	7.20	-1.00
30036	71.9	73.6	1.7	52	4D5	3	2.80	7.16	2.60	4.56	41.0	3.87	-1.00
30037	73.6	74.5	.9	100	4D5	3	2.80	5.03	1.58	3.45	25.0	3.47	-1.00
30038	74.5	75.1	.6	100	5C	44	2.80	4.98	.08	4.90	2.0	7.61	-1.00
30039	75.1	76.6	1.5	100	4D0	3	2.90	8.22	2.62	5.60	43.0	3.28	-1.00
30040	76.6	77.9	1.3	100	4D0	3	2.80	5.12	1.92	3.20	32.0	3.83	-1.00
30041	77.9	79.2	1.3	100	4D0	3	2.90	9.73	3.05	6.68	46.0	7.72	-1.00
30042	79.2	79.9	.7	85	4E4	5	3.40	25.96	7.86	18.10	145.0	24.50	-1.00
30043	79.9	80.6	.7	100	4D4	3	3.00	13.58	4.31	9.27	75.0	5.57	-1.00

30044	80.6	81.5	.9	100	5C	44	2.70	3.71	.04	3.67	2.0	6.98	-1.00
30045	81.5	82.6	1.1	100	4D/5C	3	2.80	7.25	1.90	5.35	31.0	3.33	-1.00
30046	82.6	83.1	.5	100	5C	44	2.90	1.61	.19	1.42	4.0	8.14	-1.00
30047	83.1	84.0	.9	100	4D0	3	2.90	7.73	2.05	5.68	30.0	5.37	-1.00
30048	84.0	85.4	1.4	100	4D4	3	-1.00	11.49	4.24	7.25	53.0	15.04	-1.00
30049	85.4	85.9	.5	80	4E4	5	4.60	10.88	3.12	7.76	77.0	33.00	-1.00
30050	85.9	86.8	.9	99	4D4	3	3.30	11.68	3.87	7.81	66.0	11.60	-1.00
30551	86.8	87.9	1.1	100	4D4	3	2.90	10.57	4.59	5.98	64.0	8.49	-1.00
30552	87.9	88.8	.9	100	4D4	3	2.90	10.75	3.49	7.26	61.0	6.64	-1.00
30553	88.8	89.8	1.0	100	4D4	3	2.90	10.96	3.49	7.47	61.0	6.31	-1.00
30554	89.8	90.4	.6	100	4A4	2	2.70	5.27	1.81	3.46	34.0	6.59	-1.00
30555	90.4	93.4	3.0	63	5C3	44	2.80	.43	.13	.30	4.0	11.40	-1.00
30556	93.4	94.0	.6	100	4A4	2	2.90	5.52	1.74	3.78	27.0	4.80	-1.00
30557	94.0	94.9	.9	100	4E4	5	3.40	10.36	3.22	7.14	66.0	20.70	-1.00
30558	94.9	96.7	1.8	100	5C	44	2.90	.62	.16	.46	4.0	12.30	-1.00
30559	96.7	98.5	1.8	94	5C	44	2.80	1.08	.31	.77	10.0	10.00	-1.00
30560	98.5	100.2	1.7	100	4H4	8	3.40	10.03	5.11	4.92	93.0	19.30	-1.00
30561	100.2	101.3	1.1	100	4D34	3	3.80	14.42	4.02	10.40	83.0	30.10	-1.00
30562	101.3	102.9	1.6	100	4D0	3	2.60	9.78	3.48	6.30	49.0	5.85	-1.00
30563	102.9	104.3	1.4	92	4D4	3	2.90	10.53	4.11	6.42	70.0	11.80	-1.00
30564	104.3	105.6	1.3	100	4D0	3	2.90	5.37	1.79	3.58	35.0	7.78	-1.00
30565	105.6	106.4	.8	100	4A4	2	2.60	6.39	1.92	4.47	35.0	3.84	-1.00
30566	106.4	107.7	1.3	100	5B6	40	2.80	2.78	1.30	1.48	8.0	6.64	-1.00
30567	107.7	109.1	1.4	100	4D0	3	3.10	5.16	2.51	2.65	32.0	12.90	-1.00
30568	109.1	110.7	1.6	100	5B67	40	2.90	.70	.37	.33	.0	7.05	-1.00
30569	110.7	111.8	1.1	100	4EA4	5	3.50	9.67	4.06	5.61	71.0	19.90	-1.00
30570	111.8	112.8	1.0	100	4EA4	5	3.20	6.87	3.03	3.84	51.0	18.10	-1.00
30571	112.8	114.1	1.3	100	4A4	2	3.10	6.78	2.39	4.39	41.0	11.70	-1.00
30572	114.1	115.2	1.1	100	4A4	2	2.90	11.14	3.97	7.17	59.0	7.12	-1.00
30573	115.2	116.4	1.2	100	4A4	2	2.70	7.96	2.30	5.66	42.0	9.04	-1.00
30574	116.4	117.7	1.3	100	4A4	2	3.10	9.64	3.02	6.62	57.0	9.83	-1.00
30575	117.7	118.7	1.0	100	4A4	2	3.10	8.01	2.70	5.31	46.0	12.60	-1.00
30576	118.7	119.4	.7	85	4D0	3	2.90	8.22	2.92	5.30	42.0	7.04	-1.00
30577	119.4	120.0	.6	100	5C	44	2.80	.65	.09	.56	4.0	8.36	-1.00
30578	120.0	120.2	.2	100	4D0	3	2.90	6.08	1.73	4.35	32.0	8.98	-1.00
0	120.2	124.1	3.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-14 Section: W80
 Northing: 6581.7 Easting: 2929.2 Elevation: 1301.6
 Length: 122.2 Core: NQ Record: 474

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	53.8	53.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30579	53.8	55.4	1.6	93	4A4	2	2.60	5.07	1.52	3.55	28.0	2.35	-1.00
30580	55.4	56.6	1.2	100	4A4	2	3.00	5.08	1.85	3.23	40.0	12.20	-1.00
30581	56.6	57.9	1.3	100	4A0	2	2.80	3.71	1.08	2.63	21.0	3.34	-1.00
30582	57.9	59.2	1.3	100	4A0	2	3.00	3.83	.76	3.07	18.0	3.43	-1.00
30583	59.2	60.8	1.6	100	4A0	2	2.90	4.05	1.32	2.73	25.0	2.94	-1.00
30584	60.8	62.2	1.4	100	4A4	2	2.80	5.31	1.32	3.99	25.0	3.66	-1.00
30585	62.2	63.5	1.3	100	4A4	2	2.90	6.69	1.91	4.78	32.0	6.50	-1.00
30586	63.5	65.0	1.5	100	4A4	2	2.90	12.21	3.72	8.49	60.0	5.70	-1.00
30587	65.0	66.3	1.3	100	4A4	2	2.80	10.29	3.00	7.29	47.0	4.27	-1.00
30588	66.3	67.8	1.5	100	4A0	2	2.80	4.84	1.65	3.19	25.0	8.09	-1.00
30589	67.8	69.2	1.4	100	4C0	3	2.90	3.78	1.63	2.15	23.0	4.76	-1.00
30590	69.2	70.3	1.1	100	4A4	2	3.00	5.71	1.64	4.07	31.0	5.24	-1.00
30591	70.3	71.6	1.3	84	4A0	2	3.00	4.94	1.16	3.78	21.0	7.39	-1.00
30592	71.6	72.9	1.3	99	4A0	2	2.90	4.78	1.38	3.40	21.0	6.83	-1.00
30593	72.9	74.6	1.7	94	5B	40	3.40	2.42	.34	2.08	9.0	29.70	-1.00
30594	74.6	75.5	.9	100	5B	40	2.80	.33	.09	.24	4.0	4.93	-1.00
30595	75.5	77.0	1.5	100	5B	40	2.70	3.06	.80	2.26	16.0	4.27	-1.00
30596	77.0	78.6	1.6	100	5B	40	2.70	.24	.08	.16	2.0	5.23	-1.00
30597	78.6	80.2	1.6	100	5A6	30	2.80	3.58	1.16	2.42	21.0	5.73	-1.00
30598	80.2	81.4	1.2	100	4A4	2	2.80	5.79	.46	5.33	8.0	11.10	-1.00
30599	81.4	82.4	1.0	100	4A0	2	2.60	1.22	.47	.75	9.0	6.59	-1.00
30600	82.4	83.1	.7	100	4A4	2	2.80	7.90	2.59	5.31	47.0	7.76	-1.00
30519	83.1	84.5	1.4	100	4E44	5	4.70	31.10	10.20	20.90	176.0	23.30	-1.00
30520	84.5	85.6	1.1	100	4EA4	5	3.20	13.43	5.11	8.32	101.0	14.00	-1.00
30521	85.6	86.6	1.0	100	4E4	5	3.90	24.37	8.67	15.70	155.0	18.20	-1.00
30522	86.6	88.0	1.4	92	5D\$	47	2.90	1.95	.46	1.49	10.0	8.27	-1.00
30523	88.0	89.2	1.2	100	5D\$	47	2.80	.44	.26	.18	4.0	6.29	-1.00
30524	89.2	90.4	1.2	100	4A34	2	3.30	14.67	3.47	11.20	62.0	12.20	-1.00
30525	90.4	91.6	1.2	100	4L24	52	2.90	2.36	.72	1.64	10.0	6.46	-1.00
30526	91.6	92.9	1.3	100	4L24	52	2.70	.75	.20	.55	6.0	5.45	-1.00
30527	92.9	93.9	1.0	100	4L24	52	2.70	.66	.27	.39	4.0	6.11	-1.00
30528	93.9	94.8	.9	100	4L24	52	2.80	1.12	.41	.71	9.0	8.15	-1.00
30529	94.8	95.8	1.0	100	4L24	52	2.90	1.47	.28	1.19	9.0	7.61	-1.00
30530	95.8	96.3	.5	100	4E14	5	4.30	15.93	4.63	11.30	85.0	28.50	-1.00
0	96.3	102.5	6.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30531	102.5	103.8	1.3	100	5A/4EH	30	3.20	10.93	4.27	6.66	80.0	13.60	-1.00
30532	103.8	104.9	1.1	100	5B62	40	2.80	1.31	.37	.94	8.0	5.92	-1.00
30533	104.9	105.7	.8	100	5A69	30	2.80	.96	.20	.76	2.0	4.83	-1.00
30534	105.7	107.0	1.3	100	4D4	3	3.10	16.77	6.80	9.97	105.0	8.83	-1.00
30535	107.0	107.9	.9	99	4D44	3	3.70	28.70	11.60	17.10	186.0	15.20	-1.00
30536	107.9	109.3	1.4	100	4D44	3	3.40	24.88	9.88	15.00	170.0	8.70	-1.00
30537	109.3	110.6	1.3	100	4D44	3	-1.00	30.18	9.07	21.11	120.7	7.50	-1.00
30538	110.6	113.3	2.6	100	5C\$	44	2.90	.37	.15	.22	8.0	6.88	-1.00

30539	113.3	114.0	.8	100	4D44	3	3.40	26.71	9.61	17.10	161.0	10.70	-1.00
30540	114.0	114.8	.8	99	4A4	2	2.90	5.27	1.75	3.52	31.0	5.14	-1.00
30541	114.8	115.6	.8	100	4A4	2	2.80	6.00	1.93	4.07	28.0	4.29	-1.00
0	115.6	122.2	6.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-15 Section: W80
 Northing: 6578.3 Easting: 2859.3 Elevation: 1301.5
 Length: 132.9 Core: NQ Record: 475

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	55.3	55.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30142	55.3	57.0	1.7	41	4A4	2	3.00	5.48	1.78	3.70	34.0	12.10	-1.00
30143	57.0	58.5	1.5	100	4A0	2	2.70	4.04	.95	3.09	23.0	3.63	-1.00
30144	58.5	60.0	1.5	100	4A0 4AC	2	2.70	3.37	.79	2.58	9.0	1.92	-1.00
30145	60.0	67.1	7.1	12	5C4\$	44	2.60	.65	.15	.50	8.0	6.50	-1.00
30146	67.1	68.0	.9	100	4D/5C	3	2.90	3.78	1.82	1.96	30.0	7.85	-1.00
30147	68.0	69.3	1.3	61	5C4	44	2.80	2.78	.58	2.20	11.0	9.52	-1.00
30148	69.3	71.2	1.9	10	4A4	2	2.70	5.60	1.72	3.88	30.0	3.03	-1.00
30149	71.2	72.9	1.7	70	5C4#	44	2.80	2.37	.50	1.87	6.0	8.25	-1.00
30150	72.9	74.4	1.5	100	4D5	3	2.90	7.68	2.74	4.94	42.0	9.44	-1.00
30051	74.4	75.4	1.0	100	4A4	2	3.00	8.61	2.93	5.68	17.0	10.30	-1.00
30052	75.4	76.4	1.0	100	4C0	3	2.90	4.14	1.32	2.82	24.0	8.81	-1.00
30053	76.2	78.9	2.7	100	5C4\$	44	2.60	.29	.09	.20	6.0	6.76	-1.00
30054	78.9	79.9	1.0	100	4D0	3	2.90	6.06	1.75	4.31	20.0	7.29	-1.00
30055	79.9	80.6	.7	100	4C0	3	-1.00	3.76	.68	3.08	8.0	6.48	-1.00
30056	80.6	82.0	1.4	100	5C4\$	44	2.60	.20	.06	.14	.0	7.52	-1.00
30057	82.0	83.1	1.1	100	4D0	3	2.80	6.41	.80	5.61	41.0	6.63	-1.00
30058	83.1	84.7	1.6	100	4D0	3	2.80	7.39	2.21	5.18	36.0	8.93	-1.00
30059	84.7	85.7	1.0	100	4C0	3	2.90	4.71	1.80	2.91	32.0	7.88	-1.00
30060	85.7	87.4	1.7	100	5C*	44	2.70	.33	.09	.24	6.0	6.09	-1.00
30061	87.4	88.4	1.0	100	4D0	3	2.90	5.26	1.72	3.54	32.0	11.10	-1.00
30062	88.4	89.3	.9	100	4C0	3	2.70	4.94	1.84	3.10	29.0	6.88	-1.00
30063	89.3	94.6	5.3	100	5C*	44	-1.00	.25	.16	.09	6.0	6.30	-1.00
30064	94.6	96.0	1.4	100	4AC	2	2.60	4.46	1.45	3.01	25.0	4.17	-1.00
30065	96.0	97.5	1.5	100	4A4	2	2.90	6.63	1.93	4.70	31.0	10.20	-1.00
30066	97.5	98.8	1.3	100	4AD	2	2.90	7.36	2.38	4.98	35.0	9.30	-1.00
30067	98.8	100.0	1.2	100	5C4A	44	2.80	2.07	.84	1.23	15.0	10.70	-1.00
30068	100.0	101.7	1.7	100	5C\$	44	3.10	.17	.04	.13	.0	5.70	-1.00
30069	101.7	102.4	.7	100	4D/5C	3	2.80	3.68	.83	2.85	15.0	3.38	-1.00
30070	102.4	104.4	2.0	100	4A0	2	2.70	2.39	.90	1.49	13.0	6.87	-1.00
30071	104.4	105.8	1.4	100	4C5	3	2.90	2.77	.59	2.18	17.0	8.03	-1.00
30072	105.8	107.1	1.3	100	4D5	3	2.90	5.36	1.92	3.44	30.0	8.13	-1.00
30073	107.1	108.2	1.1	100	4A0	2	2.80	3.96	1.15	2.81	23.0	7.39	-1.00
30074	108.2	109.4	1.2	91	4A4	2	3.10	8.87	2.72	6.15	47.0	8.14	-1.00
30075	109.4	110.3	.9	100	4A4	2	3.00	5.35	1.77	3.58	37.0	10.90	-1.00
30076	110.3	111.6	1.3	15	4A0	2	3.90	4.81	1.77	3.04	35.0	10.70	-1.00
30077	111.6	112.9	1.3	99	4A0	2	3.60	4.43	1.21	3.22	25.0	4.03	-1.00
30078	112.9	114.0	1.1	100	4A0	2	2.80	3.13	1.42	1.71	25.0	10.10	-1.00
30079	114.0	115.2	1.2	100	4A0	2	3.00	2.77	1.40	1.37	23.0	7.79	-1.00
30080	115.2	116.0	.8	87	5B6	40	2.70	.31	.07	.24	2.0	6.21	-1.00
30081	116.0	116.5	.5	100	4A0	2	2.90	4.50	1.89	2.61	28.0	11.30	-1.00
30082	116.5	118.0	1.5	100	5B6	40	2.80	.31	.11	.20	4.0	5.19	-1.00
30083	118.0	118.7	.7	85	4A4	2	2.80	5.74	2.31	3.43	38.0	10.80	-1.00
0	118.7	132.9	14.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-16 Section: W66
 Northing: 6150.7 Easting: 2718.0 Elevation: 1280.8
 Length: 82.3 Core: NQ Record: 476

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	37.8	37.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30442	37.8	39.3	1.5	73	4D0	3	3.00	7.94	3.23	4.71	60.0	12.50	-1.00
30443	39.3	40.2	.9	55	4D0	3	3.00	7.23	3.03	4.20	53.0	16.20	-1.00
30444	40.2	41.8	1.6	62	4C0	3	2.90	4.58	1.96	2.62	28.0	7.27	-1.00
30445	41.8	43.3	1.5	66	4D4	3	3.40	10.42	5.09	5.33	87.0	22.00	-1.00
30446	43.3	44.8	1.5	33	4D0	3	2.80	6.42	3.43	2.99	47.0	11.40	-1.00
0	44.8	64.9	20.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30447	64.9	66.1	1.2	100	4L24	52	2.80	.23	.09	.14	2.0	6.19	-1.00
30448	66.1	68.0	1.9	100	10Q0	60	2.70	.12	.04	.08	2.0	4.52	-1.00
30449	68.0	68.9	.9	100	4L24	52	2.70	.83	.42	.41	8.0	7.27	-1.00
30450	68.9	70.2	1.3	100	4A0	2	2.80	1.26	.50	.76	10.0	7.78	-1.00
30451	70.2	70.9	.7	100	4A0	2	2.90	2.51	.75	1.76	14.0	11.80	-1.00
30452	70.9	71.3	.4	99	10Q9	60	2.80	1.26	.26	1.00	8.0	9.65	-1.00
30453	71.3	72.2	.9	100	4A0	2	2.80	3.76	1.05	2.71	25.0	13.10	-1.00
30454	72.2	73.1	.9	100	4A0	2	2.80	2.04	.56	1.48	14.0	16.00	-1.00
30455	73.1	73.8	.7	85	4E468	5	3.00	23.72	7.92	15.80	113.0	23.20	-1.00
0	73.8	82.3	8.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-17 Section: W56
 Northing: 5849.2 Easting: 2516.3 Elevation: 1260.1
 Length: 135.9 Core: NQ Record: 477

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	65.1	65.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30851	65.1	65.7	.6	100	4L2	52	3.20	1.40	.69	.71	17.0	19.30	-1.00
30852	65.7	66.1	.4	100	4E4	5	3.80	9.54	4.90	4.64	70.0	29.70	-1.00
30853	66.1	67.4	1.3	100	4AC	2	3.20	1.39	.47	.92	15.0	19.50	-1.00
30854	67.4	68.6	1.2	100	4D0	3	3.10	6.25	2.49	3.76	40.0	15.00	-1.00
30855	68.6	69.6	1.0	100	4EG4	7	4.00	13.40	5.90	7.50	85.0	29.10	-1.00
30856	69.6	70.8	1.2	100	4EG4	7	4.50	12.04	5.26	6.78	79.0	27.20	-1.00
30857	70.8	72.0	1.2	100	10Q9	60	3.20	8.31	3.00	5.31	51.0	11.40	-1.00
30858	72.0	72.8	.8	100	5B62	40	2.80	.24	.05	.19	.0	4.81	-1.00
30859	72.8	74.4	1.6	100	4C0	3	2.80	1.75	.64	1.11	10.0	9.28	-1.00
30860	74.4	75.7	1.3	100	4A4	2	3.10	10.11	3.18	6.93	44.0	2.47	-1.00
30861	75.7	77.3	1.6	100	4AD	2	2.50	8.27	3.40	4.87	48.0	2.94	-1.00
30862	77.3	78.6	1.3	100	4A0	2	2.40	4.97	2.93	2.04	43.0	4.53	-1.00
30863	78.6	79.9	1.3	100	4A34	2	3.00	13.37	4.46	8.91	70.0	12.90	-1.00
30864	79.9	81.2	1.3	100	4A34	2	2.90	7.64	2.71	4.93	36.0	12.00	-1.00
30865	81.2	82.3	1.1	99	4D4	3	3.10	15.52	13.10	2.42	16.0	14.60	-1.00
0	82.3	118.8	36.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
30866	118.8	120.0	1.2	-1	4E4\$	5	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
0	120.0	135.9	15.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-18 Section:
 Northing: 5894.9 Easting: 2976.6 Elevation: 1287.0
 Length: 52.4 Core: NQ Record: 478

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
-1	-1.0	-1.0	-1.0	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-19 Section:
 Northing: 6042.5 Easting: 3106.9 Elevation: 1299.9
 Length: 60.9 Core: NQ Record: 479

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
-1	-1.0	-1.0	-1.0	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 87G-20 Section:
 Northing: 6156.2 Easting: 3326.5 Elevation: 1301.9
 Length: 30.5 Core: NQ Record: 480

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
-1	-1.0	-1.0	-1.0	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 88G-01 Section: W74
 Northing: 6393.6 Easting: 2897.3 Elevation: 1300.6
 Length: 93.9 Core: NQ Record: 481

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	47.9	47.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
16971	47.9	49.5	1.6	100	4A4	2	3.00	13.83	4.55	9.28	72.0	4.65	-1.00
16972	49.5	50.8	1.3	100	4D0	3	2.90	5.66	1.37	4.29	24.0	10.40	-1.00
16973	50.8	52.3	1.5	26	5C4	44	2.50	3.21	.20	3.01	5.0	17.40	-1.00
16974	52.3	52.6	.3	100	4E0	5	3.80	3.19	.87	2.32	5.0	36.00	-1.00
16975	52.6	54.1	1.5	100	4C0	3	2.80	3.99	1.11	2.88	17.0	8.70	-1.00
16976	54.1	55.5	1.4	100	4E4	5	3.70	11.65	3.98	7.67	91.0	27.30	-1.00
16977	55.5	56.8	1.3	100	4E4	5	4.30	26.32	9.62	16.70	154.0	25.50	-1.00
16978	56.8	57.9	1.1	100	4E4	5	4.00	28.10	11.30	16.80	177.0	19.60	-1.00
16979	57.9	59.3	1.4	100	4E4	5	3.90	28.90	11.40	17.50	165.0	20.80	-1.00
16980	59.3	60.7	1.4	100	4A4	2	3.10	12.62	4.62	8.00	74.0	10.50	-1.00
16981	60.7	62.3	1.6	100	4A4	2	2.90	10.34	2.93	7.41	61.0	7.29	-1.00
16982	62.3	63.5	1.2	100	4A4	2	2.80	5.94	1.84	4.10	32.0	5.33	-1.00
16983	63.5	64.9	1.4	100	4A4	2	2.80	6.83	2.37	4.46	36.0	4.25	-1.00
16984	64.9	65.8	.9	100	5B6	40	2.70	3.40	1.58	1.82	19.0	5.67	-1.00
16985	65.8	66.6	.8	100	4L24	52	2.80	2.24	1.07	1.17	15.0	5.40	-1.00
16986	66.6	68.3	1.7	100	5A6	30	2.90	1.97	.51	1.46	9.0	8.80	-1.00
16987	68.3	69.1	.8	100	4A0	2	3.10	4.88	3.10	1.78	19.0	17.20	-1.00
16988	69.1	70.5	1.4	100	4E4	5	3.80	20.35	7.85	12.50	132.0	21.80	-1.00
16989	70.5	71.9	1.4	99	4E4	5	3.90	22.05	8.55	13.50	155.0	22.30	-1.00
16990	71.9	73.0	1.1	100	4A4	2	3.50	8.69	2.43	6.26	51.0	18.80	-1.00
16991	73.0	74.4	1.4	100	4A4	2	3.30	7.21	2.72	4.49	51.0	17.80	-1.00
0	74.4	83.0	8.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
16992	83.0	84.5	1.5	100	4A4	2	2.70	7.54	2.40	5.14	45.0	8.58	-1.00
16993	84.5	85.5	1.0	100	4A4	2	3.50	12.13	3.48	8.65	72.0	19.90	-1.00
16994	85.5	86.6	1.1	100	4A4	2	3.00	10.79	2.78	8.01	55.0	10.90	-1.00
16995	86.6	88.1	1.5	100	4A4	2	3.20	11.70	2.91	8.79	58.0	14.60	-1.00
0	88.1	93.9	5.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 88G-02 Section: W72
 Northing: 6331.9 Easting: 2859.7 Elevation: 1302.4
 Length: 77.7 Core: NQ Record: 482

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	55.5	55.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
16879	55.5	56.7	1.2	49	4EA4	5	3.10	14.94	4.24	10.70	25.0	9.84	-1.00
16880	56.7	57.8	1.1	90	4E14	5	3.50	5.65	1.79	3.86	18.0	30.00	-1.00
16881	57.8	58.6	.8	100	4E1	5	3.70	2.31	.84	1.47	14.0	30.60	-1.00
16882	58.6	59.3	.7	99	4A4	2	3.40	11.57	5.19	6.38	38.0	19.70	-1.00
16883	59.3	60.5	1.2	91	4A4	2	3.20	13.60	4.23	9.37	30.0	10.50	-1.00
16884	60.5	61.6	1.1	90	4A4	2	3.30	21.58	7.58	14.00	51.0	11.80	-1.00
0	61.6	77.7	16.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 88G-03 Section: W68
 Northing: 6210.5 Easting: 2656.5 Elevation: 1277.7
 Length: 131.7 Core: NQ Record: 483

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	50.7	50.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
16956	50.7	51.5	.8	50	4E84	5	3.80	5.57	2.83	2.74	35.0	33.90	-1.00
16957	51.5	52.4	.9	100	4L24	52	3.10	4.95	2.32	2.63	33.0	19.20	-1.00
16958	52.4	53.5	1.1	100	4E4	5	4.50	11.46	6.94	4.52	94.0	28.90	-1.00
16959	53.5	54.3	.8	100	4E0	5	4.60	4.74	2.96	1.78	40.0	38.40	-1.00
0	54.3	83.2	28.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
16960	83.2	84.2	1.0	100	4G4	7	4.30	23.77	8.87	14.90	131.0	20.90	-1.00
16961	84.2	85.2	1.0	100	4G4	7	4.40	14.68	5.25	9.43	83.0	24.30	-1.00
16962	85.2	85.5	.3	100	4A4	2	2.80	5.38	.56	4.82	14.0	10.50	-1.00
0	85.5	90.3	4.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
16963	90.3	91.7	1.4	35	4E4	5	3.70	7.50	2.68	4.82	48.0	21.20	-1.00
16964	91.7	93.3	1.6	100	4E4	5	4.40	7.12	3.33	3.79	58.0	35.70	-1.00
16965	93.3	94.4	1.1	100	4E0	5	3.80	3.90	.69	3.21	22.0	30.00	-1.00
16966	94.4	95.0	.6	100	5D4	47	3.10	1.92	.31	1.61	7.0	19.20	-1.00
16967	95.0	96.3	1.3	100	4E4	5	4.50	16.58	5.98	10.60	98.0	25.40	-1.00
16968	96.3	97.6	1.3	100	4E4	5	4.70	20.30	7.30	13.00	115.0	29.80	-1.00
16969	97.6	99.0	1.4	100	4E4	5	4.50	19.52	6.42	13.10	98.0	31.30	-1.00
0	99.0	127.2	28.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
16970	127.2	128.3	1.1	81	4E1	5	3.80	5.56	2.41	3.15	34.0	35.10	-1.00
0	128.3	131.7	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 88G-04 Section: W64
 Northing: 6089.7 Easting: 2686.6 Elevation: 1277.0
 Length: 101.8 Core: NQ Record: 484

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	44.1	44.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
16885	44.1	44.8	.7	100	4D3	3	4.10	8.54	5.26	3.28	30.0	28.50	-1.00
0	44.8	55.9	11.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
16886	55.9	56.8	.9	100	4E4	5	3.60	24.51	8.91	15.60	58.0	15.50	-1.00
16887	56.8	57.3	.5	100	4A0	2	3.10	2.02	.85	1.17	27.0	19.00	-1.00
16888	57.3	58.5	1.2	91	4L2	52	2.90	1.70	.39	1.31	11.0	8.29	-1.00
16889	58.5	59.7	1.2	100	4A0	2	2.90	3.37	.87	2.50	21.0	10.60	-1.00
16890	59.7	61.3	1.6	100	4A0	2	2.80	.98	.31	.67	15.0	12.30	-1.00
16891	61.3	62.8	1.5	100	4A0	2	3.00	.89	.15	.74	15.0	12.80	-1.00
16892	62.8	64.3	1.5	99	4A0	2	3.10	1.30	.35	.95	21.0	16.80	-1.00
16893	64.3	65.7	1.4	100	4A0	2	2.90	1.50	.39	1.11	17.0	14.20	-1.00
16894	65.7	67.4	1.7	100	4A0	2	2.90	.98	.25	.73	13.0	17.60	-1.00
16895	67.4	69.2	1.8	38	4A0	2	3.00	2.40	.80	1.60	19.0	14.90	-1.00
16896	69.2	70.7	1.5	93	4E4	5	4.40	18.53	6.03	12.50	87.0	31.00	-1.00
16897	70.7	72.2	1.5	100	4E4	5	4.50	11.04	4.50	6.54	89.0	36.00	-1.00
16898	72.2	73.5	1.3	92	4E4	5	4.50	19.78	7.38	12.40	121.0	30.80	-1.00
16899	73.5	75.0	1.5	100	4E4	5	4.80	19.68	7.18	12.50	129.0	31.80	-1.00
16900	75.0	76.3	1.3	100	4G4	7	4.40	13.98	4.60	9.38	89.0	23.30	-1.00
16901	76.3	77.6	1.3	100	4G4	7	4.40	11.47	3.93	7.54	93.0	29.60	-1.00
16902	77.6	78.9	1.3	100	4G4	7	4.50	13.28	4.60	8.68	82.0	23.00	-1.00
16903	78.9	80.2	1.3	100	4G4	7	4.40	13.85	4.36	9.49	87.0	21.00	-1.00
16904	80.2	81.4	1.2	100	4E4	5	4.40	13.54	4.05	9.49	72.0	32.80	-1.00
16905	81.4	82.4	1.0	100	4E4	5	4.20	23.74	7.84	15.90	133.0	27.70	-1.00
16906	82.4	83.8	1.4	99	4E41	5	3.80	21.04	7.44	13.60	118.0	20.30	-1.00
16907	83.8	84.5	.7	100	4A34	2	3.40	17.47	6.17	11.30	120.0	15.70	-1.00
16908	84.5	86.0	1.5	100	4A4	2	3.40	5.66	2.14	3.52	40.0	20.40	-1.00
16909	86.0	87.5	1.5	100	4A0	2	3.30	4.31	2.17	2.14	55.0	18.80	-1.00
16910	87.5	89.0	1.5	100	4A4	2	3.30	8.07	2.73	5.34	47.0	17.10	-1.00
16911	89.0	90.5	1.5	100	4A0	2	2.90	1.72	.64	1.08	23.0	15.00	-1.00
16912	90.5	92.0	1.5	100	4A0	2	3.20	.91	.12	.79	17.0	18.70	-1.00
16913	92.0	93.6	1.6	100	4A0	2	2.90	.38	.16	.22	9.0	11.40	-1.00
16914	93.6	95.1	1.5	100	4A0	2	2.80	.53	.15	.38	11.0	12.10	-1.00
16915	95.1	96.1	1.0	100	5C4	44	2.80	1.89	.08	1.81	4.0	9.94	-1.00
16916	96.1	97.2	1.1	100	4A0	2	2.80	.34	.09	.25	6.0	7.35	-1.00
16917	97.2	98.8	1.6	100	4A0	2	2.90	.82	.54	.28	19.0	11.60	-1.00
16918	98.8	100.3	1.5	100	4A0	2	3.00	1.04	.29	.75	11.0	9.22	-1.00
16919	100.3	101.8	1.5	100	4A0	2	2.80	.51	.11	.40	6.0	9.22	-1.00

Drill Hole: 88G-05 Section: W60
 Northing: 5969.5 Easting: 2697.0 Elevation: 1275.4
 Length: 134.7 Core: NQ Record: 485

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	64.1	64.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
16920	64.1	64.7	.6	100	4D44	3	3.30	28.63	8.83	19.80	142.0	10.10	-1.00
16921	64.7	65.2	.5	100	4D4	3	3.40	15.01	6.79	8.22	108.0	13.50	-1.00
16922	65.2	66.2	1.0	100	4D4	3	3.40	10.08	5.81	4.27	93.0	18.70	-1.00
16923	66.2	67.1	.9	100	4D0	3	3.30	7.17	4.96	2.21	78.0	19.10	-1.00
16924	67.1	68.3	1.2	100	4D4	3	3.40	22.29	9.49	12.80	144.0	12.10	-1.00
16925	68.3	69.6	1.3	100	4D4	3	3.60	13.37	5.35	8.02	85.0	20.10	-1.00
16926	69.6	70.8	1.2	100	4D4	3	3.80	23.09	9.89	13.20	144.0	16.80	-1.00
16927	70.8	71.7	.9	100	4D44	3	3.60	26.27	8.57	17.70	139.0	14.70	-1.00
16928	71.7	72.8	1.1	100	4D44	3	3.60	27.43	9.23	18.20	154.0	12.10	-1.00
16929	72.8	74.0	1.2	100	4D4	3	3.40	18.45	7.25	11.20	120.0	14.20	-1.00
0	74.0	77.2	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
16930	77.2	78.2	1.0	100	4D7	3	3.50	10.74	4.74	6.00	76.0	23.50	-1.00
16931	78.2	79.2	1.0	100	4D44	3	3.50	21.91	8.71	13.20	145.0	13.40	-1.00
16932	79.2	80.9	1.7	58	4D3	3	3.10	9.18	4.47	4.71	76.0	9.75	-1.00
16933	80.9	82.1	1.2	100	4C3	3	3.40	4.06	1.92	2.14	31.0	20.20	-1.00
16934	82.1	83.4	1.3	99	4D3	3	3.70	7.31	4.09	3.22	70.0	24.40	-1.00
16935	83.4	84.2	.8	100	4C3	3	3.50	4.13	1.91	2.22	48.0	24.50	-1.00
0	84.2	88.8	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
16936	88.8	90.3	1.5	86	4E14	5	3.30	5.52	2.20	3.32	54.0	24.00	-1.00
16937	90.3	91.0	.7	100	5A6	30	2.80	1.83	.95	.88	21.0	6.68	-1.00
16938	91.0	92.4	1.4	100	4EO	5	4.50	3.34	2.31	1.03	47.0	38.00	-1.00
16939	92.4	93.7	1.3	92	4EO	5	4.20	3.22	1.68	1.54	35.0	35.30	-1.00
16940	93.7	94.8	1.1	99	4AO	2	3.30	3.12	1.15	1.97	23.0	20.60	-1.00
16941	94.8	96.3	1.5	100	4CO	3	3.40	.37	.08	.29	6.0	22.10	-1.00
16942	96.3	97.8	1.5	100	4CO	3	3.20	.32	.10	.22	9.0	18.70	-1.00
16943	97.8	98.9	1.1	100	4CO	3	3.30	.22	.05	.17	7.0	22.90	-1.00
16944	98.9	100.7	1.8	94	4AO	2	2.90	.14	.04	.10	6.0	11.30	-1.00
16945	100.7	102.3	1.6	100	4AO	2	2.90	.32	.15	.17	6.0	10.90	-1.00
16946	102.3	103.5	1.2	100	4AO	2	2.80	.13	.05	.08	4.0	7.06	-1.00
16947	103.5	105.2	1.7	100	4AO	2	3.30	3.51	2.18	1.33	32.0	13.70	-1.00
16948	105.2	106.7	1.5	100	4AO	2	3.10	3.88	2.35	1.53	30.0	13.40	-1.00
16949	106.7	107.9	1.2	100	4AO	2	2.90	2.81	1.59	1.22	19.0	11.10	-1.00
16950	107.9	109.3	1.4	100	4AO	2	3.00	1.52	.90	.62	11.0	12.90	-1.00
16951	109.3	111.2	1.9	100	4AO	2	3.30	2.05	1.36	.69	19.0	16.00	-1.00
16952	111.2	112.1	.9	100	4EO	5	4.80	4.52	1.84	2.68	37.0	40.70	-1.00
16953	112.1	113.6	1.5	100	4E4	5	4.40	6.29	2.88	3.41	46.0	37.60	-1.00
16954	113.6	115.5	1.9	99	4LO	52	3.10	6.78	2.55	4.23	35.0	10.30	-1.00
16955	115.5	117.3	1.8	88	4AO	2	3.50	4.95	2.01	2.94	33.0	16.80	-1.00
0	117.3	134.7	17.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-01 Section: W61
 Northing: 6000.2 Easting: 2639.2 Elevation: 1272.3
 Length: 199.6 Core: NQ Record: 486

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	76.0	76.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41701	76.0	77.3	1.3	100	4A4	2	2.71	8.02	1.97	6.05	33.0	7.53	-1.00
41702	77.3	78.8	1.5	100	4A4	2	2.72	6.98	1.86	5.12	41.0	8.80	-1.00
0	78.8	85.2	6.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41703	85.2	86.1	.9	100	4A0	2	2.67	1.62	.77	.85	16.0	5.41	-1.00
41704	86.1	87.2	1.1	100	4A0	2	2.71	1.64	.66	.98	14.0	5.33	-1.00
41705	87.2	87.6	.4	100	5C*	44	2.60	.02	.02	.00	2.0	3.71	-1.00
41706	87.6	88.7	1.1	100	4G4	7	4.53	17.46	7.63	9.83	173.0	18.60	-1.00
41707	88.7	89.8	1.1	100	4G4	7	4.56	16.95	7.53	9.42	153.0	12.80	-1.00
41708	89.8	91.8	2.0	100	5C4	44	2.74	1.58	.85	.73	16.0	5.44	-1.00
41709	91.8	92.9	1.1	100	4G4	7	4.45	14.92	6.27	8.65	132.0	17.90	-1.00
41710	92.9	93.7	.8	100	4G4	7	4.17	15.39	6.26	9.13	154.0	17.20	-1.00
41711	93.7	95.2	1.5	100	4A0	2	2.76	1.19	.28	.91	8.0	3.16	-1.00
41712	95.2	96.2	1.0	100	4A0	2	2.75	2.23	.82	1.41	16.0	5.27	-1.00
0	96.2	99.2	3.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41713	99.2	100.4	1.2	100	4A0	2	2.67	1.88	.66	1.22	12.0	3.99	-1.00
41714	100.4	101.3	.9	100	4C0	3	2.92	.62	.10	.52	4.0	6.35	-1.00
0	101.3	106.0	4.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41715	106.0	107.5	1.5	100	5A19	30	2.66	.61	.14	.47	4.0	3.92	-1.00
41716	107.5	108.8	1.3	100	4A0	2	2.85	.32	.15	.17	5.0	8.88	-1.00
41717	108.8	110.1	1.3	100	4A0	2	2.72	.30	.08	.22	3.0	4.60	-1.00
0	110.1	113.5	3.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41718	113.5	114.4	.9	100	4A0	2	2.67	.28	.13	.15	6.0	5.01	-1.00
0	114.4	122.2	7.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41719	122.2	123.7	1.5	100	5A19	30	2.95	1.76	.82	.94	19.0	10.01	-1.00
41720	123.7	124.2	.5	100	4C0	3	3.24	1.00	.15	.85	6.0	13.09	-1.00
0	124.2	157.1	32.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41721	157.1	157.6	.5	100	4E171	5	3.34	.29	.20	.09	3.0	10.72	-1.00
41722	157.6	159.0	1.4	100	4L134	52	2.79	.39	.27	.12	1.0	10.43	-1.00
41723	159.0	160.7	1.7	100	4C0	3	3.02	1.09	.53	.56	1.0	7.38	-1.00
41724	160.7	162.1	1.4	100	4D3	3	3.32	5.90	2.39	3.51	28.0	21.80	-1.00
41725	162.1	163.7	1.6	100	4C3	3	3.43	3.32	1.31	2.01	18.0	27.80	-1.00
41726	163.7	165.2	1.5	100	4C3	3	3.25	2.14	.98	1.16	12.0	24.70	-1.00
41727	165.2	166.7	1.5	100	4EC	5	3.09	3.61	1.35	2.26	18.0	26.20	-1.00
41728	166.7	168.0	1.3	100	4CEEC	3	3.22	4.81	1.73	3.08	23.0	35.70	-1.00
41729	168.0	169.4	1.4	100	4C3	3	3.25	4.03	1.44	2.59	21.0	29.78	-1.00
41730	169.4	170.8	1.4	100	4C0	3	2.96	1.37	.80	.57	11.0	17.17	-1.00
41731	170.8	172.3	1.5	100	4C0	3	2.91	.39	.20	.19	5.0	3.58	-1.00
41732	172.3	173.7	1.4	100	4C0	3	2.99	3.49	1.35	2.14	18.0	15.90	-1.00
41733	173.7	175.3	1.6	62	4C0	3	2.80	.19	.18	.01	3.0	4.05	-1.00
41734	175.3	176.2	.9	100	4C0	3	2.80	.28	.13	.15	4.0	3.61	-1.00
41735	176.2	177.5	1.3	92	4C0	3	3.08	1.91	.93	.98	14.0	13.21	-1.00
41736	177.5	178.6	1.1	81	4L36	52	2.82	1.39	.66	.73	8.0	7.58	-1.00
0	178.6	184.7	6.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

41737	184.7	185.1	.4	100	4A0	2	2.91	1.64	.72	.92	16.0	4.04	-1.00
41738	185.1	186.5	1.4	71	4G0	7	4.09	7.91	3.26	4.65	57.0	12.50	-1.00
41739	186.5	187.6	1.1	100	4G0	7	4.08	8.81	3.84	4.97	57.0	23.70	-1.00
41740	187.6	189.0	1.4	50	4A4	2	2.80	5.27	2.47	2.80	57.0	16.90	-1.00
41741	189.0	190.5	1.5	100	4D3	3	3.86	5.19	2.08	3.11	45.0	30.70	-1.00
41742	190.5	191.6	1.1	90	4D3	3	3.78	6.85	3.14	3.71	59.0	27.40	-1.00
41743	191.6	192.2	.6	100	4A4	2	3.12	9.62	3.48	6.14	57.0	11.80	-1.00
41744	192.2	192.9	.7	100	4C0	3	2.69	4.59	2.25	2.34	30.0	12.40	-1.00
0	192.9	199.8	6.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-02 Section: W58
 Northing: 5908.8 Easting: 2425.1 Elevation: 1256.5
 Length: 189.3 Core: NQ Record: 487

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	100.9	100.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41745	100.9	102.4	1.5	100	4C73	3	3.16	1.80	1.12	.68	16.0	17.80	-1.00
41746	102.4	103.2	.8	100	4C37	3	3.12	1.45	.89	.56	17.0	18.10	-1.00
0	103.2	109.0	5.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41747	109.0	110.2	1.2	100	4C0	3	2.95	1.91	1.23	.68	14.0	12.20	-1.00
41748	110.2	111.3	1.1	99	4CL	3	2.87	1.23	.65	.58	12.0	6.98	-1.00
0	111.3	112.7	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41749	112.7	113.3	.6	83	4E17	5	3.61	1.80	1.32	.48	26.0	27.20	-1.00
41750	113.3	115.2	1.9	88	5B62	40	2.54	.91	.53	.38	8.0	5.73	-1.00
41751	115.2	116.2	1.0	100	4H/5B	8	3.18	1.93	.94	.99	17.0	16.30	-1.00
0	116.2	126.6	10.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41752	126.6	127.8	1.2	99	4C33	3	3.27	2.81	1.43	1.38	26.0	20.30	-1.00
41753	127.8	129.0	1.2	75	4C33	3	3.42	3.07	1.28	1.79	24.0	20.10	-1.00
41754	129.0	130.0	1.0	90	4L24	52	3.09	1.00	.39	.61	9.0	12.40	-1.00
41755	130.0	131.7	1.7	94	4DL	3	3.93	3.02	1.43	1.59	25.0	14.50	-1.00
41756	131.7	133.3	1.6	99	4C33	3	3.62	2.01	1.13	.88	21.0	24.30	-1.00
0	133.3	189.3	56.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-03 Section: W58
 Northing: 5910.9 Easting: 2467.5 Elevation: 1257.3
 Length: 218.5 Core: NQ Record: 488

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	83.4	83.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41757	83.4	84.9	1.5	100	4LE18	52	3.43	1.52	.74	.78	18.0	19.73	-1.00
41758	84.9	86.3	1.4	100	4LE18	52	3.26	3.64	1.88	1.76	32.0	13.83	-1.00
41759	86.3	87.9	1.6	94	4E84 &6	5	4.49	9.35	4.24	5.11	54.0	30.08	-1.00
41760	87.9	88.9	1.0	100	4E84 &6	5	4.40	10.05	4.97	5.08	71.0	28.03	-1.00
41761	88.9	90.5	1.6	75	4A0	2	2.87	.30	.12	.18	20.0	9.78	-1.00
41762	90.5	91.7	1.2	100	4A0	2	2.96	.10	.03	.07	16.0	6.05	-1.00
41763	91.7	93.6	1.9	95	4E\$4 &8	5	4.43	8.63	3.97	4.66	62.0	27.34	-1.00
41764	93.6	94.7	1.1	90	4C0	3	3.26	3.38	1.74	1.64	53.0	11.10	-1.00
41765	94.7	95.9	1.2	99	4E8\$64	5	4.54	9.14	-4.10	5.04	54.0	27.60	-1.00
41766	95.9	97.2	1.3	100	4E8\$64	5	4.26	12.26	5.08	7.18	73.0	51.77	-1.00
41767	97.2	98.3	1.1	99	4A0	2	2.90	.52	.23	.29	17.0	11.24	-1.00
41768	98.3	99.4	1.1	100	4A0	2	2.97	.60	.19	.41	15.0	13.84	-1.00
41769	99.4	100.7	1.3	92	4A0	2	3.16	1.12	.11	1.01	7.0	15.66	-1.00
41770	100.7	101.8	1.1	90	4A0	2	2.79	.51	.16	.35	13.0	10.45	-1.00
41771	101.8	102.9	1.1	100	4E0\$4	5	5.71	10.65	5.20	5.45	84.0	25.93	-1.00
41772	102.9	104.2	1.3	84	4LE\$	52	3.30	3.56	1.93	1.63	38.0	14.67	-1.00
41773	104.2	105.7	1.5	73	4LE\$	52	3.35	3.69	1.70	1.99	14.0	15.53	-1.00
41774	105.7	106.7	1.0	100	4E\$	5	3.67	1.33	.50	.83	6.0	22.79	-1.00
41775	106.7	107.9	1.2	91	4E\$8	5	3.94	3.93	1.98	1.95	35.0	26.10	-1.00
41776	107.9	108.8	.9	99	4E\$8	5	3.56	3.92	2.01	1.91	34.0	26.45	-1.00
41777	108.8	109.7	.9	100	5D64	47	2.70	.43	.14	.29	15.0	3.32	-1.00
41778	109.7	111.1	1.4	99	4K\$	6	3.51	3.53	1.70	1.83	35.0	22.82	-1.00
41779	111.1	112.5	1.4	99	4E\$	5	3.53	2.90	1.35	1.55	31.0	22.84	-1.00
41780	112.5	113.4	.9	88	4E\$4	5	3.72	8.53	4.27	4.26	63.0	23.57	-1.00
41781	113.4	114.5	.9	100	4K\$14	6	3.56	5.06	1.91	3.15	36.0	20.94	-1.00
41782	114.5	115.2	.7	100	4E\$84	5	4.70	7.66	3.97	3.69	61.0	33.77	-1.00
41783	115.2	116.7	1.5	100	4CDE	3	3.26	1.61	.61	1.00	16.0	19.53	-1.00
0	116.7	132.3	15.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41784	132.3	133.6	1.3	99	4CD	3	3.23	2.82	1.41	1.41	22.0	15.86	-1.00
41785	133.6	134.5	.9	100	4CD	3	3.32	2.42	1.51	.91	22.0	18.82	-1.00
41786	134.5	136.0	1.5	80	4E#84	5	3.67	6.02	2.64	3.38	38.0	17.20	-1.00
41787	136.0	137.3	1.3	99	4C5	3	3.09	2.00	.76	1.24	15.0	15.43	-1.00
41788	137.3	138.1	.8	99	4E10	5	4.22	.98	.45	.53	15.0	33.30	-1.00
41789	138.1	139.3	1.2	100	4L124	52	3.48	4.36	2.17	2.19	34.0	18.32	-1.00
41790	139.3	140.7	1.4	100	4L124	52	3.83	2.63	1.50	1.13	31.0	28.45	-1.00
41791	140.7	142.9	2.2	99	4D3	3	3.22	5.80	2.85	2.95	40.0	20.56	-1.00
41792	142.9	143.6	.7	99	5A\$9	30	2.43	.11	.08	.03	15.0	2.81	-1.00
41793	143.6	144.8	1.2	91	4L17	52	3.00	3.56	1.49	2.07	42.0	13.93	-1.00
41794	144.8	146.3	1.5	100	5A/4L	30	2.84	1.14	.57	.57	25.0	16.22	-1.00
0	146.3	151.5	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41795	151.5	153.0	1.5	100	4C34\$	3	3.60	2.36	1.30	1.06	32.0	21.45	-1.00
41796	153.0	154.5	1.5	100	4C34\$	3	3.52	3.33	1.96	1.37	42.0	25.36	-1.00
41797	154.5	156.1	1.6	99	4C34\$	3	3.37	2.64	1.43	1.21	31.0	17.21	-1.00

41798	156.1	157.2	1.1	100	4C\$A	3	3.05	4.39	2.38	2.01	36.0	11.99	-1.00
41799	157.2	158.2	1.0	100	4AC\$	2	2.90	2.93	1.60	1.33	26.0	10.65	-1.00
41800	158.2	159.8	1.6	99	4D347	3	3.63	5.42	2.88	2.54	38.0	21.58	-1.00
41851	159.8	161.3	1.5	100	4C347	3	3.56	3.99	2.01	1.98	20.0	25.02	-1.00
41852	161.3	162.2	.9	99	4A0	2	2.55	1.52	.67	.85	11.0	5.69	-1.00
41853	162.2	164.4	2.2	95	4D38\$	3	3.33	2.94	1.58	1.36	26.0	16.30	-1.00
0	164.4	218.5	54.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-04 Section: W54
 Northing: 5789.9 Easting: 2516.5 Elevation: 1256.3
 Length: 81.4 Core: NQ Record: 489

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	61.2	61.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41854	61.2	62.1	.9	87	4DA	3	2.90	4.92	1.46	3.46	35.0	12.90	-1.00
41855	62.1	63.1	1.0	54	5A1	30	2.56	.27	.12	.15	4.0	6.52	-1.00
41856	63.1	64.5	1.4	42	4E01	5	4.02	1.11	.45	.66	8.0	32.50	-1.00
41857	64.5	65.8	1.3	99	4A0	2	2.89	.14	.12	.02	16.0	10.78	-1.00
41858	65.8	67.2	1.4	78	4A0	2	2.83	2.98	.93	2.05	34.0	11.50	-1.00
41859	67.2	68.5	1.3	92	4A0	2	2.70	6.75	1.53	5.22	50.0	7.64	-1.00
0	68.5	72.2	3.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41860	72.2	72.7	.5	100	4E0	5	3.90	5.75	1.32	4.43	52.0	9.65	-1.00
41861	72.7	73.2	.5	80	4C33	3	3.36	1.74	.61	1.13	9.0	3.18	-1.00
0	73.2	81.0	7.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-05 Section: W54
 Northing: 5788.6 Easting: 2488.9 Elevation: 1252.0
 Length: 68.0 Core: NQ Record: 490

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	48.8	48.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41862	48.8	50.0	1.2	100	4C0	3	3.21	3.97	1.66	2.31	23.0	5.38	-1.00
41863	50.0	51.0	1.0	80	4G0	7	3.89	.59	.13	.46	7.0	5.03	-1.00
41864	51.0	51.5	.5	100	4L0	52	2.79	.68	.13	.55	7.0	4.86	-1.00
41865	51.5	52.3	.8	100	4A4	2	2.78	6.17	1.77	4.40	29.0	12.50	-1.00
41866	52.3	53.5	1.2	100	4A4	2	2.69	6.44	1.76	4.68	31.0	10.70	-1.00
41867	53.5	54.1	.6	100	4L24	52	3.03	2.71	1.13	1.58	28.0	10.40	-1.00
41868	54.1	55.3	1.2	100	4E\$4	5	4.30	9.22	4.33	4.89	79.0	28.80	-1.00
41869	55.3	56.8	1.5	100	4E\$	5	4.21	4.04	1.77	2.27	57.0	32.80	-1.00
41870	56.8	58.1	1.3	100	4A0	2	3.01	3.37	1.07	2.30	32.0	18.50	-1.00
41871	58.1	58.9	.8	100	4A0	2	2.94	3.09	1.12	1.97	21.0	15.80	-1.00
41872	58.9	60.2	1.3	69	4A0	2	2.69	.44	.11	.33	25.0	13.80	-1.00
41873	60.2	61.9	1.7	60	4A0	2	2.61	.18	.10	.08	6.0	9.40	-1.00
41874	61.9	63.5	1.6	51	4A0	2	2.97	1.58	.63	.95	25.0	25.80	-1.00
0	63.5	68.0	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-06 Section: W56
 Northing: 5850.3 Easting: 2458.9 Elevation: 1253.2
 Length: 146.0 Core: NQ Record: 491

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
-1	.0	84.6	84.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41875	84.6	85.9	1.3	92	4E4	5	3.91	5.34	2.78	2.56	47.0	33.30	-1.00
41876	85.9	87.0	1.1	100	4E0	5	4.00	3.99	1.76	2.23	22.0	40.60	-1.00
41877	87.0	88.1	1.1	100	4E6	5	3.80	3.10	1.60	1.50	26.0	35.70	-1.00
41878	88.1	89.4	1.3	99	4E46	5	4.26	10.11	4.76	5.35	72.0	35.10	-1.00
41879	89.4	90.7	1.3	100	4G4	7	4.42	11.55	6.33	5.22	110.0	20.70	-1.00
41880	90.7	92.3	1.6	99	4G0	7	4.38	9.57	4.66	4.91	73.0	27.40	-1.00
41881	92.3	93.9	1.6	68	4G0	7	4.37	9.80	5.16	4.64	87.0	23.40	-1.00
41882	93.9	95.5	1.6	93	4G0	7	4.38	7.58	3.33	4.25	65.0	27.50	-1.00
41883	95.5	97.0	1.5	100	4G4	7	4.36	9.91	5.31	4.60	73.0	26.60	-1.00
41884	97.0	98.5	1.5	93	4A4	2	3.29	10.05	4.56	5.49	64.0	26.00	-1.00
41885	98.5	100.1	1.6	93	4A0	2	2.98	.34	.08	.26	17.0	15.30	-1.00
41886	100.1	101.3	1.2	99	4A0	2	2.99	.34	.07	.27	13.0	20.40	-1.00
41887	101.3	102.5	1.2	100	4A0	2	2.98	.45	.10	.35	9.0	17.90	-1.00
41888	102.5	103.7	1.2	100	4C0	3	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41889	103.7	104.9	1.2	91	4C0	3	3.15	.20	.03	.17	12.0	21.90	-1.00
41890	104.9	106.2	1.3	92	4C0	3	3.12	.26	.04	.22	2.0	22.00	-1.00
41891	106.2	106.8	.6	99	4C0	3	3.29	4.97	1.93	3.04	17.0	22.40	-1.00
41892	106.8	107.2	.4	100	4G4\$	7	4.21	11.56	4.74	6.82	63.0	19.40	-1.00
41893	107.2	108.7	1.5	100	4C0	3	3.05	2.19	.86	1.33	18.0	14.20	-1.00
41894	108.7	109.6	.9	99	5B6	40	2.76	.89	.03	.86	.0	5.60	-1.00
41895	109.6	110.9	1.3	99	4C0	3	2.93	2.34	.75	1.59	17.0	6.50	-1.00
41896	110.9	111.8	.9	88	4C0	3	2.87	1.19	.26	.93	4.0	7.50	-1.00
41897	111.8	112.5	.7	100	4DG	3	3.85	5.14	2.10	3.04	45.0	8.50	-1.00
41898	112.5	114.2	1.7	100	4AC	2	3.00	.46	.15	.31	7.0	19.80	-1.00
41899	114.2	115.5	1.3	99	4E\$6	5	3.54	2.84	1.25	1.59	5.0	20.00	-1.00
41900	115.5	117.3	1.8	77	4E\$6	5	3.74	1.59	.71	.88	6.0	29.40	-1.00
-1	117.3	146.0	28.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-07 Section: W55
 Northing: 5819.7 Easting: 2490.4 Elevation: 1254.2
 Length: 108.8 Core: NQ Record: 492

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	49.7	49.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41801	49.7	50.7	1.0	80	4E6\$	5	4.41	2.31	.68	1.63	49.0	20.40	-1.00
41802	50.7	51.6	.9	88	4E46\$	5	4.24	11.04	5.03	6.01	85.0	29.50	-1.00
41803	51.6	52.8	1.2	66	4AC	2	3.30	2.16	1.15	1.01	20.0	20.30	-1.00
41804	52.8	54.2	1.4	78	4A0	2	3.15	1.31	.38	.93	10.0	17.90	-1.00
41805	54.2	55.8	1.6	100	4A0	2	2.75	1.36	.20	1.16	6.0	16.31	-1.00
41806	55.8	56.8	1.0	100	4A0	2	2.95	1.13	.16	.97	6.0	20.73	-1.00
41807	56.8	57.6	.8	100	4C0	3	3.21	2.80	1.22	1.58	20.0	17.20	-1.00
41808	57.6	59.4	1.8	11	4E\$4	5	4.09	13.46	7.49	5.97	107.0	28.90	-1.00
41809	59.4	60.3	.9	100	4C0	3	3.00	1.81	.57	1.24	23.0	18.94	-1.00
41810	60.3	61.7	1.4	99	4C0	3	2.81	2.88	.95	1.93	14.0	21.40	-1.00
41811	61.7	62.7	1.0	80	4E46	5	3.48	8.68	2.48	6.20	40.0	27.10	-1.00
0	62.7	66.0	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41812	66.0	67.9	1.9	84	4C0	3	3.03	1.28	.26	1.02	8.0	14.80	-1.00
41813	67.9	68.5	.6	100	4A0	2	2.59	2.92	.88	2.04	14.0	5.72	-1.00
41814	68.5	69.9	1.4	99	4C0	3	2.79	2.46	.71	1.75	8.0	6.31	-1.00
41815	69.9	71.0	1.1	100	4A0	2	2.61	2.21	.83	1.38	9.0	5.41	-1.00
41816	71.0	72.2	1.2	100	4A0	2	2.60	4.37	1.68	2.69	32.0	4.08	-1.00
41817	72.2	73.7	1.5	80	4A0	2	2.56	4.19	1.73	2.46	39.0	3.33	-1.00
41818	73.7	75.3	1.6	81	4L024	52	2.94	3.14	.81	2.33	23.0	9.84	-1.00
0	75.3	108.8	33.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-08 Section: W86
 Northing: 6754.5 Easting: 2941.4 Elevation: 1310.9
 Length: 132.3 Core: NQ Record: 493

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	65.3	65.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41819	65.3	65.6	.3	100	4E17	5	3.95	4.38	.46	3.92	11.0	29.00	-1.00
41820	65.6	66.3	.7	85	4D4	3	3.15	26.03	7.73	18.30	104.0	7.67	-1.00
41821	66.3	66.9	.6	100	5A69	30	2.67	12.11	4.93	7.18	72.0	1.87	-1.00
41822	66.9	67.8	.9	99	4D0	3	2.81	10.30	6.31	3.99	130.0	3.21	-1.00
41823	67.8	69.2	1.4	100	4D0	3	2.77	6.09	2.40	3.69	45.0	2.61	-1.00
41824	69.2	70.6	1.4	99	4D0	3	2.88	6.99	2.98	4.01	48.0	4.78	-1.00
41825	70.6	72.2	1.6	100	4A0	2	2.61	4.66	1.74	2.92	34.0	4.76	-1.00
41826	72.2	73.3	1.1	90	4D0	3	2.74	5.03	1.78	3.25	40.0	3.29	-1.00
41827	73.3	74.5	1.2	100	4C0	3	2.64	4.68	1.72	2.96	41.0	1.42	-1.00
41828	74.5	75.9	1.4	99	4C0	3	2.68	4.80	1.67	3.13	53.0	1.30	-1.00
41829	75.9	77.2	1.3	92	4D0	3	2.65	5.73	1.51	4.22	51.0	1.40	-1.00
41830	77.2	78.5	1.3	99	4D0	3	2.63	5.75	1.60	4.15	53.0	1.58	-1.00
41831	78.5	79.9	1.4	92	4C0	3	2.64	4.12	1.39	2.73	38.0	1.24	-1.00
41832	79.9	81.4	1.5	100	4C0	3	2.56	4.74	1.40	3.34	44.0	1.69	-1.00
41833	81.4	82.8	1.4	100	4C0	3	2.70	4.07	1.29	2.78	40.0	2.83	-1.00
0	82.8	97.8	15.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41834	97.8	98.4	.6	83	4C35	3	3.00	1.38	1.26	.12	30.0	12.92	-1.00
41835	98.4	100.4	2.0	100	5A619	30	2.52	.44	.29	.15	14.0	3.93	-1.00
41836	100.4	102.1	1.7	94	4C0	3	3.02	3.96	2.06	1.90	41.0	7.77	-1.00
41837	102.1	103.3	1.2	99	4L24	52	2.65	1.45	1.03	.42	17.0	3.61	-1.00
41838	103.3	104.5	1.2	100	4L24	52	2.62	.17	.12	.05	3.0	3.04	-1.00
0	104.5	109.7	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41839	109.7	110.9	1.2	91	4A0	2	2.59	2.42	1.06	1.36	16.0	3.95	-1.00
41840	110.9	111.2	.3	100	5D6\$	47	2.78	1.91	.54	1.37	12.0	7.61	-1.00
41841	111.2	112.6	1.4	99	4A4	2	2.56	6.00	1.91	4.09	28.0	2.24	-1.00
41842	112.6	113.1	.5	100	4A4	2	2.55	5.07	1.51	3.56	34.0	3.55	-1.00
41843	113.1	116.2	3.1	100	5D6\$	47	2.72	.99	.38	.61	26.0	5.85	-1.00
41844	116.2	116.7	.5	80	4A4	2	2.55	8.47	2.20	6.27	56.0	1.98	-1.00
41845	116.7	118.3	1.6	99	5D6\$	47	2.77	2.00	.77	1.23	23.0	7.04	-1.00
41846	118.3	119.8	1.5	100	4A4	2	2.61	7.38	2.28	5.10	47.0	1.74	-1.00
41847	119.8	121.2	1.4	92	4A4	2	2.57	8.12	2.54	5.58	58.0	1.78	-1.00
41848	121.2	122.7	1.5	100	4A4	2	2.58	5.75	1.77	3.98	40.0	2.21	-1.00
41849	122.7	123.9	1.2	99	4A0	2	2.71	4.65	2.21	2.44	41.0	2.46	-1.00
0	123.9	132.3	8.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-09 Section: W84
 Northing: 6697.1 Easting: 2882.5 Elevation: 1308.6
 Length: 127.1 Core: NQ Record: 494

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	81.4	81.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41850	81.4	83.2	1.8	88	4A4	2	2.76	13.44	4.53	8.91	88.0	5.61	-1.00
41901	83.2	85.1	1.9	84	5D4*	47	2.68	.07	.03	.04	6.0	3.73	-1.00
41902	85.1	85.9	.8	100	4A4	2	2.71	7.53	2.36	5.17	44.0	2.76	-1.00
41903	85.9	87.0	1.1	90	4A4	2	2.77	5.63	2.21	3.42	38.0	9.61	-1.00
41904	87.0	87.8	.8	100	5D4*	47	2.73	1.28	.61	.67	23.0	8.45	-1.00
41905	87.8	89.0	1.2	91	4D0	3	2.64	5.16	1.89	3.27	33.0	4.22	-1.00
41906	89.0	90.1	1.1	90	4A0	2	2.67	4.31	1.71	2.60	35.0	6.08	-1.00
41907	90.1	91.7	1.6	75	4A4	2	2.62	5.77	2.20	3.57	36.0	4.89	-1.00
41908	91.7	92.8	1.1	100	4D0	3	2.62	5.00	2.17	2.83	35.0	2.70	-1.00
41909	92.8	93.6	.8	100	4D0	3	2.81	5.19	2.87	2.32	45.0	4.67	-1.00
41910	93.6	95.1	1.5	93	4A0	2	2.48	3.60	1.25	2.35	27.0	3.93	-1.00
41911	95.1	96.4	1.3	84	4A4	2	2.66	6.24	2.35	3.89	33.0	3.52	-1.00
41912	96.4	98.4	2.0	75	4A4	2	2.61	6.67	3.47	3.20	46.0	3.77	-1.00
41913	98.4	99.2	.8	100	5D4*	47	2.80	.94	.28	.66	11.0	6.74	-1.00
41914	99.2	100.6	1.4	100	4A0	2	2.53	4.57	1.20	3.37	43.0	1.74	-1.00
41915	100.6	102.1	1.5	86	4D0	3	2.69	5.46	1.12	4.34	42.0	1.98	-1.00
41916	102.1	102.9	.8	99	4A FAUL	2	2.52	6.69	1.58	5.11	56.0	1.74	-1.00
41917	102.9	103.6	.7	100	5D4*	47	2.70	.47	.15	.32	21.0	6.24	-1.00
41918	103.6	104.5	.9	100	4A4	2	2.52	6.07	1.56	4.51	52.0	2.11	-1.00
0	104.5	106.8	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41919	106.8	107.7	.9	100	4A4	2	2.49	6.70	1.76	4.94	52.0	1.53	-1.00
41920	107.7	108.2	.5	80	5D4\$	47	2.81	3.23	.97	2.26	36.0	5.64	-1.00
41921	108.2	109.6	1.4	100	4A4	2	2.56	8.03	2.32	5.71	53.0	1.78	-1.00
41922	109.6	111.1	1.5	73	4A0	2	2.41	4.66	1.62	3.04	18.0	2.44	-1.00
41923	111.1	112.3	1.2	66	4A4	2	2.66	5.42	1.72	3.70	26.0	5.04	-1.00
41924	112.3	113.6	1.3	100	4C0	3	2.54	3.38	1.22	2.16	22.0	2.06	-1.00
41925	113.6	114.8	1.2	99	4C0	3	2.70	4.89	2.22	2.67	31.0	3.90	-1.00
0	114.8	127.1	12.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-10 Section: W86
 Northing: 6755.6 Easting: 2880.0 Elevation: 1312.3
 Length: 150.9 Core: NQ Record: 495

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	84.9	84.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14751	84.9	86.3	1.4	85	4A4	2	2.56	8.53	1.64	6.89	42.0	1.64	-1.00
14752	86.3	87.4	1.1	100	4A4	2	2.57	5.96	1.87	4.09	38.0	3.41	-1.00
14753	87.4	88.5	1.1	100	4A4	2	2.65	5.28	2.13	3.15	40.0	5.43	-1.00
14754	88.5	89.8	1.3	92	4A4	2	2.60	5.11	1.32	3.79	30.0	1.88	-1.00
14755	89.8	90.8	1.0	100	4A0	2	2.69	4.37	1.36	3.01	30.0	1.77	-1.00
14756	90.8	92.0	1.2	41	4A4	2	2.62	5.84	1.76	4.08	36.0	2.52	-1.00
14757	92.0	93.3	1.3	92	4A0	2	2.55	4.17	1.28	2.89	31.0	2.51	-1.00
14758	93.3	94.6	1.3	100	4A4	2	2.67	6.35	1.80	4.55	36.0	4.08	-1.00
14759	94.6	95.6	1.0	100	4A4	2	2.57	6.29	2.17	4.12	41.0	3.59	-1.00
14760	95.6	96.5	.9	77	4A GOUG	2	2.50	4.51	1.32	3.19	26.0	2.18	-1.00
14761	96.5	98.0	1.5	100	4A4	2	2.53	5.26	1.38	3.88	28.0	2.72	-1.00
14762	98.0	99.2	1.2	100	4A4	2	2.57	7.66	2.35	5.31	42.0	2.95	-1.00
14763	99.2	100.4	1.2	99	4A4	2	2.69	6.32	1.72	4.60	37.0	2.13	-1.00
14764	100.4	101.5	1.1	90	4A4	2	2.61	8.56	2.55	6.01	47.0	2.94	-1.00
14765	101.5	102.9	1.4	64	4A4	2	2.74	10.97	3.37	7.60	71.0	5.95	-1.00
14766	102.9	103.6	.7	100	5D6\$	47	2.87	.80	.30	.50	10.0	8.81	-1.00
14767	103.6	105.3	1.7	99	5A96	30	2.57	4.88	1.64	3.24	38.0	1.56	-1.00
14768	105.3	106.7	1.4	100	5A96	30	2.69	4.11	1.57	2.54	41.0	1.22	-1.00
14769	106.7	108.1	1.4	78	4D0	3	2.82	7.22	2.25	4.97	50.0	3.09	-1.00
14770	108.1	110.1	2.0	85	5B/4D	40	2.76	5.51	1.92	3.59	44.0	3.05	-1.00
14771	110.1	112.5	2.4	66	5B46	40	2.78	1.12	.32	.80	18.0	4.67	-1.00
14772	112.5	114.0	1.5	20	4A4	2	2.70	7.11	2.20	4.91	42.0	5.70	-1.00
14773	114.0	115.0	1.0	90	4A4	2	2.64	6.96	1.86	5.10	34.0	4.36	-1.00
14774	115.0	116.2	1.2	83	4A0	2	2.73	4.25	.86	3.39	42.0	5.70	-1.00
14775	116.2	117.8	1.6	99	5D8	47	2.83	2.29	1.07	1.22	26.0	7.51	-1.00
14776	117.8	118.9	1.1	100	4A4	2	2.69	7.28	3.04	4.24	46.0	4.91	-1.00
14777	118.9	119.7	.8	100	5D	47	2.80	1.63	.47	1.16	18.0	6.83	-1.00
14778	119.7	123.2	3.5	100	5D0\$	47	2.85	.10	.03	.07	7.0	8.11	-1.00
14779	123.2	124.2	1.0	100	4D5	3	2.65	6.36	2.50	3.86	48.0	3.90	-1.00
14780	124.2	125.5	1.3	99	4D5	3	2.60	6.46	1.60	4.86	34.0	1.54	-1.00
14781	125.5	126.6	1.1	100	4D5	3	2.69	6.27	1.94	4.33	41.0	2.38	-1.00
14782	126.6	127.7	1.1	90	4D5	3	2.72	6.53	1.86	4.67	46.0	1.62	-1.00
14783	127.7	128.9	1.2	100	4D5	3	2.47	6.29	1.60	4.69	37.0	1.47	-1.00
14784	128.9	130.1	1.2	83	4C5	3	2.47	.82	.25	.57	8.0	.42	-1.00
14785	130.1	131.2	1.1	100	4C5	3	2.52	.77	.17	.60	18.0	.18	-1.00
14786	131.2	132.4	1.2	100	4C5	3	2.64	3.12	.52	2.60	17.0	.81	-1.00
14787	132.4	133.7	1.3	84	4C5	3	2.57	3.29	.91	2.38	22.0	1.09	-1.00
14788	133.7	134.6	.9	99	4C5	3	2.54	2.12	.31	1.81	9.0	1.17	-1.00
14789	134.6	135.6	1.0	100	4C5	3	2.52	1.49	.45	1.04	9.0	.85	-1.00
14790	135.6	136.6	1.0	80	4C5	3	2.67	1.92	.13	1.79	14.0	.91	-1.00
0	136.6	144.0	7.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14791	144.0	144.9	.9	100	4A0	2	2.61	1.35	.25	1.10	12.0	2.67	-1.00
14792	144.9	146.5	1.6	49	4A0	2	2.62	1.03	.18	.85	14.0	3.60	-1.00

14793	146.5	147.6	1.1	99	4A0 BXA	2	3.04	2.85	1.42	1.43	37.0	4.67	-1.00
0	147.6	150.9	3.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-11 Section: W84
 Northing: 6699.7 Easting: 2854.7 Elevation: 1310.0
 Length: 160.3 Core: NQ Record: 496

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	85.6	85.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14794	85.6	86.6	1.0	100	4C0	3	2.76	2.87	.54	2.33	35.0	.89	-1.00
14795	86.6	87.6	1.0	100	4A0	2	2.62	4.56	1.14	3.42	24.0	1.94	-1.00
0	87.6	93.7	6.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14796	93.7	94.0	.3	100	4C5 BXA	3	2.62	.60	.07	.53	9.0	.70	-1.00
0	94.0	103.1	9.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14797	103.1	104.7	1.6	62	4AC	2	2.65	1.05	.21	.84	14.0	.53	-1.00
14798	104.7	106.1	1.4	71	4AC	2	2.77	1.21	.25	.96	20.0	2.98	-1.00
14799	106.1	107.9	1.8	55	4AC	2	2.80	.88	.18	.70	15.0	1.51	-1.00
14800	107.9	109.1	1.2	41	4AC	2	2.67	.48	.15	.33	20.0	2.52	-1.00
14801	109.1	111.7	2.6	19	4AC	2	2.84	1.35	.30	1.05	14.0	1.54	-1.00
14802	111.7	113.5	1.8	55	4AC	2	2.84	.62	.17	.45	17.0	3.47	-1.00
14803	113.5	114.6	1.1	45	4A0	2	2.64	1.79	.46	1.33	17.0	1.14	-1.00
14804	114.6	115.8	1.2	99	4A0	2	2.59	4.79	1.48	3.31	27.0	5.36	-1.00
14805	115.8	116.7	.9	100	4D0	3	2.84	7.49	2.49	5.00	47.0	6.42	-1.00
14806	116.7	117.9	1.2	99	4C0	3	2.76	2.51	.72	1.79	25.0	7.19	-1.00
14807	117.9	119.1	1.2	100	4D0	3	3.00	6.22	2.43	3.79	50.0	6.11	-1.00
14808	119.1	120.0	.9	99	4C5	3	2.62	4.94	1.94	3.00	42.0	11.82	-1.00
14809	120.0	121.2	1.2	91	4C5	3	3.06	1.37	.34	1.03	13.0	13.36	-1.00
14810	121.2	122.2	1.0	100	4L214	52	2.82	1.29	.35	.94	17.0	5.01	-1.00
14811	122.2	123.6	1.4	99	4L12	52	2.78	1.30	.59	.71	15.0	5.81	-1.00
14812	123.6	125.1	1.5	93	4L12	52	2.70	1.56	.67	.89	10.0	6.61	-1.00
14813	125.1	126.2	1.1	100	4C0	3	2.85	1.06	.37	.69	10.0	7.64	-1.00
14814	126.2	128.1	1.9	68	4L124	52	2.77	1.73	1.09	.64	20.0	4.16	-1.00
14815	128.1	129.4	1.3	100	4L124	52	2.83	1.34	.48	.86	10.0	5.09	-1.00
14816	129.4	130.6	1.2	99	5B269	40	2.71	1.51	.56	.95	11.0	6.25	-1.00
14817	130.6	132.0	1.4	100	5A69	30	2.65	.59	.23	.36	7.0	7.32	-1.00
14818	132.0	133.2	1.2	100	5A69	30	2.66	.58	.21	.37	8.0	5.38	-1.00
0	133.2	141.7	8.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14819	141.7	143.1	1.4	99	4A0	2	2.66	2.76	1.31	1.45	19.0	6.26	-1.00
14820	143.1	143.8	.7	100	10Q09	60	2.50	.42	.21	.21	13.0	1.06	-1.00
14821	143.8	145.2	1.4	100	4AC	2	2.69	3.66	1.15	2.51	12.0	5.39	-1.00
14822	145.2	146.6	1.4	99	4CA	3	2.73	4.93	1.55	3.38	26.0	5.28	-1.00
14823	146.6	147.8	1.2	100	4CA	3	2.76	4.50	1.50	3.00	28.0	5.36	-1.00
14824	147.8	149.2	1.4	100	4AC	2	2.80	2.89	.99	1.90	16.0	8.11	-1.00
14825	149.2	150.9	1.7	52	4AC	2	2.80	3.01	1.00	2.01	22.0	5.60	-1.00
14826	150.9	153.0	2.1	95	4AD	2	2.70	5.33	1.82	3.51	28.0	4.68	-1.00
14827	153.0	154.2	1.2	100	4AD	2	2.72	7.84	2.41	5.43	32.0	3.50	-1.00
14828	154.2	155.5	1.3	99	4AD	2	2.79	11.46	3.31	8.15	47.0	4.75	-1.00
14824	155.5	157.2	1.7	82	4AC	-1	2.80	2.89	.99	1.90	-1.0	8.11	-1.00
14830	157.2	158.8	1.6	93	5B269	40	2.66	1.02	.43	.59	4.0	3.75	-1.00
0	158.8	160.3	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-12 Section: W86
 Northing: 6755.9 Easting: 2849.4 Elevation: 1312.4
 Length: 157.0 Core: NQ Record: 497

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	103.9	103.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41926	103.9	105.5	1.6	93	4D5	3	2.49	5.50	1.62	3.88	33.0	2.17	-1.00
41927	105.5	107.1	1.6	100	4D5	3	2.53	5.18	1.60	3.58	39.0	2.04	-1.00
41928	107.1	108.5	1.4	99	4A4	2	2.60	9.53	3.18	6.35	62.0	3.60	-1.00
41929	108.5	109.9	1.4	99	4A4	2	2.67	12.50	4.27	8.23	71.0	4.19	-1.00
41930	109.9	111.3	1.4	99	4AD	2	2.75	7.20	3.01	4.19	48.0	3.06	-1.00
41931	111.3	112.5	1.2	100	4A4	2	2.57	5.63	3.19	2.44	44.0	6.85	-1.00
41932	112.5	113.9	1.4	99	4A4	2	2.63	7.00	4.05	2.95	52.0	5.68	-1.00
41933	113.9	115.5	1.6	100	4AD	2	2.57	8.15	2.70	5.45	43.0	3.00	-1.00
41934	115.5	116.7	1.2	100	4A0	2	2.62	4.23	1.55	2.68	30.0	7.00	-1.00
41935	116.7	118.0	1.3	92	4DA	3	2.64	5.81	2.10	3.71	39.0	6.43	-1.00
41936	118.0	120.2	2.2	81	4C5	3	2.50	3.14	1.29	1.85	24.0	2.65	-1.00
41937	120.2	122.2	2.0	80	4A34	2	3.02	8.48	5.39	3.09	86.0	14.87	-1.00
41938	122.2	123.4	1.2	100	4A34	2	3.15	10.21	4.89	5.32	73.0	13.07	-1.00
41939	123.4	124.8	1.4	99	4AD3	2	2.74	17.42	6.65	10.77	106.0	7.37	-1.00
41940	124.8	126.0	1.2	100	4A34	2	2.50	6.45	2.09	4.36	44.0	8.32	-1.00
41941	126.0	127.7	1.7	82	4C5	3	2.48	4.85	1.21	3.64	25.0	1.77	-1.00
41942	127.7	129.7	2.0	90	4D5	3	2.55	5.39	1.58	3.81	34.0	2.22	-1.00
41943	129.7	131.2	1.5	100	4D0	3	2.60	6.59	1.62	4.97	34.0	2.04	-1.00
41944	131.2	132.9	1.7	94	4D0	3	2.88	12.28	4.20	8.08	62.0	4.51	-1.00
41945	132.9	134.3	1.4	99	4D0	3	2.77	5.30	2.00	3.30	36.0	4.14	-1.00
41946	134.3	135.2	.9	100	4C5	3	2.83	4.62	1.76	2.86	30.0	4.89	-1.00
41947	135.2	136.3	1.1	99	4C5	3	2.86	4.77	1.28	3.49	27.0	8.13	-1.00
41948	136.3	137.4	1.1	100	4D5	3	2.89	6.95	2.03	4.92	38.0	5.99	-1.00
41949	137.4	138.5	1.1	100	4C5	3	2.71	3.51	1.25	2.26	23.0	5.33	-1.00
41950	138.5	139.6	1.1	99	5A1	30	2.61	1.92	.78	1.14	25.0	4.55	-1.00
41951	139.6	140.5	.9	100	4L124	52	2.58	1.53	.59	.94	12.0	4.56	-1.00
41952	140.5	141.6	1.1	90	4A0	2	2.78	2.93	1.76	1.17	24.0	3.85	-1.00
0	141.6	153.6	12.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41953	153.6	154.5	.9	100		-1	2.84	8.26	2.65	5.61	46.0	7.66	-1.00
0	154.5	156.9	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-13 Section: W86
 Northing: 6756.9 Easting: 2820.0 Elevation: 1313.2
 Length: 182.6 Core: NQ Record: 498

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	104.4	104.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14831	104.4	105.8	1.4	99	4D0	3	2.72	3.35	1.31	2.04	11.0	2.03	-1.00
14832	105.8	108.2	2.4	66	4D0	3	2.69	4.03	1.46	2.57	19.0	4.98	-1.00
14833	108.2	110.2	2.0	65	4D5	3	2.56	8.48	3.15	5.33	48.0	1.85	-1.00
14834	110.2	111.3	1.1	100	4D54	3	2.63	10.07	3.02	7.05	57.0	1.76	-1.00
14835	111.3	113.1	1.8	83	4D5C	3	2.76	5.70	2.17	3.53	28.0	5.62	-1.00
14836	113.1	114.5	1.4	78	4A0	2	2.55	2.75	.91	1.84	17.0	1.73	-1.00
14837	114.5	115.7	1.2	75	4A4	2	2.61	5.96	1.53	4.43	21.0	8.57	-1.00
14838	115.7	117.0	1.3	100	4AD4	2	2.55	6.53	1.89	4.64	31.0	3.64	-1.00
14839	117.0	117.7	.7	100	5C46	44	2.77	1.10	.40	.70	4.0	5.45	-1.00
14840	117.7	118.8	1.1	99	4D0	3	2.88	6.08	2.02	4.06	31.0	5.71	-1.00
14841	118.8	119.9	1.1	100	4D0	3	2.77	9.02	4.48	4.54	46.0	5.01	-1.00
14842	119.9	121.2	1.3	100	4D0	3	2.85	9.31	2.95	6.36	37.0	4.99	-1.00
14843	121.2	122.5	1.3	99	4D0	3	2.85	9.72	3.28	6.44	47.0	3.21	-1.00
14844	122.5	123.8	1.3	99	4D0	3	2.68	8.75	2.76	5.99	46.0	3.26	-1.00
14845	123.8	125.3	1.5	100	5C7	44	2.62	.15	.09	.06	6.0	6.50	-1.00
14846	125.3	126.5	1.2	100	5C7	44	2.82	.30	.17	.13	7.0	8.48	-1.00
14847	126.5	127.9	1.4	99	4D0	3	2.71	8.23	3.33	4.90	40.0	4.43	-1.00
14848	127.9	130.0	2.1	61	5C47	44	2.73	.13	.05	.08	3.0	5.89	-1.00
14849	130.0	131.5	1.5	73	4A0	2	2.60	5.01	1.62	3.39	11.0	3.65	-1.00
14851	131.5	132.4	.9	100	4A4	2	2.79	13.15	5.03	8.12	33.0	5.12	-1.00
14852	132.4	133.3	.9	88	4D54	3	3.03	16.17	5.96	10.21	57.0	7.41	-1.00
14853	133.3	134.3	1.0	100	4D54	3	2.78	10.83	3.56	7.27	31.0	4.76	-1.00
14854	134.3	135.9	1.6	100	4C5	3	2.74	1.55	.58	.97	6.0	4.69	-1.00
14855	135.9	139.3	3.4	47	4C5	3	2.67	1.88	.81	1.07	7.0	6.63	-1.00
14856	139.3	140.8	1.5	100	4LD	52	2.74	1.26	.51	.75	9.0	3.67	-1.00
0	140.8	152.2	11.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14857	152.2	154.1	1.9	84	4D5	3	2.74	11.48	3.56	7.92	44.0	3.92	-1.00
14858	154.1	156.2	2.1	66	4D5	3	2.75	9.98	3.32	6.66	48.0	4.08	-1.00
14859	156.2	157.3	1.1	90	5C4	44	2.83	3.08	.81	2.27	9.0	6.88	-1.00
14860	157.3	158.4	1.1	100	4D44	3	3.10	13.70	4.70	9.00	58.0	10.88	-1.00
14861	158.4	159.5	1.1	99	4D44	3	2.99	12.24	4.64	7.60	51.0	7.19	-1.00
14862	159.5	161.0	1.5	93	4A4	2	2.85	9.29	3.64	5.65	47.0	8.81	-1.00
14863	161.0	162.2	1.2	100	4A4	2	2.96	7.04	2.56	4.48	22.0	11.99	-1.00
14864	162.2	163.4	1.2	100	4A0	2	2.76	4.75	1.82	2.93	25.0	7.54	-1.00
14865	163.4	164.9	1.5	93	4D5	3	2.54	6.89	2.00	4.89	25.0	1.80	-1.00
14866	164.9	166.7	1.8	77	4D5	3	2.55	7.09	1.95	5.14	33.0	2.08	-1.00
14867	166.7	168.2	1.5	100	4A0	2	2.71	4.32	1.93	2.39	26.0	7.24	-1.00
14868	168.2	169.6	1.4	99	4A0	2	2.60	4.08	1.54	2.54	25.0	3.14	-1.00
14869	169.6	171.0	1.4	100	4C5	3	2.58	4.46	1.17	3.29	23.0	2.81	-1.00
14870	171.0	172.2	1.2	100	4C5	3	2.54	4.50	1.31	3.19	21.0	1.98	-1.00
14871	172.2	173.3	1.1	81	4C5	3	2.57	2.78	.62	2.16	16.0	3.58	-1.00
14872	173.3	175.0	1.7	94	4A0	2	3.15	1.91	.83	1.08	19.0	6.27	-1.00
14873	175.0	176.3	1.3	100	4A0	2	2.64	3.62	1.44	2.18	24.0	4.76	-1.00

14874	176.3	177.5	1.2	100	4A0	2	2.71	1.12	.46	.66	12.0	7.18	-1.00
14875	177.5	179.4	1.9	94	4C5	3	2.97	4.74	1.30	3.44	22.0	5.91	-1.00
0	179.4	182.6	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-14 Section: W84
 Northing: 6698.7 Easting: 2785.9 Elevation: 1305.3
 Length: 191.1 Core: NQ Record: 499

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	118.0	118.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41954	118.0	119.4	1.4	99	4A44	2	3.10	11.02	3.13	7.89	52.0	14.06	-1.00
41955	119.4	121.1	1.7	100	4A4	2	2.58	5.52	1.20	4.32	24.0	4.61	-1.00
41956	121.1	122.5	1.4	99	4A0	2	2.88	.27	.10	.17	83.0	6.89	-1.00
41957	122.5	124.0	1.5	100	4A44	2	2.80	11.63	3.69	7.94	60.0	9.25	-1.00
41958	124.0	125.2	1.2	100	4D0	3	2.47	8.42	2.88	5.54	58.0	8.57	-1.00
41959	125.2	126.9	1.7	70	5C4	44	2.65	.37	.14	.23	11.0	7.17	-1.00
41960	126.9	127.7	.8	100	5D6	47	2.67	.13	.02	.11	10.0	4.39	-1.00
41961	127.7	128.8	1.1	99	10Q9	60	2.74	.75	.15	.60	8.0	4.09	-1.00
0	128.8	136.2	7.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41962	136.2	137.6	1.4	99	4A4	2	2.76	6.04	1.39	4.65	29.0	9.49	-1.00
41963	137.6	139.0	1.4	92	4A0	2	2.73	2.55	.93	1.62	14.0	6.96	-1.00
41964	139.0	140.2	1.2	91	4A0	2	2.56	3.97	1.43	2.54	30.0	4.44	-1.00
41965	140.2	141.6	1.4	99	4A0	2	2.73	1.91	.51	1.40	18.0	8.18	-1.00
41966	141.6	143.4	1.8	94	4C0	3	2.74	3.50	1.21	2.29	8.0	6.15	-1.00
41967	143.4	145.2	1.8	72	4A4	2	2.57	5.31	1.72	3.59	20.0	5.55	-1.00
41968	145.2	146.5	1.3	99	4A0	2	2.71	4.13	1.51	2.62	12.0	9.32	-1.00
41969	146.5	147.9	1.4	100	4A0	2	2.99	4.34	1.35	2.99	29.0	13.26	-1.00
41970	147.9	149.0	1.1	99	4A4	2	2.78	6.07	2.09	3.98	26.0	8.93	-1.00
41971	149.0	150.7	1.7	100	4DG	3	3.40	9.82	2.38	7.44	29.0	17.94	-1.00
41972	150.7	152.4	1.7	100	4DG	3	3.66	11.96	3.64	8.32	33.0	21.48	-1.00
41973	152.4	153.8	1.4	99	4D4	3	2.79	10.08	3.52	6.56	61.0	4.25	-1.00
41974	153.8	155.1	1.3	99	4D0	3	2.85	6.01	1.74	4.27	40.0	7.79	-1.00
41975	155.1	156.6	1.5	100	4D0	3	2.97	6.24	2.53	3.71	49.0	8.74	-1.00
41976	156.6	157.9	1.3	92	4D0	3	2.81	8.14	2.80	5.34	52.0	7.21	-1.00
41977	157.9	159.0	1.1	100	4D0	3	2.74	6.65	2.46	4.19	48.0	5.28	-1.00
41978	159.0	160.9	1.9	84	4D0	3	2.86	9.76	3.33	6.43	55.0	7.47	-1.00
41979	160.9	162.4	1.5	93	4D0	3	2.87	9.91	2.43	7.48	47.0	7.45	-1.00
41980	162.4	163.7	1.3	99	4D0	3	2.80	6.67	1.48	5.19	33.0	6.06	-1.00
41981	163.7	164.7	1.0	100	4A3	2	3.00	3.62	1.40	2.22	39.0	14.75	-1.00
41982	164.7	166.0	1.3	92	4DAE	3	3.39	3.57	1.25	2.32	40.0	23.41	-1.00
41983	166.0	167.4	1.4	100	4A4	2	2.70	5.49	1.77	3.72	45.0	8.49	-1.00
41984	167.4	168.2	.8	100	4A0	2	2.61	2.48	1.16	1.32	31.0	6.32	-1.00
41985	168.2	170.2	2.0	75	4A0	2	2.64	4.44	1.73	2.71	37.0	5.51	-1.00
41986	170.2	171.3	1.1	99	4A0	2	2.77	3.52	.80	2.72	24.0	5.65	-1.00
41987	171.3	172.8	1.5	100	4A4	2	2.71	7.05	2.40	4.65	51.0	6.48	-1.00
41988	172.8	174.0	1.2	100	4A0	2	2.83	4.41	1.16	3.25	37.0	12.09	-1.00
41989	174.0	175.0	1.0	100	4A0	2	2.83	4.74	1.97	2.77	43.0	8.94	-1.00
41990	175.0	176.3	1.3	99	4A0	2	2.75	3.83	1.27	2.56	38.0	7.94	-1.00
41991	176.3	177.6	1.3	92	4A4	2	2.78	5.80	2.23	3.57	44.0	7.77	-1.00
41992	177.6	178.3	.7	100	5B6	40	2.75	8.33	6.66	1.67	21.0	5.56	-1.00
41993	178.3	180.0	1.7	100	4A4	2	2.84	9.75	3.36	6.39	60.0	8.82	-1.00
41994	180.0	181.4	1.4	100	4AD	2	3.24	7.49	2.58	4.91	52.0	13.69	-1.00
41995	181.4	182.4	1.0	100	4AD	2	3.35	5.03	1.85	3.18	40.0	14.11	-1.00

41996	182.4	184.1	1.7	99	GOUGE	72	2.76	2.75	1.19	1.56	24.0	5.19	-1.00
41997	184.1	185.0	.9	100	5B6219	40	2.50	3.28	1.44	1.84	22.0	3.00	-1.00
41998	185.0	186.5	1.5	100	4L124	52	2.75	1.80	.59	1.21	13.0	6.12	-1.00
0	186.5	190.0	3.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
41999	190.0	191.1	1.1	99	4C3 &5	3	2.95	.72	.25	.47	8.0	11.46	-1.00

Drill Hole: 89G-15 Section: W82
 Northing: 6637.6 Easting: 2857.2 Elevation: 1304.1
 Length: 174.3 Core: NQ Record: 500

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	74.3	74.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37164	74.3	75.3	1.0	90	4A0	2	2.62	3.60	1.20	2.40	23.0	5.78	-1.00
37165	75.3	76.1	.8	100	4A4	2	2.62	6.53	2.34	4.19	50.0	4.74	-1.00
37166	76.1	77.2	1.1	100	4A0	2	2.62	.78	.34	.44	8.0	7.22	-1.00
37167	77.2	78.7	1.5	100	4A0	2	2.57	.25	.10	.15	5.0	5.60	-1.00
37168	78.7	80.2	1.5	93	4A0	2	2.55	.14	.05	.09	4.0	4.71	-1.00
37169	80.2	81.0	.8	100	4A0	2	2.70	1.28	.66	.62	11.0	8.79	-1.00
37170	81.0	82.4	1.4	99	4A4	2	2.78	9.71	3.72	5.99	55.0	5.98	-1.00
37171	82.4	84.0	1.6	100	4A4	2	2.70	7.46	2.45	5.01	46.0	6.16	-1.00
37172	84.0	85.1	1.1	100	4D5	3	2.62	5.40	1.51	3.89	25.0	2.34	-1.00
37173	85.1	86.7	1.6	100	4D/5C	3	2.69	2.33	.85	1.48	11.0	4.85	-1.00
37174	86.7	88.0	1.3	99	4D/5C	3	2.81	3.09	1.58	1.51	28.0	5.06	-1.00
0	88.0	91.7	3.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37175	91.7	92.5	.8	99	4D0	3	2.58	5.52	1.97	3.55	33.0	3.29	-1.00
37176	92.5	93.8	1.3	99	4A4	2	2.69	7.48	2.83	4.65	41.0	4.02	-1.00
37177	93.8	95.3	1.5	100	4D0	3	2.80	5.36	1.72	3.64	18.0	4.66	-1.00
37178	95.3	96.8	1.5	86	4AC	2	2.59	3.40	1.11	2.29	21.0	3.05	-1.00
37179	96.8	97.9	1.1	100	4AC	2	2.52	3.24	1.39	1.85	25.0	3.92	-1.00
37180	97.9	98.8	.9	88	5C46	44	2.74	.18	.10	.08	1.0	5.34	-1.00
37181	98.8	99.7	.9	100	4A4	2	2.64	5.63	1.73	3.90	31.0	4.30	-1.00
37182	99.7	100.6	.9	99	4A4	2	2.71	6.80	2.73	4.07	45.0	5.58	-1.00
37183	100.6	102.0	1.4	99	4C5	3	2.67	1.34	.51	.83	8.0	4.36	-1.00
37184	102.0	103.3	1.3	100	4C5	3	2.80	1.00	.40	.60	6.5	5.93	-1.00
37185	103.3	104.6	1.3	100	5B61	40	2.71	.73	.32	.41	5.0	4.97	-1.00
0	104.6	113.1	8.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37186	113.1	113.7	.6	100	5A61	30	2.62	2.98	.98	2.00	14.0	4.68	-1.00
37187	113.7	115.3	1.6	99	4C5	3	2.51	1.75	.83	.92	12.0	3.66	-1.00
37188	115.3	116.9	1.6	100	4C5	3	2.73	2.68	.86	1.82	16.0	6.30	-1.00
37189	116.9	118.5	1.6	100	4C5	3	2.62	2.67	.91	1.76	20.0	6.46	-1.00
37190	118.5	119.9	1.4	99	4C5	3	2.68	3.12	.93	2.19	20.0	4.31	-1.00
37191	119.9	121.4	1.5	100	4C5	3	2.57	3.81	1.11	2.70	23.0	4.50	-1.00
37192	121.4	122.5	1.1	100	4D5	3	2.61	10.47	2.97	7.50	59.0	1.97	-1.00
37193	122.5	124.1	1.6	93	4C5	3	2.47	3.85	1.06	2.79	21.0	2.44	-1.00
37194	124.1	125.0	.9	99	4D5	3	2.49	3.16	1.22	1.94	20.0	2.41	-1.00
37195	125.0	126.4	1.4	71	4D5	3	2.68	6.23	1.95	4.28	30.0	6.21	-1.00
37196	126.4	127.4	1.0	100	4C5	3	3.01	3.59	1.07	2.52	15.0	10.41	-1.00
37197	127.4	128.6	1.2	99	4C5	3	2.72	2.80	.94	1.86	16.0	6.98	-1.00
37198	128.6	129.8	1.2	100	4C5	3	2.76	3.80	1.13	2.67	20.0	5.85	-1.00
37199	129.8	131.0	1.2	100	4C5	3	2.66	3.00	.86	2.14	21.0	4.00	-1.00
0	131.0	134.1	3.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37200	134.1	134.8	.7	100	4AC	2	2.78	1.65	.66	.99	16.0	8.74	-1.00
0	134.8	156.1	21.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37201	156.1	156.9	.8	75	4A4	2	2.94	10.31	4.17	6.14	78.0	6.82	-1.00
37202	156.9	159.1	2.2	72	5C4	44	2.73	3.41	.97	2.44	19.0	6.32	-1.00

37203	159.1	160.0	.9	100	4A34	2	3.70	20.70	9.73	10.97	148.0	15.69	-1.00
37204	160.0	161.5	1.5	86	4A4	2	2.76	10.47	3.69	6.78	67.0	6.53	-1.00
37205	161.5	162.5	1.0	100	4A/5A	2	2.54	2.30	.47	1.83	11.0	3.61	-1.00
37206	162.5	163.8	1.3	92	4A0	2	2.60	4.72	1.35	3.37	17.0	3.90	-1.00
0	163.8	174.3	10.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-16 Section: W86
 Northing: 6758.6 Easting: 2789.3 Elevation: 1305.6
 Length: 193.5 Core: NQ Record: 501

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	103.5	103.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14912	103.5	104.5	1.0	60	5C/4D	44	2.47	2.69	.37	2.32	5.0	4.23	-1.00
14913	104.5	106.1	1.6	87	5C\$7	44	2.48	.34	.10	.24	.0	6.38	-1.00
14914	106.1	107.0	.9	88	4C0	3	2.58	4.52	1.19	3.33	19.0	4.59	-1.00
14915	107.0	107.9	.9	77	4C0	3	2.61	3.73	1.33	2.40	13.0	4.17	-1.00
14916	107.9	110.9	3.0	10	4C0	3	2.57	4.28	1.25	3.03	16.0	3.80	-1.00
14917	110.9	112.6	1.7	58	4C0	3	2.64	3.13	1.19	1.94	15.0	4.13	-1.00
14918	112.6	113.5	.9	66	4D0	3	2.61	5.05	1.55	3.50	22.0	2.85	-1.00
14919	113.5	114.8	1.3	84	4C0 &5	3	2.61	4.05	1.24	2.81	17.0	4.12	-1.00
14920	114.8	115.5	.7	71	5C4\$	44	2.75	.09	.00	.09	.0	5.55	-1.00
14921	115.5	116.5	1.0	70	4AD	2	2.74	5.24	1.48	3.76	18.0	3.08	-1.00
14922	116.5	118.2	1.7	64	4A4	2	2.60	7.61	2.70	4.91	31.0	2.43	-1.00
14923	118.2	120.1	1.9	57	4D/5C	3	2.76	5.10	1.61	3.49	26.0	7.58	-1.00
14924	120.1	121.5	1.4	78	4AD	2	2.62	6.67	1.99	4.68	24.0	2.27	-1.00
14925	121.5	122.9	1.4	99	5C/4D	44	2.62	2.09	.48	1.61	7.0	6.14	-1.00
14926	122.9	124.1	1.2	91	4D0	3	2.74	7.36	2.50	4.86	28.0	5.05	-1.00
14927	124.1	126.2	2.1	14	4D4	3	2.88	11.73	3.27	8.46	39.0	6.80	-1.00
14928	126.2	127.6	1.4	71	4D4/5C4	3	2.93	4.46	1.79	2.67	21.0	4.90	-1.00
14929	127.6	129.1	1.5	73	4ABXA	2	2.66	4.87	1.54	3.33	23.0	3.13	-1.00
14930	129.1	130.4	1.3	84	5C46	44	2.77	1.23	.41	.82	4.0	5.04	-1.00
14931	130.4	131.5	1.1	63	5C46	44	2.75	.14	.03	.11	.0	5.35	-1.00
14932	131.5	132.8	1.3	38	5C46	44	2.74	.66	.55	.11	3.0	6.61	-1.00
14933	132.8	134.4	1.6	25	4D0	3	2.74	6.14	2.29	3.85	27.0	3.79	-1.00
14934	134.4	136.1	1.7	58	5AC	30	2.62	.55	.23	.32	5.0	6.10	-1.00
14935	136.1	137.6	1.5	80	5AC	30	2.56	.25	.13	.12	2.0	5.19	-1.00
0	137.6	141.6	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14936	141.6	142.6	1.0	100	4D5	3	2.92	7.19	3.23	3.96	42.0	10.96	-1.00
14937	142.6	143.7	1.1	100	5C/4D	44	2.87	5.53	1.43	4.10	20.0	8.03	-1.00
14938	143.7	144.5	.8	99	4A0	2	2.59	4.84	2.61	2.23	34.0	5.22	-1.00
14939	144.5	145.8	1.3	99	4AC	2	2.67	4.27	1.87	2.40	26.0	5.64	-1.00
0	145.8	146.5	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14940	146.5	148.1	1.6	99	4A4	2	2.63	7.20	2.84	4.36	36.0	4.84	-1.00
0	148.1	148.7	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14941	148.7	150.1	1.4	99	4EA4	5	3.31	8.06	2.71	5.35	49.0	16.13	-1.00
14942	150.1	151.9	1.8	100	4D4	3	2.81	11.30	5.73	5.57	62.0	3.60	-1.00
14943	151.9	153.2	1.3	92	5D/4D	47	2.73	.50	.13	.37	2.0	8.42	-1.00
14944	153.2	154.5	1.3	92	5C46	44	2.69	.72	.29	.43	3.0	7.39	-1.00
14945	154.5	155.4	.9	88	5C46	44	2.98	2.68	1.06	1.62	15.0	13.42	-1.00
14946	155.4	156.7	1.3	84	4E4\$	5	3.55	13.12	5.50	7.62	79.0	14.87	-1.00
14947	156.7	157.9	1.2	91	4D0 &4	3	2.63	7.21	2.83	4.38	38.0	5.59	-1.00
14948	157.9	159.0	1.1	99	4C0	3	2.73	2.81	1.02	1.79	15.0	4.91	-1.00
14949	159.0	160.4	1.4	100	4D0 &4	3	2.76	6.54	2.60	3.94	29.0	3.55	-1.00
0	160.4	165.4	5.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14950	165.4	166.5	1.1	99	4C0	3	2.65	4.57	1.75	2.82	23.0	4.43	-1.00

14986	166.5	167.6	1.1	63	4D0	3	2.64	6.15	1.82	4.33	24.0	4.35	-1.00
0	167.6	169.2	1.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14987	169.2	170.5	1.3	92	4A0	2	2.62	3.58	1.46	2.12	23.0	7.08	-1.00
14988	170.5	172.0	1.5	86	4A4	2	2.61	5.26	1.78	3.48	27.0	6.76	-1.00
14989	172.0	173.6	1.6	81	4A0	2	2.61	4.68	2.34	2.34	27.0	6.93	-1.00
14990	173.6	174.7	1.1	90	4A4	2	2.66	6.03	2.40	3.63	28.0	9.05	-1.00
0	174.7	177.6	2.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14991	177.6	178.8	1.2	100	4D4	3	2.84	12.52	6.52	6.00	75.0	5.44	-1.00
14992	178.8	179.7	.9	100	4D0	3	2.74	8.40	3.84	4.56	49.0	5.95	-1.00
14993	179.7	181.0	1.3	99	4A4	2	2.65	5.34	2.46	2.88	31.0	5.94	-1.00
14994	181.0	181.2	.2	100	4A4	2	2.49	9.35	2.70	6.65	32.0	2.29	-1.00
14995	181.2	184.1	2.9	41	4A4	2	2.36	6.53	2.22	4.31	26.0	2.46	-1.00
14996	184.1	185.6	1.5	100	4D5	3	2.66	9.32	4.66	4.66	67.0	5.09	-1.00
0	185.6	187.5	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14997	187.5	189.6	2.1	99	4D43	3	3.12	16.67	6.38	10.29	54.0	8.30	-1.00
0	189.6	190.3	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14998	190.3	191.2	.9	100	4AH43	2	3.16	14.41	4.38	10.03	66.0	9.56	-1.00
0	191.2	193.5	2.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-17 Section: W82
 Northing: 6637.6 Easting: 2825.8 Elevation: 1304.3
 Length: 161.2 Core: NQ Record: 502

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	85.0	85.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14876	85.0	85.3	.3	99	5B/4E1	40	3.21	2.13	.69	1.44	13.0	13.40	-1.00
14877	85.3	86.7	1.4	100	4A44	2	3.43	15.50	4.72	10.78	64.0	14.93	-1.00
14878	86.7	88.0	1.3	99	4A4	2	3.07	9.09	2.76	6.33	40.0	10.29	-1.00
14879	88.0	89.5	1.5	100	4A4	2	2.95	8.87	2.66	6.21	39.0	9.81	-1.00
14880	89.5	90.8	1.3	99	4A4	2	3.08	9.77	3.00	6.77	45.0	11.43	-1.00
14881	90.8	92.0	1.2	100	4A44	2	3.02	10.73	4.40	6.33	53.0	9.85	-1.00
14882	92.0	93.4	1.4	99	4A44	2	3.21	11.60	4.25	7.35	55.0	13.04	-1.00
14883	93.4	94.5	1.1	100	5D\$	47	2.75	.24	.06	.18	3.0	8.60	-1.00
14884	94.5	96.3	1.8	99	4C\$	3	2.89	3.11	1.19	1.92	21.0	10.18	-1.00
14885	96.3	97.9	1.6	93	4C\$	3	2.88	3.26	1.14	2.12	5.0	9.16	-1.00
0	97.9	110.9	13.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14886	110.9	112.2	1.3	92	5D/4A0	47	2.72	1.17	.37	.80	17.0	5.00	-1.00
14887	112.2	113.5	1.3	84	5C4	44	2.82	.57	.11	.46	22.0	5.94	-1.00
14888	113.5	114.8	1.3	99	4AC/5C4	2	2.90	2.19	.70	1.49	11.0	10.33	-1.00
14889	114.8	116.1	1.3	100	4D4	3	2.86	10.24	3.37	6.87	45.0	5.46	-1.00
14890	116.1	117.6	1.5	86	4D4	3	2.75	9.95	3.56	6.39	37.0	2.57	-1.00
14891	117.6	119.8	2.2	59	4D0	3	2.60	5.06	1.52	3.54	34.0	3.06	-1.00
14892	119.8	120.7	.9	100	4L124	52	2.73	4.27	1.69	2.58	21.0	5.44	-1.00
14893	120.7	121.9	1.2	33	4C5	3	2.53	2.22	1.00	1.22	13.0	4.62	-1.00
14894	121.9	123.2	1.3	76	4C5	3	2.61	3.87	1.61	2.26	23.0	4.03	-1.00
14895	123.2	125.0	1.8	83	4C5	3	2.59	4.43	1.39	3.04	26.0	2.06	-1.00
14896	125.0	126.6	1.6	87	4C5	3	2.56	3.58	1.15	2.43	22.0	4.25	-1.00
14897	126.6	128.2	1.6	81	4C5	3	2.69	3.14	1.04	2.10	15.0	5.02	-1.00
14898	128.2	129.5	1.3	100	4C5	3	2.82	2.64	.81	1.83	20.0	6.32	-1.00
14899	129.5	131.0	1.5	100	4C5	3	2.72	2.87	.86	2.01	26.0	4.90	-1.00
14900	131.0	132.0	1.0	100	5A/4A/5	30	2.61	1.86	.52	1.34	18.0	5.61	-1.00
14901	132.0	133.5	1.5	100	4A4	2	2.71	6.05	2.12	3.93	30.0	6.52	-1.00
14902	133.5	135.1	1.6	99	4A4	2	2.68	6.47	2.31	4.16	40.0	7.79	-1.00
14903	135.1	136.7	1.6	100	4A0	2	2.63	3.00	1.16	1.84	19.0	6.71	-1.00
14904	136.7	138.8	2.1	-1	4A0	2	2.79	4.08	1.44	2.64	24.0	5.30	-1.00
14905	138.8	139.2	.4	100	4A4	2	2.67	5.03	1.65	3.38	25.0	6.65	-1.00
14906	139.2	140.7	1.5	93	4A4	2	2.62	5.13	2.06	3.07	27.0	7.15	-1.00
14907	140.7	141.9	1.2	100	4A0	2	2.67	3.86	1.20	2.66	19.0	8.49	-1.00
14908	141.9	143.3	1.4	99	4A4	2	2.68	5.95	1.76	4.19	28.0	6.54	-1.00
14909	143.3	144.8	1.5	93	4A4	2	2.80	6.55	1.78	4.77	30.0	7.78	-1.00
14910	144.8	146.1	1.3	99	4A/5AD	2	2.61	4.55	1.35	3.20	22.0	6.11	-1.00
14911	146.1	147.3	1.2	100	4A4	2	2.69	6.04	1.94	4.10	33.0	7.38	-1.00
0	147.3	161.2	13.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-18 Section: W76
 Northing: 6453.0 Easting: 2831.0 Elevation: 1295.7
 Length: 134.4 Core: NQ Record: 503

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	71.5	71.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14951	71.5	72.0	.5	100	4D3	3	3.02	6.94	2.53	4.41	28.0	11.96	-1.00
14952	72.0	73.6	1.6	100	4D0	3	2.67	6.22	2.35	3.87	30.0	4.70	-1.00
14953	73.6	75.4	1.8	94	4D5	3	2.74	6.12	1.90	4.22	26.0	6.46	-1.00
14954	75.4	76.5	1.1	100	4D0	3	2.80	9.97	3.52	6.45	45.0	6.70	-1.00
14955	76.5	77.9	1.4	99	4D0	3	2.82	7.23	2.81	4.42	34.0	5.49	-1.00
14956	77.9	79.4	1.5	100	4D0	3	2.74	6.86	3.60	3.26	40.0	5.11	-1.00
14957	79.4	80.8	1.4	100	4D0	3	2.69	5.87	2.43	3.44	20.0	4.57	-1.00
14958	80.8	82.0	1.2	100	4D0	3	2.68	8.22	3.34	4.88	39.0	4.94	-1.00
14959	82.0	83.2	1.2	83	5C74\$	44	2.66	1.33	.45	.88	5.0	6.76	-1.00
14960	83.2	84.2	1.0	100	4D5	3	2.78	6.15	2.91	3.24	40.0	9.72	-1.00
14961	84.2	85.4	1.2	100	4D0	3	2.83	8.46	3.51	4.95	44.0	5.85	-1.00
14962	85.4	86.8	1.4	100	4D0	3	2.66	6.99	2.90	4.09	40.0	5.96	-1.00
14963	86.8	88.0	1.2	100	4D5	3	2.74	9.00	3.97	5.03	53.0	5.90	-1.00
14964	88.0	89.0	1.0	100	5C7\$	44	2.49	1.06	.20	.86	2.0	7.00	-1.00
14965	89.0	90.2	1.2	100	4D0	3	2.71	5.39	2.38	3.01	32.0	6.35	-1.00
14966	90.2	91.1	.9	99	4D0	3	2.78	5.75	2.32	3.43	35.0	7.38	-1.00
14967	91.1	92.4	1.3	100	4D0	3	2.83	5.75	2.58	3.17	32.0	7.40	-1.00
14968	92.4	93.5	1.1	54	4EA4	5	3.55	13.49	4.08	9.41	54.0	17.68	-1.00
0	93.5	101.6	8.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14969	101.6	102.7	1.1	100	4L\$24	52	3.25	4.51	2.08	2.43	32.0	12.07	-1.00
14970	102.7	103.5	.8	99	4A34	2	3.31	12.86	5.81	7.05	60.0	16.54	-1.00
14971	103.5	105.0	1.5	100	5C7\$	44	2.63	2.62	1.12	1.50	12.0	7.99	-1.00
14972	105.0	106.1	1.1	100	4D0	3	2.81	4.99	1.99	3.00	23.0	6.30	-1.00
14973	106.1	107.3	1.2	99	4D5	3	2.73	9.48	3.29	6.19	38.0	5.14	-1.00
14974	107.3	108.4	1.1	90	4D5	3	2.60	6.05	2.30	3.75	34.0	5.47	-1.00
14975	108.4	108.8	.4	99	3G196	30	2.59	4.10	1.91	2.19	22.0	3.84	-1.00
14976	108.8	110.6	1.8	55	4L14	52	2.55	1.48	.76	.72	9.0	4.86	-1.00
14977	110.6	112.2	1.6	62	4C53	3	2.95	3.36	1.46	1.90	18.0	10.86	-1.00
14978	112.2	113.4	1.2	83	4D4@3	3	3.63	12.93	5.80	7.13	61.0	13.68	-1.00
14979	113.4	114.1	.7	100	5D649	47	2.90	6.30	3.02	3.28	30.0	9.44	-1.00
14980	114.1	115.7	1.6	100	4D30	3	3.14	7.68	4.86	2.82	57.0	14.57	-1.00
14981	115.7	117.2	1.5	100	4DE4	3	3.23	14.52	7.00	7.52	82.0	12.65	-1.00
14982	117.2	118.6	1.4	99	4D30	3	3.22	10.26	5.31	4.95	55.0	13.61	-1.00
14983	118.6	120.4	1.8	99	4A43	2	3.11	12.38	5.80	6.58	60.0	12.65	-1.00
14984	120.4	121.6	1.2	100	4A43	2	3.01	12.22	6.26	5.96	71.0	12.53	-1.00
14985	121.6	122.9	1.3	100	4A44	2	2.97	17.27	7.31	9.96	85.0	7.80	-1.00
0	122.9	134.4	11.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-19 Section: W60
 Northing: 5968.1 Easting: 2458.8 Elevation: 1260.8
 Length: 230.7 Core: NQ Record: 504

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	96.4	96.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37019	96.4	97.8	1.4	100	4L624	52	3.64	2.02	1.17	.85	19.0	24.15	-1.00
37020	97.8	99.3	1.5	93	4L624	52	2.97	1.00	.56	.44	8.0	10.58	-1.00
37021	99.3	100.0	.7	100	4E46\$89	5	3.50	5.30	3.18	2.12	32.0	20.81	-1.00
37022	100.0	100.8	.8	99	4L62\$	52	2.85	.71	.46	.25	8.0	8.03	-1.00
37023	100.8	102.4	1.6	100	4E\$84	5	4.01	7.47	4.03	3.44	45.0	26.41	-1.00
37024	102.4	104.0	1.6	100	4E\$84	5	4.15	7.26	3.86	3.40	49.0	28.65	-1.00
37025	104.0	104.9	.9	99	4A0\$	2	2.88	.34	.20	.14	8.0	13.96	-1.00
37026	104.9	106.2	1.3	100	4C39	3	3.18	.12	.04	.08	2.0	17.42	-1.00
37027	106.2	107.9	1.7	99	4C39	3	2.96	.21	.10	.11	3.0	14.84	-1.00
37028	107.9	109.6	1.7	100	4C39	3	3.13	.25	.06	.19	2.0	14.00	-1.00
37029	109.6	110.2	.6	83	4A09	2	2.86	.62	.34	.28	6.0	9.66	-1.00
37030	110.2	111.5	1.3	100	4E\$84	5	4.20	6.70	3.24	3.46	31.0	24.23	-1.00
37031	111.5	112.6	1.1	100	4E4\$	5	4.07	5.40	2.81	2.59	28.0	25.55	-1.00
37032	112.6	114.2	1.6	100	4A0	2	3.03	1.23	.55	.68	7.0	12.67	-1.00
37033	114.2	115.8	1.6	99	4A30	2	3.09	.34	.14	.20	4.0	12.86	-1.00
37034	115.8	117.2	1.4	100	4A30	2	3.12	.63	.32	.31	5.0	13.52	-1.00
37035	117.2	118.7	1.5	100	4A30	2	3.00	.53	.33	.20	2.0	11.83	-1.00
37036	118.7	120.2	1.5	93	4E\$94	5	3.69	7.01	3.55	3.46	30.0	17.97	-1.00
37037	120.2	121.4	1.2	99	4E\$94	5	3.61	5.77	3.43	2.34	26.0	17.75	-1.00
37038	121.4	122.7	1.3	100	4E\$94	5	3.72	6.16	3.58	2.58	26.0	18.00	-1.00
37039	122.7	123.9	1.2	99	4E\$9	5	3.46	4.69	2.50	2.19	19.0	14.46	-1.00
37040	123.9	125.3	1.4	99	4K89	6	3.14	1.14	.65	.49	20.0	12.58	-1.00
37041	125.3	126.9	1.6	100	4K89	6	3.58	.35	.18	.17	7.0	15.62	-1.00
37042	126.9	128.0	1.1	100	4K894	6	3.49	5.15	3.08	2.07	24.0	12.95	-1.00
37043	128.0	128.9	.9	100	4E\$	5	3.91	4.18	2.66	1.52	27.0	15.90	-1.00
37044	128.9	130.1	1.2	99	4E\$	5	3.41	2.53	1.36	1.17	19.0	14.10	-1.00
37045	130.1	131.4	1.3	100	4E\$4	5	3.48	6.97	3.43	3.54	23.0	16.60	-1.00
37046	131.4	132.4	1.0	100	4A30\$	2	3.09	1.13	.45	.68	6.0	13.27	-1.00
37047	132.4	133.7	1.3	99	4A30\$	2	3.01	.53	.01	.52	5.0	12.65	-1.00
37048	133.7	134.7	1.0	100	4A30\$	2	3.30	.98	.09	.89	5.0	15.15	-1.00
0	134.7	145.5	10.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37049	145.5	146.7	1.2	100	4EL1	5	3.05	1.53	.54	.99	7.0	10.60	-1.00
37050	146.7	147.6	.9	99	4L24	52	3.12	2.04	1.29	.75	10.0	13.46	-1.00
37051	147.6	148.2	.6	83	4G48\$	7	4.44	13.26	5.78	7.48	63.0	8.55	-1.00
37052	148.2	149.4	1.2	75	4AC9	2	3.27	1.25	.39	.86	12.0	13.58	-1.00
37053	149.4	150.6	1.2	99	4AC09	2	3.07	.18	.00	.18	6.0	11.78	-1.00
37054	150.6	151.2	.6	83	4E10	5	4.12	.20	.13	.07	6.0	22.95	-1.00
37055	151.2	152.1	.9	99	4EG\$	7	3.82	5.20	2.58	2.62	36.0	17.54	-1.00
37056	152.1	153.3	1.2	91	4E18\$	5	3.97	2.56	1.43	1.13	18.0	21.87	-1.00
37057	153.3	154.4	1.1	100	4EL18\$	5	3.67	1.84	1.17	.67	17.0	20.79	-1.00
0	154.4	156.2	1.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37058	156.2	157.5	1.3	99	4K89L	6	3.45	4.88	2.53	2.35	30.0	16.89	-1.00
37059	157.5	159.3	1.8	99	4K489L	6	3.69	6.88	3.32	3.56	35.0	17.96	-1.00

0	159.3	163.3	4.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37060	163.3	163.6	.3	99	5A964	30	2.98	3.32	1.47	1.85	21.0	9.69	-1.00
0	163.6	169.4	5.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37061	169.4	170.5	1.1	100	4E1\$	5	2.97	2.08	.90	1.18	14.0	10.64	-1.00
37062	170.5	171.7	1.2	100	4EL\$	5	3.45	4.05	1.78	2.27	29.0	15.72	-1.00
0	171.7	230.7	59.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-20 Section: W76
 Northing: 6452.6 Easting: 2925.0 Elevation: 1294.7
 Length: 109.9 Core: NQ Record: 505

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	44.0	44.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37001	44.0	45.8	1.8	72	4A0	2	2.59	4.11	1.28	2.83	22.0	6.69	-1.00
37002	45.8	46.8	1.0	90	4A0	2	2.70	4.25	1.48	2.77	26.0	9.05	-1.00
0	46.8	50.0	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37003	50.0	50.6	.6	100	4A4	2	2.75	8.11	2.68	5.43	40.0	7.87	-1.00
0	50.6	59.3	8.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37004	59.3	60.2	.9	99	4AD	2	2.78	8.09	2.94	5.15	41.0	6.58	-1.00
37005	60.2	61.9	1.7	52	4E4	5	4.19	23.92	11.39	12.53	175.0	21.09	-1.00
37006	61.9	63.2	1.3	100	4E4	5	4.67	33.68	16.18	17.50	195.0	20.08	-1.00
37007	63.2	64.1	.9	100	4E4	5	3.55	20.82	8.15	12.67	118.0	15.01	-1.00
0	64.1	64.7	.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37008	64.7	65.2	.5	80	4D4	3	2.95	10.84	2.93	7.91	37.0	10.56	-1.00
37009	65.2	65.7	.5	100	5C4	44	3.01	5.01	.16	4.85	.0	12.63	-1.00
0	65.7	66.4	.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37010	66.4	68.0	1.6	100	4A0	2	2.81	2.40	1.06	1.34	21.0	7.38	-1.00
37011	68.0	69.3	1.3	93	5D493	47	2.66	1.06	.34	.72	3.0	6.03	-1.00
37012	69.3	70.6	1.3	100	4A4	2	2.77	11.03	3.30	7.73	68.0	4.36	-1.00
37013	70.6	71.7	1.1	100	4D0	3	3.13	7.53	2.20	5.33	42.0	11.07	-1.00
37014	71.7	73.0	1.3	100	4ED	5	3.48	17.63	6.38	11.25	105.0	13.47	-1.00
37015	73.0	73.5	.5	100	10Q0	60	2.82	1.41	.40	1.01	5.0	6.39	-1.00
37016	73.5	74.6	1.1	100	4AD	2	3.70	12.28	4.57	7.71	73.0	19.29	-1.00
37017	74.6	75.4	.8	100	4AD	2	3.48	13.94	5.20	8.74	83.0	16.02	-1.00
37018	75.4	76.2	.8	100	4E4	5	4.04	34.00	17.20	16.80	233.0	15.36	-1.00
0	76.2	109.9	33.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-21 Section: W60
 Northing: 5970.6 Easting: 2520.6 Elevation: 1262.5
 Length: 217.0 Core: NQ Record: 506

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	56.9	56.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
14999	56.9	58.4	1.5	93	4E1\$	5	3.84	3.41	1.71	1.70	23.0	20.59	-1.00
15000	58.4	59.9	1.5	100	4E1\$	5	3.48	3.31	1.71	1.60	24.0	17.55	-1.00
37098	59.9	61.4	1.5	100	4E1\$	5	3.71	2.89	1.67	1.22	25.0	18.76	-1.00
37099	61.4	62.7	1.3	100	4E1\$4	5	3.71	6.42	3.19	3.23	32.0	18.80	-1.00
37100	62.7	64.5	1.8	94	4C0	3	3.11	2.62	1.44	1.18	16.0	8.88	-1.00
37101	64.5	66.1	1.6	100	4C0	3	2.86	1.74	.92	.82	13.0	8.16	-1.00
37102	66.1	66.7	.6	100	4C5	3	3.27	2.48	.61	1.87	16.0	12.25	-1.00
37103	66.7	67.2	.5	100	4E4	5	4.37	6.69	3.19	3.50	57.0	22.90	-1.00
37104	67.2	67.7	.5	80	5D4\$	47	3.05	2.82	1.06	1.76	19.0	11.07	-1.00
37105	67.7	68.6	.9	99	4E1\$4	5	3.91	8.29	5.90	2.39	65.0	20.18	-1.00
37106	68.6	69.7	1.1	90	4E1\$	5	4.28	4.56	1.04	3.52	18.0	21.66	-1.00
37107	69.7	70.4	.7	99	4C33	3	3.35	1.61	.59	1.02	15.0	15.87	-1.00
37108	70.4	71.5	1.1	90	4E1\$4	5	4.00	5.52	3.11	2.41	37.0	20.60	-1.00
37109	71.5	72.7	1.2	91	4C\$	3	3.33	4.68	2.57	2.11	34.0	12.25	-1.00
37110	72.7	73.8	1.1	81	4C\$	3	3.30	4.87	2.62	2.25	34.0	11.91	-1.00
37111	73.8	75.4	1.6	50	4C\$	3	2.88	2.01	.91	1.10	14.0	9.42	-1.00
37112	75.4	77.1	1.7	94	4C33	3	3.43	1.49	.55	.94	10.0	14.90	-1.00
37113	77.1	78.6	1.5	100	4A0	2	3.03	.90	.31	.59	9.0	11.18	-1.00
37114	78.6	80.3	1.7	52	4D0	3	3.11	8.40	2.25	6.15	30.0	8.85	-1.00
37115	80.3	81.6	1.3	69	4G4	7	4.42	15.61	5.55	10.06	61.0	15.67	-1.00
37116	81.6	82.9	1.3	69	4G4	7	4.54	10.92	4.73	6.19	49.0	15.30	-1.00
37117	82.9	84.1	1.2	100	4G4	7	4.43	14.24	6.38	7.86	72.0	12.39	-1.00
37118	84.1	85.3	1.2	91	4G4	7	4.35	13.43	6.60	6.83	84.0	12.28	-1.00
37119	85.3	86.5	1.2	100	4G4	7	4.35	17.21	9.66	7.55	89.0	9.88	-1.00
0	86.5	149.3	62.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37120	149.3	150.8	1.5	100	5C4#	44	2.84	1.06	.54	.52	6.0	7.23	-1.00
37121	150.8	152.4	1.6	100	4C07	3	2.84	2.85	1.19	1.66	14.0	7.80	-1.00
0	152.4	156.9	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37122	156.9	158.4	1.5	100	4C07	3	3.31	3.30	1.22	2.08	15.0	14.79	-1.00
37123	158.4	159.6	1.2	99	4C07	3	2.99	3.75	1.07	2.68	18.0	9.70	-1.00
37124	159.6	160.5	.9	100	4C0#	3	2.98	3.52	1.06	2.46	15.0	8.82	-1.00
37125	160.5	161.6	1.1	90	4C3\$	3	3.18	4.10	1.62	2.48	15.0	11.18	-1.00
0	161.6	174.7	13.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37126	174.7	175.9	1.2	100	4A4	2	2.66	5.16	1.68	3.48	24.0	3.54	-1.00
37127	175.9	176.6	.7	99	4A0	2	2.80	3.61	1.31	2.30	24.0	8.83	-1.00
37128	176.6	177.5	.9	88	4E4	5	4.03	6.59	3.01	3.58	45.0	24.32	-1.00
37129	177.5	178.9	1.4	100	4A0	2	2.93	.88	.29	.59	9.0	12.65	-1.00
0	178.9	187.0	8.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37130	187.0	187.6	.6	100	4A37	2	2.91	.16	.05	.11	3.0	16.78	-1.00
37131	187.6	188.2	.6	83	4E0	5	4.32	.10	.07	.03	2.0	33.87	-1.00
0	188.2	217.0	28.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-22 Section: W82
 Northing: 6636.9 Easting: 2989.5 Elevation: 1302.4
 Length: 146.2 Core: NQ Record: 507

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	48.5	48.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37284	48.5	49.8	1.3	84	4C0	3	3.31	4.55	1.06	3.49	15.0	26.62	-1.00
0	49.8	54.3	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37285	54.3	55.4	1.1	99	4A4	2	2.62	9.03	3.17	5.86	42.0	3.83	-1.00
0	55.4	59.9	4.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37286	59.9	61.6	1.7	52	4A0	2	2.55	2.70	.74	1.96	12.0	4.53	-1.00
37287	61.6	63.1	1.5	33	4A4	2	2.87	15.60	8.74	6.86	102.0	7.20	-1.00
37288	63.1	64.3	1.2	99	4A0	2	2.68	3.74	1.11	2.63	20.0	7.27	-1.00
37289	64.3	65.9	1.6	93	4A0	2	2.69	3.53	1.02	2.51	21.0	8.62	-1.00
37290	65.9	67.1	1.2	100	4A0	2	2.81	4.88	2.10	2.78	35.0	8.23	-1.00
0	67.1	95.0	27.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37291	95.0	95.7	.7	68	4A0	2	2.98	4.52	1.90	2.62	39.0	15.02	-1.00
37292	95.7	97.2	1.5	100	4E4	5	3.45	13.87	5.28	8.59	90.0	24.56	-1.00
37293	97.2	98.4	1.2	91	5C4a\$	44	2.83	4.26	1.48	2.78	13.0	10.97	-1.00
37294	98.4	99.0	.6	83	4C3	3	3.37	16.73	9.68	7.05	88.0	18.29	-1.00
37295	99.0	100.5	1.5	93	5C4a\$	44	2.88	2.98	1.33	1.65	14.0	10.20	-1.00
0	100.5	106.9	6.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37296	106.9	108.5	1.6	100	4D4	3	3.21	18.09	5.54	12.55	57.0	10.43	-1.00
37297	108.5	109.6	1.1	100	4D4	3	2.97	11.90	4.07	7.83	42.0	10.20	-1.00
37298	109.6	110.4	.8	100	5C/4D	44	2.80	7.43	2.18	5.25	34.0	8.33	-1.00
37299	110.4	112.8	2.4	87	5C4\$	44	2.84	.35	.06	.29	2.0	6.49	-1.00
37300	112.8	113.5	.7	100	4A0	2	2.70	1.28	.31	.97	9.0	8.81	-1.00
0	113.5	122.2	8.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37301	122.2	122.7	.5	100	4A4	2	2.83	6.48	2.77	3.71	54.0	9.70	-1.00
37302	122.7	123.4	.7	100	5C4\$	44	2.79	.97	.34	.63	7.0	8.35	-1.00
37303	123.4	124.3	.9	99	4A4	2	3.13	15.93	5.84	10.09	86.0	9.13	-1.00
37304	124.3	125.9	1.6	100	5C4\$	44	2.66	2.19	.77	1.42	14.0	6.27	-1.00
37305	125.9	127.0	1.1	100	4A4	2	2.60	6.78	2.08	4.70	33.0	3.95	-1.00
0	127.0	132.6	5.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37306	132.6	134.3	1.7	70	4A4	2	2.80	8.76	2.02	6.74	46.0	9.31	-1.00
37307	134.3	135.4	1.1	100	4A0	2	2.55	4.38	1.25	3.13	21.0	3.12	-1.00
37308	135.4	136.9	1.5	100	4A0	2	2.51	4.49	1.86	2.63	34.0	3.81	-1.00
37309	136.9	138.0	1.1	99	4A0	2	2.60	3.95	2.35	1.60	31.0	4.09	-1.00
37310	138.0	139.0	1.0	100	4A4	2	2.59	5.70	3.41	2.29	52.0	3.22	-1.00
0	139.0	146.2	7.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-23 Section: W80
 Northing: 6586.1 Easting: 3010.0 Elevation: 1301.9
 Length: 106.4 Core: NQ Record: 508

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	30.5	30.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37134	30.5	32.1	1.6	100	4A0	2	2.59	2.17	.86	1.31	15.0	4.09	-1.00
37135	32.1	34.6	2.5	72	4A0	2	2.64	4.30	1.55	2.75	30.0	3.59	-1.00
0	34.6	62.1	27.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37136	62.1	63.2	1.1	99	4H135	8	3.20	2.48	.60	1.88	8.0	19.99	-1.00
0	63.2	77.1	13.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37137	77.1	79.2	2.1	42	4A34	2	3.12	10.05	2.77	7.28	34.0	10.15	-1.00
0	79.2	87.5	8.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37138	87.5	89.4	1.9	99	5A6	30	2.46	.31	.08	.23	2.0	3.28	-1.00
37139	89.4	91.0	1.6	93	4A4	2	3.04	7.65	1.75	5.90	31.0	9.87	-1.00
0	91.0	93.4	2.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37140	93.4	95.7	2.3	100	5A196	30	2.50	3.34	.65	2.69	13.0	2.64	-1.00
37141	95.7	96.6	.9	99	5A196	30	2.50	4.05	1.07	2.98	19.0	1.35	-1.00
37142	96.6	97.8	1.2	49	5A196	30	2.46	2.54	.95	1.59	14.0	1.85	-1.00
37143	97.8	98.9	1.1	90	5A196	30	2.59	1.62	.45	1.17	7.0	4.14	-1.00
0	98.9	106.4	7.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-24 Section: W68
 Northing: 6210.7 Easting: 2834.5 Elevation: 1289.5
 Length: 116.4 Core: NQ Record: 509

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	41.2	41.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37232	41.2	42.0	.8	100	4A4	2	2.82	9.08	3.78	5.30	67.0	6.54	-1.00
37233	42.0	43.7	1.7	64	4E46#	5	3.90	21.05	11.01	10.04	137.0	13.63	-1.00
0	43.7	46.5	2.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37234	46.7	47.4	.7	100	4A0	2	2.62	3.52	1.19	2.33	19.0	3.64	-1.00
37235	47.4	48.7	1.3	100	4A0	2	2.85	2.89	1.17	1.72	30.0	9.16	-1.00
37236	48.7	49.7	1.0	100	5A196	30	2.60	2.01	1.16	.85	18.0	5.01	-1.00
0	49.7	51.7	2.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37237	51.7	53.2	1.5	100	5A69	30	2.55	2.00	.80	1.20	9.0	2.44	-1.00
37238	53.2	54.6	1.4	92	4C0	3	2.79	3.03	1.45	1.58	22.0	6.26	-1.00
37239	54.6	56.0	1.4	99	4E46	5	3.81	13.99	6.63	7.36	91.0	12.46	-1.00
37240	56.0	56.8	.8	100	5B6	40	2.67	.51	.25	.26	3.0	3.98	-1.00
37241	56.8	57.7	.9	99	4D0	3	3.21	7.52	2.66	4.86	34.0	8.29	-1.00
0	57.7	59.6	1.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37242	59.6	60.5	.9	88	4E14	5	3.33	10.97	4.43	6.54	111.0	12.39	-1.00
0	60.5	88.6	28.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37243	88.6	89.7	1.1	100	4E4#	5	4.06	14.26	6.80	7.46	52.0	16.77	-1.00
37244	89.7	90.6	.9	99	4A4	2	3.31	13.36	3.68	9.68	37.0	9.97	-1.00
37245	90.6	91.7	1.1	100	4A4	2	2.84	14.51	3.84	10.67	47.0	4.08	-1.00
37246	91.7	92.7	1.0	100	4A4	2	2.89	12.40	3.48	8.92	33.0	5.73	-1.00
37247	92.7	93.9	1.2	99	4E46	5	4.17	15.37	8.44	6.93	75.0	20.57	-1.00
0	93.9	116.4	22.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-25 Section: W68
 Northing: 6212.8 Easting: 2776.8 Elevation: 1288.3
 Length: 116.1 Core: NQ Record: 510

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	64.4	64.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37207	64.4	66.0	1.6	31	4A4	2	2.88	7.75	2.65	5.10	15.0	9.18	-1.00
0	66.0	78.2	12.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37208	78.2	79.2	1.0	60	10Q9	60	2.87	4.91	1.69	3.22	25.0	6.98	-1.00
37209	79.2	80.2	1.0	90	4E14	5	3.15	6.46	2.61	3.85	43.0	14.38	-1.00
37210	80.2	81.4	1.2	99	4E14	5	3.37	6.46	2.67	3.79	34.0	16.39	-1.00
0	81.4	82.8	1.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37211	82.8	83.2	.4	66	4D4	3	3.10	14.28	6.70	7.58	41.0	8.61	-1.00
0	83.2	94.1	10.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37212	94.1	95.1	1.0	80	4A0	2	2.76	.98	.63	.35	10.0	10.44	-1.00
37213	95.1	95.9	.8	62	5C4@	44	2.88	1.29	.20	1.09	3.0	10.94	-1.00
37214	95.9	97.1	1.2	83	4A0	2	2.75	1.76	.32	1.44	10.0	8.56	-1.00
37215	97.1	98.3	1.2	91	4A0	2	2.72	3.31	1.16	2.15	21.0	7.48	-1.00
37216	98.3	99.5	1.2	100	4A0	2	2.79	3.98	1.94	2.04	20.0	8.50	-1.00
37217	99.5	101.0	1.5	100	4A0	2	3.22	1.38	.54	.84	13.0	17.59	-1.00
37218	101.0	102.0	1.0	70	4E4	5	4.56	23.43	7.33	16.10	96.0	23.64	-1.00
37219	102.0	103.3	1.3	92	4D43	3	3.69	22.96	8.06	14.90	139.0	13.09	-1.00
37220	103.3	104.2	.9	66	4E4	5	4.46	18.17	6.87	11.30	87.0	24.90	-1.00
37221	104.2	105.1	.9	99	4E4	5	4.53	18.71	7.21	11.50	174.0	25.95	-1.00
37222	105.1	106.0	.9	99	4E4	5	4.95	17.70	6.40	11.30	101.0	25.44	-1.00
37223	106.0	107.1	1.1	100	4E4	5	4.38	19.16	6.46	12.70	74.0	24.42	-1.00
37224	107.1	108.1	1.0	80	4E0\$4	5	4.60	9.64	2.30	7.34	36.0	31.69	-1.00
37225	108.1	108.9	.8	87	4E0\$4	5	4.40	14.11	3.34	10.77	54.0	29.33	-1.00
37226	108.9	110.2	1.3	92	4E4	5	4.74	21.07	5.87	15.20	72.0	25.82	-1.00
37227	110.2	111.4	1.2	91	4A43	2	3.10	15.72	5.09	10.63	85.0	8.92	-1.00
37228	111.4	112.6	1.2	100	4E4	5	4.55	17.63	5.73	11.90	87.0	25.36	-1.00
37229	112.6	113.6	1.0	100	4E4	5	4.62	9.87	3.03	6.84	59.0	31.47	-1.00
37230	113.6	114.8	1.2	99	4E4	5	4.65	14.18	4.99	9.19	73.0	30.17	-1.00
37231	114.8	116.1	1.3	100	4E4	5	4.62	17.46	6.26	11.20	128.0	26.22	-1.00

Drill Hole: 89G-26 Section: W66
 Northing: 6152.0 Easting: 2801.6 Elevation: 1287.1
 Length: 129.8 Core: NQ Record: 511

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	52.2	52.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37248	52.2	53.7	1.5	100	4E46	5	3.75	18.45	9.77	8.68	65.0	11.57	-1.00
37249	53.7	54.7	1.0	100	4K4	6	3.30	7.59	4.34	3.25	16.0	11.04	-1.00
37250	54.7	55.8	1.1	100	4G4	7	4.21	18.14	8.39	9.75	24.0	9.57	-1.00
37251	55.8	56.6	.8	100	40A	7	2.74	7.18	3.47	3.71	48.0	8.69	-1.00
37252	56.6	58.4	1.8	99	4L024	52	2.74	1.56	.57	.99	9.0	6.76	-1.00
37253	58.4	59.5	1.1	100	4C0	3	2.68	4.27	2.06	2.21	38.0	6.97	-1.00
37254	59.5	61.2	1.7	100	4E46	5	4.10	22.20	12.33	9.87	187.0	22.01	-1.00
37255	61.2	62.1	.9	100	4L124	52	2.63	2.01	.83	1.18	15.0	8.45	-1.00
37256	62.1	63.4	1.3	99	4A0	2	2.53	3.88	1.49	2.39	24.0	3.93	-1.00
0	63.4	129.8	66.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-27 Section: W66
 Northing: 6152.0 Easting: 2801.6 Elevation: 1287.1
 Length: 170.8 Core: NQ Record: 512

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	47.5	47.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37353	47.5	48.2	.7	85	4AD	2	2.92	7.03	2.76	4.27	19.0	11.54	-1.00
37354	48.2	49.2	1.0	100	4G4	7	3.33	17.35	9.71	7.64	99.0	12.27	-1.00
37355	49.2	50.2	1.0	90	4G4	7	4.04	25.09	13.46	11.63	200.0	17.77	-1.00
0	50.2	54.8	4.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37356	54.8	56.4	1.6	93	4G4#	7	3.38	16.17	6.76	9.41	59.0	15.43	-1.00
37357	56.4	57.9	1.5	100	4G4#	7	3.46	15.59	6.99	8.60	66.0	15.55	-1.00
0	57.9	60.6	2.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37358	60.6	61.0	.4	99	4G4	7	3.81	14.07	3.35	10.72	45.0	16.74	-1.00
37359	61.0	61.8	.8	62	5B62	40	2.75	.69	.16	.53	2.0	7.22	-1.00
0	61.8	84.8	23.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37360	84.8	85.8	1.0	100	4E41	5	4.39	23.90	12.39	11.51	215.0	25.03	-1.00
37361	85.8	86.9	1.1	100	4E41	5	4.22	22.68	10.25	12.43	89.0	23.90	-1.00
37362	86.9	88.0	1.1	100	4E41	5	4.65	30.51	21.10	9.41	376.0	23.58	-1.00
37363	88.0	88.9	.9	88	4G4	7	3.94	13.95	6.33	7.62	56.0	9.84	-1.00
37364	88.9	89.9	1.0	90	4G4	7	4.13	15.46	6.85	8.61	55.0	19.51	-1.00
37365	89.9	90.5	.6	100	5B46	40	2.70	.33	.13	.20	2.0	6.32	-1.00
0	90.5	91.6	1.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37366	91.6	93.0	1.4	92	4DE4	3	3.14	11.06	6.45	4.61	72.0	14.72	-1.00
0	93.0	147.8	54.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37367	147.8	148.7	.9	100	4A0	2	2.71	4.95	2.43	2.52	23.0	4.94	-1.00
37368	148.7	149.4	.7	100	4E4	5	3.55	21.66	9.32	12.34	91.0	21.46	-1.00
37369	149.4	150.4	1.0	90	4A4	2	2.93	9.79	3.38	6.41	25.0	6.62	-1.00
37370	150.4	151.3	.9	99	4A4	2	2.93	6.35	2.50	3.85	21.0	10.23	-1.00
37371	151.3	152.4	1.1	100	4E4	5	3.41	14.71	6.04	8.67	47.0	18.06	-1.00
37372	152.4	153.6	1.2	99	4A43	2	3.39	11.07	4.55	6.52	39.0	19.98	-1.00
37373	153.6	155.1	1.5	86	4A43	2	3.43	8.29	3.36	4.93	31.0	23.80	-1.00
37374	155.1	156.1	1.0	100	4A43	2	3.20	5.81	1.94	3.87	16.0	21.16	-1.00
37375	156.1	157.9	1.8	66	4A43	2	3.17	6.45	2.35	4.10	19.0	18.86	-1.00
37376	157.9	159.1	1.2	99	4A03	2	3.32	2.62	1.24	1.38	18.0	22.93	-1.00
37377	159.1	160.2	1.1	100	4A03	2	3.38	3.36	1.31	2.05	16.0	25.98	-1.00
37378	160.2	161.4	1.2	91	4D4	3	3.46	5.60	2.85	2.75	29.0	27.70	-1.00
37379	161.4	162.5	1.1	99	4D4	3	3.39	5.48	2.76	2.72	28.0	22.09	-1.00
37380	162.5	164.0	1.5	100	5A16	30	2.75	6.60	3.21	3.39	38.0	6.88	-1.00
37381	164.0	165.6	1.6	81	5A16	30	2.61	5.48	2.13	3.35	26.0	4.32	-1.00
37382	165.6	166.9	1.3	100	5A16	30	2.68	.72	.32	.40	3.0	8.74	-1.00
37383	166.9	167.8	.9	99	5A169	30	2.67	.77	.27	.50	5.0	13.89	-1.00
37383	167.8	170.8	3.0	30	5A169	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-28 Section: W68
 Northing: 6211.2 Easting: 2689.4 Elevation: 1278.6
 Length: 111.9 Core: NQ Record: 513

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	66.5	66.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37340	66.5	67.1	.6	50	4A0	2	2.85	4.20	1.35	2.85	17.0	11.93	-1.00
0	67.1	70.3	3.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37341	70.3	71.8	1.5	40	4L	52	2.75	6.76	2.59	4.17	64.0	6.97	-1.00
37342	71.8	73.3	1.5	60	4D/L4	3	2.86	14.00	4.64	9.36	97.0	6.46	-1.00
37343	73.3	74.8	1.5	100	4AE	2	3.07	8.57	3.25	5.32	52.0	17.66	-1.00
0	74.8	77.3	2.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37344	77.3	78.2	.9	100	4D45	3	3.30	15.05	5.63	9.42	79.0	19.58	-1.00
0	78.2	83.5	5.3	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37345	83.5	85.0	1.5	100	4A0	2	2.72	1.79	.53	1.26	15.0	13.09	-1.00
37346	85.0	86.4	1.4	78	4A0	2	2.81	2.04	.92	1.12	29.0	13.54	-1.00
37347	86.4	87.5	1.1	100	4A0	2	2.66	1.52	.19	1.33	8.0	12.56	-1.00
37348	87.5	89.0	1.5	93	4A0	2	2.83	3.58	.38	3.20	8.0	16.68	-1.00
37349	89.0	89.9	.9	99	4C5	3	2.88	3.91	1.38	2.53	19.0	16.99	-1.00
37350	89.9	91.0	1.1	100	4E4	5	4.23	27.93	9.33	18.60	130.0	29.89	-1.00
37351	91.0	92.0	1.0	100	4E4	5	3.90	25.11	8.83	16.28	92.0	26.88	-1.00
37352	92.0	93.3	1.3	92	4E4	5	4.17	24.80	8.41	16.39	98.0	32.64	-1.00
0	93.3	111.9	18.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-29 Section: W66
 Northing: 6154.2 Easting: 2632.1 Elevation: 1276.6
 Length: 165.2 Core: NQ Record: 514

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	63.8	63.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37384	63.8	65.3	1.5	100	5A641	30	2.63	4.97	1.24	3.73	15.0	4.86	-1.00
0	65.3	68.9	3.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37385	68.9	69.3	.4	99	5A641	30	2.83	1.82	.73	1.09	5.0	12.96	-1.00
37386	69.3	70.4	1.1	100	4E46	5	4.38	18.67	6.62	12.05	75.0	19.45	-1.00
37387	70.4	71.6	1.2	100	4E4	5	3.76	36.20	13.30	22.90	241.0	11.86	-1.00
37388	71.6	72.8	1.2	99	4E4	5	4.23	18.31	7.87	10.44	82.0	22.58	-1.00
37389	72.8	73.7	.9	100	4E4	5	4.45	9.17	4.51	4.66	58.0	27.53	-1.00
37390	73.7	75.3	1.6	93	4G41	7	4.38	23.08	9.84	13.24	93.0	12.75	-1.00
37391	75.3	76.8	1.5	100	4G41	7	4.34	24.88	9.53	15.35	66.0	15.30	-1.00
37392	76.8	78.3	1.5	100	4G41	7	4.26	14.69	4.78	9.91	55.0	11.93	-1.00
37393	78.3	79.9	1.6	93	4G41	7	4.34	15.25	4.39	10.86	47.0	18.66	-1.00
37394	79.9	81.4	1.5	100	4E4\$	5	4.25	13.71	5.82	7.89	45.0	22.56	-1.00
37395	81.4	82.6	1.2	100	4E4\$	5	4.13	10.74	3.13	7.61	43.0	17.59	-1.00
37396	82.6	83.8	1.2	99	4E4\$	5	4.20	14.02	5.34	8.68	39.0	16.89	-1.00
37397	83.8	84.8	1.0	100	4E4\$	5	4.39	8.70	5.67	3.03	38.0	25.32	-1.00
0	84.8	86.3	1.5	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37398	86.3	87.8	1.5	100	4E4	5	4.48	12.28	2.97	9.31	75.0	20.33	-1.00
37399	87.8	89.4	1.6	100	4E4	5	4.67	11.17	2.73	8.44	78.0	24.93	-1.00
47400	89.4	90.5	1.1	100	4G1	7	4.39	8.97	1.37	7.60	38.4	13.03	-1.00
37401	90.5	91.7	1.2	100	4E4\$	5	3.92	7.18	2.78	4.40	33.0	18.55	-1.00
37402	91.7	93.2	1.5	100	4E\$	5	3.32	4.70	1.39	3.31	16.0	14.37	-1.00
0	93.2	98.4	5.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37403	98.4	99.9	1.5	100	4L0	52	2.82	.49	.21	.28	1.0	8.56	-1.00
37404	99.9	101.2	1.3	92	4L0	52	2.98	2.16	.97	1.19	11.0	11.49	-1.00
37405	101.2	102.3	1.1	90	4L0	52	2.78	1.26	.48	.78	9.0	5.99	-1.00
37406	102.3	103.8	1.5	86	5A6	30	2.88	3.66	1.74	1.92	16.0	9.43	-1.00
37407	103.8	105.3	1.5	73	5A6	30	2.93	5.94	2.76	3.18	23.0	13.83	-1.00
37408	105.3	106.8	1.5	73	5A6	30	3.10	3.51	1.46	2.05	11.0	16.38	-1.00
37409	106.8	107.9	1.1	100	5A6	30	2.48	.14	.05	.09	1.0	3.09	-1.00
0	107.9	131.1	23.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37410	131.1	132.7	1.6	100	4EL	5	3.04	3.57	1.20	2.37	14.0	14.32	-1.00
0	132.7	140.9	8.2	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37411	140.9	142.0	1.1	99	4D491	3	3.32	10.30	5.02	5.28	47.0	17.75	-1.00
37412	142.0	142.6	.6	83	4E4	5	3.58	24.31	8.96	15.35	78.0	13.77	-1.00
37413	142.6	143.5	.9	100	4D91	3	3.37	9.30	4.72	4.58	43.0	16.34	-1.00
37414	143.5	144.6	1.1	99	4C91	3	3.48	1.55	.34	1.21	11.0	18.60	-1.00
37415	144.6	145.5	.9	100	4C91	3	3.07	2.04	.59	1.45	9.0	14.50	-1.00
37416	145.5	146.4	.9	100	4C91	3	3.36	1.12	.16	.96	4.0	17.91	-1.00
37417	146.4	147.9	1.5	100	4C0	3	3.54	4.09	1.36	2.73	15.0	17.12	-1.00
37418	147.9	149.4	1.5	100	4C0	3	3.41	2.65	.21	2.44	9.0	19.08	-1.00
37419	149.4	150.6	1.2	91	4D0	3	3.32	6.24	2.47	3.77	26.0	16.31	-1.00
0	150.6	165.2	14.6	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-30 Section: W54
 Northing: 5789.9 Easting: 2427.6 Elevation: 1246.0
 Length: 121.9 Core: NQ Record: 515

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	37.1	37.1	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37420	37.1	38.6	1.5	86	4L0	52	2.53	.08	.04	.04	3.0	4.84	-1.00
37421	38.6	39.8	1.2	99	4L0	52	2.75	1.60	.56	1.04	11.0	8.87	-1.00
37422	39.8	40.9	1.1	99	4E49	5	3.57	5.39	2.52	2.87	37.0	20.82	-1.00
37423	40.9	42.4	1.5	100	5A69	30	2.68	2.17	.95	1.22	12.0	8.12	-1.00
37424	42.4	44.0	1.6	93	5A69	30	2.65	.75	.40	.35	5.0	6.57	-1.00
37425	44.0	45.5	1.5	100	5A69	30	2.48	.28	.09	.19	2.0	4.14	-1.00
37426	45.5	46.7	1.2	99	5A69	30	2.58	.60	.30	.30	6.0	5.99	-1.00
37427	46.7	47.7	1.0	50	5A69	30	2.61	.47	.19	.28	4.0	6.01	-1.00
37428	47.7	48.8	1.1	100	4E09	5	3.49	1.13	.60	.53	11.0	22.17	-1.00
37429	48.8	49.7	.9	99	4E09	5	3.56	3.24	1.61	1.63	20.0	22.12	-1.00
37430	49.7	51.2	1.5	100	4E09	5	3.30	2.20	1.03	1.17	15.0	18.16	-1.00
37431	51.2	52.7	1.5	100	4E49	5	3.57	6.00	2.95	3.05	33.0	21.22	-1.00
37432	52.7	54.3	1.6	93	4E49	5	3.31	6.27	3.11	3.16	30.0	18.83	-1.00
37433	54.3	55.5	1.2	99	4E09	5	3.27	2.92	1.44	1.48	24.0	15.95	-1.00
37434	55.5	56.6	1.1	100	4E09	5	3.53	4.00	1.78	2.22	23.0	20.12	-1.00
37435	56.6	57.6	1.0	100	5A169	30	2.54	1.57	.64	.93	10.0	4.96	-1.00
37436	57.6	58.8	1.2	83	4E4	5	3.63	5.59	2.96	2.63	38.0	20.12	-1.00
37437	58.8	60.0	1.2	99	4E0	5	3.32	3.28	1.45	1.83	20.0	16.31	-1.00
37438	60.0	60.7	.7	99	4E4	5	3.68	5.29	2.84	2.45	32.0	20.89	-1.00
37439	60.7	62.5	1.8	38	5A09	30	3.01	2.82	1.52	1.30	22.0	13.76	-1.00
37440	62.5	63.7	1.2	99	5A09	30	2.45	.44	.04	.40	1.0	4.62	-1.00
37441	63.7	64.9	1.2	99	5A09	30	2.47	.38	.02	.36	1.0	5.61	-1.00
0	64.9	121.9	57.0	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-31 Section: W54
 Northing: 5788.8 Easting: 2456.9 Elevation: 1249.1
 Length: 100.3 Core: NQ Record: 516

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	40.8	40.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37442	40.8	42.4	1.6	93	4E09	5	3.57	4.25	1.95	2.30	27.0	24.45	-1.00
37443	42.4	43.6	1.2	100	4E09	5	3.35	3.94	1.76	2.18	26.0	22.39	-1.00
37444	43.6	44.8	1.2	91	4E09	5	3.04	2.40	1.23	1.17	17.0	19.94	-1.00
37445	44.8	45.7	.9	99	4E49	5	3.27	5.87	2.88	2.99	27.0	21.22	-1.00
37446	45.7	46.9	1.2	99	4EA	5	3.01	4.09	2.42	1.67	30.0	15.39	-1.00
37447	46.9	48.1	1.2	100	4E09	5	4.14	3.28	1.49	1.79	22.0	29.53	-1.00
37448	48.1	49.2	1.1	99	4C93	3	3.02	4.55	2.38	2.17	26.0	16.03	-1.00
37449	49.2	50.7	1.5	100	4A09	2	2.84	.65	.10	.55	4.0	12.44	-1.00
37450	50.7	52.2	1.5	100	4A09	2	2.75	.78	.17	.61	11.0	11.97	-1.00
37451	52.2	53.6	1.4	100	4A09	2	2.74	.84	.16	.68	8.0	10.41	-1.00
37452	53.6	54.8	1.2	99	4A0	2	2.73	.76	.07	.69	4.0	8.61	-1.00
37453	54.8	56.1	1.3	92	4A0	2	2.54	.25	.10	.15	4.0	5.95	-1.00
37454	56.1	57.6	1.5	100	4A0	2	2.63	.52	.11	.41	4.0	9.08	-1.00
37455	57.6	58.6	1.0	100	4A0	2	2.60	.54	.14	.40	4.0	8.71	-1.00
37456	58.6	61.4	2.8	53	4A09	2	2.74	.22	.08	.14	6.0	10.45	-1.00
37457	61.4	62.9	1.5	60	4A09	2	3.19	3.25	1.64	1.61	26.0	19.18	-1.00
0	62.9	100.3	37.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-32 Section: W54
 Northing: 5790.0 Easting: 2402.8 Elevation: 1246.4
 Length: 138.7 Core: NQ Record: 517

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	138.7	138.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-33 Section: W52
 Northing: 5727.3 Easting: 2401.6 Elevation: 1240.1
 Length: 86.0 Core: NQ Record: 518

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	16.9	16.9	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37458	16.9	18.1	1.2	99	4E1	5	3.64	2.69	1.83	.86	26.0	27.66	-1.00
37459	18.1	19.3	1.2	100	4E41	5	3.73	6.03	2.64	3.39	44.0	22.56	-1.00
37460	19.3	20.8	1.5	100	4A09	2	2.89	.21	.07	.14	5.0	13.25	-1.00
37461	20.8	22.1	1.3	92	4A09	2	3.13	2.22	.85	1.37	14.0	14.55	-1.00
37462	22.1	23.5	1.4	100	4E481	5	4.33	11.32	4.92	6.40	52.0	13.99	-1.00
37463	23.5	24.7	1.2	99	4E81	5	3.28	4.65	1.81	2.84	23.0	18.76	-1.00
37464	24.7	25.8	1.1	100	4C8	3	2.78	1.99	.88	1.11	10.0	8.22	-1.00
37465	25.8	26.5	.7	100	4C8	3	2.87	1.80	.82	.98	9.0	9.10	-1.00
37466	26.5	28.1	1.6	93	4E8	5	3.29	2.54	1.30	1.24	16.0	19.32	-1.00
37467	28.1	29.6	1.5	100	4E8	5	3.81	4.17	1.94	2.23	25.0	24.10	-1.00
37468	29.6	31.1	1.5	100	4E8	5	3.28	3.88	1.99	1.89	25.0	19.75	-1.00
37469	31.1	32.6	1.5	100	4E48	5	3.47	5.42	2.43	2.99	28.0	19.89	-1.00
0	32.6	86.0	53.4	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 89G-34 Section: W64
 Northing: 6089.6 Easting: 2678.8 Elevation: 1276.6
 Length: 91.6 Core: HQ Record: 519

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
-1	.0	50.8	50.8	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37063	50.8	51.7	.9	88	4E14	5	3.62	7.98	3.64	4.34	123.0	20.10	-1.00
37064	51.7	53.3	1.6	93	4D3	3	3.32	6.97	2.91	4.06	80.2	13.80	-1.00
37065	53.3	53.9	.6	99	4E4	5	4.02	10.98	4.81	6.17	93.6	25.40	-1.00
37066	53.9	55.2	1.3	84	4E4	5	3.07	9.16	4.62	4.54	63.7	25.20	-1.00
37067	55.2	56.4	1.2	74	4E4	5	4.50	15.64	5.04	10.60	84.7	30.80	-1.00
37068	56.4	57.1	.7	100	4E4	5	4.83	14.23	5.05	9.18	90.2	24.20	-1.00
37069	57.1	58.4	1.3	99	4G4	7	4.73	10.62	3.48	7.14	46.5	16.10	-1.00
37070	58.4	59.9	1.5	40	4E4	5	4.12	29.59	9.79	19.80	133.0	16.40	-1.00
37071	59.9	60.4	.5	100	4D334	3	4.13	23.97	8.07	15.90	135.0	19.70	-1.00
37072	60.4	61.3	.9	100	4A4	2	3.48	12.87	4.51	8.36	74.1	13.30	-1.00
37073	61.3	62.1	.8	100	4E44	5	4.12	36.70	12.40	24.30	198.0	10.90	-1.00
37074	62.1	63.2	1.1	100	4A4	2	3.37	6.25	2.47	3.78	35.3	15.30	-1.00
37075	63.2	64.5	1.3	92	4A0	2	3.45	2.97	.96	2.01	21.3	17.50	-1.00
37076	64.5	66.1	1.6	93	4E4	5	3.94	7.39	2.37	5.02	39.2	40.90	-1.00
37077	66.1	67.5	1.4	99	4E4	5	4.85	17.42	5.62	11.80	84.5	33.50	-1.00
37078	67.5	69.0	1.5	100	4E4	5	4.86	17.18	6.78	10.40	97.4	34.70	-1.00
37079	69.0	70.3	1.3	92	4E4	5	4.85	16.81	7.16	9.65	104.0	34.40	-1.00
37080	70.3	71.5	1.2	100	4E4	5	4.94	22.54	8.54	14.00	108.0	32.00	-1.00
37081	71.5	72.9	1.4	99	4E4	5	4.61	22.90	8.70	14.20	121.0	30.00	-1.00
37082	72.9	73.2	.3	100	10Q9	60	3.87	27.79	7.69	20.10	135.0	15.20	-1.00
37083	73.2	74.4	1.2	91	4E4	5	4.82	18.48	6.78	11.70	107.0	33.90	-1.00
37084	74.4	75.7	1.3	100	4E4	5	4.55	19.88	6.38	13.50	95.1	30.70	-1.00
37085	75.7	76.4	.7	99	4D4	3	4.03	27.37	8.77	18.60	149.0	18.10	-1.00
37086	76.4	77.7	1.3	100	4E4	5	4.76	16.10	4.70	11.40	79.9	35.80	-1.00
37087	77.7	79.3	1.6	99	4E4	5	4.63	19.33	5.53	13.80	78.5	32.00	-1.00
37088	79.3	80.5	1.2	100	4D4	3	4.18	26.15	8.95	17.20	128.0	20.60	-1.00
37089	80.5	82.0	1.5	93	4D4	3	3.86	20.14	6.94	13.20	111.0	18.50	-1.00
37090	82.0	83.8	1.8	94	4A4	2	3.47	19.71	6.71	13.00	118.0	10.80	-1.00
37091	83.8	84.9	1.1	100	4D43	3	4.22	20.31	8.21	12.10	155.0	23.90	-1.00
37092	84.9	86.0	1.1	100	4D43	3	3.65	16.09	5.79	10.30	105.0	16.40	-1.00
37093	86.0	86.7	.7	100	4E4	5	4.42	9.42	3.48	5.94	88.9	33.60	-1.00
37094	86.7	88.0	1.3	99	4A4	2	3.66	16.81	6.81	10.00	107.0	16.80	-1.00
37095	88.0	89.2	1.2	100	4A43	2	3.79	26.31	9.51	16.80	146.0	13.80	-1.00
37096	89.2	90.4	1.2	99	4A43	2	3.37	15.78	6.60	9.18	101.0	10.80	-1.00
37097	90.4	91.6	1.2	100	4A43	2	3.30	18.45	6.55	11.90	93.1	8.26	-1.00

Drill Hole: 89G-35 Section: W65
 Northing: 6129.3 Easting: 2668.9 Elevation: 1276.9
 Length: 89.5 Core: HQ Record: 520

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
-1	.0	67.7	67.7	-1	WASTE	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
37144	67.7	68.6	.9	100	4G0	7	4.64	9.85	3.12	6.73	52.3	17.80	-1.00
37145	68.6	69.5	.9	100	4D34	3	4.01	19.17	7.87	11.30	118.0	21.70	-1.00
37146	69.5	70.7	1.2	100	4D34	3	4.04	17.07	5.57	11.50	91.1	23.20	-1.00
37147	70.7	72.0	1.3	99	4D34	3	3.65	19.36	5.96	13.40	81.0	12.70	-1.00
37148	72.0	72.6	.6	100	4EG	7	4.61	20.22	6.42	13.80	121.0	20.20	-1.00
37149	72.6	73.2	.6	100	4D44	3	3.64	28.02	7.82	20.20	155.0	9.98	-1.00
37150	73.2	74.7	1.5	100	4E4	5	4.88	16.66	6.46	10.20	95.1	33.00	-1.00
37151	74.7	76.0	1.3	100	4G4	7	4.74	14.32	5.19	9.13	101.0	19.20	-1.00
37152	76.0	77.8	1.8	61	4GE	7	4.77	14.69	5.70	8.99	113.0	25.40	-1.00
37153	77.8	79.1	1.3	100	4DG4	3	3.90	13.90	4.55	9.35	79.9	12.90	-1.00
37154	79.1	80.0	.9	88	4DG4	3	4.27	11.79	3.71	8.08	58.0	15.30	-1.00
37155	80.0	81.5	1.5	100	4E0	5	4.84	4.32	1.56	2.76	31.3	45.30	-1.00
37156	81.5	83.1	1.6	100	4E4	5	4.74	11.12	4.30	6.82	60.0	39.20	-1.00
37157	83.1	84.1	1.0	100	4D44	3	3.60	25.63	7.33	18.30	83.2	11.30	-1.00
37158	84.1	85.0	.9	100	4D4	3	3.40	14.55	3.95	10.60	66.9	13.00	-1.00
37159	85.0	86.0	1.0	100	4D44	3	3.59	22.85	6.25	16.60	83.1	12.20	-1.00
37160	86.0	86.8	.8	100	4E4	5	4.80	18.77	6.07	12.70	85.7	32.70	-1.00
37161	86.8	87.2	.4	100	BXA	72	3.96	17.75	6.35	11.40	51.6	18.40	-1.00
37162	87.2	88.4	1.2	100	4A0	2	3.57	.93	.14	.79	9.5	24.30	-1.00
37163	88.4	89.5	1.1	100	4A0	2	3.10	.13	.03	.10	4.7	13.40	-1.00

Drill Hole: 91G01 Section: W79
 Northing: 6546.3 Easting: 2886.2 Elevation: 1277.1
 Length: 52.7 Core: NQ Record: 521

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	34.7	34.7	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64051	34.7	35.6	.9	89		2	-1.00	9.76	2.94	6.82	53.3	9.66	-1.00
64052	35.6	37.4	1.8	100		2	-1.00	13.40	4.37	9.03	77.4	8.28	-1.00
64053	37.4	38.4	1.0	100		2	-1.00	10.15	3.23	6.92	59.8	3.94	-1.00
64054	38.4	39.5	1.1	100		2	-1.00	7.90	2.19	5.71	48.5	6.63	-1.00
64055	39.5	40.5	1.0	100		3	-1.00	5.94	2.20	3.74	33.9	6.62	-1.00
64056	40.5	42.4	1.9	100		3	-1.00	5.45	2.01	3.44	31.8	6.84	-1.00
64057	42.4	43.7	1.3	100		3	-1.00	5.40	1.82	3.58	33.2	3.43	-1.00
0	43.7	52.7	9.0	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G02 Section: W79
 Northing: 6546.6 Easting: 2916.7 Elevation: 1277.1
 Length: 75.3 Core: NQ Record: 522

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	20.7	20.7	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64058	20.7	22.3	1.6	56		52	-1.00	4.26	.85	3.41	17.2	3.97	-1.00
-1	22.3	42.4	20.1	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64059	42.4	44.0	1.6	94		2	-1.00	5.74	2.30	3.44	35.6	4.55	-1.00
-1	44.0	57.3	13.3	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64060	57.3	58.7	1.4	86		2	-1.00	3.61	1.59	2.02	24.2	3.39	-1.00
64061	58.7	60.4	1.7	47		2	-1.00	5.71	2.81	2.90	47.4	1.84	-1.00
64062	60.4	61.6	1.2	50		2	-1.00	4.25	2.06	2.19	33.3	2.54	-1.00
64063	61.6	62.8	1.2	58		2	-1.00	4.22	2.00	2.22	35.6	3.73	-1.00
64064	62.8	64.3	1.5	87		2	-1.00	3.72	1.55	2.17	25.6	3.82	-1.00
64065	64.3	66.0	1.7	82		2	-1.00	5.32	1.85	3.47	28.4	4.84	-1.00
64066	66.0	67.6	1.6	100		2	-1.00	5.18	1.39	3.79	29.9	5.37	-1.00
64067	67.6	68.4	.8	100		20	-1.00	2.76	.80	1.96	13.7	4.51	-1.00
64068	68.4	69.3	.9	78		2	-1.00	10.45	3.05	7.40	63.3	5.28	-1.00
64069	69.3	70.8	1.5	100		2	-1.00	4.68	1.44	3.24	25.9	2.62	-1.00
64070	70.8	72.2	1.4	100		2	-1.00	7.98	2.42	5.56	40.2	14.37	-1.00
64071	72.2	73.4	1.2	100		2	-1.00	5.99	1.61	4.38	27.8	10.45	-1.00
64072	73.4	74.6	1.2	100		2	-1.00	5.27	1.73	3.54	27.9	9.52	-1.00
-1	74.6	75.3	.7	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G03 Section: W79
 Northing: 6546.6 Easting: 2947.1 Elevation: 1277.5
 Length: 71.9 Core: NQ Record: 523

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	8.8	8.8	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64073	8.8	10.2	1.4	100		3	-1.00	5.20	2.57	2.63	33.1	15.12	-1.00
64074	10.2	11.0	.8	75		44	-1.00	.20	.09	.11	.7	7.76	-1.00
64075	11.0	11.8	.8	100		3	-1.00	6.43	2.67	3.76	46.7	11.40	-1.00
64076	11.8	12.2	.4	100		44	-1.00	.37	.12	.25	.2	7.34	-1.00
64077	12.2	13.5	1.3	100		2	-1.00	4.56	1.75	2.81	29.3	7.67	-1.00
64078	13.5	15.0	1.5	93		2	-1.00	9.24	2.82	6.42	63.6	5.25	-1.00
64079	15.0	16.2	1.2	100		2	-1.00	6.36	2.07	4.29	42.3	5.07	-1.00
64080	16.2	18.2	2.0	100		2	-1.00	7.84	2.29	5.55	44.0	6.88	-1.00
64081	18.2	18.6	.4	100		30	-1.00	3.20	.95	2.25	18.6	7.66	-1.00
64082	18.6	19.7	1.1	100		2	-1.00	5.35	1.55	3.80	25.8	9.27	-1.00
64083	19.7	21.3	1.6	100		2	-1.00	4.16	1.29	2.87	22.1	6.71	-1.00
64084	21.3	22.6	1.3	100		2	-1.00	5.96	1.77	4.19	30.5	8.46	-1.00
64085	22.6	24.2	1.6	94		2	-1.00	7.50	2.72	4.78	37.8	10.73	-1.00
64086	24.2	25.9	1.7	29		2	-1.00	5.51	1.77	3.74	28.6	8.71	-1.00
64087	25.9	27.4	1.5	100		52	-1.00	7.18	2.29	4.89	33.0	5.37	-1.00
64088	27.4	28.7	1.3	100		52	-1.00	3.40	2.13	1.27	33.2	9.40	-1.00
64089	28.7	29.4	.7	100		52	-1.00	4.34	1.55	2.79	24.4	9.37	-1.00
0	29.4	34.3	4.9	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64090	34.3	35.2	.9	16		2	-1.00	3.84	1.34	2.50	24.1	11.21	-1.00
64091	35.2	36.7	1.5	80		2	-1.00	9.42	3.29	6.13	62.5	16.66	-1.00
64092	36.7	37.6	.9	89		2	-1.00	6.10	2.37	3.73	41.3	5.95	-1.00
64093	37.6	38.2	.6	100		7	-1.00	26.20	9.90	16.30	179.8	19.16	-1.00
64094	38.2	39.0	.8	100		44	-1.00	3.19	.67	2.52	11.1	19.71	-1.00
0	39.0	41.9	2.9	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64095	41.9	42.6	.7	19		5	-1.00	12.62	3.77	8.85	72.4	22.85	-1.00
0	42.6	71.9	29.3	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G04 Section: W79
 Northing: 6546.2 Easting: 2977.4 Elevation: 1277.9
 Length: 98.1 Core: NQ Record: 524

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	.9	.9	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64141	.9	2.4	1.5	80		2	-1.00	4.36	1.08	3.28	22.8	4.36	-1.00
64142	2.4	3.8	1.4	93		2	-1.00	8.54	2.50	6.04	57.2	4.22	-1.00
64143	3.8	5.5	1.7	88		2	-1.00	5.34	1.84	3.50	31.9	3.09	-1.00
64144	5.5	7.3	1.8	78		2	-1.00	5.63	1.54	4.09	27.9	3.01	-1.00
64145	7.3	10.8	3.5	63		2	-1.00	6.89	1.80	5.09	33.1	3.90	-1.00
64146	10.8	12.4	1.6	81		30	-1.00	1.07	.36	.71	5.1	4.23	-1.00
64147	12.4	14.0	1.6	81		30	-1.00	1.32	.39	.93	5.2	5.11	-1.00
64148	14.0	14.9	.9	100		3	-1.00	3.43	.86	2.57	12.7	1.89	-1.00
64149	14.9	15.4	.5	60		30	-1.00	1.76	.41	1.35	8.7	2.33	-1.00
64150	15.4	16.4	1.0	100		3	-1.00	7.27	2.62	4.65	35.9	2.34	-1.00
64151	16.4	18.0	1.6	81		3	-1.00	1.89	.66	1.23	10.5	4.72	-1.00
64152	18.0	20.0	2.0	65		2	-1.00	2.13	.47	1.66	13.2	13.05	-1.00
64153	20.0	22.9	2.9	55		2	-1.00	5.94	1.81	4.13	27.1	3.84	-1.00
64154	22.9	24.3	1.4	86		2	-1.00	3.62	1.48	2.14	20.0	4.83	-1.00
64155	24.3	26.5	2.2	79		2	-1.00	2.05	1.17	.88	14.9	3.46	-1.00
0	26.5	35.4	8.9	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64156	35.4	37.4	2.0	90		30	-1.00	3.67	1.21	2.46	19.6	9.62	-1.00
64157	37.4	38.9	1.5	100		7	4.26	29.50	11.60	17.90	200.0	19.57	-1.00
64158	38.9	39.6	.7	100		30	-1.00	3.70	1.29	2.41	30.8	6.73	-1.00
64159	39.6	40.0	.4	100		7	-1.00	41.60	13.90	27.70	200.0	15.61	-1.00
64160	40.0	41.0	1.0	80		30	-1.00	10.29	3.54	6.75	70.3	9.53	-1.00
0	41.0	44.2	3.2	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64161	44.2	44.8	.6	100		3	-1.00	22.91	8.81	14.10	143.8	11.95	-1.00
64162	44.8	45.3	.5	100		3	-1.00	11.00	2.58	8.42	46.4	9.60	-1.00
64163	45.3	47.0	1.7	71		7	4.16	28.26	8.86	19.40	162.1	18.73	-1.00
64164	47.0	47.5	.5	100		3	-1.00	16.18	5.78	10.40	84.9	11.48	-1.00
64165	47.5	48.3	.8	75		52	-1.00	1.28	.16	1.12	2.6	7.02	-1.00
64166	48.3	48.5	.2	100		7	-1.00	17.53	4.83	12.70	63.2	24.05	-1.00
64167	48.5	49.4	.9	89		52	-1.00	.98	.28	.70	4.1	6.48	-1.00
0	49.4	52.6	3.2	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64168	52.6	53.5	.9	100		3	-1.00	12.24	3.91	8.33	71.2	9.20	-1.00
64169	53.5	54.2	.7	100		3	-1.00	16.66	5.26	11.40	90.5	10.17	-1.00
0	54.2	55.6	1.4	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64170	55.6	55.9	.3	100		8	-1.00	22.14	6.34	15.80	124.5	12.12	-1.00
64171	55.9	57.1	1.2	100		3	-1.00	26.62	10.42	16.20	179.4	11.91	-1.00
64172	57.1	57.4	.3	100		2	-1.00	6.02	2.06	3.96	28.9	8.01	-1.00
64173	57.4	57.9	.5	100		7	-1.00	13.71	7.17	6.54	73.0	22.55	-1.00
64174	57.9	59.1	1.2	83		7	-1.00	22.06	8.76	13.30	88.8	26.88	-1.00
64175	59.1	60.7	1.6	100		7	-1.00	18.60	7.80	10.80	99.8	27.81	-1.00
64176	60.7	61.0	.3	100		7	-1.00	32.00	11.60	20.40	159.7	20.74	-1.00
64177	61.0	62.5	1.5	100		7	-1.00	19.17	7.27	11.90	107.4	26.39	-1.00
64178	62.5	63.9	1.4	43		3	-1.00	15.93	6.68	9.25	89.0	14.12	-1.00
64179	63.9	64.8	.9	67		60	-1.00	8.29	4.68	3.61	57.4	6.79	-1.00

64180	64.8	65.4	.6	83	5	-1.00	23.73	8.63	15.10	160.0	19.66	-1.00
0	65.4	66.9	1.5	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64181	66.9	67.8	.9	78	3	-1.00	9.87	3.98	5.89	75.1	17.68	-1.00
0	67.8	69.5	1.7	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64182	69.5	69.7	.2	100	3	-1.00	18.28	6.98	11.30	115.3	16.09	-1.00
-1	69.7	72.5	2.8	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64183	72.5	73.5	1.0	100	3	-1.00	9.95	3.91	6.04	71.7	17.46	-1.00
64184	73.5	73.8	.3	100	20	-1.00	1.48	.93	.55	32.8	5.69	-1.00
64185	73.8	75.1	1.3	92	3	-1.00	16.96	5.66	11.30	86.9	18.26	-1.00
64186	75.1	76.8	1.7	76	2	-1.00	9.55	3.45	6.10	50.2	8.13	-1.00
64187	76.8	78.3	1.5	93	30	-1.00	1.99	.55	1.44	6.2	8.11	-1.00
64188	78.3	78.8	.5	80	2	-1.00	6.24	1.46	4.78	28.8	6.71	-1.00
0	78.8	98.1	19.3	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G05 Section: W78
 Northing: 6515.0 Easting: 2870.6 Elevation: 1277.1
 Length: 130.1 Core: NQ Record: 533

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	72.0	72.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64201	72.0	73.6	1.6	100		3	-1.00	4.20	.60	3.60	26.5	7.42	-1.00
64202	73.6	75.2	1.6	100		3	-1.00	4.62	.74	3.88	8.4	5.85	-1.00
64203	75.2	75.8	.6	100		47	-1.00	5.02	.43	4.59	19.4	8.02	-1.00
64204	75.8	78.0	2.2	100		3	-1.00	4.36	.49	3.87	21.3	4.20	-1.00
64205	78.0	79.5	1.5	67		44	-1.00	1.61	.07	1.54	.0	7.49	-1.00
64206	79.5	80.0	.5	80		3	-1.00	4.75	.54	4.21	27.5	9.66	-1.00
0	80.0	86.9	6.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64207	86.9	87.9	1.0	100		30	-1.00	1.75	.77	.98	15.3	9.67	-1.00
64208	87.9	88.2	.3	100		3	-1.00	7.95	.41	7.54	59.7	25.06	-1.00
64209	88.2	89.4	1.2	100		44	-1.00	.17	.07	.10	1.9	6.46	-1.00
64210	89.4	89.7	.3	100		7	-1.00	8.40	.78	7.62	42.9	21.65	-1.00
64211	89.7	91.5	1.8	94		7	-1.00	13.26	.96	12.30	89.7	22.15	-1.00
64212	91.5	92.6	1.1	73		7	-1.00	12.34	.14	12.20	84.8	22.51	-1.00
64213	92.6	93.4	.8	100		7	-1.00	14.71	.41	14.30	94.9	22.99	-1.00
64214	93.4	94.4	1.0	100		3	-1.00	3.51	.65	2.86	30.8	20.03	-1.00
64215	94.4	94.8	.4	100		44	-1.00	1.44	.31	1.13	2.4	7.13	-1.00
64216	94.8	96.4	1.6	100		3	-1.00	5.53	.52	5.01	28.0	6.18	-1.00
64217	96.4	98.5	2.1	90		3	-1.00	5.23	2.17	3.06	34.1	20.95	-1.00
64218	98.5	100.4	1.9	100		3	-1.00	4.29	1.95	2.34	28.5	19.79	-1.00
64219	100.4	102.3	1.9	100		3	-1.00	6.10	2.53	3.57	37.4	24.41	-1.00
64220	102.3	103.7	1.4	100		3	-1.00	10.40	4.94	5.46	67.4	17.41	-1.00
64221	103.7	106.4	2.7	100		20	-1.00	.29	.11	.18	2.1	4.75	-1.00
64222	106.4	107.3	.9	100		7	-1.00	18.06	6.56	11.50	117.6	28.46	-1.00
64223	107.3	108.5	1.2	100		2	-1.00	9.27	4.47	4.80	65.2	14.90	-1.00
64224	108.5	109.6	1.1	100		2	-1.00	15.68	6.48	9.20	84.3	19.98	-1.00
64225	109.6	110.5	.9	100		2	-1.00	9.50	4.97	4.53	59.3	12.96	-1.00
64226	110.5	111.9	1.4	100		2	-1.00	16.22	6.33	9.89	87.4	11.30	-1.00
64227	111.9	113.4	1.5	100		2	-1.00	12.58	4.52	8.06	64.5	10.22	-1.00
64228	113.4	114.1	.7	100		44	-1.00	4.56	1.42	3.14	21.5	7.35	-1.00
0	114.1	130.1	16.0	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G06 Section: W78
 Northing: 6516.3 Easting: 2951.0 Elevation: 1277.4
 Length: 84.1 Core: NQ Record: 526

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	22.9	22.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64229	22.9	24.7	1.8	17		7	-1.00	31.35	12.45	18.90	203.9	21.30	-1.00
0	24.7	60.1	35.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64230	60.1	61.5	1.4	100		5	-1.00	18.71	6.31	12.40	99.1	23.30	-1.00
64231	61.5	64.0	2.5	92		2	-1.00	5.74	1.93	3.81	35.5	10.22	-1.00
64232	64.0	65.2	1.2	100		2	-1.00	.39	.08	.31	2.6	3.54	-1.00
64233	65.2	66.8	1.6	100		2	-1.00	2.12	.21	1.91	22.3	3.86	-1.00
64234	66.8	67.6	.8	100		4	-1.00	1.09	.07	1.02	3.1	31.07	-1.00
64235	67.6	68.5	.9	100		2	-1.00	1.03	.05	.98	4.0	10.69	-1.00
64236	68.5	69.0	.5	100		2	-1.00	4.34	1.62	2.72	29.3	12.85	-1.00
64237	69.0	71.2	2.2	100		2	-1.00	2.01	.90	1.11	15.1	1.42	-1.00
64238	71.2	72.4	1.2	100		2	-1.00	3.76	1.27	2.49	22.5	2.72	-1.00
0	72.4	84.1	11.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G07 Section: W80
 Northing: 6576.9 Easting: 2867.4 Elevation: 1277.1
 Length: 63.1 Core: NQ Record: 527

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	55.8	55.8	100		0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64189	55.8	56.7	.9	100		2	-1.00	7.54	2.36	5.18	40.2	19.13	-1.00
64190	56.7	57.8	1.1	100		2	-1.00	10.34	3.11	7.23	48.6	9.73	-1.00
64191	57.8	59.0	1.2	100		2	-1.00	6.72	2.61	4.11	38.9	10.37	-1.00
64192	59.0	61.0	2.0	90		2	-1.00	5.13	2.34	2.79	33.6	10.14	-1.00
64193	61.0	63.1	2.1	67		2	-1.00	8.17	2.66	5.51	39.7	8.81	-1.00

Drill Hole: 91G08 Section: W80
 Northing: 6576.5 Easting: 2992.9 Elevation: 1277.5
 Length: 43.0 Core: NQ Record: 528

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	10.4	10.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64194	10.4	11.9	1.5	80		2	-1.00	3.23	1.43	1.80	14.8	2.55	-1.00
64195	11.9	13.2	1.3	100		2	-1.00	4.08	1.48	2.60	17.2	3.49	-1.00
64196	13.2	14.3	1.1	100		2	-1.00	2.91	.98	1.93	12.1	5.75	-1.00
64197	14.3	15.6	1.3	92		2	-1.00	3.85	1.12	2.73	30.6	5.45	-1.00
64198	15.6	19.0	3.4	44		2	-1.00	4.67	.26	4.41	77.8	2.54	-1.00
0	19.0	38.8	19.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64199	38.8	39.9	1.1	100		30	-1.00	9.17	.88	8.29	46.4	7.18	-1.00
0	39.9	42.0	2.1	100		0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64200	42.0	43.0	1.0	100		3	-1.00	6.96	.66	6.30	40.9	5.83	-1.00

Drill Hole: 91G09 Section: W71
 Northing: 6303.9 Easting: 2779.7 Elevation: 1277.6
 Length: 96.9 Core: NQ Record: 529

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	59.8	59.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64790	59.8	60.4	.6	100		72	-1.00	11.02	3.85	7.17	63.7	12.01	-1.00
64791	60.4	62.0	1.6	100		2	-1.00	6.08	2.28	3.80	36.8	10.23	-1.00
64792	62.0	63.7	1.7	100		2	-1.00	4.61	1.47	3.14	27.4	10.93	-1.00
64793	63.7	64.8	1.1	100		3	-1.00	8.09	3.70	4.39	53.4	3.76	-1.00
64794	64.8	66.0	1.2	100		3	-1.00	2.78	1.47	1.31	17.7	3.90	-1.00
64795	66.0	66.7	.7	100		2	-1.00	.60	.18	.42	2.2	6.13	-1.00
64796	66.7	68.7	2.0	100		2	-1.00	6.11	1.91	4.20	40.8	6.06	-1.00
64797	68.7	69.2	.5	100		44	-1.00	5.42	1.19	4.23	16.7	11.50	-1.00
64798	69.2	70.7	1.5	100		3	-1.00	14.44	4.96	9.48	84.6	9.02	-1.00
64799	70.7	72.3	1.6	100		3	-1.00	6.98	2.12	4.86	46.0	7.67	-1.00
64800	72.3	73.6	1.3	100		30	-1.00	1.84	.37	1.47	6.1	1.63	-1.00
64801	73.6	74.8	1.2	100		3	-1.00	2.68	.70	1.98	14.0	8.82	-1.00
64802	74.8	76.0	1.2	100		3	-1.00	3.08	.77	2.31	13.4	7.66	-1.00
64803	76.0	76.8	.8	62		74	-1.00	6.07	2.57	3.50	45.0	8.22	-1.00
64804	76.8	78.6	1.8	100		3	-1.00	4.40	1.51	2.89	35.8	6.11	-1.00
64805	78.6	80.5	1.9	100		3	-1.00	3.83	1.47	2.36	29.7	7.06	-1.00
64806	80.5	81.8	1.3	100		3	-1.00	4.30	2.31	1.99	41.3	5.72	-1.00
64807	81.8	83.1	1.3	100		3	-1.00	3.40	2.04	1.36	35.4	5.90	-1.00
64808	83.1	84.4	1.3	100		3	-1.00	4.72	1.60	3.12	28.3	3.67	-1.00
64809	84.4	85.8	1.4	57		3	-1.00	2.37	.67	1.70	12.1	5.23	-1.00
64810	85.8	87.2	1.4	93		3	-1.00	4.33	1.74	2.59	29.4	4.41	-1.00
64811	87.2	88.6	1.4	100		3	-1.00	6.45	2.59	3.86	45.3	3.60	-1.00
64812	88.6	90.1	1.5	80		3	-1.00	2.91	.90	2.01	12.1	2.61	-1.00
64813	90.1	91.8	1.7	100		3	-1.00	4.53	1.48	3.05	24.1	3.96	-1.00
64814	91.8	93.5	1.7	100		3	-1.00	5.60	1.83	3.77	31.6	4.78	-1.00
64815	93.5	95.2	1.7	100		3	-1.00	6.46	2.17	4.29	32.9	4.87	-1.00
64816	95.2	96.9	1.7	100		3	-1.00	6.04	1.96	4.08	32.4	10.43	-1.00

Drill Hole: 91G10 Section: W79
 Northing: 6546.5 Easting: 3007.8 Elevation: 1285.6
 Length: 71.9 Core: NQ Record: 530

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	30.2	30.2	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64126	30.2	31.2	1.0	70		2	-1.00	12.54	3.14	9.40	50.2	2.90	-1.00
64127	31.2	32.1	.9	67		30	-1.00	3.87	.66	3.21	7.7	5.24	-1.00
64128	32.1	33.7	1.6	87		3	-1.00	7.49	1.61	5.88	21.7	9.53	-1.00
0	33.7	42.9	9.2	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64129	42.9	44.9	2.0	85		30	-1.00	2.75	.62	2.13	10.5	14.00	-1.00
64130	44.9	45.8	.9	100		6	-1.00	1.38	.56	.82	19.2	33.76	-1.00
64131	45.8	46.3	.5	100		6	-1.00	37.00	10.40	26.60	200.0	17.12	-1.00
64132	46.3	47.1	.8	50		6	-1.00	2.71	.72	1.99	14.4	24.24	-1.00
0	47.1	50.4	3.3	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64133	50.4	51.4	1.0	100		30	-1.00	2.63	.81	1.82	9.5	7.43	-1.00
-1	51.4	57.5	6.1	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64134	57.5	58.4	.9	100		5	-1.00	12.42	3.13	9.29	51.3	15.90	-1.00
64135	58.4	59.1	.7	100		4	-1.00	3.57	.75	2.82	10.9	30.08	-1.00
64136	59.1	60.3	1.2	100		60	-1.00	1.72	.31	1.41	4.8	11.62	-1.00
64137	60.3	61.0	.7	100		4	-1.00	2.58	.52	2.06	8.6	31.81	-1.00
64138	61.0	61.8	.8	100		2	-1.00	7.81	1.27	6.54	19.5	2.78	-1.00
64139	61.8	64.0	2.2	23		2	-1.00	4.95	.74	4.21	13.0	2.18	-1.00
64140	64.0	65.7	1.7	35		2	-1.00	6.51	3.59	2.92	56.6	2.99	-1.00
0	65.7	71.9	6.2	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G11 Section: W77
 Northing: 6485.9 Easting: 2870.8 Elevation: 1276.8
 Length: 110.0 Core: NQ Record: 531

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	63.9	63.9	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64096	63.9	65.0	1.1	100		3	-1.00	6.47	2.20	4.27	35.3	6.41	-1.00
64097	65.0	66.1	1.1	100		3	-1.00	5.76	1.90	3.86	27.4	5.12	-1.00
64098	66.1	67.6	1.5	100		3	-1.00	4.55	1.35	3.20	23.2	3.07	-1.00
64099	67.6	69.1	1.5	100		44	-1.00	.43	.03	.40	.4	4.79	-1.00
64100	69.1	70.6	1.5	100		3	-1.00	5.08	1.57	3.51	30.2	3.72	-1.00
64101	70.6	72.5	1.9	100		3	-1.00	6.30	1.91	4.39	36.7	4.68	-1.00
64102	72.5	73.3	.8	100		20	-1.00	.22	.05	.17	.8	4.83	-1.00
64103	73.3	74.6	1.3	100		2	-1.00	6.28	1.92	4.36	35.2	3.47	-1.00
64104	74.6	76.0	1.4	100		20	-1.00	1.11	.41	.70	9.1	4.06	-1.00
64105	76.0	76.9	.9	100		20	-1.00	.83	.04	.79	.5	6.10	-1.00
64106	76.9	77.5	.6	100		2	-1.00	5.15	1.51	3.64	22.4	4.23	-1.00
64107	77.5	78.0	.5	100		44	-1.00	4.56	.33	4.23	6.1	13.87	-1.00
0	78.0	85.1	7.1	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64108	85.1	85.7	.6	100		5	-1.00	14.09	4.95	9.14	76.2	27.83	-1.00
64109	85.7	86.3	.6	100		5	-1.00	16.02	6.18	9.84	103.5	18.31	-1.00
64110	86.3	87.5	1.2	100		44	-1.00	4.62	1.12	3.50	20.5	10.14	-1.00
64111	87.5	90.0	2.5	100		2	-1.00	6.83	2.22	4.61	43.6	4.31	-1.00
64112	90.0	91.9	1.9	100		20	-1.00	2.10	.82	1.28	15.8	6.30	-1.00
64113	91.9	92.8	.9	100		20	-1.00	3.79	1.35	2.44	22.8	9.82	-1.00
64114	92.8	93.9	1.1	100		2	-1.00	6.69	2.43	4.26	37.1	2.90	-1.00
64115	93.9	95.6	1.7	100		3	-1.00	7.20	3.09	4.11	52.4	16.20	-1.00
64116	95.6	96.9	1.3	100		3	-1.00	3.98	1.76	2.22	28.1	14.31	-1.00
64117	96.9	97.7	.8	69		5	-1.00	19.01	5.91	13.10	95.3	20.51	-1.00
64118	97.7	98.5	.8	50		2	-1.00	16.58	8.07	8.51	138.9	9.84	-1.00
64119	98.5	99.2	.7	100		7	-1.00	25.71	8.51	17.20	153.7	16.16	-1.00
64120	99.2	100.2	1.0	100		2	-1.00	12.18	3.67	8.51	77.3	9.31	-1.00
64121	100.2	101.8	1.6	94		2	-1.00	11.45	3.25	8.20	73.2	7.18	-1.00
64122	101.8	102.7	.9	67		2	-1.00	14.61	3.91	10.70	81.0	5.47	-1.00
64123	102.7	104.0	1.3	100		2	-1.00	15.06	4.36	10.70	93.1	6.35	-1.00
64124	104.0	104.9	.9	100		2	-1.00	13.72	4.20	9.52	78.1	6.90	-1.00
64125	104.9	106.0	1.1	100		2	-1.00	6.46	1.88	4.58	38.4	6.73	-1.00
0	106.0	110.0	4.0	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G12 Section: W77
 Northing: 6485.8 Easting: 2901.1 Elevation: 1277.0
 Length: 103.0 Core: NQ Record: 532

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.2	1.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64267	1.2	2.4	1.2	100		3	-1.00	4.53	1.88	2.65	27.0	10.40	-1.00
64268	2.4	3.4	1.0	70		3	-1.00	4.65	1.94	2.71	33.0	7.22	-1.00
64269	3.4	4.7	1.3	62		3	-1.00	6.08	2.29	3.79	41.0	8.27	-1.00
0	4.7	14.1	9.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64270	14.1	15.5	1.4	93		3	-1.00	2.86	1.51	1.35	26.3	6.97	-1.00
64271	15.5	16.5	1.0	90		3	-1.00	5.19	1.60	3.59	25.7	11.36	-1.00
64272	16.5	17.6	1.1	100		2	-1.00	10.97	3.46	7.51	52.5	12.72	-1.00
64273	17.6	18.0	.4	100		2	-1.00	4.76	1.46	3.30	21.3	45.62	-1.00
64274	18.0	19.7	1.7	76		3	-1.00	8.93	2.76	6.17	41.7	9.66	-1.00
64275	19.7	20.7	1.0	100		3	-1.00	5.32	1.94	3.38	32.0	4.68	-1.00
64276	20.7	22.1	1.4	100		44	-1.00	.05	.04	.01	2.1	9.11	-1.00
64277	22.1	24.4	2.3	87		2	-1.00	4.87	2.20	2.67	31.1	7.16	-1.00
64278	24.4	25.7	1.3	92		2	-1.00	8.14	2.34	5.80	32.4	2.85	-1.00
64279	25.7	27.4	1.7	100		2	-1.00	6.97	1.96	5.01	31.0	5.17	-1.00
64280	27.4	28.1	.7	100		2	-1.00	4.52	1.75	2.77	22.2	8.41	-1.00
64281	28.1	30.8	2.7	74		3	-1.00	5.56	2.08	3.48	29.1	5.70	-1.00
64282	30.8	32.6	1.8	100		2	-1.00	8.12	2.97	5.15	46.8	3.86	-1.00
64283	32.6	35.1	2.5	80		2	-1.00	7.62	2.77	4.85	42.7	5.18	-1.00
64284	35.1	37.3	2.2	95		2	-1.00	8.28	2.94	5.34	41.7	7.70	-1.00
64285	37.3	37.6	.3	100		72	-1.00	6.79	2.33	4.46	33.3	6.70	-1.00
64286	37.6	39.6	2.0	100		3	-1.00	6.06	2.21	3.85	31.6	7.51	-1.00
64287	39.6	40.8	1.2	67		3	-1.00	6.99	2.62	4.37	38.2	14.59	-1.00
64288	40.8	41.7	.9	78		3	-1.00	3.68	1.73	1.95	24.4	12.20	-1.00
64289	41.7	43.6	1.9	84		72	-1.00	1.35	.74	.61	10.5	6.01	-1.00
64290	43.6	45.4	1.8	94		2	-1.00	5.04	1.73	3.31	26.6	3.72	-1.00
64291	45.4	47.7	2.3	52		2	-1.00	3.77	1.33	2.44	21.4	4.91	-1.00
64292	47.7	50.6	2.9	55		2	-1.00	3.72	1.35	2.37	24.0	4.54	-1.00
64293	50.6	52.3	1.7	100		2	-1.00	6.48	2.00	4.48	30.7	10.84	-1.00
64294	52.3	53.6	1.3	100		44	-1.00	4.69	.75	3.94	23.1	22.44	-1.00
64295	53.6	54.1	.5	100		30	-1.00	1.71	.77	.94	22.7	25.61	-1.00
64296	54.1	55.8	1.7	100		2	-1.00	4.98	2.00	2.98	12.8	20.29	-1.00
64297	55.8	56.3	.5	100		2	-1.00	3.75	1.46	2.29	35.1	19.50	-1.00
64298	56.3	59.2	2.9	100		44	-1.00	.46	.21	.25	23.5	13.32	-1.00
64299	59.2	60.3	1.1	100		5	-1.00	13.65	7.66	5.99	3.8	32.56	-1.00
64300	60.3	62.2	1.9	89		3	-1.00	8.54	3.44	5.10	48.2	9.74	-1.00
64301	62.2	63.0	.8	100		44	-1.00	2.52	.14	2.38	2.4	9.25	-1.00
64302	63.0	64.8	1.8	100		3	-1.00	6.35	2.17	4.18	29.6	7.31	-1.00
64303	64.8	65.8	1.0	80		47	-1.00	.34	.33	.01	6.4	12.56	-1.00
64304	65.8	67.3	1.5	100		3	-1.00	6.83	2.06	4.77	31.9	8.96	-1.00
64305	67.3	69.3	2.0	100		3	-1.00	8.65	2.83	5.82	44.2	8.20	-1.00
64306	69.3	70.4	1.1	100		3	-1.00	10.76	4.56	6.20	68.9	9.34	-1.00
64307	70.4	70.8	.4	100		44	-1.00	2.61	.18	2.43	2.4	6.17	-1.00
64308	70.8	73.5	2.7	74		2	-1.00	5.80	1.99	3.81	34.5	3.72	-1.00

64309	73.5	74.3	.8	75	20	-1.00	.33	.32	.01	4.7	7.98	-1.00
64310	74.3	75.3	1.0	100	2	-1.00	6.64	2.64	4.00	42.5	21.96	-1.00
64311	75.3	76.9	1.6	94	2	-1.00	10.92	5.68	5.24	73.9	16.92	-1.00
64312	76.9	78.7	1.8	100	2	-1.00	4.07	1.63	2.44	26.2	13.67	-1.00
64313	78.7	79.8	1.1	82	2	-1.00	9.87	3.36	6.51	52.7	11.16	-1.00
64314	79.8	81.6	1.8	100	2	-1.00	5.26	1.52	3.74	29.4	6.00	-1.00
64315	81.6	83.1	1.5	100	2	-1.00	7.69	3.01	4.68	50.2	17.05	-1.00
64316	83.1	84.7	1.6	100	2	-1.00	10.10	3.41	6.69	59.2	12.43	-1.00
64317	84.7	86.1	1.4	100	2	-1.00	7.05	2.59	4.46	50.5	15.18	-1.00
64318	86.1	87.7	1.6	100	2	-1.00	8.24	2.84	5.40	49.9	19.89	-1.00
64319	87.7	89.3	1.6	100	2	-1.00	7.71	2.56	5.15	34.4	8.06	-1.00
64320	89.3	90.3	1.0	100	44	-1.00	1.01	.46	.55	7.9	5.89	-1.00
0	90.3	103.0	12.7	100	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G13 Section: W77
 Northing: 6485.9 Easting: 2931.2 Elevation: 1277.1
 Length: 79.9 Core: NQ Record: 525

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	20.1	20.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64373	20.1	21.6	1.5	-1		3	-1.00	2.30	.64	1.66	15.7	10.14	-1.00
64374	21.6	23.2	1.6	-1		3	-1.00	2.43	.59	1.84	16.5	7.83	-1.00
64375	23.2	24.9	1.7	-1		2	-1.00	5.39	1.45	3.94	29.5	9.36	-1.00
64376	24.9	26.2	1.3	-1		2	-1.00	4.82	1.66	3.16	33.8	9.88	-1.00
64377	26.2	27.5	1.3	-1		2	-1.00	4.66	1.30	3.36	24.6	7.59	-1.00
64378	27.5	28.8	1.3	-1		2	-1.00	3.61	1.37	2.24	24.0	9.15	-1.00
0	28.8	36.6	7.8	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64379	36.6	37.9	1.3	-1		2	-1.00	6.38	1.83	4.55	33.3	10.34	-1.00
64380	37.9	39.2	1.3	-1		2	-1.00	4.29	1.57	2.72	30.4	6.86	-1.00
64381	39.2	40.5	1.3	-1		2	-1.00	8.06	2.33	5.73	39.7	8.10	-1.00
64382	40.5	41.8	1.3	-1		2	-1.00	3.76	1.31	2.45	19.7	6.82	-1.00
64383	41.8	43.1	1.3	-1		2	-1.00	7.99	2.45	5.54	40.8	7.39	-1.00
64384	43.1	44.2	1.1	-1		2	-1.00	5.29	1.79	3.50	29.3	8.43	-1.00
0	44.2	57.6	13.4	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64385	57.6	58.9	1.3	-1		5	-1.00	20.65	7.35	13.30	129.8	16.68	-1.00
64386	58.9	59.7	.8	-1		2	-1.00	11.06	3.88	7.18	66.7	9.64	-1.00
0	59.7	64.2	4.5	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64387	64.2	66.1	1.9	-1		2	-1.00	7.12	2.65	4.47	44.9	9.33	-1.00
64388	66.1	68.0	1.9	-1		2	-1.00	4.76	1.62	3.14	29.4	7.11	-1.00
0	68.0	79.9	11.9	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G14 Section: W75
 Northing: 6425.8 Easting: 2885.7 Elevation: 1277.9
 Length: 100.0 Core: NQ Record: 534

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	24.0	24.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64866	24.0	24.8	.8	88		2	-1.00	7.22	2.08	5.14	40.3	4.37	-1.00
64867	24.8	26.2	1.4	100		2	-1.00	5.42	2.33	3.09	45.6	3.63	-1.00
64868	26.2	27.8	1.6	94		2	-1.00	4.38	1.36	3.02	27.7	3.55	-1.00
64869	27.8	28.9	1.1	91		2	-1.00	5.92	1.12	4.80	25.4	4.34	-1.00
64870	28.9	31.2	2.3	96		2	-1.00	7.48	2.22	5.26	46.5	3.90	-1.00
64871	31.2	32.5	1.3	100		2	-1.00	6.16	1.93	4.23	36.2	3.29	-1.00
64872	32.5	33.3	.8	88		2	-1.00	5.14	1.49	3.65	27.9	2.34	-1.00
64873	33.3	34.6	1.3	100		2	-1.00	5.36	1.36	4.00	29.1	5.17	-1.00
64874	34.6	36.0	1.4	86		2	-1.00	9.12	2.87	6.25	60.9	4.47	-1.00
64875	36.0	37.2	1.2	83		2	-1.00	5.73	1.94	3.79	33.7	4.87	-1.00
64876	37.2	38.4	1.2	92		2	-1.00	4.77	1.54	3.23	30.3	4.25	-1.00
64877	38.4	39.7	1.3	100		2	-1.00	4.30	1.51	2.79	27.9	2.32	-1.00
64878	39.7	41.0	1.3	100		2	-1.00	9.40	2.98	6.42	22.5	5.57	-1.00
64879	41.0	41.6	.6	100		2	-1.00	8.09	2.67	5.42	45.5	7.01	-1.00
64880	41.6	41.9	.3	100		2	-1.00	6.57	1.60	4.97	24.9	20.02	-1.00
0	41.9	48.8	6.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64881	48.8	50.5	1.7	100		2	-1.00	3.74	.95	2.79	20.6	8.39	-1.00
64882	50.5	52.7	2.2	55		2	-1.00	3.25	.85	2.40	18.4	10.44	-1.00
64883	52.7	54.4	1.7	100		2	-1.00	1.60	.45	1.15	9.8	7.91	-1.00
64884	54.4	55.0	.6	100		52	-1.00	1.24	.34	.90	6.8	11.89	-1.00
64885	55.0	56.2	1.2	92		44	-1.00	7.84	1.79	6.05	27.3	22.39	-1.00
64886	56.2	57.1	.9	100		7	-1.00	16.97	6.97	10.00	94.3	25.39	-1.00
64887	57.1	58.8	1.7	100		2	-1.00	10.75	4.32	6.43	68.3	11.57	-1.00
64888	58.8	60.9	2.1	100		44	-1.00	2.55	.51	2.04	10.2	9.28	-1.00
64889	60.9	63.4	2.5	92		2	-1.00	8.19	2.69	5.50	51.8	4.23	-1.00
64890	63.4	64.0	.6	100		44	-1.00	3.08	.22	2.86	6.1	11.64	-1.00
64891	64.0	65.4	1.4	100		2	-1.00	8.92	2.77	6.15	48.6	15.91	-1.00
64892	65.4	66.2	.8	100		44	-1.00	.22	.01	.21	.6	7.75	-1.00
64893	66.2	67.3	1.1	100		7	-1.00	28.69	9.79	18.90	175.3	15.83	-1.00
64894	67.3	69.1	1.8	100		2	-1.00	3.61	.68	2.93	84.6	8.72	-1.00
64895	69.1	69.8	.7	100		2	-1.00	16.74	7.34	9.40	78.2	20.88	-1.00
64896	69.8	71.7	1.9	100		44	-1.00	11.91	4.43	7.48	13.2	10.03	-1.00
64897	71.7	73.5	1.8	100		7	-1.00	12.87	3.61	9.26	138.9	8.82	-1.00
64898	73.5	74.5	1.0	100		7	-1.00	20.85	6.75	14.10	146.2	22.59	-1.00
64899	74.5	74.8	.3	100		20	-1.00	2.47	.33	2.14	11.0	8.68	-1.00
64900	74.8	75.9	1.1	100		7	-1.00	20.12	6.42	13.70	114.8	22.72	-1.00
64901	75.9	77.0	1.1	100		2	-1.00	10.28	3.58	6.70	71.5	12.34	-1.00
64902	77.0	78.4	1.4	100		2	-1.00	7.82	2.23	5.59	49.7	10.10	-1.00
0	78.4	100.0	21.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G15 Section: W75
 Northing: 6424.8 Easting: 2855.2 Elevation: 1277.7
 Length: 100.0 Core: NQ Record: 535

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	34.6	34.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64973	34.6	35.5	.9	100		2	-1.00	6.36	1.66	4.70	31.1	6.19	-1.00
64974	35.5	37.6	2.1	100		2	-1.00	7.05	1.30	5.75	46.8	3.45	-1.00
64975	37.6	38.6	1.0	100		2	-1.00	5.79	1.74	4.05	29.6	6.04	-1.00
64976	38.6	39.5	.9	100		2	-1.00	4.12	2.32	1.80	23.6	4.29	-1.00
64977	39.5	41.2	1.7	100		2	-1.00	4.51	1.64	2.87	31.2	6.61	-1.00
64978	41.2	43.7	2.5	100		2	-1.00	7.44	2.67	4.77	49.9	5.66	-1.00
64979	43.7	45.7	2.0	100		2	-1.00	6.61	3.26	3.35	55.4	6.94	-1.00
64980	45.7	47.6	1.9	100		2	-1.00	7.84	3.00	4.84	57.3	4.97	-1.00
64981	47.6	48.4	.8	100		44	-1.00	3.95	.72	3.23	15.5	10.12	-1.00
64982	48.4	50.6	2.2	100		2	-1.00	6.22	2.03	4.19	41.6	5.77	-1.00
64983	50.6	52.5	1.9	100		44	-1.00	3.66	.46	3.20	10.5	6.81	-1.00
64984	52.5	55.2	2.7	100		2	-1.00	7.08	2.91	4.17	58.8	8.85	-1.00
64985	55.2	55.8	.6	100		2	-1.00	3.16	1.32	1.84	31.6	11.57	-1.00
64986	55.8	56.4	.6	100		8	-1.00	8.47	2.77	5.70	51.3	26.90	-1.00
64987	56.4	56.9	.5	100		44	-1.00	.70	.19	.51	2.0	9.06	-1.00
64988	56.9	58.2	1.3	100		30	-1.00	2.80	.54	2.26	11.4	9.97	-1.00
0	58.2	65.6	7.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64989	65.6	66.1	.5	100		2	-1.00	3.80	1.17	2.63	25.5	12.39	-1.00
64990	66.1	66.6	.5	100		44	-1.00	4.71	.10	4.61	3.1	12.94	-1.00
64991	66.6	67.4	.8	100		7	-1.00	25.50	10.10	15.40	163.8	22.31	-1.00
64992	67.4	68.5	1.1	100		2	-1.00	10.11	3.46	6.65	68.1	15.75	-1.00
0	68.5	73.6	5.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64993	73.6	75.0	1.4	100		2	-1.00	8.86	2.47	6.39	46.9	7.94	-1.00
64994	75.0	77.1	2.1	100		2	-1.00	7.17	1.89	5.28	39.2	6.65	-1.00
64995	77.1	77.8	.7	100		20	-1.00	3.41	1.11	2.30	25.4	5.33	-1.00
64996	77.8	79.1	1.3	100		20	-1.00	4.16	1.74	2.42	27.6	3.97	-1.00
64997	79.1	80.1	1.0	100		20	-1.00	2.18	.71	1.47	11.3	4.83	-1.00
64998	80.1	80.7	.6	100		60	-1.00	1.33	.07	1.26	1.5	4.56	-1.00
64999	80.7	83.1	2.4	100		3	-1.00	2.43	.71	1.72	15.1	21.53	-1.00
65000	83.1	83.8	.7	100		20	-1.00	6.57	2.23	4.34	40.7	12.65	-1.00
63601	83.8	85.6	1.8	100		2	-1.00	13.33	4.96	8.37	93.5	13.73	-1.00
63602	85.6	86.3	.7	100		47	-1.00	4.09	1.38	2.71	38.6	9.41	-1.00
63603	86.3	88.1	1.8	100		2	-1.00	13.51	5.86	7.65	45.0	6.33	-1.00
63604	88.1	89.0	.9	100		2	-1.00	14.62	6.31	8.31	43.2	18.50	-1.00
63605	89.0	90.4	1.4	100		2	-1.00	9.88	4.26	5.62	16.5	13.74	-1.00
0	90.4	92.8	2.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63606	92.8	94.8	2.0	100		2	-1.00	12.21	4.65	7.56	53.8	15.14	-1.00
63607	94.8	96.4	1.6	100		2	-1.00	12.44	4.10	8.34	30.7	13.12	-1.00
63608	96.4	98.0	1.6	100		2	-1.00	7.84	2.90	4.94	11.5	13.14	-1.00
0	98.0	100.0	2.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G16 Section: W75
 Northing: 6424.7 Easting: 2910.0 Elevation: 1278.2
 Length: 85.3 Core: NQ Record: 536

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	23.1	23.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63609	23.1	24.0	.9	56		2	-1.00	14.81	6.60	8.21	18.7	25.41	-1.00
63610	24.0	25.8	1.8	89		2	-1.00	13.39	4.69	8.70	149.2	12.15	-1.00
63611	25.8	26.1	.3	100		7	-1.00	26.90	12.30	14.60	117.8	20.17	-1.00
63612	26.1	27.8	1.7	82		2	-1.00	9.06	3.21	5.85	125.4	8.08	-1.00
63613	27.8	30.1	2.3	100		2	-1.00	13.55	4.97	8.58	57.2	10.30	-1.00
63614	30.1	32.0	1.9	100		2	-1.00	10.08	3.56	6.52	16.2	10.62	-1.00
63615	32.0	35.1	3.1	87		2	-1.00	2.57	1.13	1.44	32.7	9.90	-1.00
63616	35.1	38.2	3.1	94		2	-1.00	2.02	.66	1.36	57.5	12.70	-1.00
63617	38.2	40.2	2.0	100		2	-1.00	5.91	2.39	3.52	10.2	4.77	-1.00
0	40.2	42.8	2.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63618	42.8	44.0	1.2	100		20	-1.00	2.15	1.15	1.00	30.1	4.74	-1.00
63619	44.0	46.1	2.1	100		2	-1.00	8.61	3.04	5.57	44.6	12.66	-1.00
63620	46.1	46.5	.4	100		8	-1.00	20.33	7.73	12.60	30.2	15.70	-1.00
63621	46.5	47.3	.8	100		2	-1.00	13.79	4.44	9.35	89.1	10.90	-1.00
63622	47.3	48.7	1.4	100		2	-1.00	7.35	2.16	5.19	31.0	7.41	-1.00
0	48.7	85.3	36.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G17 Section: W73
 Northing: 6364.3 Easting: 2871.1 Elevation: 1277.8
 Length: 75.0 Core: NQ Record: 537

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	27.6	27.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64939	27.6	29.3	1.7	100		2	-1.00	3.35	2.02	1.33	50.7	16.29	-1.00
0	29.3	34.0	4.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64940	34.0	34.4	.4	100		3	-1.00	14.87	.97	13.90	23.4	13.30	-1.00
0	34.4	35.5	1.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64941	35.5	36.3	.8	88		2	-1.00	3.70	1.11	2.59	25.2	11.92	-1.00
64942	36.3	37.3	1.0	100		2	-1.00	12.80	4.88	7.92	80.8	10.51	-1.00
64943	37.3	38.2	.9	100		2	-1.00	8.27	3.52	4.75	52.8	9.41	-1.00
64944	38.2	39.8	1.6	88		2	-1.00	6.23	1.62	4.61	37.1	4.67	-1.00
0	39.8	40.9	1.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64945	40.9	41.7	.8	100		2	-1.00	26.61	9.01	17.60	154.7	10.90	-1.00
64946	41.7	43.0	1.3	92		2	-1.00	2.21	.21	2.00	1.7	10.13	-1.00
64947	43.0	43.6	.6	100		2	-1.00	11.48	4.43	7.05	75.0	13.27	-1.00
64948	43.6	44.5	.9	78		2	-1.00	7.51	2.39	5.12	40.6	12.55	-1.00
0	44.5	45.5	1.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64949	45.5	47.4	1.9	84		2	-1.00	16.23	5.83	10.40	98.7	13.26	-1.00
64950	47.4	48.3	.9	100		2	-1.00	8.71	1.97	6.74	36.6	9.96	-1.00
0	48.3	75.0	26.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G18 Section: W73
 Northing: 6364.6 Easting: 2840.1 Elevation: 1278.1
 Length: 100.0 Core: NQ Record: 538

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	12.1	12.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64903	12.1	13.9	1.8	33		2	-1.00	15.05	4.95	10.10	102.1	6.53	-1.00
64904	13.9	14.3	.4	100		2	-1.00	9.27	3.76	5.51	72.4	6.79	-1.00
64905	14.3	15.5	1.2	83		2	-1.00	6.21	2.26	3.95	48.4	3.89	-1.00
64906	15.5	17.4	1.9	100		2	-1.00	9.24	2.73	6.51	58.2	3.33	-1.00
64907	17.4	19.7	2.3	100		2	-1.00	6.71	2.62	4.09	49.9	5.19	-1.00
64908	19.7	20.3	.6	100		2	-1.00	10.02	4.32	5.70	73.6	7.30	-1.00
64909	20.3	23.2	2.9	100		2	-1.00	5.85	2.03	3.82	41.0	7.47	-1.00
64910	23.2	25.5	2.3	96		2	-1.00	7.49	3.17	4.32	56.1	10.44	-1.00
64911	25.5	26.9	1.4	100		2	-1.00	15.81	6.18	9.63	109.3	9.01	-1.00
64912	26.9	29.3	2.4	100		2	-1.00	16.63	6.23	10.40	124.1	8.06	-1.00
64913	29.3	29.9	.6	83		72	-1.00	6.44	.10	6.34	1.5	12.30	-1.00
64914	29.9	32.9	3.0	83		2	-1.00	4.20	1.36	2.84	27.1	4.43	-1.00
64915	32.9	34.8	1.9	68		44	-1.00	4.12	1.04	3.08	17.8	7.10	-1.00
64916	34.8	36.9	2.1	100		2	2.74	8.14	3.96	4.18	71.1	5.69	-1.00
64917	36.9	38.2	1.3	100		2	-1.00	5.04	1.50	3.54	29.8	2.24	-1.00
64918	38.2	38.9	.7	100		2	-1.00	11.20	4.23	6.97	88.0	4.70	-1.00
64919	38.9	39.8	.9	89		3	-1.00	22.53	6.93	15.60	111.5	18.73	-1.00
64920	39.8	41.5	1.7	88		2	-1.00	12.50	3.74	8.76	72.6	6.22	-1.00
64921	41.5	43.4	1.9	100		2	-1.00	13.07	3.56	9.51	68.8	7.04	-1.00
0	43.4	53.2	9.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64922	53.2	54.9	1.7	94		7	-1.00	25.20	10.00	15.20	159.4	14.95	-1.00
64923	54.9	56.9	2.0	100		2	-1.00	5.39	1.63	3.76	27.6	11.19	-1.00
64924	56.9	59.3	2.4	100		2	-1.00	6.48	1.91	4.57	38.9	5.04	-1.00
64925	59.3	60.9	1.6	100		20	-1.00	1.81	.61	1.20	9.6	3.56	-1.00
64926	60.9	61.1	.2	100		2	-1.00	8.71	3.34	5.37	55.9	2.56	-1.00
64927	61.1	61.5	.4	100		30	-1.00	4.95	2.00	2.95	32.4	3.58	-1.00
64928	61.5	63.4	1.9	100		2	-1.00	16.52	6.83	9.69	107.1	13.65	-1.00
64929	63.4	64.2	.8	100		2	-1.00	6.48	2.58	3.90	41.0	6.92	-1.00
64930	64.2	66.5	2.3	100		2	3.02	7.66	2.83	4.83	62.9	13.68	-1.00
64931	66.5	68.7	2.2	55		2	-1.00	6.40	1.78	4.62	47.4	11.41	-1.00
64932	68.7	69.6	.9	100		2	-1.00	8.84	2.53	6.31	56.5	17.12	-1.00
64933	69.6	71.2	1.6	100		2	-1.00	6.31	1.87	4.44	43.6	13.23	-1.00
64934	71.2	72.5	1.3	100		2	-1.00	7.25	2.23	5.02	53.2	14.97	-1.00
64935	72.5	73.0	.5	100		44	-1.00	.82	.22	.60	3.7	12.65	-1.00
64936	73.0	74.9	1.9	100		2	-1.00	8.06	3.12	4.94	50.5	12.82	-1.00
64937	74.9	75.9	1.0	100		2	-1.00	9.81	4.83	4.98	98.9	8.33	-1.00
64938	75.9	77.6	1.7	100		2	3.28	18.22	7.42	10.80	128.6	11.44	-1.00
0	77.6	100.0	22.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G19 Section: W73
 Northing: 6364.6 Easting: 2809.6 Elevation: 1278.1
 Length: 110.0 Core: NQ Record: 539

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	31.5	31.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64951	31.5	33.0	1.5	73		47	-1.00	.77	.28	.49	4.6	12.12	-1.00
64952	33.0	34.8	1.8	100		2	-1.00	1.56	.58	.98	10.9	13.08	-1.00
64953	34.8	38.1	3.3	91		2	-1.00	1.69	.53	1.16	9.6	17.76	-1.00
64954	38.1	39.8	1.7	100		47	-1.00	.98	.31	.67	5.5	7.83	-1.00
0	39.8	46.5	6.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64955	46.5	47.2	.7	100		2	-1.00	2.77	.62	2.15	13.8	6.78	-1.00
0	47.2	71.9	24.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64956	71.9	73.5	1.6	100		7	-1.00	15.63	5.85	9.78	109.1	14.58	-1.00
64957	73.5	76.1	2.6	100		2	-1.00	6.10	2.05	4.05	35.9	12.55	-1.00
0	76.1	81.0	4.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64958	81.0	84.6	3.6	100		2	-1.00	6.18	2.23	3.95	39.9	16.61	-1.00
0	84.6	85.6	1.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64959	85.6	86.9	1.3	100		2	-1.00	7.91	2.73	5.18	41.5	8.54	-1.00
64960	86.9	88.3	1.4	86		2	-1.00	6.48	2.21	4.27	35.3	3.30	-1.00
64961	88.3	89.7	1.4	100		2	-1.00	5.19	1.92	3.27	31.9	3.40	-1.00
64962	89.7	91.4	1.7	100		2	-1.00	5.66	2.17	3.49	33.8	4.14	-1.00
64963	91.4	92.7	1.3	92		54	-1.00	2.77	.79	1.98	13.2	1.39	-1.00
64964	92.7	94.0	1.3	100		2	-1.00	3.56	1.15	2.41	17.6	6.50	-1.00
64965	94.0	96.3	2.3	96		2	-1.00	10.16	4.68	5.48	72.6	10.35	-1.00
64966	96.3	97.0	.7	100		47	-1.00	1.54	.48	1.06	9.5	8.06	-1.00
64967	97.0	98.5	1.5	100		2	-1.00	10.28	3.90	6.38	61.0	9.12	-1.00
64968	98.5	100.4	1.9	74		54	-1.00	.55	.11	.44	.9	6.11	-1.00
64969	100.4	102.4	2.0	100		2	-1.00	16.03	5.03	11.00	85.5	10.41	-1.00
64970	102.4	105.5	3.1	97		2	-1.00	17.29	5.59	11.70	103.4	10.09	-1.00
64971	105.5	108.2	2.7	100		2	-1.00	11.10	3.60	7.50	57.3	9.56	-1.00
64972	108.2	110.0	1.8	100		2	-1.00	8.41	2.69	5.72	49.9	10.67	-1.00

Drill Hole: 91G20 Section: W69
 Northing: 6243.7 Easting: 2657.5 Elevation: 1277.9
 Length: 105.5 Core: NQ Record: 540

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	30.4	30.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64849	30.4	31.2	.8	100		3	-1.00	18.94	8.64	10.30	167.6	17.96	-1.00
64850	31.2	32.6	1.4	86		5	-1.00	5.39	2.79	2.60	40.4	14.97	-1.00
0	32.6	59.7	27.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64851	59.7	61.2	1.5	100		52	-1.00	3.98	1.93	2.05	25.0	15.92	-1.00
64852	61.2	62.4	1.2	100		7	-1.00	10.47	5.56	4.91	91.6	21.81	-1.00
64853	62.4	64.0	1.6	100		5	-1.00	9.05	4.77	4.28	64.9	25.59	-1.00
64854	64.0	65.3	1.3	100		5	-1.00	11.56	6.82	4.74	73.4	27.67	-1.00
64855	65.3	67.2	1.9	100		5	-1.00	1.49	.64	.85	13.4	33.66	-1.00
64856	67.2	68.6	1.4	100		7	4.54	7.43	3.16	4.27	59.2	22.58	-1.00
0	68.6	97.1	28.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64857	97.1	98.7	1.6	100		5	-1.00	17.01	7.09	9.92	141.3	24.88	-1.00
64858	98.7	100.3	1.6	100		5	-1.00	10.97	4.10	6.87	78.0	23.36	-1.00
64859	100.3	101.9	1.6	100		5	-1.00	16.60	6.20	10.40	104.9	24.35	-1.00
64860	101.9	102.5	.6	100		30	-1.00	1.25	.57	.68	9.2	6.72	-1.00
64861	102.5	103.3	.8	100		5	-1.00	11.46	4.71	6.75	74.5	21.26	-1.00
64862	103.3	104.9	1.6	100		30	-1.00	.71	.26	.45	5.2	6.81	-1.00
64863	104.9	105.5	.6	100		5	-1.00	7.16	3.15	4.01	52.5	25.41	-1.00

Drill Hole: 91G21 Section: W77
 Northing: 6486.2 Easting: 2981.7 Elevation: 1286.2
 Length: 79.9 Core: NQ Record: 541

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	79.9	79.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G22 Section: W77
 Northing: 6485.7 Easting: 2967.2 Elevation: 1285.7
 Length: 79.9 Core: NQ Record: 542

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	54.0	54.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64343	54.0	54.9	.9	100		3	-1.00	4.90	2.66	2.24	31.1	7.82	-1.00
64344	54.9	55.8	.9	78		47	-1.00	.08	.07	.01	1.0	7.33	-1.00
64345	55.8	57.2	1.4	100		3	-1.00	11.01	3.24	7.77	81.7	11.68	-1.00
64346	57.2	58.3	1.1	91		47	-1.00	.73	.47	.26	7.0	6.96	-1.00
64347	58.3	58.9	.6	100		3	-1.00	13.58	5.17	8.41	110.1	18.25	-1.00
64348	58.9	59.4	.5	100		44	-1.00	.65	.14	.51	2.9	9.93	-1.00
64349	59.4	60.0	.6	100		5	-1.00	10.80	3.89	6.91	78.0	29.98	-1.00
64350	60.0	60.7	.7	86		47	-1.00	5.46	1.78	3.68	21.8	15.28	-1.00
64351	60.7	62.0	1.3	69		54	-1.00	.99	.45	.54	8.5	6.68	-1.00
64352	62.0	62.4	.4	100		30	-1.00	2.00	.66	1.34	12.2	3.91	-1.00
64353	62.4	63.0	.6	100		5	-1.00	1.74	1.24	.50	22.4	24.74	-1.00
64354	63.0	64.0	1.0	100		2	-1.00	1.80	.88	.92	19.7	12.29	-1.00
64355	64.0	65.5	1.5	87		2	-1.00	4.10	1.93	2.17	28.2	4.64	-1.00
64356	65.5	67.1	1.6	94		2	-1.00	6.39	2.18	4.21	31.8	2.71	-1.00
64357	67.1	68.3	1.2	75		2	-1.00	6.45	1.66	4.79	20.6	6.30	-1.00
64358	68.3	68.7	.4	100		72	-1.00	2.52	.15	2.37	2.6	8.40	-1.00
64359	68.7	69.4	.7	86		2	-1.00	.38	.30	.08	6.0	11.90	-1.00
64360	69.4	70.8	1.4	100		2	-1.00	4.11	.88	3.23	16.7	5.94	-1.00
64361	70.8	72.5	1.7	76		2	-1.00	6.14	2.03	4.11	41.0	11.53	-1.00
64362	72.5	73.9	1.4	100		2	-1.00	2.91	1.06	1.85	20.7	3.33	-1.00
64363	73.9	75.9	2.0	65		2	-1.00	7.76	2.97	4.79	59.3	1.66	-1.00
0	75.9	79.9	4.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G23 Section: W75
 Northing: 6425.0 Easting: 2947.1 Elevation: 1284.9
 Length: 70.1 Core: NQ Record: 543

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	29.6	29.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63640	29.6	33.5	3.9	33		2	-1.00	6.93	1.71	5.22	164.8	3.82	-1.00
0	33.5	34.9	1.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63641	34.9	36.5	1.6	19		30	-1.00	6.12	1.21	4.91	17.7	7.51	-1.00
0	36.5	37.1	.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63642	37.1	37.6	.5	60		5	-1.00	29.50	11.60	17.90	346.0	20.58	-1.00
0	37.6	42.6	5.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63643	42.6	43.6	1.0	60		30	-1.00	3.36	1.12	2.24	21.3	4.83	-1.00
63644	43.6	45.9	2.3	83		2	-1.00	13.51	4.87	8.64	88.3	13.56	-1.00
0	45.9	70.1	24.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G24 Section: W73
 Northing: 6361.8 Easting: 2914.2 Elevation: 1284.8
 Length: 76.2 Core: NQ Record: 544

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	76.2	76.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G25 Section: W71
 Northing: 6301.8 Easting: 2850.8 Elevation: 1284.6
 Length: 93.0 Core: NQ Record: 545

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	70.0	70.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64864	70.0	71.5	1.5	33		60	-1.00	28.78	24.10	4.68	363.0	2.58	-1.00
0	71.5	85.8	14.3	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64865	85.8	86.4	.6	100		5	-1.00	10.05	6.32	3.73	126.0	15.27	-1.00
0	86.4	93.0	6.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G26 Section: W76
 Northing: 6275.6 Easting: 2834.0 Elevation: 1284.6
 Length: 103.6 Core: NQ Record: 546

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	92.6	92.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64785	92.6	94.6	2.0	100		3	-1.00	19.93	8.83	11.10	101.4	13.06	-1.00
64786	94.6	96.1	1.5	100		7	-1.00	14.63	6.09	8.54	80.7	13.11	-1.00
64787	96.1	97.5	1.4	100		7	-1.00	11.59	4.43	7.16	85.1	7.38	-1.00
64788	97.5	99.1	1.6	100		2	-1.00	5.21	1.89	3.32	34.1	3.66	-1.00
64789	99.1	99.8	.7	100		2	-1.00	7.30	2.53	4.77	53.7	2.08	-1.00
0	99.8	103.6	3.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G27 Section: W69
 Northing: 6242.8 Easting: 2779.4 Elevation: 1289.3
 Length: 106.1 Core: NQ Record: 547

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	55.2	55.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64649	55.2	55.5	.3	100		52	-1.00	8.60	3.60	5.00	41.7	10.26	-1.00
64650	55.5	56.2	.7	29		74	-1.00	2.73	1.09	1.64	13.3	6.15	-1.00
64651	56.2	57.3	1.1	73		2	-1.00	3.78	1.35	2.43	24.1	5.51	-1.00
64652	57.3	58.9	1.6	100		30	-1.00	2.17	.99	1.18	11.7	5.54	-1.00
64653	58.9	59.7	.8	100		20	-1.00	.02	.01	.01	.1	5.20	-1.00
0	59.7	99.8	40.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64654	99.8	101.0	1.2	100		52	-1.00	2.88	.85	2.03	13.4	8.07	-1.00
0	101.0	106.1	5.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G28 Section: W69
 Northing: 6236.2 Easting: 2755.8 Elevation: 1288.1
 Length: 109.1 Core: NQ Record: 548

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	51.7	51.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64710	51.7	52.7	1.0	50		2	-1.00	11.80	3.48	8.32	53.9	9.88	-1.00
0	52.7	82.1	29.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64711	82.1	83.0	.9	89		2	-1.00	3.27	1.01	2.26	26.7	6.71	-1.00
64712	83.0	83.7	.7	71		74	-1.00	.27	.05	.22	1.1	5.44	-1.00
64713	83.7	86.0	2.3	70		2	-1.00	5.65	1.72	3.93	34.5	8.90	-1.00
0	86.0	92.5	6.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64714	92.5	94.0	1.5	100		3	-1.00	5.66	4.06	1.60	59.3	5.97	-1.00
64715	94.0	95.5	1.5	100		3	-1.00	9.99	5.91	4.08	84.0	6.42	-1.00
64716	95.5	97.0	1.5	100		3	-1.00	3.70	1.86	1.84	30.6	5.47	-1.00
64717	97.0	98.9	1.9	100		52	-1.00	4.26	1.99	2.27	33.7	7.81	-1.00
64718	98.9	100.2	1.3	100		3	-1.00	3.19	.91	2.28	16.3	6.80	-1.00
64719	100.2	101.6	1.4	100		3	-1.00	2.83	.99	1.84	17.7	5.78	-1.00
64720	101.6	102.3	.7	100		72	-1.00	2.75	.49	2.26	11.8	7.12	-1.00
64721	102.3	103.1	.8	100		3	-1.00	11.07	3.09	7.98	46.1	8.56	-1.00
64722	103.1	104.4	1.3	100		5	-1.00	15.10	5.32	9.78	83.2	13.39	-1.00
64723	104.4	105.7	1.3	100		5	-1.00	15.99	5.64	10.35	81.4	14.52	-1.00
64724	105.7	106.2	.5	100		3	-1.00	6.59	2.53	4.06	28.5	10.51	-1.00
64725	106.2	107.3	1.1	100		3	-1.00	3.30	.86	2.44	8.8	3.99	-1.00
0	107.3	109.1	1.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G29 Section: W67
 Northing: 6183.1 Easting: 2826.5 Elevation: 1288.9
 Length: 104.9 Core: NQ Record: 549

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	35.1	35.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64559	35.1	37.2	2.1	52		8	-1.00	13.90	5.95	7.95	101.6	12.64	-1.00
64560	37.2	38.3	1.1	100		8	-1.00	11.26	5.62	5.64	114.4	12.45	-1.00
64561	38.3	39.6	1.3	100		20	-1.00	.12	.05	.07	1.2	3.62	-1.00
0	39.6	47.4	7.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64562	47.4	49.4	2.0	100		3	-1.00	2.51	1.36	1.15	22.6	5.38	-1.00
64563	49.4	51.1	1.7	100		5	-1.00	24.10	13.90	10.20	183.8	19.16	-1.00
64564	51.1	52.9	1.8	94		3	-1.00	3.42	1.76	1.66	31.5	7.38	-1.00
64565	52.9	54.1	1.2	100		5	-1.00	17.58	8.17	9.41	134.2	12.43	-1.00
64566	54.1	55.5	1.4	93		3	-1.00	2.71	1.28	1.43	19.6	8.10	-1.00
64567	55.5	56.8	1.3	100		3	-1.00	4.65	2.50	2.15	41.7	8.78	-1.00
64568	56.8	58.4	1.6	81		5	-1.00	25.20	15.00	10.20	188.7	21.18	-1.00
64569	58.4	59.7	1.3	100		52	-1.00	5.13	2.04	3.09	39.5	8.23	-1.00
64570	59.7	60.8	1.1	82		7	-1.00	14.57	7.01	7.56	117.2	22.55	-1.00
64571	60.8	61.7	.9	100		20	-1.00	.62	.23	.39	3.8	3.87	-1.00
64572	61.7	63.0	1.3	100		3	-1.00	6.22	2.05	4.17	34.2	7.20	-1.00
64573	63.0	65.0	2.0	100		20	-1.00	.19	.01	.18	1.0	4.84	-1.00
64574	65.0	67.1	2.1	100		20	-1.00	3.48	1.46	2.02	23.9	4.64	-1.00
64575	67.1	67.8	.7	100		7	-1.00	11.92	3.37	8.55	65.5	7.08	-1.00
0	67.8	75.4	7.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64576	75.4	76.3	.9	89		5	-1.00	16.47	6.87	9.60	107.3	16.72	-1.00
64577	76.3	78.1	1.8	72		3	-1.00	4.17	1.28	2.89	27.0	6.33	-1.00
64578	78.1	81.7	3.6	25		3	-1.00	1.29	.45	.84	8.6	3.98	-1.00
64579	81.7	83.1	1.4	100		3	-1.00	12.92	3.60	9.32	60.0	9.66	-1.00
64580	83.1	85.0	1.9	68		5	-1.00	14.45	7.28	7.17	123.3	22.34	-1.00
64581	85.0	86.3	1.3	85		52	-1.00	2.56	.84	1.72	15.3	5.82	-1.00
64582	86.3	88.4	2.1	62		52	-1.00	.79	.35	.44	6.1	3.52	-1.00
64583	88.4	89.6	1.2	83		3	-1.00	11.68	4.35	7.33	65.7	9.55	-1.00
64584	89.6	91.0	1.4	86		20	-1.00	.45	.09	.36	1.5	3.98	-1.00
64585	91.0	92.3	1.3	85		20	-1.00	.77	.38	.39	5.9	3.16	-1.00
64586	92.3	93.7	1.4	100		52	-1.00	1.09	.25	.84	4.8	4.82	-1.00
64587	93.7	95.1	1.4	100		52	-1.00	1.29	.35	.94	5.1	3.57	-1.00
64588	95.1	96.6	1.5	100		52	-1.00	1.07	.36	.71	5.0	3.82	-1.00
64589	96.6	97.9	1.3	100		52	-1.00	.20	.08	.12	1.7	4.21	-1.00
64590	97.9	99.3	1.4	100		52	-1.00	.19	.01	.18	1.5	5.74	-1.00
0	99.3	104.9	5.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G30 Section: W65
 Northing: 6122.1 Easting: 2812.0 Elevation: 1286.1
 Length: 66.1 Core: NQ Record: 550

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	59.4	59.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64364	59.4	59.8	.4	100		52	-1.00	.07	.06	.01	1.3	9.54	-1.00
0	59.8	61.8	2.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64365	61.8	62.5	.7	100		52	-1.00	.03	.02	.01	.7	5.82	-1.00
0	62.5	66.1	3.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G31 Section: W67
 Northing: 6182.4 Easting: 2642.2 Elevation: 1277.1
 Length: 99.1 Core: NQ Record: 551

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	44.3	44.3	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64591	44.3	45.0	.7	71		7	-1.00	7.42	4.04	3.38	49.6	19.45	-1.00
64592	45.0	46.4	1.4	79		7	-1.00	10.90	5.28	5.62	58.8	17.37	-1.00
64593	46.4	47.6	1.2	100		5	-1.00	4.02	2.21	1.81	27.0	23.56	-1.00
64594	47.6	48.5	.9	89		5	-1.00	11.34	3.39	7.95	52.4	18.71	-1.00
0	48.5	67.9	19.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64595	67.9	69.4	1.5	93		5	-1.00	30.60	11.10	19.50	166.4	10.81	-1.00
64596	69.4	70.4	1.0	100		5	-1.00	31.80	11.70	20.10	188.3	13.41	-1.00
64597	70.4	70.8	.4	100		5	-1.00	23.62	7.92	15.70	116.7	13.48	-1.00
64598	70.8	71.5	.7	86		7	-1.00	16.35	5.85	10.50	96.0	9.84	-1.00
64599	71.5	71.9	.4	100		5	-1.00	12.65	7.63	5.02	108.2	20.48	-1.00
64600	71.9	72.8	.9	78		7	-1.00	13.86	3.85	10.01	76.9	7.42	-1.00
64601	72.8	74.1	1.3	92		5	-1.00	21.34	6.84	14.50	95.7	15.78	-1.00
64602	74.1	75.5	1.4	100		7	-1.00	14.17	4.66	9.51	96.2	8.17	-1.00
64603	75.5	76.3	.8	75		5	-1.00	21.29	6.89	14.40	110.7	14.13	-1.00
64604	76.3	77.2	.9	100		5	-1.00	12.27	3.48	8.79	43.6	20.05	-1.00
64605	77.2	78.4	1.2	92		5	-1.00	15.18	5.31	9.87	62.3	20.36	-1.00
64606	78.4	79.6	1.2	92		5	-1.00	13.83	4.51	9.32	67.4	20.18	-1.00
64607	79.6	81.0	1.4	100		5	-1.00	15.88	4.78	11.10	67.0	19.83	-1.00
64608	81.0	82.0	1.0	100		5	-1.00	17.33	7.43	9.90	100.2	16.48	-1.00
64609	82.0	82.4	.4	75		5	-1.00	15.30	5.00	10.30	72.1	17.49	-1.00
64610	82.4	84.6	2.2	77		30	-1.00	1.34	.29	1.05	4.7	5.09	-1.00
64611	84.6	85.4	.8	100		5	-1.00	10.89	4.86	6.03	74.9	17.48	-1.00
64612	85.4	86.0	.6	100		7	-1.00	15.51	5.11	10.40	133.3	6.25	-1.00
64613	86.0	86.3	.3	100		5	-1.00	4.77	2.22	2.55	26.8	18.46	-1.00
64614	86.3	87.1	.8	75		52	-1.00	.68	.13	.55	2.7	7.79	-1.00
64615	87.1	88.1	1.0	100		5	-1.00	11.85	4.32	7.53	94.5	13.56	-1.00
64616	88.1	89.1	1.0	100		5	-1.00	12.90	5.03	7.87	100.0	15.27	-1.00
64617	89.1	90.4	1.3	100		7	-1.00	9.89	3.13	6.76	62.5	9.94	-1.00
64618	90.4	90.7	.3	100		7	-1.00	11.01	3.97	7.04	63.2	14.06	-1.00
64619	90.7	91.4	.7	100		5	-1.00	9.53	3.57	5.96	44.9	16.62	-1.00
64620	91.4	92.1	.7	100		5	-1.00	12.19	4.13	8.06	89.1	13.64	-1.00
64621	92.1	93.1	1.0	100		7	-1.00	12.41	4.30	8.11	71.9	11.84	-1.00
0	93.1	99.1	6.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G32 Section: W67
 Northing: 6183.2 Easting: 2704.3 Elevation: 1278.4
 Length: 99.1 Core: NQ Record: 552

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	46.6	46.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64726	46.6	47.9	1.3	92		3	-1.00	10.46	4.94	5.52	98.7	4.12	-1.00
64727	47.9	49.2	1.3	100		3	-1.00	17.86	9.31	8.55	181.9	4.98	-1.00
64728	49.2	51.1	1.9	26		72	-1.00	5.43	3.25	2.18	34.6	5.05	-1.00
64729	51.1	52.1	1.0	100		3	-1.00	13.11	5.49	7.62	94.5	4.54	-1.00
64730	52.1	53.1	1.0	100		3	-1.00	7.20	2.24	4.96	38.4	3.59	-1.00
64731	53.1	54.6	1.5	100		3	-1.00	8.17	2.84	5.33	43.1	15.54	-1.00
64732	54.6	56.1	1.5	100		3	-1.00	6.62	2.05	4.57	35.7	13.39	-1.00
64733	56.1	57.6	1.5	100		3	-1.00	10.12	3.26	6.86	50.2	13.87	-1.00
64734	57.6	59.1	1.5	100		3	-1.00	9.24	2.85	6.39	42.5	16.18	-1.00
64735	59.1	60.6	1.5	100		3	-1.00	8.53	3.28	5.25	50.9	16.80	-1.00
64736	60.6	62.1	1.5	100		3	-1.00	5.42	2.61	2.81	49.6	14.93	-1.00
64737	62.1	63.6	1.5	93		3	-1.00	6.61	2.43	4.18	48.2	12.10	-1.00
64738	63.6	65.5	1.9	95		3	-1.00	7.51	3.12	4.39	65.7	14.12	-1.00
64739	65.5	67.6	2.1	76		20	-1.00	2.04	.40	1.64	5.8	5.76	-1.00
64740	67.6	69.1	1.5	93		3	-1.00	5.53	1.56	3.97	34.1	13.31	-1.00
64741	69.1	70.5	1.4	100		3	-1.00	4.69	1.77	2.92	32.9	13.64	-1.00
64742	70.5	72.8	2.3	100		3	-1.00	1.80	.36	1.44	6.0	5.31	-1.00
64743	72.8	74.2	1.4	100		3	-1.00	1.78	.46	1.32	6.4	3.96	-1.00
64744	74.2	75.3	1.1	100		3	-1.00	2.20	.36	1.84	4.9	5.00	-1.00
64745	75.3	76.9	1.6	100		3	-1.00	10.58	4.04	6.54	50.9	13.40	-1.00
64746	76.9	78.6	1.7	100		5	-1.00	21.26	7.86	13.40	121.8	17.61	-1.00
64747	78.6	79.9	1.3	85		3	-1.00	27.02	9.62	17.40	159.0	9.84	-1.00
64748	79.9	81.1	1.2	75		3	-1.00	27.07	10.17	16.90	155.2	10.80	-1.00
64749	81.1	82.1	1.0	100		3	-1.00	24.81	8.61	16.20	118.8	6.09	-1.00
64750	82.1	83.1	1.0	100		3	-1.00	20.91	7.01	13.90	103.8	6.24	-1.00
64751	83.1	84.3	1.2	92		3	-1.00	19.76	7.46	12.30	105.7	8.28	-1.00
64752	84.3	85.5	1.2	100		3	-1.00	22.86	7.96	14.90	126.6	6.80	-1.00
64753	85.5	86.7	1.2	100		5	-1.00	24.62	8.62	16.00	90.3	16.51	-1.00
64754	86.7	88.2	1.5	93		2	-1.00	3.65	1.45	2.20	31.0	9.48	-1.00
64755	88.2	89.7	1.5	100		2	-1.00	.67	.31	.36	14.9	11.34	-1.00
64756	89.7	91.2	1.5	93		2	-1.00	.24	.09	.15	24.9	11.35	-1.00
64757	91.2	92.7	1.5	100		2	-1.00	.22	.10	.12	29.6	11.68	-1.00
64758	92.7	94.2	1.5	100		2	-1.00	2.64	1.32	1.32	36.4	9.86	-1.00
64759	94.2	95.7	1.5	100		2	-1.00	1.21	.51	.70	20.9	10.86	-1.00
64760	95.7	97.2	1.5	100		2	-1.00	2.40	1.32	1.08	25.5	8.85	-1.00
64761	97.2	98.7	1.5	73		2	-1.00	1.04	.49	.55	13.3	7.54	-1.00
0	98.7	99.1	.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G33 Section: W65
 Northing: 6124.6 Easting: 2704.3 Elevation: 1277.2
 Length: 79.9 Core: NQ Record: 553

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	40.5	40.5	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64462	40.5	42.2	1.7	65		52	-1.00	.24	.07	.17	.1	7.02	-1.00
64463	42.2	43.9	1.7	59		52	-1.00	.47	.26	.21	3.5	6.49	-1.00
0	43.9	55.9	12.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64464	55.9	56.1	.2	100		52	-1.00	.31	.09	.22	.1	7.38	-1.00
0	56.1	58.7	2.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64465	58.7	59.5	.8	75		5	-1.00	24.25	7.85	16.40	34.8	16.96	-1.00
64466	59.5	60.7	1.2	83		2	-1.00	2.83	1.20	1.63	134.4	13.51	-1.00
64467	60.7	61.5	.8	88		2	-1.00	5.47	1.87	3.60	40.5	14.12	-1.00
64468	61.5	61.8	.3	100		5	-1.00	20.38	7.48	12.90	126.9	14.03	-1.00
64469	61.8	63.1	1.3	77		2	-1.00	9.10	3.02	6.08	62.1	10.46	-1.00
0	63.1	69.5	6.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64470	69.5	70.9	1.4	100		52	-1.00	.34	.11	.23	1.8	6.91	-1.00
0	70.9	79.9	9.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G34 Section: W65
 Northing: 6121.6 Easting: 2641.5 Elevation: 1276.2
 Length: 93.9 Core: NQ Record: 554

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	41.8	41.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64488	41.8	43.2	1.4	43		5	-1.00	10.88	5.51	5.37	72.2	19.75	-1.00
64489	43.2	44.8	1.6	44		2	-1.00	11.96	5.10	6.86	65.5	7.45	-1.00
64490	44.8	45.7	.9	100		2	-1.00	5.83	2.55	3.28	33.1	5.05	-1.00
64491	45.7	47.7	2.0	75		2	-1.00	4.07	1.27	2.80	21.3	5.91	-1.00
64492	47.7	49.1	1.4	100		2	-1.00	2.52	1.11	1.41	15.1	6.78	-1.00
64493	49.1	50.3	1.2	92		2	-1.00	2.53	1.17	1.36	15.3	9.34	-1.00
64494	50.3	52.1	1.8	72		2	-1.00	3.04	1.04	2.00	16.6	6.69	-1.00
64495	52.1	53.9	1.8	78		2	-1.00	5.15	1.79	3.36	26.4	7.80	-1.00
64496	53.9	54.9	1.0	90		52	-1.00	7.76	2.52	5.24	36.9	4.83	-1.00
64497	54.9	55.4	.5	80		44	-1.00	3.63	.49	3.14	6.6	8.26	-1.00
64498	55.4	56.7	1.3	92		52	-1.00	2.20	.89	1.31	12.6	3.81	-1.00
64499	56.7	58.2	1.5	100		52	-1.00	1.54	.48	1.06	7.3	4.71	-1.00
64500	58.2	60.1	1.9	100		52	-1.00	1.36	.33	1.03	5.5	5.77	-1.00
64501	60.1	61.2	1.1	100		52	-1.00	.29	.01	.28	1.1	5.13	-1.00
64502	61.2	62.7	1.5	100		52	-1.00	.33	.07	.26	1.2	6.61	-1.00
64503	62.7	64.2	1.5	73		52	-1.00	.93	.01	.92	1.4	7.14	-1.00
64504	64.2	65.8	1.6	94		52	-1.00	.77	.32	.45	5.3	8.86	-1.00
64505	65.8	67.6	1.8	100		52	-1.00	.63	.33	.30	4.9	6.62	-1.00
64506	67.6	68.0	.4	100		52	-1.00	.36	.08	.28	1.9	7.72	-1.00
64507	68.0	68.6	.6	100		2	-1.00	1.76	.57	1.19	9.9	8.28	-1.00
64508	68.6	70.3	1.7	100		2	-1.00	2.16	.38	1.78	8.5	10.28	-1.00
64509	70.3	71.2	.9	100		60	-1.00	.87	.19	.68	4.3	6.34	-1.00
64510	71.2	71.6	.4	100		2	-1.00	17.66	4.76	12.90	77.8	22.74	-1.00
64511	71.6	73.1	1.5	100		5	-1.00	19.53	5.93	13.60	95.7	24.32	-1.00
64512	73.1	74.7	1.6	100		5	-1.00	9.21	3.55	5.66	50.1	31.77	-1.00
64513	74.7	75.9	1.2	100		5	-1.00	7.99	3.19	4.80	33.0	27.66	-1.00
64514	75.9	77.5	1.6	100		5	-1.00	8.85	3.20	5.65	42.4	29.79	-1.00
64515	77.5	78.3	.8	100		3	-1.00	21.60	6.60	15.00	114.2	13.89	-1.00
64516	78.3	79.4	1.1	100		5	-1.00	7.97	2.62	5.35	69.6	23.22	-1.00
64517	79.4	81.1	1.7	94		20	-1.00	.31	.07	.24	1.5	4.55	-1.00
64518	81.1	82.2	1.1	100		20	-1.00	.36	.09	.27	1.7	6.13	-1.00
64519	82.2	82.5	.3	100		7	-1.00	6.56	2.24	4.32	44.3	15.81	-1.00
0	82.5	93.9	11.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G35 Section: W64
 Northing: 6091.1 Easting: 2656.1 Elevation: 1276.1
 Length: 95.1 Core: NQ Record: 555

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	58.3	58.3	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64366	58.3	59.4	1.1	100		5	-1.00	11.08	4.12	6.96	73.3	32.70	-1.00
64367	59.4	60.6	1.2	83		5	-1.00	7.12	1.76	5.36	21.4	20.67	-1.00
64368	60.6	62.1	1.5	100		5	-1.00	7.34	2.49	4.85	32.7	33.46	-1.00
64369	62.1	63.6	1.5	100		3	-1.00	16.27	5.67	10.60	88.4	33.15	-1.00
64370	63.6	64.9	1.3	85		5	-1.00	11.19	4.09	7.10	69.9	37.47	-1.00
64371	64.9	66.0	1.1	100		5	-1.00	13.17	6.11	7.06	91.1	33.05	-1.00
0	66.0	92.7	26.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64372	92.7	93.6	.9	100		8	-1.00	15.67	6.30	9.37	92.7	24.55	-1.00
0	93.6	95.1	1.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G36 Section: W65
 Northing: 6121.9 Easting: 2580.6 Elevation: 1273.8
 Length: 74.1 Core: NQ Record: 556

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	55.5	55.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64460	55.5	56.8	1.3	100		5	-1.00	3.60	1.86	1.74	27.8	23.46	-1.00
64461	56.8	57.9	1.1	82		7	-1.00	13.33	5.35	7.98	76.8	10.36	-1.00
0	57.9	74.1	16.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G37 Section: W63
 Northing: 6060.9 Easting: 2642.2 Elevation: 1274.4
 Length: 84.1 Core: NQ Record: 557

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	44.5	44.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64239	44.5	45.9	1.4	100		7	-1.00	14.65	5.12	9.53	118.4	16.75	-1.00
64240	45.9	46.4	.5	100		7	-1.00	4.95	2.12	2.83	59.5	27.51	-1.00
64241	46.4	47.2	.8	100		7	-1.00	12.27	4.25	8.02	84.6	18.44	-1.00
64242	47.2	47.7	.5	100		5	-1.00	9.61	3.44	6.17	86.6	30.21	-1.00
64243	47.7	48.8	1.1	100		5	-1.00	9.64	3.67	5.97	90.9	30.06	-1.00
64244	48.8	49.5	.7	100		7	-1.00	11.72	4.24	7.48	26.1	17.79	-1.00
64245	49.5	50.5	1.0	100		5	-1.00	3.75	1.32	2.43	24.8	38.70	-1.00
64246	50.5	52.3	1.8	100		7	-1.00	5.09	1.61	3.48	24.2	22.53	-1.00
64247	52.3	54.3	2.0	100		5	-1.00	3.75	1.48	2.27	23.9	27.19	-1.00
64248	54.3	56.2	1.9	100		5	-1.00	8.60	3.66	4.94	4.1	37.51	-1.00
64249	56.2	57.3	1.1	100		7	-1.00	9.50	3.45	6.05	79.7	28.08	-1.00
64250	57.3	58.6	1.3	100		5	-1.00	4.16	2.47	1.69	30.9	38.63	-1.00
64251	58.6	59.1	.5	100		44	-1.00	.85	.32	.53	7.4	9.90	-1.00
64252	59.1	60.7	1.6	100		5	-1.00	4.59	2.05	2.54	34.5	37.94	-1.00
64253	60.7	62.0	1.3	100		5	-1.00	3.46	1.85	1.61	31.2	38.76	-1.00
64254	62.0	62.7	.7	100		5	-1.00	7.88	3.29	4.59	41.7	27.74	-1.00
64255	62.7	64.3	1.6	100		5	-1.00	7.28	3.01	4.27	50.1	34.70	-1.00
64256	64.3	65.8	1.5	100		5	-1.00	5.81	2.72	3.09	38.3	36.27	-1.00
64257	65.8	67.3	1.5	100		5	-1.00	4.62	1.62	3.00	34.6	29.31	-1.00
64258	67.3	67.7	.4	100		7	-1.00	15.23	5.35	9.88	85.7	14.41	-1.00
64259	67.7	68.1	.4	100		44	-1.00	.83	.34	.49	6.7	7.85	-1.00
64260	68.1	69.2	1.1	100		7	-1.00	8.00	2.64	5.36	33.1	19.70	-1.00
64261	69.2	70.0	.8	100		54	-1.00	.11	.04	.07	1.9	4.89	-1.00
0	70.0	77.5	7.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64262	77.5	78.5	1.0	100		52	-1.00	.86	.15	.71	2.5	5.82	-1.00
64263	78.5	80.0	1.5	100		3	-1.00	4.73	2.14	2.59	20.9	19.29	-1.00
64264	80.0	81.4	1.4	100		3	-1.00	5.24	2.35	2.89	31.1	21.17	-1.00
64265	81.4	82.6	1.2	100		40	-1.00	.10	.08	.02	17.3	8.06	-1.00
64266	82.6	83.0	.4	100		3	-1.00	3.32	1.83	1.49	19.4	19.13	-1.00
0	83.0	84.1	1.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G38 Section: W63
 Northing: 6062.6 Easting: 2655.3 Elevation: 1275.3
 Length: 89.9 Core: NQ Record: 558

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	42.1	42.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64404	42.1	43.4	1.3	23		2	-1.00	8.61	8.17	.44	75.0	24.81	-1.00
64405	43.4	44.7	1.3	92		2	-1.00	.59	.37	.22	12.5	18.08	-1.00
64406	44.7	46.0	1.3	100		2	-1.00	11.75	3.93	7.82	73.0	8.24	-1.00
64407	46.0	47.1	1.1	100		2	-1.00	8.69	2.73	5.96	47.1	4.48	-1.00
64408	47.1	48.6	1.5	87		2	-1.00	12.72	4.30	8.42	66.9	4.06	-1.00
64409	48.6	49.5	.9	100		2	-1.00	15.88	5.28	10.60	74.4	6.20	-1.00
64410	49.5	51.0	1.5	87		60	-1.00	11.13	3.83	7.30	52.8	7.10	-1.00
64411	51.0	51.5	.5	100		5	-1.00	21.24	7.14	14.10	112.7	19.14	-1.00
64412	51.5	53.2	1.7	94		5	-1.00	5.21	2.13	3.08	23.3	26.41	-1.00
64413	53.2	54.0	.8	88		5	-1.00	12.69	3.59	9.10	66.6	23.10	-1.00
64414	54.0	55.0	1.0	60		5	-1.00	9.33	2.68	6.65	46.5	22.31	-1.00
64415	55.0	56.3	1.3	100		5	-1.00	5.52	1.82	3.70	37.7	24.92	-1.00
64416	56.3	57.9	1.6	100		7	-1.00	8.49	2.49	6.00	49.8	15.46	-1.00
64417	57.9	59.0	1.1	82		5	-1.00	8.26	2.67	5.59	50.9	20.02	-1.00
64418	59.0	60.0	1.0	100		5	-1.00	6.43	1.85	4.58	49.4	17.13	-1.00
64419	60.0	61.6	1.6	94		7	-1.00	11.05	3.63	7.42	53.2	18.42	-1.00
64420	61.6	62.1	.5	100		5	-1.00	9.46	3.06	6.40	24.2	24.78	-1.00
64421	62.1	62.8	.7	100		7	-1.00	7.92	2.03	5.89	37.3	16.40	-1.00
64422	62.8	64.4	1.6	94		7	-1.00	6.04	1.78	4.26	29.6	18.57	-1.00
64423	64.4	65.3	.9	100		7	-1.00	8.97	2.56	6.41	41.4	13.67	-1.00
64424	65.3	65.9	.6	100		52	-1.00	1.12	.34	.78	6.7	5.74	-1.00
0	65.9	74.5	8.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64425	74.5	75.2	.7	100		3	-1.00	30.30	10.20	20.10	174.5	12.67	-1.00
64426	75.2	77.1	1.9	89		52	-1.00	2.46	1.02	1.44	16.5	7.50	-1.00
64427	77.1	77.5	.4	100		8	-1.00	26.91	8.61	18.30	165.4	8.88	-1.00
64428	77.5	78.4	.9	100		7	-1.00	10.35	2.90	7.45	62.2	8.21	-1.00
64429	78.4	79.6	1.2	92		3	-1.00	33.50	10.10	23.40	179.6	7.44	-1.00
64430	79.6	80.9	1.3	92		3	-1.00	27.75	9.15	18.60	154.5	8.91	-1.00
64431	80.9	82.8	1.9	100		3	-1.00	5.37	3.95	1.42	57.8	18.15	-1.00
64432	82.8	84.3	1.5	93		3	-1.00	19.37	10.30	9.07	134.3	13.35	-1.00
64433	84.3	84.8	.5	100		3	-1.00	2.13	1.50	.63	23.4	17.68	-1.00
64434	84.8	85.9	1.1	100		3	-1.00	18.18	8.39	9.79	125.2	13.12	-1.00
0	85.9	89.9	4.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G39 Section: W63
 Northing: 6060.9 Easting: 2688.8 Elevation: 1277.1
 Length: 96.9 Core: NQ Record: 559

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	44.5	44.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64435	44.5	44.9	.4	-1		5	-1.00	22.49	8.79	13.70	95.0	15.27	-1.00
0	44.9	52.5	7.6	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64436	52.5	54.6	2.1	-1		3	-1.00	22.76	7.66	15.10	118.9	13.14	-1.00
64437	54.6	56.1	1.5	-1		3	-1.00	24.93	8.03	16.90	114.6	13.73	-1.00
64438	56.1	57.9	1.8	-1		3	-1.00	24.57	7.37	17.20	103.2	17.59	-1.00
64439	57.9	59.8	1.9	-1		5	-1.00	10.69	2.87	7.82	52.7	12.61	-1.00
64440	59.8	61.6	1.8	-1		5	-1.00	14.58	4.38	10.20	72.7	19.92	-1.00
64441	61.6	63.7	2.1	-1		5	-1.00	18.56	5.46	13.10	72.0	15.39	-1.00
64442	63.7	65.2	1.5	-1		5	-1.00	29.87	9.97	19.90	164.4	17.03	-1.00
64443	65.2	67.4	2.2	-1		5	-1.00	20.20	6.00	14.20	89.3	20.37	-1.00
64444	67.4	69.2	1.8	-1		3	-1.00	24.90	8.80	16.10	144.1	10.64	-1.00
64445	69.2	71.0	1.8	-1		3	-1.00	18.54	6.24	12.30	114.6	10.08	-1.00
64446	71.0	72.3	1.3	-1		2	-1.00	18.46	7.36	11.10	118.7	10.35	-1.00
64447	72.3	73.5	1.2	-1		2	-1.00	16.90	7.43	9.47	115.6	15.56	-1.00
64448	73.5	75.5	2.0	-1		2	-1.00	.77	.32	.45	11.2	16.71	-1.00
64449	75.5	77.5	2.0	-1		2	-1.00	.27	.07	.20	5.5	14.78	-1.00
64450	77.5	79.5	2.0	-1		2	-1.00	.18	.05	.13	8.6	15.70	-1.00
64451	79.5	81.5	2.0	-1		2	-1.00	1.57	.62	.95	12.9	11.44	-1.00
64452	81.5	82.5	1.0	-1		2	-1.00	7.39	3.09	4.30	43.3	15.27	-1.00
64453	82.5	84.5	2.0	-1		2	-1.00	1.46	.77	.69	16.8	13.11	-1.00
64454	84.5	86.5	2.0	-1		2	-1.00	.44	.07	.37	5.9	15.39	-1.00
64455	86.5	88.5	2.0	-1		2	-1.00	.86	.08	.78	4.9	14.95	-1.00
64456	88.5	90.5	2.0	-1		2	-1.00	2.08	.71	1.37	16.4	12.58	-1.00
64457	90.5	92.5	2.0	-1		2	-1.00	.74	.14	.60	10.6	10.54	-1.00
64458	92.5	94.5	2.0	-1		2	-1.00	1.19	.07	1.12	8.5	8.96	-1.00
64459	94.5	96.9	2.4	-1		2	-1.00	.92	.06	.86	8.6	9.16	-1.00

Drill Hole: 91G40 Section: W63
 Northing: 6060.2 Easting: 2702.9 Elevation: 1277.1
 Length: 93.0 Core: NQ Record: 560

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	36.9	36.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64539	36.9	39.9	3.0	20		4	-1.00	.64	.29	.35	12.8	23.40	-1.00
64540	39.9	42.2	2.3	30		52	-1.00	.60	.15	.45	4.3	6.32	-1.00
64541	42.2	43.7	1.5	53		2	-1.00	1.74	.55	1.19	14.1	10.08	-1.00
64542	43.7	45.7	2.0	85		2	-1.00	.46	.21	.25	10.7	15.60	-1.00
0	45.7	49.1	3.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64543	49.1	50.6	1.5	73		5	-1.00	12.20	5.75	6.45	73.5	21.82	-1.00
64544	50.6	52.4	1.8	50		2	-1.00	.26	.11	.15	14.8	11.15	-1.00
64545	52.4	53.8	1.4	100		2	-1.00	.34	.16	.18	16.2	14.83	-1.00
64546	53.8	55.3	1.5	93		2	-1.00	.14	.04	.10	8.6	14.40	-1.00
64547	55.3	56.8	1.5	67		2	-1.00	.57	.10	.47	11.0	12.11	-1.00
64548	56.8	58.2	1.4	50		2	-1.00	.21	.03	.18	9.4	14.24	-1.00
64549	58.2	59.9	1.7	100		2	-1.00	.06	.02	.04	4.3	9.17	-1.00
64550	59.9	61.7	1.8	100		2	-1.00	.33	.12	.21	8.3	12.75	-1.00
64551	61.7	63.0	1.3	85		2	-1.00	.52	.24	.28	8.7	10.99	-1.00
64552	63.0	64.3	1.3	100		2	-1.00	.31	.13	.18	11.0	10.37	-1.00
64553	64.3	65.5	1.2	100		2	-1.00	.14	.02	.12	14.9	17.80	-1.00
64554	65.5	67.1	1.6	94		2	-1.00	.30	.04	.26	11.0	13.13	-1.00
64555	67.1	68.6	1.5	100		2	-1.00	.13	.01	.12	6.9	9.57	-1.00
64556	68.6	69.5	.9	78		2	-1.00	1.08	.52	.56	11.5	8.88	-1.00
64557	69.5	70.9	1.4	100		44	-1.00	2.36	.60	1.76	9.0	9.07	-1.00
64558	70.9	72.3	1.4	100		52	-1.00	.94	.31	.63	6.9	6.80	-1.00
0	72.3	93.0	20.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G41 Section: W69
 Northing: 6243.9 Easting: 2757.7 Elevation: 1289.0
 Length: 100.6 Core: NQ Record: 561

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	53.7	53.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64665	53.7	55.2	1.5	80		3	-1.00	7.32	2.91	4.41	50.2	12.05	-1.00
64666	55.2	56.7	1.5	87		3	-1.00	5.08	1.71	3.37	23.7	15.78	-1.00
64667	56.7	58.5	1.8	83		3	-1.00	5.38	1.63	3.75	25.8	13.73	-1.00
0	58.5	63.3	4.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64668	63.3	64.5	1.2	58		3	-1.00	5.31	1.79	3.52	23.6	6.64	-1.00
64669	64.5	66.5	2.0	75		5	-1.00	20.71	6.71	14.00	96.2	11.31	-1.00
64670	66.5	67.6	1.1	82		5	-1.00	24.76	9.66	15.10	150.0	13.69	-1.00
64671	67.6	68.4	.8	100		2	-1.00	11.34	3.78	7.56	58.4	11.74	-1.00
64672	68.4	69.9	1.5	100		2	-1.00	3.32	1.44	1.88	20.5	7.14	-1.00
64673	69.9	71.4	1.5	100		2	-1.00	1.38	.51	.87	11.4	10.58	-1.00
64674	71.4	72.9	1.5	100		2	-1.00	1.43	.52	.91	11.6	9.13	-1.00
64675	72.9	74.4	1.5	100		2	-1.00	.42	.04	.38	10.7	12.65	-1.00
64676	74.4	75.3	.9	100		2	-1.00	.92	.27	.65	13.8	12.28	-1.00
64677	75.3	77.2	1.9	74		2	-1.00	.23	.06	.17	7.4	12.90	-1.00
64678	77.2	78.6	1.4	100		2	-1.00	.75	.21	.54	16.3	12.45	-1.00
64679	78.6	79.8	1.2	100		3	-1.00	26.50	9.60	16.90	179.8	8.94	-1.00
64680	79.8	80.7	.9	100		5	-1.00	25.32	9.72	15.60	140.7	14.80	-1.00
64681	80.7	81.3	.6	100		2	-1.00	21.37	7.67	13.70	128.5	4.66	-1.00
64682	81.3	82.3	1.0	100		2	-1.00	2.30	.98	1.32	20.6	10.81	-1.00
64683	82.3	82.8	.5	100		2	-1.00	24.98	10.08	14.90	172.6	7.62	-1.00
64684	82.8	84.0	1.2	100		2	-1.00	2.44	1.32	1.12	31.5	10.96	-1.00
64685	84.0	85.3	1.3	100		5	-1.00	26.88	8.98	17.90	126.4	12.15	-1.00
64686	85.3	86.5	1.2	92		5	-1.00	22.17	8.37	13.80	109.9	15.21	-1.00
64687	86.5	87.6	1.1	100		5	-1.00	22.42	6.82	15.60	104.9	14.87	-1.00
64688	87.6	87.8	.2	100		3	-1.00	14.63	4.81	9.82	74.4	8.26	-1.00
64689	87.8	88.4	.6	100		2	-1.00	3.63	.93	2.70	13.6	9.84	-1.00
0	88.4	100.6	12.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G42 Section: W69
 Northing: 6242.9 Easting: 2798.6 Elevation: 1292.9
 Length: 103.6 Core: NQ Record: 562

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	54.8	54.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64762	54.8	55.3	.5	100		74	-1.00	4.50	2.06	2.44	31.2	9.09	-1.00
64763	55.3	56.1	.8	100		74	-1.00	.46	.21	.25	3.6	5.97	-1.00
64764	56.1	57.0	.9	100		52	-1.00	2.47	.71	1.76	17.1	4.10	-1.00
0	57.0	97.0	40.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64765	97.0	98.0	1.0	100		5	-1.00	23.32	13.90	9.42	172.8	11.69	-1.00
64766	98.0	98.8	.8	100		74	-1.00	6.91	2.04	4.87	37.1	5.32	-1.00
0	98.8	102.7	3.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64767	102.7	103.6	.9	100		20	-1.00	1.29	.55	.74	8.7	3.72	-1.00

Drill Hole: 91G43 Section: W67
 Northing: 6183.2 Easting: 2777.1 Elevation: 1287.4
 Length: 80.8 Core: NQ Record: 563

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	38.8	38.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64655	38.8	40.1	1.3	100		54	-1.00	.15	.06	.09	.6	6.31	-1.00
0	40.1	41.4	1.3	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64656	41.4	43.2	1.8	100		54	-1.00	.23	.22	.01	2.5	5.77	-1.00
64657	43.2	44.5	1.3	100		54	-1.00	.15	.14	.01	.9	5.04	-1.00
64658	44.5	44.8	.3	100		60	-1.00	.43	.42	.01	3.6	1.34	-1.00
0	44.8	47.2	2.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64659	47.2	48.3	1.1	100		60	-1.00	.05	.03	.02	.2	1.39	-1.00
64660	48.3	49.5	1.2	100		54	-1.00	.05	.02	.03	.1	5.89	-1.00
0	49.5	54.9	5.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64661	54.9	55.6	.7	100		20	-1.00	.89	.26	.63	2.6	5.33	-1.00
0	55.6	59.0	3.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64662	59.0	59.5	.5	100		20	-1.00	.12	.05	.07	.4	7.04	-1.00
0	59.5	60.5	1.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64663	60.5	62.6	2.1	100		54	-1.00	.25	.06	.19	.3	5.07	-1.00
0	62.6	64.3	1.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64664	64.3	65.4	1.1	100		54	-1.00	.04	.01	.03	.1	5.83	-1.00
0	65.4	80.8	15.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G44 Section: W71
 Northing: 6303.9 Easting: 2733.6 Elevation: 1283.7
 Length: 120.4 Core: NQ Record: 564

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	80.5	80.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64768	80.5	82.5	2.0	100		20	-1.00	.66	.25	.41	5.1	7.50	-1.00
64769	82.5	83.7	1.2	100		52	-1.00	.61	.18	.43	4.2	9.78	-1.00
64770	83.7	84.9	1.2	100		2	-1.00	9.27	2.67	6.60	48.6	5.74	-1.00
64771	84.9	85.3	.4	100		5	-1.00	21.84	6.64	15.20	86.3	13.69	-1.00
64772	85.3	86.1	.8	100		2	-1.00	5.65	1.85	3.80	30.1	6.21	-1.00
64773	86.1	86.7	.6	100		2	-1.00	.71	.26	.45	4.2	11.28	-1.00
64774	86.7	88.7	2.0	100		44	-1.00	1.67	.78	.89	9.4	6.17	-1.00
64775	88.7	90.5	1.8	100		5	-1.00	10.03	3.80	6.23	60.9	16.81	-1.00
64776	90.5	91.8	1.3	100		2	-1.00	12.65	3.39	9.26	45.2	4.58	-1.00
64777	91.8	93.1	1.3	100		2	-1.00	10.49	2.62	7.87	37.4	3.03	-1.00
64778	93.1	95.3	2.2	100		52	-1.00	4.27	.44	3.83	10.2	6.62	-1.00
64779	95.3	96.9	1.6	100		2	-1.00	8.33	2.67	5.66	42.9	1.77	-1.00
64780	96.9	98.5	1.6	100		2	-1.00	8.13	2.37	5.76	39.5	1.71	-1.00
64781	98.5	100.2	1.7	100		2	-1.00	3.53	.96	2.57	16.0	3.05	-1.00
64782	100.2	101.9	1.7	100		2	-1.00	5.56	1.72	3.84	25.6	3.16	-1.00
64783	101.9	103.4	1.5	100		52	-1.00	1.81	.54	1.27	10.3	3.71	-1.00
64784	103.4	104.9	1.5	100		52	-1.00	.32	.07	.25	2.1	5.86	-1.00
0	104.9	120.4	15.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G45 Section: W62
 Northing: 6033.7 Easting: 2699.3 Elevation: 1277.3
 Length: 67.1 Core: NQ Record: 565

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	45.7	45.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64389	45.7	47.4	1.7	18		2	-1.00	.55	.32	.23	13.8	11.77	-1.00
64390	47.4	49.2	1.8	100		2	-1.00	.88	.28	.60	12.9	17.05	-1.00
64391	49.2	50.7	1.5	100		2	-1.00	2.40	.94	1.46	23.8	13.54	-1.00
64392	50.7	53.0	2.3	91		2	-1.00	.65	.11	.54	9.2	15.83	-1.00
64393	53.0	55.2	2.2	100		2	-1.00	.36	.07	.29	7.5	15.84	-1.00
64394	55.2	56.7	1.5	100		2	-1.00	.47	.04	.43	8.6	14.40	-1.00
64395	56.7	58.2	1.5	100		2	-1.00	.80	.25	.55	9.1	15.89	-1.00
64396	58.2	59.1	.9	100		2	-1.00	4.09	1.66	2.43	24.0	14.27	-1.00
64397	59.1	59.7	.6	100		2	-1.00	7.14	3.05	4.09	43.0	16.36	-1.00
64398	59.7	60.7	1.0	90		5	-1.00	18.15	6.95	11.20	13.0	8.37	-1.00
64399	60.7	61.5	.8	63		5	-1.00	23.00	11.90	11.10	159.6	13.00	-1.00
64400	61.5	62.8	1.3	100		2	-1.00	10.86	5.18	5.68	75.6	12.15	-1.00
64401	62.8	63.7	.9	100		2	-1.00	3.91	1.80	2.11	27.5	16.13	-1.00
64402	63.7	65.2	1.5	100		2	-1.00	2.76	1.15	1.61	19.3	16.78	-1.00
64403	65.2	67.1	1.9	89		2	-1.00	.31	.05	.26	6.9	16.10	-1.00

Drill Hole: 91G46 Section: W71
 Northing: 6303.8 Easting: 2703.5 Elevation: 1283.6
 Length: 96.9 Core: NQ Record: 566

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	96.9	96.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G47 Section: W63
 Northing: 6062.1 Easting: 2627.8 Elevation: 1273.8
 Length: 85.3 Core: NQ Record: 567

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	48.6	48.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64321	48.6	49.2	.6	83		7	-1.00	23.32	7.52	15.80	79.4	20.99	-1.00
64322	49.2	50.4	1.2	100		7	-1.00	22.41	9.01	13.40	124.3	23.66	-1.00
64323	50.4	51.7	1.3	100		7	-1.00	36.60	13.20	23.40	179.2	17.91	-1.00
64324	51.7	52.8	1.1	100		5	-1.00	10.97	4.95	6.02	68.1	33.92	-1.00
64325	52.8	54.0	1.2	100		7	-1.00	28.10	10.20	17.90	127.5	19.68	-1.00
64326	54.0	55.3	1.3	100		7	-1.00	17.74	5.84	11.90	78.8	21.20	-1.00
64327	55.3	56.4	1.1	100		44	-1.00	5.06	2.29	2.77	27.5	8.25	-1.00
64328	56.4	58.5	2.1	33		7	-1.00	12.48	4.31	8.17	70.7	10.50	-1.00
64329	58.5	59.8	1.3	100		5	-1.00	10.62	3.75	6.87	43.3	30.42	-1.00
64330	59.8	61.0	1.2	100		7	-1.00	9.99	3.51	6.48	64.4	21.99	-1.00
64331	61.0	62.6	1.6	100		5	-1.00	9.98	4.51	5.47	52.3	37.20	-1.00
64332	62.6	63.7	1.1	82		7	-1.00	11.13	4.47	6.66	73.4	25.89	-1.00
64333	63.7	64.3	.6	83		5	-1.00	9.98	3.92	6.06	58.1	33.73	-1.00
64334	64.3	65.8	1.5	100		7	-1.00	13.53	5.57	7.96	88.1	28.03	-1.00
64335	65.8	67.5	1.7	100		7	-1.00	11.33	3.94	7.39	67.4	23.94	-1.00
64336	67.5	68.9	1.4	100		5	-1.00	10.78	5.33	5.45	63.0	34.17	-1.00
64337	68.9	70.4	1.5	100		5	-1.00	11.67	4.87	6.80	68.4	30.98	-1.00
64338	70.4	72.0	1.6	100		5	-1.00	9.12	3.93	5.19	50.2	32.33	-1.00
64339	72.0	72.6	.6	100		60	-1.00	1.34	.73	.61	8.7	12.23	-1.00
64340	72.6	73.8	1.2	83		7	-1.00	16.95	6.65	10.30	70.2	21.86	-1.00
0	73.8	78.0	4.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64341	78.0	79.3	1.3	100		3	-1.00	3.61	1.52	2.09	18.8	15.28	-1.00
64342	79.3	80.4	1.1	100		40	-1.00	.44	.21	.23	2.4	8.35	-1.00
0	80.4	85.3	4.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G48 Section: W69
 Northing: 6244.6 Easting: 2703.5 Elevation: 1280.5
 Length: 127.7 Core: NQ Record: 568

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	66.7	66.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64817	66.7	68.1	1.4	100		5	-1.00	26.42	8.32	18.10	122.5	16.31	-1.00
64818	68.1	68.9	.8	100		5	-1.00	4.96	1.69	3.27	20.9	30.37	-1.00
64819	68.9	69.7	.8	100		5	-1.00	16.82	4.52	12.30	98.6	24.69	-1.00
64820	69.7	71.2	1.5	100		2	-1.00	3.98	2.02	1.96	27.0	11.08	-1.00
64821	71.2	71.9	.7	100		2	-1.00	3.02	1.26	1.76	17.0	14.25	-1.00
64822	71.9	73.4	1.5	100		7	-1.00	28.60	10.50	18.10	207.0	15.02	-1.00
64823	73.4	74.6	1.2	100		7	-1.00	30.80	10.90	19.90	195.1	11.04	-1.00
64824	74.6	75.8	1.2	100		5	-1.00	34.30	12.60	21.70	220.0	17.42	-1.00
64825	75.8	76.4	.6	100		5	-1.00	35.30	11.60	23.70	167.4	16.86	-1.00
64826	76.4	77.4	1.0	100		5	-1.00	36.10	13.20	22.90	252.0	17.34	-1.00
64827	77.4	78.2	.8	100		5	-1.00	23.52	7.02	16.50	263.0	20.81	-1.00
64828	78.2	78.9	.7	100		5	-1.00	27.65	6.55	21.10	87.5	19.33	-1.00
64829	78.9	79.7	.8	100		5	-1.00	36.47	9.87	26.60	110.6	15.45	-1.00
64830	79.7	80.6	.9	100		5	-1.00	32.90	12.30	20.60	168.0	18.89	-1.00
64831	80.6	81.7	1.1	100		7	-1.00	32.40	11.40	21.00	166.3	14.32	-1.00
64832	81.7	82.8	1.1	100		5	-1.00	35.60	11.90	23.70	218.7	11.44	-1.00
64833	82.8	83.5	.7	100		5	-1.00	37.60	11.90	25.70	198.4	13.44	-1.00
64834	83.5	85.0	1.5	100		5	-1.00	34.70	12.10	22.60	150.0	18.25	-1.00
64835	85.0	85.9	.9	100		5	-1.00	37.70	15.30	22.40	153.3	16.57	-1.00
64836	85.9	87.3	1.4	100		5	-1.00	30.18	9.38	20.80	145.4	15.34	-1.00
64837	87.3	87.7	.4	100		74	-1.00	8.19	2.55	5.64	45.1	9.70	-1.00
64838	87.7	88.6	.9	100		2	-1.00	10.88	3.68	7.20	54.0	13.03	-1.00
64839	88.6	89.0	.4	100		5	-1.00	28.40	7.80	20.60	130.8	13.76	-1.00
64840	89.0	90.4	1.4	100		2	-1.00	11.18	3.77	7.41	61.3	3.76	-1.00
0	90.4	90.8	.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64841	90.8	92.4	1.6	100		2	-1.00	10.87	4.53	6.34	65.9	13.54	-1.00
64842	92.4	93.4	1.0	100		2	2.59	9.97	3.30	6.67	52.7	2.78	-1.00
0	93.4	119.8	26.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64843	119.8	120.4	.6	100		5	-1.00	8.28	2.42	5.86	42.8	23.25	-1.00
64844	120.4	122.0	1.6	100		5	-1.00	17.78	4.98	12.80	95.4	23.88	-1.00
64845	122.0	123.9	1.9	100		5	-1.00	15.09	4.29	10.80	86.7	18.68	-1.00
64846	123.9	125.3	1.4	100		5	-1.00	15.99	5.09	10.90	77.5	25.77	-1.00
64847	125.3	126.5	1.2	100		2	-1.00	1.96	.31	1.65	15.1	16.15	-1.00
64848	126.5	127.7	1.2	100		2	-1.00	.72	.18	.54	9.2	11.95	-1.00

Drill Hole: 91G49 Section: W65
 Northing: 6122.4 Easting: 2625.6 Elevation: 1275.1
 Length: 93.0 Core: NQ Record: 569

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	59.8	59.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64471	59.8	60.7	.9	100		5	-1.00	19.92	7.02	12.90	111.1	15.05	-1.00
64472	60.7	62.0	1.3	100		5	-1.00	17.26	4.86	12.40	79.2	23.13	-1.00
64473	62.0	63.4	1.4	100		7	-1.00	22.75	7.45	15.30	116.2	20.88	-1.00
64474	63.4	65.1	1.7	100		7	-1.00	19.03	6.43	12.60	149.4	17.67	-1.00
64475	65.1	66.9	1.8	100		5	-1.00	19.39	7.79	11.60	112.1	23.97	-1.00
64476	66.9	68.6	1.7	100		7	-1.00	18.63	6.93	11.70	120.7	18.68	-1.00
64477	68.6	70.4	1.8	100		5	-1.00	19.26	7.26	12.00	126.2	18.59	-1.00
64478	70.4	71.9	1.5	73		7	-1.00	13.24	4.57	8.67	72.5	20.38	-1.00
64479	71.9	73.2	1.3	100		7	-1.00	8.17	2.41	5.76	40.0	21.02	-1.00
64480	73.2	75.3	2.1	76		5	-1.00	9.80	3.96	5.84	46.7	29.86	-1.00
64481	75.3	76.5	1.2	58		5	-1.00	8.23	3.03	5.20	36.8	25.21	-1.00
64482	76.5	77.4	.9	89		5	-1.00	7.97	3.18	4.79	45.3	30.07	-1.00
64483	77.4	79.6	2.2	100		5	-1.00	6.68	3.03	3.65	40.5	34.79	-1.00
64484	79.6	80.8	1.2	100		5	-1.00	2.14	.96	1.18	20.0	33.19	-1.00
64485	80.8	82.8	2.0	100		7	-1.00	13.08	4.50	8.58	71.3	21.86	-1.00
64486	82.8	83.4	.6	100		5	-1.00	4.44	1.58	2.86	21.0	17.01	-1.00
0	83.4	90.5	7.1	100		-1	-1.00	.00	.00	.00	.0	.00	-1.00
64487	90.5	92.0	1.5	100		5	-1.00	9.97	4.62	5.35	71.0	25.73	-1.00
0	92.0	93.0	1.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G50 Section: W67
 Northing: 6183.1 Easting: 2708.0 Elevation: 1278.4
 Length: 103.6 Core: NQ Record: 570

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	38.7	38.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64690	38.7	40.2	1.5	93		2	-1.00	6.26	1.65	4.61	27.0	2.77	-1.00
64691	40.2	41.7	1.5	100		2	-1.00	5.85	1.67	4.18	28.3	3.25	-1.00
64692	41.7	42.5	.8	88		2	-1.00	4.12	1.51	2.61	23.7	5.43	-1.00
64693	42.5	44.4	1.9	95		5	-1.00	8.12	3.40	4.72	47.1	15.01	-1.00
64694	44.4	46.3	1.9	89		5	-1.00	17.95	7.36	10.59	129.8	12.68	-1.00
64695	46.3	47.8	1.5	100		5	-1.00	19.53	4.63	14.90	88.9	12.79	-1.00
64696	47.8	49.4	1.6	81		3	-1.00	9.50	3.14	6.36	56.3	7.26	-1.00
64697	49.4	50.7	1.3	92		3	-1.00	2.34	.76	1.58	14.4	4.40	-1.00
64698	50.7	51.9	1.2	100		-1	-1.00	11.20	2.94	8.26	51.2	8.87	-1.00
64699	51.9	54.1	2.2	86		20	-1.00	1.93	.75	1.18	9.0	5.22	-1.00
0	54.1	68.1	14.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64700	68.1	69.1	1.0	60		3	-1.00	1.57	.52	1.05	11.7	8.02	-1.00
64701	69.1	70.6	1.5	47		3	-1.00	1.08	.21	.87	7.0	6.39	-1.00
64702	70.6	72.1	1.5	100		3	-1.00	4.05	1.70	2.35	28.0	6.69	-1.00
64703	72.1	73.5	1.4	100		3	-1.00	1.76	.69	1.07	13.6	9.19	-1.00
64704	73.5	74.4	.9	100		60	-1.00	21.33	9.53	11.80	176.6	8.51	-1.00
64705	74.4	76.5	2.1	95		3	-1.00	1.00	.44	.56	17.6	10.69	-1.00
64706	76.5	77.6	1.1	100		3	-1.00	19.50	7.30	12.20	109.7	10.86	-1.00
64707	77.6	78.8	1.2	100		3	-1.00	9.91	3.80	6.11	74.0	10.07	-1.00
64708	78.8	80.1	1.3	100		3	-1.00	4.78	1.77	3.01	45.0	10.17	-1.00
64709	80.1	81.7	1.6	94		3	-1.00	14.72	5.03	9.69	88.8	12.49	-1.00
0	81.7	103.6	21.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G51 Section: W65
 Northing: 6119.2 Easting: 2655.9 Elevation: 1276.1
 Length: 93.0 Core: NQ Record: 571

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	41.8	41.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64622	41.8	43.6	1.8	78		5	-1.00	36.60	13.00	23.60	181.2	11.23	-1.00
64623	43.6	44.5	.9	100		5	-1.00	25.18	9.88	15.30	115.6	12.95	-1.00
64624	44.5	45.7	1.2	92		5	-1.00	24.40	9.50	14.90	126.2	14.76	-1.00
64625	45.7	46.5	.8	100		5	-1.00	26.76	10.16	16.60	143.3	12.26	-1.00
64626	46.5	47.8	1.3	85		2	-1.00	8.89	3.04	5.85	62.0	7.17	-1.00
64627	47.8	49.1	1.3	85		2	-1.00	7.35	2.38	4.97	45.6	6.02	-1.00
64628	49.1	50.5	1.4	100		2	-1.00	11.34	3.38	7.96	66.2	6.64	-1.00
64629	50.5	52.1	1.6	100		5	-1.00	14.73	4.90	9.83	91.7	10.53	-1.00
0	52.1	61.7	9.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64630	61.7	62.8	1.1	100		3	-1.00	12.14	3.80	8.34	74.3	10.45	-1.00
64631	62.8	64.6	1.8	83		7	-1.00	13.11	4.41	8.70	73.8	12.74	-1.00
64632	64.6	65.5	.9	100		3	-1.00	27.48	7.88	19.60	129.7	7.29	-1.00
64633	65.5	67.0	1.5	93		5	-1.00	19.27	4.67	14.60	78.5	15.68	-1.00
64634	67.0	67.8	.8	75		3	-1.00	17.34	6.84	10.50	111.8	9.33	-1.00
64635	67.8	68.2	.4	100		5	-1.00	17.20	6.70	10.50	110.7	9.84	-1.00
64636	68.2	69.3	1.1	91		3	-1.00	19.11	5.01	14.10	74.3	7.68	-1.00
64637	69.3	70.4	1.1	91		3	-1.00	18.42	7.52	10.90	125.8	7.68	-1.00
64638	70.4	71.1	.7	100		7	-1.00	20.88	5.38	15.50	97.1	13.24	-1.00
64639	71.1	73.1	2.0	100		3	-1.00	17.13	6.73	10.40	104.6	8.24	-1.00
64640	73.1	75.1	2.0	100		3	-1.00	22.24	6.04	16.20	96.4	6.17	-1.00
64641	75.1	77.1	2.0	100		7	-1.00	20.04	4.74	15.30	82.9	12.14	-1.00
64642	77.1	79.1	2.0	95		7	4.54	10.14	3.20	6.94	43.4	11.44	-1.00
64643	79.1	81.1	2.0	95		7	-1.00	11.01	3.19	7.82	119.8	12.83	-1.00
64644	81.1	83.2	2.1	95		7	-1.00	16.03	5.73	10.30	79.7	12.23	-1.00
64645	83.2	84.1	.9	100		3	-1.00	12.41	3.92	8.49	81.7	10.67	-1.00
64646	84.1	87.1	3.0	27		20	-1.00	.39	.13	.26	1.3	4.87	-1.00
64647	87.1	89.3	2.2	86		52	-1.00	.04	.03	.01	.1	5.42	-1.00
64648	89.3	91.5	2.2	82		3	-1.00	17.48	5.78	11.70	92.0	13.32	-1.00
0	91.5	93.0	1.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G52 Section: W65
 Northing: 6123.1 Easting: 2689.6 Elevation: 1276.9
 Length: 93.0 Core: NQ Record: 572

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	42.7	42.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64520	42.7	45.7	3.0	17		2	-1.00	19.45	10.30	9.15	146.7	19.96	-1.00
64521	45.7	46.4	.7	86		2	-1.00	11.05	4.47	6.58	59.8	16.70	-1.00
0	46.4	46.8	.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64522	46.8	47.3	.5	80		2	-1.00	4.77	2.15	2.62	28.2	11.19	-1.00
0	47.3	48.3	1.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64523	48.3	49.5	1.2	83		30	-1.00	3.60	1.51	2.09	24.1	10.71	-1.00
0	49.5	65.2	15.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64524	65.2	67.0	1.8	89		52	-1.00	.10	.03	.07	.7	5.33	-1.00
64525	67.0	68.4	1.4	100		5	-1.00	23.99	7.19	16.80	104.0	19.76	-1.00
64526	68.4	69.8	1.4	93		2	-1.00	4.78	1.79	2.99	36.6	14.39	-1.00
64527	69.8	70.0	.2	100		44	-1.00	.94	.15	.79	2.4	7.77	-1.00
64528	70.0	70.4	.4	100		52	-1.00	.49	.18	.31	2.7	7.92	-1.00
64529	70.4	72.2	1.8	100		2	-1.00	2.62	.86	1.76	17.6	11.81	-1.00
64530	72.2	74.8	2.6	92		2	-1.00	1.73	.55	1.18	14.0	12.45	-1.00
64531	74.8	76.2	1.4	100		2	-1.00	.48	.12	.36	11.1	12.91	-1.00
64532	76.2	77.7	1.5	100		2	-1.00	1.08	.56	.52	14.4	11.96	-1.00
64533	77.7	78.1	.4	100		3	-1.00	1.74	.58	1.16	11.4	10.21	-1.00
0	78.1	85.0	6.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64534	85.0	85.7	.7	100		52	-1.00	.14	.07	.07	1.0	5.03	-1.00
64535	85.7	86.4	.7	86		30	-1.00	1.99	.56	1.43	12.7	7.22	-1.00
64536	86.4	86.9	.5	100		2	-1.00	1.11	.30	.81	6.5	7.27	-1.00
0	86.9	88.7	1.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64537	88.7	89.6	.9	89		2	-1.00	1.51	.46	1.05	10.9	8.04	-1.00
0	89.6	90.2	.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64538	90.2	90.7	.5	100		2	-1.00	2.19	1.42	.77	23.8	8.93	-1.00
0	90.7	93.0	2.3	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00