

Grass Lakes

016994

ACME ANALYTICAL LABORATORIES LTD.

PHONE: 253-3158

852 East Hastings St., Vancouver, B.C. V6A 1R6

File: 81-1810 (Re-run)

Date: Feb. 16, 1982

Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B.C.
V6C 2G8

TERMS:
NET TWO WEEKS
2% PER MONTH CHARGED ON
OVERDUE ACCOUNTS.

NUMBER	ASSAY	PRICE	AMOUNT
158	Geochem S assays @ (including C assays)	\$4.50	\$711.00

(F)

PLEASE PAY LAST AMOUNT 

PLEASE RETURN THIS COPY WITH PAYMENT



To: Cyprus Anvil Mining Corporation,
330 - 355 Burrard St.,
Vancouver, B.C.
V6C 2g8

File No. 81-1810

Type of Samples

Disposition

GEOCHEMICAL ASSAY CERTIFICATE

SAMPLE No.	F	Hg	Tl	S%	C%						
G 10501	760	.560	20.2	4.4	5.8						1
10502	580	.120	17.5	3.5	3.8						2
10503	980	.510	40.0	6.6	6.4						3
10504	490	.440	108.0	14.0	3.6						4
10505	990	.310	15.0	3.4	7.0						5
10506	980	.220	46.0	6.8	6.1						6
10507	750	.600	62.0	9.6	3.8						7
10508	840	.090	30.0	5.5	3.7						8
10509	700	.460	46.0	7.5	3.8						9
10510	760	.130	10.2	2.3	3.6						10
10511	850	.140	20.3	3.5	3.5						11
10512	880	.140	18.2	3.5	3.4						12
10513	860	.080	14.0	2.5	3.7						13
10514	1050	.090	14.2	2.1	6.5						14
10515	640	.080	10.0	1.7	4.0						15
10516	1100	.090	15.5	2.6	4.0						16
10517	960	.110	16.0	2.5	4.2						17
10518	1050	.060	14.5	2.4	4.1						18
10519	950	.100	15.0	2.5	4.2						19
10520	840	.030	14.8	2.3	3.9						20
10521	490	.070	16.0	2.4	2.7						21
10522	630	.110	39.0	4.7	3.3						22
10523	770	.110	31.0	5.7	3.0						23
10524	890	.120	20.5	4.5	3.1						24
10525	1000	.110	8.0	2.6	5.4						25
10526	950	.110	5.5	2.5	4.4						26
10527	970	.210	36.0	7.7	3.1						27
10528	710	.170	7.5	3.1	3.1						28
10529	380	.400	27.0	12.3	2.7						29
10530	490	.380	20.0	11.3	4.0						30
10531	750	.100	6.2	3.2	3.2						31
10532	600	.280	24.0	10.6	3.1						32
10533	940	.160	20.0	7.2	5.8						33
10534	1150	.055	4.0	2.0	2.4						34
10535	990	.070	6.0	2.3	4.0						35
10536	930	.200	17.5	8.0	4.9						36
G 10537	1000	.110	5.5	3.2	3.1						37
											38
											39
											40

All reports are the confidential property of clients
All results are in PPM.

DIGESTION:.....

DETERMINATION:.....

DATE SAMPLES RECEIVED **Nov. 16, 1981**

DATE REPORTS MAILED **Jan. 7, 1982**

ASSAYER

Dean Toye
DEAN TOYE, B.Sc.
CHIEF CHEMIST
CERTIFIED B.C. ASSAYER



To: Cyprus Avvil Mining Corp.

ACME ANALYTICAL LABORATORIES LTD.

Assaying & Trace Analysis

852 E. Hastings St., Vancouver, B. C. V6A 1R6

phone: 253 - 3 58

81-1810

File No. _____

Type of Samples _____

Disposition _____

GEOCHEMICAL ASSAY CERTIFICATE

SAMPLE No.	F	Hg	Tl	S	C				
G 10538	1400	.140	14.2	6.2	3.3				1
10539	1150	.270	15.5	6.2	4.5				2
10540	990	.310	12.6	4.2	4.1				3
10541	1050	.520	4.8	2.4	4.6				4
10542	1100	.510	4.2	2.6	5.4				5
10543	1050	.370	4.5	2.6	5.4				6
10544	1000	.080	4.2	2.5	5.2				7
10545	1100	.090	3.8	2.6	5.1				8
10546	510	.320	4.3	3.3	3.8				9
G 10547	315	.120	4.2	4.1	5.2				10
									11
10611	590	.340	35.4	9.1	4.3				12
10612	530	.240	18.9	4.4	4.6				13
10613	490	.380	20.3	5.3	5.0				14
10614	470	.780	35.4	9.6	3.1				15
10615	375	1.800	54.9	12.8	3.0				16
10616	210	1.250	69.5	19.8	2.3				17
10617	380	.650	47.5	12.6	4.6				18
10618	530	.130	8.5	2.4	5.0				19
10619	400	.450	47.6	10.1	4.0				20
10620	390	1.400	74.7	15.2	3.8				21
10621	680	.130	6.2	2.7	3.6				22
10622	390	1.500	84.4	14.8	4.3				23
10623	620	.250	20.2	5.4	5.5				24
10624	600	.550	36.8	7.5	4.6				25
10625	580	.480	30.6	7.1	3.6				26
10626	760	.800	42.6	8.5	5.2				27
10627	740	.180	7.5	2.9	4.6				28
10628	970	.720	22.4	7.0	5.1				29
10629	840	.280	33.6	12.5	3.9				30
10630	1150	.120	6.0	3.9	5.8				31
10631	810	.530	35.4	14.0	4.5				32
10632	720	.470	41.2	10.0	4.1				33
10633	680	1.900	26.2	12.7	4.9				34
10634	790	.560	10.6	4.6	4.1				35
10635	540	2.300	51.9	15.3	3.0				36
10636	670	2.200	41.3	12.2	2.9				37
10637	630	1.850	45.8	15.2	3.1				38
									39
									40

All reports are the confidential property of clients
All results are in PPM.

DIGESTION:.....

DETERMINATION:.....

DATE SAMPLES RECEIVED Nov. 16, 1981

DATE REPORTS MAILED Jan. 7, 1982

ASSAYER Dean Toy

DEAN TOYE, B.Sc.
CHIEF CHEMIST
CERTIFIED B.C. ASSAYER



To: Cyprus Anvil Mining Corp.,

ACME ANALYTICAL LABORATORIES LTD.

Assaying & Trace Analysis

852 E. Hastings St., Vancouver, B.C. V6A 1R6

phone: 253 - 3158

File No. 81-1810

Type of Samples

Disposition

GEOCHEMICAL ASSAY CERTIFICATE

SAMPLE No.	F	Hg	Tl	S	C						
10638	1150	.230	3.2	2.2	3.9						1
10639	980	1.200	33.6	10.6	4.0						2
10640	1400	.450	6.3	3.4	6.9						3
10641	860	.900	34.2	16.2	3.8						4
10642	1050	.060	3.8	1.9	2.5						5
10643	730	.600	32.9	15.6	3.0						6
10644	1250	.180	5.5	2.6	2.5						7
10645	820	.880	46.8	15.0	2.8						8
10646	1050	.280	4.3	3.4	4.5						9
10647	920	.420	45.3	13.4	2.9						10
10648	1100	.100	4.8	1.9	3.0						11
10649	1150	.220	36.4	9.2	4.2						12
10650	1100	.095	5.2	2.4	3.4						13
											14
10651	1050	.820	22.4	9.5	3.6						15
10652	1100	.630	12.4	7.5	4.1						16
10653	1200	.090	4.5	2.8	4.4						17
10654	1000	.150	13.2	7.4	4.2						18
10655	1120	.100	3.6	2.1	3.5						19
10656	1050	.220	3.3	2.7	3.3						20
10657	990	.680	51.8	13.5	3.8						21
10658	1650	.280	5.5	2.8	6.1						22
10659	1400	.340	21.9	7.3	4.1						23
10660	1450	.470	12.4	5.2	3.4						24
10661	1300	.150	5.0	2.1	3.2						25
10662	1050	.840	48.2	11.4	3.5						26
10663	1350	.140	5.5	2.1	4.4						27
10664	930	.620	16.8	7.7	4.2						28
10665	1000	.240	7.2	4.1	3.8						29
10666	680	.560	20.3	14.4	3.4						30
10667	1600	.050	3.1	2.1	3.0						31
10668	1150	.100	23.2	6.0	4.4						32
10669	1350	.090	14.8	4.5	5.2						33
10670	1450	.035	3.3	1.6	3.6						34
10671	1150	.180	3.0	2.4	3.5						35
10672	1100	.170	2.5	1.8	3.2						36
10673	990	.140	2.8	2.2	2.5						37
10674	980	.280	6.5	3.8	3.0						38
											39
											40

All reports are the confidential property of clients
All results are in PPM.

DIGESTION:.....

DETERMINATION:.....

DATE SAMPLES RECEIVED Nov. 16, 1981

DATE REPORTS MAILED Jan. 7, 1982

ASSAYER

DEAN TOYE, B.Sc.
CHIEF CHEMIST
CERTIFIED B.C. ASSAYER



To: Cyprus Anvil Mining Corporation

ACME ANALYTICAL LABORATORIES LTD.

Assaying & Trace Analysis

852 E. Hastings St., Vancouver, B. C. V6A 1R8

phone: 253 - 3158

81-1810

File No. _____

Type of Samples _____

Disposition _____

GEOCHEMICAL ASSAY CERTIFICATE

4

SAMPLE No.	F	Hg	Tl	S	C						
10675	880	.260	13.9	3.5	4.6						1
10676	1150	.080	6.2	2.3	5.2						2
10676	1200	.060	5.5	1.7	3.7						3
10678	1300	.055	8.2	2.5	4.4						4
10679	1500	.120	18.2	4.8	5.0						5
10680	1250	.040	15.3	3.5	3.4						6
10681	990	.150	14.8	5.6	4.3						7
10682	1050	.060	5.5	3.7	4.8						8
10683	1020	.190	4.5	2.3	6.5						9
10683A	910	.050	5.2	2.5	3.4						10
10684	950	.055	3.0	1.0	2.7						11
10685	790	.085	4.2	2.3	4.8						12
10686	740	.060	3.1	1.2	3.5						13
10687	650	.045	3.5	3.1	4.8						14
10688	720	.120	3.2	2.6	4.6						15
10689	780	.075	6.2	2.3	5.4						16
10690	1150	.460	11.2	3.6	6.3						17
10691	1000	.050	3.8	1.8	5.6						18
10692	990	.250	4.3	2.4	4.4						19
10693	1000	.060	4.5	1.6	2.5						20
10694	1050	.150	2.5	3.0	5.6						21
10695	1250	.060	4.0	2.8	5.2						22
10696	1100	.100	3.3	2.4	4.7						23
10697	970	.180	10.6	4.0	4.2						24
											25
											26
											27
											28
											29
											30
											31
											32
											33
											34
											35
											36
											37
											38
											39
											40

All reports are the confidential property of clients
All results are in PPM.

DIGESTION:.....

DETERMINATION:.....

DATE SAMPLES RECEIVED Nov. 16, 1981

DATE REPORTS MAILED Jan. 7, 1982

ASSAYER

Dean Toye
DEAN TOYE, B.Sc.
CHIEF CHEMIST
CERTIFIED B.C. ASSAYER



To: Cyprus Anvil Mining Corp.,

ACME ANALYTICAL LABORATORIES LTD.

Assaying & Trace Analysis

852 E. Hastings St., Vancouver, B. C. V6A 1R6

phone: 253 - 3158

File No. 81-1810

Type of Samples _____

Disposition _____

GEOCHEMICAL ASSAY CERTIFICATE

SAMPLE No.	F	Hg	TI	S	C					
10001	530	.950	45.2	9.2	3.2					1
10002	540	1.050	65.8	11.7	2.7					2
10003	410	2.800	18.0	17.2	2.1					3
10004	880	.200	73.2	9.9	3.9					4
10005	730	1.400	44.3	9.4	3.8					5
10006	145	2.200	83.3	18.2	2.9					6
10007	590	.500	96.2	13.2	3.7					7
10008	270	3.600	80.5	16.1	2.9					8
10009	960	3.800	14.9	8.9	2.4					9
10010	880	3.000	10.6	8.1	3.1					10
10011	610	3.200	13.5	7.8	3.5					11
10012	420	3.700	52.8	12.1	2.4					12
10013	630	1.850	75.5	12.2	3.2					13
10014	105	2.600	103.0	18.5	2.2					14
10015	275	.100	9.2	2.2	1.8					15
10016	245	1.900	95.2	14.7	2.5					16
10017	375	2.000	55.4	10.1	3.0					17
10018	210	3.100	85.6	16.9	2.0					18
10019	320	1.900	104.8	19.5	2.0					19
10020	105	3.400	50.5	15.2	1.2					20
10021	130	3.800	76.0	15.7	1.5					21
10022	195	1.600	68.0	15.7	4.6					22
10023	165	.380	68.0	7.9	5.1					23
										24
										25
										26
										27
										28
										29
										30
										31
										32
										33
										34
										35
										36
										37
										38
										39
										40

All reports are the confidential property of clients
All results are in PPM.

DIGESTION:

DETERMINATION:

DATE SAMPLES RECEIVED Nov. 16, 1981

DATE REPORTS MAILED Jan. 7, 1982

ASSAYER *D. Toy*

DEAN TOYE, B.Sc.
CHIEF CHEMIST
CERTIFIED B.C. ASSAYER