

FARO
8608 MODEL

017391

PRINTOUT OF PROPERTY INFORMATION

Model description (max 64 characters) : Faro 8608 Geological Model
 Easting co-ordinate of model bottom left hand corner : 20000.00
 Northing co-ordinate of model bottom left hand corner : 35537.50
 Easting co-ordinate of model top right hand corner : 23200.00
 Northing co-ordinate of model top right hand corner : 40017.50 — SECTION 109
 Datum elevation of top of model : 4270.00
 Number of columns in model (max 128) : 128
 Number of rows in model (max 128) : 128
 Width of columns : 25.00
 Width of rows : 35.00

Number of labels : 5 ; %Pb+Zn ; %Pb ; %Zn ; Ag g/t ; Au g/t

Current units are :


Linear : ft
 Area : ft**2
 Volumetric : bcf
 Density : tn/bcf
 Monetary : Cdn \$

15155.4644 E
 5844.5359 N
 20000.00
 35537.50

Scale factors Pb+Zn 1000
 Pb 1000
 Zn 1000
 Ag 10
 Au 1000
 Density 10000
 Grids Elev 1
 Var 1000

PRINTOUT OF PROPERTY INFORMATION

BENCH	HEIGHT [ft]	CREST ELEVATION [ft]	TOE ELEVATION [ft]	CREST DEPTH [ft]	TOE DEPTH [ft]
1	40.00	4270.00	4230.00	.00	40.00
2	40.00	4230.00	4190.00	40.00	80.00
3	40.00	4190.00	4150.00	80.00	120.00
4	40.00	4150.00	4110.00	120.00	160.00
5	40.00	4110.00	4070.00	160.00	200.00
6	40.00	4070.00	4030.00	200.00	240.00
7	40.00	4030.00	3990.00	240.00	280.00
8	40.00	3990.00	3950.00	280.00	320.00
9	40.00	3950.00	3910.00	320.00	360.00
10	20.00	3910.00	3890.00	360.00	380.00
11	20.00	3890.00	3870.00	380.00	400.00
12	20.00	3870.00	3850.00	400.00	420.00
13	20.00	3850.00	3830.00	420.00	440.00
14	20.00	3830.00	3810.00	440.00	460.00
15	20.00	3810.00	3790.00	460.00	480.00
16	20.00	3790.00	3770.00	480.00	500.00
17	20.00	3770.00	3750.00	500.00	520.00
18	20.00	3750.00	3730.00	520.00	540.00
19	20.00	3730.00	3710.00	540.00	560.00
20	20.00	3710.00	3690.00	560.00	580.00
21	20.00	3690.00	3670.00	580.00	600.00
22	20.00	3670.00	3650.00	600.00	620.00
23	20.00	3650.00	3630.00	620.00	640.00
24	20.00	3630.00	3610.00	640.00	660.00
25	20.00	3610.00	3590.00	660.00	680.00
26	20.00	3590.00	3570.00	680.00	700.00
27	20.00	3570.00	3550.00	700.00	720.00
28	20.00	3550.00	3530.00	720.00	740.00
29	20.00	3530.00	3510.00	740.00	760.00
30	20.00	3510.00	3490.00	760.00	780.00
31	20.00	3490.00	3470.00	780.00	800.00
32	20.00	3470.00	3450.00	800.00	820.00
33	20.00	3450.00	3430.00	820.00	840.00
34	20.00	3430.00	3410.00	840.00	860.00
35	20.00	3410.00	3390.00	860.00	880.00
36	20.00	3390.00	3370.00	880.00	900.00
37	20.00	3370.00	3350.00	900.00	920.00



118184
28

...5.64

PRINTOUT OF ROCK-TYPE INFORMATION FOR RECORDS [1] TO [16]

GEOLOGICAL AND GEOTECHNICAL DATA

REC	STAT	ROCK CODE	DESCRIPTION	RELATIVE DENSITY [tn/bcf]	PEN	SLOPE ANGLES [DEGREES]							
						NW	N	NE	W	E	SW	S	SE
1	1	0	air	.000	0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0
2	1	1	undifferentiated sulphides	.085	4	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
3	1	2	2a ribbon banded graphitic quartzite	.083	1	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
4	1	3	2bcd pyritic quartzite	.090	2	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
5	1	4	2ce semi-massive sulphides	.099	4	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
6	1	5	2ef - pyritic massive sulphides	.107	4	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
7	1	6	2ge baritic massive sulphides	.112	4	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
8	1	7	2h - pyrothitic massive sulphides	.104	5	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
9	1	8	waste - schist and phyllite - 1D0,1CD and 1C0	.076	7	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
10	1	9	waste - calc-silicate - 3D0	.076	7	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
11	1	10	waste - calc-silicate breccia - 3	.076	7	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
12	1	11	waste - intrusive rocks 10E and 10F clans	.076	7	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
13	1	12	waste - altered schist - 1D4 and 2L	.076	7	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
14	1	14	waste - graphitic phyllite and basal unit of calc-sils - 1E and	.076	7	45.0	39.0	36.5	45.0	38.5	45.0	45.0	45.0
15	1	20	waste in blocks more than 50% removed at mining start-up	.076	7	45.0	39.0	36.5	45.0	48.5	45.0	45.0	45.0
16	1	13	waste - unconsolidated overburden	.060	7	36.5	36.5	36.5	36.5	36.5	36.5	36.5	36.5

*.085 x 10000
 .850/1000
 .085 x 1000*

*bench 33
 mw 46*

*top 4
 bottom 5*

SURFACE ELEVATION GRID MODEL

SUMMARY PRINTOUT

FROM RECORD [1] TO RECORD [9]

RECORD	STATUS	TYPE	DESCRIPTION	DATE
1	1	USER	FARO PIT SURFACE AT START-UP OF MINING	27/ 6/1986
2	1	INV DS	Top of Model (4270.)	4/ 8/1986
3	1	USER	FARO PIT SURFACE AT START-UP OF MINING	27/ 6/1986
4	1	USER	FARO PIT SURFACE AT START-UP OF MINING	27/ 6/1986
5	1	B TO T	AY Phase pit	13/ 8/1986
6	1	B TO T	JB Phase	13/ 8/1986
7	1		BY phase pit, includes JB and AY	14/ 8/1986
8	1		CY Phase -- to AY, BY, and JB phases	14/ 8/1986
9	1		Five Dollar Pit with AY, BY, CY, JB Phases	15/ 8/1986

PRINTOUT OF POLYGON INFORMATION FOR RECORDS [1] TO [369]

SUMMARY PRINTOUT

RECORD	DESCRIPTION	ELEVATION [ft]	NO. OF POINTS	CODE	DATE	STATUS	AREA [ft**2]
1	.00 0 0/ 0/ 0 0 .0						
2	123+090;2	14.00	5	123B	29/ 8/1986	1	818.0
3	123+090;3	9.00	7	123B	29/ 8/1986	1	1228.3
4	123+090;4	14.00	12	123B	29/ 8/1986	1	29812.1
5	123+090;5	14.00	20	123B	29/ 8/1986	1	20148.0
6	123+090;6	9.00	12	123B	29/ 8/1986	1	12291.6
7	123+090;7	10.00	10	123B	29/ 8/1986	1	4548.9
8	123+090;8	14.00	10	123B	29/ 8/1986	1	3503.3
9	123+090;9	14.00	8	123B	29/ 8/1986	1	1856.2
10	123+090;10	12.00	13	123B	29/ 8/1986	1	5155.5
11	123+090;11	12.00	8	123B	29/ 8/1986	1	1864.6
12	123+090;12	2.00	11	123B	29/ 8/1986	1	6476.1
13	123+090;13	5.00	5	123B	29/ 8/1986	1	649.5
14	123+090;14	12.00	5	123B	29/ 8/1986	1	944.8
15	123+090;15	12.00	5	123B	29/ 8/1986	1	568.9
16	123+090;16	6.00	5	123B	29/ 8/1986	1	506.6
17	123+090;17	12.00	21	123B	29/ 8/1986	1	12164.7
18	123+090;18	2.00	9	123B	29/ 8/1986	1	2023.1
19	123+090;19	6.00	19	123B	29/ 8/1986	1	6858.4
20	123+090;20	7.00	8	123B	29/ 8/1986	1	453.2
21	123+090;21	3.00	12	123B	29/ 8/1986	1	1222.1
22	123+090;22	14.00	6	123B	29/ 8/1986	1	451.6
23	123+090;23	2.00	8	123B	29/ 8/1986	1	1836.2
24	123+090;24	6.00	11	123B	29/ 8/1986	1	2402.1
25	123+090;25	12.00	18	123B	29/ 8/1986	1	3628.8
26	123+090;26	3.00	12	123B	29/ 8/1986	1	3196.5
27	123+090;27	2.00	11	123B	29/ 8/1986	1	3101.8
28	123+090;28	7.00	14	123B	29/ 8/1986	1	1885.8
29	123+090;29	2.00	39	123B	29/ 8/1986	1	35273.0
30	123+090;30	12.00	17	123B	29/ 8/1986	1	18762.8
31	123+090;31	7.00	15	123B	29/ 8/1986	1	3930.9
32	123+090;32	5.00	22	123B	29/ 8/1986	1	17349.8
33	123+090;33	14.00	7	123B	29/ 8/1986	1	318.4
34	123+090;34	12.00	28	123B	29/ 8/1986	1	10579.9
35	123+090;35	7.00	24	123B	29/ 8/1986	1	4809.0
36	123+090;36	12.00	11	123B	29/ 8/1986	1	1353.6
37	123+090;37	6.00	10	123B	29/ 8/1986	1	2576.3
38	123+090;38	11.00	46	123B	29/ 8/1986	1	8800.3
39	123+090;39	10.00	16	123B	29/ 8/1986	1	37167.8
40	123+090;40	12.00	7	123B	29/ 8/1986	1	1930.7

PRINTOUT OF POLYGON INFORMATION FOR RECORDS [1] TO [369]

SUMMARY PRINTOUT

RECORD	DESCRIPTION	ELEVATION [ft]	NO. OF POINTS	CODE	DATE	STATUS	AREA [ft**2]
41	123+090;41	12.00	6	123B	29/ 8/1986	1	727.8
42	123+090;42	2.00	10	123B	29/ 8/1986	1	2672.5
43	123+090;43	6.00	6	123B	29/ 8/1986	1	519.7
44	123+090;44	7.00	4	123B	29/ 8/1986	1	316.4
45	123+090;45	12.00	26	123B	29/ 8/1986	1	21447.1
46	123+090;46	6.00	4	123B	29/ 8/1986	1	267.3
47	123+090;47	6.00	7	123B	29/ 8/1986	1	613.6
48	123+090;48	4.00	14	123B	29/ 8/1986	1	6124.0
49	123+090;49	6.00	6	123B	29/ 8/1986	1	932.0
50	123+090;50	5.00	38	123B	29/ 8/1986	1	29281.5
51	123+090;51	6.00	8	123B	29/ 8/1986	1	1225.0
52	123+090;52	4.00	25	123B	29/ 8/1986	1	21532.7
53	123+090;53	12.00	8	123B	29/ 8/1986	1	642.6
54	123+090;54	4.00	6	123B	29/ 8/1986	1	1124.5
55	123+090;55	4.00	9	123B	29/ 8/1986	1	2102.1
56	123+090;56	2.00	14	123B	29/ 8/1986	1	11399.3
57	123+090;57	12.00	11	123B	29/ 8/1986	1	9715.3
58	123+090;58	5.00	6	123B	29/ 8/1986	1	919.7
59	123+090;59	11.00	46	123B	29/ 8/1986	1	6966.6
60	123+090;60	12.00	15	123B	29/ 8/1986	1	10773.7
61	123+090;61	12.00	5	123B	29/ 8/1986	1	269.5
62	123+090;62	4.00	6	123B	29/ 8/1986	1	1065.8
63	123+090;63	11.00	36	123B	29/ 8/1986	1	51155.9
64	123+090;64	12.00	5	123B	29/ 8/1986	1	1151.5
65	123+090;65	4.00	7	123B	29/ 8/1986	1	2503.5
66	123+090;66	5.00	6	123B	29/ 8/1986	1	820.7
67	123+090;67	3.00	5	123B	29/ 8/1986	1	889.0
68	123+090;68	12.00	8	123B	29/ 8/1986	1	3347.4
69	123+090;69	4.00	8	123B	29/ 8/1986	1	1693.7
70	123+090;70	12.00	8	123B	29/ 8/1986	1	1121.9
71	123+090;71	4.00	15	123B	29/ 8/1986	1	3718.1
72	123+090;72	4.00	25	123B	29/ 8/1986	1	20203.2
73	123+090;73	12.00	8	123B	29/ 8/1986	1	1852.0
74	123+090;74	2.00	9	123B	29/ 8/1986	1	6982.4
75	123+090;75	12.00	13	123B	29/ 8/1986	1	13381.8
76	123+090;76	12.00	8	123B	29/ 8/1986	1	5559.5
77	123+090;77	3.00	8	123B	29/ 8/1986	1	1947.6
78	123+090;78	12.00	18	123B	29/ 8/1986	1	21567.0
79	123+090;79	2.00	8	123B	29/ 8/1986	1	3485.0

PRINTOUT OF POLYGON INFORMATION FOR RECORDS [1] TO [369]

SUMMARY PRINTOUT

RECORD	DESCRIPTION	ELEVATION [ft]	NO. OF POINTS	CODE	DATE	STATUS	AREA [ft**2]
81	123+090;81	12.00	19	123B	29/ 8/1986	1	12338.9
82	123+090;82	2.00	7	123B	29/ 8/1986	1	2644.5
83	123+090;83	12.00	5	123B	29/ 8/1986	1	572.9
84	123+090;84	3.00	5	123B	29/ 8/1986	1	374.4
85	123+090;85	12.00	5	123B	29/ 8/1986	1	741.4
86	124+022;1	9.00	30	124	2/ 9/1986	1	135941.4
87	124+022;2	14.00	32	124	2/ 9/1986	1	79225.1
88	124+022;3	10.00	17	124	2/ 9/1986	1	41439.4
89	124+022;4	14.00	10	124	2/ 9/1986	1	4932.7
90	124+022;5	12.00	39	124	2/ 9/1986	1	13990.0
91	124+022;6	12.00	10	124	2/ 9/1986	1	3018.3
92	124+022;7	7.00	23	124	2/ 9/1986	1	964.3
93	124+022;8	7.00	9	124	2/ 9/1986	1	527.1
94	124+022;9	2.00	5	124	2/ 9/1986	1	173.5
95	124+022;10	2.00	10	124	2/ 9/1986	1	379.6
96	124+022;11	2.00	29	124	2/ 9/1986	1	6520.8
97	124+022;12	12.00	11	124	2/ 9/1986	1	1986.9
98	124+022;13	2.00	29	124	2/ 9/1986	1	5969.2
99	124+022;14	7.00	40	124	2/ 9/1986	1	7859.9
100	124+022;15	2.00	96	124	2/ 9/1986	1	37599.7
101	124+022;16	7.00	29	124	2/ 9/1986	1	6011.8
102	124+022;17	12.00	92	124	2/ 9/1986	1	18588.8
103	124+022;18	6.00	19	124	2/ 9/1986	1	3258.6
104	124+022;19	2.00	63	124	2/ 9/1986	1	8351.9
105	124+022;20	12.00	66	124	2/ 9/1986	1	11587.5
106	124+022;21	2.00	32	124	2/ 9/1986	1	1404.6
107	124+022;22	12.00	8	124	2/ 9/1986	1	347.1
108	124+022;23	7.00	39	124	2/ 9/1986	1	3918.9
109	124+022;24	3.00	62	124	2/ 9/1986	1	8750.1
110	124+022;25	7.00	18	124	2/ 9/1986	1	1620.1
111	124+022;26	5.00	60	124	2/ 9/1986	1	20317.2
112	124+022;27	11.00	57	124	2/ 9/1986	1	11282.2
113	124+022;28	2.00	9	124	2/ 9/1986	1	2864.9
114	124+022;29	2.00	8	124	2/ 9/1986	1	245.8
115	124+022;30	12.00	38	124	2/ 9/1986	1	15794.7
116	124+022;31	5.00	38	124	2/ 9/1986	1	4831.8
117	124+022;32	3.00	31	124	2/ 9/1986	1	4000.1
118	124+022;33	4.00	19	124	2/ 9/1986	1	5378.5
119	124+022;34	5.00	62	124	2/ 9/1986	1	22014.0
120	124+022;35	4.00	27	124	2/ 9/1986	1	6522.8

PRINTOUT OF POLYGON INFORMATION FOR RECORDS [1] TO [369]

SUMMARY PRINTOUT

RECORD	DESCRIPTION	ELEVATION [ft]	NO. OF POINTS	CODE	DATE	STATUS	AREA [ft**2]
121	124+022;36	4.00	13	124	2/ 9/1986	1	1176.6
122	124+022;37	2.00	28	124	2/ 9/1986	1	9014.7
123	124+022;38	12.00	29	124	2/ 9/1986	1	4159.2
124	124+022;39	11.00	29	124	2/ 9/1986	1	12283.9
125	124+022;40	10.00	49	124	2/ 9/1986	1	165298.6
126	124+022;41	14.00	51	124	2/ 9/1986	1	39952.3
127	124+022;42	11.00	9	124	2/ 9/1986	1	697.2
128	124+022;43	11.00	9	124	2/ 9/1986	1	274.2
129	124+022;44	11.00	32	124	2/ 9/1986	1	11341.4
130	124+022;45	11.00	7	124	2/ 9/1986	1	223.7
131	124+022;46	4.00	23	124	2/ 9/1986	1	9014.5
132	124+022;47	2.00	24	124	2/ 9/1986	1	6441.1
133	124+022;48	12.00	21	124	2/ 9/1986	1	5825.5
134	124+022;49	11.00	34	124	2/ 9/1986	1	31579.1
135	124+022;50	11.00	5	124	2/ 9/1986	1	283.0
136	124+022;51	12.00	5	124	2/ 9/1986	1	997.6
137	124+022;52	12.00	4	124	2/ 9/1986	1	655.2
138	124+022;53	11.00	22	124	2/ 9/1986	1	13236.2
139	124+022;54	11.00	19	124	2/ 9/1986	1	16098.4
140	124+022;55	11.00	15	124	2/ 9/1986	1	48284.4
141	124+022;56	11.00	32	124	2/ 9/1986	1	16763.4
142		3590.00	39	590T	8/ 9/1986	1	.0
143		3630.00	23	590C	8/ 9/1986	1	.0
144		.00	92	590R	8/ 9/1986	1	.0
145		3550.00	46	550T	8/ 9/1986	1	681285.1
146		3590.00	36	550C	8/ 9/1986	1	.0
147		.00	146	550R	8/ 9/1986	1	.0
148		.00	182	570R	8/ 9/1986	1	.0
149		3510.00	33	510T	8/ 9/1986	1	.0
150		3550.00	37	510C	8/ 9/1986	1	.0
151		.00	202	510R	8/ 9/1986	1	.0
152		.00	179	530R	8/ 9/1986	1	.0
153		3470.00	19	470T	8/ 9/1986	1	.0
154		3510.00	20	470C	8/ 9/1986	1	.0
155		.00	253	470R	8/ 9/1986	1	.0
156		.00	236	490R	8/ 9/1986	1	.0
157		3770.00	52	750C	3/ 9/1986	1	.0
158		3770.00	65	750C	3/ 9/1986	1	.0
159		3750.00	44	750T	3/ 9/1986	1	.0
160		3750.00	41	750T	3/ 9/1986	1	.0

PRINTOUT OF POLYGON INFORMATION FOR RECORDS [1] TO [369]

SUMMARY PRINTOUT

RECORD	DESCRIPTION	ELEVATION [ft]	NO. OF POINTS	CODE	DATE	STATUS	AREA [ft**2]
161		.00	201	RAMP	3/ 9/1986	1	.0
162		3730.00	35	730T	3/ 9/1986	1	.0
163		3740.00	13	730T	3/ 9/1986	1	.0
164		3730.00	40	730T	3/ 9/1986	1	.0
165		3750.00	43	750C	3/ 9/1986	1	.0
166		3740.00	14	730C	3/ 9/1986	1	.0
167		3750.00	46	730T	3/ 9/1986	1	.0
168		3730.00	41	710C	3/ 9/1986	1	.0
169		3730.00	41	710C	3/ 9/1986	1	.0
170		3710.00	36	710C	3/ 9/1986	1	.0
171		3710.00	43	710T	3/ 9/1986	1	.0
172		3710.00	34	690C	3/ 9/1986	1	.0
173		3710.00	46	690C	3/ 9/1986	1	.0
174		3690.00	42	690T	3/ 9/1986	1	.0
175		3690.00	52	390T	3/ 9/1986	1	.0
176		3690.00	30	670C	3/ 9/1986	1	.0
177		3690.00	37	670C	3/ 9/1986	1	.0
178		3670.00	31	670T	3/ 9/1986	1	.0
179		3690.00	31	690T	3/ 9/1986	1	.0
180		3670.00	27	650C	3/ 9/1986	1	.0
181		3670.00	38	650C	3/ 9/1986	1	.0
182		3650.00	30	650T	3/ 9/1986	1	.0
183		3650.00	42	650T	3/ 9/1986	1	.0
184		3650.00	22	630C	3/ 9/1986	1	.0
185		3650.00	49	630C	3/ 9/1986	1	.0
186		3630.00	32	630T	3/ 9/1986	1	.0
187		3630.00	34	630T	3/ 9/1986	1	.0
188		3630.00	35	610C	3/ 9/1986	1	.0
189		3630.00	20	610C	3/ 9/1986	1	.0
190		3610.00	32	610T	3/ 9/1986	1	.0
191		3610.00	18	610T	3/ 9/1986	1	.0
192		.00	1	TEST	9/ 9/1986	1	.0
193		.00	4	750R	9/ 9/1986	1	.0
194		.00	6	730R	9/ 9/1986	1	.0
195		.00	17	710R	9/ 9/1986	1	.0
196		.00	19	690R	9/ 9/1986	1	.0
197		.00	23	670R	9/ 9/1986	1	.0
198		.00	30	650R	9/ 9/1986	1	.0
199		.00	35	630R	9/ 9/1986	1	.0
200		.00	34	610R	9/ 9/1986	1	.0

PRINTOUT OF POLYGON INFORMATION FOR RECORDS [1] TO [369]

SUMMARY PRINTOUT

RECORD	DESCRIPTION	ELEVATION [ft]	NO. OF POINTS	CODE	DATE	STATUS	AREA [ft**2]
201	125+000	.00	2	grid	22/ 9/1986	1	.0
202	124+022	.00	2	grid	22/ 9/1986	1	.0
203	123+015	.00	2	grid	22/ 9/1986	1	.0
204	122+020	.00	2	grid	22/ 9/1986	1	.0
205	121+000	.00	2	grid	22/ 9/1986	1	.0
206	120+000	.00	2	grid	22/ 9/1986	1	.0
207	119+000	.00	2	grid	22/ 9/1986	1	.0
208	118+000	.00	2	grid	22/ 9/1986	1	.0
209	117+000	.00	2	grid	22/ 9/1986	1	.0
210		.00	2	grid	22/ 9/1986	1	.0
211		.00	2	grid	22/ 9/1986	1	.0
212		.00	2	grid	22/ 9/1986	1	.0
213		.00	2	grid	22/ 9/1986	1	.0
214		.00	2	grid	22/ 9/1986	1	.0
215		.00	2	grid	22/ 9/1986	1	.0
216		.00	2	grid	22/ 9/1986	1	.0
217		.00	2	grid	22/ 9/1986	1	.0
218	16+000	.00	2	grid	22/ 9/1986	1	.0
219	17+000	.00	2	grid	22/ 9/1986	1	.0
220	18+000	.00	2	grid	22/ 9/1986	1	.0
221	19+000	.00	2	grid	22/ 9/1986	1	.0
222	19+094	.00	2	grid	22/ 9/1986	1	.0
223	20+026	.00	2	grid	22/ 9/1986	1	.0
224	21+000	.00	2	grid	22/ 9/1986	1	.0
225	22+000	.00	2	grid	22/ 9/1986	1	.0
226	23+000	.00	2	grid	22/ 9/1986	1	.0
227	24+000	.00	2	grid	22/ 9/1986	1	.0
228	25+000	.00	2	grid	22/ 9/1986	1	.0
229	26+000	.00	2	grid	22/ 9/1986	1	.0
230	27+000	.00	2	grid	22/ 9/1986	1	.0
231	28+000	.00	2	grid	22/ 9/1986	1	.0
232	29+000	.00	2	grid	22/ 9/1986	1	.0
233		.00	2	grid	22/ 9/1986	1	.0
234		.00	2	grid	22/ 9/1986	1	.0
235		.00	3	grid	22/ 9/1986	1	.0
236		.00	2	grid	22/ 9/1986	1	.0
237		.00	2	grid	22/ 9/1986	1	.0
238		.00	2	grid	22/ 9/1986	1	.0
239		.00	2	grid	22/ 9/1986	1	.0

PRINTOUT OF POLYGON INFORMATION FOR RECORDS [1] TO [369]

SUMMARY PRINTOUT

RECORD	DESCRIPTION	ELEVATION [ft]	NO. OF POINTS	CODE	DATE	STATUS	AREA [ft**2]
241		.00	2	grid	22/ 9/1986	1	.0
242		.00	2	grid	22/ 9/1986	1	.0
243		.00	2	grid	22/ 9/1986	1	.0
244		.00	2	grid	22/ 9/1986	1	.0
245		.00	2	grid	22/ 9/1986	1	.0
246		.00	2	grid	22/ 9/1986	1	.0
247		.00	2	grid	22/ 9/1986	1	.0
248		.00	2	grid	22/ 9/1986	1	.0
249	13 500. East	.00	2	grid	22/ 9/1986	1	.0
250	14 000. East	.00	2	grid	22/ 9/1986	1	.0
251	14 500. East	.00	2	grid	22/ 9/1986	1	.0
252	15 000. East	.00	2	grid	22/ 9/1986	1	.0
253		.00	2	grid	22/ 9/1986	1	.0
254	8 500. North	.00	2	grid	22/ 9/1986	1	.0
255	9 000. North	.00	2	grid	22/ 9/1986	1	.0
256	9 500. North	.00	2	grid	22/ 9/1986	1	.0
257	10 000. North	.00	2	grid	22/ 9/1986	1	.0
258	10 500. North	.00	2	grid	22/ 9/1986	1	.0
259		3430.00	21	430T	22/ 9/1986	1	.0
260		3450.00	21	430C	22/ 9/1986	1	.0
261		.00	124	430R	22/ 9/1986	1	488106.0
262		.00	132	450R	22/ 9/1986	1	455171.8
263	.00 0 24/ 9/1986		2				.0
264	.00 0 24/ 9/1986		2				.0
265	.00 0 24/ 9/1986		2				.0
266	125+000;1	2.00	24	125	29/ 9/1986	1	3111.6
267	125+000;2	6.00	12	125	29/ 9/1986	1	877.2
268	125+000;3	7.00	26	125	29/ 9/1986	1	3272.9
269	125+000;4	2.00	34	125	29/ 9/1986	1	6255.3
270	125+000;5	2.00	37	125	29/ 9/1986	1	7719.9
271	125+000;6	5.00	84	125	29/ 9/1986	1	20383.2
272	125+000;7	6.00	27	125	29/ 9/1986	1	6075.4
273	125+000;8	7.00	68	125	29/ 9/1986	1	8189.2
274	125+000;9	2.00	81	125	29/ 9/1986	1	22170.4
275	125+000;10	3.00	79	125	29/ 9/1986	1	8610.6
276	125+000;11	5.00	50	125	29/ 9/1986	1	6670.9
277	125+000;12	7.00	61	125	29/ 9/1986	1	13875.3
278	125+000;13	4.00	41	125	29/ 9/1986	1	18466.7
279	125+000;14	2.00	25	125	29/ 9/1986	1	8683.3

PRINTOUT OF POLYGON INFORMATION FOR RECORDS [1] TO [369]

SUMMARY PRINTOUT

RECORD	DESCRIPTION	ELEVATION [ft]	NO. OF POINTS	CODE	DATE	STATUS	AREA [ft**2]
281	125+000;16	12.00	20	125	29/ 9/1986	1	5974.0
282	125+000;17	12.00	34	125	29/ 9/1986	1	4149.8
283	delete me	999.00	87	999	29/ 9/1986	2	11772.0
284	125+000;18	12.00	107	125	29/ 9/1986	1	22347.0
285	125+000;19	12.00	24	125	29/ 9/1986	1	2377.0
286	125+000;20	14.00	58	125	29/ 9/1986	1	11120.7
287	125+000;21	12.00	50	125	29/ 9/1986	1	4723.5
288	125+000;22	12.00	76	125	29/ 9/1986	1	9871.3
289	125+000;23	12.00	23	125	29/ 9/1986	1	6756.6
290	125+000;24	14.00	18	125	29/ 9/1986	1	2248.6
291	125+000;25	14.00	38	125	29/ 9/1986	1	5033.2
292	125+000;26	14.00	19	125	29/ 9/1986	1	21502.4
293	125+000;27	14.00	34	125	29/ 9/1986	1	34968.3
294	125+000;28	9.00	16	125	29/ 9/1986	1	70717.3
295	125+000;29	9.00	8	125	29/ 9/1986	1	5961.3
296	125+000;30	9.00	4	125	29/ 9/1986	1	341.8
297	125+000;31	10.00	32	125	29/ 9/1986	1	56676.5
298	125+000;32	10.00	35	125	29/ 9/1986	1	58381.4
299	125+000;33	14.00	33	125	29/ 9/1986	1	15922.5
300	125+000;34	14.00	42	125	29/ 9/1986	1	79335.7
301	125+000;35	11.00	65	125	29/ 9/1986	1	18216.1
302	125+000;36	11.00	23	125	29/ 9/1986	1	4019.7
303	125+000;37 - 10F	11.00	29	125	29/ 9/1986	1	12018.7
304	125+000;38	12.00	18	125	29/ 9/1986	1	3807.3
305	124+082;1	2.00	15	124B	29/ 9/1986	1	8947.6
306	124+082;2	6.00	8	124B	29/ 9/1986	1	3679.4
307	124+082;3	7.00	27	124B	29/ 9/1986	1	16484.5
308	124+082;4	2.00	23	124B	29/ 9/1986	1	35472.8
309	124+082;5	5.00	27	124B	29/ 9/1986	1	36532.8
310	124+082;6	2.00	7	124B	29/ 9/1986	1	1258.5
311	124+082;7	3.00	9	124B	29/ 9/1986	1	2247.8
312	124+082;8	7.00	11	124B	29/ 9/1986	1	3766.4
313	124+082;9	5.00	5	124B	29/ 9/1986	1	646.0
314	124+082;10	3.00	17	124B	29/ 9/1986	1	10012.2
315	124+082;11	7.00	10	124B	29/ 9/1986	1	3435.4
316	124+082;12	5.00	9	124B	29/ 9/1986	1	2282.0
317	124+082;13	4.00	6	124B	29/ 9/1986	1	4227.7
318	124+082;14	4.00	6	124B	29/ 9/1986	1	2110.1
319	124+082;15	2.00	7	124B	29/ 9/1986	1	1540.3
320	124+082;16	2.00	13	124B	29/ 9/1986	1	2128.8

PRINTOUT OF POLYGON INFORMATION FOR RECORDS [1] TO [369]

SUMMARY PRINTOUT

RECORD	DESCRIPTION	ELEVATION [ft]	NO. OF POINTS	CODE	DATE	STATUS	AREA [ft**2]
321	124+082;17	2.00	8	124B	29/ 9/1986	1	1667.0
322	124+082;18	5.00	6	124B	29/ 9/1986	1	988.1
323	124+082;19	3.00	20	124B	29/ 9/1986	1	3304.5
324	124+082;20	2.00	6	124B	29/ 9/1986	1	685.1
325	124+082;21	2.00	9	124B	29/ 9/1986	1	473.9
326	124+082;22	6.00	12	124B	29/ 9/1986	1	3405.1
327	124+082;23	4.00	7	124B	29/ 9/1986	1	4068.2
328	124+082;24	5.00	8	124B	29/ 9/1986	1	1484.2
329	124+082;25	4.00	12	124B	29/ 9/1986	1	9655.2
330	124+082;26	2.00	8	124B	29/ 9/1986	1	2203.7
331	124+082;27	4.00	6	124B	29/ 9/1986	1	5545.4
332	124+082;28	2.00	6	124B	29/ 9/1986	1	1531.8
333	124+082;29	12.00	38	124B	29/ 9/1986	1	25470.7
334	124+082;30	12.00	8	124B	29/ 9/1986	1	1644.7
335	124+082;31	14.00	14	124B	29/ 9/1986	1	3619.3
336	124+082;32	12.00	27	124B	29/ 9/1986	1	21417.1
337	124+082;33	12.00	21	124B	29/ 9/1986	1	18088.5
338	124+082;34	12.00	6	124B	29/ 9/1986	1	1883.3
339	124+082;35	12.00	7	124B	29/ 9/1986	1	2633.2
340	124+082;36	14.00	7	124B	29/ 9/1986	1	709.2
341	124+082;37	14.00	11	124B	29/ 9/1986	1	4677.7
342	124+082;38	14.00	23	124B	29/ 9/1986	1	86698.6
343	124+082;39	9.00	13	124B	29/ 9/1986	1	99609.8
344	124+082;40	9.00	7	124B	29/ 9/1986	1	13297.4
345	124+082;41	10.00	15	124B	29/ 9/1986	1	52624.2
346	124+082;42	8.00	12	124B	29/ 9/1986	1	4427.9
347	124+082;43	10.00	14	124B	29/ 9/1986	1	100600.0
348	124+082;44	10.00	4	124B	29/ 9/1986	1	4652.1
349	124+082;45	14.00	8	124B	29/ 9/1986	1	5335.2
350	124+082;46	8.00	9	124B	29/ 9/1986	1	21034.4
351	124+082;47	8.00	10	124B	29/ 9/1986	1	5312.0
352	124+082;48	11.00	36	124B	29/ 9/1986	1	16742.3
353	124+082;49	11.00	21	124B	29/ 9/1986	1	5479.2
354	124+082;50	11.00	17	124B	29/ 9/1986	1	6569.4
355	.00 0 0/ 0/ 0 2 .0						
356	16500E	16500.00	2	MAPG	30/ 9/1986	1	.0
357	16000E	16000.00	2	MAPG	30/ 9/1986	1	.0
358	15500E	15500.00	2	MAPG	30/ 9/1986	1	.0
359	15000E	15000.00	2	MAPG	30/ 9/1986	1	.0
360	14500E	14500.00	2	MAPG	30/ 9/1986	1	.0

PC-MINE VERSION 1.10
SERIAL NO : 20320
23/12/1986

Curragh Resources
Faro 8608 Geological Model

SOFTWARE BY GEMCOM SERVICES INC
MODULE 1.05
PAGE 10

PRINTOUT OF POLYGON INFORMATION FOR RECORDS [1] TO [369]

SUMMARY PRINTOUT

RECORD	DESCRIPTION	ELEVATION [ft]	NO. OF POINTS	CODE	DATE	STATUS	AREA [ft**2]
361	14000E	14000.00	2	MAPG	30/ 9/1986	1	.0
362	13500E	13500.00	2	MAPG	30/ 9/1986	1	.0
363	10000N	10000.00	2	MAPG	30/ 9/1986	1	.0
364	9500N	9500.00	2	MAPG	30/ 9/1986	1	.0
365	9000N	9000.00	2	MAPG	30/ 9/1986	1	.0
366	8500N	8500.00	2	MAPG	30/ 9/1986	1	.0
367	8000N	8000.00	2	MAPG	30/ 9/1986	1	.0
368	7500N	7500.00	2	MAPG	30/ 9/1986	1	.0
369	7000N	7000.00	2	MAPG	30/ 9/1986	1	.0