

December 7, 1981

Mr. Peter J. Brown
METCON
912 - 1 Laval Crescent
Kamloops, B.C.

Dear P.J.:

We enclose a listing of assay sample numbers by facies and grade for zones 3 and 4 on the DY deposit for metallurgical testing. These samples (90 total) fairly represent the high grade zones with missing categories largely non-existent. The sampling scheme should be compatible with Grum and Vangorda.

Regards.

Yours truly,

CYPRUS ANVIL MINING CORPORATION

D. S. Jennings
Chief Geologist

DSJ/ck
Encl.

c.c. L. P. Taggart
J. G. Simpson
B. V. Hall
R. S. Tolbert

2107

ZONE 3

Wgt. % Comb. Pb/Zn

<u>Facies</u>	<u>5 - 7</u>	<u>7 - 9</u>	<u>9 -11</u>	<u>11-13</u>	<u>13-15</u>	<u>15-17</u>	<u>17-19</u>	<u>19+</u>
4A	2635	2631 2581	2634 0723	2735 2501		2637		2646
4CD	2639 2717	2847 0726	2812 0725	2848 2814	2652 2710	2744	2653 2746	2750
4E	2815	2706				2655 2845	2742	2740
4G	2644	2810	2648 2811		2650 2808 2846	2643	2737	2642
4K								

ZONE 4

Wgt. % Comb. Pb/Zn

<u>Facies</u>	<u>5 - 7</u>	<u>7 - 9</u>	<u>9 -11</u>	<u>11-13</u>	<u>13-15</u>	<u>15-17</u>	<u>17-19</u>	<u>19+</u>
4A	0340 1761	3397 1905	2001 2685	1749	1251			
4CD	1266 1972	0323 1883	0387	3391		1798* 2006*		
4E	0335 1786	1262 1789	0331 1879	1253* 2007*	3386			1995
4G	1682 2028	0452 1752	0339 1895	1143 5149	0326 1787	0347 1771	1653	0329 1778
4K	1260 3135	0309	1142 3133	1841	3100	1259 1843	1842	

* Small Sample