

VANGORDA DDH
DATABASE

017428

Drill Hole Report

Record 1 Drill Hole - 79V016R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10377.7	9942.5	1135.2	903409.4	593880.6

Length: 141.1 Section: 00 W / - 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
44.2	-86.0	31.8	350.0	SS SINGLE SHOT
74.7	-86.0	29.8	348.0	SS SINGLE SHOT
105.2	-83.0	356.8	315.0	SS SINGLE SHOT
135.6	-78.5	349.8	308.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V016R
Northing: 10377.7 Easting: 9942.5 Elevation: 1135.2
Length: 141.1 Core: NQ

From	To	Unit	Description
.0	7.6	#	TRICONED- NO CORE
7.6	11.6	4G0	VERY WEATHERED FROM ASSAY
11.6	14.6	4G4	
14.6	17.5	4E4	VUGGY
17.5	26.8	4A0	
26.8	28.3	4G4	
28.3	32.7	4L3	
32.7	35.8	10Q0	(4L3) 80:20
35.8	47.9	5A0	BXA
47.9	53.9	5A0	
53.9	58.7	5A0	
58.7	64.3	5A0	
64.3	66.8	5A0	
66.8	70.0	5A0	
70.0	74.5	5A0	50% GOUGE
74.5	82.8	5B6	
82.8	89.3	5B23	
89.3	92.6	5A3	
92.6	104.3	5B23	
104.3	108.8	5A3	
108.8	112.6	5A6	
112.6	121.6	5A0	
121.6	122.2	5A0	GOUGE BXA
122.2	124.6	5D3	(5A0) 60:40
124.6	133.0	5A6	
133.0	134.3	5B0	
134.3	137.3	5A3	
137.3	140.4	5B76	
140.4	141.1	5B76	(10Q0) 50:50

Drill Hole Report

Record 2 Drill Hole - 79V015R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10310.1	10000.0	1131.2	903397.4	593968.5

Length: 124.1 Section: 02 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
57.6	-87.5	134.8	93.0	SS SINGLE SHOT
88.1	-87.6	149.8	108.0	SS SINGLE SHOT
118.6	-84.7	164.8	123.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V015R
 Northing: 10310.1 Easting: 10000.0 Elevation: 1131.2
 Length: 124.1 Core: NQ

From	To	Unit	Description
.0	9.9	#	
9.9	17.4	4L0	
17.4	35.1	4A0	
35.1	38.5	4A0	-> 5A9
38.5	39.9	4D0	
39.9	41.8	4L0	
41.8	42.9	4EF8	
42.9	44.8	4L03	
44.8	45.0	5D0	
45.0	45.4	4E0	
45.4	49.4	4L3	
49.4	49.6	GOUGE	
49.6	50.6	4L3	
50.6	51.8	4G8	
51.8	52.6	4L34	
52.6	54.7	4E68	
54.7	56.3	4E68	
56.3	56.6	4J8	(4E)
56.6	57.9	4G8	
57.9	60.4	4E86	
60.4	61.4	4G8	
61.4	61.8	4J8	-> 4JE8
61.8	62.6	4E8	(4J8) 50:50
62.6	64.1	4G8	
64.1	64.5	4E86	
64.5	64.8	4L4	
64.8	66.5	4E86	
66.5	67.2	4L0	(4E0) 50:50
67.2	69.3	4G8	
69.3	70.6	5C1	
70.6	72.1	4G8	
72.1	74.1	4E81	
74.1	78.5	4C8	
78.5	78.8	5D3?	
78.8	85.4	4C8	
85.4	86.3	4C48	-> 4D8
86.3	87.4	4D8	-> 4L4 SERICITIC
87.4	87.9	4L4	
87.9	92.4	4L6	
92.4	99.7	4L07	-> 4L3
99.7	100.0	4A0	
100.0	100.5	4L0	
100.5	100.8	4A0	
100.8	102.3	4L47	-> 4DL7
102.3	103.3	4L7	

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
17:52:53 Serial no: 20320
25/ 7/90 Page : 8

103.3	105.2	4L4	
105.2	109.0	4L0	(5D0) MINOR
109.0	124.1	5B6	(4L0) MINOR

Drill Hole Report

Record 3 Drill Hole - 79V018R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10118.4	10064.0	1154.9	903297.4	594144.0

Length: 200.3 Section: 08 E / + 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
42.4	-88.0	34.8	353.0	SS SINGLE SHOT
133.8	-84.0	114.8	73.0	SS SINGLE SHOT
164.3	-80.0	117.8	76.0	SS SINGLE SHOT
194.8	-76.3	121.8	80.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V018R
 Northing: 10118.4 Easting: 10064.0 Elevation: 1154.9
 Length: 200.3 Core: NQ

From	To	Unit	Description
.0	23.4	#	TRICONED-NO RECOVERY
23.4	24.3	#	10CO BOULDER IN TILL
24.3	29.5	5B6	
29.5	31.1	4L0	
31.1	32.1	4A0	
32.1	32.6	4EA	
32.6	33.3	4E0	
33.3	34.1	4E6	
34.1	41.4	4C0	-> 4C8
41.4	54.7	4C8	
54.7	56.8	4CD	
56.8	58.0	4L4	
58.0	58.5	4C8	
58.5	58.9	4L6	-> 5D3
58.9	69.9	4C8	
69.9	70.2	5D034	
70.2	71.1	4C8	
71.1	71.5	5D034	
71.5	72.2	4C8	
72.2	73.2	5D3	
73.2	76.5	4L41	-> 4C07
76.5	82.9	4L34	
82.9	88.8	5D3	
88.8	89.5	4L0	
89.5	90.5	5D3	
90.5	92.6	4L6	
92.6	93.0	5D0	
93.0	93.4	10Q0	
93.4	100.6	5B7	
100.6	103.7	4L0	
103.7	109.4	4L0	
109.4	112.0	4L3	
112.0	114.9	4L0	GOUGE
114.9	140.9	4L6	
140.9	141.5	10Q0	
141.5	148.9	4L79	
148.9	150.6	4L3	
150.6	150.9	4L3	GOUGE
150.9	155.8	4L3	-> 4L0
155.8	156.2	4L79	
156.2	160.1	4L0	
160.1	160.9	4A0	(5A9)
160.9	165.9	4L073	
165.9	177.2	4L17	
177.2	177.5	4L3	

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
17:56:30 Serial no: 20320
25/ 7/90 Page : 12

177.5	181.1	4L01
181.1	185.5	4L3
185.5	190.3	4L6
190.3	191.7	4L3
191.7	196.0	4L0
196.0	200.3	4L3

Drill Hole Report

Record 4 Drill Hole - 79V020R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10185.5	9934.7	1148.3	903261.1	594003.0

Length: 144.1 Section: 06 E / - 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
40.2	-89.0	194.8	153.0	SS SINGLE SHOT
70.7	-87.5	264.8	223.0	SS SINGLE SHOT
131.7	-86.2	109.8	68.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V020R
 Northing: 10185.5 Easting: 9934.7 Elevation: 1148.3
 Length: 144.1 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	38.1	#	TRICONED-NO CORE
38.1	41.6	4L37	
41.6	43.5	5D0	
43.5	45.0	5B62	
45.0	47.9	4L0	
47.9	51.8	5B62	
51.8	51.9	5D0	
51.9	52.2	5B62	
52.2	52.6	5D0	
52.6	54.9	4L7	
54.9	57.0	4L37	
57.0	57.6	4F6	
57.6	59.6	4L0	
59.6	60.3	4L3	
60.3	61.4	5B2	
61.4	61.8	4F6	
61.8	62.2	4L3	
62.2	62.7	4G4	
62.7	66.3	4L3	
66.3	67.1	4G4#	
67.1	68.6	4L3	
68.6	69.2	4F6	
69.2	73.2	4L3	
73.2	74.8	5B62	
74.8	78.0	4L3	
78.0	79.9	4G0	
79.9	82.4	5B62	
82.4	83.8	4L0	
83.8	88.0	5B2	
88.0	92.0	5D0	
92.0	98.1	5B2	
98.1	99.7	4L0	
99.7	102.2	4L4	
102.2	104.6	4L3	
104.6	105.2	4K0	
105.2	112.8	4L0	
112.8	120.9	4L6	
120.9	121.3	4H0	
121.3	122.2	4L9	
122.2	128.3	4L6	-> 4L0
128.3	130.5	5B6	-> 4L6
130.5	131.1	10Q0	
131.1	136.6	4L017	
136.6	138.3	5B6	-> 4L6
138.3	139.0	5B6	BXA GOUGE

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
17:59:26 Serial no: 20320
25/ 7/90 Page : 16

139.0 144.2 5B6

Drill Hole Report

Record 5 Drill Hole - 79V026R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10366.5	9993.4	1139.4	903435.0	593926.0

Length: 147.5 Section: 00 W / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
48.8	-88.3	24.8	343.0	SS SINGLE SHOT
79.2	-87.3	316.8	275.0	SS SINGLE SHOT
109.7	-86.6	238.8	197.0	SS SINGLE SHOT
140.2	-84.5	274.8	233.0	SS SINGLE SHOT

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
18: 2:30 Serial no: 20320
25/ 7/90 Page : 19

1399	128.6	130.1	1.5	100	4C7	30	3.13	2.34	.61	1.73	4.0	9.0	.07	-1.00	-1.00	-1.00	-1.00	.19
1400	130.1	131.6	1.5	100	4C7	30	2.96	1.06	.30	.76	4.0	5.0	.07	-1.00	-1.00	-1.00	-1.00	.14
0	131.6	147.5	15.9	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 79V026R
Northing: 10366.5 Easting: 9993.4 Elevation: 1139.4
Length: 147.5 Core: NQ

From	To	Unit	Description
.0	12.8	#	TRICONED-NO CORE
12.8	15.5	5B6?	
15.5	29.1	5B6	
29.1	30.2	4L0	-> 4L1
30.2	32.1	4A0	
32.1	34.9	4A4	
34.9	44.3	4A0	
44.3	50.3	4A0	
50.3	52.6	4G4	
52.6	56.2	5B26	
56.2	60.0	5B76	
60.0	61.2	4L0	
61.2	64.3	4G4	(4E8) MINOR
64.3	65.6	4H12	(4G4) MINOR
65.6	66.2	4G4	
66.2	69.4	4K0	
69.4	72.4	4G4	(4E8) MINOR
72.4	75.5	4K0	
75.5	77.5	4E18	
77.5	81.7	4C3	
81.7	83.5	4L0	
83.5	84.2	4J4	
84.2	87.2	4C3	(4L16) 70:30
87.2	92.1	4L16	
92.1	96.3	4L6	
96.3	99.7	4L0	
99.7	104.8	4A0	(4L0) 60:40
104.8	106.7	4L0	
106.7	108.0	4L7	(4A0) 70:30
108.0	117.8	4L31	
117.8	121.9	4L0	
121.9	123.1	4C7	
123.1	124.4	4A7	(4L0) 50:50
124.4	127.1	4L7	
127.1	131.6	4C7	[4L17]
131.6	147.5	5D1	

Drill Hole Report

Record 6 Drill Hole - 79V027R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10356.0	10062.3	1146.8	903473.1	593984.3

Length: 151.5 Section: 00 W / + 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
24.1	-88.3	201.8	160.0	SS SINGLE SHOT
54.6	-85.3	154.8	113.0	SS SINGLE SHOT
85.0	-80.6	138.8	97.0	SS SINGLE SHOT
115.5	-78.0	140.8	99.0	SS SINGLE SHOT
146.0	-72.5	133.8	92.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V027R
 Northing: 10356.0 Easting: 10062.3 Elevation: 1146.8
 Length: 151.5 Core: NQ

From	To	Unit	Description
.0	6.2	#	TRICONED - NO CORE
6.2	11.9	5B6	-> 4L6
11.9	14.7	4L6	
14.7	15.2	0Q0	
15.2	16.1	5B62	
16.1	17.0	5D3	
17.0	21.4	4L0	-> 4L3
21.4	23.9	4L3	
23.9	25.9	5B6	
25.9	26.9	4L0	
26.9	28.2	5B6	-> 4L6
28.2	29.6	5C6	
29.6	30.2	4A0	
30.2	31.0	5CD	
31.0	32.1	5B1	(10Q0) 75:25
32.1	45.0	5B05	
45.0	49.3	5B65	
49.3	58.2	5B7	
58.2	60.4	5C0	
60.4	60.5	5B0	
60.5	61.0	0Q0	
61.0	62.4	5C0	
62.4	67.1	4A0	-> 4A4
67.1	68.5	4L4	
68.5	70.0	4G0#	
70.0	70.2	4L3	
70.2	70.8	4G0	
70.8	71.9	4A0	
71.9	73.2	4L3	
73.2	73.6	4G0#	
73.6	79.6	4L0	-> 4L3
79.6	81.3	4A0	
81.3	81.7	4E0#	
81.7	86.7	4A0	
86.7	87.0	4EC	
87.0	87.5	4G08#	
87.5	91.5	4E1	
91.5	94.5	4C0	-> 4L1
94.5	96.1	4EA1	
96.1	97.5	4L0	-> 4L3
97.5	98.3	5D0	
98.3	121.8	4L61	
121.8	122.3	10Q0	
122.3	135.8	4L61	
135.8	137.6	5B7	

137.6 151.5 5B6

Drill Hole Report

Record 7 Drill Hole - 79V028R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10427.5	10003.2	1145.2	903487.0	593892.6

Length: 132.9 Section: 02 W / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
36.0	-84.5	14.8	333.0	SS SINGLE SHOT
66.4	-82.7	.8	319.0	SS SINGLE SHOT
96.9	-78.0	351.8	310.0	SS SINGLE SHOT
127.4	-73.0	1.8	320.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V028R
Northing: 10427.5 Easting: 10003.2 Elevation: 1145.2
Length: 132.9 Core: NQ

From	To	Unit	Description
.0	19.4	#	
19.4	19.9	4E0	
19.9	22.3	4L3	(4A0) MINOR
22.3	23.1	4A0	
23.1	24.7	4L1	(4C0) MINOR
24.7	26.8	4E0	
26.8	30.8	5A0	& GOUGE
30.8	40.5	5B6	
40.5	47.9	5A3	
47.9	51.2	5A6	
51.2	53.9	5A3	
53.9	59.9	5B0	
59.9	67.2	5A6	(5B0) MINOR
67.2	77.9	5A3	
77.9	86.9	5A6	
86.9	89.7	5A1	
89.7	96.9	5A6	
96.9	101.2	5B62	
101.2	111.8	5A6 &1	
111.8	123.9	5A3	
123.9	132.9	5B0	(5B6) 80:20

Drill Hole Report

Record 8 Drill Hole - 79V030R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10426.8	10056.6	1151.2	903522.0	593932.9

Length: 133.5 Section: 02 W / + 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
35.1	-85.8	144.8	103.0	SS SINGLE SHOT
65.5	-87.2	164.8	123.0	SS SINGLE SHOT
96.0	-87.2	110.8	69.0	SS SINGLE SHOT
126.5	-86.5	44.8	3.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V030R
Northing: 10426.8 Easting: 10056.6 Elevation: 1151.2
Length: 133.5 Core: NQ

From	To	Unit	Description
.0	17.2	#	TRICONED - NO CORE
17.2	20.7	5B6	
20.7	21.5	4C5	
21.5	26.2	5B61	
26.2	28.3	4L17	
28.3	39.3	5B61	
39.3	43.9	4L1	
43.9	45.4	5B6	
45.4	48.0	5D6	
48.0	52.0	5B6	
52.0	58.8	4A0	
58.8	59.6	4E0	(4C0) 80:20
59.6	61.3	5B62	
61.3	65.7	5D1	
65.7	67.4	4E68	
67.4	68.0	5D16	
68.0	72.2	4E68	
72.2	74.9	4E0	(4C0) 60:40
74.9	77.6	4C0	(4E0)(4K0) 60:30:10
77.6	79.2	5A*	
79.2	79.7	5D6	
79.7	82.1	5A*	
82.1	87.3	5B26	
87.3	89.2	5A0	
89.2	92.7	5B6	BXA
92.7	117.9	5A0	BXA GOUGE
117.9	121.9	5B6	
121.9	127.7	5A0	
127.7	133.5	5B02	

Drill Hole Report

Record 9 Drill Hole - 79V033R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10247.9	9996.8	1134.5	903349.0	594007.6

Length: 155.1 Section: 04 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
25.0	-88.3	304.8	263.0	SS SINGLE SHOT
61.6	-88.1	299.8	258.0	SS SINGLE SHOT
95.1	-87.2	121.8	80.0	SS SINGLE SHOT
134.7	-87.5	229.8	188.0	SS SINGLE SHOT

101046	89.6	91.4	1.8	99	4LC/4	120	3.40	3.21	1.11	2.10	21.0	16.0	.79	20.56	2.80	17.76	.45	.21
101047	91.4	93.3	1.9	94	4LC/4	120	3.06	8.46	3.40	5.06	40.0	37.0	1.03	9.71	4.24	5.47	.47	.06
101048	93.3	95.1	1.8	100	4L/4K	120	3.22	4.39	3.69	.70	29.0	27.0	.99	17.59	4.69	12.90	.78	.23
101049	95.1	96.9	1.8	99	4K/4C	50	3.26	1.42	.75	.67	11.0	12.0	.55	-1.00	-1.00	-1.00	-1.00	.23
101050	96.9	98.8	1.9	94	4C0	30	3.13	.80	.41	.39	7.0	7.0	.55	-1.00	-1.00	-1.00	-1.00	.14
101051	98.8	100.6	1.8	100	4C0	30	3.33	.67	.37	.30	8.0	8.0	.41	-1.00	-1.00	-1.00	-1.00	.16
101052	100.6	103.0	2.4	99	4C0	30	3.19	.72	.36	.36	8.0	8.0	.41	-1.00	-1.00	-1.00	-1.00	.17
0	103.0	155.0	52.0	0	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 79V033R
 Northing: 10247.9 Easting: 9996.8 Elevation: 1134.5
 Length: 155.1 Core: NQ

From	To	Unit	Description
.0	22.3	#	TRICONED-NO CORE
22.3	28.5	4A0	
28.5	29.0	4E0	SANDY
29.0	30.1	4G4	
30.1	30.9	4EG	
30.9	33.2	4E6	
33.2	33.8	4G0	
33.8	34.6	5D1	
34.6	35.5	4E1	VUGGY SANDY
35.5	37.1	4EF	
37.1	37.6	4E8	
37.6	38.5	4GK8	
38.5	42.3	4E8	
42.3	44.7	4G4	
44.7	45.0	4G0	5D 40:60
45.0	47.5	4G0	
47.5	47.7	4J8	
47.7	48.0	5D0	
48.0	49.7	4G8	(4K) 80:20
49.7	52.0	4KJ8	
52.0	53.7	4G0	
53.7	54.5	5D1	
54.5	57.1	4G8	
57.1	58.2	4E8	
58.2	60.0	4G8	
60.0	60.5	4K0	
60.5	61.3	4G8	
61.3	62.1	4GL	
62.1	63.2	4G8	
63.2	63.4	4EK	
63.4	63.5	5D3	
63.5	65.6	4E1	
65.6	66.9	4C0	
66.9	68.4	4C7	
68.4	75.3	4C8	
75.3	77.1	4C7	
77.1	80.6	4C8	
80.6	86.7	4C8	
86.7	88.4	4L34	
88.4	89.6	4L64	
89.6	94.2	4LC4	
94.2	96.0	4K0	
96.0	103.0	4C0	
103.0	104.9	4LC74	
104.9	110.6	4L67	

110.6	124.8	4L6
124.8	130.5	4L65
130.5	135.6	5B6
135.6	155.1	5B7

Drill Hole Report

Record 10 Drill Hole - 79V035R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10183.8	10060.2	1147.3	903343.5	594097.5

Length: 172.8 Section: 06 E / + 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
45.4	-85.0	59.8	18.0	SS SINGLE SHOT
75.9	-85.7	74.8	33.0	SS SINGLE SHOT
106.4	-84.8	84.8	43.0	SS SINGLE SHOT
136.9	-82.0	112.8	71.0	SS SINGLE SHOT
167.3	-80.0	122.8	81.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V035R
 Northing: 10183.8 Easting: 10060.2 Elevation: 1147.3
 Length: 172.8 Core: NQ

From	To	Unit	Description
.0	17.1	#	TRICONED-NO CORE
17.1	20.1	5B62	
20.1	20.6	4L3	
20.6	22.6	4A0	
22.6	25.7	5B6	
25.7	32.6	4L6	
32.6	33.8	4L3	
33.8	35.9	4L6	
35.9	36.0	GOUGE	
36.0	40.2	4L6	
40.2	40.8	4A0	
40.8	40.9	5D0	
40.9	41.9	4A0	
41.9	42.1	4G0	
42.1	43.5	4A0	
43.5	46.3	4E86	
46.3	55.3	4C83	
55.3	76.8	4C83	
76.8	78.3	4C0	
78.3	80.8	4A0	
80.8	81.1	5B0	
81.1	82.9	4A0	
82.9	86.2	4L71	
86.2	88.4	4L07	
88.4	89.8	4L0	(5D0) 50:50
89.8	92.6	4L07	
92.6	95.1	5D0	
95.1	95.7	4L0	
95.7	98.4	5D0	
98.4	98.8	4L0	
98.8	99.7	5D0	
99.7	111.3	4L7	
111.3	111.9	4L0	
111.9	116.9	5B0	
116.9	117.1	GOUGE	
117.1	121.0	5B3	
121.0	126.2	4L67	
126.2	139.6	4L67	
139.6	140.0	4L6	
140.0	144.3	4L67	
144.3	145.2	5D0	
145.2	156.1	5B614	
156.1	157.4	5D6	
157.4	161.5	5B7	
161.5	161.7	5D6	

161.7	167.4	4L67
167.4	168.7	4L3
168.7	170.9	5B6
170.9	171.5	GOUGE
171.5	172.5	5B7
172.5	172.8	GOUGE

Drill Hole Report

Record 11 Drill Hole - 79V045R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10121.3	9999.8	1153.3	903256.8	594094.3

Length: 215.5 Section: 08 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
57.6	-88.0	59.8	18.0	SS SINGLE SHOT
88.1	-87.0	81.8	40.0	SS SINGLE SHOT
118.6	-86.0	109.8	68.0	SS SINGLE SHOT
149.0	-82.5	116.8	75.0	SS SINGLE SHOT
179.5	-81.0	126.8	85.0	SS SINGLE SHOT
210.0	-78.0	99.8	58.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V045R
 Northing: 10121.3 Easting: 9999.8 Elevation: 1153.3
 Length: 215.5 Core: NQ

From	To	Unit	Description
.0	31.2	#	TRICONED
31.2	31.7	#	10DO BOULDER IN TILL
31.7	34.3	4G4	
34.3	34.7	4EL	
34.7	40.7	4G48	
40.7	41.2	5D6	
41.2	44.1	4G48	
44.1	47.4	4G8	
47.4	47.7	5D0	
47.7	48.4	4E8	
48.4	48.8	4D4	
48.8	49.3	4E8	
49.3	52.2	4D4	
52.2	52.9	4E81	
52.9	53.3	4D4	
53.3	55.8	4E18	
55.8	61.4	4C8	
61.4	62.0	4A0	
62.0	72.2	4C87	
72.2	73.4	4D0	
73.4	73.8	4J0	
73.8	84.2	4D0	
84.2	88.2	4C87	
88.2	89.6	4CL7	
89.6	91.5	4LC	
91.5	92.0	4H7	
92.0	93.1	5B4	
93.1	96.4	5B4	
96.4	96.9	4L0	
96.9	98.1	4L0	
98.1	98.5	GOUGE	[4L GOUGE]
98.5	104.7	4L37	
104.7	108.2	4L7	
108.2	108.5	GOUGE	[4L GOUGE]
108.5	109.2	4L7	
109.2	109.5	GOUGE	[4L GOUGE]
109.5	114.2	4L37	
114.2	130.5	4L07	
130.5	136.2	4L67	
136.2	136.7	GOUGE	[4L GOUGE]
136.7	137.2	4L67	
137.2	137.5	GOUGE	[4L GOUGE]
137.5	150.9	4L671	
150.9	151.9	5D6	
151.9	162.5	4L671	

162.5	164.3	4L7	
164.3	164.7	5A9	
164.7	167.7	4C7	
167.7	168.2	4C0	BXA
168.2	170.1	4CD	BXA
170.1	172.2	4A4	
172.2	173.9	4D5	
173.9	175.0	4E1	
175.0	177.2	4A0	
177.2	177.9	4H5	
177.9	181.4	4EC	
181.4	182.0	5A9	
182.0	182.5	GOUGE	[5A GOUGE]
182.5	192.3	5A6	
192.3	195.1	5A0	GOUGE
195.1	197.5	5D6	
197.5	205.0	5D7	
205.0	207.9	5D6	
207.9	209.4	5D6	
209.4	211.2	5D7	
211.2	212.3	GOUGE	
212.3	215.5	5D7	

Drill Hole Report

Record 12 Drill Hole - 79V046R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10061.9	9941.2	1157.3	903173.4	594090.3

Length: 178.9 Section: 10 E / - 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
51.5	-88.0	44.8	3.0	SS SINGLE SHOT
82.0	-87.8	342.8	301.0	SS SINGLE SHOT
112.5	-88.4	164.8	123.0	SS SINGLE SHOT
143.0	-88.0	213.8	172.0	SS SINGLE SHOT
173.4	-83.0	171.8	130.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V046R
 Northing: 10061.9 Easting: 9941.2 Elevation: 1157.3
 Length: 178.9 Core: NQ

From	To	Unit	Description
.0	38.1	#	TRICONED NO CORE
38.1	41.8	4L6	
41.8	44.5	4L37	
44.5	49.1	4L6	
49.1	52.4	4L0	
52.4	52.9	4L0	GOUGE
52.9	55.7	4L37	
55.7	56.4	10Q0	
56.4	58.9	4L6	
58.9	59.2	4L6	GOUGE
59.2	60.3	4L6	
60.3	62.7	4L37	
62.7	63.7	4E8	
63.7	63.9	4L3	
63.9	64.0	4C0	
64.0	65.2	4L3	
65.2	66.3	4KE	
66.3	66.8	4L3	
66.8	67.5	4L0	(4E) 50:50
67.5	69.0	4E81	
69.0	69.5	4C0	
69.5	70.9	4F8	
70.9	71.2	4C0	(4L) 50:50
71.2	71.9	4E8	BXA
71.9	72.2	4G4	
72.2	72.5	4B0	
72.5	72.7	4F46	
72.7	73.1	4E8	
73.1	74.1	4L3	
74.1	77.2	4L6	
77.2	77.4	4L6	GOUGE
77.4	78.0	4L6	
78.0	78.1	5D7	
78.1	81.4	4L7	
81.4	90.2	4L5	
90.2	91.1	4L35	
91.1	91.4	4G0	
91.4	92.3	4L35	
92.3	93.1	4L0	
93.1	93.7	10Q0	
93.7	95.9	4L37	
95.9	96.3	4F64	
96.3	98.6	4L37	
98.6	98.7	4F4	
98.7	99.5	4L37	

99.5	99.7	4D0	
99.7	99.9	4L37	
99.9	102.4	4E0	SANDY
102.4	110.7	4L6	
110.7	112.6	4L3	
112.6	114.2	4L3	
114.2	115.3	4E1	
115.3	115.6	5A0	GOUGE
115.6	129.1	5A1	
129.1	138.1	5B69	
138.1	162.5	5A1	
162.5	162.8	5A1	GOUGE
162.8	166.7	5A1	
166.7	169.2	5A3	
169.2	171.3	5A3	
171.3	173.7	5A1	
173.7	174.3	5A1	GOUGE
174.3	178.9	5A1	

Drill Hole Report

Record 13 Drill Hole - 79V047R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10182.4	9999.6	1149.8	903302.0	594053.4

Length: 176.8 Section: 06 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
49.4	-88.0	79.8	38.0	SS SINGLE SHOT
79.9	-88.2	84.8	43.0	SS SINGLE SHOT
102.1	-88.0	134.8	93.0	SS SINGLE SHOT
110.3	-87.2	114.8	73.0	SS SINGLE SHOT
140.8	-82.2	124.8	83.0	SS SINGLE SHOT
171.3	-80.8	124.8	83.0	SS SINGLE SHOT

103352	101.8	103.0	1.2	100	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.01	-1.00	-1.00	-1.00	-1.00	.07
0	103.0	117.0	14.0	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
103353	117.0	118.9	1.9	94	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.01	-1.00	-1.00	-1.00	-1.00	.04
103354	118.9	120.7	1.8	100	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.01	-1.00	-1.00	-1.00	-1.00	.01
103355	120.7	122.5	1.8	99	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.55	-1.00	-1.00	-1.00	-1.00	.01
103356	122.5	124.4	1.9	94	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.69	-1.00	-1.00	-1.00	-1.00	.01
103357	124.4	126.2	1.8	100	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.01	-1.00	-1.00	-1.00	-1.00	.12
103358	126.2	128.0	1.8	99	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.01	-1.00	-1.00	-1.00	-1.00	.05
103359	128.0	129.8	1.8	94	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.01	-1.00	-1.00	-1.00	-1.00	.09
103360	129.8	131.7	1.9	94	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.01	-1.00	-1.00	-1.00	-1.00	.13
103361	131.7	133.5	1.8	99	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.01	-1.00	-1.00	-1.00	-1.00	.41
103362	133.5	135.3	1.8	99	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.01	-1.00	-1.00	-1.00	-1.00	.34
103363	135.3	137.2	1.9	94	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.01	-1.00	-1.00	-1.00	-1.00	.37
103364	137.2	139.6	2.4	99	4L0	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	.01	-1.00	-1.00	-1.00	-1.00	.10
0	139.6	176.8	37.2	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 79V047R
Northing: 10182.4 Easting: 9999.6 Elevation: 1149.8
Length: 176.8 Core: NQ

From	To	Unit	Description
.0	33.7	#	TRICONED NO CORE
33.7	40.5	4A0	
40.5	42.1	4G0	
42.1	43.1	4FEK	
43.1	43.9	4EK	
43.9	45.7	4G8	
45.7	48.2	4L37	
48.2	49.0	4G8	
49.0	50.0	4L0	
50.0	52.0	4E0	
52.0	54.4	4G8	
54.4	55.3	5D6	
55.3	57.5	4E0	
57.5	62.1	4G8	
62.1	63.0	4L1	
63.0	64.8	4E8	
64.8	68.9	4C0	
68.9	77.8	4C0	
77.8	79.6	4C0	
79.6	86.0	4C8	
86.0	86.1	5D0	
86.1	87.8	4D07	
87.8	93.1	4C0	
93.1	95.9	4L0	
95.9	103.0	4L0	
103.0	106.7	4L0	
106.7	112.8	5B2	
112.8	117.0	4L3	
117.0	127.7	4L67	
127.7	136.7	4L7691	
136.7	139.6	4L1796	
139.6	148.7	5B619	
148.7	154.8	4L67	
154.8	156.6	4L3	
156.6	156.9	GOUGE	
156.9	160.9	4L0	
160.9	162.2	4A0	
162.2	163.4	4K0	
163.4	176.8	GOUGE	

Drill Hole Report

Record 14 Drill Hole - 79V049R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10000.0	10000.0	1162.6	903166.5	594175.3

Length: 166.7 Section: 12 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
42.4	-85.3	90.8	49.0	SS SINGLE SHOT
100.3	-83.2	112.8	71.0	SS SINGLE SHOT
130.8	-79.7	120.8	79.0	SS SINGLE SHOT
161.2	-76.0	127.8	86.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V049R
Northing: 10000.0 Easting: 10000.0 Elevation: 1162.6
Length: 166.7 Core: NQ

From	To	Unit	Description
.0	39.6	#	TRICONED NO RECOVERY
39.6	40.2	4E8	
40.2	40.8	4L7	
40.8	41.8	4A0	
41.8	44.2	4L4	
44.2	46.2	4E18	
46.2	46.3	4D0	
46.3	47.1	4G8	
47.1	52.1	4L37	
52.1	52.4	5D6	
52.4	56.2	4L67	
56.2	56.8	5D3	
56.8	58.7	4L6	
58.7	59.8	5B23	
59.8	63.9	4L73	
63.9	65.7	5B2	
65.7	68.0	4L7	
68.0	68.5	10Q0	
68.5	71.1	4L37	
71.1	71.9	5B2	
71.9	72.8	4L3	
72.8	73.3	4K6	
73.3	73.5	4L3	
73.5	75.1	5B23	
75.1	77.2	4L1	
77.2	78.2	10Q0	
78.2	79.6	4L67	
79.6	80.2	5D6	
80.2	84.1	4L67	
84.1	85.0	4L6	
85.0	96.3	4L37	
96.3	96.6	GOUGE	
96.6	98.7	4L3	
98.7	99.3	5D3	
99.3	103.2	4L3	
103.2	109.4	4L6	
109.4	110.1	5D3	
110.1	112.6	4L6	
112.6	115.3	4L3	
115.3	123.7	4A0	
123.7	130.0	4A0	
130.0	130.5	4C0	
130.5	134.4	4A0	
134.4	138.8	4C0	
138.8	140.5	4A0	

140.5	141.0	4C7
141.0	141.8	5A9
141.8	146.2	4C7
146.2	147.5	4L6
147.5	147.7	5D3
147.7	148.4	4L5
148.4	150.0	4L6
150.0	156.4	5B6
156.4	165.8	5B7
165.8	166.7	4L7

Drill Hole Report

Record 15 Drill Hole - 79V050R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10061.7	9998.1	1157.5	903211.1	594132.8

Length: 191.1 Section: 10 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
63.7	-88.0	35.8	354.0	SS SINGLE SHOT
94.2	-86.5	58.8	17.0	SS SINGLE SHOT
124.7	-85.0	51.8	10.0	SS SINGLE SHOT
155.1	-84.0	67.8	26.0	SS SINGLE SHOT
185.6	-78.0	230.8	189.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V050R
 Northing: 10061.7 Easting: 9998.1 Elevation: 1157.5
 Length: 191.1 Core: NQ

From	To	Unit	Description
.0	34.1	#	
34.1	34.7	4G4	
34.7	37.9	4E8	
37.9	40.1	4E1	GOUGE
40.1	47.9	4G4	
47.9	48.7	4L3	
48.7	54.0	4G4	
54.0	56.4	4G4	(4E4) 60:40
56.4	57.0	4A4	
57.0	64.7	4L6	
64.7	67.4	4L0	
67.4	67.8	4L3	
67.8	68.9	4GE4	
68.9	70.7	4E4	BXA
70.7	71.6	4L0	BXA GOUGE
71.6	72.2	4A0	
72.2	73.9	4L0	
73.9	75.3	4G4	
75.3	76.7	4GE	
76.7	85.2	4E8	
85.2	90.4	4L0	
90.4	93.1	4L0	
93.1	98.8	4L6	
98.8	105.6	4L3	
105.6	108.7	4L3	GOUGE
108.7	111.4	4L32	
111.4	112.0	4L3	
112.0	115.0	4L23	
115.0	116.1	5D6	
116.1	120.7	4L0	
120.7	139.3	4L73	
139.3	143.9	4L76	
143.9	148.0	4L0	
148.0	150.4	5B6	
150.4	151.7	4D0	
151.7	155.8	4A0	
155.8	156.9	4C0	
156.9	157.5	4H1	
157.5	158.5	4A0	
158.5	160.6	5A1	
160.6	164.4	4L0	
164.4	171.5	4L6	
171.5	191.1	5B6	

Drill Hole Report

Record 16 Drill Hole - 79V053R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10124.4	9938.3	1152.0	903218.0	594046.4

Length: 178.0 Section: 08 E / - 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	T COLLAR
47.5	-89.0	204.8	163.0	SS SINGLE SHOT
78.0	-88.5	84.8	43.0	SS SINGLE SHOT
108.5	-88.0	84.8	43.0	SS SINGLE SHOT
139.0	-85.0	112.8	71.0	SS SINGLE SHOT
169.5	-84.0	129.8	88.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V053R
 Northing: 10124.4 Easting: 9938.3 Elevation: 1152.0
 Length: 178.0 Core: NQ

From	To	Unit	Description
.0	38.7	#	TRICONED NO CORE
38.7	40.6	4L6	
40.6	41.8	5D6	
41.8	55.4	5B26	
55.4	56.6	4L0	
56.6	57.0	4G4	
57.0	60.6	4L7	
60.6	61.3	10Q0	
61.3	62.1	4F0	VUGGY
62.1	63.8	4L0	
63.8	64.3	4L0	
64.3	75.3	5B26	
75.3	75.5	4L3	
75.5	75.7	4J4	
75.7	77.8	4L3	
77.8	78.2	4J4	
78.2	81.4	4L6	
81.4	83.8	GOUGE	[4L GOUGE]
83.8	84.4	4L0	
84.4	90.7	5D0	
90.7	92.3	4L0	
92.3	98.6	4G0	
98.6	101.5	4L0	
101.5	101.8	4E0	SANDY
101.8	102.2	4G0	
102.2	103.1	4G0	
103.1	103.8	4J6	
103.8	104.0	4L0	
104.0	104.9	4L0	GOUGE
104.9	105.9	4L0	
105.9	118.0	4L0	
118.0	124.1	4L6	
124.1	128.0	4L6	
128.0	128.4	5D0	
128.4	130.6	4L6	
130.6	133.5	4L37	
133.5	136.1	4L3	
136.1	138.1	4A0	
138.1	139.0	4L3	
139.0	139.7	4L3	GOUGE
139.7	143.4	4A09	
143.4	143.7	4EH8	
143.7	144.7	4E8	
144.7	147.2	4E86	
147.2	149.4	4A0	

149.4	154.4	5A9
154.4	154.7	4L74
154.7	154.8	5A9
154.8	155.2	4L7
155.2	158.4	5A9
158.4	160.3	4E0
160.3	171.5	5A9
171.5	178.0	5D0

Drill Hole Report

Record 17 Drill Hole - 79V055R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9573.3	10064.8	1160.4	902892.0	594508.1

Length: 160.9 Section: 26 E / + 2.0
Type: ODH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
21.3	-88.1	62.8	21.0	SS SINGLE SHOT
64.0	-86.0	67.8	26.0	SS SINGLE SHOT
100.6	-84.0	91.8	50.0	SS SINGLE SHOT
143.3	-81.7	86.8	45.0	SS SINGLE SHOT
155.4	-80.8	82.8	41.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V055R
Northing: 9573.3 Easting: 10064.8 Elevation: 1160.4
Length: 160.9 Core: NQ

From	To	Unit	Description
.0	8.5	#	TRICONED NO CORE
8.5	12.2	4E1	
12.2	16.6	4C8	
16.6	18.0	4D8	
18.0	29.9	4C8	
29.9	32.1	4L3	
32.1	37.6	4L0	
37.6	45.1	4L02	
45.1	52.1	5B76	
52.1	61.8	4L027	
61.8	68.1	4A0	
68.1	69.7	4D0	
69.7	76.5	4A0	
76.5	81.8	4D0	(4A0) 70:30
81.8	82.6	5B76	
82.6	83.4	5D3	
83.4	86.6	5B76	
86.6	88.3	4L17	
88.3	160.9	5B76	

Drill Hole Report

Record 18 Drill Hole - 79V057R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10000.3	9939.6	1156.3	903126.5	594130.1

Length: 159.7 Section: 12 E / - 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
32.3	-88.5	147.8	106.0	SS SINGLE SHOT
62.8	-87.3	198.8	157.0	SS SINGLE SHOT
108.5	-82.5	186.8	145.0	SS SINGLE SHOT
154.2	-73.0	150.8	109.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V057R
 Northing: 10000.3 Easting: 9939.6 Elevation: 1156.3
 Length: 159.7 Core: NQ

From	To	Unit	Description
.0	29.0	#	TRICONED NO CORE
29.0	38.0	5B6	
38.0	41.8	4L73	
41.8	43.1	5A9	
43.1	43.7	4H8	
43.7	45.1	4E68	
45.1	47.2	4L37	
47.2	49.2	5A0	
49.2	53.0	4L0	
53.0	59.7	4L67	
59.7	60.8	4L0	
60.8	66.0	4L67	
66.0	66.7	4L6	(5D3) 90:10
66.7	67.2	5D3	
67.2	71.0	4L6	
71.0	73.3	4L0	
73.3	74.8	4A0	
74.8	75.1	4C09	
75.1	76.2	4L67	
76.2	76.9	4L5	
76.9	84.4	4L6	
84.4	86.0	4L67	
86.0	89.5	4A9	
89.5	90.2	4C0	
90.2	90.5	4L7	
90.5	92.0	5A0	
92.0	92.3	4E0	
92.3	92.5	GOUGE	
92.5	96.7	5A0	
96.7	96.8	5E0	
96.8	100.1	5A6	
100.1	118.5	5A0	
118.5	120.1	5A0	
120.1	120.5	GOUGE	
120.5	122.5	5A0	
122.5	122.8	4A0	
122.8	123.4	4CD	
123.4	124.1	4E1	
124.1	124.4	4A0	
124.4	126.5	5A0	
126.5	128.5	5A3	
128.5	133.2	5A0	
133.2	133.2	GOUGE	
133.2	139.3	5A0	
139.3	139.5	5D0	

139.5	141.7	5A0
141.7	144.4	4A0
144.4	146.3	4L3
146.3	146.9	0Q0
146.9	147.7	4L3
147.7	148.3	5D0
148.3	150.0	4L3
150.0	151.5	4L
151.5	159.7	5B0

Drill Hole Report

Record 19 Drill Hole - 79V060R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10061.9	10062.6	1158.4	903254.4	594180.6

Length: 150.0 Section: 10 E / + 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	75.0	75.0	AT COLLAR
53.0	-88.5	139.8	98.0	SS SINGLE SHOT
83.5	-88.0	114.8	73.0	SS SINGLE SHOT
114.0	-84.5	137.8	96.0	SS SINGLE SHOT
144.5	-81.0	169.8	128.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V060R
Northing: 10061.9 Easting: 10062.6 Elevation: 1158.4
Length: 150.0 Core: NQ

From	To	Unit	Description
.0	38.6	#	
38.6	43.2	4A0	
43.2	44.9	4C3	
44.9	46.8	4C3	(4A0) 60:40
46.8	51.4	4A4	
51.4	53.1	4L3	
53.1	56.5	4A0	
56.5	60.2	4C0	
60.2	61.0	5D0	
61.0	65.6	4C0	
65.6	66.5	5D0	
66.5	69.2	4C3	
69.2	69.7	4A0	(4E0) 60:40
69.7	81.8	4L0	
81.8	97.1	4L6	
97.1	129.3	4L3	
129.3	130.1	4A0	
130.1	130.5	4C0	
130.5	130.9	4A0	
130.9	133.4	4L3	
133.4	134.9	5A0	
134.9	135.5	4L3	
135.5	139.3	4A0	
139.3	144.3	4L0	
144.3	150.0	5B6	

Drill Hole Report

Record 20 Drill Hole - 79V063R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10000.5	10061.0	1163.9	903207.5	594220.4

Length: 133.2 Section: 12 E / + 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
36.3	-88.1	330.8	289.0	SS SINGLE SHOT
94.2	-85.2	79.8	38.0	SS SINGLE SHOT
127.7	-80.2	139.8	98.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V063R
Northing: 10000.5 Easting: 10061.0 Elevation: 1163.9
Length: 133.2 Core: NQ

From	To	Unit	Description
.0	28.7	#	TRICONED NO CORE
28.7	31.9	4E0	SANDY
31.9	33.5	4G0	
33.5	36.8	4JL	
36.8	54.9	4C7	
54.9	55.0	GOUGE	??
55.0	63.1	4C7	
63.1	64.3	4L71	
64.3	65.0	GOUGE	??
65.0	67.1	4L7	
67.1	71.1	4L71	
71.1	74.6	4L79	
74.6	75.3	4H0	
75.3	78.3	4L79	
78.3	85.3	4L3	
85.3	89.3	4L6	
89.3	89.9	10Q0	
89.9	99.1	4L6	
99.1	99.4	GOUGE	??
99.4	100.4	4L7	
100.4	103.0	4L6	
103.0	105.8	4L37	
105.8	106.5	4L6	
106.5	108.9	4L3	
108.9	125.5	5D3	
125.5	125.5	4L6	
125.5	126.4	4L6	
126.4	126.5	5D3	
126.5	133.2	4L67	

Drill Hole Report

Record 21 Drill Hole - 79V071R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9818.3	10057.2	1156.4	903069.4	594339.0

Length: 115.2 Section: 18 E / + 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
11.6	-89.7	26.8	345.0	SS SINGLE SHOT
36.0	-87.8	117.8	76.0	SS SINGLE SHOT
78.6	-84.0	91.8	50.0	SS SINGLE SHOT
109.1	-84.0	105.8	64.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V071R
Northing: 9818.3 Easting: 10057.2 Elevation: 1156.4
Length: 115.2 Core: NQ

From	To	Unit	Description
----	---	----	-----
.0	15.7	#	TRICONED NO CORE
15.7	17.8	4E87	
17.8	26.8	4L97	
26.8	27.2	5D0	
27.2	29.7	4L97	
29.7	33.1	5B6	
33.1	33.4	?	LIMESTONE
33.4	35.1	4L9	
35.1	38.2	4L3	
38.2	42.1	5B6	
42.1	43.6	4L79	
43.6	45.7	4L97	
45.7	56.3	4L67	
56.3	67.2	5B6	
67.2	75.5	4L67	
75.5	83.6	4L7	
83.6	83.9	4L3	
83.9	86.3	4L79	
86.3	87.5	4A97	
87.5	89.3	4L79	
89.3	92.5	4L37	
92.5	93.9	4L7	
93.9	96.5	4L67	
96.5	100.9	5B6	
100.9	115.2	5D7	

Drill Hole Report

Record 22 Drill Hole - 79V072R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9817.8	9995.4	1147.1	903027.8	594293.4

Length: 130.8 Section: 18 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
15.5	-88.0	60.8	19.0	SS SINGLE SHOT
64.3	-86.6	85.8	44.0	SS SINGLE SHOT
94.8	-86.0	88.8	47.0	SS SINGLE SHOT
125.3	-84.0	124.8	83.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V072R
 Northing: 9817.8 Easting: 9995.4 Elevation: 1147.1
 Length: 130.8 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	11.9	#	TRICONED NO CORE
11.9	13.1	4D86	
13.1	14.2	4D68	
14.2	16.7	4G8	
16.7	22.8	4E87	
22.8	25.3	4C0	
25.3	26.2	4C79	
26.2	26.8	5B6	
26.8	28.6	4L0	
28.6	30.6	4L6	
30.6	37.5	4L13	
37.5	50.0	4L6	
50.0	55.0	4L6	
55.0	64.1	4L6	
64.1	71.6	4L671	9
71.6	72.2	4L971	
72.2	73.5	4E8	
73.5	73.8	5A0	
73.8	74.5	4A0	
74.5	75.1	4L6	
75.1	80.5	4A0	
80.5	87.8	4A0	
87.8	88.9	4E0	
88.9	91.3	4A0	
91.3	93.1	4L13	
93.1	101.5	4L7	
101.5	103.0	4L7	
103.0	105.4	5D0	
105.4	105.5	GOUGE	
105.5	109.7	5D0	
109.7	118.6	5B7	
118.6	124.4	5B6	
124.4	128.9	5B7	
128.9	130.8	5B6	

Drill Hole Report

Record 23 Drill Hole - 79V084R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9573.0	10002.2	1156.7	902850.0	594461.6

Length: 159.1 Section: 26 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
20.7	-88.5	91.8	50.0	SS SINGLE SHOT
66.4	-85.5	97.8	56.0	SS SINGLE SHOT
96.9	-83.5	113.8	72.0	SS SINGLE SHOT
127.4	-82.6	114.8	73.0	SS SINGLE SHOT
148.7	-80.5	124.8	83.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V084R
Northing: 9573.0 Easting: 10002.2 Elevation: 1156.7
Length: 159.1 Core: NQ

From	To	Unit	Description
.0	12.2	#	TRICONED NO CORE
12.2	16.1	5D6	
16.1	16.9	4G0	
16.9	21.0	4E4	(4G0) 60:40
21.0	23.4	4E0	
23.4	29.9	4E8	(4C0) 60:40
29.9	32.7	4C0	
32.7	34.6	5A6	
34.6	41.8	4L0	
41.8	58.5	4L07	
58.5	63.5	4L0	
63.5	66.7	4A0	
66.7	70.5	4C0	(4E86) 60:40
70.5	71.4	4A0	
71.4	73.1	4G0	(4E8) 50:50
73.1	75.3	4A4	
75.3	76.2	4G0	(4C0) 50:50
76.2	92.2	5A6	(5A3) 90:10
92.2	94.8	4L3	
94.8	101.5	4L0	
101.5	120.0	5B76	
120.0	150.0	5B76	
150.0	152.6	5D6	
152.6	159.1	5B76	

Drill Hole Report

Record 24 Drill Hole - 79V094R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10180.0	10028.8	1150.0	903319.8	594076.8

Length: 166.6 Section: 06 E / + 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: GAJ/LCP Date: 840831
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	20.0	20.0	AT COLLAR
41.5	-88.0	64.8	23.0	SS SINGLE SHOT
71.9	-87.0	69.8	28.0	SS SINGLE SHOT
102.4	-85.5	97.8	56.0	SS SINGLE SHOT
132.9	-82.5	111.8	70.0	SS SINGLE SHOT
163.4	-80.0	122.8	81.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V094R
 Northing: 10180.0 Easting: 10028.8 Elevation: 1150.0
 Length: 166.6 Core: NQ

From	To	Unit	Description
.0	25.1	#	OVERBURDEN NO CORE
25.1	26.2	4G48	\$ MINOR
26.2	26.5	5C4\$	& 7
26.5	29.1	4G48	\$MINOR & # MINOR
29.1	30.6	4E0\$	V MINOR
30.6	31.1	4G4\$	V MINOR 8 V MINOR
31.1	31.6	5C\$	V MINOR 7 BORDERLINE [4L65]
31.6	32.2	4J7\$	MINOR
32.2	32.9	5C4\$	7 MINOR
32.9	34.3	4H4\$	28 (5C\$7) 70:30
34.3	36.3	4A4	
36.3	45.0	5B6	[3G0] (10Q0) 80:20
45.0	45.6	5B62	19 -> (4A0) EO1
45.6	45.9	4E4	
45.9	50.0	4A0	& 4
50.0	50.3	4E4	
50.3	50.6	4G4	
50.6	51.2	5C7\$	& 4
51.2	51.8	4G4	
51.8	52.6	4J82	7 \$ MINOR
52.6	55.8	4G48	->(4E468) 50:50
55.8	58.6	4D3	& \$ & 9 MINOR & 7 MINOR
58.6	59.5	4A4\$	7 MINOR
59.5	60.4	4D7	& \$ MINOR & 8 MINOR
60.4	64.3	4C89	& 3 & \$ MINOR
64.3	68.3	4C77	9 MINOR
68.3	74.1	4D\$	7 MIN 8 MIN 9 MIN & 3
74.1	77.0	4C7	9 MINOR 8 MINOR & 3
77.0	80.2	4C79	MINOR
80.2	87.2	4C79	CHLORITIC [4L61779]
87.2	93.9	4L6	7 M 4 V M(4L6 WEAK 7 M@?)50:50
93.9	101.7	4L67	# MINOR
101.7	103.3	4L76	WEAK
103.3	107.3	4L67	9 & # [5B0489]
107.3	114.0	5B04	8\$ BIO MINOR[4L#6\$7V MIN BIOM]
114.0	117.0	5B0	CALC SILICATE BIO MINOR 8 MIN
117.0	126.8	5B04	8 9 BIO MINOR [4L6#7 BIOMINOR]
126.8	137.8	4L67	2 9 MINOR [3G489]
137.8	157.6	5B64	8 9 & 0 MINOR [3G486&3 MINOR]
157.6	160.5	4L6	WEAK 72 # MINOR
160.5	164.0	4L6	GOUGE \$ RUBBLE
164.0	166.0	3G48	

Drill Hole Report

Record 25 Drill Hole - 79V095R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10181.1	9967.6	1149.4	903279.8	594030.4

Length: 164.9 Section: 06 E / - 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
42.1	-87.7	77.8	36.0	SS SINGLE SHOT
72.5	-87.0	81.8	40.0	SS SINGLE SHOT
103.0	-87.5	83.8	42.0	SS SINGLE SHOT
133.5	-83.5	102.8	61.0	SS SINGLE SHOT
164.0	-80.0	111.8	70.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V095R
 Northing: 10181.1 Easting: 9967.6 Elevation: 1149.4
 Length: 164.9 Core: NQ

From	To	Unit	Description
.0	30.6	#	
30.6	37.9	4L7	
37.9	45.3	5B76	
45.3	48.1	4L7	
48.1	49.8	4G4	
49.8	51.1	5D3	
51.1	51.7	4G4	
51.7	52.3	4L3	
52.3	53.0	4G4	
53.0	54.2	4F43	
54.2	55.5	4G4	
55.5	56.3	4F43	
56.3	59.4	4G4	
59.4	60.7	4F43	
60.7	62.6	4G48	
62.6	68.3	4E0	VUGGY
68.3	73.4	4E1	
73.4	81.1	4E4	(4G4) 50:50
81.1	91.6	4C0	(4E0) 60:40
91.6	101.7	4CE8	
101.7	102.6	4L3	
102.6	106.3	4L37	
106.3	127.3	4L27	
127.3	137.8	4L027	
137.8	164.9	5B76	

Drill Hole Report

Record 26 Drill Hole - 79V096R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10183.8	9909.2	1148.0	903242.8	593985.1

Length: 161.1 Section: 06 E / - 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
32.9	-89.0	61.8	20.0	SS SINGLE SHOT
63.4	-88.0	83.8	42.0	SS SINGLE SHOT
96.9	-87.7	109.8	68.0	SS SINGLE SHOT
133.5	-85.8	109.8	68.0	SS SINGLE SHOT
155.4	-85.2	121.8	80.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V096R
 Northing: 10183.8 Easting: 9909.2 Elevation: 1148.0
 Length: 161.1 Core: NQ

From	To	Unit	Description
.0	33.5	#	TRICONED NO CORE
33.5	44.8	5B76	
44.8	46.2	4L3	
46.2	47.1	5D6	
47.1	47.9	4L3	
47.9	49.5	5D6	
49.5	51.4	4L3	
51.4	59.6	5D6	
59.6	72.7	5B6	
72.7	76.0	4L0	
76.0	76.8	4D8	
76.8	78.5	4E8	
78.5	80.5	4E0	
80.5	80.8	5D6	
80.8	81.3	4F4	
81.3	82.6	4L3	(10Q0) 70:30
82.6	83.7	4E8	(4G4) 70:30
83.7	84.3	5B769	
84.3	84.7	4C0	
84.7	85.5	4L3	
85.5	86.1	4E8	(4G4) 70:30
86.1	86.6	5A1	
86.6	86.9	4L3	
86.9	89.6	4E8	(4G4) 70:30
89.6	92.5	4L3	
92.5	98.8	5D3	
98.8	99.2	4E4	
99.2	102.4	4L3	
102.4	103.0	4G0	
103.0	106.5	5B62	
106.5	122.5	4L6	(4L0) 80:20
122.5	145.1	4L67	
145.1	146.3	4L3	
146.3	147.2	4E8	
147.2	149.7	4L67	
149.7	151.9	4A0	(4E0) 60:40
151.9	153.5	4E86	
153.5	155.3	5A1	
155.3	161.1	5D6	

Drill Hole Report

Record 27 Drill Hole - 79V101R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9574.0	9944.2	1152.3	902812.1	594417.8

Length: 158.5 Section: 26 E / - 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
32.6	-88.0	346.8	305.0	SS SINGLE SHOT
63.1	-85.7	1.8	320.0	SS SINGLE SHOT
93.6	-85.0	354.8	313.0	SS SINGLE SHOT
124.1	-88.3	304.8	263.0	SS SINGLE SHOT
154.5	-88.0	264.8	223.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V101R
 Northing: 9574.0 Easting: 9944.2 Elevation: 1152.3
 Length: 158.5 Core: NQ

From	To	Unit	Description
.0	12.8	#	TRICONED NO CORE
12.8	24.7	5A0	
24.7	25.4	4L17	
25.4	27.6	5A1	
27.6	30.0	4L03	
30.0	30.2	4K0	
30.2	31.1	4L07	
31.1	33.4	4L0	
33.4	36.6	4L17	
36.6	40.0	4L0	
40.0	53.5	4L0	
53.5	53.6	4E1	
53.6	69.9	5A0	
69.9	71.3	4A0	
71.3	71.8	4D0	
71.8	72.5	5A0	
72.5	75.5	4C0	
75.5	78.0	4A0	
78.0	79.1	4C7	[4L71]
79.1	82.8	4L3	
82.8	83.8	4L71	
83.8	85.5	4L0	
85.5	89.2	4L07	
89.2	92.8	4L627	5
92.8	99.6	4L0	
99.6	106.4	5B6	
106.4	107.3	4L07	
107.3	116.0	5B6	
116.0	116.6	5B6	
116.6	121.7	5B6	
121.7	122.4	4C7	[4L17]
122.4	158.5	5B6	

Drill Hole Report

Record 28 Drill Hole - 79V110R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10062.0	10027.7	1157.8	903231.1	594154.6

Length: 166.7 Section: 10 E / + 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
43.6	-87.7	2.8	321.0	SS SINGLE SHOT
64.9	-88.0	4.8	323.0	SS SINGLE SHOT
101.5	-85.5	140.8	99.0	SS SINGLE SHOT
125.9	-85.0	134.8	93.0	SS SINGLE SHOT
162.5	-83.0	128.8	87.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V110R
Northing: 10062.0 Easting: 10027.7 Elevation: 1157.8
Length: 166.7 Core: NQ

From	To	Unit	Description
.0	42.2	#	TRICONED NO CORE
42.2	43.6	5B6	
43.6	46.0	4L3	
46.0	50.8	4J487	
50.8	59.7	4C0	(4E0 &8) 80:20
59.7	64.3	4C0	(4E0 &8) 80:20 BXA
64.3	68.6	4C0	(4E1) 60:40
68.6	72.8	4L3	
72.8	73.0	4H1	
73.0	73.2	4L3	
73.2	73.4	4H0	
73.4	73.8	4E0	
73.8	74.8	4C3	
74.8	76.1	4L3	
76.1	77.0	4B4	
77.0	77.3	4C7	
77.3	86.3	4L3	
86.3	96.1	4L07	
96.1	100.6	5B76	
100.6	109.5	4L07	
109.5	113.6	4L3	
113.6	119.3	4L07	
119.3	120.2	5D6	
120.2	134.1	4L07	
134.1	137.5	4L0	
137.5	140.5	4L0	
140.5	140.8	5A1	
140.8	142.1	4C3	
142.1	143.1	4E0	
143.1	143.6	4B4	
143.6	144.0	4E0	(4A0) 50:50
144.0	146.3	4C0	(4A0) 60:40
146.3	149.8	4K0	
149.8	150.4	4A0	
150.4	155.4	4L3	
155.4	166.7	5B76	

Drill Hole Report

Record 29 Drill Hole - 79V114R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10061.5	9963.8	1157.5	903188.1	594107.4

Length: 192.9 Section: 10 E / - 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
39.0	-88.0	97.8	56.0	SS SINGLE SHOT
79.9	-88.1	74.8	33.0	SS SINGLE SHOT
104.2	-87.7	6.8	325.0	SS SINGLE SHOT
128.6	-88.5	212.8	171.0	SS SINGLE SHOT
150.0	-84.5	67.8	26.0	SS SINGLE SHOT
189.6	-79.5	81.8	40.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V114R
Northing: 10061.5 Easting: 9963.8 Elevation: 1157.5
Length: 192.9 Core: NQ

From	To	Unit	Description
.0	32.9	#	
32.9	33.5	4G0	
33.5	36.9	4G0	
36.9	37.4	4L3	
37.4	38.9	5D3	
38.9	39.8	4L0	
39.8	42.1	5D3	
42.1	43.0	5B76	
43.0	44.0	5D3	
44.0	46.9	5B76	
46.9	47.4	5D0	
47.4	51.7	5B76	
51.7	52.4	5D3	
52.4	63.6	5B6	
63.6	65.2	4L01	
65.2	65.7	4L3	
65.7	69.8	10Q0	
69.8	70.9	4L3	
70.9	71.8	4G4	
71.8	73.4	4L3	
73.4	76.0	4G8	
76.0	77.4	4D0	
77.4	81.7	5D3	
81.7	88.9	5B26	
88.9	89.8	5D0	
89.8	92.4	4L3	
92.4	94.9	4G4	
94.9	95.4	4L3	
95.4	108.5	4L67	
108.5	116.1	4L67	
116.1	121.6	4L37	
121.6	122.7	4K0	
122.7	156.1	5A16	
156.1	157.6	5B26	
157.6	169.9	5A0	
169.9	173.3	4AC	
173.3	176.0	4C0	
176.0	192.9	5B76	

Drill Hole Report

Record 30 Drill Hole - 79V115R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10313.6	10042.0	1140.6	903428.0	593997.5

Length: 143.9 Section: 02 E / + 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
16.5	-86.0	144.8	103.0	SS SINGLE SHOT
46.9	-84.5	131.8	90.0	SS SINGLE SHOT
71.3	-84.3	137.8	96.0	SS SINGLE SHOT
107.9	-84.5	152.8	111.0	SS SINGLE SHOT
138.4	-80.0	150.8	109.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V115R
 Northing: 10313.6 Easting: 10042.0 Elevation: 1140.6
 Length: 143.9 Core: NQ

From	To	Unit	Description
----	---	----	-----
.0	3.7	#	TRICONED NO CORE
3.7	5.2	4L13	
5.2	7.5	5B6	
7.5	14.6	4L13	
14.6	19.8	5B6	
19.8	20.1	5B3	
20.1	22.4	4L127	3
22.4	24.8	5A9	
24.8	29.7	4A0	
29.7	30.5	5D1	
30.5	33.0	5D4	
33.0	35.2	4A0	
35.2	35.7	4L3	
35.7	36.4	4C9	
36.4	42.4	4A9	
42.4	46.0	4G78	
46.0	51.2	4G874	9
51.2	54.3	4EG84	
54.3	55.8	4E0	
55.8	57.3	4G4	
57.3	58.8	4F6	
58.8	62.7	4G48	
62.7	67.7	4E84	
67.7	68.8	4A79	
68.8	69.2	4C0	
69.2	69.7	4AE	
69.7	73.1	4E0	
73.1	75.3	4F6	
75.3	78.9	4D98	
78.9	82.0	4CD98	
82.0	82.3	5D0	
82.3	87.5	4C7	
87.5	90.7	4L79	
90.7	94.6	4L79	
94.6	95.4	4D98	
95.4	101.5	4A0	
101.5	102.3	4L176	
102.3	105.6	4L7	
105.6	106.6	4AD9	
106.6	108.6	4L79	
108.6	112.2	4L6	
112.2	124.4	5B6	
124.4	125.9	5D6	
125.9	143.9	5B6	

Drill Hole Report

Record 31 Drill Hole - 79V117R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10060.4	9909.5	1154.6	903151.1	594067.6

Length: 133.2 Section: 10 E / - 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
36.3	-89.0	24.8	343.0	SS SINGLE SHOT
82.0	-88.5	34.8	353.0	SS SINGLE SHOT
106.7	-87.0	121.8	80.0	SS SINGLE SHOT
127.7	-86.0	209.8	168.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V117R
Northing: 10060.4 Easting: 9909.5 Elevation: 1154.6
Length: 133.2 Core: NQ

From	To	Unit	Description
.0	34.4	#	
34.4	37.0	4E8	
37.0	37.9	5B1	
37.9	38.7	4E8	
38.7	39.7	5B6	
39.7	41.8	4E8	
41.8	44.6	4EH1	
44.6	45.4	4L7	
45.4	47.4	4E8	
47.4	47.9	4L7	
47.9	48.9	4A0	
48.9	50.2	5D6	
50.2	58.9	5B6	
58.9	60.2	4A0	
60.2	60.5	4D0	
60.5	60.8	4L6	
60.8	61.2	4H1	
61.2	61.5	4L7	
61.5	62.1	5D3	
62.1	63.5	4L7	
63.5	69.1	4L0	
69.1	74.5	4L72	
74.5	79.2	4L7	
79.2	83.6	4L2	
83.6	84.0	5D3	
84.0	85.6	4L7	
85.6	86.3	5D3	
86.3	93.6	4L7	
93.6	96.3	4L2	
96.3	102.1	4L3	
102.1	104.4	4A7	
104.4	109.4	5A1	
109.4	112.9	5B162	
112.9	113.6	5A1	
113.6	116.8	5B6	
116.8	133.2	5A1	

Drill Hole Report

Record 32 Drill Hole - 79V119R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10309.1	9970.2	1128.9	903376.8	593947.0

Length: 122.5 Section: 02 E / - 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
21.6	-89.0	74.8	33.0	SS SINGLE SHOT
58.2	-88.2	74.8	33.0	SS SINGLE SHOT
88.7	-86.5	102.8	61.0	SS SINGLE SHOT
119.2	-87.0	99.8	58.0	SS SINGLE SHOT

100441	85.9	87.6	1.7	94	4L73	120	2.86	1.39	.66	.73	10.0	-1.0	.07	-1.00	-1.00	-1.00	-1.00	.29
100442	87.6	89.3	1.7	99	4L7	120	2.88	1.01	.53	.48	7.0	-1.0	.14	-1.00	-1.00	-1.00	-1.00	.21
100443	89.3	91.1	1.8	100	4L7	120	2.68	.62	.51	.11	6.0	-1.0	.07	-1.00	-1.00	-1.00	-1.00	.07
100444	91.1	93.0	1.9	94	4L7	120	2.72	.61	.20	.41	5.0	-1.0	.14	-1.00	-1.00	-1.00	-1.00	.19
100445	93.0	94.5	1.5	100	4L7	120	2.75	1.35	.68	.67	9.0	-1.0	.01	-1.00	-1.00	-1.00	-1.00	.10
100446	94.5	96.3	1.8	99	4L7	120	2.58	.22	.08	.14	2.0	-1.0	.68	-1.00	-1.00	-1.00	-1.00	.04
100454	96.3	98.1	1.8	100	4L7	120	2.78	.11	.02	.09	1.0	-1.0	.14	-1.00	-1.00	-1.00	-1.00	.09
100455	98.1	99.7	1.6	100	4L7/4A1	120	2.88	.48	.08	.40	3.0	-1.0	.21	-1.00	-1.00	-1.00	-1.00	.08
100456	99.7	101.5	1.8	99	4L76/4A0	120	3.03	.82	.19	.63	4.0	-1.0	.21	-1.00	-1.00	-1.00	-1.00	.22
100457	101.5	102.7	1.2	100	4D79/4L7	80	3.03	1.23	.33	.90	3.0	-1.0	.27	-1.00	-1.00	-1.00	-1.00	.11
100458	102.7	104.9	2.2	99	4L79	120	2.69	.04	.01	.03	.1	-1.0	.07	-1.00	-1.00	-1.00	-1.00	.03
0	104.9	122.5	17.6	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 79V119R
 Northing: 10309.1 Easting: 9970.2 Elevation: 1128.9
 Length: 122.5 Core: NQ

From	To	Unit	Description
----	---	----	-----
.0	20.7	#	
20.7	23.7	4A0	
23.7	27.1	4A0	BXA
27.1	32.0	4A0	
32.0	36.0	4E3	
36.0	37.6	4L32	
37.6	38.1	4K0	
38.1	43.6	5B6	
43.6	47.6	4L67	
47.6	51.2	4L671	
51.2	53.8	5D4	
53.8	55.4	4D0	
55.4	59.8	4G4	
59.8	62.3	4E0	
62.3	63.8	4L761	5
63.8	64.8	4K3	
64.8	65.2	4E38	
65.2	66.1	4K3	
66.1	70.7	4E3	
70.7	72.0	4E83	
72.0	72.4	4L7	
72.4	72.9	4E8	
72.9	73.3	4L7	
73.3	75.3	4K3	
75.3	77.4	4E1	
77.4	78.5	4C0	
78.5	81.0	4E3	
81.0	81.1	4L7	
81.1	81.7	4C7	
81.7	82.4	4E1	
82.4	84.7	4L37	
84.7	85.9	4D09	
85.9	87.6	4L7	
87.6	96.9	4L7	
96.9	99.4	4L6	
99.4	99.7	4A1	
99.7	100.2	4L76	
100.2	101.5	4A0	
101.5	102.7	4D79	
102.7	104.9	4L7	
104.9	122.5	5B6	

Drill Hole Report

Record 33 Drill Hole - 79V123R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10061.5	10091.0	1158.7	903273.0	594202.0

Length: 174.0 Section: 10 E / + 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
37.5	-88.2	4.8	323.0	SS SINGLE SHOT
71.0	-88.2	90.8	49.0	SS SINGLE SHOT
101.5	-84.0	126.8	85.0	SS SINGLE SHOT
122.8	-81.0	128.8	87.0	SS SINGLE SHOT
150.3	-78.1	120.8	79.0	SS SINGLE SHOT
171.6	-74.1	111.8	70.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V123R
Northing: 10061.5 Easting: 10091.0 Elevation: 1158.7
Length: 174.0 Core: NQ

From	To	Unit	Description
.0	35.4	#	TRICONED NO CORE
35.4	38.0	5A0	(4A0) 90:10
38.0	44.7	4A0	(5A0 &1) 90:10
44.7	46.2	5A0	
46.2	46.6	5D3	
46.6	55.2	5B26	(5B6) 80:20
55.2	55.6	4L3	
55.6	60.7	4A7	
60.7	61.3	5B6	
61.3	68.6	4L0	
68.6	75.3	5B67	
75.3	79.6	4L0	
79.6	84.7	4L6	
84.7	92.4	4L0	
92.4	97.8	4L37	
97.8	103.8	4L328	
103.8	128.3	4L3	
128.3	129.2	5A1	BXA
129.2	130.1	4L7	
130.1	133.0	5A3	GOUGE
133.0	135.7	4L3	
135.7	153.3	5B76	
153.3	154.4	4J87	
154.4	163.4	5B76	
163.4	174.0	5B6	

Drill Hole Report

Record 34 Drill Hole - 79V126R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10181.9	10096.2	1142.3	903366.1	594125.6

Length: 166.4 Section: 06 E / + 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
39.6	-87.0	158.8	117.0	SS SINGLE SHOT
82.3	-86.0	232.8	191.0	SS SINGLE SHOT
128.0	-79.5	315.8	274.0	SS SINGLE SHOT
158.5	-75.5	39.8	358.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V126R
Northing: 10181.9 Easting: 10096.2 Elevation: 1142.3
Length: 166.4 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	17.5	#	
17.5	25.9	5B6	
25.9	29.9	4A0	
29.9	32.0	4E1	
32.0	50.8	4A0	
50.8	53.3	5B6	
53.3	57.6	5A1	
57.6	63.1	4A0	(4E) 70:30
63.1	65.3	5A0	
65.3	68.3	4L3	
68.3	70.7	4A0	
70.7	96.9	4L3	
96.9	152.4	4L07	
152.4	152.9	5D3	
152.9	166.4	5B6	

Drill Hole Report

Record 35 Drill Hole - 79V133R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10312.2	10099.8	1150.0	903465.5	594041.4

Length: 136.6 Section: 02 E / + 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
30.5	-88.0	104.8	63.0	ACID
61.0	-85.0	104.8	63.0	ACID
91.4	-85.0	104.8	63.0	ACID
121.9	-81.0	104.8	63.0	ACID
136.6	-77.0	104.8	63.0	ACID

LITHOLOGIES

Drill Hole: 79V133R
Northing: 10312.2 Easting: 10099.8 Elevation: 1150.0
Length: 136.6 Core: NQ

From	To	Unit	Description
.0	9.8	#	
9.8	12.5	4L73	
12.5	14.6	5B69	
14.6	15.5	4L7	
15.5	16.6	5D4	
16.6	21.0	5B6	
21.0	26.8	4L713	
26.8	30.5	5B6	
30.5	32.9	4L7	
32.9	37.6	5A0	
37.6	37.8	5E0	
37.8	40.2	5D9	
40.2	43.3	5B6	
43.3	43.9	4L7	
43.9	49.1	5B6	
49.1	51.2	4L71	
51.2	64.6	5B6	
64.6	65.9	5B0	
65.9	68.8	5B6	
68.8	70.8	4L67	
70.8	73.4	4A0	
73.4	74.9	4A0	
74.9	79.7	4A0	
79.7	86.3	4A0	
86.3	92.4	4A0	
92.4	94.9	4A0	
94.9	96.0	4A0	
96.0	97.5	4L76	
97.5	102.3	5B6	
102.3	104.9	5D4	
104.9	119.0	4L7	
119.0	130.8	5B6	
130.8	134.9	5D0	
134.9	136.6	5B6	

Drill Hole Report

Record 36 Drill Hole - 79V143R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10353.6	10089.0	1152.7	903489.1	594005.8

Length: 129.8 Section: 00 W / + 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
33.2	-86.0	119.8	78.0	SS SINGLE SHOT
63.7	-81.5	87.8	46.0	SS SINGLE SHOT
94.2	-79.8	122.8	81.0	SS SINGLE SHOT
124.7	-77.0	101.8	60.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V143R
Northing: 10353.6 Easting: 10089.0 Elevation: 1152.7
Length: 129.8 Core: NQ

From	To	Unit	Description
.0	8.4	#	TRICONED NO CORE
8.4	9.9	5B64	
9.9	10.5	4L14	
10.5	11.0	4L7	
11.0	15.2	4L6	
15.2	24.7	4L3	
24.7	28.0	5B4	
28.0	35.4	4L67	
35.4	36.0	4L5	
36.0	38.9	4L6	
38.9	56.0	4L6	
56.0	62.1	4A0	
62.1	72.3	4L6	
72.3	76.6	4L0	
76.6	83.1	5B4	
83.1	83.9	5A9	
83.9	84.4	5A9	
84.4	85.0	4EK8	
85.0	87.5	4A4	
87.5	88.7	5B62	
88.7	93.0	4A0	
93.0	99.1	5A9	
99.1	103.4	4L07	
103.4	105.6	4L07	
105.6	110.5	4L7	
110.5	110.6	5D3	
110.6	110.9	4L7	
110.9	111.6	10Q0	
111.6	129.8	5B6	

Drill Hole Report

Record 37 Drill Hole - 79V300

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10307.0	9923.9	1126.3	903344.4	593913.9

Length: 158.5 Section: 02 E / - 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
27.4	-87.5	39.8	358.0	SS SINGLE SHOT
76.2	-88.2	118.8	77.0	SS SINGLE SHOT
115.8	-87.3	197.8	156.0	SS SINGLE SHOT
155.4	-84.1	204.8	163.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V300
Northing: 10307.0 Easting: 9923.9 Elevation: 1126.3
Length: 158.5 Core: NQ

From	To	Unit	Description
.0	17.1	#	
17.1	19.7	#	TILL - 1000 BOULDER
19.7	22.9	4A0	
22.9	29.9	4A0	
29.9	30.5	4G0	
30.5	33.2	4E6	
33.2	33.7	4G0	
33.7	36.7	4A0	
36.7	38.7	4E6	
38.7	40.5	5A0	
40.5	43.1	4L37	
43.1	44.5	4L7	
44.5	48.1	4L37	
48.1	48.6	5B6	
48.6	49.7	4L37	
49.7	52.9	4E6	
52.9	56.1	4L3	
56.1	58.2	4H8	
58.2	58.6	4E0	
58.6	60.2	4L37	
60.2	62.6	4L7	
62.6	63.9	4EK	
63.9	64.2	GOUGE	
64.2	66.6	4L3	
66.6	67.1	5D	
67.1	67.4	4L7	
67.4	68.0	5D4	
68.0	78.3	4L7	
78.3	78.9	4C0	
78.9	92.7	4A0	
92.7	95.9	4L7	(4A7)
95.9	97.2	4L73	
97.2	103.6	4L7	
103.6	110.0	5B6	
110.0	111.4	4L7	
111.4	114.8	5B6	
114.8	116.1	4L75	
116.1	121.5	5B6	
121.5	133.7	4L75	
133.7	140.2	5B6	
140.2	158.5	5D0	

Drill Hole Report

Record 38 Drill Hole - 79V301

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9818.4	9935.0	1143.8	902988.0	594248.0

Length: 136.9 Section: 18 E / - 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
12.5	-87.5	49.8	8.0	SS SINGLE SHOT
30.8	-87.8	42.8	1.0	SS SINGLE SHOT
67.4	-85.9	89.8	48.0	SS SINGLE SHOT
91.4	-83.0	126.8	85.0	SS SINGLE SHOT
107.0	-82.0	128.8	87.0	SS SINGLE SHOT
136.9	-80.0	131.8	90.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V301
Northing: 9818.4 Easting: 9935.0 Elevation: 1143.8
Length: 136.9 Core: NQ

From	To	Unit	Description
.0	10.2	#	
10.2	16.6	4C4	
16.6	20.1	4L3	
20.1	22.1	4L3	(4C0) 60:40
22.1	24.0	4K0	
24.0	24.1	5D6	
24.1	24.6	4E0	
24.6	24.9	5B76	
24.9	25.6	4G8	
25.6	26.7	4K0	
26.7	26.9	4L0	
26.9	30.4	5A1	
30.4	32.4	4E0	
32.4	39.9	4L3	
39.9	46.3	4L67	
46.3	47.7	5D3	
47.7	58.6	4L7	
58.6	59.3	4A0	
59.3	60.2	4L0	
60.2	61.2	4A0	
61.2	62.6	4K0	
62.6	63.2	4A0	
63.2	63.6	4K0	
63.6	64.1	4A0	
64.1	67.1	4K0	
67.1	88.7	5A1	
88.7	94.2	5A3	(5B23)
94.2	99.6	5A1	
99.6	100.2	4C0	
100.2	104.2	4L0	
104.2	136.9	5B67	

Drill Hole Report

Record 39 Drill Hole - 79V302

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10123.9	9966.4	1151.9	903236.4	594067.6

Length: 189.0 Section: 08 E / - 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
51.8	-86.2	96.8	55.0	SS SINGLE SHOT
88.4	-85.9	101.8	60.0	SS SINGLE SHOT
125.0	-84.4	136.8	95.0	SS SINGLE SHOT
182.9	-82.1	158.8	117.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V302
 Northing: 10123.9 Easting: 9966.4 Elevation: 1151.9
 Length: 189.0 Core: NQ

From	To	Unit	Description
.0	41.9	#	TRICONED NO CORE
41.9	42.8	4HE9	
42.8	43.6	4G0	
43.6	44.3	4E7	
44.3	44.7	4D7	
44.7	45.4	4G0	(4E) 80:20
45.4	46.8	4E0	SANDY
46.8	47.1	4L0	
47.1	48.2	4E0	
48.2	48.6	4G0	
48.6	49.3	4E1	
49.3	50.7	4E8	
50.7	52.6	4E64	
52.6	53.6	4E46	
53.6	54.6	4E1	
54.6	55.2	4G8	
55.2	61.1	4K0	
61.1	61.6	4L0	
61.6	62.8	4K0	
62.8	64.4	4EK8	
64.4	64.9	4G8	
64.9	67.0	4EK8	
67.0	69.3	4C0	
69.3	69.8	4G0	
69.8	72.5	4C0	(4E0) 60:40
72.5	72.8	4E0	
72.8	73.6	4A0	
73.6	75.1	4C98	(4E0) 60:40
75.1	76.7	4D8	
76.7	78.8	4E1	
78.8	82.0	4C098	
82.0	83.2	4E1	
83.2	90.8	4C89	
90.8	92.5	4C08	
92.5	94.0	4E0	
94.0	96.9	GOUGE	
96.9	99.0	4L3	
99.0	110.9	4L0	
110.9	113.7	5B6	
113.7	122.0	4L67	
122.0	122.5	5D3	
122.5	123.7	4L67	
123.7	124.0	5D0	
124.0	124.6	10Q0	
124.6	126.1	5D0	

126.1	133.9	4L671
133.9	134.4	GOUGE
134.4	135.1	5D3
135.1	146.3	4L71
146.3	159.4	4L37
159.4	161.4	4L6
161.4	162.5	4L3
162.5	164.6	4EH19
164.6	167.7	4A0
167.7	168.4	4L37
168.4	171.1	4A0
171.1	182.9	5A0
182.9	187.6	5A0
187.6	189.0	5B0

Drill Hole Report

Record 40 Drill Hole - 79V303

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10120.6	10029.2	1153.8	903275.8	594116.6

Length: 129.5 Section: 08 E / + 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
33.2	-88.0	79.8	38.0	SS SINGLE SHOT
63.7	-87.5	77.8	36.0	SS SINGLE SHOT
94.2	-85.7	131.8	90.0	SS SINGLE SHOT
129.5	-82.0	118.8	77.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V303
 Northing: 10120.6 Easting: 10029.2 Elevation: 1153.8
 Length: 129.5 Core: NQ

From	To	Unit	Description
.0	28.3	#	TRICONED NO CORE
28.3	28.8	5B6	
28.8	29.9	4A7	
29.9	30.2	4G0	
30.2	31.0	4A0	
31.0	31.4	4D0	
31.4	32.1	4F46	
32.1	32.8	4C0	
32.8	33.3	4G4	
33.3	35.4	4A4	
35.4	35.7	4D0	
35.7	36.2	4G0	
36.2	36.8	4D0	
36.8	37.5	4A0	
37.5	37.8	4L3	
37.8	40.2	4A0	
40.2	40.8	4D0	
40.8	41.4	4E1	
41.4	41.7	4D0	
41.7	44.3	4A4	
44.3	44.7	4E0	
44.7	45.3	4G4	
45.3	45.5	5D3	
45.5	48.4	4J487	(4G4) 60:40
48.4	49.4	4C0	
49.4	50.4	5A1	
50.4	51.7	4B0	(4D0) 50:50
51.7	53.1	4C279	
53.1	55.3	4E2	(4H0) 50:50
55.3	56.3	4C279	
56.3	57.4	4E7	
57.4	64.8	4C879	
64.8	81.4	4C79	
81.4	84.7	4L67	
84.7	85.4	5D3	
85.4	90.0	4L67	
90.0	94.6	5B76	
94.6	96.9	5B0	
96.9	110.2	5B76	
110.2	111.1	4E18	
111.1	113.5	4L2	
113.5	118.4	5B76	
118.4	129.5	5B76	

Drill Hole Report

Record 41 Drill Hole - 79V304

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10247.0	9969.5	1136.1	903330.1	593987.9

Length: 160.6 Section: 04 E / - 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
18.9	-87.9	104.8	63.0	SS SINGLE SHOT
54.6	-85.0	77.8	36.0	SS SINGLE SHOT
85.0	-84.8	86.8	45.0	SS SINGLE SHOT
115.5	-84.5	85.8	44.0	SS SINGLE SHOT
115.8	-84.8	92.3	50.5	SS SINGLE SHOT
155.1	-81.0	117.8	76.0	SS SINGLE SHOT

100934	103.1	104.9	1.8	99	4B4	30	2.94	3.91	1.88	2.03	27.0	31.0	.40	7.67	5.55	2.12	1.01	.14
100935	104.9	106.7	1.8	100	4B4	30	2.83	6.82	2.50	4.32	34.0	38.0	.27	3.09	2.02	1.07	.44	.05
100936	106.7	109.0	2.3	95	4C0	30	2.74	.32	.25	.07	6.0	9.0	.34	-1.00	-1.00	-1.00	-1.00	.10
0	109.0	113.8	4.8	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
100937	113.8	115.2	1.4	100	4C5	30	3.49	1.34	.87	.47	18.0	24.0	.55	-1.00	-1.00	-1.00	-1.00	.59
100938	115.2	116.4	1.2	99	4C5	30	3.27	1.20	.69	.51	14.0	18.0	.96	-1.00	-1.00	-1.00	-1.00	.36
0	116.4	127.5	11.1	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
100939	127.5	129.5	2.0	100	4AC	20	3.19	.75	.42	.33	10.0	11.0	.41	-1.00	-1.00	-1.00	-1.00	.37
0	129.5	160.5	31.0	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 79V304
 Northing: 10247.0 Easting: 9969.5 Elevation: 1136.1
 Length: 160.6 Core: NQ

From	To	Unit	Description
.0	20.0	#	TRICONED NO CORE
20.0	30.8	4A0	
30.8	38.4	4A4	
38.4	39.3	4E46	
39.3	41.6	4L0	
41.6	42.7	4E0	
42.7	47.2	4L0	
47.2	51.0	5B6	
51.0	53.0	5D3	
53.0	56.5	4G4#	
56.5	57.0	4AD	
57.0	58.4	4L0	
58.4	61.8	4L67	
61.8	67.6	4K0	
67.6	69.4	4E8	
69.4	74.6	4K0	
74.6	79.1	4G4	
79.1	81.0	4K0	
81.0	85.1	4J8	(4E0) 50:50
85.1	93.5	4C0	
93.5	96.6	4E1	
96.6	98.5	4C0	
98.5	103.1	5B16	
103.1	106.7	4B4	
106.7	109.0	4C0	
109.0	113.8	5B16	
113.8	116.4	4C5	
116.4	127.5	5B69	
127.5	128.9	4A0	
128.9	129.5	4C0	
129.5	130.0	5A0	
130.0	132.4	5B69	
132.4	134.7	5A9	(4H1) 80:20
134.7	159.4	5B76	
159.4	160.6	5D6	

Drill Hole Report

Record 42 Drill Hole - 79V305

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10241.6	10030.1	1134.2	903366.5	594036.6

Length: 124.4 Section: 04 E / + 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
18.3	-87.1	87.8	46.0	SS SINGLE SHOT
64.0	-88.2	62.8	21.0	SS SINGLE SHOT
118.9	-83.0	138.8	97.0	SS SINGLE SHOT

0 87.2 124.4 37.2 -1 WASTE 0 -1.00 -1.00 -1.00 -1.00 -1.0 -1.0 -1.00 -1.00 -1.00 -1.00 -1.00

LITHOLOGIES

Drill Hole: 79V305
 Northing: 10241.6 Easting: 10030.1 Elevation: 1134.2
 Length: 124.4 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	18.4	#	TRICONED NO CORE
18.4	21.2	4JK78	
21.2	23.0	4LK	
23.0	24.2	4JK78	
24.2	25.1	4G0	
25.1	25.6	5D0	
25.6	27.4	4K087	
27.4	29.8	4G0	
29.8	30.5	4L0	
30.5	31.4	4JL	
31.4	31.9	10Q0	
31.9	40.4	5B2	
40.4	42.0	4A0	
42.0	43.2	4J87	
43.2	43.8	4A7	
43.8	44.0	GOUGE	
44.0	44.7	4A7	
44.7	45.5	4F6	
45.5	46.0	4G0	
46.0	46.9	5D0	
46.9	47.9	4G48	
47.9	48.8	4JE8	
48.8	50.5	4G48	
50.5	54.0	4G4	
54.0	55.4	4G48	
55.4	57.2	4G4	
57.2	63.5	4G4	
63.5	68.1	4D987	1
68.1	80.2	4C971	
80.2	85.6	4L79	
85.6	87.2	4L9	
87.2	99.7	4L6	
99.7	103.8	5D0	
103.8	104.9	5B0	
104.9	106.4	3E?	
106.4	112.2	5E0	
112.2	123.4	5B0	
123.4	124.4	5D0	

Drill Hole Report

Record 43 Drill Hole - 79V306

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10250.2	9939.0	1138.3	903312.1	593963.0

Length: 173.1 Section: 04 E / - 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
34.7	-88.3	89.8	48.0	SS SINGLE SHOT
83.5	-86.5	89.8	48.0	SS SINGLE SHOT
130.8	-83.0	90.8	49.0	SS SINGLE SHOT
171.3	-80.0	119.8	78.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V306
Northing: 10250.2 Easting: 9939.0 Elevation: 1138.3
Length: 173.1 Core: NQ

From	To	Unit	Description
.0	19.8	#	
19.8	41.8	10Q0	
41.8	46.3	4L0	
46.3	47.9	4L3	
47.9	48.8	10Q0	
48.8	51.8	4L6	
51.8	60.4	10Q0	
60.4	63.2	4G48	
63.2	65.1	4E6	
65.1	66.4	4L3	
66.4	69.2	5A61	
69.2	70.7	4L0	
70.7	72.2	4D8	
72.2	73.8	4H8	
73.8	74.0	5D0	
74.0	74.4	4H8	
74.4	74.7	4G48	
74.7	75.0	5D0	
75.0	75.8	4G48	
75.8	76.1	5D0	
76.1	76.8	4H8	
76.8	82.5	4L0	
82.5	82.6	4A0	
82.6	82.9	4L0	
82.9	83.2	4A0	
83.2	83.5	4F0	
83.5	83.9	4G0	
83.9	88.0	4L09	
88.0	88.8	4A0	
88.8	90.7	4L	
90.7	91.5	4A0	
91.5	92.6	5D0	
92.6	93.7	5A91	
93.7	94.3	4L0	
94.3	94.7	5A6	
94.7	98.6	4L3	
98.6	101.2	4G81	
101.2	104.4	4G0	
104.4	107.5	4G81	
107.5	114.0	4E18	
114.0	114.9	4L3	
114.9	122.8	5A0	
122.8	128.3	4L6	
128.3	128.9	5D0	
128.9	136.9	4L6	

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
20: 3:18 Serial no: 20320
25/ 7/90 Page : 151

136.9	138.1	4CD9
138.1	144.2	5B7
144.2	147.0	5D0
147.0	166.3	5B7
166.3	167.7	5D06
167.7	173.1	5D6

Drill Hole Report

Record 44 Drill Hole - 79V307

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10240.8	10067.4	1134.7	903390.8	594064.9

Length: 167.6 Section: 04 E / + 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
24.4	-88.3	186.8	145.0	SS SINGLE SHOT
57.9	-88.7	194.8	153.0	SS SINGLE SHOT
91.4	-86.6	188.8	147.0	SS SINGLE SHOT
125.0	-80.0	127.8	86.0	SS SINGLE SHOT
161.5	-74.1	131.8	90.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V307
Northing: 10240.8 Easting: 10067.4 Elevation: 1134.7
Length: 167.6 Core: NQ

From	To	Unit	Description
.0	16.9	#	TRICONED NO CORE
16.9	24.2	5B612	
24.2	25.0	4L6	
25.0	31.4	5B612	
31.4	42.4	5A1	
42.4	42.6	4A0	
42.6	43.1	4L0	
43.1	43.9	4A0	
43.9	44.7	4E8	
44.7	45.0	4G0	
45.0	51.2	4E8	
51.2	57.3	4EC8	
57.3	75.6	4C8	
75.6	82.6	4C7	
82.6	83.0	4C7	
83.0	85.2	4C7	
85.2	86.0	4C57	
86.0	87.1	4C7	
87.1	87.2	GOUGE	
87.2	99.8	4L1	
99.8	101.6	4A7	
101.6	106.7	4L1	
106.7	120.4	5B69	
120.4	120.5	GOUGE	
120.5	131.4	5B69	
131.4	132.0	5D0	
132.0	133.3	5B6	
133.3	135.0	5B7	
135.0	136.6	5D0	
136.6	167.6	5B7	

Drill Hole Report

Record 45 Drill Hole - 79V308

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10251.4	9908.0	1143.6	903292.4	593939.1

Length: 138.7 Section: 04 E / - 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
36.9	-88.4	254.8	213.0	SS SINGLE SHOT
88.7	-88.3	239.8	198.0	SS SINGLE SHOT
134.4	-89.0	104.8	63.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V308
 Northing: 10251.4 Easting: 9908.0 Elevation: 1143.6
 Length: 138.7 Core: NQ

From	To	Unit	Description
.0	33.8	#	TRICONED NO CORE
33.8	37.8	4B0	
37.8	38.7	5A6	
38.7	39.1	4B0	
39.1	39.6	5D6	
39.6	55.2	5A6	
55.2	58.9	4L0	
58.9	60.0	5A6	
60.0	61.0	5D0	
61.0	62.8	4A0	
62.8	65.6	4AL	
65.6	66.9	4L13	
66.9	67.2	4G4	
67.2	68.8	5D0	
68.8	69.2	5D0	
69.2	70.5	4G0	
70.5	70.9	4E0	
70.9	71.5	4J07	
71.5	74.7	4E8	
74.7	75.1	4L3	
75.1	75.0	GOUGE	
75.0	76.8	4L37	
76.8	77.1	4D0	
77.1	78.0	4L3	
78.0	78.3	4E8	
78.3	79.6	4L37	
79.6	80.0	4EK	
80.0	80.1	5D0	
80.1	81.2	4A0	
81.2	84.6	4L7	
84.6	86.3	5D06	
86.3	94.1	4L7	
94.1	94.6	4A49	
94.6	95.4	4H0	
95.4	96.6	5A9	
96.6	100.2	4L0	
100.2	105.2	4B0	
105.2	107.0	4L6	
107.0	108.8	4B0	
108.8	110.0	4L0	
110.0	110.6	4E8	
110.6	112.0	5A0	
112.0	112.8	4D0	
112.8	114.4	4L6	
114.4	114.5	4K0	

114.5	117.3	4L6
117.3	117.5	4L0
117.5	126.2	4L6
126.2	131.4	4L10
131.4	135.0	5A0
135.0	138.7	4L0

Drill Hole Report

Record 46 Drill Hole - 79V309

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10000.0	10029.2	1163.4	903186.0	594197.0

Length: 145.4 Section: 12 E / + 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
36.3	-86.6	37.8	356.0	SS SINGLE SHOT
66.8	-88.0	74.8	33.0	SS SINGLE SHOT
100.3	-84.0	106.8	65.0	SS SINGLE SHOT
136.9	-80.1	112.8	71.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V309
Northing: 10000.0 Easting: 10029.2 Elevation: 1163.4
Length: 145.4 Core: NQ

From	To	Unit	Description
.0	33.8	#	TRICONED NO CORE
33.8	38.1	4K0	
38.1	39.0	4G4	
39.0	41.6	4E1	BXA
41.6	42.4	4A0	(4E1) 50:50 BXA
42.4	43.2	5D0	
43.2	43.8	4D4	BXA
43.8	44.4	4L1	BXA
44.4	47.6	4A4	(4E4) 80:20
47.6	51.0	4L3	
51.0	52.7	10Q0	
52.7	54.3	4G4	
54.3	56.6	4L3	
56.6	58.2	4B3	
58.2	63.4	4E86	
63.4	64.2	4H1	
64.2	68.0	4L3	
68.0	72.9	4L0	
72.9	74.3	5D3	
74.3	86.0	4L6	
86.0	95.6	4L3	
95.6	110.3	4L6	
110.3	114.8	4L3	
114.8	121.5	4A0	
121.5	131.5	5A3	
131.5	133.2	5B09	
133.2	136.9	4C79	
136.9	142.5	4L17	
142.5	145.4	5B67	

Drill Hole Report

Record 47 Drill Hole - 79V310

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10238.9	10093.5	1137.0	903406.8	594085.6

Length: 148.7 Section: 04 E / + 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
24.4	-84.3	126.8	85.0	SS SINGLE SHOT
82.3	-80.4	124.8	83.0	SS SINGLE SHOT
143.3	-74.1	129.8	88.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V310
Northing: 10238.9 Easting: 10093.5 Elevation: 1137.0
Length: 148.7 Core: NQ

From	To	Unit	Description
.0	16.3	#	TRICONED NO CORE
16.3	21.0	5B6	
21.0	29.3	5B6	
29.3	32.5	5B6	
32.5	34.6	4L6	
34.6	34.9	GOUGE	[4L6 GOUGE]
34.9	36.8	4L7	
36.8	39.3	4A0	
39.3	42.1	4A0	
42.1	45.1	4C0	
45.1	45.6	4C7	
45.6	47.4	4C0	
47.4	47.8	5D0	
47.8	49.5	4C0	
49.5	50.1	5D6	
50.1	55.3	4C79	
55.3	61.4	4A0	
61.4	62.0	4L7	
62.0	62.4	4A0	
62.4	62.9	4L7	
62.9	65.9	4A0	
65.9	67.1	5A1	
67.1	67.4	GOUGE	
67.4	69.7	5A1	
69.7	70.1	4L73	
70.1	72.7	4A0	
72.7	74.1	5A1	
74.1	75.0	4L6	
75.0	79.2	4A0	
79.2	83.2	4L37	
83.2	94.4	4L73	
94.4	95.4	4L0	
95.4	104.1	4L73	
104.1	106.7	4L37	
106.7	121.2	4L6	
121.2	128.9	5B6	
128.9	130.8	5D6	
130.8	131.7	5B6	
131.7	136.6	5B6	(4L6)
136.6	146.3	5B67	
146.3	146.6	5B0	
146.6	148.7	5B76	

Drill Hole Report

Record 48 Drill Hole - 79V311

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10311.9	9910.1	1126.0	903338.8	593900.4

Length: 139.0 Section: 02 E / - 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
46.9	-89.0	64.8	23.0	SS SINGLE SHOT
107.9	-88.2	104.8	63.0	SS SINGLE SHOT
138.4	-82.2	208.8	167.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V311
Northing: 10311.9 Easting: 9910.1 Elevation: 1126.0
Length: 139.0 Core: NQ

From	To	Unit	Description
.0	26.7	#	TRICONED NO CORE
26.7	42.4	5B62	
42.4	43.4	5D6	
43.4	44.6	5B6	
44.6	49.3	4L0	
49.3	51.1	4E86	
51.1	55.3	4E8	(4K0) 80:20
55.3	59.4	4L0	
59.4	59.7	4E1	
59.7	60.2	4A0	(4B4) 70:30
60.2	62.1	4L6	
62.1	63.1	5D3	
63.1	71.3	4L6	
71.3	79.7	5A0	
79.7	81.7	4A7	
81.7	83.9	4L71	
83.9	110.4	4L6	
110.4	118.3	5B69	
118.3	129.5	4L5	
129.5	139.0	5B6	

Drill Hole Report

Record 49 Drill Hole - 79V312

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9999.8	9970.0	1160.6	903146.4	594153.1

Length: 166.4 Section: 12 E / - 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
39.0	-89.0	50.8	9.0	SS SINGLE SHOT
69.5	-88.0	329.8	288.0	SS SINGLE SHOT
100.0	-87.5	144.8	103.0	SS SINGLE SHOT
130.5	-81.0	141.8	100.0	SS SINGLE SHOT
160.9	-78.0	146.8	105.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V312
 Northing: 9999.8 Easting: 9970.0 Elevation: 1160.6
 Length: 166.4 Core: NQ

From	To	Unit	Description
.0	31.9	#	TRICONED NO CORE
31.9	34.3	5B2	
34.3	35.3	5A6	
35.3	36.6	4A0	
36.6	37.4	5A1	
37.4	39.9	4L3	
39.9	40.6	4E8	
40.6	41.4	4A0	
41.4	41.7	4C78	
41.7	41.8	GOUGE	
41.8	43.3	4C78	
43.3	44.2	4A0	
44.2	47.0	4L3	
47.0	49.6	5D0	
49.6	57.7	4L0	
57.7	58.0	4L5	
58.0	69.9	4L0	
69.9	70.1	4L5	
70.1	75.0	4L0	
75.0	81.9	4L7	
81.9	82.2	5D3	
82.2	82.8	5B6	
82.8	83.4	5D3	
83.4	84.1	10Q0	
84.1	93.4	4L671	
93.4	95.8	4L3	
95.8	96.7	4A0	
96.7	99.2	4E8	
99.2	101.2	5A6	
101.2	102.7	5A6	BXA
102.7	118.0	5A6	
118.0	118.8	5A0	BXA
118.8	119.5	4L0	
119.5	119.9	4D0	
119.9	120.5	4GK8	
120.5	129.0	5A0	
129.0	129.3	5D0	
129.3	133.7	5A0	
133.7	137.4	4A0	
137.4	137.8	4K0	
137.8	140.7	4A0	
140.7	141.1	4K05	
141.1	144.3	4AK	
144.3	147.5	4C79	
147.5	150.0	4C79	

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
20:19:33 Serial no: 20320
25/ 7/90 Page : 171

150.0	151.4	10Q0
151.4	163.1	4L6
163.1	166.4	5D6

Drill Hole Report

Record 50 Drill Hole - 79V313

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10428.5	10029.4	1148.1	903505.1	593911.5

Length: 108.5 Section: 02 W / + 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
42.1	-88.0	80.8	39.0	SS SINGLE SHOT
72.5	-87.3	41.8	.0	SS SINGLE SHOT
103.0	-83.8	9.8	328.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V313
Northing: 10428.5 Easting: 10029.4 Elevation: 1148.1
Length: 108.5 Core: NQ

From	To	Unit	Description
.0	21.0	#	
21.0	22.7	4A0	
22.7	25.1	4L0	
25.1	26.5	10Q0	
26.5	30.0	5B6	GOUGE
30.0	41.4	4A0	
41.4	42.7	4E0	(4G4) 60:40
42.7	46.9	5A0	
46.9	56.7	5B6	GOUGE
56.7	58.2	5D6	
58.2	61.4	5B6	
61.4	64.6	5A0	
64.6	75.2	5A3	
75.2	88.1	5A16	
88.1	94.5	5A6	(5B2) 75:25
94.5	101.0	5B6	[3G0]
101.0	108.5	5A6	

Drill Hole Report

Record 51 Drill Hole - 79V314

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10426.8	9967.2	1141.8	903462.4	593866.3

Length: 110.0 Section: 02 W / - 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
43.6	-87.5	349.8	308.0	SS SINGLE SHOT
74.1	-83.3	322.8	281.0	SS SINGLE SHOT
104.5	-80.0	324.8	283.0	SS SINGLE SHOT

ASSAYS

Drill Hole: 79V314
Northing: 10426.8 Easting: 9967.2 Elevation: 1141.8
Length: 110.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 110.0	110.0	0	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 79V314
Northing: 10426.8 Easting: 9967.2 Elevation: 1141.8
Length: 110.0 Core: NQ

From	To	Unit	Description
.0	17.1	#	
17.1	18.8	#	
18.8	29.0	5B62	
29.0	38.9	5A3	
38.9	44.2	5B23	
44.2	46.9	5A3	
46.9	72.7	5A1	
72.7	75.4	5A3	
75.4	79.0	5B23	
79.0	95.4	5A0	(5B62) 70:30
95.4	106.3	5A3	
106.3	110.0	5A0	

Drill Hole Report

Record 52 Drill Hole - 79V315

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10369.9	9967.9	1137.5	903420.5	593904.8

Length: 111.4 Section: 00 W / - 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
43.0	-87.0	52.8	11.0	SS SINGLE SHOT
73.5	-87.2	74.8	33.0	SS SINGLE SHOT
103.9	-86.7	14.8	333.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V315
 Northing: 10369.9 Easting: 9967.9 Elevation: 1137.5
 Length: 111.4 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	7.9	#	TRICONED NO CORE
7.9	12.8	5B6	
12.8	14.9	4L1	
14.9	16.4	5B6	
16.4	17.0	4L1	
17.0	21.2	5B6	
21.2	25.7	4L0	
25.7	26.3	5D3	
26.3	27.7	4A0	
27.7	28.1	4E4	
28.1	32.9	4A0	
32.9	35.9	4G0	
35.9	36.4	4L3	
36.4	39.0	5B67	
39.0	45.9	4L6	
45.9	47.2	4L71	
47.2	48.6	5B6	
48.6	49.8	4L01	
49.8	54.3	5B6	
54.3	55.1	4L6	
55.1	56.1	4C0	
56.1	57.3	4E3	
57.3	58.4	4C0	
58.4	59.2	4E8	
59.2	60.6	5A0	(5D0) 60:40 BXA
60.6	61.3	5B6	
61.3	62.5	5D0	
62.5	64.3	4L1	BXA
64.3	67.5	4E8	
67.5	69.4	4K0	
69.4	73.5	4E8	(4G4) 80:20
73.5	75.3	4C0	
75.3	76.3	4L0	
76.3	82.0	5A*	BXA
82.0	85.9	4L1	BXA
85.9	90.5	5B6	
90.5	111.4	5A0	

Drill Hole Report

Record 53 Drill Hole - 79V316

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10358.9	10033.1	1143.2	903455.8	593960.6

Length: 151.8 Section: 00 W / - 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
24.4	-88.2	74.8	33.0	SS SINGLE SHOT
54.9	-83.0	119.8	78.0	SS SINGLE SHOT
85.3	-80.0	117.8	76.0	SS SINGLE SHOT
115.8	-77.0	124.8	83.0	SS SINGLE SHOT
146.3	-71.5	139.8	98.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V316
Northing: 10358.9 Easting: 10033.1 Elevation: 1143.2
Length: 151.8 Core: NQ

From	To	Unit	Description
.0	9.8	#	TRICONED NO CORE
9.8	11.0	4L0	
11.0	13.6	5B6	
13.6	15.2	4L0	
15.2	15.5	4A0	
15.5	22.3	5B6	
22.3	23.8	5D3	
23.8	27.3	4L0	
27.3	32.9	5B26	
32.9	35.1	4A4	
35.1	44.6	4A0	
44.6	46.6	5D3	
46.6	47.2	4C7	[4L17]
47.2	49.0	5D3	
49.0	57.4	5B6	
57.4	59.6	5D3	
59.6	60.5	4L1	
60.5	65.5	4A0	
65.5	66.3	5D0	BXA
66.3	70.6	4G4	
70.6	73.0	4DH	
73.0	73.8	4G4	
73.8	74.8	4H14	
74.8	75.7	5D3	
75.7	79.6	4H1	
79.6	83.7	4G4	
83.7	84.6	4E8	
84.6	85.0	5D3	
85.0	87.8	4G4	(5D6) 85:15
87.8	89.9	4G4	
89.9	90.6	4E41	
90.6	95.2	4C83	
95.2	130.0	4L6	
130.0	151.8	5B6	

Drill Hole Report

Record 54 Drill Hole - 79V317

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10115.1	10096.5	1154.4	903316.5	594170.4

Length: 112.2 Section: 08 E / + 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	63.0	63.0	AT COLLAR
47.9	-89.0	104.8	63.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V317
Northing: 10115.1 Easting: 10096.5 Elevation: 1154.4
Length: 112.2 Core: NQ

From	To	Unit	Description
.0	21.0	#	TRICONED NO CORE
21.0	21.6	4L1	OXIDIZED
21.6	22.1	4L1	
22.1	26.5	4A0	
26.5	27.9	4A4	
27.9	29.9	4A0	
29.9	36.6	4A4	
36.6	36.8	5D3	
36.8	37.1	4A4	
37.1	37.4	5D3	
37.4	44.7	4A0	
44.7	44.9	5D3	
44.9	49.0	4C3	
49.0	50.1	5D3	
50.1	50.6	4E1	
50.6	55.9	4A0	
55.9	60.0	4C3	
60.0	60.7	4E1	
60.7	61.5	4A0	
61.5	64.6	5A0	(4L1) 70:30
64.6	86.6	4L7	
86.6	87.6	5D3	
87.6	88.4	5B6	
88.4	92.0	5D3	(5B6) 70:30
92.0	95.6	5B6	
95.6	96.9	5D0	
96.9	102.4	4L3	GOUGE
102.4	107.9	4L6	GOUGE
107.9	112.2	4L6	

Drill Hole Report

Record 55 Drill Hole - 79V318

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10311.3	10070.7	1144.4	903445.4	594020.4

Length: 142.0 Section: 02 E / + 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
45.4	-81.5	114.8	73.0	SS SINGLE SHOT
75.9	-83.0	112.8	71.0	SS SINGLE SHOT
106.4	-83.0	114.8	73.0	SS SINGLE SHOT
136.8	-83.0	94.8	53.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V318
 Northing: 10311.3 Easting: 10070.7 Elevation: 1144.4
 Length: 142.0 Core: NQ

From	To	Unit	Description
----	---	----	-----
.0	6.5	#	TRICONED - NO CORE
6.5	11.0	4L0	
11.0	12.8	5D3	
12.8	14.0	4L0	
14.0	16.0	4L0	
16.0	17.5	5D3	
17.5	18.3	4L0	
18.3	20.4	4A0	
20.4	21.0	5D0	
21.0	38.4	5B6	
38.4	40.7	4L6	
40.7	41.1	4A0	
41.1	41.3	4L3	
41.3	42.0	4A0	
42.0	42.5	4E6	
42.5	43.3	4C0	
43.3	53.3	4L6	
53.3	54.4	5D3	
54.4	55.5	4L6	
55.5	55.8	GOUGE	[4L GOUGE]
55.8	56.5	4L0	
56.5	61.0	4L0	
61.0	63.2	4A0	
63.2	63.9	5D0	
63.9	65.6	4A0	(5D0) 50:50
65.6	67.4	4A0	
67.4	68.4	4E6	
68.4	69.3	4D64	
69.3	75.3	4C078	
75.3	82.1	4C0	
82.1	83.8	5C3	
83.8	85.0	5D3	
85.0	92.3	4C0	
92.3	97.8	4C5	
97.8	98.2	4CD7	BXA
98.2	118.1	4L6	
118.1	120.0	5D0	
120.0	125.6	5B7	
125.6	142.0	5B6	

Drill Hole Report

Record 56 Drill Hole - 79V319

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10426.7	10088.3	1155.0	903543.1	593956.5

Length: 147.2 Section: 02 W / + 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
50.3	-84.5	124.8	83.0	SS SINGLE SHOT
80.8	-80.0	117.8	76.0	SS SINGLE SHOT
111.3	-78.0	138.8	97.0	SS SINGLE SHOT
141.8	-73.3	139.8	98.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V319
Northing: 10426.7 Easting: 10088.3 Elevation: 1155.0
Length: 147.2 Core: NQ

From	To	Unit	Description
.0	15.5	#	
15.5	24.0	5B62	
24.0	31.1	4L0	
31.1	34.4	4L6	
34.4	35.4	4L0	
35.4	36.2	5C3	
36.2	39.8	4L0	
39.8	43.8	5B6	
43.8	50.6	4L0	
50.6	50.9	5D3	
50.9	53.0	4L0	
53.0	53.3	5D3	
53.3	57.5	4L6	
57.5	58.1	5D3	
58.1	58.6	4L6	
58.6	59.1	5D3	
59.1	60.4	4L6	
60.4	71.8	4L0	
71.8	77.2	5B0	
77.2	78.4	10Q0	(5B6) 90:10
78.4	79.5	5B0	
79.5	79.9	4A0	
79.9	80.1	5D0	
80.1	84.7	4L3	
84.7	86.0	4E87	
86.0	93.5	4L07	
93.5	114.9	4L3	
114.9	128.4	4L0	
128.4	134.7	4L6	
134.7	143.6	5B6	
143.6	144.7	4L0	
144.7	144.9	5D0	
144.9	145.3	4L7	
145.3	146.6	5D0	
146.6	147.2	4L6	

Drill Hole Report

Record 57 Drill Hole - 79V320

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10128.4	9908.6	1151.5	903201.1	594021.6

Length: 148.4 Section: 08 E / - 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
50.9	-87.2	89.8	48.0	SS SINGLE SHOT
81.4	-88.0	89.8	48.0	SS SINGLE SHOT
111.9	-88.3	164.8	123.0	SS SINGLE SHOT
142.3	-86.5	319.8	278.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V320
 Northing: 10128.4 Easting: 9908.6 Elevation: 1151.5
 Length: 148.4 Core: NQ

From	To	Unit	Description
.0	42.7	#	
42.7	50.4	5B26	
50.4	51.8	4L0	
51.8	52.3	4A0	
52.3	53.5	4L3	
53.5	54.0	10Q0	
54.0	56.8	4L3	
56.8	60.7	5B26	
60.7	61.0	GOUGE	[5B2 GOUGE]
61.0	61.9	5B26	
61.9	62.1	GOUGE	[5B2 GOUGE]
62.1	63.4	5B26	
63.4	63.6	GOUGE	[5B2 GOUGE]
63.6	65.7	4L0	
65.7	66.2	4D8	
66.2	68.6	4EC8	
68.6	69.2	4K8	
69.2	69.7	4L0	
69.7	70.0	4C0	
70.0	70.3	4E0	
70.3	72.8	4G8	
72.8	73.4	4L4	
73.4	73.7	4E68	
73.7	74.5	5B76	
74.5	75.0	5C0	
75.0	76.4	5D6	
76.4	79.0	4L67	
79.0	80.6	5D0	
80.6	85.6	4L6	
85.6	86.6	5B2	
86.6	90.0	5B2	
90.0	91.7	4L67	
91.7	95.1	5D0	
95.1	97.2	4L0	
97.2	97.5	GOUGE	
97.5	114.9	4L6	
114.9	117.3	5B2	
117.3	119.3	4L6	
119.3	119.6	5B2	
119.6	120.2	4L0	
120.2	120.4	4D7	
120.4	121.6	4L0	
121.6	121.9	4H8	
121.9	122.7	4L0	
122.7	124.7	4A0	

124.7	125.2	4D7	
125.2	126.1	4L0	
126.1	126.5	GOUGE	
126.5	128.6	4L6	
128.6	129.4	4L0	
129.4	131.1	4A0	
131.1	132.0	4E1	
132.0	132.6	4L0	
132.6	133.1	4C7	
133.1	134.1	4E1	
134.1	134.3	4L0	
134.3	139.0	5A0	
139.0	139.5	GOUGE	[5A GOUGE]
139.5	139.9	5A0	BXA
139.9	141.1	GOUGE	[5A GOUGE]
141.1	148.4	5A0	

Drill Hole Report

Record 58 Drill Hole - 79V321

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10306.3	9947.8	1127.9	903359.8	593932.3

Length: 139.3 Section: 02 E / - 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
42.4	-87.0	49.8	8.0	SS SINGLE SHOT
72.8	-86.0	60.8	19.0	SS SINGLE SHOT
103.3	-85.9	49.8	8.0	SS SINGLE SHOT
133.8	-86.0	156.8	115.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V321
Northing: 10306.3 Easting: 9947.8 Elevation: 1127.9
Length: 139.3 Core: NQ

From	To	Unit	Description
.0	20.2	#	TRICONED NO CORE
20.2	32.8	4A0	
32.8	35.4	4G0	
35.4	37.5	4E6	
37.5	38.7	4G0	
38.7	44.2	5B26	
44.2	45.9	4L7	
45.9	47.8	4L3	
47.8	49.2	4L7	
49.2	52.1	4L37	
52.1	53.0	4E4	
53.0	54.5	4E64	
54.5	54.6	GOUGE	
54.6	57.8	4L0	
57.8	59.0	4L0	
59.0	60.0	10Q0	
60.0	62.8	4L6	
62.8	63.2	4K4	
63.2	66.1	4L0	
66.1	66.8	4E1	
66.8	67.8	4L0	
67.8	70.5	4L0	
70.5	72.6	4L37	
72.6	72.9	4GK8	
72.9	74.1	4L14	
74.1	74.8	4FG	
74.8	75.0	4L6	
75.0	75.7	4K0	
75.7	76.0	4L0	
76.0	76.3	4K0	
76.3	76.5	4L0	
76.5	77.4	4G8	
77.4	77.8	4L6	
77.8	78.2	4K0	
78.2	79.0	4E81	
79.0	80.6	4K0	
80.6	85.4	4GF8	
85.4	87.0	4GK	
87.0	87.6	4G0	
87.6	88.4	4E0	
88.4	91.7	4L6	
91.7	93.3	4C7	
93.3	96.3	4L37	
96.3	97.5	5A0	
97.5	100.3	4A0	

100.3	101.1	4C7	
101.1	103.5	4L73	
103.5	104.9	10Q0	
104.9	105.8	4L61	
105.8	119.3	5B6	
119.3	121.0	4L6	
121.0	122.6	4L5	
122.6	123.7	?	MARBLE
123.7	128.3	4L57	
128.3	131.4	?	MARBLE
131.4	135.8	4L675	
135.8	137.4	4L3	
137.4	139.3	5B6	

Drill Hole Report

Record 59 Drill Hole - 79V322

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10000.9	10089.0	1163.9	903226.5	594241.0

Length: 114.9 Section: 12 E / + 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
48.5	-83.7	64.8	23.0	SS SINGLE SHOT
78.9	-81.5	59.8	18.0	SS SINGLE SHOT
109.4	-79.0	94.8	53.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 79V322
Northing: 10000.9 Easting: 10089.0 Elevation: 1163.9
Length: 114.9 Core: NQ

From	To	Unit	Description
.0	33.2	#	
33.2	36.0	4E81	
36.0	43.6	4C97	
43.6	48.8	4C0	
48.8	50.9	4C0	
50.9	51.8	5D0	
51.8	53.9	4CL	
53.9	54.5	4C7	
54.5	56.7	4L0	
56.7	60.6	4L0	(5D0) 80:20
60.6	63.9	4L0	
63.9	70.0	4L06	
70.0	76.0	4L3	
76.0	76.8	5C04	
76.8	78.0	5D64	
78.0	82.9	4L0	
82.9	87.6	4L3	
87.6	90.3	4L61	
90.3	91.7	4L3	
91.7	96.2	4L61	
96.2	99.9	4L3	
99.9	110.3	4L6	
110.3	114.9	5B6	

Drill Hole Report

Record 60 Drill Hole - 80V055RH

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9573.3	10064.8	1160.4	902892.0	594508.1

Length: 25.5 Section: 26 E / + 2.0
Type: DDH Core: HQ Location: GRUM

Logged by: DJH Date: 800000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 80V055RH
Northing: 9573.3 Easting: 10064.8 Elevation: 1160.4
Length: 25.5 Core: HQ

From	To	Unit	Description
----	--	----	-----
.0	12.9	#	TRICONED - NO CORE
12.9	13.2	4C0	QTZITE FRAGS; V MINOR SDES
13.2	13.8	4G4	
13.8	16.6	4E48	BXA
16.6	18.3	4C0	4E4 MINOR
18.3	23.2	4C0	
23.2	25.5	4C0	

Drill Hole Report

Record 61 Drill Hole - 80V075RH

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9755.7	9999.2	1150.8	902984.1	594337.6

Length: 34.1 Section: 20 E / + 0.0
Type: DDH Core: HQ Location: GRUM

Logged by: DJH Date: 800000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 80V075RH
Northing: 9755.7 Easting: 9999.2 Elevation: 1150.8
Length: 34.1 Core: HQ

From	To	Unit	Description
.0	4.9	#	TRICONED - NO CORE
4.9	11.3	4LO?	VERY WEATHERED
11.3	18.0	4LO	
18.0	19.7	4G4	
19.7	21.4	4EO	(4CO) 80:20
21.4	22.3	4EO	(4G4) 50:50
22.3	31.7	4EO	
31.7	33.4	4EO	BXA
33.4	34.1	4LO	

Drill Hole Report

Record 62 Drill Hole - 80V118R

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9580.4	10039.0	1159.0	902880.1	594484.1

Length: 62.5 Section: 26 E / + 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: DJH Date: 800000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 80V118R
Northing: 9580.4 Easting: 10039.0 Elevation: 1159.0
Length: 62.5 Core: NQ

From	To	Unit	Description
.0	9.0	#	TRICONED NO CORE
9.0	12.6	4E1	
12.6	22.2	4E8	
22.2	29.8	4CE78	9
29.8	37.7	4C978	
37.7	39.0	4L0	
39.0	41.0	4L41	
41.0	41.7	4L0	
41.7	60.4	4L12	
60.4	62.5	5D3	

Drill Hole Report

Record 63 Drill Hole - 81VR-01

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9938.4	9939.1	1151.0	903080.0	594171.0

Length: 61.0 Section: 14 E / - 2.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-01
Northing: 9938.4 Easting: 9939.1 Elevation: 1151.0
Length: 61.0 Core: CHIPS

From	To	Unit	Description
.0	13.7	#	CASING
13.7	16.8	4L/3G	
16.8	21.3	4EG	
21.3	25.9	4L/3G	
25.9	30.5	4E	
30.5	35.1	4L/3G	
35.1	38.1	4E	
38.1	44.2	4A	
44.2	61.0	4L/3G	

Drill Hole Report

Record 64 Drill Hole - 81VR-02

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9940.7	9968.5	1155.6	903101.4	594191.4

Length: 61.0 Section: 14 E / - 1.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 81VR-02
Northing: 9940.7 Easting: 9968.5 Elevation: 1155.6
Length: 61.0 Core: CHIPS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 10.7	10.7	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3733	10.7 12.2	1.5	0	5B	80	-1.00	.06	.02	.04	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3734	12.2 13.7	1.5	0	5B	80	-1.00	.33	.25	.08	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3735	13.7 15.2	1.5	0	5B	80	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3736	15.2 16.8	1.6	0	5B	80	-1.00	.48	.43	.05	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3737	16.8 18.3	1.5	0	5B	80	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3738	18.3 19.8	1.5	0	5B	80	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3739	19.8 21.3	1.5	0	5B	80	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3740	21.3 22.9	1.6	0	5B	80	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3741	22.9 24.4	1.5	0	4L/5B	120	-1.00	.89	.17	.72	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3742	24.4 25.9	1.5	0	4L/5B	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3743	25.9 27.4	1.5	0	4L/5B	120	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3744	27.4 29.0	1.6	0	4L/5B	120	3.45	3.87	1.87	2.00	28.0	-1.0	.21	15.50	3.10	12.40	4.30	.11
3745	29.0 30.5	1.5	0	4EG	50	4.33	7.31	3.79	3.52	68.0	-1.0	.55	25.80	3.00	22.80	8.90	.18
3746	30.5 32.0	1.5	0	4E4	50	4.18	8.80	4.20	4.60	58.0	-1.0	.96	20.70	5.30	15.40	10.40	.12
3747	32.0 33.5	1.5	0	4L	120	2.93	.41	.18	.23	4.0	-1.0	.01	5.60	4.10	1.50	.80	.02
3748	33.5 35.1	1.6	0	4LE	120	2.92	.51	.21	.30	2.0	-1.0	.07	5.80	4.00	1.80	1.20	.02
3749	35.1 36.6	1.5	0	4LD	120	2.85	.91	.33	.58	5.0	-1.0	.07	6.40	4.60	1.80	1.00	.03
3750	36.6 38.1	1.5	0	4EC	50	3.53	2.97	1.28	1.69	22.0	-1.0	.14	21.70	3.80	17.90	1.20	.18
3751	38.1 39.6	1.5	0	4DL	80	3.36	4.14	1.24	2.90	19.0	-1.0	.14	19.70	6.00	13.70	.40	.12
3752	39.6 41.1	1.5	0	4DL	80	3.16	1.89	.60	1.29	11.0	-1.0	.41	16.20	9.00	7.20	.20	.27
3753	41.1 42.7	1.6	0	4EL	50	3.14	1.37	.40	.97	7.0	-1.0	.14	16.70	8.60	8.10	.10	.21
3754	42.7 44.2	1.5	0	4LD	120	3.21	2.91	.99	1.92	17.0	-1.0	.14	12.00	6.00	6.00	4.10	.11
3755	44.2 45.7	1.5	0	4EC	50	4.20	8.30	3.40	4.90	47.0	-1.0	1.10	25.90	7.50	18.40	8.10	.14
3756	45.7 47.2	1.5	0	4EC	50	4.37	5.61	2.85	2.76	35.0	-1.0	.96	34.40	8.80	25.60	.20	.21
3757	47.2 48.8	1.6	0	4EL	50	4.15	3.35	1.67	1.68	27.0	-1.0	.55	30.50	6.10	24.40	1.20	.19
3758	48.8 50.3	1.5	0	4EL	50	3.26	2.72	1.14	1.58	16.0	-1.0	.55	14.60	4.20	10.40	3.10	.09
3759	50.3 51.8	1.5	0	4LO	120	-1.00	1.13	.37	.76	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3760	51.8 53.3	1.5	0	5B	80	-1.00	.53	.14	.39	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3761	53.3 54.9	1.6	0	5B	80	-1.00	.33	.07	.26	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3762	54.9 56.4	1.5	0	4LC	120	-1.00	.51	.12	.39	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3763	56.4 57.9	1.5	0	4LC	120	-1.00	.50	.10	.40	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3764	57.9 59.4	1.5	0	4LO	120	-1.00	.50	.13	.37	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3765	59.4 61.0	1.6	0	4LO	120	-1.00	.28	.06	.22	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 81VR-02
Northing: 9940.7 Easting: 9968.5 Elevation: 1155.6
Length: 61.0 Core: CHIPS

From	To	Unit	Description
.0	10.7	#	CASING
10.7	27.4	4L/3G	
27.4	32.0	4EG	
32.0	36.6	4L/3G	
36.6	44.2	4A	
44.2	47.2	4EG	
47.2	50.3	4EC	
50.3	61.0	4L/3G	

Drill Hole Report

Record 65 Drill Hole - 81VR-03

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9939.5	9999.8	1161.6	903121.4	594215.5

Length: 61.0 Section: 14 E / + 0.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-03
Northing: 9939.5 Easting: 9999.8 Elevation: 1161.6
Length: 61.0 Core: CHIPS

From	To	Unit	Description
.0	15.2	#	CASING
15.2	25.9	#??	TILL??
25.9	30.5	4L/3G	
30.5	41.1	4EG	
41.1	47.2	4EC	
47.2	56.4	4CO	
56.4	61.0	4L/3G	

Drill Hole Report

Record 66 Drill Hole - 81VR-04

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9942.8	10029.4	1166.0	903143.5	594235.4

Length: 61.0 Section: 14 E / + 1.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 81VR-04
 Northing: 9942.8 Easting: 10029.4 Elevation: 1166.0
 Length: 61.0 Core: CHIPS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 22.9	22.9	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3796	22.9 24.4	1.5	0	4E4	50	3.30	9.39	6.69	2.70	81.0	-1.0	.68	24.80	6.30	18.50	9.20	.78
3797	24.4 25.9	1.5	0	4E4	50	3.83	11.90	5.90	6.00	66.0	-1.0	.55	22.80	11.00	11.80	4.70	.16
3798	25.9 27.4	1.5	0	4E47	50	3.42	9.30	5.60	3.70	57.0	-1.0	.62	20.90	9.60	11.30	2.20	.17
3799	27.4 29.0	1.6	0	4E47	50	4.12	11.90	8.00	3.90	84.0	-1.0	1.37	25.10	5.00	20.10	9.50	.21
3800	29.0 30.5	1.5	0	4HE	70	4.17	10.00	6.50	3.50	71.0	-1.0	1.10	29.10	7.90	21.20	6.80	.22
3801	30.5 32.0	1.5	0	4E47	50	4.37	10.00	6.60	3.40	71.0	-1.0	1.03	28.60	5.90	22.70	10.40	.19
3802	32.0 33.5	1.5	0	4EH4	50	4.12	9.51	6.28	3.23	72.0	-1.0	1.10	28.30	5.70	22.60	12.90	.19
3803	33.5 35.1	1.6	0	4EH4	50	4.12	8.30	5.30	3.00	63.0	-1.0	1.10	26.40	7.30	19.10	8.60	.18
3804	35.1 36.6	1.5	0	4EH4	50	4.39	10.11	7.35	2.76	77.0	-1.0	1.37	28.90	4.60	24.30	7.30	.19
3805	36.6 38.1	1.5	0	4EH4	50	4.41	10.16	7.53	2.63	78.0	-1.0	1.23	28.80	4.90	23.90	7.20	.18
3806	38.1 39.6	1.5	0	4EHD	50	4.07	9.83	7.00	2.83	78.0	-1.0	1.10	27.20	6.70	20.50	5.20	.19
3807	39.6 41.1	1.5	0	4EHD	50	4.05	8.58	5.76	2.82	62.0	-1.0	1.78	26.80	9.10	17.70	5.20	.20
3808	41.1 42.7	1.6	0	4EHC	50	4.08	8.25	5.96	2.29	63.0	-1.0	1.51	28.80	6.90	21.90	4.80	.24
3809	42.7 44.2	1.5	0	4DE7	80	4.25	8.02	5.92	2.10	56.0	-1.0	1.23	30.90	5.00	25.90	4.40	.25
3810	44.2 45.7	1.5	0	4DE7	80	4.17	8.16	6.11	2.05	64.0	-1.0	1.71	30.60	3.70	26.90	5.20	.26
3811	45.7 47.2	1.5	0	4DE7	80	4.15	7.74	5.80	1.94	65.0	-1.0	1.44	30.00	3.60	26.40	5.60	.26
3812	47.2 48.8	1.6	0	4DE7	80	4.44	7.35	5.60	1.75	61.0	-1.0	1.44	30.20	3.10	27.10	6.50	.24
3813	48.8 50.3	1.5	0	4CE7	30	4.42	6.82	5.36	1.46	67.0	-1.0	1.71	34.30	2.40	31.90	7.90	.23
3814	50.3 51.8	1.5	0	4CE7	30	4.20	7.12	5.57	1.55	62.0	-1.0	1.44	26.20	3.00	23.20	6.60	.22
3815	51.8 53.3	1.5	0	4CE7	30	4.39	7.62	6.20	1.42	71.0	-1.0	1.37	28.20	2.20	26.00	6.60	.22
3816	53.3 54.9	1.6	0	4DE7	80	4.31	7.54	6.09	1.45	71.0	-1.0	1.37	26.80	.80	26.00	6.20	.21
3817	54.9 56.4	1.5	0	4DE7	80	4.35	8.10	6.55	1.55	72.0	-1.0	1.10	27.50	2.40	25.10	5.90	.21
3818	56.4 57.9	1.5	0	4DE7	80	4.18	8.17	6.57	1.60	70.0	-1.0	1.17	26.00	2.30	23.70	5.70	.20
3819	57.9 59.4	1.5	0	4CE7	30	4.15	7.61	6.09	1.52	65.0	-1.0	1.23	26.00	2.50	23.50	6.50	.19
3820	59.4 61.0	1.6	0	4CL	30	4.39	7.19	5.78	1.41	64.0	-1.0	1.30	27.10	2.60	24.50	5.80	.19

LITHOLOGIES

Drill Hole: 81VR-04
Northing: 9942.8 Easting: 10029.4 Elevation: 1166.0
Length: 61.0 Core: CHIPS

From	To	Unit	Description
.0	22.9	#	CASING
22.9	38.1	4EG	
38.1	47.2	4EC	
47.2	56.4	4CO	
56.4	61.0	4L/3G	

Drill Hole Report

Record 67 Drill Hole - 81VR-05

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9942.3	10059.4	1167.9	903163.1	594258.0

Length: 61.0 Section: 14 E / + 2.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-05
Northing: 9942.3 Easting: 10059.4 Elevation: 1167.9
Length: 61.0 Core: CHIPS

From	To	Unit	Description
.0	27.4	#	CASING
27.4	30.5	4EG	
30.5	36.6	4EC	
36.6	54.9	4CO	
54.9	61.0	4L/3G	

Drill Hole Report

Record 68 Drill Hole - 81VR-06

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9878.8	9936.2	1146.2	903033.8	594208.6

Length: 38.1 Section: 16 E / - 2.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-06
Northing: 9878.8 Easting: 9936.2 Elevation: 1146.2
Length: 38.1 Core: CHIPS

From	To	Unit	Description
.0	6.1	#	CASING
6.1	10.7	#	TILL ??
10.7	15.2	4L/3G	
15.2	21.3	4E	
21.3	25.9	5A	
25.9	38.1	4L/3G	

Drill Hole Report

Record 69 Drill Hole - 81VR-07

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9877.3	9967.3	1151.1	903053.4	594232.8

Length: 56.4 Section: 16 E / - 1.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-07
Northing: 9877.3 Easting: 9967.3 Elevation: 1151.1
Length: 56.4 Core: CHIPS

From	To	Unit	Description
.0	7.6	#	CASING
7.6	13.7	4L/3G	
13.7	24.4	4EG	
24.4	29.0	4EC	
29.0	33.5	4EG	
33.5	38.1	4EC	
38.1	44.2	4CO	
44.2	56.4	4L/3G	

Drill Hole Report

Record 70 Drill Hole - 81VR-08

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9876.4	9998.5	1156.1	903073.5	594256.6

Length: 48.8 Section: 16 E / + 0.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-08
Northing: 9876.4 Easting: 9998.5 Elevation: 1156.1
Length: 48.8 Core: CHIPS

From	To	Unit	Description
.0	19.8	#	CASING
19.8	27.4	4EC	
27.4	42.7	4CO	
42.7	48.8	4L/3G	

Drill Hole Report

Record 71 Drill Hole - 81VR-09

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9877.2	10028.6	1161.3	903094.1	594278.5

Length: 56.4 Section: 16 E / + 1.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-09
Northing: 9877.2 Easting: 10028.6 Elevation: 1161.3
Length: 56.4 Core: CHIPS

From	To	Unit	Description
.0	12.2	#	CASING
12.2	13.7	#	TILL
13.7	15.2	4L/3G	
15.2	25.9	4EG	
25.9	27.4	4EC	
27.4	47.2	4CO	
47.2	56.4	4L/3G	

Drill Hole Report

Record 72 Drill Hole - 81VR-10

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9876.3	10058.6	1165.1	903113.5	594301.4

Length: 27.4 Section: 16 E / + 2.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 81VR-10
 Northing: 9876.3 Easting: 10058.6 Elevation: 1165.1
 Length: 27.4 Core: CHIPS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 16.8	16.8	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3944	16.8 18.3	1.5	0	4EG	50	3.92	5.61	2.21	3.40	44.0	-1.0	.62	23.20	7.50	15.70	14.40	.18
3945	18.3 19.8	1.5	0	4EC7	50	3.59	3.02	1.64	1.38	30.0	-1.0	1.58	26.50	5.70	20.80	.80	.24
3946	19.8 21.3	1.5	0	4EO	50	3.70	1.43	.73	.70	22.0	-1.0	1.17	27.00	2.20	24.80	.50	.29
3947	21.3 22.9	1.6	0	4E7	50	3.53	.98	.35	.63	16.0	-1.0	.69	26.50	3.80	22.70	.60	.30
3948	22.9 24.4	1.5	0	4E7	50	3.62	1.82	.71	1.11	21.0	-1.0	1.10	28.60	6.90	21.70	.90	.25
3949	24.4 25.9	1.5	0	4EO	50	3.70	2.78	1.18	1.60	29.0	-1.0	.82	26.80	7.10	19.70	6.40	.25
3950	25.9 27.4	1.5	0	4E7	50	3.72	5.80	2.80	3.00	33.0	-1.0	1.51	31.40	15.50	15.90	1.40	.26

LITHOLOGIES

Drill Hole: 81VR-10
Northing: 9876.3 Easting: 10058.6 Elevation: 1165.1
Length: 27.4 Core: CHIPS

From	To	Unit	Description
----	--	----	-----
.0	16.8	#	CASING
16.8	18.3	4EG	
18.3	27.4	4EC	

Drill Hole Report

Record 73 Drill Hole - 81VR-11

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9817.4	10026.3	1151.5	903048.1	594316.6

Length: 30.5 Section: 18 E / + 1.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-11
Northing: 9817.4 Easting: 10026.3 Elevation: 1151.5
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	9.1	#	CASING
9.1	15.2	4E	
15.2	19.8	4EG	
19.8	25.9	4EC	
25.9	30.5	4L/3G	

Drill Hole Report

Record 74 Drill Hole - 81VR-12

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9818.8	9965.1	1144.8	903008.4	594270.1

Length: 30.5 Section: 18 E / - 1.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 81VR-12
 Northing: 9818.8 Easting: 9965.1 Elevation: 1144.8
 Length: 30.5 Core: CHIPS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 10.7	10.7	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
3965	10.7 12.2	1.5	0	4E8	50	4.31	8.70	3.90	4.80	68.0	-1.0	.82	26.60	5.50	21.10	10.70	.16
3966	12.2 13.7	1.5	0	4ECL	50	3.60	5.70	2.30	3.40	41.0	-1.0	.41	18.10	5.60	12.50	6.90	.11
3967	13.7 15.2	1.5	0	4ECG	50	4.33	13.93	5.88	8.05	87.0	-1.0	.75	16.20	3.40	12.80	21.90	.11
3968	15.2 16.8	1.6	0	4GE	60	4.48	13.80	6.10	7.70	94.0	-1.0	1.30	14.80	1.90	12.90	28.30	.11
3969	16.8 18.3	1.5	0	4GC	60	4.50	29.77	12.27	17.50	198.0	-1.0	2.47	19.10	1.50	17.60	2.00	.22
3970	18.3 19.8	1.5	0	4EG	50	4.50	18.30	7.70	10.60	128.0	-1.0	1.78	18.00	2.20	15.80	23.80	.17
3971	19.8 21.3	1.5	0	4DC	80	4.59	14.70	5.70	9.00	92.0	-1.0	1.23	17.40	2.50	14.90	27.60	.13
3972	21.3 22.9	1.6	0	4DE	80	4.59	14.90	6.64	8.26	86.0	-1.0	1.44	25.10	6.30	18.80	11.00	.12
3973	22.9 24.4	1.5	0	4EG	50	4.61	16.42	7.93	8.49	87.0	-1.0	1.44	26.30	7.50	18.80	11.20	.12
3974	24.4 25.9	1.5	0	4E4	50	4.48	12.19	5.70	6.49	84.0	-1.0	1.71	28.00	4.90	23.10	8.80	.15
3975	25.9 27.4	1.5	0	4LE	120	3.34	4.82	2.03	2.79	33.0	-1.0	.62	16.30	4.70	11.60	2.40	.12
3976	27.4 29.0	1.6	0	4LD	120	3.07	2.68	1.12	1.56	19.0	-1.0	.48	12.00	6.00	6.00	.60	.12
3977	29.0 30.5	1.5	0	4L/5B	120	2.99	1.67	.64	1.03	15.0	-1.0	.41	10.40	6.60	3.80	.80	.09

LITHOLOGIES

Drill Hole: 81VR-12
Northing: 9818.8 Easting: 9965.1 Elevation: 1144.8
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	10.7	#	CASING
10.7	25.9	4EG	
25.9	29.0	4EC	
29.0	30.5	4L/3G	

Drill Hole Report

Record 75 Drill Hole - 81VR-13

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9756.6	9967.8	1148.4	902963.8	594313.6

Length: 25.9 Section: 20 E / - 1.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-13
Northing: 9756.6 Easting: 9967.8 Elevation: 1148.4
Length: 25.9 Core: CHIPS

From	To	Unit	Description
.0	6.1	#	
6.1	7.6	4EG	
7.6	25.9	4L/3G	

Drill Hole Report

Record 76 Drill Hole - 81VR-14

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9756.5	10059.7	1156.0	903025.0	594382.1

Length: 24.4 Section: 20 E / + 2.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-14
Northing: 9756.5 Easting: 10059.7 Elevation: 1156.0
Length: 24.4 Core: CHIPS

From	To	Unit	Description
----	--	----	-----
.0	10.7	#	
10.7	24.4	4L/3G	

Drill Hole Report

Record 77 Drill Hole - 81VR-15

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9757.0	10029.1	1152.4	903005.0	594359.0

Length: 25.9 Section: 20 E / + 1.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-15
Northing: 9757.0 Easting: 10029.1 Elevation: 1152.4
Length: 25.9 Core: CHIPS

From	To	Unit	Description
.0	7.6	#	
7.6	12.2	4EG	
12.2	19.8	4EC	
19.8	25.9	4L/3G	

Drill Hole Report

Record 78 Drill Hole - 81VR-16

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9754.4	9998.3	1150.2	902982.5	594337.8

Length: 22.9 Section: 20 E / + 0.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 81VR-16
 Northing: 9754.4 Easting: 9998.3 Elevation: 1150.2
 Length: 22.9 Core: CHIPS

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 10.7	10.7	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2112	10.7 12.2	1.5	0	4LD	120	2.94	1.55	.44	1.11	8.0	-1.0	.07	8.70	4.40	4.30	.90	.03
2113	12.2 13.7	1.5	0	4GL	60	3.42	6.88	1.96	4.92	31.0	-1.0	.14	9.50	3.30	6.20	13.20	.04
2114	13.7 15.2	1.5	0	4DL	80	4.07	11.80	4.60	7.20	60.0	-1.0	.41	12.60	1.30	11.30	19.60	.08
2115	15.2 16.8	1.6	0	4CL	30	4.38	11.30	4.50	6.80	58.0	-1.0	.48	16.90	1.10	15.80	18.90	.13
2116	16.8 18.3	1.5	0	4EC	50	4.35	7.00	3.20	3.80	40.0	-1.0	.82	27.40	.70	26.70	12.70	.24
2117	18.3 19.8	1.5	0	4E/5B	50	3.72	2.59	1.45	1.14	25.0	-1.0	.48	25.00	2.00	23.00	1.70	.21
2118	19.8 21.3	1.5	0	4C/5B	30	3.72	2.50	1.29	1.21	25.0	-1.0	.62	25.70	2.30	23.40	2.00	.18
2119	21.3 22.9	1.6	0	4CL	30	3.83	2.78	1.38	1.40	24.0	-1.0	.55	29.00	2.30	26.70	2.30	.20

LITHOLOGIES

Drill Hole: 81VR-16
Northing: 9754.4 Easting: 9998.3 Elevation: 1150.2
Length: 22.9 Core: CHIPS

From	To	Unit	Description
.0	10.7	#	
10.7	12.2	4L/3G	
12.2	18.3	4EG	
18.3	22.9	4EC	

Drill Hole Report

Record 79 Drill Hole - 81VR-17

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9756.5	9937.2	1147.6	902943.4	594290.9

Length: 30.5 Section: 20 E / - 2.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-17
Northing: 9756.5 Easting: 9937.2 Elevation: 1147.6
Length: 30.5 Core: CHIPS

From	To	Unit	Description
----	--	----	-----
.0	9.1	#	
9.1	21.3	4EC	
21.3	30.5	4L/3G	

Drill Hole Report

Record 80 Drill Hole - 81VR-18

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9690.8	10060.1	1156.9	902976.4	594426.3

Length: 30.5 Section: 22 E / + 2.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-18
Northing: 9690.8 Easting: 10060.1 Elevation: 1156.9
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	4.6	#	
4.6	10.7	#	
10.7	19.8	4EG	
19.8	22.9	4EC	
22.9	27.4	4CO	
27.4	30.5	4L/3G	

Drill Hole Report

Record 81 Drill Hole - 81VR-19

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9684.1	9906.2	1148.6	902868.8	594316.1

Length: 30.5 Section: 22 E / - 3.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-19
Northing: 9684.1 Easting: 9906.2 Elevation: 1148.6
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	12.2	#	
12.2	15.2	4L/3G	
15.2	16.8	4EG	
16.8	29.0	4A	
29.0	30.5	4L/3G	

Drill Hole Report

Record 82 Drill Hole - 81VR-20

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9687.8	9968.0	1151.8	902912.8	594359.6

Length: 30.5 Section: 22 E / - 1.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-20
Northing: 9687.8 Easting: 9968.0 Elevation: 1151.8
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	6.1	#	
6.1	12.2	4A	
12.2	16.8	4L/3G	
16.8	19.8	4EG	
19.8	22.9	4A	
22.9	29.0	4L/3G	

Drill Hole Report

Record 83 Drill Hole - 81VR-21

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9686.9	9938.5	1151.1	902892.4	594338.3

Length: 30.5 Section: 22 E / - 2.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 81VR-21
 Northing: 9686.9 Easting: 9938.5 Elevation: 1151.1
 Length: 30.5 Core: CHIPS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 6.1	6.1	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2179	6.1 7.6	1.5	0	#	80	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2180	7.6 9.1	1.5	0	#	80	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2181	9.1 10.7	1.6	0	#	80	-1.00	.31	.02	.29	4.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	.06
2182	10.7 12.2	1.5	0	#	80	-1.00	.30	.02	.28	4.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	.05
2183	12.2 13.7	1.5	0	4LE	120	3.19	4.20	2.10	2.10	34.0	-1.0	.48	13.70	6.40	7.30	1.70	.12
2184	13.7 15.2	1.5	0	4E0	50	4.26	6.50	3.10	3.40	52.0	-1.0	.82	34.00	6.20	27.80	.90	.34
2185	15.2 16.8	1.6	0	4E0	50	4.50	6.50	3.30	3.20	55.0	-1.0	.89	35.60	5.20	30.40	.60	.34
2186	16.8 18.3	1.5	0	4E0	50	4.44	10.20	5.60	4.60	82.0	-1.0	.75	31.60	10.40	21.20	7.80	.15
2188	18.3 19.8	1.5	0	4E/5D	50	4.39	10.40	5.00	5.40	73.0	-1.0	.62	33.80	14.00	19.80	6.10	.15
2189	19.8 21.3	1.5	0	4ED	50	4.59	7.30	3.70	3.60	53.0	-1.0	1.10	32.90	7.50	25.40	9.20	.23
2190	21.3 22.9	1.6	0	4ED	50	4.29	4.91	2.22	2.69	33.0	-1.0	.75	33.30	8.00	25.30	6.30	.25
2192	22.9 24.4	1.5	0	4AC	20	3.57	2.90	1.22	1.68	22.0	-1.0	.41	21.80	7.20	14.60	4.00	.13
2193	24.4 25.9	1.5	0	5A/4C	20	3.14	2.48	.94	1.54	19.0	-1.0	.48	14.90	5.20	9.70	1.40	.09
2194	25.9 27.4	1.5	0	5A/4E	20	3.36	1.83	.77	1.06	19.0	-1.0	.21	20.40	4.50	15.90	1.10	.10
2195	27.4 29.0	1.6	0	4EC	50	3.27	4.52	1.52	3.00	26.0	-1.0	.27	16.60	4.90	11.70	1.10	.13
2196	29.0 30.5	1.5	0	4C/5A	30	2.96	4.50	1.20	3.30	20.0	-1.0	.27	7.70	3.10	4.60	.30	.07

LITHOLOGIES

Drill Hole: 81VR-21
Northing: 9686.9 Easting: 9938.5 Elevation: 1151.1
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	6.1	#	TRICONED
6.1	12.2	4L/3G	
12.2	22.9	4EG	
22.9	30.5	4A/5A	

Drill Hole Report

Record 84 Drill Hole - 81VR-22

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9689.5	10000.7	1152.8	902935.8	594382.9

Length: 30.5 Section: 22 E / + 0.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-22
Northing: 9689.5 Easting: 10000.7 Elevation: 1152.8
Length: 30.5 Core: CHIPS

From	To	Unit	Description
----	--	----	-----
.0	4.6	#	
4.6	9.1	#	
9.1	16.8	4L/3G	
16.8	18.3	5A	
18.3	22.9	4EG	
22.9	27.4	4EC	
27.4	30.5	4CO	

Drill Hole Report

Record 85 Drill Hole - 81VR-23

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9690.2	10029.5	1154.7	902955.5	594403.9

Length: 30.5 Section: 22 E / + 1.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-23
Northing: 9690.2 Easting: 10029.5 Elevation: 1154.7
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	7.6	#	
7.6	12.2	4EG	
12.2	19.8	4EC	
19.8	21.3	4EG	
21.3	22.9	4EC	
22.9	25.9	4CO	
25.9	30.5	4L/3G	

Drill Hole Report

Record 86 Drill Hole - 81VR-24

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9634.4	9907.4	1148.6	902832.5	594350.1

Length: 30.5 Section: 24 E / - 3.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-24
Northing: 9634.4 Easting: 9907.4 Elevation: 1148.6
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	10.7	#	
10.7	21.3	4EG	
21.3	25.9	4L/3G	
25.9	30.5	5A	

Drill Hole Report

Record 87 Drill Hole - 81VR-25

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9634.7	9939.2	1151.2	902854.0	594373.6

Length: 30.5 Section: 24 E / - 2.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-25
Northing: 9634.7 Easting: 9939.2 Elevation: 1151.2
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	7.6	#	
7.6	13.7	4L/3G	
13.7	19.8	4EG	
19.8	22.9	4L/3G	
22.9	24.4	4EG	
24.4	25.9	4L/3G	
25.9	30.5	5A	

Drill Hole Report

Record 88 Drill Hole - 81VR-26

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9632.9	9968.3	1154.2	902872.0	594396.5

Length: 45.7 Section: 24 E / - 1.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-26
Northing: 9632.9 Easting: 9968.3 Elevation: 1154.2
Length: 45.7 Core: CHIPS

From	To	Unit	Description
.0	10.7	#	CASING
10.7	18.3	4EG	
18.3	19.8	4L/3G	
19.8	21.3	4EG	
21.3	24.4	4L/3G	
24.4	30.5	4A	
30.5	42.7	4L/3G	
42.7	45.7	4E	

Drill Hole Report

Record 89 Drill Hole - 81VR-27

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9632.7	9999.0	1155.5	902892.4	594419.5

Length: 45.7 Section: 24 E / + 0.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-27
Northing: 9632.7 Easting: 9999.0 Elevation: 1155.5
Length: 45.7 Core: CHIPS

From	To	Unit	Description
.0	10.7	#	
10.7	19.8	4EG	
19.8	25.9	4A	
25.9	32.0	4L/3G	
32.0	35.1	4EG	
35.1	41.1	4EC	
41.1	45.7	4L/3G	

Drill Hole Report

Record 90 Drill Hole - 81VR-28

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9514.3	10031.3	1159.8	902825.8	594522.5

Length: 30.5 Section: 28 E / + 1.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-28
Northing: 9514.3 Easting: 10031.3 Elevation: 1159.8
Length: 30.5 Core: CHIPS

<u>From</u>	<u>To</u>	<u>Unit</u>	<u>Description</u>
.0	12.2	#	
12.2	30.5	4C0	

Drill Hole Report

Record 91 Drill Hole - 81VR-29

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9513.1	10000.2	1155.7	902804.1	594500.1

Length: 45.7 Section: 28 E / + 0.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-29
Northing: 9513.1 Easting: 10000.2 Elevation: 1155.7
Length: 45.7 Core: CHIPS

From	To	Unit	Description
.0	10.7	#	
10.7	13.7	4L/3G	
13.7	21.3	4EG	
21.3	30.5	4CO	
30.5	45.7	4L/3G	

Drill Hole Report

Record 92 Drill Hole - 81VR-30

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9514.1	9970.6	1153.8	902785.1	594477.4

Length: 30.5 Section: 28 E / - 1.0
Type: DDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 81VR-30
 Northing: 9514.1 Easting: 9970.6 Elevation: 1153.8
 Length: 30.5 Core: CHIPS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 10.7	10.7	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2287	10.7 12.2	1.5	0	5B/4L	80	-1.00	.33	.07	.26	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2288	12.2 13.7	1.5	0	5B/4L	80	-1.00	.42	.11	.31	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2289	13.7 15.2	1.5	0	5A/4C	80	-1.00	.52	.09	.43	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2290	15.2 16.8	1.6	0	5A/4C	80	-1.00	1.23	.27	.96	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2291	16.8 18.3	1.5	0	5B/4C	80	-1.00	.47	.04	.43	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2292	18.3 19.8	1.5	0	5A/4C	80	-1.00	.48	.08	.40	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2293	19.8 21.3	1.5	0	5A/4E	80	-1.00	.64	.17	.47	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2294	21.3 22.9	1.6	0	5B/4C	80	-1.00	.63	.16	.47	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2295	22.9 24.4	1.5	0	5A/4C	80	-1.00	.30	.05	.25	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2296	24.4 25.9	1.5	0	5B/4E	80	-1.00	.45	.11	.34	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2297	25.9 27.4	1.5	0	5B/4C	80	-1.00	.89	.26	.63	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2298	27.4 29.0	1.6	0	5B/4E	30	3.55	2.65	.96	1.69	19.0	-1.0	.55	25.70	8.00	17.70	.80	.15
2299	29.0 30.5	1.5	0	4LED	120	3.38	3.06	1.28	1.78	26.0	-1.0	.21	20.80	5.70	15.10	.30	.16

LITHOLOGIES

Drill Hole: 81VR-30
Northing: 9514.1 Easting: 9970.6 Elevation: 1153.8
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	10.7	#	
10.7	25.9	5A	
25.9	27.4	100	
27.4	30.5	4C0	

Drill Hole Report

Record 93 Drill Hole - 81VR-31

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9573.8	9972.0	1152.9	902830.5	594438.6

Length: 30.5 Section: 26 E / - 1.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 81VR-31
 Northing: 9573.8 Easting: 9972.0 Elevation: 1152.9
 Length: 30.5 Core: CHIPS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 10.7	10.7	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2300	10.7 12.2	1.5	0	5B/4C	80	-1.00	.26	.23	.03	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2201	12.2 13.7	1.5	0	5B/4C	80	-1.00	.28	.25	.03	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2202	13.7 15.2	1.5	0	5B/4E	80	-1.00	.17	.11	.06	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2203	15.2 16.8	1.6	0	5B/4C	80	-1.00	.21	.17	.04	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2204	16.8 18.3	1.5	0	5B/4C	80	-1.00	.92	.74	.18	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2205	18.3 19.8	1.5	0	4LC	120	-1.00	.99	.56	.43	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2206	19.8 21.3	1.5	0	4CL	30	3.38	1.24	.79	.45	17.0	-1.0	.34	18.90	5.00	13.90	3.30	.11
2207	21.3 22.9	1.6	0	4ACL	20	3.26	3.41	1.87	1.54	31.0	-1.0	.48	14.40	2.70	11.70	3.30	.08
2208	22.9 24.4	1.5	0	4E/5B	50	3.25	3.33	1.79	1.54	30.0	-1.0	.34	14.30	4.00	10.30	1.70	.09
2209	24.4 25.9	1.5	0	4CL	30	2.94	1.55	.72	.83	12.0	-1.0	.07	7.90	4.20	3.70	.40	.06
2210	25.9 27.4	1.5	0	4LC	120	2.88	.27	.07	.20	4.0	-1.0	.01	5.50	3.90	1.60	.30	.03
2211	27.4 29.0	1.6	0	4CLE	30	3.40	3.21	1.34	1.87	23.0	-1.0	.34	18.40	6.20	12.20	2.30	.11
2212	29.0 30.5	1.5	0	4EL	50	3.80	2.37	1.11	1.26	27.0	-1.0	.48	27.60	4.80	22.80	1.80	.27

LITHOLOGIES

Drill Hole: 81VR-31
Northing: 9573.8 Easting: 9972.0 Elevation: 1152.9
Length: 30.5 Core: CHIPS

From	To	Unit	Description
----	--	----	-----
.0	10.7	#	CASING
10.7	19.8	5A	
19.8	24.4	4A	
24.4	27.4	4L/3G	
27.4	30.5	4CO	

Drill Hole Report

Record 94 Drill Hole - 81VR-32

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9573.1	10068.8	1160.3	902894.5	594511.1

Length: 30.5 Section: 26 E / + 2.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-32
Northing: 9573.1 Easting: 10068.8 Elevation: 1160.3
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	12.2	#	
12.2	16.8	4EG	
16.8	18.3	4EC	
18.3	24.4	4CO	
24.4	30.5	4L/3G	

Drill Hole Report

Record 95 Drill Hole - 81VR-33

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9631.3	10059.7	1157.9	902931.8	594465.6

Length: 30.5 Section: 24 E / + 2.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 81VR-33
 Northing: 9631.3 Easting: 10059.7 Elevation: 1157.9
 Length: 30.5 Core: CHIPS

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 6.1	6.1	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2225	6.1 7.6	1.5	0	4CO	30	3.47	1.63	.78	.85	23.0	-1.0	.27	20.10	.80	19.30	2.40	.26
2226	7.6 9.1	1.5	0	4CD	30	3.70	4.50	2.20	2.30	36.0	-1.0	.21	22.60	6.00	16.60	5.40	.38
2227	9.1 10.7	1.6	0	4CD	30	3.80	3.14	1.43	1.71	27.0	-1.0	.21	25.00	13.70	11.30	4.70	.26
2228	10.7 12.2	1.5	0	4CO	30	3.73	3.29	1.59	1.70	31.0	-1.0	.34	25.60	2.60	23.00	2.00	.31
2229	12.2 13.7	1.5	0	4D4	80	4.20	9.00	3.20	5.80	50.0	-1.0	.27	14.60	2.50	12.10	18.10	.32
2230	13.7 15.2	1.5	0	4DC	80	4.20	10.90	3.60	7.30	56.0	-1.0	.27	12.70	.80	11.90	19.30	.19
2231	15.2 16.8	1.6	0	4D4	80	4.35	10.20	3.50	6.70	61.0	-1.0	.27	13.30	1.90	11.40	21.80	.06
2232	16.8 18.3	1.5	0	4DL	80	4.24	10.40	3.90	6.50	54.0	-1.0	.27	16.30	3.40	12.90	16.80	.15
2233	18.3 19.8	1.5	0	4DL	80	4.18	15.06	8.29	6.77	92.0	-1.0	.82	22.90	13.70	9.20	14.70	.10
2234	19.8 21.3	1.5	0	4DL	80	4.00	11.10	5.50	5.60	83.0	-1.0	.89	28.90	17.50	11.40	5.20	.13
2235	21.3 22.9	1.6	0	4CD	30	4.02	4.33	2.10	2.23	34.0	-1.0	.41	29.60	8.60	21.00	4.10	.21
2236	22.9 24.4	1.5	0	4CO	30	3.86	2.08	.87	1.21	22.0	-1.0	.27	28.60	6.10	22.50	3.10	.26
2237	24.4 25.9	1.5	0	4CO	30	3.77	2.03	.81	1.22	20.0	-1.0	.41	28.00	4.50	23.50	2.20	.33
2238	25.9 27.4	1.5	0	4CO	30	3.73	1.99	.63	1.36	16.0	-1.0	1.10	26.60	4.80	21.80	2.90	.42
2239	27.4 29.0	1.6	0	4CL	30	3.52	2.02	.60	1.42	16.0	-1.0	.34	21.20	5.40	15.80	5.20	.29
2240	29.0 30.5	1.5	0	4CL	30	3.37	2.44	.65	1.79	10.0	-1.0	.21	17.70	6.10	11.60	3.70	.40

LITHOLOGIES

Drill Hole: 81VR-33
Northing: 9631.3 Easting: 10059.7 Elevation: 1157.9
Length: 30.5 Core: CHIPS

From	To	Unit	Description
----	--	----	-----
.0	6.1	#	
6.1	12.2	4EC	
12.2	21.3	4EG	
21.3	27.4	4EC	
27.4	30.5	4CO	

Drill Hole Report

Record 96 Drill Hole - 81VR-34

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9632.4	10029.5	1156.9	902912.5	594442.4

Length: 30.5 Section: 24 E / + 1.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 81VR-34
 Northing: 9632.4 Easting: 10029.5 Elevation: 1156.9
 Length: 30.5 Core: CHIPS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 4.6	4.6	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2241	4.6 6.1	1.5	0	4EL	50	3.64	5.42	2.73	2.69	38.0	-1.0	.41	27.80	8.90	18.90	1.30	1.07
2242	6.1 7.6	1.5	0	4EL	50	3.75	5.92	2.80	3.12	36.0	-1.0	.41	30.60	12.40	18.20	2.10	.35
2243	7.6 9.1	1.5	0	4EL	50	3.68	5.73	2.64	3.09	29.0	-1.0	.27	25.80	10.50	15.30	3.90	.37
2244	9.1 10.7	1.6	0	5B/4L	80	-1.00	.49	.23	.26	6.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	.08
2245	10.7 12.2	1.5	0	5B/4L	80	-1.00	.62	.30	.32	7.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	.11
2246	12.2 13.7	1.5	0	4ECL	50	3.47	9.04	3.72	5.32	49.0	-1.0	.48	15.70	3.70	12.00	7.70	.15
2247	13.7 15.2	1.5	0	4EL	50	2.85	1.04	.30	.74	6.0	-1.0	.07	8.50	3.90	4.60	.40	.14
2248	15.2 16.8	1.6	0	4LC	120	-1.00	1.00	.42	.58	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2249	16.8 18.3	1.5	0	4LE	120	-1.00	.68	.23	.45	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
2250	18.3 19.8	1.5	0	4LE	120	-1.00	.86	.27	.59	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
6001	19.8 21.3	1.5	0	4LO	120	-1.00	.86	.10	.76	5.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	.04
6002	21.3 22.9	1.6	0	4LO	120	-1.00	.64	.05	.59	5.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	.03
6003	22.9 24.4	1.5	0	4LE	120	-1.00	1.90	.20	1.70	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
6004	24.4 25.9	1.5	0	4L/5B	120	3.04	1.50	.23	1.27	8.0	-1.0	.07	11.80	9.00	2.80	.60	.08
6005	25.9 27.4	1.5	0	4EL	50	3.41	6.82	1.88	4.94	23.0	-1.0	.07	10.90	6.00	4.90	14.30	.15
6006	27.4 29.0	1.6	0	4CDE	30	3.66	8.75	3.37	5.38	38.0	-1.0	.27	16.20	3.20	13.00	13.80	.12
6007	29.0 30.5	1.5	0	4CL	30	3.19	1.72	.53	1.19	16.0	-1.0	.14	16.90	4.50	12.40	1.00	.14

LITHOLOGIES

Drill Hole: 81VR-34
Northing: 9632.4 Easting: 10029.5 Elevation: 1156.9
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	4.6	#	
4.6	9.1	4EG	
9.1	12.2	4L/3G	
12.2	13.7	4EG	
13.7	25.9	4L/3G	
25.9	29.0	4EG	
29.0	30.5	4EC	

Drill Hole Report

Record 97 Drill Hole - 81VR-35

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9751.9	9995.1	1150.2	902978.5	594337.1

Length: 30.5 Section: 20 E / + 0.0
Type: RDH Core: CHIPS Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 81VR-35
Northing: 9751.9 Easting: 9995.1 Elevation: 1150.2
Length: 30.5 Core: CHIPS

From	To	Unit	Description
.0	10.7	#	
10.7	22.9	4EG	
22.9	30.5	4EC	

Drill Hole Report

Record 98 Drill Hole - CNR7601

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8706.4	9878.0	1133.0	902122.0	594947.0

Length: 425.5 Section: 54 E / - 4.0
Type: ODH Core: BQ Location: GRUM

Logged by: GAJ/LCP Date: 840630
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: CNR7601
Northing: 8706.4 Easting: 9878.0 Elevation: 1133.0
Length: 425.5 Core: BQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 1388.0	1388.0	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: CNR7601
 Northing: 8706.4 Easting: 9878.0 Elevation: 1133.0
 Length: 425.5 Core: BQ

From	To	Unit	Description
.0	12.2	#	OVERBURDEN
12.2	25.9	3G8	& 0
25.9	26.2	5C*	LEOPARD ROCK
26.2	31.2	3G8	(3B?) MINOR
31.2	32.3	3C*	
32.3	40.2	3G8	& 0
40.2	54.1	3G8	& 4 CALC SILICATE STR-MINOR
54.1	54.7	3G4	STRINGER
54.7	60.0	3G8	& 4 CALC-SILICATE STR-MINOR
60.0	62.3	3G4B	CALC-SILICATE STRINGER (3B3 BIO) 60:40
62.3	64.6	3G4	& 8
64.6	65.1	3B3	
65.1	67.8	3G4	& 8 & STRINGER
67.8	68.4	3B3	& BIO
68.4	76.3	3G8	& 4 & STRINGER
76.3	99.4	3G9	& 0
99.4	125.0	3G0	
125.0	126.5	10Q0	
126.5	144.8	3G0	
144.8	145.3	3G8	
145.3	150.6	3G0	
150.6	155.8	3G9	
155.8	205.7	3G0	(3G9) 90:10
205.7	210.3	3E3	-> 3F9 LOCALLY [3G39]
210.3	215.5	3E0	&0&3 V MINOR (3G9)[3G9&0&3VM]
215.5	228.1	3G0	& 9 MINOR
228.1	232.6	3E0	& 3 [3G9 &3]
232.6	240.6	3E3	-> 3F9 [3G39]
240.6	241.8	3E0	&3 &CALC-SILICATE(QTZ-ACT) [3G9 &3]
241.8	244.4	3G9	& 0 (10Q0) 90:10
244.4	251.8	3E0	&3 &CALC-SILICATE &6(PY) [3G9 &3 &6(PY)]
251.8	252.7	3E13	& SPHALERITE [3G913]
252.7	255.6	3E0	&1 GOUGE AND RUBBLE
255.6	260.2	3C6	PO (3C4*) (3G9 -> 3G8 NEXT TO 3C6) 60:20:20
260.2	261.8	3E0	& 3
261.8	264.1	3C6	PO & 3 PO V MINOR
264.1	266.1	3G9	
266.1	279.7	3G0	
279.7	283.3	3DB	(3G0 CALC-SIL SILT BAND)70:30
283.3	292.8	3G0	GREEN CALC-SILICATE SILTST BNDS (3DB) MINOR 95:05
292.8	293.1	3DB	
293.1	297.2	3G0	GRN SILT BAND(CALC-SIL)&9&BIO
297.2	299.5	3G	RICH IN GREEN SILTSTONE
299.5	301.7	3DB	
301.7	303.8	3G	GREEN SILTY RICH

303.8	306.5	3DB	
306.5	308.2	3G	GREEN (3DB) MINOR 90:10
308.2	321.9	3G0	CALC-SILICATE SILTSTONE
321.9	338.6	3G	GREEN
338.6	363.9	3F0	
363.9	366.0	3B	FOLIATED [1H]
366.0	386.0	3F0	
386.0	387.6	3C3	FOLIATED [1H]
387.6	423.1	3F0	
423.1	425.5	??	NO CORE RECOVERED

Drill Hole Report

Record 99 Drill Hole - CNR760?

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10824.0	9643.0	1179.0	903542.0	593360.0

Length: 337.7 Section: 15 W / - 12.0
Type: ODH Core: BQ Location: GRUM

Logged by: GAJ/LCP Date: 840709
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: CNR7602
Northing: 10824.0 Easting: 9643.0 Elevation: 1179.0
Length: 337.7 Core: BQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 1108.0	1108.0	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: CNR7602
 Northing: 10824.0
 Length: 337.7

Easting: 9643.0 Elevation: 1179.0
 Core: BQ

From	To	Unit	Description
----	---	----	-----
.0	12.8	#	OVERBURDEN
12.8	32.1	5C\$#	
32.1	33.2	3F9	WEAK (5A0) 70:30
33.2	63.4	5A0	& 1 [5A6\$ & 1]
63.4	63.8	10Q@	
63.8	95.4	5A0	& \$ & 1
95.4	95.5	5D4*	
95.5	106.9	5A0	&1 &9 MINOR [5A6\$ &1 &9 MINOR] (5A19 MINOR) 70:30
106.9	107.4	5D4*	
107.4	130.7	5A0	&1&9V MINOR&\$MINOR (5A1)
130.7	142.0	5A	GOUGE
142.0	143.1	5A0	
143.1	143.4	5D4*	
143.4	154.8	5A0	01&\$MIN&9V MIN(5A19MIN)70:30
154.8	156.0	5E2	[3F9]
156.0	156.6	5A0	
156.6	160.0	5A4	->5A0
160.0	160.9	FAULT	
160.9	185.9	5A0	&9&1 (5A19) 80:20
185.9	187.4	5A1	& 9 MINOR
187.4	189.8	5A0	& \$(?) CALC-SILICATY MINOR
189.8	202.9	5A1	& 9 MINOR
202.9	244.4	5A0	&1 MINOR &9 MINOR &CALC-SILICATY
244.4	278.2	5A1	& 9 MINOR
278.2	280.3	5A0	CALC-SILICATY (5A1 &9 MINOR) 70:30
280.3	281.8	5A1	& 9 MINOR
281.8	287.3	5A0	CALC-SILICATY &1 &9 MINOR
287.3	294.9	5A1	& 9
294.9	295.4	5B48	0(??)[4L5 6 MINOR][3G483]
295.4	336.1	5A19	
336.1	337.6	3G4	BIO

Drill Hole Report

Record 100 Drill Hole - CNR7603

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10551.5	9185.4	1088.0	903034.0	593201.0

Length: 197.2 Section: 06 W / - 27.0
Type: ODH Core: BQ Location: GRUM

Logged by: LCP/GAJ Date: 840715
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: CNR7603
Northing: 10551.5 Easting: 9185.4 Elevation: 1088.0
Length: 197.2 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 647.0	647.0	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: CNR7603
Northing: 10551.5 Easting: 9185.4 Elevation: 1088.0
Length: 197.2 Core: BQ

From	To	Unit	Description
.0	4.6	#	OVERBURDEN
4.6	13.3	5F0	
13.3	35.0	5B0	(5B80) V. MINOR
35.0	37.2	5B0	FAULT BXA
37.2	85.6	5B0	
85.6	98.6	5B0	& \$ MINOR FAULT
98.6	149.3	5B0	
149.3	177.0	5B0	CALC-SILICATY
177.0	180.8	5B08	CALC-SILICATY
180.8	192.6	5C3	(5F\$3) 97:03
192.6	194.1	5F3\$	[5B80\$] ?
194.1	197.1	5C3\$	LEOPARD ROCK

Drill Hole Report

Record 101 Drill Hole - CNR7604

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
11266.8	9255.6	1160.1	903613.3	592776.3

Length: 206.7 Section: 30 W / - 24.5
Type: ODH Core: BQ Location: GRUM

Logged by: GAJ/LCP Date: 840711
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: CNR7604
Northing: 11266.8 Easting: 9255.6 Elevation: 1160.1
Length: 206.7 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 206.7	206.7	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: CNR7604
Northing: 11266.8 Easting: 9255.6 Elevation: 1160.1
Length: 206.7 Core: BQ

From	To	Unit	Description
.0	7.6	#	CASING-NO CORE
7.6	14.3	#	TILL - GRANITE BOULDERS
14.3	17.4	5C3	
17.4	18.3	5A1	
18.3	20.1	5C3	
20.1	22.5	5A1	
22.5	33.5	5C*	& 3
33.5	38.1	5A1	9 MINOR & 4 MINOR
38.1	42.7	5C3	
42.7	43.0	5C14	[5D14]
43.0	45.1	5A1	9 MINOR 3 MINOR
45.1	57.3	5C*	& 3
57.3	90.4	5A1	& 9 MINOR
90.4	90.6	5D4*	
90.6	92.8	5A1	
92.8	93.8	5A1	(10Q9 PY)(5D4*) 50:20:30
93.8	94.8	5A1	
94.8	97.2	5A	GOUGE
97.2	102.5	5A6	[5A\$ MINOR]
102.5	111.8	5A6	[5A\$ MINOR] (10Q 9 PY>PO &@?) 85:15
11.8	114.9	5A1	(10Q9) 90:10
114.9	178.6	5A1	9 MINOR
178.6	180.1	5A1	(5D4*) 95:05
180.1	206.7	5A1	9 VERY MINOR

Drill Hole Report

Record 102 Drill Hole - EA74X06

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
11344.9	8860.4	1160.0	903408.0	592430.0

Length: 454.3 Section: 32 W / - 37.5
Type: DDH Core: NQ Location: GRUM

Logged by: GAJ/LCP Date: 840818
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
454.2	-72.0	91.8	50.0	ACID

ASSAYS

Drill Hole: EA74X06
Northing: 11344.9 Easting: 8860.4 Elevation: 1160.0
Length: 454.3 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 454.3	454.3	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: EA74X06
 Northing: 11344.9 Easting: 8860.4 Elevation: 1160.0
 Length: 454.3 Core: NQ

From	To	Unit	Description
.0	25.0	#	OVERBURDEN-NO CORE
25.0	34.7	5B80	(5F3) 50:50
34.7	48.0	5B80	
48.0	63.1	5F3	[5B80]
63.1	89.0	5C3	(5C\$&3 MINOR)(5D0)85:10:05
89.0	90.2	5D0	
90.2	93.7	5B80	[5F3]
93.7	98.6	5B8\$	& 0 MINOR (5B4\$) 70:30
98.6	100.4	5C4\$	
100.4	109.1	5B6\$	(5C4\$)TR GOUGE EXA
109.1	127.1	5B6\$	4 MINOR
127.1	159.1	5B6	GOUGE AND RUBBLE
159.1	162.2	5B62	\$
162.2	163.0	5C4\$	FUCHSITE
163.0	166.4	5A61	MINOR
166.4	169.4	3G9	
169.4	247.1	5A61	
247.1	273.9	5A6	& 1 MINOR (5D4\$) MINOR
273.9	295.1	5A0	[5A6(5A3) 80:20]
295.1	297.4	5E2	(5A0) 50:50
297.4	303.3	5A0	[5A6 (5A3) MINOR]
303.3	304.7	5A6	(5C\$->5D6&\$) 75:25
304.7	326.6	5A6	(5A61 BORDERLINE) 50:50
326.6	338.8	5A6	& 1 MINOR (5D46)
338.8	343.9	5A0	CALC-SILICATY MINOR
343.9	344.9	5E2	(5A319) 70:30
344.9	369.0	5A0	
369.0	370.1	5C\$	& 3 MINOR
370.1	378.7	5B3	CALC-SILICATY BIO & 4
378.7	380.6	5B0	CALC-SILICATY BIO
380.6	392.1	5C3	
392.1	395.5	5B80	BIO CALC-SILICATY
395.5	421.1	5B0	CALC-SILICATY BIO &2 MINOR ->(5B0 C-S BIO M)70:30
421.1	454.3	5B0	CALC-SILICATY BIO &2 MINOR

Drill Hole Report

Record 103 Drill Hole - EA76X22

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
7918.1	10537.9	1177.0	901975.0	595964.0

Length: 374.9 Section: 80 E / + 17.5
Type: DDH Core: NQ Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
11.6	-88.0	73.8	32.0	SS SINGLE SHOT
65.8	-80.0	33.8	352.0	SS SINGLE SHOT
142.6	-76.5	35.8	354.0	SS SINGLE SHOT
218.2	-78.0	50.8	9.0	SS SINGLE SHOT
295.0	-76.0	95.8	54.0	SS SINGLE SHOT
371.2	-68.5	127.8	86.0	SS SINGLE SHOT

ASSAYS

Drill Hole: EA76X22
Northing: 7918.1 Easting: 10537.9 Elevation: 1177.0
Length: 374.9 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 374.9	374.9	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: EA76X22
Northing: 7918.1 Easting: 10537.9 Elevation: 1177.0
Length: 374.9 Core: NQ

From	To	Unit	Description
------	----	------	-------------

.0	374.9		TO BE ENTERED LATER
----	-------	--	---------------------

Drill Hole Report

Record 104 Drill Hole - EA79VX1

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10183.3	9693.0	1123.2	903098.3	593824.5

Length: 387.1 Section: 06 E / - 10.0
Type: DDH Core: NQ Location: GRUM

Logged by: GAJ/LCP Date: 840727
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
195.6	-74.3	92.8	51.0	SS SINGLE SHOT
256.6	-64.5	91.8	50.0	SS SINGLE SHOT
317.6	-54.0	84.8	43.0	SS SINGLE SHOT
364.8	-50.5	104.8	63.0	SS SINGLE SHOT
378.5	-46.0	89.8	48.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: EA79VX1
 Northing: 10183.3 Easting: 9693.0 Elevation: 1123.2
 Length: 387.1 Core: NQ

From	To	Unit	Description
.0	34.1	#	TRICONED - NO RECOVERY
34.1	41.7	3G0	
41.7	47.8	5A3	GOUGE
47.8	51.5	5A16	
51.5	52.3	5C3\$	& 4
52.3	77.7	5A6	& 1 & 0 MINOR
77.7	83.5	3G9	& 1 & 3 (3E1) (3F9) 60:20:20
83.5	94.6	3G91	& 3 MINOR 1 BORDERLINE
94.6	95.1	5D#	& 4
95.1	97.2	3G19	[3E1]
97.2	101.5	3G3	& 9 (3F9 & 0) 80:20
101.5	103.6	3E19	V MINOR 1 BORDERLINE[5A619MIN]
103.6	106.6	5C3	
106.6	107.6	5B80	[3G483]
107.6	109.2	5B0	BIO MINOR CALC-SILICATY
109.2	114.6	5B80	CALC-SILICATY & BIO
114.6	121.1	5C3	->5D0
121.1	130.9	5B80	&BIO CALC-SILICATY (5D0) [(5C3)] 70:25:05
130.9	141.5	5C3	
141.5	145.0	5B80	BIO CALC-SILICATY
145.0	214.2	5B0	CALC-SILICATY & BIO
214.2	243.5	5B0	CALC SILICATEY & BIO & 2 MINOR
243.5	253.5	5B02	CALC SILICATY & BIO
253.5	289.8	5B0	CALC SILICATY BIO
289.8	295.1	5B0	CALC SILICATY BIO & 6
295.1	296.6	5E0	BIO
296.6	317.8	5A16	
317.8	319.3	5D6	& 0
319.3	342.5	5A16	9 VERY MINOR
342.5	342.8	5C34	WEAK
342.8	345.4	5A16	9 MINOR
345.4	346.6	5A16	(5C3 & 4) 50:50
346.6	352.8	5A16	9 PY-PO
352.8	356.0	5B4	BIO CALC-SILICATY (5D0)(10Q# CHLOR PO) 85:05:10
356.0	367.5	5D6	& BIO & 3 MINOR
367.5	369.3	3G19	
369.3	369.6	5D0	(5C3)
369.6	372.3	3G9	CALC SILICATY
372.3	376.5	3G8	MINOR CALC SILICATY
376.5	387.0	5D6	[(3G8)?]

Drill Hole Report

Record 105 Drill Hole - EA79VX2

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9572.0	9702.4	1173.8	902649.4	594239.1

Length: 425.8 Section: 26 E / - 10.0
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/GAJ Date: 840000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
51.5	-82.2	102.8	61.0	SS SINGLE SHOT
111.5	-78.0	99.8	58.0	SS SINGLE SHOT
173.4	-75.0	94.8	53.0	SS SINGLE SHOT
234.3	-73.5	114.8	73.0	SS SINGLE SHOT
295.3	-72.0	102.8	61.0	SS SINGLE SHOT
356.3	-72.0	109.8	68.0	SS SINGLE SHOT
417.2	-69.0	109.8	68.0	SS SINGLE SHOT

ASSAYS

Drill Hole: EA79VX2
Northing: 9572.0 Easting: 9702.4 Elevation: 1173.8
Length: 425.8 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 425.8	425.8	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: EA79VX2
 Northing: 9572.0 Easting: 9702.4 Elevation: 1173.8
 Length: 425.8 Core: NQ

From	To	Unit	Description
.0	6.4	#	NO CORE
6.4	10.5	3G9	[5B62]
10.5	36.7	3G0	& 3 & 9 [5B6&0]
36.7	46.9	5B20	
46.9	67.5	5A16	9 MINOR
67.5	67.7	5D0	(5A16) 70:30
67.7	94.6	5A16	9 MINOR
94.6	95.7	3G0	
95.7	98.1	5A10	9 MINOR
98.1	102.7	3G09	MINOR
102.7	105.3	5A16	9 MINOR(3G09 MINOR) 90:10
105.3	110.6	3G09	(5A169 MINOR) 90:10
110.6	113.3	5A16	9 MINOR->5B216
113.3	113.7	3B3	
113.7	115.0	5A16	
115.0	122.9	3G0	& 9 & 1
122.9	127.7	5A16	9 MINOR & 3 MINOR
127.7	131.6	3G0	CALC SILICATY
131.6	166.3	3G0	CALC SILICATY & 3
166.3	168.2	3G0	BXA
168.2	173.1	3G0	CALC SILICATY MINOR
173.1	174.5	3G	BXA AND GOUGE
174.5	204.8	3G0	-> (3G9) 80:20
204.8	220.1	3G0	CALC SILICATY MINOR & 3
220.1	232.8	3G09	
232.8	238.6	3G0	
238.6	242.5	3G09	MINOR 1 MINOR
242.5	251.4	5A16	9 MINOR[3G916MINOR]
251.4	278.8	3G0	& 9 (10Q09 PO CHLORITE)
278.8	287.9	3G93	CALC SILCATY(3F9 CALCSIL)70:30
287.9	299.5	3GD	BIO CALC-SILICATY
299.5	319.3	3G0	-> (3G9) (3GD) 50:50 CALC-SIL:NONCALC-SIL
319.3	319.9	3F9	(3G93) 50:50
319.9	326.6	3GD	
326.6	332.0	3G9	CALC SILI 1 BORDER&3(3F9)80:20
332.0	335.8	3G0	CALC SILI&3->3GD
335.8	338.7	3F9	(3G9&1) 60:40
338.7	357.4	5A16	
357.4	359.2	3B3	BIO MINOR
359.2	367.5	5A16	
367.5	369.9	10Q09	MINOR
369.9	382.7	5A16	9 MINOR
382.7	386.5	5C3	(3D) 95:05
386.5	392.3	3G0	& 9 MINOR
392.3	403.1	5C3	&\$(3B3 MINOR &BIO)(3D1)(3G48) 50:20:15:15

403.1	404.6	3G0	& 9 MINOR
404.6	412.6	FAULT	FAULT EXA
412.6	415.8	3G0	& 9 MINOR (5C3)
415.8	420.5	5C3	& BIO (3G48) TR
420.5	425.7	3G0	(5C3\$)(5D4\$)60:20:20

Drill Hole Report

Record 106 Drill Hole - EA80VX1

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10187.6	9056.3	1127.1	902676.9	593347.5

Length: 817.8 Section: 06 E / - 31.0
Type: DDH Core: NQ Location: GRUM

Logged by: GAJ Date: 840731
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
53.3	-86.0	94.8	53.0	SS SINGLE SHOT
144.8	-81.0	80.8	39.0	SS SINGLE SHOT
236.2	-76.5	99.8	58.0	SS SINGLE SHOT
327.6	-70.0	84.8	43.0	SS SINGLE SHOT
510.5	-62.0	83.8	42.0	SS SINGLE SHOT
602.0	-60.0	76.8	35.0	SS SINGLE SHOT
693.4	-58.5	69.8	28.0	SS SINGLE SHOT
754.3	-64.0	56.8	15.0	SS SINGLE SHOT
784.8	-64.0	58.8	17.0	SS SINGLE SHOT
815.3	-64.0	52.8	11.0	SS SINGLE SHOT

ASSAYS

Drill Hole: EA80VX1
Northing: 10187.6 Easting: 9056.3 Elevation: 1127.1
Length: 817.8 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 817.8	817.8	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: EABOVX1
 Northing: 10187.6 Easting: 9056.3 Elevation: 1127.1
 Length: 817.8 Core: NQ

From	To	Unit	Description
----	---	----	-----
.0	46.0	#	NO RECOVERY
46.0	54.5	5C3	LEOPARD ROCK [5C35]
54.5	64.9	5B68	[5F6]
64.9	76.0	5C3	LEOPARD ROCK
76.0	91.4	5C6	& 3 MINOR
91.4	94.4	5B80	[5F3]
94.4	146.8	5B0	
146.8	151.4	5B6\$	& 0 MINOR
151.4	168.0	5B0	
168.0	173.4	5B4\$	8 & 0
173.4	175.7	5B80	
175.7	195.6	5C3	(5D0) 97:3
195.6	196.1	5F3	[5B80]
196.1	197.4	5D0	
197.4	200.4	5B80	
200.4	201.6	5C3	
201.6	203.0	5B80	
203.0	205.7	5C3	& 3 (10Q#\$) 80:20
205.7	209.9	5B80	(5D0)
209.9	210.9	5C3	
210.9	212.1	5B80	[5F3]
212.1	235.8	5C3	& 6 MINOR
235.8	246.4	5B80	(5D0) MINOR
246.4	284.5	5B0	
284.5	292.0	5B0	& BIO BXA
292.0	294.0	5B6	\$ & 2 VERY MINOR
294.0	298.2	5B0	& \$
298.2	298.8	5B80	
298.8	299.2	5C\$	& 3
299.2	300.4	5B80	
300.4	304.0	5B0	& 8 MINOR
304.0	304.4	5B80	
304.4	306.7	5D0	(5C\$) 60:40
306.7	307.6	5B80	
307.6	308.0	5C3	[5D0]
308.0	312.7	5B0	& BIO & CALC SILICATY
312.7	323.3	5C3	& \$
323.3	323.9	5B86	
323.9	324.5	5C3	
324.5	325.2	5B86	
325.2	325.7	5C\$	
325.7	326.4	5B86	& 0 MINOR
326.4	329.5	5C\$	& 3 MINOR
329.5	330.5	5B68	[5F6] (5C3)
330.5	331.8	5C3	

331.8	344.8	5B80	& BIO MINOR & 2 MINOR
344.8	347.0	5B0	CALC SILICATY BIO
347.0	355.7	5C3	
355.7	356.3	5B86	& 0 MINOR
356.3	372.1	5C3	
372.1	373.6	5B80	[5F3]
373.6	421.7	5B0	& BIO MINOR & CALC SILICATY MI
421.7	438.9	5B0	BIO & CALC SILICATY
438.9	440.1	5C3	-> 5D3 (5B80)
440.1	440.8	10E	
440.8	460.1	5B0	CALC-SILICATY BIO
460.1	461.5	5B80	BIO CALC-SILICATY
461.5	462.7	5D0	
462.7	465.1	5B80	->5B0 & 8 BIO
465.1	465.8	CAVE ?	
465.8	470.9	5C3	BIO
470.9	527.6	5B0	CALC SILICATY BIO -> 5B0 CALCS
527.6	535.2	5B6	& \$MINOR
535.2	539.5	5B6	& 0 MINOR & 2 VERY MINOR
539.5	547.0	5B0	& CALC-SILICATY &BIO &2 VERY MINOR
547.0	605.3	5B0	CALC SILICATY BIO
605.3	608.9	5E2	(5B20) 80:20
608.9	612.3	5A169	
612.3	613.9	5C4\$	
613.9	614.6	5A16	-> 5A164
614.6	637.1	5A16	9 MINOR
637.1	647.8	5E0	BIO (5B62 & 0) 80:20
647.8	659.2	5A16	9 MINOR
659.2	661.1	5A164	BIO (5D0 BIO)
661.1	661.7	5D0	BIO
661.7	663.2	5A614	BIO
663.2	664.0	5D0	BIO MINOR (5A614 BIO) 80:20
664.0	666.5	5D6	[3B0]
666.5	668.7	5C\$	MINOR
668.7	676.0	5A6	9 VERY MINOR->5B62
676.0	676.9	5B64	BIO & 8 MINOR
676.9	682.6	5C3	& 6
682.6	689.8	5B64	8 BIO (5D0 &BIO) 70:30 [3B3 &BIO MINOR]
689.8	691.3	5B62	& 0 (5C3)
691.3	692.5	5C3	
692.5	694.4	5B64	BIO
694.4	697.0	5C6	& 3
697.0	698.3	5B62	
698.3	700.3	3G0	[5B6]
700.3	701.8	5C3	(3G48) 50:50
701.8	705.5	3G0	
705.5	716.8	3G9	
716.8	760.3	3G0	(3B0)(3B6) BOTH MINOR
760.3	762.7	3B0	(3G4)(3G9) 65:30:5
762.7	772.8	3G91	(5D4) MINOR
772.8	776.1	3G0	
776.1	778.7	3B	(3G4 BIO 8) [3D1] (3G91)(3F9) 80:10:10:TRACE
778.7	779.6	3G91	
779.6	781.6	3B0	BIO [3D] (3G91)

781.6	783.2	3G91	(3B3MINOR) & BIO MINOR 90:10
783.2	787.2	3C0	& 3 MINOR -> 3B BIO&3 MINOR
787.2	787.6	3G0	& 8
787.6	790.2	3G91	MINOR
790.2	801.3	3G0	CALC SILICATY
801.3	807.4	3B0	& 3 MINOR(3G84&BIO?)75:25
807.4	817.8	3G0	CALC SILICATY & BIO MINOR

Drill Hole Report

Record 107 Drill Hole - EA81VX1

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10183.0	9814.3	1146.2	903179.0	593915.0

Length: 443.2 Section: 06 E / - 6.0
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/GAJ Date: 840729
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
71.3	-88.5	218.8	177.0	SS SINGLE SHOT
132.3	-86.0	254.8	213.0	SS SINGLE SHOT
193.2	-83.5	279.8	238.0	SS SINGLE SHOT
254.2	-86.5	274.8	233.0	SS SINGLE SHOT
315.2	-86.0	34.8	353.0	SS SINGLE SHOT
376.1	-82.0	84.8	43.0	SS SINGLE SHOT
437.1	-82.0	83.8	42.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: EA81VX1
 Northing: 10183.0 Easting: 9814.3 Elevation: 1146.2
 Length: 443.2 Core: NQ

From	To	Unit	Description
.0	46.2	#	NO RECOVERY - OVERBURDEN?
46.2	51.9	3G4	
51.9	52.5	4A0	
52.5	53.6	4D0	&3 &4
53.6	55.7	4E48	&\$ &1 &9 ALL MINOR
55.7	56.0	5A6	
56.0	56.8	4E4	&1
56.8	69.5	3G9	\$ MINOR
69.5	80.4	3G0	
80.4	81.5	3G91	BORDERLINE
81.5	85.5	3G0	
85.5	87.4	3E1	
87.4	93.2	4E48	&# &6
93.2	93.9	4L6	WEAK 24 &1 (10Q9PO)
93.9	96.6	5A16	9 MINOR (4L6 WEAK 2) 80:20
96.6	121.7	5A16	&\$ MINOR (3G3)
121.7	122.7	5C3	&4 &\$ (5A164) 80:20
122.7	123.1	5A16	4
123.1	124.1	5A16	
124.1	125.0	5C4	&\$
125.0	156.4	5A16	9 MINOR
156.4	180.4	3G\$	&3 [5B0\$ &3]??
180.4	183.2	5D4\$	MINOR &9 MINOR
183.2	190.7	5A16	(5B6\$) BXA 50:50
190.7	194.4	5C4\$	(5AB4)
194.4	204.4	5A16	
204.4	205.6	5C6	&4
205.6	206.4	5B64	[3G4]
206.4	214.0	5B0	?
214.0	215.8	5A3	BXA
215.8	258.8	5B0	CALC SILICATY BIO
258.8	259.4	5B0	CALC-SILICATY BIO (5E0) 70:30
259.4	263.8	5B6	CALC SILICATY MINOR &3
263.8	282.3	5A16	9 MINOR
282.3	284.9	5D6	(5C\$) 5A164 [5C] 80:10:10
284.9	287.8	5A16	
287.8	289.1	5C\$	(5A164) 60:40
289.1	335.0	5A16	&9 V MINOR
335.0	335.4	5D4\$	
335.4	341.5	5A16	
341.5	353.1	5D6	&3 MINOR [5C0 FINE GRAINED]
353.1	354.2	BXA	3G0 FAULT BXA
354.2	357.7	5D6	
357.7	360.5	5A16	4 &BIO (5D6) 80:20
360.5	363.4	5A14	8 BIO MINOR (5C3 MINOR) 70:30

363.4	364.7	5A16	4 (5A6 BXA) 50:50
364.7	386.2	5D6	&3 &#[5C &3&#](5A164 BIO)90:10
386.2	394.6	5D6	&3 &#[5C](5A164 BIO) 60:40
394.6	424.4	5A16	BXA
424.4	431.1	5A6	&1
431.1	432.0	5C\$	&4
432.0	440.4	5A	BXA (3G0)(5D4) 70:30:TR
440.4	441.3	5C6	
441.3	443.2	3G0	

Drill Hole Report

Record 108 Drill Hole - FA81AX3

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10749.4	10161.2	1203.9	903832.0	593795.6

Length: 304.5 Section: 13 W / + 5.5
Type: DDH Core: NQ Location: GRUM

Logged by: GAJ/LCP Date: 840810
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
55.5	-84.0	320.8	279.0	SS SINGLE SHOT
116.4	-84.4	354.8	313.0	SS SINGLE SHOT
177.4	-87.0	12.8	331.0	SS SINGLE SHOT
238.4	-88.5	14.8	333.0	SS SINGLE SHOT
299.3	-86.0	105.8	64.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: FA81AX3
 Northing: 10749.4 Easting: 10161.2 Elevation: 1203.9
 Length: 304.5 Core: NQ

From	To	Unit	Description
.0	21.7	#	TRICONED - NO CORE
21.7	28.2	4A0	SOFT
28.2	38.3	5A69	-> 4A7 SOFT [3G96->4A7 SOFT]
38.3	39.4	3G4	STRINGER ? 8 V MINOR
39.4	46.0	3G0	&9 &3? STRINGERED WEAK?
46.0	47.3	3E0	&3 [3G9 &3]
47.3	49.1	3G0	&9 &3? MINOR & 4 MINOR
49.1	59.3	3E16	MINOR &3 MINOR ->3E0->3E16
59.3	65.3	3G0	&9 MINOR (3B3) 95:05
65.3	67.9	3C6	&3 (3B3) (3G48) 40:50:10
67.9	73.7	3G0	
73.7	84.3	3G48	6 &3MIN(3B3)[4L674 &#MIN]95:05
84.3	99.6	3G0	
99.6	101.8	3G0	GOUGE AND RUBBLE
101.8	148.3	3G0	
148.3	150.6	3E1	&3 6 MINOR
150.6	154.8	3F9	
154.8	164.6	3G91	&3 6 V MINOR
164.6	188.8	3G0	
188.8	191.6	3G91	3 -> (3F9)
191.6	193.8	3G93	
193.8	209.6	3G0	
209.6	217.5	3G93	1 BORDERLINE
217.5	227.9	3G0	
227.9	231.0	3G93	
231.0	238.1	3G0	9 V MINOR
238.1	240.4	3G93	
240.4	244.7	3G0	&9
244.7	250.5	3G0	
250.5	253.9	3G93	MINOR (3B3 BIO)
253.9	257.5	3G9	GOUGE & RUBBLE
257.5	261.5	3G9	
261.5	267.3	3G93	CALC SILICATY (3B3 BIO) 95:05
267.3	271.3	3G91	[3E10] (3F9) 60:40
271.3	276.0	3E16	MINOR [5A16 MINOR]
276.0	276.5	3E13	6 MINOR
276.5	283.7	3E19	MINOR &3
283.7	292.1	3E19	MINOR
292.1	294.5	3E1	-> (3G9) MINOR (3F9) 80:MIN:20
294.5	296.7	3E13	[3EF] [3E1(3F9) 50:50]
296.7	304.5	3G3	CALC SILICATY BIO 9 MINOR

Drill Hole Report

Record 109 Drill Hole - FA81AX4

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10791.2	10626.1	1253.9	904173.1	594113.9

Length: 199.0 Section: 14 W / + 20.5
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/GAJ Date: 840000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
14.0	-88.0	133.8	92.0	SS SINGLE SHOT
41.5	-86.2	149.8	108.0	SS SINGLE SHOT
102.4	-85.0	81.8	40.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: FA81AX4
 Northing: 10791.2 Easting: 10626.1 Elevation: 1253.9
 Length: 199.0 Core: NQ

From	To	Unit	Description
.0	9.8	#	
9.8	14.8	3G0	(3B3 BIO) 85:15
14.8	16.0	4L6	WEAK 7 MINOR (3C3) MINOR
16.0	22.1	3G3	BIO
22.1	23.4	3G1	4 WEAK
23.4	33.4	3G0	BIO &3 MINOR
33.4	39.2	3G4	WEAK 8 MIN 3 MIN (3G9) 70:30
39.2	56.7	3G3	BIO CALC SILICATY MINOR
56.7	73.2	3G3	&BIO GOUGE
73.2	76.5	3G3	CALC SILICATY MINOR
76.5	82.1	3G34	
82.1	87.1	3G08	MINOR
87.1	93.5	3G34	
93.5	111.0	3G9	
111.0	111.6	3C3\$	BXA
111.6	112.7	3G9	
112.7	117.8	3G9	[3E0] BXA
117.8	119.9	3E0	&1 (3F9) 95:05
119.9	121.7	3F9	(3E01 BORDERLINE) 75:25
121.7	125.7	3E0	&3 MINOR
125.7	127.5	3F9	(3E0) 80:20
127.5	131.0	3G09	MINOR
131.0	133.3	3G9	BXA [3E0 BXA]
133.3	137.6	3G0	CALC SIL V MINOR (3G9) 60:40
137.6	138.2	3F9	
138.2	161.4	3E10	[5A16]
161.4	166.4	3E0&	3 BXA
166.4	193.5	3G0	
193.5	199.0	3G0	RUBBLE GOUGE

Drill Hole Report

Record 110 Drill Hole - FA81AX5

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
11410.1	10569.4	1288.5	904596.1	593659.0

Length: 304.8 Section: 34 W / + 18.5
Type: DDH Core: NQ Location: GRUM

Logged by: GAJ Date: 8408
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
56.7	-84.2	124.8	83.0	SS SINGLE SHOT
117.7	-71.0	131.8	90.0	SS SINGLE SHOT
178.6	-67.5	136.8	95.0	SS SINGLE SHOT
239.6	-68.5	141.8	100.0	SS SINGLE SHOT
300.5	-70.0	147.8	106.0	SS SINGLE SHOT

ASSAYS

Drill Hole: FA81AX5
Northing: 11410.1 Easting: 10569.4 Elevation: 1288.5
Length: 304.8 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 304.8	304.8	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: FA81AX5
Northing: 11410.1 Easting: 10569.4 Elevation: 1288.5
Length: 304.8 Core: NQ

From	To	Unit	Description
.0	9.8	#	
9.8	79.3	3G0	&BIO MIN (3G0 &9 MIN) (3B6 &BIO) 95:05:TRACE
79.3	81.6	3D	[3G CALC SILI][3B6 BIO]
81.6	111.6	3G0	CALC SIL & BIO MINOR
111.6	121.5	3G0	CALC SIL & BIO
121.5	126.5	3D	
126.5	175.2	3G0	CALC SIL BIO->3G9 &BIO MINOR
175.2	176.8	3G91	& BIO MINOR (3F9) 80:20
176.8	206.3	3E1	(3B46 &3 &\$) 99:01
206.3	226.8	3G0	CALC SILICATY MINOR (3D)
226.8	242.1	1C0	&4 &8 (1C48)
242.1	259.5	1C0	&4 &8
259.5	262.7	1CD48	
262.7	277.8	1C0	&48 [1CD?]
277.8	282.5	1CD48	[1C48](1CD &4 &8) 90:10
282.5	304.8	1CD	&4 &8

Drill Hole Report

Record 111 Drill Hole - KA73A02

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
11178.0	9442.6	1181.1	903671.9	592974.8

Length: 153.0 Section: 27 W / - 18.5
Type: ODH Core: BQ Location: GRUM

Logged by: GAJ/LCP Date: 840723
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: KA73A02
Northing: 11178.0 Easting: 9442.6 Elevation: 1181.1
Length: 153.0 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 153.0	153.0	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: KA73A02
Northing: 11178.0 Easting: 9442.6 Elevation: 1181.1
Length: 153.0 Core: BQ

From	To	Unit	Description
.0	37.8	#	
37.8	55.8	5A19	MINOR
55.8	85.6	5A16	&O (5D4) TRACE
85.6	99.2	5A6	(5D4) TRACE
99.2	99.6	5D0	
99.6	105.1	5A1	BORDERLINE
105.1	106.0	5D0	(5A1) 75:25
106.0	110.3	5A0	(5D0) MINOR
110.3	110.6	5E2	
110.6	116.4	5A6	&1 MINOR
116.4	116.7	5A3	CALC SILICAY MINOR
116.7	119.4	5A1	BORDERLINE &O TRACE
119.4	120.7	5A16	(5D0) 60:40
120.7	136.5	5A1	&9 MINOR
136.5	137.0	5E2	[3F9]
137.0	153.0	5A1	9 BORDERLINE

Drill Hole Report

Record 112 Drill Hole - KA73A03

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
12104.8	9304.6	1180.0	904270.0	592254.0

Length: 197.5 Section: 57 W / - 23.0
Type: ODH Core: BQ Location: GRUM

Logged by: LCP/GAJ Date: 840727
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: KA73A03

Northing: 12104.8 Easting: 9304.6 Elevation: 1180.0
Length: 197.5 Core: BQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 197.5	197.5	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: KA73A03
Northing: 12104.8 Easting: 9304.6 Elevation: 1180.0
Length: 197.5 Core: BQ

From	To	Unit	Description
.0	27.1	#	
27.1	27.4	#	GRANITE BOULDERS
27.4	29.5	3G0	
29.5	43.8	3G92	&6 MINOR -> 3E2 &6 MINOR
43.8	47.5	3G9	&3
47.5	50.3	3G39	MINOR
50.3	56.9	3G39	MINOR
56.9	57.3	3G93	BXA
57.3	112.7	5A19	MINOR (5D6) TR
112.7	126.2	3G0	&3 TRACE
126.2	128.1	3F9	(3G93) 80:20
128.1	139.2	3G9	&3 & C.S. MINOR & BIO MINOR
139.2	142.3	3G9	&CALC SIL &BIO (10Q) 90:10
142.3	145.8	3G9	CALC SIL &BIO &3
145.8	159.1	3G9	&1
159.1	162.1	3G19	M C.S. BIO (3B3[3D03]) 90:10
162.1	164.8	3F9	(3G193) 80:20
164.8	180.4	5A19	MINOR
180.4	183.1	3F96	(5A19) 90:10
183.1	187.9	5B0	BIO + CALC SIL &2
187.9	189.2	5D0	BIO
189.2	195.9	5B0	BIO + CALC SIL
195.9	197.5	5B0	NO CORE

Drill Hole Report

Record 113 Drill Hole - KA74A07

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
11356.1	10072.8	1248.4	904224.8	593325.3

Length: 367.9 Section: 32 W / + 2.5
Type: ODH Core: BQ Location: GRUM

Logged by: GAJ/LCP Date: 840721
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: KA74A07
Northing: 11356.1 Easting: 10072.8 Elevation: 1248.4
Length: 367.9 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 367.9	367.9	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: KA74A07
 Northing: 11356.1 Easting: 10072.8 Elevation: 1248.4
 Length: 367.9 Core: BQ

From	To	Unit	Description
----	--	----	-----
.0	6.4	#	
6.4	19.8	3G8	
19.8	40.6	3G0	
40.6	46.0	3G9	&1
46.0	49.3	3F9	(3G93) 60:40
49.3	59.8	3G0	
59.8	67.4	3G02	(3G0) 80:20
67.4	74.9	3G0	&1 BIO MINOR
74.9	79.0	3G9	
79.0	83.2	3G0	BIO &CALC-SILICATY V MINOR
83.2	88.6	3G9	&3 MINOR (3F0 &9 MINOR) 65:35
88.6	92.7	3G0	
92.7	102.5	3G0	BIO &3 MINOR CALC-SILICATY
102.5	106.9	3F9	
106.9	119.3	3G0	BIO CALC-SILICATY
119.3	131.1	3G0	
131.1	162.4	3G0	CALC-SILICATY
162.4	170.3	3G0	CALC-SIL &BIO MIN (3G9) 80:20
170.3	184.7	3G0	CALC-SILICATY &BIO MIN (10Q0)
184.7	185.4	3G46	PO, PY
185.4	199.0	3G0	CACL-SILICATY &BIO MINOR
199.0	212.7	3F9	(3G9 CAL-SIL &3)(3E1) 70:20:10
212.7	226.7	3G9	C.S. &3 (3G916 M->3E16M) 50:50
226.7	227.6	3G9	CAL-SIL 3 (3F9) (3G91)
227.6	234.5	3G9	CAL-SIL &3(3G9 1M&6 PO M)80:20
234.5	237.4	3E16	-> 3G916
237.4	240.6	3F9	(3G936)(3G916 MIN) 80:15:05
240.6	241.7	3F1	
241.7	243.5	3E6	-> 3G9
243.5	244.1	3D01	(10Q0) 50:50
244.1	245.0	3B2	&3
245.0	260.6	3G0	&9 &CALC-SIL &1 &6 MINOR
260.6	261.9	3E16	MINOR
261.9	262.6	3D01	?
262.6	268.8	3G9	CAL-SIL (3F9) (3E1) 70:29:01
268.8	272.0	3G0	BIO CALC-SILICATY MINOR
272.0	273.4	3F9	
273.4	274.6	3E16	MINOR -> (3E0)
274.6	297.4	3G0	CALC-SIL ANDOLUS &BIO MINOR
297.4	300.1	3G48	& GOUGE
300.1	307.5	3G0	CALC-SILICATY ANDALUSITE & BIO MINOR
307.5	314.5	3G4	BIO ANDAL? (3B2) TRACE
314.5	322.4	3G0	CALC-SILICATY ANDAL BIO
322.4	326.2	3G90	CALC-SILICATY BIO ANDALUS
326.2	367.9	3G0	CAL-SIL ANDAL BIO &GARNET MIN

Drill Hole Report

Record 114 Drill Hole - KA74A36

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10967.2	9810.1	1193.0	903760.0	593389.0

Length: 173.7 Section: 20 W / - 6.0
Type: ODH Core: BQ Location: GRUM

Logged by: GAJ/LCP Date: 840723
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: KA74A36
Northing: 10967.2 Easting: 9810.1 Elevation: 1193.0
Length: 173.7 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 173.7	173.7	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: KA74A36
Northing: 10967.2 Easting: 9810.1 Elevation: 1193.0
Length: 173.7 Core: BQ

From	To	Unit	Description
.0	2.9	#	
2.9	3.2	#	GRANITE BOULDERS
3.2	12.8	4L6	STRINGERED
12.8	17.3	4L6	2 MINOR, 4 V. MINOR, STRINGERE
17.3	23.9	4L62	4 STRINGERED
23.9	37.1	4L67	&4 STRINGERED WEAK
37.1	39.5	4L6	WEAK -> (4L0) 90:10
39.5	40.1	4C79	M &5(4L6 W)->(4A70) 50:25:25
40.1	40.8	4H#	(4E4#8) 80:20
40.8	42.0	4G08	\$ # MINOR
42.0	51.8	5B2@	[3G9@]
51.8	57.3	4A0	-> (5A1) LOCALLY
57.3	62.1	3G93	
62.1	63.3	4A07	
63.3	64.1	4A43	7
64.1	65.6	4L6	WEAK STRINGER
65.6	66.5	5D0	[3B3]
66.5	70.7	5C\$	&4 LEOPARD ROCK (5D0)
70.7	77.1	4L06	WEAK STRINGER
77.1	89.1	5C\$	&3 LEOPARD ROCK
89.1	97.8	3G48	STR. [4L6 STR]->(3G08)
97.8	99.6	3G0	CALC-SILICATY BIO
99.6	102.7	3G3	CALC-SILICATY BIO GARNET
102.7	136.0	3G8	[3G48?]
136.0	137.9	3G48	6
137.9	139.1	3G8	
139.1	143.6	3C\$	LEOPARD ROCK
143.6	153.9	3G48	
153.9	173.7	3G0	

Drill Hole Report

Record 115 Drill Hole - KA74A40

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10959.4	9748.1	1186.2	903712.9	593348.0

Length: 176.2 Section: 19 W / - 8.5
Type: ODH Core: BQ Location: GRUM

Logged by: GAJ/LCP Date: 840724
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: KA74A40
Northing: 10959.4
Length: 176.2

Easting: 9748.1
Core: BQ
Elevation: 1186.2

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 176.2	176.2	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: KA74A40
 Northing: 10959.4 Easting: 9748.1 Elevation: 1186.2
 Length: 176.2 Core: BQ

From	To	Unit	Description
----	---	----	-----
.0	12.5	#	
12.5	12.8	#	GRANITE BOULDERS
12.8	20.4	3G9	BORDERLINE TO 5A6
20.4	31.3	5A19	MINOR [3G916 MINOR] BORDERLINE COLOUR
31.3	40.2	3G9	(3G09 MINOR) [5A6 (3E0) BORDERLINE]
40.2	40.6	5A1	
40.6	44.8	3G9	[3E0] [5A6] BORDERLINE
44.8	51.9	5A1	MINOR
51.9	53.3	3G93	[5B2 -> 5A0]
53.3	55.7	3G0	&3 &9
55.7	56.8	3G9	&3 MINOR
56.8	60.6	4A0	&7
60.6	63.8	4L17	4 6 WEAK GARNET &9 MINOR [4C7 GREEN &9 MINOR]
63.8	68.2	4L07	->(4L76 WEAK) ->(4L6 WEAK)
68.2	68.5	3B3	
68.5	69.3	4L12	#
69.3	70.1	3B3	
70.1	72.9	4L6	
72.9	77.1	4L17	2 6 WEAK
77.1	77.5	4L6	WEAK &# MINOR
77.5	88.0	3G0	&9 &3
88.0	91.4	3G0	SILTSTONE [3G08] [3G8 MINOR]
91.4	92.6	5C\$	&4 LEOPARD ROCK
92.6	98.1	3G0	SILTSTONE [3G08] [3G8 MINOR]
98.1	101.0	4L6	WEAK 7 WEAK [3G48 STRINGERED]
101.0	101.4	10Q#	CHLORITE
101.4	106.2	4L16	2 MINOR 7 MINOR GARNET
106.2	109.7	4L16	7 9 MINOR GARNET V. MINOR
109.7	116.7	3G8	
116.7	118.1	3C3\$	-> (3B3) 50:50
118.1	121.9	4L61	2 4 7 SULPH ALL MINOR
121.9	122.3	4L16	WEAK 7 2 MINOR 4 MINOR
122.3	123.4	10Q\$#	CHLORITE 9 GALENA V MINOR
123.4	127.8	4L16	WEAK 7MIN 4MIN 9VMIN (4L6 1 7)
127.8	131.9	3G	GOUGE
131.9	176.2	3G0	

Drill Hole Report

Record 116 Drill Hole - KA74A43

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
11205.8	9786.1	1207.8	903921.7	593212.0

Length: 164.3 Section: 28 W / - 7.0
Type: ODH Core: BQ Location: GRUM

Logged by: LCP/GAJ Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: KA74A43

Northing: 11205.8

Easting: 9786.1

Elevation: 1207.8

Length: 164.3

Core: BQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 164.3	164.3	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: KA74A43
Northing: 11205.8 Easting: 9786.1 Elevation: 1207.8
Length: 164.3 Core: BQ

From	To	Unit	Description
.0	5.2	#	
5.2	30.3	#	GRANITE BOULDERS
30.3	39.6	3G8	
39.6	47.0	3G8	(3G0) 80:20
47.0	55.4	3G0	(5D6) TRACE
55.4	60.6	3F09	MINOR
60.6	64.7	3G09	MINOR + CALC-SIL + BIO
64.7	65.2	3F9	
65.2	72.2	3G0	CALC SIL + BIO &9
72.2	74.3	3F9	(3G91) 80:20
74.3	75.1	3G9	&3 MINOR (3B3) 70:30
75.1	107.4	5A0	-> 5A1 DOWN
107.4	133.6	5A1	
133.6	139.5	3G19	& CALC SIL & BIO
139.5	151.7	3F9	CALC SIL MINOR
151.7	164.3	3G0	CAL SIL (3D) 60:40 [3GD]

Drill Hole Report

Record 117 Drill Hole - KA74A44

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10759.7	10240.1	1219.4	903892.2	593847.5

Length: 105.5 Section: 13 W / + 8.0
Type: ODH Core: BQ Location: GRUM

Logged by: GAJ/LCP Date: 840724
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: KA74A44
Northing: 10759.7 Easting: 10240.1 Elevation: 1219.4
Length: 105.5 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 105.4	105.4	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: KA74A44
Northing: 10759.7 Easting: 10240.1 Elevation: 1219.4
Length: 105.5 Core: BQ

From	To	Unit	Description
.0	9.1	#	
9.1	10.7	#	GRANITE BOULDERS
10.7	31.0	5A1	9 V MINOR
31.0	34.5	5A3	&1
34.5	35.0	5D0	
35.0	35.3	5B62	-> 5A6
35.3	36.5	4A7	&#
36.5	46.6	4L17	6 WEAK &5 [4C7 GREEN &5]
46.6	53.0	4A7	-> (4A0 &7)
53.0	66.5	3G0	&3 &9
66.5	81.2	4L6	7 MINOR BIO &# ->(4L17 &# &6 WK) ->(4L17 &6 WK)
81.2	88.5	3G8	
88.5	90.8	3G8	&3 STRINGERED WEAK
90.8	94.4	3G48	
94.4	101.8	3G8	
101.8	103.9	5C\$	
103.9	105.5	3G8	

Drill Hole Report

Record 118 Drill Hole - KA74A47

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10762.0	10299.0	1224.6	903933.3	593889.8

Length: 79.2 Section: 13 W / + 10.0
Type: ODH Core: BQ Location: GRUM

Logged by: LCP/GAJ Date: 840724
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: KA74A47
Northing: 10762.0 Easting: 10299.0 Elevation: 1224.6
Length: 79.2 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 79.2	79.2	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: KA74A47
Northing: 10762.0 Easting: 10299.0 Elevation: 1224.6
Length: 79.2 Core: BQ

From	To	Unit	Description
.0	3.7	#	
3.7	7.8	#	GRANITE BOULDERS
7.8	15.3	4L67	STRINGERED (4L0) 80:20
15.3	19.3	4L6	WEAK 7
19.3	20.7	4C37	&# &\$ &9MIN->4E # 6? &\$
20.7	21.4	4E#\$	MINOR 8 MINOR (4G4) MINOR
21.4	23.9	4D78	MINOR \$(4E#&4) (4C78&\$)
23.9	25.9	4A7&	\$M (4A0&3&4&7)(4C5)70:20:10
25.9	28.9	5A9	PO &3
28.9	38.1	4A0	-> (4A3) 90:10
38.1	38.5	4E18	\$
38.5	40.6	4H#9	&1
40.6	43.1	4C77	&# &5 -> (4A7) AT EOI
43.1	57.2	4A0	&# MINOR &7 -> (5A19) 70:30
57.2	79.2	4L67	STRINGERED BIO GARNET ->4L6 WK

Drill Hole Report

Record 119 Drill Hole - KA74A48

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10878.2	10367.6	1237.8	904065.5	593863.5

Length: 112.8 Section: 17 W / + 12.0
Type: ODH Core: BQ Location: GRUM

Logged by: LCP/GAJ Date: 840724
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: KA74A48
Northing: 10878.2 Easting: 10367.6 Elevation: 1237.8
Length: 112.8 Core: BQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 112.8	112.8	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: KA74A48
Northing: 10878.2 Easting: 10367.6 Elevation: 1237.8
Length: 112.8 Core: BQ

From	To	Unit	Description
.0	11.0	#	
11.0	12.2	#	GRANITE BOULDERS
12.2	27.4	3G0	CALC SILICATY
27.4	34.4	3G0	
34.4	36.8	3G0	CALC-SILICATY
36.8	44.1	3G8	
44.1	49.5	3G0	CALC-SILICATY
49.5	59.1	4L76	-> (4L07)
59.1	62.1	3G8	
62.1	69.7	3G83	MINOR
69.7	95.8	5B0	&3 &8 [3G3]
95.8	112.8	3G8	

Drill Hole Report

Record 120 Drill Hole - P53V002

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10423.4	9896.5	1132.4	903412.8	593815.9

Length: 68.3 Section: 02 W / - 3.5
Type: ODH Core: AX Location: GRUM

Logged by: LCP Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P53V002

Northing: 10423.4

Length: 68.3

Easting: 9896.5

Elevation: 1132.4

Core: AX

Sample	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
#	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P53V002
Northing: 10423.4 Easting: 9896.5 Elevation: 1132.4
Length: 68.3 Core: AX

From	To	Unit	Description
.0	4.3	#	CASING - OVERBURDEN
4.3	15.8	5A0	
15.8	42.7	5A9	
42.4	45.1	4L6	(5B6)(5A0) BOTH MINOR
45.1	68.3	5A9	

Drill Hole Report

Record 121 Drill Hole - P53V003

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10390.9	9896.9	1122.6	903382.1	593830.4

Length: 33.8 Section: 01 W / - 3.5
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P53V003
Northing: 10390.9 Easting: 9896.9 Elevation: 1122.6
Length: 33.8 Core: AX

Sample	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
#	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P53V003
Northing: 10390.9
Length: 33.8

Easting: 9896.9 Elevation: 1122.6
Core: AX

From	To	Unit	Description
.0	3.4	#	CASING - OVERBURDEN
3.4	16.5	5A	ALL UNITS FROM PA LOG
16.5	33.8	4L	[5B]

Drill Hole Report

Record 122 Drill Hole - P53V004

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10377.8	9910.1	1125.8	903387.9	593856.5

Length: 37.8 Section: 00 W / - 3.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P53V004
Northing: 10377.8 Easting: 9910.1 Elevation: 1125.8
Length: 37.8 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P53V004
Northing: 10377.8 Easting: 9910.1 Elevation: 1125.8
Length: 37.8 Core: AX

From	To	Unit	Description
.0	1.5	#	CASING (OVERBURDEN)
1.5	7.0	4EG	ALL UNITS FROM PA LOG
7.0	12.8	4EC	
12.8	37.8	5A	(4A)

Drill Hole Report

Record 123 Drill Hole - P53V005

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9755.0	9937.5	1147.6	902942.4	594292.1

Length: 93.0 Section: 20 E / - 2.0
Type: DDH Core: AX Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-44.2	84.1	42.3	AT COLLAR
106.6	-46.0	84.1	42.3	ACID?

LITHOLOGIES

Drill Hole: P53V005
Northing: 9755.0 Easting: 9937.5 Elevation: 1147.6
Length: 93.0 Core: AX

From	To	Unit	Description
.0	6.7	#	CASING - OVERBURDEN
6.7	9.7	4E0 &4	CORE MISSING
9.7	12.2	4EG	CORE MISSING
12.2	13.7	4C0	CORE MISSING
13.7	15.5	4E0	CORE MISSING
15.5	20.4	4EG	CORE MISSING
20.4	43.3	4L0	&7 (5B76) MINOR
43.3	49.4	4G4	
49.4	52.0	4E8	(4G4) 90:10
52.0	58.8	4E1	
58.8	59.0	10Q0	
59.0	64.6	5B9?	CORE MISSING
64.6	86.0	4L7	
86.0	94.2	5B769	(4L7)(10Q0) MINOR
94.2	104.9	4L7	
104.9	105.8	4C0	
105.8	106.6	4A0	
106.6	107.6	4L7	(4H0) 60:40
107.6	110.9	4L7	
110.9	113.4	5B76	

Drill Hole Report

Record 124 Drill Hole - P53V006

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10396.4	9938.7	1136.1	903420.8	593865.3

Length: 35.7 Section: 01 W / - 3.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P53V006
Northing: 10396.4 Easting: 9938.7 Elevation: 1136.1
Length: 35.7 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P53V006
Northing: 10396.4 Easting: 9938.7 Elevation: 1136.1
Length: 35.7 Core: AX

From	To	Unit	Description
.0	13.4	#	CASING (OVERBURDEN)
13.4	15.5	4EG	ALL UNITS FROM PA LOG
15.5	19.5	4L	
19.5	35.7	5A	

Drill Hole Report

Record 125 Drill Hole - P53V007

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10335.3	9939.2	1127.2	903375.6	593906.5

Length: 91.4 Section: 01 E / - 3.0
Type: ODH Core: AX Location: GRUM

Logged by: JGS Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

PC-XPLOR VERSION 1.30 ***
Exploration Data Manager ***
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

*** Curragh Resources In
*** 22:56: 5 Serial no: 20320
25/ 7/90 Page : 406

4461	80.2	81.7	1.5	60	100	-1.00	3.24	1.27	1.97	26.1	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
-1	81.7	91.4	9.7	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P53V007
Northing: 10335.3 Easting: 9939.2 Elevation: 1127.2
Length: 91.4 Core: AX

From	To	Unit	Description
.0	16.2	#	CASING (OVERBURDEN)
16.2	19.2	4EC	CORE MISSING
19.2	24.7	4CD	CORE MISSING
24.7	27.4	4A	CORE MISSING
27.4	29.3	4D	CORE MISSING
29.3	31.4	4EG	CORE MISSING
31.4	33.8	4C	[4L4] CORE MISSING
33.8	36.3	4EG	CORE MISSING
36.3	40.5	4L/3G	CORE MISSING
40.5	45.1	4EG	CORE MISSING
45.1	47.9	4L31	SOME CORE MISSING
47.9	49.1	4E	
49.1	50.9	4L13	
50.9	51.2	4L3	
51.2	52.4	4L0	
52.4	55.2	4L7	
55.2	57.0	4L6	
57.0	58.5	4L01	
58.5	58.8	4L30	
58.8	60.0	4C0	
60.0	61.6	4A0	
61.6	65.8	4L03	
65.8	68.3	4E4	
68.3	70.7	4L03	
70.7	75.0	4L3	
75.0	77.4	4L0	
77.4	80.5	4C	
80.5	81.7	4L01	
81.7	91.4	4A0	(5A0)

Drill Hole Report

Record 126 Drill Hole - P53V008

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9748.9	9877.3	1146.4	902897.8	594251.4

Length: 109.7 Section: 20 E / - 4.0
Type: DDH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-41.7	84.2	42.4	AT COLLAR
103.6	-47.0	84.2	42.4	ACID?

LITHOLOGIES

Drill Hole: P53V008
Northing: 9748.9 Easting: 9877.3 Elevation: 1146.4
Length: 109.7 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	9.1	#	OVERBURDEN
9.1	32.6	5A	ALL UNITS FROM PA LOG
32.6	35.8	4A	
35.8	63.0	4L/3G	
63.0	64.6	4EG	
64.6	82.0	4L/3G	
82.0	84.7	4A	
84.7	85.6	4C	
85.6	87.0	4EC	
87.0	89.9	4A	
89.9	95.1	5A	
95.1	103.6	4A	
103.6	109.7	5A	

Drill Hole Report

Record 127 Drill Hole - P53V009

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9694.1	9943.6	1151.5	902901.1	594337.3

Length: 122.2 Section: 22 E / - 2.0
Type: ODH Core: AX Location: GRUM

Logged by: BVH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-49.5	84.4	42.6	AT COLLAR
122.2	-52.0	84.4	42.6	ACID?

LITHOLOGIES

Drill Hole: P53V009
Northing: 9694.1 Easting: 9943.6 Elevation: 1151.5
Length: 122.2 Core: AX

From	To	Unit	Description
.0	6.4	#	OVERBURDEN
6.4	14.3	5A	CORE MISSING
14.3	18.9	3G	CORE MISSING
18.9	21.3	5A	CORE MISSING
21.3	25.9	4EG ?	[4D] CORE MISSING
25.9	28.7	4E0	CORE MISSING
28.7	31.7	4G4	CORE MISSING
31.7	41.5	4L	CORE MISSING
41.5	44.8	4EG	CORE MISSING
44.8	47.5	4EC	CORE MISSING
47.5	54.3	4L	CORE MISSING
54.3	54.6	5A	CORE MISSING
54.6	58.8	4L7	CORE MISSING
58.8	66.4	4L7	
66.4	68.0	4A7	
68.0	69.2	4D72	
69.2	71.0	4C0	
71.0	91.4	4A0	
91.4	96.9	4L67	
96.9	99.7	4L7	
99.7	103.9	4L6	
103.9	107.3	4A0	
107.3	108.2	4C7	
108.2	116.1	4A0	
116.1	118.6	4A72	
118.6	122.2	4L1	

Drill Hole Report

Record 128 Drill Hole - P53V010

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10270.0	9943.1	1134.3	903329.6	593952.9

Length: 169.2 Section: 03 E / - 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P53V010
Northing: 10270.0 Easting: 9943.1 Elevation: 1134.3
Length: 169.2 Core: AX

From	To	Unit	Description
.0	26.5	#	CASING (OVERBURDEN)
26.5	36.0	4L/3G	NO RECOVERY - 3G/4L SLUDGE
36.0	36.9	4EG	
36.9	56.2	4L/3G	
56.2	61.8	4EG	
61.8	68.0	4L/3G	
68.0	75.0	4EC	
75.0	78.9	4L/3G	
78.9	81.4	4EG	
81.4	82.3	4L	
82.3	86.6	4EG	
86.6	94.8	4EC	
94.8	102.4	4EG	
102.4	103.1	4H	
103.1	120.7	3G/4L	
120.7	127.7	5A	
127.7	169.2	4L/3G	

Drill Hole Report

Record 129 Drill Hole - P53V011

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9819.3	9931.6	1142.8	902986.4	594244.9

Length: 135.6 Section: 18 E / - 2.0
Type: ODH Core: AX Location: GRUM

Logged by: BVH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-44.0	87.5	45.7	AT COLLAR
135.6	-50.0	87.5	45.7	ACID?

LITHOLOGIES

Drill Hole: P53V011
Northing: 9819.3 Easting: 9931.6 Elevation: 1142.8
Length: 135.6 Core: AX

From	To	Unit	Description
.0	7.0	#	OVERBURDEN
7.0	12.2	10Q	CORE MISSING
12.2	16.8	4AC	CORE MISSING
16.8	21.5	4C	CORE MISSING
21.5	24.1	4E	CORE MISSING
24.1	26.7	4EG	CORE MISSING
26.7	27.7	4A	CORE MISSING
27.7	30.8	4C	CORE MISSING
30.8	35.1	4EG	CORE MISSING
35.1	37.8	4EC	CORE MISSING
37.8	40.8	4L	CORE MISSING
40.8	54.6	4L17	
54.6	56.1	4L67	
56.1	58.2	5D0	
58.2	62.2	4L6	
62.2	62.5	4C0	
62.5	64.9	5D0	
64.9	74.1	4L	CORE MISSING
74.1	79.2	4L6	
79.2	81.4	5D0	
81.4	93.6	4L7	
93.6	94.8	4L17	
94.8	95.1	4A0	
95.1	96.9	4E0	
96.9	97.8	4H0	
97.8	98.5	4L1	
98.5	102.1	4A7	
102.1	102.4	4E0	
102.4	108.2	4A1	
108.2	109.7	4C0	
109.7	113.1	4B0	
113.1	114.0	4A0	
114.0	117.3	4L27	
117.3	120.4	4E0	
120.4	130.8	4L27	
130.8	132.0	10Q0	
132.0	135.6	4L6	

Drill Hole Report

Record 130 Drill Hole - P53V012

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9819.1	9930.6	1142.8	902985.5	594244.3

Length: 49.2 Section: 18 E / - 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-68.0	87.5	45.7	AT COLLAR

LITHOLOGIES

Drill Hole: P53V012
Northing: 9819.1 Easting: 9930.6 Elevation: 1142.8
Length: 49.2 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	7.0	#	OVERBURDEN
7.0	20.3	4L/3G	ALL UNITS FROM PA LOG
20.3	21.9	4D ?	
21.9	22.6	4L/3G	
22.6	25.5	4E4	
25.5	28.0	4A	
28.0	30.5	4EG	
30.5	33.0	4EC	
33.0	49.3	4L/3G	

Drill Hole Report

Record 131 Drill Hole - P53V013

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10320.7	9895.5	1125.4	903335.6	593883.7

Length: 117.3 Section: 02 E / - 3.5
Type: ODH Core: AX Location: GRUM

Logged by: JGS Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P53V013
Northing: 10320.7
Length: 117.3

Easting: 9895.5 Elevation: 1125.4
Core: AX

From	To	Unit	Description
.0	21.0	#	CASING (OVERBURDEN)
21.0	25.9	4L	NO RECOVERY - 4L/3G SLUDGE
25.9	28.0	4E4	
28.0	38.1	4L6	
38.1	38.7	4L3	
38.7	39.9	5A0	(4A0)
39.9	41.1	4L6	
41.1	44.5	4L3	
44.5	46.0	4A0	(5A0)
46.0	48.5	4L3	
48.5	50.4	4L03	
50.4	53.3	4E	
53.3	54.9	4C0	
54.9	56.7	4E0	
56.7	59.7	4L6	
59.7	62.8	4A0	
62.8	64.3	5A0	
64.3	75.3	4A0	(5A0)
75.3	76.8	4L7	
76.8	112.7	4L6	
112.7	117.3	5A0	

Drill Hole Report

Record 132 Drill Hole - P53V014

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9817.0	9870.5	1143.0	902943.9	594200.9

Length: 113.1 Section: 18 E / - 4.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-44.0	90.1	48.3	AT COLLAR
106.7	-48.5	90.1	48.3	ACID

ASSAYS

Drill Hole: P53V014
Northing: 9817.0 Easting: 9870.5 Elevation: 1143.0
Length: 113.1 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P53V014
Northing: 9817.0 Easting: 9870.5 Elevation: 1143.0
Length: 113.1 Core: AX

From	To	Unit	Description
.0	2.4	#	CASING (OVERBURDEN)
2.4	9.1	4L	CORE MISSING
9.1	22.3	5A	CORE MISSING
22.3	23.0	4EG	CORE MISSING
23.0	25.0	4L	CORE MISSING
25.0	26.2	4EG	CORE MISSING
26.2	53.0	5A0	
53.0	85.3	4L67	
85.3	89.6	4E0	
89.6	104.5	5A0	
104.5	106.1	4A7	CORE MISSING
106.1	107.0	4A7 &4	
107.0	113.1	5A0	

Drill Hole Report

Record 133 Drill Hole - P54V016

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10273.4	10076.7	1141.8	903421.2	594050.1

Length: 126.8 Section: 03 E / + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V016
Northing: 10273.4 Easting: 10076.7 Elevation: 1141.8
Length: 126.8 Core: AX

From	To	Unit	Description
.0	3.7	#	CASING (OVERBURDEN)
3.7	26.3	3GG	ALL UNITS FROM PA LOG
26.3	31.1	4AO	
31.1	57.5	3G0 &9&6	
57.5	58.2	3G9	&1 MINOR &6 MINOR
58.2	60.4	4AO	
60.4	61.4	4A47	
61.4	66.4	4E4716	
66.4	78.1	4EC	
78.1	80.3	4L1	
80.3	84.9	4EC	
84.9	85.9	4LO	
85.9	88.0	4E17	
88.0	93.9	4C3 &5	
93.9	103.3	4L71	
103.3	107.6	3G6 &9	
107.6	126.8	3G06/4L7	

Drill Hole Report

Record 134 Drill Hole - P54V017

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10234.0	10173.4	1147.8	903456.4	594148.3

Length: 114.6 Section: 04 E / + 5.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V017
Northing: 10234.0 Easting: 10173.4 Elevation: 1147.8
Length: 114.6 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V017
Northing: 10234.0 Easting: 10173.4 Elevation: 1147.8
Length: 114.6 Core: AX

From	To	Unit	Description
.0	2.4	#	CASING (OVERBURDEN)
2.4	36.0	3G	ALL UNITS FROM PA LOG
36.0	50.3	4L	
50.3	54.7	3C4*	
54.7	66.4	4L	
66.4	97.4	3G	
97.4	104.9	3G &9	
104.9	114.6	3G	

Drill Hole Report

Record 135 Drill Hole - P54V019

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10428.8	9727.1	1113.5	903303.8	593686.2

Length: 140.5 Section: 02 W / - 9.0
Type: ODH Core: AX Location: GRUM

Logged by: GAJ/LCP Date: 840813
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V019
Northing: 10428.8 Easting: 9727.1 Elevation: 1113.5
Length: 140.5 Core: AX

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 140.5	140.5	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P54V019
Northing: 10428.8 Easting: 9727.1 Elevation: 1113.5
Length: 140.5 Core: AX

From	To	Unit	Description
.0	13.1	#	
13.1	17.7	#	GRANITE BOULDERS
17.7	45.7	5B20	(5A1 &3) 90:10
45.7	96.0	5A6	&1 BORDERLINE (5D0 &4) MINOR
96.0	100.6	5E21	(5B20) (5A16) 50:30:20
100.6	104.2	5A16	-> (5B62) UPHOLE
104.2	112.2	5A16	NO CORE
112.2	140.5	5A16	(5A3) MINOR (5D0 &4) MINOR

Drill Hole Report

Record 136 Drill Hole - P54V021

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10243.9	9817.5	1144.8	903226.4	593876.8

Length: 111.9 Section: 04 E / - 5.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V021
Northing: 10243.9 Easting: 9817.5 Elevation: 1144.8
Length: 111.9 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V021
Northing: 10243.9 Easting: 9817.5 Elevation: 1144.8
Length: 111.9 Core: AX

From	To	Unit	Description
.0	36.0	#	CASING (OVERBURDEN)
36.0	46.0	5A	ALL UNITS FROM PA LOG
46.0	60.5	4L/3G	
60.5	61.0	4A	
61.0	65.1	4D	
65.1	69.3	5A	
69.3	70.4	4L	
70.4	72.4	4C	
72.4	73.3	4L	
73.3	92.5	5A	
92.5	96.3	4L	
96.3	111.9	5A	

Drill Hole Report

Record 137 Drill Hole - P54V022

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10366.1	9818.3	1130.0	903317.9	593795.9

Length: 104.2 Section: 00 W / - 5.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP/GAJ Date: 840800
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V022
Northing: 10366.1 Easting: 9818.3 Elevation: 1130.0
Length: 104.2 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 104.2	104.2	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P54V022
Northing: 10366.1 Easting: 9818.3 Elevation: 1130.0
Length: 104.2 Core: AX

From	To	Unit	Description
.0	27.4	#	
27.4	53.0	3G9	&0
53.0	56.1	3F9	
56.1	77.1	3G9	&0 &3
77.1	84.7	3G9	&3 MINOR
84.7	94.5	3E16	V MINOR
94.5	104.2	3E16	

Drill Hole Report

Record 138 Drill Hole - P54V023

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10305.6	9664.1	1136.8	903170.1	593721.4

Length: 102.1 Section: 02 E / - 11.0
Type: ODH Core: AX Location: GRUM

Logged by: GAJ/LCP Date: 840812
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V023
Northing: 10305.6 Easting: 9664.1 Elevation: 1136.8
Length: 102.1 Core: AX

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 102.1	102.1	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P54V023
Northing: 10305.6 Easting: 9664.1 Elevation: 1136.8
Length: 102.1 Core: AX

From	To	Unit	Description
.0	34.7	#	
34.7	71.0	5A6	&1 [3G9 &1]
71.0	82.3	3G93	&0 &1 (3F9) 90:10
82.3	82.9	3G93	
82.9	92.4	3G9	NO CORE
92.4	100.6	3G9	&3
100.6	102.1	5A61	

Drill Hole Report

Record 139 Drill Hole - P54V024

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10378.6	9574.8	1123.1	903164.9	593606.2

Length: 107.0 Section: 00 W / - 14.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP/GAJ Date: 840000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V024
Northing: 10378.6 Easting: 9574.8 Elevation: 1123.1
Length: 107.0 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 107.0	107.0	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P54V024
Northing: 10378.6 Easting: 9574.8 Elevation: 1123.1
Length: 107.0 Core: AX

From	To	Unit	Description
.0	39.9	#	
39.9	98.3	5A16	9 V MINOR
98.3	99.1	5D0	
99.1	104.5	5A16	
104.5	106.7	5A16	&3 V MINOR
106.7	107.0	3F9	

Drill Hole Report

Record 140 Drill Hole - P54V025

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10335.5	10146.9	1158.1	903514.3	594060.9

Length: 338.9 Section: 00 W / + 4.5
Type: ODH Core: AX Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
338.9	-61.0	104.8	63.0	ACID DIP

ASSAYS

Drill Hole: P54V025
Northing: 10335.5 Easting: 10146.9 Elevation: 1158.1
Length: 338.9 Core: AX

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
-1	-1.0 -1.0	-1.0	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P54V025
 Northing: 10335.5 Easting: 10146.9 Elevation: 1158.1
 Length: 338.9 Core: AX

From	To	Unit	Description
.0	6.1	#	CASING (OVERBURDEN)
6.1	13.4	3G07	[5B67]
13.4	24.7	3G9	SOME CORE MISSING
24.7	27.7	3E0	
27.7	29.3	3G9	
29.3	32.0	3G7	
32.0	40.8	3G6	[4L7]
40.8	53.0	3G0	
53.0	58.2	3G6	[4L7]
58.2	58.5	3G0	
58.5	67.4	NO CORE	
67.4	68.3	3C0	
68.3	79.6	3G0	
79.6	87.5	3G6	[4L7]
87.5	90.8	3G0	
90.8	96.6	3G9	
96.6	145.1	3G0	
145.1	147.8	3G0	&BXA
147.8	150.8	3G0	&BIO SOME CORE MISSING
150.8	152.6	10E3	CORE MISSING
152.6	160.0	3G0	
160.0	160.9	10E	
160.9	229.2	3G0	
229.2	235.5	3E0	
235.5	249.6	3G0	
249.6	253.3	3E0	
253.3	256.9	3G0	
256.9	262.4	3E3	
262.4	267.6	3G9	
267.6	269.7	3E0	
269.7	272.5	3G9	
272.5	277.5	3E0	
277.5	280.1	3G9	
280.1	283.8	3E3	
283.8	289.9	3G9	
289.9	290.8	3E3	
290.8	338.9	3E1	SOME CORE MISSING

Drill Hole Report

Record 141 Drill Hole - P54V029

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10425.7	10122.0	1162.1	903564.8	593982.3

Length: 153.0 Section: 02 W / + 4.0
Type: ODH Core: AX Location: GRUM

Logged by: BVH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V029
Northing: 10425.7 Easting: 10122.0 Elevation: 1162.1
Length: 153.0 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V029
Northing: 10425.7 Easting: 10122.0 Elevation: 1162.1
Length: 153.0 Core: AX

From	To	Unit	Description
.0	15.8	#	CASING - OVERBURDEN
15.8	26.5	5B6	
26.5	29.3	4L0	
29.3	50.3	5B7	
50.3	58.2	4L6	
58.2	58.8	10Q0	
58.8	70.1	4L6	
70.1	75.9	4L0	(4L7) MINOR
75.9	80.8	4L6	
80.8	84.7	5A0	(4L6) [5B2]
84.7	122.2	4L6	
122.2	122.8	4L4	
122.8	130.8	4L7	SOME CORE MISSING
130.8	142.3	4L6	SOME CORE MISSING
142.3	151.5	4L7	
151.5	153.0	5B6	

Drill Hole Report

Record 142 Drill Hole - P54V031

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10484.8	10123.8	1172.3	903610.0	593944.3

Length: 67.4 Section: 04 W / + 4.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V031
Northing: 10484.8 Easting: 10123.8 Elevation: 1172.3
Length: 67.4 Core: AX/EX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V031
Northing: 10484.8
Length: 67.4

Easting: 10123.8 Elevation: 1172.3
Core: AX/EX

From	To	Unit	Description
----	---	----	-----
.0	1.5	#	CASING - OVERBURDEN
1.5	29.9	5A	ALL UNITS FROM PA LOG
29.9	32.9	3G9	[5B2]
32.9	35.4	4C3	[4L24]
35.4	39.9	4L/3G	
39.9	47.2	NO CORE	NO RECOVERY - SUSPECTED FAULT ZONE
47.2	48.8	4L	[5D]
48.8	51.8	4L4	
51.8	55.5	4L	[5D]
55.5	67.4	5A	

Drill Hole Report

Record 143 Drill Hole - P54V032

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10488.9	10062.5	1162.7	903572.3	593895.8

Length: 117.7 Section: 04 W / + 2.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V032
Northing: 10488.9 Easting: 10062.5 Elevation: 1162.7
Length: 117.7 Core: AX/EX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V032
Northing: 10488.9 Easting: 10062.5 Elevation: 1162.7
Length: 117.7 Core: AX/EX

From	To	Unit	Description
.0	6.1	#	CASING - OVERBURDEN
6.1	23.2	5A	ALL UNITS FROM PA LOG
23.2	24.7	NO CORE	NO RECOVERY
24.7	29.3	5A	
29.3	32.3	NO CORE	NO RECOVERY
32.3	35.4	5A	
35.4	36.9	NO CORE	NO RECOVERY
36.9	44.5	5A	VERY POOR RECOVERY
44.5	45.7	4L	[5D]
45.7	67.7	5A	
67.7	72.7	4L	[5D] (5A)
72.7	108.5	5A	
108.5	117.7	3G9	[5B2] (5A) 60:40

Drill Hole Report

Record 144 Drill Hole - P54V034

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10487.3	10182.7	1185.0	903651.3	593986.4

Length: 78.0 Section: 04 W / + 6.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V034
Northing: 10487.3 Easting: 10182.7 Elevation: 1185.0
Length: 78.0 Core: AX/EX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V034
Northing: 10487.3 Easting: 10182.7 Elevation: 1185.0
Length: 78.0 Core: AX/EX

From	To	Unit	Description
.0	6.4	#	CASING - OVERBURDEN
6.4	21.0	5B2	[3G9] ALL UNITS FROM PA LOG
21.0	22.9	5A	
22.9	40.5	5B2	[3G9] (5A)
40.5	44.8	5A1	[4A]
44.8	49.1	4E0	
49.1	56.7	3G/4L	(5A) LOCALLY POOR RECOVERY
56.7	72.2	3G	[5B] (10Q#)
72.2	73.8	NO CORE	NO RECOVERY
73.8	75.6	4C0	[4L2]
75.6	78.0	5A	

Drill Hole Report

Record 145 Drill Hole - P54V036

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10425.0	10183.5	1173.6	903605.3	594028.6

Length: 104.5 Section: 02 W / + 6.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V036
Northing: 10425.0 Easting: 10183.5 Elevation: 1173.6
Length: 104.5 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V036
Northing: 10425.0 Easting: 10183.5 Elevation: 1173.6
Length: 104.5 Core: AX

From	To	Unit	Description
.0	18.9	#	CASING (OVERBURDEN)
18.9	21.8	5A	ALL UNITS FROM PA LOG
21.8	23.8	4E4	
23.8	42.4	3G	
42.4	71.9	3G/4L	
71.9	104.5	3G	

Drill Hole Report

Record 146 Drill Hole - P54V037

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10547.3	10183.3	1188.4	903696.2	593946.9

Length: 134.7 Section: 06 W / + 6.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: LCP/GAJ Date: 840800
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V037
Northing: 10547.3 Easting: 10183.3 Elevation: 1188.4
Length: 134.7 Core: AX/EX

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 134.7	134.7	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P54V037
Northing: 10547.3 Easting: 10183.3 Elevation: 1188.4
Length: 134.7 Core: AX/EX

From	To	Unit	Description
.0	3.4	#	
3.4	6.9	5D0	
6.9	14.8	5A6	&1 MINOR [3E0 &1]
14.8	21.3	3G48	[4L67 MINOR] (5C37)
21.3	29.3	5D\$	(5A6) (4L6 WEAK) 90:05:05
29.3	30.8	5B26	[3G9]
30.8	41.5	5A16	9 -> (4A0) MINOR
41.5	50.3	5A6	-> 5A16 &3 MINOR DOWNHOLE
50.3	51.8	5D0	
51.8	56.7	5A16	&3
56.7	68.0	4L6	WEAK[5B648](5D6&BIO)(5C\$7&3)
68.0	73.5	5C\$7	&3
73.5	74.1	3G48	[5B648] [4L6 WEAK]
74.1	77.7	5D0	
77.7	84.1	3G48	[4L6] (5CD?) NO CORE
84.1	87.5	10Q#	(5C37)?
87.5	90.2	4L67	V MINOR [3G48]
90.2	93.3	4L67	24
93.3	93.7	4L67	V MINOR
93.7	115.2	3G0	
115.2	118.9	5A69	MINOR
118.9	128.0	3G0	&9 MINOR
128.0	134.7	3G0	(3F9) (3E1) 80:10:10

Drill Hole Report

Record 147 Drill Hole - P54V038

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10180.1	10125.3	1141.4	903384.1	594148.5

Length: 132.6 Section: 06 E / + 4.0
Type: ODH Core: AX Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V038
Northing: 10180.1 Easting: 10125.3 Elevation: 1141.4
Length: 132.6 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V038
Northing: 10180.1 Easting: 10125.3 Elevation: 1141.4
Length: 132.6 Core: AX

From	To	Unit	Description
.0	14.3	#	CASING (OVERBURDEN)
14.3	21.4	5B61	[3G1]
21.4	48.8	5A19	(4A0) 90:10
48.8	57.3	4A0	
57.3	73.5	5B61	
73.5	90.2	4L7	
90.2	132.6	3G189	SOME CORE MISSING

Drill Hole Report

Record 148 Drill Hole - P54V039

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10487.3	10244.0	1188.2	903692.0	594032.0

Length: 101.8 Section: 04 W / + 8.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V039
Northing: 10487.3
Length: 101.8

Easting: 10244.0
Core: AX/EX
Elevation: 1188.2

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
----------	--------------	-------	-------	-----------	-----------	-----------	---------	------	------	-----------	-----------	--------	---------	------	------	-------	------

LITHOLOGIES

Drill Hole: P54V039
Northing: 10487.3 Easting: 10244.0 Elevation: 1188.2
Length: 101.8 Core: AX/EX

From	To	Unit	Description
.0	6.4	#	CASING - OVERBURDEN
6.4	24.7	5A	ALL UNITS FROM PA LOG
24.7	40.2	3G9	[5B2]
40.2	43.3	5A	
43.3	49.1	3G	[5B]
49.1	58.4	5A	(3G9) 50:50
58.4	61.3	3G9	[5B2]
61.3	66.1	5A	(3G [5B]) POOR RECOVERY
66.1	76.5	3G9	[5B2] ONLY 1.8 M RECOVERED
76.5	79.6	5A	ONLY 0.5 M RECOVERED
79.6	101.8	3G	

Drill Hole Report

Record 149 Drill Hole - P54V040

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9939.3	9938.0	1151.2	903080.0	594169.6

Length: 148.4 Section: 14 E / - 2.0
Type: DDH Core: AX Location: GRUM

Logged by: JGS Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V040
Northing: 9939.3 Easting: 9938.0 Elevation: 1151.2
Length: 148.4 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	16.4	#	OVERBURDEN
16.4	16.7	5A	
16.7	19.5	4EG	
19.5	25.9	4L/3G	
25.9	29.4	4E	
29.4	35.5	4L0	
35.5	36.9	4E07	
36.9	38.4	4L0	
38.4	41.5	4A0	
41.5	43.0	4L4	
43.0	44.5	4A4	
44.5	80.8	4L07	
80.8	85.6	4A0	
85.6	87.8	4A3	
87.8	89.6	5A	
89.6	91.4	4A	
91.4	94.5	5A3	
94.5	95.4	4A0	
95.4	96.0	4C0	
96.0	97.2	4A0	
97.2	99.4	4L0	
99.4	100.9	4A0	
100.9	103.0	4L0	
103.0	104.5	4C0	
104.5	106.4	4E0	
106.4	109.1	5A23	
109.1	109.7	4L6	
109.7	126.2	4A0	
126.2	127.4	4L0	
127.4	130.5	4A0	
130.5	131.1	4C0	
131.1	131.7	4A0	
131.7	138.7	4L0	
138.7	148.4	4L6	

Drill Hole Report

Record 150 Drill Hole - P54V041

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10547.6	10244.7	1194.6	903737.4	593992.3

Length: 106.1 Section: 06 W / + 8.0
Type: ODH Core: AX Location: GRUM

Logged by: GAJ/LCP Date: 840814
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V041
Northing: 10547.6 Easting: 10244.7 Elevation: 1194.6
Length: 106.1 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 106.1	106.1	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P54V041
Northing: 10547.6 Easting: 10244.7 Elevation: 1194.6
Length: 106.1 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	2.7	#	
2.7	47.4	3G09	
47.4	71.0	5C37	&4 (4L0) (3G09 &8) 50:25:25
71.0	86.3	4L17	24 -> (4L726 &1) DOWNHOLE
86.3	87.5	4L67	4
87.5	106.1	4L76	&2&4 MIN->(4L01726WK)(5CD)MIN

Drill Hole Report

Record 151 Drill Hole - P54V042

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9939.1	9876.5	1140.5	903038.9	594123.9

Length: 102.4 Section: 14 E / - 4.0
Type: DDH Core: AX Location: GRUM

Logged by: BVH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V042
Northing: 9939.1 Easting: 9876.5 Elevation: 1140.5
Length: 102.4 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	12.8	#	CASING (OVERBURDEN)
12.8	20.1	4L6	
20.1	21.6	4E7	
21.6	35.1	4L124	
35.1	36.6	4L6	
35.1	41.1	5A0	
41.1	43.3	4C7	
43.3	43.6	4L0	
41.1	44.2	4C7	
44.2	45.7	4L7	
44.2	47.2	4C0	
47.2	54.9	5A9	
54.9	64.6	4L1	
64.6	65.5	4A0	
65.5	67.1	4C0	
67.1	102.4	5A0	

Drill Hole Report

Record 152 Drill Hole - P54V043

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9878.9	9938.5	1146.7	903035.4	594210.3

Length: 103.6 Section: 16 E / - 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V043
Northing: 9878.9 Easting: 9938.5 Elevation: 1146.7
Length: 103.6 Core: AX

Sample	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
#	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V043
Northing: 9878.9 Easting: 9938.5 Elevation: 1146.7
Length: 103.6 Core: AX

From	To	Unit	Description
.0	12.8	#	CASING (OVERBURDEN)
12.8	16.5	4L/3G	ALL UNITS FROM PA LOG
16.5	18.6	4E	[4L2]
18.6	21.6	4L4	
21.6	23.2	5A	
23.2	26.2	4E	
26.2	39.4	4L	
39.4	43.3	4E	
43.3	62.5	4L/3G	
62.5	65.2	4A	
65.2	76.4	4L	
76.4	77.7	4A	
77.7	79.2	4C	
79.2	82.3	4A	
82.3	103.6	5A	

Drill Hole Report

Record 153 Drill Hole - P54V044

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9878.5	9999.0	1156.7	903075.4	594255.6

Length: 149.0 Section: 16 E / + 0.0
Type: DDH Core: AX Location: GRUM

Logged by: LCP Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V044
Northing: 9878.5 Easting: 9999.0 Elevation: 1156.7
Length: 149.0 Core: AX

From	To	Unit	Description
.0	17.9	#	OVERBURDEN
17.9	21.3	4E487	
21.3	27.4	4E781	
27.4	42.4	4C378	
42.4	43.3	4L47	
43.3	45.1	4L6	
45.1	53.3	4L76	
53.3	56.7	4L78	
56.7	63.7	4L0	
63.7	72.2	4L6	
43.3	82.0	4L76	CORE MISSING
82.0	83.2	4L76	
83.2	86.3	4C378	
86.3	89.3	4A07	
89.3	92.4	4C07	
92.4	97.2	4L76	
97.2	102.7	4A0	
102.7	107.0	4L07	
107.0	134.4	4L6	
134.4	149.0	4L6	CORE MISSING

Drill Hole Report

Record 154 Drill Hole - P54V048

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10234.9	9873.8	1145.2	903257.3	593924.8

Length: 116.1 Section: 05 E / - 4.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V048
Northing: 10234.9
Length: 116.1

Easting: 9873.8
Core: AX/EX
Elevation: 1145.2

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V048
Northing: 10234.9 Easting: 9873.8 Elevation: 1145.2
Length: 116.1 Core: AX/EX

From	To	Unit	Description
.0	36.6	#	CASING (OVERBURDEN)
36.6	51.5	4L/3G	ALL UNITS FROM PA LOG
51.5	52.0	4H	
52.0	57.7	3G9	
57.7	62.5	4E4	
62.5	72.2	4L	
72.2	82.3	3G	
82.3	96.9	4L	
96.9	97.7	4A	
97.7	102.4	3G9	
102.4	116.1	4L/3G	

Drill Hole Report

Record 155 Drill Hole - P54V051

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9812.5	9732.8	1145.2	902848.7	594101.4

Length: 89.9 Section: 18 E / - 9.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP/GAJ Date: 840828
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V051
Northing: 9812.5 Easting: 9732.8 Elevation: 1145.2
Length: 89.9 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 89.9	89.9	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P54V051
Northing: 9812.5 Easting: 9732.8 Elevation: 1145.2
Length: 89.9 Core: AX

From	To	Unit	Description
.0	8.2	#	
8.2	15.5	4E8 &4	
15.5	20.1	3G9	(5A)
20.1	26.2	5A ?	NO CORE
26.2	30.8	5A ?	POOR RECOVERY
30.8	46.0	3G9	
46.0	89.9	5A61	

Drill Hole Report

Record 156 Drill Hole - P54V052

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9939.6	9999.2	1162.4	903121.0	594215.0

Length: 167.6 Section: 14 E / + 0.0
Type: DDH Core: AX Location: GRUM

Logged by: DSJ Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V052
Northing: 9939.6 Easting: 9999.2 Elevation: 1162.4
Length: 167.6 Core: AX

From	To	Unit	Description
.0	32.0	#	CASING (OVERBURDEN)
32.0	37.6	4EG	CORE MISSING
37.6	39.6	4E0	CORE MISSING
39.6	41.1	4C0	CORE MISSING
41.1	45.7	4C83	[4E18] CORE MISSING
45.7	47.2	4E4	CORE MISSING
47.2	55.6	4C0	
55.6	56.2	4E0	
56.2	56.6	4C0	
56.6	60.0	4E0	
60.0	65.5	4L0	
65.5	65.8	4L7	
65.8	66.3	4L72	[4H2]
66.3	71.7	4L7	
71.7	77.7	4L17	
77.7	87.8	4L67	
87.8	105.8	4L7	
105.8	107.3	4CE7	
107.3	109.7	4A7	
109.7	112.8	4L7	
112.8	121.9	4A0	SOME CORE MISSING
121.9	131.4	4L7	SOME CORE MISSING
131.4	131.8	4L72	
131.8	133.8	4L7	
133.8	136.5	4L72	
136.5	167.6	4L67	

Drill Hole Report

Record 157 Drill Hole - P54V054

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9627.8	9825.1	1153.2	902772.8	594293.3

Length: 109.7 Section: 24 E / - 6.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V054
Northing: 9627.8 Easting: 9825.1 Elevation: 1153.2
Length: 109.7 Core: AX

From	To	Unit	Description
.0	8.2	#	CASING (OVERBURDEN)
8.2	19.2	4E8 &4	ALL UNITS FROM PA LOG
19.2	21.0	5A1	
21.0	24.1	4C	
24.1	30.8	3G9	
30.8	31.4	4L	
31.4	34.7	4E4	
34.7	42.7	5A	
42.7	47.2	4C	
47.2	78.6	5A	
78.6	82.6	3G9	(5A)
82.6	83.8	4L	
83.8	109.7	3G9	[3G]

Drill Hole Report

Record 158 Drill Hole - P54V056

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9939.2	10060.7	1168.5	903161.8	594261.1

Length: 148.7 Section: 14 E / + 2.0
Type: DDH Core: AX Location: GRUM

Logged by: DSJ Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V056
Northing: 9939.2 Easting: 10060.7 Elevation: 1168.5
Length: 148.7 Core: AX

From	To	Unit	Description
.0	26.8	#	CASING (OVERBURDEN)
26.8	31.1	4EG	
31.1	37.2	4EC	
37.2	51.8	4C098	
51.8	61.0	4L172	
61.0	70.4	4L7	
70.4	72.8	4L6	
72.8	81.4	4L7	
81.4	104.4	4L65	
104.5	105.2	4C0	(4H0)
105.2	107.6	4C74	
107.6	110.0	4H0	(4C0)
110.0	111.9	4L7	
111.9	124.1	4L67	
124.1	125.0	4L17	
125.0	126.2	4C0	(4H0)
126.2	126.8	4L17	
126.8	147.8	4L67	
147.8	148.7	4A0	

Drill Hole Report

Record 159 Drill Hole - P54V058

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9691.1	9911.3	1149.4	902877.3	594315.2

Length: 96.6 Section: 22 E / - 3.0
Type: ODH Core: AX Location: GRUM

Logged by: JGS Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V058
Northing: 9691.1 Easting: 9911.3 Elevation: 1149.4
Length: 96.6 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V058
Northing: 9691.1 Easting: 9911.3 Elevation: 1149.4
Length: 96.6 Core: AX

From	To	Unit	Description
.0	4.6	#	CASING (OVERBURDEN)
4.6	16.8	4EG	CORE MISSING
16.8	18.6	4EO	CORE MISSING
18.6	21.0	4A	CORE MISSING
21.0	22.6	4C	[4L1] CORE MISSING
22.6	38.1	4L	CORE MISSING
38.1	46.0	4L6	
46.0	79.9	5A3	
79.9	81.4	4L6	
81.4	88.4	5A3	
88.4	96.6	5A6	

Drill Hole Report

Record 160 Drill Hole - P54V059

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9467.1	10288.5	1177.6	902962.1	594745.4

Length: 140.5 Section: 30 E / + 10.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: LCP/GAJ Date: 840800
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V059
Northing: 9467.1 Easting: 10288.5 Elevation: 1177.6
Length: 140.5 Core: AX/EX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 140.5	140.5	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P54V059
Northing: 9467.1 Easting: 10288.5 Elevation: 1177.6
Length: 140.5 Core: AX/EX

From	To	Unit	Description
.0	9.1	#	
9.1	12.5	4L07	9 MINOR
12.5	26.2	3G4	MINOR -> (4L0) 80:20
26.2	51.8	4L02	7
51.8	76.2	4L6	WEAK
76.2	102.1	4L6	[3G48]
102.1	118.9	4L06	WEAK [4L0]
118.9	140.5	3G9	

Drill Hole Report

Record 161 Drill Hole - P54V061

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10001.2	9877.1	1143.7	903085.4	594083.0

Length: 158.5 Section: 12 E / - 4.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V061
Northing: 10001.2 Easting: 9877.1 Elevation: 1143.7
Length: 158.5 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V061
Northing: 10001.2 Easting: 9877.1 Elevation: 1143.7
Length: 158.5 Core: AX

From	To	Unit	Description
.0	17.4	#	CASING (OVERBURDEN)
17.4	41.1	3G	ALL UNITS FROM PA LOG
41.1	50.6	5A	
50.6	53.0	4C	
53.0	81.7	5A	
81.7	90.3	3G9	
90.3	118.3	5A	
118.3	126.2	3G9	
126.2	137.8	5A	
137.8	139.3	4A	
139.3	141.0	5A	
141.0	143.9	4C7	[4L17]
143.9	145.4	4A7	
145.4	146.9	4C7	[4L17]
146.9	158.5	3G	

Drill Hole Report

Record 162 Drill Hole - P54V062

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9402.4	10142.5	1170.4	902816.5	594679.9

Length: 130.1 Section: 32 E / + 5.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V062
Northing: 9402.4 Easting: 10142.5 Elevation: 1170.4
Length: 130.1 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V062
Northing: 9402.4 Easting: 10142.5 Elevation: 1170.4
Length: 130.1 Core: AX

<u>From</u>	<u>To</u>	<u>Unit</u>	<u>Description</u>
.0	25.0	#	CASING (OVERBURDEN)
25.0	96.4	4L/3G	ALL UNITS FROM PA LOG
96.4	99.4	5A	BXA
99.4	107.9	4L	& BXA
107.9	130.1	3G	

Drill Hole Report

Record 163 Drill Hole - P54V064

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10122.6	9876.6	1151.5	903175.5	594001.7

Length: 157.3 Section: 08 E / - 4.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V064
Northing: 10122.6
Length: 157.3

Easting: 9876.6
Core: AX
Elevation: 1151.5

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V064
Northing: 10122.6 Easting: 9876.6 Elevation: 1151.5
Length: 157.3 Core: AX

From	To	Unit	Description
.0	42.7	#	CASING (OVERBURDEN)
42.7	48.2	5A	(3G9) ALL UNITS FROM PA LOG
48.2	54.2	4L/3G	
54.2	54.5	4E	
54.5	61.2	4L/3G	
61.2	61.7	4A	
61.7	67.1	4E0	
67.1	68.6	5A	
68.6	90.2	4L	
90.2	94.2	4A	
94.2	105.2	4L/3G	
105.2	112.8	4A	
112.8	114.3	4E0	
114.3	115.8	4A	
115.8	116.4	4E0	
116.4	150.3	5A	
150.3	157.3	3G	

Drill Hole Report

Record 164 Drill Hole - P54V065

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9222.8	10132.4	1171.6	902676.1	594792.1

Length: 91.7 Section: 38 E / + 4.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V065
Northing: 9222.8 Easting: 10132.4 Elevation: 1171.6
Length: 91.7 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V065
Northing: 9222.8 Easting: 10132.4 Elevation: 1171.6
Length: 91.7 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	5.2	#	CASING (OVERBURDEN)
5.2	16.3	4L	ALL UNITS FROM PA LOG
16.3	18.6	4H	
18.6	52.1	4L	
52.1	91.7	3G	

Drill Hole Report

Record 165 Drill Hole - P54V066

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10060.5	10122.3	1158.9	903293.1	594226.0

Length: 103.9 Section: 10 E / + 4.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: BVH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V066
Northing: 10060.5 Easting: 10122.3 Elevation: 1158.9
Length: 103.9 Core: AX/EX

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
----------	--------------	-------	-------	-----------	-----------	-----------	---------	------	------	-----------	-----------	--------	---------	------	------	-------	------

LITHOLOGIES

Drill Hole: P54V066
Northing: 10060.5
Length: 103.9

Easting: 10122.3 Elevation: 1158.9
Core: AX/EX

From	To	Unit	Description
.0	27.4	#	CASING (OVERBURDEN)
27.4	33.8	4L7	
33.8	35.4	4L674	
35.4	36.0	4L7	
36.0	37.2	4A0	
37.2	38.4	4L0	
38.4	103.9	4L7	SOME CORE MISSING

Drill Hole Report

Record 166 Drill Hole - P54V067

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8869.0	10323.7	1174.3	902540.3	595170.4

Length: 220.4 Section: 49 E / + 11.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V067
Northing: 8869.0 Easting: 10323.7 Elevation: 1174.3
Length: 220.4 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V067
Northing: 8869.0 Easting: 10323.7 Elevation: 1174.3
Length: 220.4 Core: AX

From	To	Unit	Description
.0	4.6	#	CASING (OVERBURDEN)
4.6	97.8	3G	ALL UNITS FROM PA LOG
97.8	152.4	5A	
152.4	177.1	3G & 9	
177.1	195.4	5A	
195.4	201.5	3G9	(5A)
201.5	205.7	3C	
205.7	213.1	5A	(3G9)
213.1	214.0	3C	
214.0	220.4	3G9	

Drill Hole Report

Record 167 Drill Hole - P54V068

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9878.5	10060.9	1165.9	903116.7	594301.6

Length: 128.6 Section: 16 E / + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V068
Northing: 9878.5 Easting: 10060.9 Elevation: 1165.9
Length: 128.6 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V068
Northing: 9878.5 Easting: 10060.9 Elevation: 1165.9
Length: 128.6 Core: AX

From	To	Unit	Description
.0	17.4	#	CASING (OVERBURDEN)
17.4	34.1	4EC	ALL UNITS FROM PA LOG
34.1	97.8	4L/3G	
97.8	99.1	4H	
99.1	128.6	3G/4L	

Drill Hole Report

Record 168 Drill Hole - P54V069

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9939.1	10122.3	1170.6	903202.7	594307.0

Length: 116.1 Section: 14 E / + 4.0
Type: ODH Core: AX Location: GRUM

Logged by: BVH/DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V069
Northing: 9939.1 Easting: 10122.3 Elevation: 1170.6
Length: 116.1 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V069
Northing: 9939.1 Easting: 10122.3 Elevation: 1170.6
Length: 116.1 Core: AX

From	To	Unit	Description
----	---	----	-----
.0	25.6	#	CASING (OVERBURDEN)
25.6	38.7	4L7	
38.7	39.0	5B2	
39.0	39.9	4L7	
39.9	40.2	5B2	
40.2	40.5	4H0	
40.5	51.5	5B6	
51.5	53.0	5D6	
53.0	54.9	5B2	
54.9	55.5	5D3	
55.5	64.9	5B6	
64.9	75.6	4L67	
75.6	99.1	4L7	
99.1	99.4	5B6	
99.4	100.0	4L7	
100.0	116.1	5B6	

Drill Hole Report

Record 169 Drill Hole - P54V070

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8667.5	10082.5	1152.1	902229.3	595125.2

Length: 102.4 Section: 49 E / + 3.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V070
Northing: 8667.5 Easting: 10082.5 Elevation: 1152.1
Length: 102.4 Core: AX/EX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V070
Northing: 8667.5 Easting: 10082.5 Elevation: 1152.1
Length: 102.4 Core: AX/EX

From	To	Unit	Description
----	--	----	-----
.0	5.5	#	CASING (OVERBURDEN)
5.5	9.4	4E4	ALL UNITS FROM PA LOG
9.4	11.0	4L	
11.0	12.5	4H	
12.5	102.4	4L/3G	

Drill Hole Report

Record 170 Drill Hole - P54V072

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9817.2	9999.1	1148.0	903029.8	594296.5

Length: 121.6 Section: 18 E / + 0.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V072
Northing: 9817.2 Easting: 9999.1 Elevation: 1148.0
Length: 121.6 Core: AX

From	To	Unit	Description
.0	9.3	#	OVERBURDEN
9.3	121.6	----	NOT LOGGED BY CAMC/CRI

Drill Hole Report

Record 171 Drill Hole - P54V073

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8614.6	10164.6	1149.9	902244.4	595221.3

Length: 104.5 Section: 57 E / + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V073
Northing: 8614.6 Easting: 10164.6 Elevation: 1149.9
Length: 104.5 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V073
Northing: 8614.6 Easting: 10164.6 Elevation: 1149.9
Length: 104.5 Core: AX

From	To	Unit	Description
.0	3.4	#	CASING (OVERBURDEN)
3.4	4.9	4C	ALL UNITS FROM PA LOG
4.9	6.4	4A	
6.4	7.9	4H	
7.9	8.8	4A	
8.8	93.4	4L/3G	
93.4	104.5	3G9	

Drill Hole Report

Record 172 Drill Hole - P54V074

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9756.3	10060.8	1152.6	903025.6	594383.1

Length: 108.5 Section: 20 E / + 2.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V074
Northing: 9756.3 Easting: 10060.8 Elevation: 1152.6
Length: 108.5 Core: AX/EX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V074
Northing: 9756.3 Easting: 10060.8 Elevation: 1152.6
Length: 108.5 Core: AX/EX

From	To	Unit	Description
.0	8.2	#	CASING (OVERBURDEN)
8.2	62.8	3G/4L	ALL UNITS FROM PA LOG
62.8	64.9	4H	
64.9	108.5	3G	

Drill Hole Report

Record 173 Drill Hole - P54V075

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9757.0	9999.4	1150.9	902985.2	594336.9

Length: 132.9 Section: 20 E / + 0.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: LCP Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V075
Northing: 9757.0 Easting: 9999.4 Elevation: 1150.9
Length: 132.9 Core: AX/EX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V075
Northing: 9757.0 Easting: 9999.4 Elevation: 1150.9
Length: 132.9 Core: AX/EX

From	To	Unit	Description
.0	7.6	#	CASING (OVERBURDEN)
7.6	9.1	4EG ?	NO CORE ALL UNITS FROM PA LOG
9.1	15.2	4EG	
15.2	18.6	4E1	
18.6	20.1	4A0	
20.1	24.1	4E1	
24.1	31.1	4C7	
31.1	32.6	4L12	
32.6	35.0	4A0	
35.0	58.5	4L0	
58.5	73.1	4L76	
73.1	78.6	4L6	
78.6	79.8	4E7	
79.8	80.5	4A0	
80.5	90.2	4L706	
90.2	105.0	4L6	
105.0	132.9	3G	CORE MISSING

Drill Hole Report

Record 174 Drill Hole - P54V076

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8421.5	10445.1	1145.4	902287.9	595559.3

Length: 111.6 Section: 64 E / + 15.0
Type: ODH Core: AX Location: GRUM

Logged by: GAJ/LCP Date: 840813
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V076
Northing: 8421.5 Easting: 10445.1 Elevation: 1145.4
Length: 111.6 Core: AX

From	To	Unit	Description
.0	6.1	#	
6.1	9.9	5C	NO CORE
9.9	12.3	3G	[5B] NO CORE
12.3	16.8	5C	(3G [5B]) NO CORE
16.8	30.8	5C	NO CORE
30.8	33.8	5C3	NO CORE
33.8	38.4	5C	NO CORE
38.4	70.1	10F	MOSTLY NO CORE
70.1	76.2	3G	BXA SOME NO CORE
76.2	104.2	3G0	
104.2	111.6	3G0	NO CORE

Drill Hole Report

Record 175 Drill Hole - P54V077

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9694.8	10059.9	1157.0	902979.3	594423.4

Length: 106.1 Section: 22 E + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V077
Northing: 9694.8 Easting: 10059.9 Elevation: 1157.0
Length: 106.1 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V077
Northing: 9694.8 Easting: 10059.9 Elevation: 1157.0
Length: 106.1 Core: AX

From	To	Unit	Description
.0	9.4	#	CASING (OVERBURDEN)
9.4	20.4	4EG	ALL UNITS FROM PA LOG
20.4	21.9	4L4	
21.9	87.5	3G/4L	
87.5	88.7	5A	
88.7	91.7	4A	
91.7	106.1	3G	

Drill Hole Report

Record 176 Drill Hole - P54V078

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9694.9	9999.9	1152.8	902939.3	594378.7

Length: 104.9 Section: 22 E / + 0.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V078
Northing: 9694.9 Easting: 9999.9 Elevation: 1152.8
Length: 104.9 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V078
Northing: 9694.9 Easting: 9999.9 Elevation: 1152.8
Length: 104.9 Core: AX

From	To	Unit	Description
.0	6.7	#	CASING (OVERBURDEN)
6.7	20.1	4L/3G	ALL UNITS FROM PA LOG
20.1	23.2	4EG	
23.2	33.8	4EC	
33.8	61.9	4L/3G	
61.9	67.5	5A	
67.5	78.9	4A	
78.9	81.4	4L	
81.4	82.9	5A	
82.9	89.0	4C	
89.0	93.9	5A	
93.9	104.9	3G	

Drill Hole Report

Record 177 Drill Hole - P54V079

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9088.1	10702.4	1210.9	902955.9	595306.3

Length: 174.0 Section: 42 E / + 23.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP/GAJ Date: 840828
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V079
Northing: 9088.1 Easting: 10702.4 Elevation: 1210.9
Length: 174.0 Core: AX

From	To	Unit	Description
.0	.6	#	
.6	18.3	3G0	
18.3	27.7	3G0	NO CORE
27.7	35.1	3G9	1? NO CORE
35.1	49.7	3G0	NO CORE
49.7	51.2	3G0	
51.2	67.7	3G0	MOSTLY NO CORE
67.7	85.0	3G0	NO CORE
85.0	99.1	3G0	
99.1	104.2	3G0	NO CORE
104.2	104.9	3G0	&9 NO CORE
104.9	107.3	3G0	
107.3	118.9	3G0	&9 NO CORE
118.9	120.4	3G0	
120.4	154.5	3E1	AND (3B2) MINOR
154.5	155.4	3G09	
155.4	157.6	3G09	NO CORE
157.6	167.9	3G0	
167.9	174.0	3G0	

Drill Hole Report

Record 178 Drill Hole - P54V080

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9633.8	10060.3	1158.7	902934.0	594464.4

Length: 107.0 Section: 24 E / + 2.0
Type: DDH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
0:28: 1 Serial no: 20320
25/ 7/90 Page : 566

80643	86.5	88.0	1.5	66	80	-1.00	1.62	.44	1.18	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
80644	88.0	89.6	1.6	56	80	-1.00	.24	.04	.20	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
0	89.6	106.9	17.3	-1 WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P54V080
Northing: 9633.8 Easting: 10060.3 Elevation: 1158.7
Length: 107.0 Core: AX

From	To	Unit	Description
.0	7.9	#	CASING (OVERBURDEN)
7.9	11.6	4L	ALL UNITS FROM PA LOG
11.6	19.2	4EG	
19.2	31.4	4EC	
31.4	34.7	4C	
34.7	36.6	5A	
36.6	51.8	4L	VERY POOR RECOVERY
51.8	57.6	4A	
57.6	60.7	4E	
60.7	62.2	5A	
62.2	86.6	4A	
86.6	107.0	4L	

Drill Hole Report

Record 179 Drill Hole - P54V081

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9634.3	9999.0	1155.6	902893.5	594418.4

Length: 108.5 Section: 24 E / + 0.0
Type: ODH Core: AX Location: GRUM

Logged by: JWM Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V081
Northing: 9634.3 Easting: 9999.0 Elevation: 1155.6
Length: 108.5 Core: AX

From	To	Unit	Description
.0	6.4	#	CASING (OVERBURDEN)
6.4	11.9	4L	WEATHERED CORE MISSING
11.9	12.5	4EG	CORE MISSING
12.5	14.0	10E	CORE MISSING
14.0	18.6	4EG	CORE MISSING
18.6	20.1	4A4	CORE MISSING
20.1	21.3	4C0	[4L14] CORE MISSING
21.3	28.3	4L	CORE MISSING
28.3	36.3	4EG	CORE MISSING
36.3	37.5	4E0 BXA	CORE MISSING
37.5	40.5	4E0	CORE MISSING
40.5	53.0	4L	SOME CORE MISSING
53.0	81.1	4A0	
81.1	86.2	5A0	
86.2	87.8	4A0	
87.8	89.3	4A0	
89.3	92.3	4C05	
92.3	95.7	4L0	
95.7	108.5	3G	CORE MISSING

Drill Hole Report

Record 180 Drill Hole - P54V082

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10750.4	9881.4	1174.8	903646.1	593586.6

Length: 154.2 Section: 12 W / - 4.0
Type: ODH Core: AX Location: GRUM

Logged by: LCPGAJ Date: 840800
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V082
Northing: 10750.4 Easting: 9881.4 Elevation: 1174.8
Length: 154.2 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 154.2	154.2	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P54V082
Northing: 10750.4 Easting: 9881.4 Elevation: 1174.8
Length: 154.2 Core: AX

From	To	Unit	Description
.0	1.5	#	
1.5	19.4	5A6	[3G9]
19.4	29.9	5A09	MINOR
29.9	45.7	5A69	V MINOR (5D0 &4) MINOR
45.7	54.3	5A	NO CORE
54.3	61.6	5A61	BORDERLINE &3 MINOR
61.6	97.2	5A	NO CORE
97.2	98.8	5A01	BORDERLINE
98.8	101.8	5A0	9 MINOR
101.8	109.7	5A09	MINOR BORDER (3F9[5E2]) 90:10
109.7	127.7	5A61	BORDER [5B26] (5D6) MINOR
127.7	140.8	3G09	CALC-SILICATY?
140.8	149.0	3G9	[5B26]
149.0	154.2	3G9	NO CORE

Drill Hole Report

Record 181 Drill Hole - P54V083

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9511.7	10060.0	1163.7	902843.0	594545.6

Length: 108.5 Section: 28 E / + 2.0
Type: DDH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V083
Northing: 9511.7 Easting: 10060.0 Elevation: 1163.7
Length: 108.5 Core: AX

From	To	Unit	Description
.0	13.7	#	CASING (OVERBURDEN)
13.7	18.9	4EC	POOR RECOVERY ALL UNITS FROM PA LOG
18.9	21.9	4L214	
21.9	25.6	4EC	
25.6	76.5	3G/4L	
76.5	79.6	4A0	
79.6	81.1	4E0	
81.1	82.6	4A	
82.6	89.9	5A	
89.9	92.0	4A0 &4	
92.0	93.0	4D0	
93.0	98.4	5A1	[4A0]
98.4	108.5	3G	

Drill Hole Report

Record 182 Drill Hole - P54V085

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9451.0	10060.5	1165.2	902798.1	594586.4

Length: 99.4 Section: 30 E / + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: JGS Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V085
Northing: 9451.0 Easting: 10060.5 Elevation: 1165.2
Length: 99.4 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V085
Northing: 9451.0 Easting: 10060.5 Elevation: 1165.2
Length: 99.4 Core: AX

From	To	Unit	Description
.0	15.2	#	CASING (OVERBURDEN)
15.2	23.2	4C1	
23.2	29.0	4E1	(4C3)
29.0	35.1	4C7	
35.1	39.6	4L07	
39.6	45.1	4L6	
45.1	49.4	4L0	
49.4	62.5	5A0	(5B6)
62.5	73.2	4L6	
73.2	82.3	4C3	(4E1) SOME CORE MISSING
82.3	89.9	4A0	
89.9	94.5	4A0	(5A0)
94.5	99.4	3G0	

Drill Hole Report

Record 183 Drill Hole - P54V086

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9512.8	9999.0	1156.8	902803.1	594499.4

Length: 103.3 Section: 28 E / + 0.0
Type: DDH Core: AX Location: GRUM

Logged by: LCP Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P54V086
Northing: 9512.8 Easting: 9999.0 Elevation: 1156.8
Length: 103.3 Core: AX

From	To	Unit	Description
.0	8.2	#	CASING (OVERBURDEN)
8.2	13.1	4L6	
13.1	21.0	4G4	
21.0	28.3	5A9	[4A0]
28.3	30.8	4EG	CORE MISSING
30.8	33.5	4E1	[4C0] CORE MISSING
33.5	51.8	4L	CORE MISSING
51.8	53.3	4E17	(4A) [4A3] CORE MISSING
53.3	54.9	4E1	
54.9	55.6	4A0	
55.6	84.7	5A9	
84.7	85.9	4A0	SOME CORE MISSING
85.9	89.3	4C0 &5	CORE MISSING
89.3	103.3	3G0	[5B6] CORE MISSING

Drill Hole Report

Record 184 Drill Hole - P54V088

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9390.0	10061.4	1165.6	902753.3	594627.8

Length: 124.7 Section: 32 E / + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V088
Northing: 9390.0 Easting: 10061.4 Elevation: 1165.6
Length: 124.7 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V088
Northing: 9390.0 Easting: 10061.4 Elevation: 1165.6
Length: 124.7 Core: AX

From	To	Unit	Description
.0	17.1	#	CASING (OVERBURDEN)
17.1	38.4	3G/4L	ALL UNITS FROM PA LOG
38.4	39.9	4EC	
39.9	41.5	4L12	
41.5	62.2	4L	
62.2	63.7	4A0	
63.7	67.1	5A	
67.1	68.6	4A4	
68.6	70.1	4A0	
70.1	73.2	4C0	
73.2	74.7	4A0	
74.7	111.9	5A	
111.9	124.7	3G	
89.9	.0		

Drill Hole Report

Record 185 Drill Hole - P54V089

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9451.7	10000.7	1157.3	902758.8	594541.4

Length: 110.6 Section: 30 E / + 0.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V089
Northing: 9451.7 Easting: 10000.7 Elevation: 1157.3
Length: 110.6 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V089
Northing: 9451.7 Easting: 10000.7 Elevation: 1157.3
Length: 110.6 Core: AX

From	To	Unit	Description
----	---	----	-----
.0	9.1	#	CASING (OVERBURDEN)
9.1	28.0	4L	CORE MISSING
28.0	29.6	4E8 &4	SOME CORE MISSING
29.6	34.7	4E8	
34.7	39.6	4L07	(4L3)
39.6	49.1	4L67	
49.1	61.9	4L	CORE MISSING
61.9	83.5	5A	CORE MISSING
83.5	84.1	4A0	CORE MISSING
84.1	86.0	4C0	CORE MISSING
86.0	87.2	4H	CORE MISSING
87.2	89.9	4A0	CORE MISSING
89.9	93.6	4L	CORE MISSING
93.6	110.6	4L6	

Drill Hole Report

Record 186 Drill Hole - P54V090

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9695.5	9815.9	1147.1	902817.1	594241.3

Length: 118.9 Section: 22 E / - 6.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V090
Northing: 9695.5 Easting: 9815.9 Elevation: 1147.1
Length: 118.9 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V090
Northing: 9695.5 Easting: 9815.9 Elevation: 1147.1
Length: 118.9 Core: AX

From	To	Unit	Description
.0	19.8	#	CASING (OVERBURDEN)
19.8	103.0	5B26	SOME CORE MISSING
103.0	107.0	4L3 &7	9 MINOR
107.0	118.9	4L7 &3	

Drill Hole Report

Record 187 Drill Hole - P54V091

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9636.4	9931.4	1150.8	902850.1	594366.7

Length: 110.0 Section: 24 E / - 2.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V091
Northing: 9636.4 Easting: 9931.4 Elevation: 1150.8
Length: 110.0 Core: AX/EX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V091
Northing: 9636.4 Easting: 9931.4 Elevation: 1150.8
Length: 110.0 Core: AX/EX

From	To	Unit	Description
.0	9.1	#	CASING (OVERBURDEN)
9.1	12.2	4L/3G	ALL UNITS FROM PA LOG
12.2	18.3	4EG	
18.3	19.8	4EC	
19.8	21.0	4L	
21.0	24.4	4E4	
24.4	25.9	4L14	[4C0]
25.9	32.0	5A	
32.0	33.5	4E0	
33.5	34.4	4A4	
34.4	75.0	5A	
75.0	75.3	5A	
75.3	81.1	4C7	[4L14]
81.1	110.0	3G/4L	

Drill Hole Report

Record 188 Drill Hole - P54V092

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9390.0	9997.3	1159.1	902710.5	594580.0

Length: 98.8 Section: 32 E / + 0.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V092
Northing: 9390.0 Easting: 9997.3 Elevation: 1159.1
Length: 98.8 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V092
Northing: 9390.0 Easting: 9997.3 Elevation: 1159.1
Length: 98.8 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	8.8	#	CASING (OVERBURDEN)
8.8	54.3	4L/3G	ALL UNITS FROM PA LOG
54.3	54.9	5A	
54.9	55.8	4E0	
55.8	57.0	4A0	
57.0	95.1	5A	
95.1	98.8	3G	

Drill Hole Report

Record 189 Drill Hole - P54V093

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9633.0	9877.0	1149.6	902811.2	594328.4

Length: 98.8 Section: 24 E / - 4.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P54V093
Northing: 9633.0 Easting: 9877.0 Elevation: 1149.6
Length: 98.8 Core: AX/EX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P54V093
Northing: 9633.0 Easting: 9877.0 Elevation: 1149.6
Length: 98.8 Core: AX/EX

From	To	Unit	Description
.0	9.4	#	CASING (OVERBURDEN)
9.4	24.1	4L/3G	ALL UNITS FROM PA LOG
24.1	27.7	4EG	
27.7	35.4	5A	
35.4	36.9	4A3	
36.9	78.0	5A	
78.0	79.6	4A0	
79.6	81.1	4C7	[4L127]
81.1	98.8	3G	

Drill Hole Report

Record 190 Drill Hole - P55V097

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9939.0	10029.8	1166.8	903141.0	594238.1

Length: 68.8 Section: 14 E / + 1.0
Type: DDH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P55V097
Northing: 9939.0 Easting: 10029.8 Elevation: 1166.8
Length: 68.8 Core: AX

From	To	Unit	Description
.0	28.6	#	CASING (OVERBURDEN)
28.6	34.7	4EG	ALL UNITS FROM PA LOG
34.7	37.8	4EC	
37.8	39.3	4JD	
39.3	48.5	4EC	
48.5	54.6	4CO	
54.6	57.6	4EC	
57.6	58.5	4L	
58.5	68.9	4L/3G	

Drill Hole Report

Record 191 Drill Hole - P55V098

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9939.3	9969.1	1157.1	903100.8	594192.8

Length: 58.8 Section: 14 E / - 1.0
Type: DDH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P55V098
Northing: 9939.3 Easting: 9969.1 Elevation: 1157.1
Length: 58.8 Core: AX

From	To	Unit	Description
.0	16.2	#	CASING (OVERBURDEN)
16.2	30.4	4L/3G	(5A) ALL UNITS FROM PA LOG
30.4	32.3	4EG	
32.3	36.9	4L	
36.9	40.5	4A4	
40.5	44.7	4L	
44.7	46.0	4EG	
46.0	50.0	4E0	
50.0	58.8	4L/3G	

Drill Hole Report

Record 192 Drill Hole - P55V099

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9694.5	10029.4	1155.2	902958.6	594400.9

Length: 88.7 Section: 22 E / + 1.0
Type: ODH Core: AX Location: GRUM

Logged by: BVH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V099
Northing: 9694.5 Easting: 10029.4 Elevation: 1155.2
Length: 88.7 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V099
Northing: 9694.5 Easting: 10029.4 Elevation: 1155.2
Length: 88.7 Core: AX

From	To	Unit	Description
.0	9.1	#	CASING (OVERBURDEN)
9.1	10.7	4EG	CORE MISSING
10.7	18.3	4EC	CORE MISSING
18.3	21.3	4E4	CORE MISSING
21.3	22.6	4EC	CORE MISSING
22.6	32.6	4L7	SOME CORE MISSING AT TOI
32.6	33.2	5D0	
33.2	50.0	4L67	
50.0	62.5	4L167	
62.5	63.1	4C0	
63.1	76.2	4L7	
76.2	78.0	5A9	
78.0	84.4	4A9	
84.4	88.7	4L7	

Drill Hole Report

Record 193 Drill Hole - P55V100

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9690.1	9879.7	1146.6	902855.6	594292.4

Length: 45.7 Section: 22 E / - 4.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V100
Northing: 9690.1 Easting: 9879.7 Elevation: 1146.6
Length: 45.7 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V100
Northing: 9690.1 Easting: 9879.7 Elevation: 1146.6
Length: 45.7 Core: AX

From	To	Unit	Description
.0	11.0	#	CASING (OVERBURDEN)
11.0	23.5	5B26	SOME CORE MISSING
23.5	24.4	4E1	
24.4	30.5	5B629	
30.5	32.9	4E7	(4LO)
32.9	37.2	4E1	CORE MISSING
37.2	38.1	4E7	(4LO)
38.1	41.5	5B69	
41.5	45.7	5B6	(5A BXA) MINOR AT EOH

Drill Hole Report

Record 194 Drill Hole - P55V102

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9572.4	9878.0	1154.5	902766.8	594369.6

Length: 81.7 Section: 26 E / - 4.0
Type: ODH Core: AX Location: GRUM

Logged by: BVH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V102
Northing: 9572.4 Easting: 9878.0 Elevation: 1154.5
Length: 81.7 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V102
Northing: 9572.4 Easting: 9878.0 Elevation: 1154.5
Length: 81.7 Core: AX

From	To	Unit	Description
.0	7.9	#	CASING (OVERBURDEN)
7.9	9.1	4G4	
9.1	15.2	4A0	POOR RECOVERY
15.2	30.5	5A9	
30.5	35.1	4L6	
35.1	71.0	5A9	SOME CORE MISSING AT EOI
71.0	72.8	4A0	CORE MISSING
72.8	81.7	4L7	SOME CORE MISSING AT TOI

Drill Hole Report

Record 195 Drill Hole - P55V103

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9511.6	9937.7	1156.9	902761.3	594454.6

Length: 84.1 Section: 28 E / - 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V103
Northing: 9511.6 Easting: 9937.7 Elevation: 1156.9
Length: 84.1 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V103
Northing: 9511.6 Easting: 9937.7 Elevation: 1156.9
Length: 84.1 Core: AX

From	To	Unit	Description
.0	7.9	#	CASING (OVERBURDEN)
7.9	36.6	5A	ALL UNITS FROM PA LOG
36.6	44.7	3G	
44.7	48.2	5A	
48.2	50.8	3G	
50.8	53.6	4A0	
53.6	55.2	4E0	
55.2	84.1	5A	

Drill Hole Report

Record 196 Drill Hole - P55V104

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9573.0	9815.5	1157.0	902725.6	594322.6

Length: 79.2 Section: 26 E / - 6.0
Type: ODH Core: AX Location: GRUM

Logged by: DJH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V104
Northing: 9573.0 Easting: 9815.5 Elevation: 1157.0
Length: 79.2 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V104
Northing: 9573.0 Easting: 9815.5 Elevation: 1157.0
Length: 79.2 Core: AX

From	To	Unit	Description
.0	10.7	#	CASING (OVERBURDEN)
10.7	24.4	5A0	
24.4	35.1	5B2	(5A0)
35.1	44.1	5A0	(5B2) MINOR
44.1	45.1	10Q	
45.1	72.5	5A0	(5B2) MINOR
72.5	75.9	4C7	
75.9	77.7	4L7	
77.7	79.2	4L0	[3G4]

Drill Hole Report

Record 197 Drill Hole - P55V105

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9450.8	9938.6	1160.6	902716.7	594495.8

Length: 96.3 Section: 30 E / - 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V105
 Northing: 9450.8 Easting: 9938.6 Elevation: 1160.6
 Length: 96.3 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V105
Northing: 9450.8 Easting: 9938.6 Elevation: 1160.6
Length: 96.3 Core: AX

From	To	Unit	Description
.0	5.2	#	CASING (OVERBURDEN)
5.2	21.3	5A	ALL UNITS FROM PA LOG
21.3	32.3	3G9	
32.3	34.7	4H0	
34.7	56.4	4L/3G	
56.4	96.3	5A	

Drill Hole Report

Record 198 Drill Hole - P55V106

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9389.8	9939.0	1164.2	902671.5	594536.8

Length: 84.7 Section: 32 E / - 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V106
Northing: 9389.8 Easting: 9939.0 Elevation: 1164.2
Length: 84.7 Core: AX

Sample	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
#	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V106
Northing: 9389.8 Easting: 9939.0 Elevation: 1164.2
Length: 84.7 Core: AX

From	To	Unit	Description
.0	5.5	#	CASING (OVERBURDEN)
5.5	25.3	5A	ALL UNITS FROM PA LOG
25.3	29.0	4A0	
29.0	35.4	5A	
35.4	38.7	4A0	
38.7	42.4	3G9	
42.4	60.4	5A	
60.4	65.3	3G9	
65.3	84.7	5A	

Drill Hole Report

Record 199 Drill Hole - P55V107

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9512.2	9754.5	1162.3	902639.6	594317.8

Length: 83.8 Section: 28 E / - 8.0
Type: ODH Core: AX Location: GRUM

Logged by: GAJ/LCP Date: 840813
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V107
Northing: 9512.2 Easting: 9754.5 Elevation: 1162.3
Length: 83.8 Core: AX

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 .0	.0	-1		0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P55V107
Northing: 9512.2 Easting: 9754.5 Elevation: 1162.3
Length: 83.8 Core: AX

From	To	Unit	Description
.0	4.6	#	CASING (OVERBURDEN)
4.6	33.5	3G9	
33.5	38.7	3G93	
38.7	53.9	3G	NO CORE
53.9	64.3	3G0	
64.3	64.8	BXA	FAULT BXA
64.8	76.5	3E1	BORDERLINE &3 MINOR
76.5	83.8	3E1	BORDERLINE &3 MINOR NO CORE

Drill Hole Report

Record 200 Drill Hole - P55V108

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9573.3	10121.5	1163.5	902929.8	594550.3

Length: 78.6 Section: 26 E / + 4.0
Type: ODH Core: AX Location: GRUM

Logged by: BVH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V108
Northing: 9573.3 Easting: 10121.5 Elevation: 1163.5
Length: 78.6 Core: AX

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 .0	.0	100			0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P55V108
Northing: 9573.3 Easting: 10121.5 Elevation: 1163.5
Length: 78.6 Core: AX

From	To	Unit	Description
.0	11.9	#	CASING (OVERBURDEN)
11.9	14.3	4EC	CORE MISSING
14.3	17.4	4L1	CORE MISSING
17.4	18.3	4L4	CORE MISSING
18.3	23.8	4L41	CORE MISSING
23.8	25.0	4L14	CORE MISSING
25.0	26.5	4L	CORE MISSING
26.5	28.7	10Q	CORE MISSING
28.7	31.7	4L	CORE MISSING
31.7	64.3	4L0	SOME CORE MISSING
64.3	65.5	4A7	
65.5	68.0	4L0	
68.0	78.6	4L6	

Drill Hole Report

Record 201 Drill Hole - P55V109

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9817.7	10030.6	1153.0	903051.1	594319.6

Length: 102.7 Section: 18 E / + 1.0
Type: DDH Core: AX Location: GRUM

Logged by: JGS Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P55V109
Northing: 9817.7 Easting: 10030.6 Elevation: 1153.0
Length: 102.7 Core: AX

From	To	Unit	Description
.0	7.0	#	OVERBURDEN
7.0	9.1	4EG	CORE MISSING
9.1	10.7	4D0	[4L14] CORE MISSING
10.7	12.2	4E14	CORE MISSING
12.2	15.2	4E1	CORE MISSING
15.2	21.3	4EG	CORE MISSING
21.3	22.6	4D8	
22.6	25.0	4C0	
25.0	25.9	4L1	
25.9	80.5	4L6	SOME CORE MISSING
80.5	82.6	4L0	
82.6	82.9	4L3	
82.9	85.6	4A0	
85.3	86.9	4A0 &4	
86.9	88.1	4C1	
88.1	90.4	4A0	
90.4	91.9	4L0	(4C0)
91.9	92.7	4L3	
92.7	102.7	4L6	SOME CORE MISSING

Drill Hole Report

Record 202 Drill Hole - P55V111

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9512.7	10121.3	1166.5	902884.6	594590.5

Length: 96.9 Section: 28 E / + 4.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V111
Northing: 9512.7 Easting: 10121.3 Elevation: 1166.5
Length: 96.9 Core: AX

Sample	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
#	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V111
Northing: 9512.7 Easting: 10121.3 Elevation: 1166.5
Length: 96.9 Core: AX

From	To	Unit	Description
.0	11.6	#	CASING (OVERBURDEN)
11.6	80.0	4L/3G	ALL UNITS FROM PA LOG
80.0	80.8	5A	
80.8	83.8	4A0	
83.8	85.6	5A	
85.6	91.4	4C0	
91.4	93.9	4L47	
93.9	96.9	4L/3G	

Drill Hole Report

Record 203 Drill Hole - P55V112

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9816.8	9901.3	1143.1	902964.3	594223.9

Length: 90.5 Section: 18 E / - 3.0
Type: ODH Core: AX Location: GRUM

Logged by: JGS Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V112
Northing: 9816.8 Easting: 9901.3 Elevation: 1143.1
Length: 90.5 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V112
Northing: 9816.8 Easting: 9901.3 Elevation: 1143.1
Length: 90.5 Core: AX

From	To	Unit	Description
.0	7.6	#	CASING (OVERBURDEN)
7.6	14.0	4L	
14.0	15.2	5A6	
15.2	15.5	4L1	
15.5	17.1	5A4	
17.1	20.1	4L0	
18.3	21.0	5A4	
21.0	22.6	4C0	(4E0)
22.6	37.2	5A	SOME CORE MISSING
37.2	57.3	4L0	SOME CORE MISSING
57.3	90.5	5A3	

Drill Hole Report

Record 204 Drill Hole - P55V113

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9634.3	10121.6	1162.5	902975.3	594509.7

Length: 100.0 Section: 24 E / + 4.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V113
Northing: 9634.3 Easting: 10121.6 Elevation: 1162.5
Length: 100.0 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V113
Northing: 9634.3 Easting: 10121.6 Elevation: 1162.5
Length: 100.0 Core: AX

From	To	Unit	Description
.0	10.1	#	CASING (OVERBURDEN)
10.1	59.0	4L	ALL UNITS FROM PA LOG
59.0	70.1	4L47	
70.1	100.0	3G/4L	

Drill Hole Report

Record 205 Drill Hole - P55V116

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9573.2	10092.7	1162.7	902910.5	594528.9

Length: 99.4 Section: 26 E / + 3.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V116
Northing: 9573.2 Easting: 10092.7 Elevation: 1162.7
Length: 99.4 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V116
Northing: 9573.2 Easting: 10092.7 Elevation: 1162.7
Length: 99.4 Core: AX

From	To	Unit	Description
.0	11.0	#	CASING (OVERBURDEN)
11.0	15.7	4EC	[4C0] CORE MISSING
15.7	16.9	5A	(4L) CORE MISSING
16.9	25.3	4L	CORE MISSING
25.3	36.6	4L	CORE MISSING
36.6	51.2	4L7623	(4L3) MINOR
51.2	59.5	4L	CORE MISSING
59.5	61.0	4A0	CORE MISSING
61.0	62.5	4C0	[4L14] CORE MISSING
62.5	70.1	4C72	
70.1	73.2	4A4	CORE MISSING
73.2	77.7	4L	CORE MISSING
77.7	80.8	4L72	
80.8	99.4	4L6	

Drill Hole Report

Record 206 Drill Hole - P55V118

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9572.9	10030.9	1160.2	902869.1	594483.1

Length: 97.2 Section: 26 E / + 1.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V118
Northing: 9572.9 Easting: 10030.9 Elevation: 1160.2
Length: 97.2 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V118
Northing: 9572.9 Easting: 10030.9 Elevation: 1160.2
Length: 97.2 Core: AX

From	To	Unit	Description
.0	10.1	#	CASING (OVERBURDEN)
10.1	12.2	4A0	ALL UNITS FROM PA LOG
12.2	13.1	4C0	
13.1	26.8	4EC	
26.8	34.4	4C0	
34.4	36.0	4D0	
36.0	37.5	4EC	
37.5	40.5	4L4	
40.5	43.6	4L44	[4D0]
43.6	68.8	4L	
68.8	70.1	4E1	
70.1	71.3	4A0	
71.3	83.8	5A	
83.8	86.8	4L	(5A)
86.8	87.3	4E41	
87.3	97.2	4L/3G	

Drill Hole Report

Record 207 Drill Hole - P55V120

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9572.9	9969.6	1153.7	902828.2	594437.4

Length: 89.3 Section: 26 E / - 1.0
Type: ODH Core: AX Location: GRUM

Logged by: JGS Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V120
Northing: 9572.9 Easting: 9969.6 Elevation: 1153.7
Length: 89.3 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 .0	.0	100		0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P55V120
Northing: 9572.9 Easting: 9969.6 Elevation: 1153.7
Length: 89.3 Core: AX

From	To	Unit	Description
.0	11.3	#	CASING (OVERBURDEN)
11.3	18.4	5A6	
18.4	18.7	4EC8	
18.7	19.7	4L3	
19.7	21.0	5A09	
21.0	22.6	4EC	
22.6	23.8	4A4	
23.8	24.1	4L7	
24.1	24.7	4A0	
24.7	29.9	4L0 &3	
29.9	30.8	4E1	
30.8	56.4	4L7	SOME CORE MISSING
54.6	63.1	5A	CORE MISSING
63.1	66.1	4C5	CORE MISSING
66.1	66.6	4E4	CORE MISSING
66.6	80.8	5A	CORE MISSING
80.8	83.2	4A4	CORE MISSING
83.2	83.8	4L71	[4C7] CORE MISSING
83.8	84.4	4L7	CORE MISSING
84.4	89.3	4L	CORE MISSING

Drill Hole Report

Record 208 Drill Hole - P55V121

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9452.4	10029.7	1162.3	902778.6	594562.6

Length: 101.8 Section: 30 E / + 1.0
Type: ODH Core: AX Location: GRUM

Logged by: BVH Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V121
Northing: 9452.4 Easting: 10029.7 Elevation: 1162.3
Length: 101.8 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V121
Northing: 9452.4 Easting: 10029.7 Elevation: 1162.3
Length: 101.8 Core: AX

From	To	Unit	Description
.0	9.8	#	CASING (OVERBURDEN)
9.8	11.6	#	NO RECOVERY
11.6	13.1	4EG ?	VERY POOR RECOVERY
13.1	14.6	?	NO RECOVERY
14.6	21.9	4EC	CORE MISSING
21.9	25.0	4C8	
25.0	29.3	4C0	
29.3	31.4	4C7	
31.4	32.0	4L3	
32.0	32.3	4C7	
32.3	36.3	4L3	
36.3	39.0	4L6	
39.0	39.9	4L3	
39.9	48.8	4L6	
48.8	50.0	4L1	
50.0	52.4	4L6	
52.4	54.9	5B0	
54.9	64.6	4L26	SOME CORE MISSING
64.6	65.5	4A0	
65.5	67.1	4C0	
67.1	88.1	5A9	
88.1	94.5	4L17	
94.5	101.8	5B6	

Drill Hole Report

Record 209 Drill Hole - P55V122

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
7559.2	11097.3	1178.1	902080.8	596619.8

Length: 61.9 Section: 92 E / + 36.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P55V122
Northing: 7559.2 Easting: 11097.3 Elevation: 1178.1
Length: 61.9 Core: AX

From	To	Unit	Description
.0	2.4	#	OVERBURDEN
2.4	9.3	5CO	&\$ MINOR
9.3	17.4	NNNNN	MISSING CORE BOX
17.4	46.9	5CO	&\$ MINOR
46.9	47.8	5F3	
47.8	50.3	5D0	[5C3]
50.3	57.9	NNNNN	NO CORE
57.9	61.9	5B0	

Drill Hole Report

Record 210 Drill Hole - P55V124

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8142.0	10889.4	1153.3	902376.1	596076.4

Length: 126.2 Section: 73 E / + 29.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP/GAJ Date: 840814
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V124
Northing: 8142.0 Easting: 10889.4 Elevation: 1153.3
Length: 126.2 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 126.2	126.2	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P55V124
Northing: 8142.0 Easting: 10889.4 Elevation: 1153.3
Length: 126.2 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	2.4	#	OVERBURDEN
2.4	10.1	4L02	(10F0) &BXA
10.1	30.5	4L62	--> (4L02) 80:20
30.5	35.2	5C\$7	BXA? (4L6 WEAK)
35.2	40.4	5A16	&3 V MIN [3E1&3](5C3 MIN)60:40
40.4	59.4	3G08	MINOR &9 MINOR
59.4	64.2	3G84	&3
64.2	64.6	3C0	&3
64.6	71.9	3G8	
71.9	100.7	3G08	&BIO MINOR
100.7	104.2	3G4	--> (4L0)
104.2	105.5	3F0	BIO + CALC-SIL
105.5	108.7	3G8	&GARNET &BIO -->CALC SIL
108.7	114.3	3F0	(3D01) 95:05
114.3	117.0	3D01	
117.0	126.2	3D01	(3F0) 70:30

Drill Hole Report

Record 211 Drill Hole - P55V125

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9451.0	9970.6	1156.4	902738.1	594519.4

Length: 102.7 Section: 30 E / - 1.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V125
Northing: 9451.0 Easting: 9970.6 Elevation: 1156.4
Length: 102.7 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V125
Northing: 9451.0 Easting: 9970.6 Elevation: 1156.4
Length: 102.7 Core: AX

From	To	Unit	Description
.0	9.1	#	CASING (OVERBURDEN)
9.1	10.7	4A4	
10.7	11.9	4H03	
11.9	27.4	4L76	
27.4	51.2	4L76	CORE MISSING
51.2	58.5	4L76	
58.5	73.2	5B62	
73.2	91.7	5A0	
91.7	95.1	4A47	
95.1	102.7	4L67	

Drill Hole Report

Record 212 Drill Hole - P55V127

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8185.0	10782.9	1152.4	902337.1	595968.5

Length: 146.0 Section: 72 E / + 26.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP/GAJ Date: 840800
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V127
Northing: 8185.0 Easting: 10782.9 Elevation: 1152.4
Length: 146.0 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 146.0	146.0	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P55V127
Northing: 8185.0 Easting: 10782.9 Elevation: 1152.4
Length: 146.0 Core: AX

From	To	Unit	Description
.0	5.2	#	OVERBURDEN
5.2	24.4	5A16	9 MINOR &BXA
24.4	50.9	3G0	
50.9	52.7	3B6	(10Q9 PO) 50:50
52.7	60.8	3G8	& BIO MINOR
60.8	64.3	3C0	(10Q0) 80:20
64.3	77.4	3G0	
77.4	78.0	3DB	
78.0	90.2	3G0	
90.2	90.8	3DB	
90.8	106.1	3G0	(3G4) 95:05
106.1	107.6	3G4	BIO (3C0) 80:20
107.6	110.0	3G0	
110.0	134.1	?????	
134.1	146.0	3F0	

Drill Hole Report

Record 213 Drill Hole - P55V128

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9450.6	10090.9	1166.9	902818.1	594609.3

Length: 107.9 Section: 30 E / + 3.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V128
Northing: 9450.6 Easting: 10090.9 Elevation: 1166.9
Length: 107.9 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V128
Northing: 9450.6 Easting: 10090.9 Elevation: 1166.9
Length: 107.9 Core: AX

From	To	Unit	Description
.0	9.1	#	CASING (OVERBURDEN)
9.1	18.6	3G	WEATHERED ALL UNITS FROM PA LOG
18.6	77.9	3G	
77.9	78.8	5A	
78.8	83.7	3G	
83.7	91.4	5A	
91.4	100.9	4A0	
100.9	107.9	3G	

Drill Hole Report

Record 214 Drill Hole - P55V129

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10183.9	9878.4	1148.4	903222.4	593962.1

Length: 133.5 Section: 06 E / - 4.0
Type: ODH Core: AX Location: GRUM

Logged by: DSJ Date: 790000
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: P55V129
Northing: 10183.9
Length: 133.5

Easting: 9878.4 Elevation: 1148.4
Core: AX

From	To	Unit	Description
----	--	----	-----
.0	33.5	#	CASING (OVERBURDEN)
33.5	45.1	5B62	
45.1	53.3	4L7	
53.3	58.1	5B6	
58.1	58.8	4D7	
58.8	64.0	4D0	
64.0	66.4	4E8	
66.4	80.8	3G4	[5B64] SOME CORE MISSING
80.8	87.8	4L73	SOME CORE MISSING
87.8	89.3	4H0	
89.3	106.7	4L7	
106.7	118.9	3G86	
118.9	130.1	4L7	(4L72)
130.5	133.5	4A0	

Drill Hole Report

Record 215 Drill Hole - P55V130

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9268.3	10061.5	1165.4	902662.8	594709.0

Length: 94.5 Section: 36 E / + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V130
Northing: 9268.3 Easting: 10061.5 Elevation: 1165.4
Length: 94.5 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V130
Northing: 9268.3 Easting: 10061.5 Elevation: 1165.4
Length: 94.5 Core: AX

From	To	Unit	Description
----	---	----	-----
.0	9.8	#	CASING (OVERBURDEN)
9.8	30.8	3G	ALL UNITS FROM PA LOG
30.8	33.8	4L47	
33.8	35.4	4A0	
35.4	38.4	4C0	(4D0)
38.4	41.5	4A0	
41.5	43.0	4E0	
43.0	44.5	4A4	
44.5	46.0	3G	
46.0	94.5	4L/3G	

Drill Hole Report

Record 216 Drill Hole - P55V131

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8124.8	10773.1	1156.3	902285.7	596001.3

Length: 130.5 Section: 74 E / + 25.0
Type: ODH Core: AX Location: GRUM

Logged by: GAJ/LCP Date: 840813
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V131
Northing: 8124.8 Easting: 10773.1 Elevation: 1156.3
Length: 130.5 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 130.5	130.5	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P55V131
Northing: 8124.8 Easting: 10773.1 Elevation: 1156.3
Length: 130.5 Core: AX

From	To	Unit	Description
.0	.9	#	OVERBURDEN
.9	9.1	NNNNN	NO CORE - 10F FROM ORIG LOG
9.1	21.0	BXA	FAULT BXA
21.0	21.3	3G9	
21.3	69.6	3G08	MINOR
69.6	72.2	3B6	(3G8) 50:50
72.2	75.0	3G8	
75.0	85.0	3B2	BIO (3G8 BIO) [3B2 BIO] 50:50
85.0	88.4	3C0	
88.4	89.9	3B2	
89.9	105.2	3G08	
105.2	105.5	3C2	
105.5	118.0	3G08	& GARNET MINOR & BIO MINOR
118.0	127.3	3C2	(3B2) (3G8) (3F0)
127.3	130.5	3F0	

Drill Hole Report

Record 217 Drill Hole - P55V132

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9146.8	10061.8	1172.9	902572.4	594790.1

Length: 97.5 Section: 40 E / + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V132
Northing: 9146.8 Easting: 10061.8 Elevation: 1172.9
Length: 97.5 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V132
Northing: 9146.8 Easting: 10061.8 Elevation: 1172.9
Length: 97.5 Core: AX

From	To	Unit	Description
.0	11.9	#	CASING (OVERBURDEN)
11.9	20.1	3G/4L	WEATHERED ALL UNITS FROM PA LOG
20.1	21.6	4E0	
21.6	23.2	4L7	
23.2	25.9	5A	
25.9	29.0	4L7	
29.0	39.9	3G/4L	
39.9	43.0	4L7	
43.0	46.0	4A0	
46.0	97.5	3G	

Drill Hole Report

Record 218 Drill Hole - P55V134

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8660.2	10122.6	1150.8	902250.7	595159.9

Length: 112.8 Section: 56 E / + 4.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V134
Northing: 8660.2 Easting: 10122.6 Elevation: 1150.8
Length: 112.8 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V134
Northing: 8660.2 Easting: 10122.6 Elevation: 1150.8
Length: 112.8 Core: AX

From	To	Unit	Description
.0	5.5	#	CASING (OVERBURDEN)
5.5	112.8	3G	ALL UNITS FROM PA LOG

Drill Hole Report

Record 219 Drill Hole - P55V135

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9025.9	10061.8	1171.8	902482.4	594870.8

Length: 93.3 Section: 44 E / + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V135
Northing: 9025.9 Easting: 10061.8 Elevation: 1171.8
Length: 93.3 Core: AX

Sample #	---Depths---	Int' m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
----------	--------------	--------	-------	-----------	-----------	-----------	---------	------	------	-----------	-----------	--------	---------	------	------	-------	------

LITHOLOGIES

Drill Hole: P55V135
Northing: 9025.9 Easting: 10061.8 Elevation: 1171.8
Length: 93.3 Core: AX

From	To	Unit	Description
.0	15.5	#	CASING (OVERBURDEN)
15.5	18.6	4L4	WEATHERED ALL UNITS FROM PA LOG
18.6	21.6	3G/4L	WEATHERED
21.6	93.3	3G	

Drill Hole Report

Record 220 Drill Hole - P55V136

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10489.0	9999.0	1154.8	903529.9	593848.4

Length: 91.1 Section: 04 W / + 0.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V136
Northing: 10489.0
Length: 91.1

Easting: 9999.0
Core: AX/EX
Elevation: 1154.8

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V136
Northing: 10489.0 Easting: 9999.0 Elevation: 1154.8
Length: 91.1 Core: AX/EX

From	To	Unit	Description
.0	7.3	#	CASING - OVERBURDEN
7.3	91.1	5A	ALL UNITS FROM PA LOG

Drill Hole Report

Record 221 Drill Hole - P55V137

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9086.4	10122.6	1171.5	902567.9	594875.8

Length: 94.5 Section: 42 E / + 4.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V137
Northing: 9086.4 Easting: 10122.6 Elevation: 1171.5
Length: 94.5 Core: AX/EX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V137
Northing: 9086.4 Easting: 10122.6 Elevation: 1171.5
Length: 94.5 Core: AX/EX

From	To	Unit	Description
.0	2.4	#	CASING (OVERBURDEN)
2.4	94.5	3G/4L	ALL UNITS FROM PA LOG

Drill Hole Report

Record 222 Drill Hole - P55V138

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10490.0	9938.5	1146.2	903490.4	593802.8

Length: 117.7 Section: 04 W / - 2.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V138
Northing: 10490.0 Easting: 9938.5 Elevation: 1146.2
Length: 117.7 Core: AX/EX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V138
Northing: 10490.0 Easting: 9938.5 Elevation: 1146.2
Length: 117.7 Core: AX/EX

From	To	Unit	Description
.0	11.3	#	CASING - OVERBURDEN
11.3	93.3	5A	ALL UNITS FROM PA LOG
93.3	117.7	3G	[5B] (5A)

Drill Hole Report

Record 223 Drill Hole - P55V139

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8782.0	10061.9	1156.7	902300.9	595033.6

Length: 115.2 Section: 52 E / + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V139
Northing: 8782.0 Easting: 10061.9 Elevation: 1156.7
Length: 115.2 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V139
Northing: 8782.0 Easting: 10061.9 Elevation: 1156.7
Length: 115.2 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	5.5	#	CASING (OVERBURDEN)
5.5	16.2	4L42	ALL UNITS FROM PA LOG
16.2	115.2	4L/3G	

Drill Hole Report

Record 224 Drill Hole - P55V140

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10245.5	10125.6	1145.6	903433.1	594105.1

Length: 105.2 Section: 04 E / + 4.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V140
Northing: 10245.5 Easting: 10125.6 Elevation: 1145.6
Length: 105.2 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V140
Northing: 10245.5 Easting: 10125.6 Elevation: 1145.6
Length: 105.2 Core: AX

From	To	Unit	Description
.0	5.8	#	CASING (OVERBURDEN)
5.8	41.8	3G	
41.8	53.9	5A	
53.9	57.0	4A0	
57.0	61.3	5A	
61.3	73.9	3G9	
73.9	87.2	5A	
87.2	105.2	3G &9	(5A)

Drill Hole Report

Record 225 Drill Hole - P55V141

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9208.4	10001.3	1170.7	902578.0	594704.1

Length: 106.7 Section: 38 E / + 0.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V141
Northing: 9208.4 Easting: 10001.3 Elevation: 1170.7
Length: 106.7 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V141
Northing: 9208.4 Easting: 10001.3 Elevation: 1170.7
Length: 106.7 Core: AX

From	To	Unit	Description
.0	4.3	#	CASING (OVERBURDEN)
4.3	16.2	3G	ALL UNITS FROM PA LOG
16.2	17.7	5A	
17.7	19.2	4E4	
19.2	20.7	4E18	
20.7	25.3	4E4	
25.3	26.8	4E1	
26.8	48.3	5A	
48.3	52.7	4A0 &4	
52.7	54.3	4C0	
54.3	55.5	4L7	
55.5	64.9	3G	
64.9	106.7	3G/4L	

Drill Hole Report

Record 226 Drill Hole - P55V142

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8843.1	10183.4	1161.6	902427.4	595083.3

Length: 111.9 Section: 50 E / + 6.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V142
Northing: 8843.1 Easting: 10183.4 Elevation: 1161.6
Length: 111.9 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V142
Northing: 8843.1 Easting: 10183.4 Elevation: 1161.6
Length: 111.9 Core: AX

From	To	Unit	Description
.0	1.8	#	CASING (OVERBURDEN)
1.8	84.9	4L/3G	ALL UNITS FROM PA LOG
84.9	111.9	3G &9	

Drill Hole Report

Record 227 Drill Hole - P55V144

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9208.5	10061.3	1171.2	902618.0	594748.8

Length: 88.7 Section: 38 E / + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V144
Northing: 9208.5 Easting: 10061.3 Elevation: 1171.2
Length: 88.7 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V144
Northing: 9208.5 Easting: 10061.3 Elevation: 1171.2
Length: 88.7 Core: AX

From	To	Unit	Description
.0	3.4	#	CASING (OVERBURDEN)
3.4	11.6	3G	WEATHERED ALL UNITS FROM PA LOG
11.6	12.5	5A	WEATHERED
12.5	14.2	4A0	
14.2	22.4	3G & 9	
22.4	36.0	4A4	
36.0	38.1	4C0	
38.1	44.8	4A4	
44.8	53.0	4L	
53.0	88.7	3G/4L	

Drill Hole Report

Record 228 Drill Hole - P55V145

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8843.5	10122.9	1158.9	902387.4	595037.9

Length: 90.5 Section: 50 E / + 4.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V145
Northing: 8843.5 Easting: 10122.9 Elevation: 1158.9
Length: 90.5 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V145
Northing: 8843.5 Easting: 10122.9 Elevation: 1158.9
Length: 90.5 Core: AX

From	To	Unit	Description
.0	2.4	#	CASING (OVERBURDEN)
2.4	90.5	3G	ALL UNITS FROM PA LOG

Drill Hole Report

Record 229 Drill Hole - P55V146

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10978.1	10749.1	1278.9	904394.3	594080.9

Length: 112.8 Section: 20 W / + 25.0
Type: ODH Core: AX Location: GRUM

Logged by: GAJ/LCP Date: 840813
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V146
Northing: 10978.1 Easting: 10749.1 Elevation: 1278.9
Length: 112.8 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 112.8	112.8	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P55V146
Northing: 10978.1 Easting: 10749.1 Elevation: 1278.9
Length: 112.8 Core: AX

From	To	Unit	Description
.0	3.0	#	OVERBURDEN
3.0	6.1	4L6	WEAK
6.1	112.8	3G0	&BIO V MIN (3B3)MIN &C-SIL MIN

Drill Hole Report

Record 230 Drill Hole - P55V147

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9268.5	10001.3	1169.6	902622.7	594664.1

Length: 95.4 Section: 36 E / + 0.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V147
Northing: 9268.5 Easting: 10001.3 Elevation: 1169.6
Length: 95.4 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V147
Northing: 9268.5 Easting: 10001.3 Elevation: 1169.6
Length: 95.4 Core: AX

From	To	Unit	Description
.0	10.1	#	CASING (OVERBURDEN)
10.1	15.2	3G	ALL UNITS FROM PA LOG
15.2	18.3	3G	(5A)
18.3	19.8	4A4	
19.8	27.4	4E1	
27.4	30.5	4E4	
30.5	32.0	4E1	
32.0	39.6	4A0 &3	
39.6	62.8	5A	
62.8	95.4	3G	

Drill Hole Report

Record 231 Drill Hole - P55V148

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
8842.7	10062.2	1155.8	902346.3	594993.3

Length: 82.3 Section: 50 E / + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V148
Northing: 8842.7 Easting: 10062.2 Elevation: 1155.8
Length: 82.3 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V148
Northing: 8842.7 Easting: 10062.2 Elevation: 1155.8
Length: 82.3 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	12.5	#	CASING (OVERBURDEN)
12.5	82.3	3G	ALL UNITS FROM PA LOG

Drill Hole Report

Record 232 Drill Hole - P55V149

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
11414.9	10036.4	1247.6	904244.3	593258.9

Length: 81.4 Section: 34 W / + 1.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V149
Northing: 11414.9 Easting: 10036.4 Elevation: 1247.6
Length: 81.4 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V149
Northing: 11414.9 Easting: 10036.4 Elevation: 1247.6
Length: 81.4 Core: AX

From	To	Unit	Description
.0	4.3	#	CASING (OVERBURDEN)
4.3	20.7	3G	ALL UNITS FROM PA LOG
20.7	22.3	4L4	
22.3	31.4	3G	
31.4	57.2	3G9	(5A)
57.2	63.1	5A	
63.1	75.1	3G9	
75.1	78.9	5A	
78.9	81.4	3G9	

Drill Hole Report

Record 233 Drill Hole - P55V150

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9268.1	9939.1	1169.1	902580.9	594617.9

Length: 91.4 Section: 36 E / - 2.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V150
Northing: 9268.1 Easting: 9939.1 Elevation: 1169.1
Length: 91.4 Core: AX/EX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V150
Northing: 9268.1 Easting: 9939.1 Elevation: 1169.1
Length: 91.4 Core: AX/EX

From	To	Unit	Description
.0	5.8	#	CASING (OVERBURDEN)
5.8	8.1	3G	ALL UNITS FROM PA LOG
8.1	42.1	5A	
42.1	45.1	3G9	
45.1	80.2	5A	
80.2	91.4	3G	

Drill Hole Report

Record 234 Drill Hole - P55V151

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
11421.4	10096.7	1251.6	904289.3	593299.6

Length: 96.9 Section: 35 W / + 3.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V151
Northing: 11421.4 Easting: 10096.7 Elevation: 1251.6
Length: 96.9 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V151
Northing: 11421.4 Easting: 10096.7 Elevation: 1251.6
Length: 96.9 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	4.9	#	CASING (OVERBURDEN)
4.9	67.1	3G9	(5A)
67.1	96.9	5A	

Drill Hole Report

Record 235 Drill Hole - P55V152

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9328.6	10061.2	1165.0	902707.4	594668.6

Length: 87.2 Section: 34 E / + 2.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V152
Northing: 9328.6 Easting: 10061.2 Elevation: 1165.0
Length: 87.2 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V152
Northing: 9328.6 Easting: 10061.2 Elevation: 1165.0
Length: 87.2 Core: AX

From	To	Unit	Description
.0	7.0	#	CASING (OVERBURDEN)
7.0	53.0	3G	ALL UNITS FROM PA LOG
53.0	57.6	5A	
57.6	60.7	4L74	
60.7	65.7	4A0	
65.7	69.5	4L/3G	
69.5	87.2	3G/4L	

Drill Hole Report

Record 236 Drill Hole - P55V153

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
11300.0	10081.0	1247.6	904188.5	593368.8

Length: 97.8 Section: 31 W / + 3.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V153
Northing: 11300.0 Easting: 10081.0 Elevation: 1247.6
Length: 97.8 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V153
Northing: 11300.0 Easting: 10081.0 Elevation: 1247.6
Length: 97.8 Core: AX

From	To	Unit	Description
.0	3.7	#	CASING (OVERBURDEN)
3.7	30.5	3G	ALL UNITS FROM PA LOG
30.5	37.5	5A	
37.5	50.9	3G0 &9	
50.9	53.9	5A	
53.9	97.8	3G &9	(5A)

Drill Hole Report

Record 237 Drill Hole - P55V154

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9328.9	10001.0	1165.4	902667.5	594623.5

Length: 84.1 Section: 34 E / + 0.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V154
Northing: 9328.9 Easting: 10001.0 Elevation: 1165.4
Length: 84.1 Core: AX

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
----------	--------------	-------	-------	-----------	-----------	-----------	---------	------	------	-----------	-----------	--------	---------	------	------	-------	------

LITHOLOGIES

Drill Hole: P55V154
Northing: 9328.9 Easting: 10001.0 Elevation: 1165.4
Length: 84.1 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	10.1	#	CASING (OVERBURDEN)
10.1	57.9	5A	ALL UNITS FROM PA LOG
57.9	61.0	5A	(4L)
61.0	84.1	5A	

Drill Hole Report

Record 238 Drill Hole - P55V155

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
11150.6	9851.4	1215.7	903924.2	593297.4

Length: 100.9 Section: 26 W / - 5.0
Type: ODH Core: AX Location: GRUM

Logged by: LCP/GAJ Date: 840800
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V155
Northing: 11150.6 Easting: 9851.4 Elevation: 1215.7
Length: 100.9 Core: AX

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 100.9	100.9	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P55V155
Northing: 11150.6 Easting: 9851.4 Elevation: 1215.7
Length: 100.9 Core: AX

From	To	Unit	Description
----	--	----	-----
.0	4.3	#	OVERBURDEN
4.3	5.8	#	TRICONED
5.8	22.9	#	NO RECOVERY - JUST FOOT BLOCKS
22.9	43.0	4L2	
43.0	45.7	5C4\$	&# (5D4#)
45.7	62.2	5A61	
62.2	63.7	3F9	CALC-SILICATY (5A61) 80:20
63.7	100.9	5A61	

Drill Hole Report

Record 239 Drill Hole - P55V156

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9148.1	10001.2	1171.7	902533.0	594744.3

Length: 81.4 Section: 40 E / + 0.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V156
Northing: 9148.1 Easting: 10001.2 Elevation: 1171.7
Length: 81.4 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V156
Northing: 9148.1 Easting: 10001.2 Elevation: 1171.7
Length: 81.4 Core: AX

From	To	Unit	Description
.0	14.0	#	CASING (OVERBURDEN)
14.0	15.5	4L	WEATHERED ALL UNITS FROM PA LOG
15.5	25.0	4L ?	NO CORE
25.0	43.3	5A	
43.3	81.4	4L/3G	

Drill Hole Report

Record 240 Drill Hole - P55V157

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
11058.2	10154.2	1240.3	904057.2	593584.5

Length: 112.2 Section: 23 W / + 5.0
Type: ODH Core: AX Location: GRUM

Logged by: GAJ/LCP Date: 840812
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V157
Northing: 11058.2
Length: 112.2

Easting: 10154.2
Core: AX
Elevation: 1240.3

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 112.2	112.2	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P55V157
Northing: 11058.2 Easting: 10154.2 Elevation: 1240.3
Length: 112.2 Core: AX

From	To	Unit	Description
.0	4.3	#	OVERBURDEN
4.3	37.8	3G0	CALC-SILICATY &BIO MINOR
37.8	45.6	3F9	MINOR
45.6	49.7	3G9	(3G3 CALC-SILICATY) 70:30
49.7	58.7	3G0	C-SIL BIO &3 &9 (3B2) MINOR
58.7	66.4	3G0	BIO CALC-SILICATY
66.4	70.7	3G93	C-SIL (3G9)(3F9) 33:33:33
70.7	85.3	3G0	CALC-SILICATY BIO MINOR
85.3	102.7	3G	NO CORE
102.7	105.8	3G0	&9
105.8	107.3	3F9	
107.3	112.2	3G0	CALC-SIL (3E16 MINOR)

Drill Hole Report

Record 241 Drill Hole - P55V158

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10030.6	9999.6	1160.9	903189.1	594154.6

Length: 334.1 Section: 11 E / + 0.0
Type: ODH Core: AX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
334.1	-65.0	91.8	50.0	ACID - AZ CALCULATED

ASSAYS

Drill Hole: P55V158
Northing: 10030.6 Easting: 9999.6 Elevation: 1160.9
Length: 334.1 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: P55V158
Northing: 10030.6
Length: 334.1

Easting: 9999.6 Elevation: 1160.9
Core: AX

From	To	Unit	Description
.0	32.3	#	CASING (OVERBURDEN)
32.3	33.5	4E4	ALL UNITS FROM PA LOG
33.5	35.1	4L14	
35.1	36.6	4E4	
36.6	38.1	4L14	
38.1	40.1	4E4	
40.1	47.5	4L	
47.5	54.9	4E14	
54.9	58.8	4E1	
58.8	76.6	4L	
76.6	77.6	4E14	
77.6	82.4	4L	
82.4	82.9	4E4	
82.9	113.5	4L	
113.5	120.9	5A	
120.9	123.7	4L/3G	
123.7	127.6	4E1	
127.6	130.4	4A0 &4	
130.4	134.4	5A	
134.4	142.5	4A0	
142.5	143.6	3G9	
143.6	146.6	4L4	
146.6	193.8	3G	
193.8	195.5	10Q	
195.5	226.5	3G9	
226.5	249.3	5A	(3G9)
249.3	288.5	5A	
288.5	293.2	5A FAULT	
293.2	334.1	5A	

Drill Hole Report

Record 242 Drill Hole - P55V159

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10133.5	9735.8	1128.8	903089.7	593889.5

Length: 259.4 Section: 08 E / - 9.0
Type: ODH Core: AX Location: GRUM

Logged by: GAJ/LCP Date: 840812
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
259.4	-69.0	91.8	50.0	ACID AZIMUTH CALC.

ASSAYS

Drill Hole: P55V159
Northing: 10133.5 Easting: 9735.8 Elevation: 1128.8
Length: 259.4 Core: AX

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 259.4	259.4	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: P55V159
Northing: 10133.5 Easting: 9735.8 Elevation: 1128.8
Length: 259.4 Core: AX

From	To	Unit	Description
.0	33.0	#	OVERBURDEN
33.8	70.0	5B20	(5B0) (5B6) 50:40:10
70.1	94.0	5A61	ALMOST 9 MIN ->(5A3 C-S MIN)
94.2	111.0	5B80	BIO (5C37)
111.9	128.0	5B0	CALC-SILICATY BIO &3 (5D0)
128.6	133.0	5B80	& BIO MINOR
133.8	138.0	5C3	
138.1	175.0		NO CORE
175.9	188.0	5B0	CALC-SILICATY BIO
188.1	202.0	5B20	CALC-SILICATY
202.1	231.0	5B0	CALC-SILICATY BIO
231.0	243.0	5B64	BIO &BXA
243.2	245.0	5A	BXA
245.4	246.0	5B6	BXA
246.9	259.4	5B0	CALC-SILICATY & BIO

Drill Hole Report

Record 243 Drill Hole - P55V160

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10621.8	9439.9	1125.4	903256.1	593343.6

Length: 114.6 Section: 08 W / - 18.0
Type: ODH Core: AX/EX Location: GRUM

Logged by: Date: 0
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: P55V160
Northing: 10621.8 Easting: 9439.9 Elevation: 1125.4
Length: 114.6 Core: AX/EX

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
----------	--------------	-------	-------	-----------	-----------	-----------	---------	------	------	-----------	-----------	--------	---------	------	------	-------	------

LITHOLOGIES

Drill Hole: P55V160
Northing: 10621.8 Easting: 9439.9 Elevation: 1125.4
Length: 114.6 Core: AX/EX

From	To	Unit	Description
.0	2.4	#	CASING - OVERBURDEN
2.4	9.9	5B0	ALL UNITS FROM PA LOG
9.9	21.6	5C3	'LEOPARD ROCK'
21.6	39.0	5A16	
39.0	45.1	5B2	[3G9]
45.1	61.3	5C3	
61.3	114.6	5A	

Drill Hole Report

Record 244 Drill Hole - 87V-01

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9944.2	10044.8	1167.0	903154.9	594245.9

Length: 64.6 Section: 14 E / + 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR/LCP Date: 871010
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
60.0	-89.2	98.8	57.0	SS SINGLE SHOT

ASSAYS

Drill Hole: 87V-01
Northing: 9944.2 Easting: 10044.8 Elevation: 1167.0
Length: 64.6 Core: NQ

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0	21.9	21.9	-1		0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
11153	21.9	23.5	1.5	12	4G4	60	4.50	14.15	5.87	8.28	101.0	-1.0	.55	12.70	1.80	10.90	-1.00	-1.00
11154	23.5	25.8	2.3	67	4G0	60	4.30	9.90	3.18	6.72	42.0	-1.0	.82	9.60	1.93	7.67	-1.00	-1.00
11155	25.8	26.6	.9	100	4G4	60	4.70	12.61	5.36	7.25	113.0	-1.0	.24	14.60	4.69	9.91	-1.00	-1.00
11156	26.6	27.0	.4	100	3C*3	80	3.10	4.46	.54	3.92	10.0	-1.0	.07	16.00	13.40	2.60	-1.00	-1.00
11157	27.0	28.3	1.4	100	4K\$4	50	4.20	5.97	2.41	3.56	40.0	-1.0	.69	34.40	11.90	22.50	-1.00	-1.00
11158	28.3	29.4	1.1	100	4K\$4	50	4.00	6.16	2.79	3.37	34.0	-1.0	.79	29.50	9.39	20.11	-1.00	-1.00
11159	29.4	30.5	1.1	100	4G48	60	4.60	14.33	6.89	7.44	99.0	-1.0	.65	16.30	5.85	10.45	-1.00	-1.00
11160	30.5	31.0	.5	100	3C\$4	80	3.00	2.10	.45	1.65	10.0	-1.0	.24	10.40	9.20	1.20	-1.00	-1.00
11161	31.0	31.9	.9	79	4J42	80	4.30	11.26	5.94	5.32	83.0	-1.0	.55	39.20	34.00	5.20	-1.00	-1.00
11162	31.9	33.2	1.2	100	4G48	60	4.60	14.70	7.07	7.63	93.0	-1.0	.51	21.10	13.20	7.90	-1.00	-1.00
11163	33.2	34.7	1.5	100	4G48	60	4.60	14.95	7.03	7.92	85.0	-1.0	.69	18.80	9.11	9.69	-1.00	-1.00
11164	34.7	35.9	1.2	100	4D48	80	4.00	21.20	10.30	10.90	114.0	-1.0	.93	20.10	12.00	8.10	-1.00	-1.00
11165	35.9	37.0	1.1	100	4D48	80	3.70	14.76	6.84	7.92	77.0	-1.0	.96	18.80	10.90	7.90	-1.00	-1.00
11166	37.0	38.6	1.6	89	4C37	30	3.50	2.16	1.06	1.10	18.0	-1.0	.51	24.50	10.10	14.40	-1.00	-1.00
11167	38.6	39.9	1.3	100	4C37	30	3.70	1.73	1.02	.71	14.0	-1.0	2.30	28.40	12.70	15.70	-1.00	-1.00
11168	39.9	41.5	1.6	100	4C37	30	3.40	2.05	.93	1.12	19.0	-1.0	6.48	23.70	16.60	7.10	-1.00	-1.00
11169	41.5	43.3	1.8	100	4C37	30	3.70	.97	.27	.70	12.0	-1.0	1.75	30.50	16.80	13.70	-1.00	-1.00
11170	43.3	44.5	1.2	100	4C37	30	3.70	1.26	.43	.83	10.0	-1.0	.62	31.10	14.20	16.90	-1.00	-1.00
11171	44.5	46.3	1.8	87	4C37	30	3.60	4.42	1.38	3.04	16.0	-1.0	.41	28.20	12.40	15.80	-1.00	-1.00
11172	46.3	47.6	1.2	100	4C38	30	3.50	.66	.16	.50	8.0	-1.0	.51	23.20	6.48	16.72	-1.00	-1.00
11173	47.6	49.0	1.4	100	4C38	30	3.30	1.04	.58	.46	12.0	-1.0	.65	21.90	5.65	16.25	-1.00	-1.00
11174	49.0	50.3	1.3	100	4C38	30	3.40	.92	.56	.36	12.0	-1.0	.96	21.70	7.45	14.25	-1.00	-1.00
11175	50.3	51.7	1.4	100	4C38	30	3.50	.75	.32	.43	10.0	-1.0	.79	25.00	10.50	14.50	-1.00	-1.00
11176	51.7	52.9	1.2	100	4C38	30	3.30	1.52	.67	.85	10.0	-1.0	.48	21.90	7.10	14.80	-1.00	-1.00
11177	52.9	53.6	.8	100	4D3	80	3.60	8.25	3.23	5.02	34.0	-1.0	.69	23.40	13.70	9.70	-1.00	-1.00
11178	53.6	54.7	1.0	100	4C3	30	3.40	.48	.24	.24	10.0	-1.0	.38	18.00	3.03	14.97	-1.00	-1.00
11179	54.7	56.2	1.6	100	4C38	30	3.20	2.41	1.20	1.21	18.0	-1.0	.69	17.20	6.56	10.64	-1.00	-1.00
11180	56.2	57.8	1.6	100	4L24	120	2.80	.64	.31	.33	4.0	-1.0	.17	6.84	6.45	.39	-1.00	-1.00
11181	57.8	59.5	1.7	100	4L25	120	3.00	.92	.58	.34	6.0	-1.0	.41	12.20	6.15	6.05	-1.00	-1.00
11182	59.5	61.3	1.8	100	4L25	120	3.00	.35	.10	.25	4.0	-1.0	.14	11.90	5.23	6.67	-1.00	-1.00
11183	61.3	63.2	1.9	100	4L25	120	3.00	.26	.18	.08	4.0	-1.0	.10	19.80	9.88	9.92	-1.00	-1.00
0	63.2	64.6	1.4	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	

LITHOLOGIES

Drill Hole: 87V-01
Northing: 9944.2 Easting: 10044.8 Elevation: 1167.0
Length: 64.6 Core: NQ

From	To	Unit	Description
.0	18.3	#	TRICONED-NO RECOVERY
18.3	21.9	#	TILL -10AB BOULDERS
21.9	26.6	4G48	\$ MINOR
26.6	27.0	3C*3	4
27.0	29.4	4K\$4	8 & 6 MINOR
29.4	30.5	4G48	& 3 MINOR
30.5	31.0	3C\$4	& 8 MINOR
31.0	31.9	4J42	87\$
31.9	34.7	4G48	3 MINOR
34.7	37.0	4D48	& # MINOR
37.0	46.3	4C37	89 & # MINOR
46.3	52.9	4C38	9 & 7 & # MINOR
52.9	53.6	4D34	8 & \$ MINOR
53.6	54.7	4C3	
54.7	56.2	4C38	& \$9 MINOR
56.2	57.8	4L24	& 7 & 1 MINOR
57.8	63.2	4L25	& 1 [5B4 & 1]
63.2	64.6	4L06	

Drill Hole Report

Record 245 Drill Hole - 87V-02

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9942.6	10016.3	1164.3	903134.6	594225.8

Length: 62.5 Section: 14 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/CVR Date: 871009
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-02
Northing: 9942.6 Easting: 10016.3 Elevation: 1164.3
Length: 62.5 Core: NQ

From	To	Unit	Description
.0	21.3	#	TRICONED NO RECOVERY
21.3	22.9	#	TILL - 10AB BOULDERS
22.9	25.0	4G48	MOD OXIDIZED
25.0	30.2	4G8	EXTREME OXIDIZED
30.2	31.1	4G	MUD VERY OXIDIZED
31.1	32.1	4E	MUD VERY OXIDIZED
32.1	32.6	4G4	MOD OXIDIZED
32.6	33.0	3C4	\$ # MOD OXIDIZED
33.0	33.8	4G4	8 MINOR MOD OXIDIZED
33.8	36.0	4G48#	(4EO#) 60:40 SL OXIDIZED
36.0	36.6	4EO	SL OXIDIZED
36.6	37.4	4E6#	SL OXIDIZED
37.4	38.5	4G48*	
38.5	40.1	4E1	& # MINOR
40.1	42.3	4C3#	
42.3	44.0	4C3	
44.0	50.4	4E1	[4C3] (4A39) 70:30
50.4	53.2	4D3	& 5 & 8 & 9 MIN[4E14](3C3)MIN
53.2	53.9	4L24	9 MINOR (4H0)
53.9	59.0	3G08	6 MINOR
59.0	59.9	4C0	&2 [4L12] 4 MINOR
59.9	62.0	4L4	1
62.0	62.5	4L124	[4C0]

Drill Hole Report

Record 246 Drill Hole - 87V-03

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10121.9	10014.7	1153.5	903267.1	594105.0

Length: 62.8 Section: 08 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR/LCP Date: 871010
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 87V-03
 Northing: 10121.9 Easting: 10014.7 Elevation: 1153.5
 Length: 62.8 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 26.2	26.2	-1	WASTE	0	-1.00	-1.00	.00	.00	.0	-1.0	.00	.00	-1.00	-1.00	-1.00	.00
11357	26.2 27.9	1.6	100	4E0#	50	3.50	1.81	.89	.92	14.0	-1.0	.96	30.60	19.90	10.70	-1.00	-1.00
11358	27.9 28.9	1.0	100	4G4#	60	4.50	13.09	5.89	7.20	93.0	-1.0	.69	14.10	5.48	8.62	-1.00	-1.00
11359	28.9 30.0	1.2	100	4G4#	60	4.40	25.60	13.80	11.80	152.0	-1.0	.58	24.70	20.00	4.70	-1.00	-1.00
11360	30.0 31.0	1.0	100	4G4#	60	4.30	11.54	4.35	7.19	67.0	-1.0	.24	14.40	7.77	6.63	-1.00	-1.00
11361	31.0 32.1	1.1	100	4G4#	60	4.50	13.35	5.39	7.96	89.0	-1.0	.24	13.90	2.63	11.27	-1.00	-1.00
11362	32.1 33.4	1.3	100	4E0	50	4.50	4.18	1.35	2.83	34.0	-1.0	.86	37.00	.75	36.25	-1.00	-1.00
11363	33.4 34.2	.9	100	4E4	50	4.20	7.25	2.13	5.12	53.0	-1.0	.96	29.20	.69	28.51	-1.00	-1.00
11364	34.2 35.9	1.7	100	4A4#	20	2.60	8.11	2.55	5.56	38.0	-1.0	.62	7.13	1.23	5.90	-1.00	-1.00
11365	35.9 36.6	.7	100	4E41	50	4.40	5.69	1.88	3.81	34.0	-1.0	.48	31.90	2.48	29.42	-1.00	-1.00
11366	36.6 37.7	1.1	100	4A4#	20	3.00	9.60	3.50	6.10	49.0	-1.0	.79	8.24	1.20	7.04	-1.00	-1.00
11367	37.7 39.1	1.4	100	4A4#	20	3.20	7.52	2.45	5.07	42.0	-1.0	.99	15.40	1.24	14.16	-1.00	-1.00
11368	39.1 40.5	1.5	87	4E0	50	4.60	2.75	.67	2.08	21.0	-1.0	.65	39.50	.88	38.62	-1.00	-1.00
11369	40.5 41.4	.9	100	4G80	60	3.50	9.47	3.58	5.89	64.0	-1.0	.31	14.10	4.12	9.98	-1.00	-1.00
11370	41.4 42.4	1.0	100	4G4#	60	4.30	12.20	4.26	7.94	66.0	-1.0	.24	10.70	2.98	7.72	-1.00	-1.00
11371	42.4 43.4	1.0	100	4G4#	60	4.50	12.99	5.81	7.18	97.0	-1.0	.41	14.60	3.78	10.82	-1.00	-1.00
11372	43.4 44.5	1.1	100	4G4#	60	4.50	13.30	5.57	7.73	91.0	-1.0	.34	11.80	4.51	7.29	-1.00	-1.00
11373	44.5 45.6	1.1	100	4G4#	60	4.60	15.58	7.78	7.80	114.0	-1.0	.55	15.00	6.78	8.22	-1.00	-1.00
11374	45.6 46.8	1.2	100	4G4#	60	3.90	14.94	6.16	8.78	85.0	-1.0	.65	19.40	1.18	18.22	-1.00	-1.00
11375	46.8 47.8	1.0	100	4D47#	80	3.70	15.53	5.13	10.40	70.0	-1.0	.65	21.50	17.30	4.20	-1.00	-1.00
11376	47.8 49.0	1.2	100	4D7#	80	3.80	8.46	3.05	5.41	38.0	-1.0	.55	29.70	26.00	3.70	-1.00	-1.00
11377	49.0 50.1	1.1	94	4D#	80	3.50	7.35	5.50	1.85	85.0	-1.0	1.10	23.80	12.40	11.40	-1.00	-1.00
11378	50.1 51.4	1.3	100	4C38	30	3.70	1.58	.81	.77	15.0	-1.0	1.06	32.80	16.60	16.20	-1.00	-1.00
11380	51.4 53.1	1.7	100	4C38	30	3.50	2.88	1.40	1.48	23.0	-1.0	.72	27.60	12.50	15.10	-1.00	-1.00
11379	53.1 55.0	1.9	100	4C38	30	4.00	2.31	.62	1.69	13.0	-1.0	.63	31.70	14.20	17.50	-1.00	-1.00
11381	55.0 56.5	1.5	100	4C3	30	3.90	1.28	.41	.87	13.0	-1.0	.79	34.00	11.00	23.00	-1.00	-1.00
11382	56.5 58.0	1.4	91	4C3	30	4.00	.58	.17	.41	9.0	-1.0	.82	31.70	5.26	26.44	-1.00	-1.00
11383	58.0 59.6	1.6	96	4C3	30	3.80	.47	.14	.33	9.0	-1.0	.72	26.90	3.57	23.33	-1.00	-1.00
11384	59.6 61.0	1.4	100	4C3	30	3.70	.97	.47	.50	13.0	-1.0	.69	28.30	3.91	24.39	-1.00	-1.00
11385	61.0 62.8	1.8	100	4C3	30	3.50	.83	.37	.46	11.0	-1.0	.65	27.10	4.20	22.90	-1.00	-1.00

LITHOLOGIES

Drill Hole: 87V-03
Northing: 10121.9 Easting: 10014.7 Elevation: 1153.5
Length: 62.8 Core: NQ

From	To	Unit	Description
.0	12.2	#	NO RECOVERY-TRICONED
12.2	26.2	#	OVERBURDEN-TILL
26.2	27.9	4E0#	& 6 (4G4 8# MINOR) 80:20 SLOXI
27.9	30.0	4G4#	8 SL OXIDIZED
30.0	32.1	4G4	8 MINOR
32.1	34.2	4E0	1 MINOR
34.2	35.9	4A4#	MINOR
35.9	36.6	4E01	
36.6	39.1	4A4#	MINOR
39.1	40.5	4E0	1 MINOR
40.5	41.4	4G48	(3C\$) 50:50
41.4	43.4	4G48	
43.4	45.6	4G48	& #MINOR
45.6	46.8	4G48	#
46.8	49.0	4D47	# 9 MINOR
49.0	50.1	4D#	[4D3#]
50.1	55.0	4C38	# MINOR
55.0	62.8	4C3	& #MINOR & 8 MINOR & 9 MINOR

Drill Hole Report

Record 247 Drill Hole - 87V-04

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10123.7	9984.8	1152.6	903248.5	594081.5

Length: 89.0 Section: 08 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/CVR Date: 871015
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-04
Northing: 10123.7 Easting: 9984.8 Elevation: 1152.6
Length: 89.0 Core: NQ

From	To	Unit	Description
.0	27.4	#	TRICONED-NO RECOVERY
27.4	32.5	#	OVERBURDEN TILL
32.5	34.5	4G48	(4H4)(4E0)(4H#)41:37:13:9MODOX
34.5	36.0	4E08	
36.0	39.5	4G48	\$
39.5	40.2	4E4	SL OXIDIZED
40.2	41.8	4G4	\$# & 8 SL OXIDIZED
41.8	44.7	4E48	\$ MINOR (4G4)80:20
44.7	45.9	4E4\$	& 6 MINOR
45.9	47.4	4E4	(3C\$) 85:15
47.4	48.8	3C\$	(4E08) 90:10
48.8	49.9	4E48	9 MINOR
49.9	53.6	4G48	(4E68) 88:12
53.6	54.0	4E4	SAND (4G4) 90:10
54.0	56.3	4E10	\$89 MINOR & 3 MINOR(3C0) MINOR
56.3	57.8	4C38	& #
57.8	58.5	4E08\$	(4G48) 75:25
58.5	59.9	4E0#8	& 6 MINOR
59.9	61.4	4E4\$8	
61.4	64.9	4C3	9 MINOR [4E1 9 MINOR]
64.9	68.3	4A3	(4C3)
68.3	69.8	4C3	
69.8	70.2	3C3	
70.2	85.6	4C3	8 MINOR \$ VERY MINOR
85.6	89.0	3G07	STRINGERED

Drill Hole Report

Record 248 Drill Hole - 87V-05

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10151.0	10015.2	1153.1	903289.0	594085.9

Length: 94.8 Section: 07 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR/LCP Date: 871013
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

11473	78.4	79.8	1.4	98	4C38	30	3.90	1.45	.43	1.02	8.0	-1.0	.58	29.30	12.20	17.10	-1.00	-1.00
11474	79.8	81.2	1.4	100	4C38	30	3.60	1.06	.40	.66	8.0	-1.0	.99	26.10	9.20	16.90	-1.00	-1.00
11475	81.2	82.8	1.6	100	4C38	30	3.50	2.36	1.21	1.15	14.0	-1.0	.58	24.10	12.30	11.80	-1.00	-1.00
11476	82.8	84.5	1.6	100	4C38	30	3.30	.70	.42	.28	6.0	-1.0	.55	21.20	6.52	14.68	-1.00	-1.00
11477	84.5	86.0	1.6	100	4C38	30	3.40	1.03	.51	.52	10.0	-1.0	.62	19.90	5.66	14.24	-1.00	-1.00
11478	86.0	87.3	1.3	76	4C08	30	3.10	2.09	1.36	.73	10.0	-1.0	.88	15.20	8.81	6.39	-1.00	-1.00
11479	87.3	88.4	1.0	100	4C08	30	3.10	1.66	.93	.73	10.0	-1.0	1.06	12.80	6.20	6.60	-1.00	-1.00
11480	88.4	89.6	1.3	100	4C08	30	3.00	.40	.13	.27	4.0	-1.0	.21	9.94	3.74	6.20	-1.00	-1.00
0	89.6	94.8	5.2	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 87V-05
 Northing: 10151.0 Easting: 10015.2 Elevation: 1153.1
 Length: 94.8 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	21.3	#	TRICONED-NO RECOVERY
21.3	24.6	#	TILL 10AB BOULDERS
24.6	25.3	4H4\$	
25.3	28.3	4G48	\$(4H4\$(4E46\$)60:35:5SL OXIDE
28.3	32.4	4G*	(4E4*8)(3C03)50:50:TRACE SL OX
32.4	34.2	4E0\$	6 8 MINOR
34.2	40.9	4G4\$	(4E0\$8&4&6)(3C\$7)75:25:TRC
40.9	42.2	4A4\$	&0(4C0\$(4D0\$(3C4*)70:15:15TR
42.2	44.7	4E0\$	MINOR (4G4\$MINOR) 75:25
44.7	45.5	4A4\$	MINOR(4D43\$MINOR) 70:30
45.5	46.5	4E0\$	MINOR
46.5	50.2	4G48	(3C0\$) 97:03
50.2	51.9	3C0\$	(4G48 \$ MINOR) 80:20
51.9	53.0	4G48	#
53.0	54.3	3C\$	LEOPARD ROCK
54.3	55.0	4H48	\$ MINOR (3C\$) 80:20
55.0	56.0	4E41	\$78
56.0	61.3	4C3\$	789 MINOR(4C3\$) 85:15
61.3	62.8	4C08	->(4C38) 50:50
62.8	74.4	4E18	9\$ MINOR[4C3\$89 MINOR]
74.4	74.6	4E44	8\$ [4J428\$]
74.6	81.2	4C38	\$9 MINOR
81.2	86.0	4C38	\$ MINOR (10Q#)
86.0	89.6	4C08	# MINOR[4L1248# MINOR]
89.6	90.1	3C3	(10Q9) 95:05
90.1	92.3	3G06	[4L2]
92.3	94.5	3G08	[4L6 WEAK]
94.5	94.8	3C3	(3G08) 70:30

Drill Hole Report

Record 249 Drill Hole - 87V-06

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10152.2	9985.2	1151.8	903270.0	594062.8

Length: 100.9 Section: 07 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/CVR Date: 871015
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-06
 Northing: 10152.2 Easting: 9985.2 Elevation: 1151.8
 Length: 100.9 Core: NQ

From	To	Unit	Description
----	---	----	-----
.0	25.0	#	TRICONED-NO RECOVERY
25.0	31.5	#	VERY OXIDIZED TILL
31.5	36.9	#	TILL MOD OXIDIZED
36.9	37.5	#?	[4E4(4G4)] VERY OXIDIZED
37.5	39.6	4E4	& 6
39.6	41.0	4L2	& 1 & \$ & 4(4E0&4) 95:50
41.0	43.0	4E4	& 6 8 MINOR \$ VERY MINOR
43.0	43.7	4H42#	(4E46#) 70:30
43.7	46.6	4G48#	SL OXIDIZED
46.6	47.7	4E0	SANDY VERY OXIDIZED
47.7	50.9	4G48	(4E46 \$ MINOR) SL OXIDIZED
50.9	54.1	4E48	
54.1	55.3	4E178	9
55.3	55.9	3B2	(4E0\$) 60:40
55.9	59.4	4E4	POROUS
59.4	61.5	4G48	& #
61.5	63.5	4E41\$	VERY POROUS MOD OXIDIZED
63.5	65.2	4E10	8\$ MINOR
65.2	66.4	4G48\$	#(4E4 POROUS) 50:50 SL OXIDIZE
66.4	68.6	4E48\$	(10Q9) 95:05
68.6	73.3	4C39	& \$
73.3	77.7	4A3	(4C3) 70:309
77.7	79.2	4C0	
79.2	80.1	3B43	\$ (10Q\$) 40:60
80.1	86.4	4C8\$	& 3 (4D8\$&3)(3B3) 60:40 MINOR
86.4	87.8	4L0	[3G47]
87.8	91.0	4C8	& 3
91.0	94.0	4L0	& 2 & 7
94.0	95.1	4L07	
95.1	95.3	3B3	BIO
95.3	97.1	3G047	
97.1	100.9	3G47	1 STRINGER

Drill Hole Report

Record 250 Drill Hole - 87V-07

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10211.0	10016.8	1140.1	903334.8	594047.2

Length: 104.2 Section: 05 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/CVR Date: 871020
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

11345	77.3	78.8	1.5	100	4C8	30	3.60	4.81	4.03	.78	38.0	-1.0	1.17	23.00	7.59	15.41	-1.00	-1.00
11346	78.8	80.2	1.4	100	4C8	30	3.40	4.72	3.87	.85	36.0	-1.0	.86	18.70	6.31	12.39	-1.00	-1.00
11347	80.2	81.7	1.5	100	4C8	30	3.90	2.76	1.16	1.60	12.0	-1.0	.45	32.50	17.50	15.00	-1.00	-1.00
11348	81.7	83.2	1.5	100	4C8	30	3.60	1.80	.72	1.08	9.0	-1.0	.69	28.30	17.00	11.30	-1.00	-1.00
11349	83.2	84.6	1.4	100	4C8	30	3.60	6.20	3.25	2.95	30.0	-1.0	.99	27.30	15.80	11.50	-1.00	-1.00
11350	84.6	86.0	1.3	100	4C8	30	3.20	.64	.48	.16	6.0	-1.0	.72	17.60	4.62	12.98	-1.00	-1.00
11351	86.0	87.1	1.2	100	4C8	30	3.40	1.65	.84	.81	13.0	-1.0	.48	24.60	10.40	14.20	-1.00	-1.00
11352	87.1	88.3	1.2	100	4C8	30	3.50	1.28	.59	.69	9.0	-1.0	.51	25.30	9.44	15.86	-1.00	-1.00
11353	88.3	90.0	1.7	100	4C0#	30	3.10	.78	.55	.23	9.0	-1.0	.27	16.80	3.58	13.22	-1.00	-1.00
11354	90.0	91.7	1.7	100	4L624	120	2.90	.64	.25	.39	6.0	-1.0	.14	9.66	4.09	5.57	-1.00	-1.00
11355	91.7	93.3	1.6	100	4L624	120	2.90	.49	.19	.30	6.0	-1.0	.14	8.88	4.00	4.88	-1.00	-1.00
11356	93.3	95.0	1.7	100	4L624	120	2.90	.07	.01	.06	2.0	-1.0	.14	10.10	4.70	5.40	-1.00	-1.00
0	95.0	104.2	9.2	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 87V-07
 Northing: 10211.0 Easting: 10016.8 Elevation: 1140.1
 Length: 104.2 Core: NQ

From	To	Unit	Description
.0	15.2	#	TRICONED NO RECOVERY
15.2	15.3	#	TILL
15.3	21.8	4E80	\$ MINOR(4G4&8&\$MINOR) 90:10
21.8	24.2	4G4	& \$ MINOR SL OXIDIZED
24.2	28.0	4E468	#
28.0	31.2	4A4	& 7 MINOR (4H4) MINOR
31.2	32.7	3G48	(3C7&3) 80:20
32.7	35.8	4A4	& 7
35.8	36.3	3B3	BIO
36.3	38.1	4A0	& 4 & 7
38.1	41.3	3G08	
41.3	44.0	4A4	->(4C0) 90:10
44.0	44.3	3B4	[5D4] [4L0]
44.3	47.5	4E0	& 46(4A4->4D5)(5D47)65:30:50
47.5	49.4	4G48	
49.4	50.2	3B3	BIO
50.2	51.9	4G48	3 MINOR(4D48) 90:10
51.9	55.0	4H431	\$MIN9MIN (3C41\$)(4G4) 50:30:20
55.0	58.2	4E18	\$ MINOR
58.2	63.8	4C83	& \$ & 7 & 9 & 4
63.8	66.7	4C7	\$ MINOR 3 MINOR 9 MINOR
66.7	74.1	4C8	4 MINOR 7 MINOR \$ MINOR
74.1	77.3	4C8	& 3
77.3	84.6	4C8	& 3(10Q#9) 90:10
84.6	88.3	4C8	& 7 & 9 &# CHLORITE GARNET
88.3	90.0	4C0#	[4L124#]
90.0	95.0	4L62	481 MINOR & #
95.0	97.2	4L0	6 WEAK 2 WEAK
97.2	101.2	4L6	2 MINOR(3B3 BIO)[3G48] 80:20
101.2	102.3	4L	WEAK (10Q39) 70:30
102.3	104.2	4L6	2MIN9 V MIN(3B3 BIO)MIN[3G48]

Drill Hole Report

Record 251 Drill Hole - 87V-08

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10213.8	9985.3	1142.7	903316.0	594021.8

Length: 99.7 Section: 05 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR/LCP Date: 871023
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-08
 Northing: 10213.8 Easting: 9985.3 Elevation: 1142.7
 Length: 99.7 Core: NQ

From	To	Unit	Description
.0	21.3	#	TRICONED NO RECOVERY
21.3	21.5	#	TILL - BOULDERS
21.5	22.2	4A4	
22.2	26.0	4E4	POROUS MOD OXIDIZED
26.0	26.5	4D0	(4L0[3G4]GOUGE)
26.5	29.4	4E4	POROUS & # & 6
29.4	33.0	4A0	(4E4&6&#MIN)(4C0)(5D46)70:20:5
33.0	36.2	4E4	(10Q44)(4H4) 95:05:MINOR
36.2	37.9	4A4	(4D5)(5C4[5D4])(4E4)60:05:30:5
37.9	40.6	3G06	& 4 MINOR
40.6	41.4	4E4	& 6(10Q9 \$ MINOR) 97:03
41.4	42.8	4G48	# MINOR
42.8	44.6	4H#\$	(3G046)(3B46)(4E4)75:25:TR:TR
44.6	46.7	4E48	&6MINOR(4D47)(3C14*)100:MIN:MI
46.7	49.6	4G48	# (4H4#) MINOR
49.6	53.6	4E4	SANDY & 0(4G4)95:05 V OXIDIZE
53.6	55.7	4G48	
55.7	59.1	4E48	(3B2) MINOR
59.1	60.5	4E80	# [4K80]
60.5	63.0	4C3#	(10Q#) 95:05 SL OXID[4C0# & 3]
63.0	65.0	4G48	
65.0	67.6	4E4#	& 1 & 8
67.6	68.5	4G48	#MINOR (10Q\$) 65:35
68.5	70.7	4E10	
70.7	77.2	4C0	& 3 9MINOR(3B\$) 95:05
77.2	79.8	4C3#	79 & 5
79.8	89.7	4C08	MIN79 V MIN & 3 & 5(3B\$)MIN
89.7	95.1	4C30	9 MINOR 8 VERY MINOR
95.1	99.7	3G07	BIO

Drill Hole Report

Record 252 Drill Hole - 87V-09

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10276.6	10015.3	1131.8	903382.7	594002.3

Length: 99.7 Section: 03 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/CVR Date: 871026
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-09
 Northing: 10276.6 Easting: 10015.3 Elevation: 1131.8
 Length: 99.7 Core: NQ

From	To	Unit	Description
.0	18.3	#	TRICONED NO RECOVERY
18.3	20.4	#	NO CORE REC OVERBURDEN ASSUMED
20.4	23.6	4A0	(4C0)95:05 V OXIDIZED
23.6	24.3	5D4	VERY OXIDIZED
24.3	27.6	4A0	(4C0)MINOR MOD OXIDIZED
27.6	30.3	4A0	&4
30.3	34.9	4L624	(4C0 &5)(3B3)(4H4) 50:25:15:10
34.9	36.4	4H4\$8	
36.4	38.4	4G48	#(4C4\$)(4E468)60:35:5
38.4	42.5	4G4#	
42.5	47.2	4G48	#\$
47.2	49.1	4G48	(4C0)(3B\$6)(10Q9\$)60:15:10:15
49.1	57.0	4G48	(3C\$7&#&BIO:) 80:20
57.0	58.8	4G48	& #MINOR(3C\$7) 85:15
58.8	61.4	4E0	8 & \$MINOR & 46
61.4	63.6	4G48	& #MINOR
63.6	64.8	4D438	# 79 MINOR
64.8	65.5	4D48	& 7 MINOR
65.5	70.0	4C38	# MINOR &7 MINOR (4D38 # MINOR &7 MINOR)
70.0	72.0	4C8	73 9 MINOR
72.0	73.9	4E10	8 &7 [4C38 &7]
73.9	82.1	4C8	79 MINOR
82.1	87.8	4C8	# MINOR 79 MINOR
87.8	91.8	4C0	& #MINOR [4L12]
91.8	92.6	4C07	& # MINOR [4L17]
92.6	98.9	3G079	6
98.9	99.4	3G079	6
99.4	99.7	3G079	6

Drill Hole Report

Record 253 Drill Hole - 87V-10

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10283.8	9986.6	1130.4	903368.8	593976.1

Length: 104.2 Section: 03 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: GAJ Date: 871113
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

30658	79.5	80.8	1.3	100	4E10	50	3.60	3.32	1.38	1.94	12.0	-1.0	.34	26.70	7.02	19.68	-1.00	-1.00
30659	80.8	82.2	1.4	98	4E10	50	3.40	.79	.26	.53	21.0	-1.0	.41	24.30	2.59	21.71	-1.00	-1.00
30660	82.2	83.5	1.3	100	4E10	50	3.40	1.46	.27	1.19	21.0	-1.0	.38	21.10	2.47	18.63	-1.00	-1.00
30661	83.5	84.7	1.2	100	4E10	50	3.40	1.38	.45	.93	4.0	-1.0	.41	23.00	2.84	20.16	-1.00	-1.00
30662	84.7	85.8	1.1	100	4L67	120	2.80	1.27	.93	.34	33.0	-1.0	.01	4.73	4.12	.61	-1.00	-1.00
30663	85.8	87.3	1.5	100	4D83	80	3.40	5.88	2.92	2.96	14.0	-1.0	.69	20.00	4.62	15.38	-1.00	-1.00
30664	87.3	88.7	1.4	100	4C38	30	3.40	1.50	.93	.57	14.0	-1.0	.69	25.10	5.76	19.34	-1.00	-1.00
30665	88.7	90.4	1.7	100	4C38	30	3.20	1.14	.39	.75	10.0	-1.0	.86	21.40	5.86	15.54	-1.00	-1.00
0	90.4	104.2	13.8	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 87V-10
 Northing: 10283.8 Easting: 9986.6 Elevation: 1130.4
 Length: 104.2 Core: NQ

From	To	Unit	Description
.0	18.3	#	CASING
18.3	18.9	#	TILL
18.9	31.9	4A4	
31.9	33.2	4L6	->3G48
33.2	34.3	4A0	& 4 (4L6) MINOR
34.3	35.1	4E48	& # & 6
35.1	36.9	4L124	6 MINOR(4G14)(10Q9)40:30:30
36.9	37.8	4L126	(4L6) 50:50
37.8	39.2	10Q9	?
39.2	45.0	4L124	6 MIN->4D SERICITIC LOCALLY
45.0	50.4	4G48#	->\$ (4E48\$->(4H491) 85:15
50.4	52.0	4E81	@ ?
52.0	56.0	4G48	& #(5C\$) 90:10
56.0	58.5	4E01	->(4J01) 60:40 MOD OXIDIZE
58.5	60.4	4G4#	8 (4E#48) 40:60
60.4	65.7	4G4#	8
65.7	72.5	4K#	&9
72.5	75.4	4E10	(5C#) 95:5
75.4	84.7	4E1	0 &8MINOR ->4C3 &9MINOR &4MINOR (4E48) 95:05
84.7	85.8	4L67	
85.8	87.3	4D83	9 MINOR # MINOR CHLORITE
87.3	90.4	4C38	9MIN 7 MIN (4C79)CHLOR 50:50
90.4	104.2	4L67	2

Drill Hole Report

Record 254 Drill Hole - 87V-11

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10309.5	10017.5	1135.4	903408.6	593982.0

Length: 95.1 Section: 02 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR/LCP Date: 871031
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-11
 Northing: 10309.5 Easting: 10017.5 Elevation: 1135.4
 Length: 95.1 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	6.7	#	TRICONED NO RECOVERY
6.7	22.6	4L06	7STRING[3G47 STRING](3B43) TR
22.6	25.0	3G9	->(3E0) 50:50
25.0	25.9	4A4	M OXIDIZED
25.9	37.2	4A0	SL WEATHERED
37.2	37.9	3C47	\$ LEOPARD ROCK
37.9	42.6	4A0	& 4 (4C0) 95:05 SL OXIDIZED
42.6	43.4	4D44	& 5 & 3 MINOR
43.4	47.3	4L6	&1 &BIO (4C7)(3B6)(4H4)(10Q) 65:20:05:05:05
47.3	49.3	4E80	\$MIN(4G48)(3C4) 60:40:TR
49.3	51.9	4G4	\$ MINOR
51.9	56.2	4G4	& #
56.2	58.5	4E08	&POROUS &4 (3B\$ &BIO)(10Q9)(4D4) 65:20:10:05
58.5	60.4	4G4	&# (4E0 POROUS)(10Q9#) 92:05:03
60.4	61.2	4E08	& 1 (10Q CHLORITE) 100:TRCE
61.2	66.4	4G4	& 8 (3C#[3B\$]) MINOR
66.4	68.9	10Q9	BXA ->(4L612 BIO)(3C\$6)(4E468) 30:30:30:10
68.9	70.3	4E18	7 MINOR
70.3	74.1	4G48	# MINOR
74.1	76.2	4G48	(3C36) 80:20
76.2	79.2	4D01	& 8
79.2	80.1	3G96	(10Q9\$) 80:20
80.1	84.2	4C78	9 & \$ MINOR
84.2	85.8	4C07	89
85.8	89.4	4L12	68 & # & 9MIN[4C38&3&#&9]
89.4	93.5	4L12	7 & 9 MINOR(3B3&BIO) 85:15
93.5	95.1	3G47	6 (PO,CPY) &3 STRINGERED (3B3) 95:05

Drill Hole Report

Record 255 Drill Hole - 87V-12

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10063.5	9986.0	1157.5	903204.4	594122.5

Length: 95.7 Section: 10 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/CVR Date: 871030
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-12
Northing: 10063.5 Easting: 9986.0 Elevation: 1157.5
Length: 95.7 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	21.9	#	TRICONED-NO RECOVERY
21.9	28.0	#	OVERBURDEN TILL
28.0	28.8	5D4	VERY OXIDIZED
28.8	33.2	4E4	SAND (4G4 SAND) EXT WEATHERED
33.2	35.4	3G4	& 9(4L0) GOUGE 85:15
35.4	39.2	5D4	& (4E4) 80:20
39.2	44.8	4L0	&6 -> 4L6 WEAK [3G48 STRINGERED]
44.8	52.9	3G0	
52.9	54.2	4L0	4 WEAK [3G46 STRINGERED]
54.2	56.5	4E4	\$MIN & 6POR(4G4 & #)80:20
56.5	57.6	4L0	6WEAK 4WEAK(E46\$POR & 7)75:25
57.6	62.1	3G486	[4L246]
62.1	64.6	5A6	9 MINOR
64.6	66.1	4E80	POROUS(4L0) 80:20 SL WEATHERED
66.1	67.5	4L0	& 6 4L24
67.5	69.3	3G48	->
67.5	72.6	4L24	& #MIN&1(3C7&#)(4E4)80:15:05
72.6	74.0	4A07	(5A06)(5D4)70:30:TRACE
74.0	79.9	4L0	(3G9)(5D0) 70:30:TRACE
79.9	83.1	5A6	(5B26) 90:10
83.1	84.6	4G48	MINOR \$ MINOR
84.6	85.0	4C0	(4L21) 50:50
85.0	87.8	4G4	8 & #(4E48) 70:30
87.8	91.3	4E4	\$ & 6
91.3	95.7	3G46	

Drill Hole Report

Record 256 Drill Hole - 87V-13

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10093.1	9987.8	1154.2	903227.7	594104.1

Length: 105.2 Section: 09 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR/LCP Date: 871124
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
2:50: 7 Serial no: 20320
25/ 7/90 Page : 807

30995	97.3	98.1	.9	100	4E1	50	4.00	1.03	.18	.85	14.0	-1.0	.17	35.30	5.84	29.46	-1.00	-1.00
30996	98.1	99.4	1.2	97	4E1	50	4.20	.38	.10	.28	19.0	-1.0	.51	40.30	3.11	37.19	-1.00	-1.00
0	99.4	105.2	5.8	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 87V-13
Northing: 10093.1 Easting: 9987.8 Elevation: 1154.2
Length: 105.2 Core: NQ

From	To	Unit	Description
.0	34.1	#	TRICONED NO RECOVERY
34.1	37.2	#	TILL
37.2	41.9	#	TILL
41.9	46.3	4G4	& #MIN & 8(4EOSND)60:40
46.3	47.7	4E48	& # & 6
47.7	48.8	4EO	POROUS
48.8	50.7	4E#0	& 8 MINOR [4KO & 8MINOR]
50.7	51.6	4G48	& #
51.6	53.9	4EO8	#&
53.9	57.4	4E1	& 8 & \$ MINOR
57.4	59.0	4E1#	& 8 MINOR
59.0	61.3	4E1	& # & 8(4G4#8) 80:20
61.3	62.6	4J48	3 # & 7 & 9 MINOR & 1 MINOR
62.6	72.2	4C3	& 9 & 7 & #MINOR & 8 V. MINOR
72.2	73.9	4CO	& 7MIN & 9MIN(4L12) TRACE
73.9	75.9	4L21	(4C3) 85:15
75.9	78.7	4LO	(10Q0) 95:05
78.7	79.9	4E10	(4HO & 9 V MINOR)(4LO)65:35:TR
79.9	81.6	4E4	GOUGE + EXA
81.6	87.0	4E48	& # & \$ MINOR
87.0	90.3	4G4	& 8 & # & \$
90.3	93.2	4H4	& \$ & 8 MINOR(4LO@MINOR)70:30
93.2	95.7	4E4	& 6 & 8 & # & \$ & POROUS
95.7	97.3	4EO8	& 7
97.3	99.4	4E1	& \$
99.4	100.1	4LO	& 1 & \$
100.1	105.2	5B6	& 4 & 2 & 9

Drill Hole Report

Record 257 Drill Hole - 87V-14

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9818.8	9980.8	1146.2	903018.8	594281.8

Length: 33.8 Section: 18 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 871102
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-14
Northing: 9818.8 Easting: 9980.8 Elevation: 1146.2
Length: 33.8 Core: NQ

From	To	Unit	Description
.0	4.6	#	TRICONED-NO RECOVERY
4.6	9.9	#	TILL MUD AND BOULDERS
9.9	11.5	4CO	& 3 SL WEATHERED
11.5	12.5	4CO	
12.5	16.1	4E8	& 1
16.1	17.7	4D4#8	& 3
17.7	19.1	4E#	
19.1	22.9	4E8	& 1 & #MIN & 9 VERY MINOR
22.9	28.8	3G6	& BIO(10Q9) TRACE
28.8	33.8	4L67	49 MINOR

Drill Hole Report

Record 258 Drill Hole - 87V-15

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9848.6	9971.2	1147.2	903034.6	594254.8

Length: 32.3 Section: 17 E / - 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 871106
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-15
Northing: 9848.6 Easting: 9971.2 Elevation: 1147.2
Length: 32.3 Core: NQ

From	To	Unit	Description
.0	9.1	#	TRICONED NO RECOVERY
9.1	9.4	#	TILL VERY OXIDIZED
9.4	13.4	4E48	(4L624*) 95:5
13.4	14.4	4G4	(4J4) 75:25
14.4	15.8	4L612	4(10Q9) 60:40
15.8	19.9	4G4	& 8 & \$ MINOR
19.9	21.9	4E48\$	[4J83]
21.9	23.2	4G4	& 8 & # MINOR
23.2	25.3	4C38	& \$ MINOR
25.3	27.0	4E0	& 1 MINOR
27.0	29.4	4C3	& 8 & 9 MINOR
29.4	32.3	3G0	& 9 (4L62*) 90:10

Drill Hole Report

Record 259 Drill Hole - 87V-16

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9789.5	9964.0	1146.4	902985.8	594288.8

Length: 40.1 Section: 19 E / - 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/CVR Date: 871119
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-16
 Northing: 9789.5 Easting: 9964.0 Elevation: 1146.4
 Length: 40.1 Core: NQ

From	To	Unit	Description
.0	3.0	#	TRICONED-NO RECOVERY
3.0	3.7	#	OVERBURDEN TILL
3.7	5.2	4G4	EXTREMELY OXIDIZED!!
5.2	6.0	4G4	& # MINOR
6.0	7.3	4L62	(10Q9) 80:20 OXIDIZED
7.3	8.4	4E48	& 6 & # MINOR
8.4	9.4	4L24	& 1 SLIGHTLY OXIDIZED
9.4	10.3	5F6	& \$ [5C6&\$]
10.3	11.3	4L02	& 1
11.3	18.9	5B6	& 2->(5A69)(5D6)95:05:TRACE
18.9	20.9	4A0	&4 (5D6) TRACE
20.9	22.1	4L06	& 1 (4A0) 95:05
22.1	27.7	5B62	&\$[5A6&\$](5B6)(4L6)(4L02)80:15
27.7	31.1	4G48	& \$ & # BOTH MINOR
31.1	32.3	4E468	& #
32.3	34.7	4E0	& 4 & # & 8
34.7	35.8	4E1	& 4 & #(4G4 & 8)
35.8	38.6	4L02	4->(4L6) 50:50
38.6	40.1	4L0	GOUGE

Drill Hole Report

Record 260 Drill Hole - 87V-17

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9726.5	10015.6	1152.5	902973.3	594369.3

Length: 36.6 Section: 21 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR/LCP Date: 871124
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-17
Northing: 9726.5 Easting: 10015.6 Elevation: 1152.5
Length: 36.6 Core: NQ

From	To	Unit	Description
----	---	----	-----
.0	3.7	#	TRICONED NO RECOVERY
3.7	7.8	5B6	EXTREMELY WEATHERED
7.8	8.4	4G4	& 8 MINOR
8.4	15.3	4E08	& # & 1 MINOR(5C@)TRACE
15.3	16.1	4E48	& # & 1
16.1	18.8	4E18	
18.8	20.7	4C38	-->(4D08) 60:40
20.7	27.1	4C0	& 3 & 8(10Q9) 96:04
27.1	31.4	4L0	
31.4	32.5	4L12	4\$&7 MINOR & 6
32.5	36.0	4L6	& 2 MINOR & 7 MIN & \$ & 4
36.0	36.6	10Q0	(5C\$) 80:20

Drill Hole Report

Record 261 Drill Hole - 87V-18

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9724.0	9984.0	1150.2	902950.3	594347.5

Length: 36.0 Section: 21 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 871119
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-18
Northing: 9724.0 Easting: 9984.0 Elevation: 1150.2
Length: 36.0 Core: NQ

From	To	Unit	Description
.0	4.9	#	TRICONED NO RECOVERY
4.9	6.2	#	SILT (OVERBURDEN)
6.2	7.6	5D6	MOD WEATHERED (10Q) TRACE
7.6	8.9	5B6	2 & 8 MINOR(10Q9)TRACE
8.9	9.9	4A4	(4E0) TRACE
9.9	10.9	4L62	4
10.9	13.1	4G4	& 8 (10Q)TRACE (4L6) TRACE
13.1	13.9	4D0	(4E468)(4L621GOUGE)35:35:30
13.9	20.1	4L624	
20.1	21.2	5B6	& 2 MINOR (10Q) 85:15
21.2	21.8	4L12	46
21.8	24.2	4E14	
24.2	26.4	4C3	
26.4	32.0	4E0	& 1 & 9MINOR(5B64)TRCE
32.0	34.7	5A68	(5B6 & 8MINOR) 60:40
34.7	36.0	5D6	[4L6 WEAK]

Drill Hole Report

Record 262 Drill Hole - 87V-19

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9633.2	10043.2	1157.8	902922.1	594452.0

Length: 39.3 Section: 24 E / + 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR/LCP Date: 871116
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-19
Northing: 9633.2 Easting: 10043.2 Elevation: 1157.8
Length: 39.3 Core: NQ

From	To	Unit	Description
.0	4.6	#	TRICONED NO RECOVERY
4.6	7.1	5B6	RUBBLE
7.1	8.4	4E48	(10Q9) 80:20 EXTR. OXIDIZED
8.4	10.0	4L02	4 EXTREMELY WEATHERED
10.0	15.6	4L0	& 6 EXTREMELY OXIDIZED
15.6	16.2	4L12	MOD OXIDIZED
16.2	18.7	4L0	GOUGE (4E18) TRACE
18.7	22.3	4E4	& \$ & 1 POROUS
22.3	25.5	4D34	8 & \$ MINOR (4C38) (4J44) 50:50:TRACE
25.5	29.6	4C3	& \$(4E41 & \$MINOR)90:10
29.6	31.8	4E41	8 & \$(5C4*)90:10
31.8	33.2	4C0	
33.2	36.9	4L06	& 1 & 2MINOR(4L0 GOUGE) 60:40
36.9	37.8	4E08	& 1 & \$(4L12)TRACE
37.8	39.3	4L21	6 MINOR

Drill Hole Report

Record 263 Drill Hole - 87V-20

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9633.0	9983.0	1155.3	902882.0	594407.3

Length: 36.9 Section: 24 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR/LCP Date: 871114
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-20
Northing: 9633.0 Easting: 9983.0 Elevation: 1155.3
Length: 36.9 Core: NQ

From	To	Unit	Description
.0	4.9	#	TRICONED-NO RECOVERY
4.9	6.7	5B6	EXTEMEY WEATHERED
6.7	9.9	5B6	MODERATELY WEATHERED
9.9	13.3	5B6	SLIGHTLY WEATHERED
13.3	16.3	5B62	
16.3	23.1	4E80	&# (4F4# &8)(4G4 &# &8)(4E08 &#) 48:18:21:13
23.1	25.4	4A4	
25.4	28.1	4A0	->(4C0) 90:10
28.1	33.9	4L06	2 & 1
33.9	36.9	5B62	& 41

Drill Hole Report

Record 264 Drill Hole - 87V-21

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9633.8	9953.3	1153.1	902862.7	594384.7

Length: 48.8 Section: 24 E / - 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/CVR Date: 871114
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-21
Northing: 9633.8 Easting: 9953.3 Elevation: 1153.1
Length: 48.8 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	3.0	#	TRICONED-NO RECOVERY
3.0	7.5	4L2	EXTEMEY OXIDIZED
7.5	11.2	4E0	&4 SAND
11.2	15.2	5B6	& 4 MINOR
15.2	18.5	5B6	->(5B62) 10:90
18.5	19.5	4E4	POROUS & \$MINOR & 6
19.5	20.8	4G48	& \$MINOR (5C6) TRACE
20.8	24.9	4E80	&6&\$(5C6)(4LO)(5A619)ALL MINOR
24.9	29.6	5A196	
29.6	31.1	4E0	8 & 1 & \$(5A61) 90:10
31.1	31.7	4C5	
31.7	37.2	4L0	GOUGE
37.2	44.5	4L0	& 2 MINOR
44.5	48.8	5A6	

Drill Hole Report

Record 265 Drill Hole - 87V-22

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9633.1	9923.2	1152.9	902842.2	594362.8

Length: 30.8 Section: 24 E / - 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR/LCP Date: 871117
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-22
Northing: 9633.1 Easting: 9923.2 Elevation: 1152.9
Length: 30.8 Core: NQ

From	To	Unit	Description
.0	4.9	#	TRICONED-NO RECOVERY
4.9	6.1	#	OVEBURDEN
6.1	7.4	5B6	?[4LO]?EXT WEATH + OXIDIZED
7.4	11.1	4G4	& 8 & SANDY OXIDIZED
11.1	14.2	4E4	& 8 VERY WEATHERED
14.2	15.0	4E0	& 4
15.0	17.5	4G4	& 8 & #MINOR
17.5	19.8	4E0 &4	& #(10Q9)(4L624)70:15:15
19.8	22.6	4L24	& 1(10Q9) 75:25
22.6	23.7	4G4	& # & 8
23.7	25.0	4L24	& 1
25.0	25.3	4E5	& #MINOR
25.3	30.8	5A6	& 1 & 9

Drill Hole Report

Record 266 Drill Hole - 87V-23

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9691.3	10042.7	1156.0	902965.1	594412.9

Length: 29.6 Section: 22 E / + 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/CVR Date: 871124
Comments: PIEZOMETER HOLE

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-23
Northing: 9691.3 Easting: 10042.7 Elevation: 1156.0
Length: 29.6 Core: NQ

From	To	Unit	Description
.0	4.9	#	TRICONED NO RECOVERY
4.9	5.1	#	TILL - 10AB BOULDERS
5.1	8.4	4G4	SANDY/VERY OXIDIZED
8.4	10.5	5B62	EXTREMELY WEATHERED
10.5	12.8	4C8	& \$ & 3(5B62)90:10
12.8	14.2	4C3	& 8
14.2	16.1	4C8	& \$ & 7 & 9
16.1	17.1	4C0	& 3
17.1	20.9	4E14	8\$ & 7MINOR(10Q\$) 90:10
20.9	21.8	4C7\$	& 8
21.8	23.2	4E14	8\$
23.2	24.4	4E18	
24.4	26.7	4C0	[4L124 & 6MINOR]
26.7	29.6	4L0	& 6 & 2

Drill Hole Report

Record 267 Drill Hole - 87V-24

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10023.5	10126.2	1162.7	903268.1	594253.7

Length: 81.4 Section: 11 E / + 4.0
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/CVR Date: 871117
Comments: PIEZOMETER HOLE

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 87V-24
Northing: 10023.5 Easting: 10126.2 Elevation: 1162.7
Length: 81.4 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 81.4	81.4	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 87V-24
Northing: 10023.5 Easting: 10126.2 Elevation: 1162.7
Length: 81.4 Core: NQ

From	To	Unit	Description
.0	19.5	#	TRICONED NO RECOVERY
19.5	28.0	#	TILL
28.0	34.7	#	UNCONSOLIDATED SILT
34.7	39.5	#	TILL
39.5	51.5	4L24	SLIGHTLY OXIDIZED
51.5	52.7	5D04	BIO
52.7	60.2	5B6	& 2
60.2	71.1	4L0	& 6 MINOR
71.1	75.2	4L12	
75.2	77.8	4L0	
77.8	81.4	4L0	6 WEAK

Drill Hole Report

Record 268 Drill Hole - 87V-25

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10031.5	10015.6	1160.1	903200.3	594165.9

Length: 82.9 Section: 11 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR/LCP Date: 871121
Comments: PIEZOMETER HOLE

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-25
Northing: 10031.5 Easting: 10015.6 Elevation: 1160.1
Length: 82.9 Core: NQ

From	To	Unit	Description
.0	27.4	#	TRICONED-NO RECOVERY
27.4	29.0	4A0	EXTREMELY WEATHERED
29.0	33.3	4A4	GOUGE
33.3	34.7	4E4	VERY WEATHERED
34.7	36.6	4E48	& 6 & \$ MOD WEATHERED
36.6	39.9	4G4#	& 8MINOR SL WEATHERED
39.9	41.8	4E44	->4F
41.8	46.9	4E\$0	POROUS
46.9	51.9	4G4	& #(4E46 & #) 70:30
51.9	53.0	4E4	& # MINOR
53.0	58.5	4E46	# (4G4) 60:40
58.5	60.0	4L62	& 4
60.0	63.6	4E44	POROUS(4G4)(4E01)(4A0)25:45:17
63.6	72.3	4G4	& 8
72.3	75.0	4E4	BXA
75.0	76.5	4L0	GOUGE (4E44#[4J44#]) 90:10
76.5	78.3	4L6	(5B6) 80:20
78.3	79.2	5C\$7	LEOPARD ROCK
79.2	82.9	4L6\$	& 2(5C\$7)TRACE (10Q0) TRACE

Drill Hole Report

Record 269 Drill Hole - 87V-26

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10155.0	9820.1	1146.7	903162.0	593938.0

Length: 49.4 Section: 07 E / - 6.0
Type: DDH Core: NQ Location: GRUM

Logged by: LCP Date: 871115
Comments: PIEZOMETER HOLE

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-26
Northing: 10155.0 Easting: 9820.1 Elevation: 1146.7
Length: 49.4 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	12.2	#	TRICONED NO RECOVERY
12.2	46.4	#	TILL
46.4	48.8	4L24	& 6
48.3	49.4	5B6	& 2 & 4 MINOR

Drill Hole Report

Record 270 Drill Hole - 87V-27

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10360.1	10014.1	1142.3	903444.0	593945.6

Length: 91.9 Section: 00 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/CVR Date: 871122
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
3:21:42 Serial no: 20320
25/ 7/90 Page : 850

30297	86.5	87.4	.9	100	5B624	80	2.90	.45	.18	.27	6.0	-1.0	.21	10.40	6.80	3.60	-1.00	-1.00
0	87.4	91.9	4.5	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 87V-27
 Northing: 10360.1 Easting: 10014.1 Elevation: 1142.3
 Length: 91.9 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	9.1	#	TRICONED NO RECOVERY
9.1	9.8	#	TILL
9.8	26.2	3G0	WEATHERED
26.2	29.2	3G0	& 8 & 9
29.2	30.8	4L6	(3B3) 90:10
30.8	33.5	4A4	
33.5	60.9	4A0	(4C5) TRACE
60.9	64.6	4A4	
64.6	65.3	4E4	
65.3	67.1	4L6	WEAK
67.1	68.5	4L6	WEAK (4A0) 75:25
68.5	68.9	4H4#	
68.9	70.2	4L76	WEAK # MINOR
70.2	70.8	4G48	
70.8	73.5	4L76	WEAK-> (4D7) 90:10
73.5	75.6	4H4	\$MIN(4J478\$MIN)(4G48#)20:50:30
75.6	76.9	4L124	
76.9	80.1	4E4#	& 1 & \$
80.1	82.0	4G48	# [4E468#]
82.0	83.3	4E48	\$1
83.3	84.2	4E18	0 & 9 VERY MINOR
84.2	86.5	4E10	879 &4 [4D879] (3C4\$) TRACE
86.5	87.4	5B6	2479 1 MINOR
87.4	91.9	4L47	& # MINOR

Drill Hole Report

Record 271 Drill Hole - 87V-28

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10458.6	10179.7	1174.5	903627.8	594003.3

Length: 46.3 Section: 03 W / + 6.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR/LCP Date: 871125
Comments: PIEZOMETER HOLE

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 87V-28
Northing: 10458.6 Easting: 10179.7 Elevation: 1174.5
Length: 46.3 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	9.1	#	TRICONED NO RECOVERY
9.1	14.5	5B0	MOD WEATHERED
14.5	16.9	5B20	&1 (10Q0) 95:05 MOD WEATHERED
16.9	18.9	5F3	(10Q0) TRACE
18.9	24.0	5B6	& 2 & 0 & 1(5D0)(5F3)70:05:25
24.0	25.1	5D0	& 3
25.1	30.2	5B62	(5D0) 80:20
30.2	33.1	5A6	
33.1	38.8	5A6	GOUGE+RUBB(4E1)TR(5A109)
38.8	39.7	4E1	(4A0) 90:10
39.7	46.3	5A6	& 9 & 1 & 0 MINOR

Drill Hole Report

Record 272 Drill Hole - 87V-29

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10495.3	9980.3	1151.8	903522.2	593830.3

Length: 61.6 Section: 04.3 W / - 0.6
Type: DDH Core: NQ Location: GRUM

Logged by: LCP/CVR Date: 871125
Comments: PIEZOMETER HOLE

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 87V-29
Northing: 10495.3 Easting: 9980.3 Elevation: 1151.8
Length: 61.6 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 61.6	61.6	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 87V-29
Northing: 10495.3 Easting: 9980.3 Elevation: 1151.8
Length: 61.6 Core: NQ

From	To	Unit	Description
.0	9.1	#	TRICONED NO RECOVERY
9.1	13.4	#	TILL
13.4	14.0	#	TILL?
14.0	22.9	5A6	& 1VERY MINOR VERY WEATHERED
22.9	33.1	5A6	& 1 SL WEATHERED
33.1	34.2	5A6	
34.2	35.1	10Q0	
35.1	38.9	5A6	& 1 MINOR
38.9	44.7	5A0	
44.7	57.2	5A6	& 1 MINOR
57.2	61.6	5A0	(5G0[3F9]) 80:20

Drill Hole Report

Record 273 Drill Hole - 88V-01

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10455.1	10071.2	1163.3	903552.8	593924.8

Length: 82.6 Section: 03 W / + 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880627
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
43.0	-88.0	277.3	235.4	SS SINGLE SHOT
75.6	-80.0	257.3	215.4	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 88V-01
Northing: 10455.1 Easting: 10071.2 Elevation: 1163.3
Length: 82.6 Core: NQ

From	To	Unit	Description
.0	12.6	#	TRICONED - NO RECOVERY
12.6	15.8	4A0	WEATHERED
15.8	17.2	4E0 &4	SAND
17.2	21.5	4A0	WEATHERED OXIDIZED
21.5	22.4	3G09	
22.4	24.0	4L24 &6	&BXA
24.0	24.8	4D44	BXA CLAST?
24.8	30.5	3G09	&8 MINOR (4D4)(10Q9) BXA GOUGE 80:10:10
30.5	37.2	3G097	(3C*) TRACE (10Q9) TRACE
37.2	42.9	4L62	(3C#) 95:05
42.9	45.4	3G0	&6 MINOR
45.4	46.3	4A0	BXA
46.3	51.9	4L62	BXA GOUGE (10Q0) (3G9 BXA GOUGE) 60:20:20
51.9	55.5	4A0	BXA GOUGE
55.5	57.0	4L	MUD GOUGE
57.0	59.1	5A0	BXA GOUGE
59.1	82.6	5A0	(10Q0) 95:05

Drill Hole Report

Record 274 Drill Hole - 88V-02

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10131.1	9894.1	1151.0	903193.5	594009.0

Length: 79.2 Section: 08 E / - 3.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880616
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
43.3	-81.0	171.3	129.4	SS SINGLE SHOT
73.8	-80.2	190.3	148.4	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 88V-02
Northing: 10131.1 Easting: 9894.1 Elevation: 1151.0
Length: 79.2 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	12.1	#	TRICONED - NO RECOVERY
12.1	47.0	#	OVERBURDEN - TILL
47.0	50.3	4E48	&9 &# &1 &6 (10Q9) MINOR
50.3	52.5	4D38	&# -> [4E18 &#]
52.5	54.9	4G48	&# &9 &1
54.9	56.4	4L624	(10Q9) 95:05
56.4	57.6	4D438	&# MINOR (10Q9 CPY MINOR) 95:05
57.6	61.6	4E48	&6 &1
61.6	62.8	4E0	(4L62 BXA) 95:05
62.8	66.4	4E1	BXA (4L62 BXA) 85:15
66.4	68.8	4A0	-> [5A9] (10Q0) 95:05
68.8	70.2	4L6241	(5C*) MINOR (10Q) MINOR
70.2	77.0	4E48	&6 &#
77.0	81.1	4L624	(5C*) 95:05

Drill Hole Report

Record 275 Drill Hole - 88V-03

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10251.0	9892.6	1144.2	903281.8	593928.0

Length: 67.7 Section: 04 E / - 3.5
 Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880619
 Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-03
Northing: 10251.0 Easting: 9892.6 Elevation: 1144.2
Length: 67.7 Core: NQ

From	To	Unit	Description
.0	40.6	#	TRICONED - NO RECOVERY
40.6	40.7	#	ONE REDRILLED PIECE OF RED CHERT
40.7	57.0	3G9	&8 MINOR
57.0	59.6	4L24	(10Q) 95:05
59.6	60.2	4L GOUGE	EXA
60.2	63.9	4L24	
63.9	66.2	4E4	&6 &# &POROUS
66.2	67.7	3G8	(4L24) 70:30

Drill Hole Report

Record 276 Drill Hole - 88V-04

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10291.5	9878.4	1140.5	903302.4	593890.3

Length: 107.3 Section: 02 E / - 4.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880810
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
67.7	-89.3	256.8	215.0	SS SINGLE SHOT
98.1	-82.0	245.8	204.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 88V-04
Northing: 10291.5 Easting: 9878.4 Elevation: 1140.5
Length: 107.3 Core: NQ

From	To	Unit	Description
.0	35.4	#	TRICONED - NO RECOVERY
35.4	35.7	#	TILL
35.7	52.4	3G0	
52.4	57.1	4L0	&2 MINOR
57.1	58.9	4E8 &#	&1 (4L124) 95:05
58.9	66.9	4L2 &4	(10Q9) 90:10
66.9	69.1	5A61	&9 MINOR (5A6)(4L02) 62:14:24
69.1	74.9	3C*	
74.9	79.6	4C0	&8 TRACE "CHLORITIC"
79.6	85.2	4L6 &1	&2 MINOR &7 MINOR
85.2	86.8	4E486 &#	&1 (4L024 &6) (4A4) 45:35:20
86.8	91.3	3G9	&6 MINOR
91.3	93.7	4L624	&1 BXA GOUGE (4A0 BXA GOUGE) (3G916 BXA)
93.7	94.5	4A0	
94.5	95.3	3C*	
95.3	99.7	4L1247#	-> [4C#7 "MICACEOUS/CHLORITIC"]
99.7	101.1	4L6247	
101.1	107.3	3G0	(10Q0) TRACE

Drill Hole Report

Record 277 Drill Hole - 88V-05

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9969.7	10000.3	1163.6	903144.1	594195.8

Length: 69.2 Section: 13 E / + 0.0
 Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880624
 Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	----	----	----	-----
.0	-90.0	.0	.0	AT COLLAR
58.5	-88.5	76.3	34.4	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 88V-05
Northing: 9969.7 Easting: 10000.3 Elevation: 1163.6
Length: 69.2 Core: NQ

From	To	Unit	Description
.0	20.0	#	TRICONED - NO RECOVERY
20.0	24.0	#	TILL
24.0	27.3	3G0	WEATHERED
27.3	30.0	3G9	&6
30.0	30.6	4A4	
30.6	35.1	4G4	&8 &# MINOR (4L24) 95:05
35.1	35.9	4E48#	&6
35.9	37.5	4E4	& 8 MINOR (10Q0) TRACE
37.5	45.0	4G4	&8 MINOR &# MINOR (4E44) (4L GOUGE) 90:10:TRACE
45.0	48.5	4K0	&4 &1 &8
48.5	52.5	4E8	&1 &9 MINOR (5C*) 95:05
52.5	56.5	4G4	&8 &#
56.5	58.3	4A3 &#	-> [4E1# &5 MINOR]
58.3	66.0	4E1	(10Q0) TRACE
66.0	67.7	4E0 BXA	
67.7	68.1	4L*	GOUGE
68.1	69.2	3G9	(4L6) 90:10

Drill Hole Report

Record 278 Drill Hole - 88V-06

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10002.2	9909.9	1151.0	903108.1	594106.7

Length: 89.0 Section: 12 E / - 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880811
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
85.0	-88.5	188.3	146.4	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 88V-06
Northing: 10002.2 Easting: 9909.9 Elevation: 1151.0
Length: 89.0 Core: NQ

From	To	Unit	Description
.0	21.9	#	TRICONED - NO RECOVERY
21.9	23.8	3G	VERY WEATHERED &GOUGE
23.8	32.2	3G0 &9	
32.2	34.7	4L6 &2	
34.7	38.7	3G0 &6	(3C#) 98:02
38.7	43.9	4L61	 MINOR &7 TRACE [5B4891]
43.9	44.7	4L71	
44.7	46.9	4E48	&1#6 (4A0 &9 TR)(4H41#)(3C#1 &29 TR) 70:10:10:10
46.9	50.3	4A0	(4D4 &7 MINOR &9 TRACE) 60:40
50.3	50.9	4G48#	
50.9	52.4	4C0	(3C#) 70:30
52.4	62.3	4G0#8	&# MINOR
62.3	74.7	4A4	&7 MINOR &9 TRACE
74.7	77.1	4E#87	64 (4L124) 70:30
77.1	80.8	4H#	&8 &9 TRACE (4L1724 &8 &9 TRACE) 75:25
80.8	89.0	5A0	&9 MINOR (4E0 &1 &7) 95:05

Drill Hole Report

Record 279 Drill Hole - 88V-07

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10060.0	9882.1	1158.9	903132.5	594047.5

Length: 82.9 Section: 10 E / - 4.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880910
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-07
Northing: 10060.0 Easting: 9882.1 Elevation: 1158.9
Length: 82.9 Core: NQ

From	To	Unit	Description
.0	22.3	#	TRICONED - NO RECOVERY
22.3	29.6	#	TILL - 10AB BOULDERS
29.6	33.9	3G0 &9	(4L6) MODERATELY WEATHERED
33.9	36.0	3B0	&6 TRACE (3G0)
36.0	46.9	3G09	(10Q0) 95:05
46.9	53.8	3G91	(3B1\$) 70:30
53.8	56.7	4L1247	(4C07 "MICACEOUS") 70:30
56.7	58.5	4C0	& CHLORITIC LAMINAE
58.5	59.6	4L247	
59.6	61.6	4E4 &#	&8 MINOR (4E1)(3B01 &\$)(4A4)(3G91) BXA
61.6	62.7	4L0	
62.7	65.0	3G91 &1	(4A07) 90:10
65.0	67.5	4L1247	(4A0 &7) 95:05
67.5	82.9	4L0 &6	&2 &7 (3G0) 95:05

Drill Hole Report

Record 280 Drill Hole - 88V-08

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9940.1	9983.5	1158.7	903110.9	594202.9

Length: 61.6 Section: 14 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880804
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-08
 Northing: 9940.1 Easting: 9983.5 Elevation: 1158.7
 Length: 61.6 Core: NQ

From	To	Unit	Description
.0	18.9	#	TRICONED - NO RECOVERY
18.9	28.2	3G0 &9	
28.2	29.9	3B0	[3C4] (3G9) TRACE
29.9	31.5	4A4	
31.5	34.2	4E	MUD GOUGE (4L GOUGE) 70:30
34.2	36.3	4L &2	&GOUGE (4E0 BXA) (4E4# BXA) 70:15:15
36.3	39.4	4G4	&8 MINOR &# MINOR (4L GOUGE)(10Q9) 90:07:03
39.4	40.6	4E4	&1 MINOR (4D43 &5 MINOR) 60:40
40.6	41.3	4D3	-> [4D3] (4L6) 80:20
41.3	42.3	4L0	&2 MINOR
42.3	47.9	4G4	&8 MINOR &# MINOR &1 V MINOR
47.9	48.7	4E4 &\$	
48.7	52.2	4E1	&8 MINOR
52.2	53.9	4G0#	&8
53.9	61.6	4L247	&1

Drill Hole Report

Record 281 Drill Hole - 88V-09

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9936.2	9954.7	1153.7	903088.8	594184.1

Length: 61.3 Section: 14 E / - 1.5
 Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880728
 Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-09
Northing: 9936.2 Easting: 9954.7 Elevation: 1153.7
Length: 61.3 Core: NQ

From	To	Unit	Description
.0	21.9	#	TRICONED - NO RECOVERY
21.9	22.9	4L6	&MUD
22.9	26.5	4E4 &6	(5C4* MUD GOUGE) 95:05
26.5	29.7	4L6	&2 MINOR (5C*) TRACE
29.7	34.7	3G0 &7	(3B0) 90:10
34.7	36.7	3G9	[5A6]
36.7	38.7	4L BXA	GOUGE (4A0) 90:10
38.7	46.0	4L6 &2	
46.0	50.3	4L0	&624 &\$ MINOR (4G4) 60:40
50.3	59.5	4L6	&2 &7 V MINOR &9 TRACE
59.5	61.3	4L62	&1 MINOR &#\$ TRACE (3C*) 60:40

Drill Hole Report

Record 282 Drill Hole - 88V-10

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9908.3	9967.8	1153.7	903076.8	594212.5

Length: 61.6 Section: 15 E / - 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880901
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-10
 Northing: 9908.3 Easting: 9967.8 Elevation: 1153.7
 Length: 61.6 Core: NQ

From	To	Unit	Description
.0	13.2		TRICONED-NO RECOVERY
13.2	17.3	3G0	WEATHERED
17.3	22.9	3G0 &9	
22.9	25.2	4L0	&\$ MINOR
25.2	26.4	4E4 &7&6	&BXA (10Q\$) 95:5
26.4	27.8	4L0 &6	&8 MINOR
27.8	28.1	4E48	&1 MINOR (3C*) TRACE
28.1	31.4	4L6	
31.4	31.9	3C#	\$ &6
31.9	33.0	4E4&1	&\$ MINOR
33.0	35.1	3C#\$ &6	(4E41) TRACE
35.1	36.0	4E1\$ BX	(4H\$) (4E1\$4) (4L) BXA 50:25:20:5
36.0	37.2	3G9	BxA (3B\$&6) BXA 70:30
37.2	38.2	4L6	&9 MINOR
38.2	40.2	4E0	&4 MINOR (4C5) (3B4*) 70:25:5
40.2	40.8	4A4	
40.8	42.1	4G4	&1 MINOR (4E41 &8 MINOR) 70:30
42.1	43.6	10Q9	(4L0) 90:10
43.6	44.6	4E41	&\$ MINOR BXA 80:20
44.6	46.8	4L0 &71	(3G9 &6 MINOR) BXA
46.8	51.8	4L6 &721	
51.8	56.5	4L672	&41 "STRINGERED"
56.5	61.6	4L624	"STRINGERED"

Drill Hole Report

Record 283 Drill Hole - 88V-11

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9879.3	9921.5	1143.1	903024.3	594197.4

Length: 50.9 Section: 16 E / - 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880630
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 88V-11
Northing: 9879.3 Easting: 9921.5 Elevation: 1143.1
Length: 50.9 Core: NQ

From	To	Unit	Description
.0	7.9	#	TRICONED - NO RECOVERY
7.9	9.7	#	GRANITE BOULDERS (FROM TILL)
9.7	13.1	4L64	(4D0) [4C SERICITIC] [4L1426]
13.1	14.7	4E8 &4	
14.7	15.8	4E#0	
15.8	17.5	4A0 &9	(3G0 &8) 90:10
17.5	20.1	4L6	(4D0 &5) (5A0) 70:20:05
20.1	20.6	4L62	GOUGE
20.6	22.9	4L6	2 MINOR (4E0) 75:25
22.9	23.8	4G4	
23.8	26.2	4A0	-> [5A169]
26.2	27.4	4L624	(4A0) TRACE (3C*) TRACE
27.4	28.9	5A9	&1 &6 &GOUGE (4D5#)(4E0 &#)(4L624) 45:30:25:TRACE
28.9	42.2	4L624	&7 (10Q9) TRACE
42.2	43.1	4G4#	
43.1	47.8	4L6247	(10Q9) TRACE
47.8	49.7	3C7*	
49.7	50.9	4L6247	

Drill Hole Report

Record 284 Drill Hole - 88V-12

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9877.7	9950.7	1149.3	903042.6	594220.1

Length: 44.8 Section: 16 E / - 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880707
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-12
Northing: 9877.7 Easting: 9950.7 Elevation: 1149.3
Length: 44.8 Core: NQ

From	To	Unit	Description
.0	8.0	#	TRICONED - NO RECOVERY
8.0	17.4	#	TILL
17.4	20.4	4L2 &6	(3G9) 50:50
20.4	23.5	4L2	(10Q9) 50:50
23.5	25.1	4G0#	&8
25.1	28.2	4D45	&# (4E#0)(5A6) 90:05:05
28.2	31.0	4E14#	&6 &7 (10Q0) 35:65
31.0	36.8	4L624	
36.8	39.6	4E4	&8 MINOR &# MINOR &6
39.6	42.0	4L6 &2	&GOUGE (3G97) (10Q9) 60:30:10
42.0	44.8	4L6247	

Drill Hole Report

Record 285 Drill Hole - 88V-13

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9909.3	10028.8	1163.8	903118.2	594257.3

Length: 55.5 Section: 15 E / + 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880728
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-13
Northing: 9909.3 Easting: 10028.8 Elevation: 1163.8
Length: 55.5 Core: NQ

From	To	Unit	Description
.0	15.5	#	TRICONED - NO RECOVERY
15.5	18.9	#	TILL
18.9	21.9	3G	MUD RUBBLE - EXTREMELY WEATHERED
21.9	23.5	3G	(4E) RUBBLE - EXTREMELY WEATHERED 80:20
23.5	26.8	4E0 &4	&8 &\$ VERY WEATHERED & BXA
26.8	28.5	4G4 &8	SLIGHTLY WEATHERED
28.5	33.7	4D43	&\$ MINOR &8 MINOR
33.7	43.7	4C0 &3	&78 MINOR &\$ TRACE
43.7	50.6	4L6	&27 MINOR (10Q0) 95:05
50.6	52.3	3G6 &#	BIOTITE
52.3	53.7	3G0	&6 TRACE (10Q9)
53.7	55.5	3G0	&1# MINOR &6 V MINOR

Drill Hole Report

Record 286 Drill Hole - 88V-14

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9876.4	10043.8	1163.0	903103.7	594290.3

Length: 43.0 Section: 16 E / + 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880905
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-14
Northing: 9876.4 Easting: 10043.8 Elevation: 1163.0
Length: 43.0 Core: NQ

From	To	Unit	Description
.0	12.4	#	TRICONED NO RECOVERY
12.4	15.9	#	O/B 10AB FRAGMENTS
15.9	17.6	4G4	
17.6	19.2	4E48	& \$1 MINOR
19.2	26.1	4E1 &\$	& 9 TRACE
26.1	32.5	4C3 &8	& # \$ MINOR & 9 TRACE
32.5	36.5	4C0	&87 \$ MINOR & 9 TRACE
36.5	37.1	4C5	& 97 TRACE
37.1	42.2	4C0 &7	& 9 \$ TRACE "MICACEOUS"
42.2	43.0	4L61427	(4D0 "MICACEOUS") 70:30

Drill Hole Report

Record 287 Drill Hole - 88V-15

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9877.1	9983.9	1153.9	903064.3	594245.3

Length: 55.2 Section: 16 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880830
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-15
Northing: 9877.1 Easting: 9983.9 Elevation: 1153.9
Length: 55.2 Core: NQ

From	To	Unit	Description
.0	10.4	#	TRICONED - NO RECOVERY
10.4	17.4	#	TILL - 10AB BOULDERS
17.4	18.9	4E0	SAND
18.9	32.5	4C3	
32.5	37.7	4C3 &5	&9 TRACE
37.7	44.8	4C0	&7 MINOR &8 MINOR &\$ CHLORITE (3C*) 95:05
44.8	51.5	4L0 &2	&7
51.5	53.4	3G0	
53.4	55.2	4L0 &6	&2 &7 MINOR

Drill Hole Report

Record 288 Drill Hole - 88V-16

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9907.9	9999.5	1159.9	903097.6	594236.3

Length: 55.0 Section: 15 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880727
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-16
Northing: 9907.9 Easting: 9999.5 Elevation: 1159.9
Length: 55.0 Core: NQ

From	To	Unit	Description
.0	13.0	#	TRICONED - NO RECOVERY
13.0	19.8	#	TILL
19.8	20.4	5A6	[3G9]
20.4	24.1	4A0 &4	
24.1	25.9	4G0	&8 MINOR
25.9	27.4	4L0	&24 MINOR
27.4	28.7	4E48	&1 &6 MINOR
28.7	30.8	4G4	&8 &\$ MINOR &# MINOR
30.8	42.3	4E1	&8\$# (10Q9) TRACE
42.3	43.3	4A0	
43.3	45.4	4L0	& GOUGE &2 MINOR
45.4	46.5	4L7 &2	
46.5	55.0	4L2	&7 MINOR "STRINGERED"

Drill Hole Report

Record 289 Drill Hole - 88V-17

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9876.5	10012.5	1158.2	903082.9	594267.0

Length: 49.1 Section: 16 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880830
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-17
Northing: 9876.5 Easting: 10012.5 Elevation: 1158.2
Length: 49.1 Core: NQ

From	To	Unit	Description
.0	10.1	#	TRICONED - NO RECOVERY
10.1	13.8	#	TILL - 10AB BOULDERS
13.8	15.8	4L24?	EXTREMELY WEATHERED AND POROUS
15.8	17.4	4E0	SAND
17.4	18.3	4H0 &1	&8 &\$ MINOR WEATHERED & BXA
18.3	19.2	4L247	&\$ WEATHERED (4E1487) 95:05
19.2	21.0	4G4	&8 MINOR (4E0 *8 MINOR &\$ MINOR) 80:20
21.0	23.2	4H4	&\$ MINOR &1 MINOR
23.2	24.0	3G916	(4A4) 80:20
24.0	25.2	4C0 &7	&\$ MINOR &5 MINOR &9 TRACE
25.2	33.5	4C37	&\$ MINOR &8 TRACE &9 TRACE
33.5	36.0	10Q9#	(4C3) 70:30
36.0	42.0	4C0 &8	&\$ MINOR &7 MINOR &9 TRACE
42.0	45.0	4C3 &8	&7 &9 TRACE & CHLORITE LAMINAE
45.0	49.1	4L247	

Drill Hole Report

Record 290 Drill Hole - 88V-18

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9818.0	10009.2	1148.7	903037.2	594303.5

Length: 31.1 Section: 18 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880704
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-18
Northing: 9818.0 Easting: 10009.2 Elevation: 1148.7
Length: 31.1 Core: NQ

From	To	Unit	Description
.0	6.6	#	TRICONED - NO RECOVERY
6.6	6.7	#	TILL
6.7	13.2	4E84	&# MINOR
13.2	14.9	4G4#	&8
14.9	16.9	4E0 &8	&1 MINOR
16.9	21.0	4C38	&7 &9 TRACE (10Q9) TRACE
21.0	25.6	4C38	&7 MINOR &9 TRACE (10Q9) TRACE
25.6	31.1	4L624	

Drill Hole Report

Record 291 Drill Hole - 88V-19

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9847.0	10000.6	1151.1	903053.0	594277.8

Length: 38.4 Section: 17 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880902
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-19
Northing: 9847.0 Easting: 10000.6 Elevation: 1151.1
Length: 38.4 Core: NQ

From	To	Unit	Description
.0	6.6	#	TRICONED NO RECOVERY
6.6	12.7	#	O/B TILL & 10AB BOULDER FRAGMENTS
12.7	15.9	4EG	EXTREMELY WEATHERED
15.9	17.2	4E4 &1	
17.2	18.4	4G0	& \$MINOR (4D0) 80:20
18.4	23.2	4E1	& 48MINOR (10Q\$) 95:5
23.2	25.2	4C0	& 5TRACE
25.2	25.9	4E481 &1	
25.9	26.9	4H0	1MINOR (4L247) (4D0) 70:25:5
26.9	38.4	4L274	

Drill Hole Report

Record 292 Drill Hole - 88V-20

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9789.3	10028.2	1148.7	903028.4	594336.8

Length: 34.1 Section: 19 E / + 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880916
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-20
Northing: 9789.3 Easting: 10028.2 Elevation: 1148.7
Length: 34.1 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	5.9	#	CORED WITH NO RECOVERY
5.9	6.8	#	O/B 10AB BOULDER FRAGMENTS
6.8	11.6	4E48 &1	MODERATELY WEATHERED
11.6	12.2	4G48	& 1MINOR (4E48 &61) 60:40
12.2	26.8	4C387	& 9TRACE
26.8	28.0	10Q9	(3G9 &6) 60:30
28.0	34.1	4L247	"STRINGERED"

Drill Hole Report

Record 293 Drill Hole - 88V-21

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9689.6	10014.6	1153.9	902945.1	594393.1

Length: 39.6 Section: 22 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880902
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-21
Northing: 9689.6 Easting: 10014.6 Elevation: 1153.9
Length: 39.6 Core: NQ

From	To	Unit	Description
.0	5.0	#	CORED WITH NO RECOVERY
5.0	5.2	#	O/B 10AB BOULDER FRAGMENTS
5.2	12.0	3C*	WEATHERED
12.0	13.0	4LO	& 2 MINOR (10Q9) TRACE
13.0	14.7	3G6 &9	& GOUGE
14.7	15.2	4CO	"MICACEOUS" POROUS
15.2	16.2	4G4 &#	
16.2	20.1	4C3 &#&	
20.1	23.2	4E8&1&4	&6 MINOR &\$ MINOR
23.2	25.0	4E18 &7	
25.0	27.3	4C3	
27.3	30.4	4CO	"CHLORITIC" &\$ TRACE (4LO) 70:30
30.4	32.0	4E1 &8	& \$ MINOR (4LO) TRACE
32.0	39.6	4L247	

Drill Hole Report

Record 294 Drill Hole - 88V-22

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9688.7	9984.0	1152.2	902924.0	594370.9

Length: 40.2 Section: 22 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880802
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-22
Northing: 9688.7 Easting: 9984.0 Elevation: 1152.2
Length: 40.2 Core: NQ

From	To	Unit	Description
.0	6.7	#	CORED WITH NO RECOVERY
6.7	7.0	#	TILL
7.0	10.9	4G4	&8 MINOR &# &\$ MINOR
10.9	13.7	4E4 &#	&8 MINOR &6 MINOR &1 MINOR
13.7	14.6	4A4	
14.6	17.1	4L2 &4	& GOUGE
17.1	19.7	3C\$	
19.7	21.2	4L1 &6	(4C3) 90:10
21.2	28.0	3C* &1	(10Q9) MINOR
28.0	29.0	4G4	&# MINOR
29.0	30.0	4E0 &1	&# MINOR
30.0	36.3	4C0#	&3 &5 &9 TRACE
36.3	40.2	4L0 &7	&2 &4

Drill Hole Report

Record 295 Drill Hole - 88V-23

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9687.6	9953.4	1151.9	902902.9	594348.9

Length: 54.1 Section: 22 E / - 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880922
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C

LITHOLOGIES

Drill Hole: 88V-23
Northing: 9687.6 Easting: 9953.4 Elevation: 1151.9
Length: 54.1 Core: NQ

From	To	Unit	Description
.0	5.1	#	Cored with no recovery
5.1	12.1	3G0	Weathered
12.1	15.9	3E0	(4A0)Trace
15.9	18.1	10AB	Sill (10Q0) (4E4) 85:10:5
18.1	21.3	4E4 &86	&# MINOR
21.3	25.6	4E0 &48	\$ TRACE (4A4)(3B4) 95:5:TRACE
25.6	30.4	4A4	&9 TRACE
30.4	39.0	4L274	"STRINGERED"
39.0	39.9	3G9 BX	& GOUGE
39.9	40.6	10Q9 BX	(4E0 &1)BX 52:48
40.6	44.8	4L274	"STRINGERED"
44.8	48.8	4L27 BX	& 6 & GOUGE
48.8	49.6	4E0 BX	(3G961 BXA) 60:40
49.6	50.9	4E0	& 4#\$ MINOR
50.9	54.1	4A0	-> [5A169]

Drill Hole Report

Record 296 Drill Hole - 88V-24

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9686.5	9922.1	1149.7	902881.1	594326.3

Length: 35.1 Section: 22 E / - 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880707
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-24
Northing: 9686.5 Easting: 9922.1 Elevation: 1149.7
Length: 35.1 Core: NQ

From	To	Unit	Description
.0	6.6	#	CORED WITH NO RECOVERY
6.6	7.0	#	CLAY
7.0	11.3	4G0 ?	SAND
11.3	15.3	4G4 &8	&# &RUBBLE+SAND &WEATHERED (4E8 # MINOR) 80:20
15.3	17.4	4E4 &8	&4 WEATHERED (4L624 WEATHERED)(10Q9) 60:40:TRACE
17.4	19.0	4G4	& WEATHERED
19.0	19.7	4E4	&4 MINOR (4D0) 95:05
19.7	20.8	4L241	(10Q9) 70:30
20.8	22.0	4G4	LOCALLY WEATHERED
22.0	23.7	4L624	(4E8) (4D4 &5) 80:10:10
23.7	26.9	4A0 &3	(5A6 &9)(10Q9)
26.9	35.1	4L624	

Drill Hole Report

Record 297 Drill Hole - 88V-25

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9683.5	9890.7	1146.8	902858.0	594304.9

Length: 39.6 Section: 22 E / - 3.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880712
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-25
Northing: 9683.5 Easting: 9890.7 Elevation: 1146.8
Length: 39.6 Core: NQ

From	To	Unit	Description
.0	4.9	#	CORED WITH NO RECOVERY
4.9	6.8	3G9	EXTREMELY WEATHERED [5A6 EXTREMELY WEATHERED]
6.8	9.8	3G MUD	EXTREMELY WEATHERED
9.8	27.1	5A6	&1 MINOR &9 MINOR [3G9 &1 &9]
27.1	30.2	4L6724	(4EH &#) 60:40
30.2	33.6	4HO	&\$ &# &8
33.6	36.3	4E\$ &8	
36.3	37.2	4L62	(4HO) 50:50
37.2	37.5	5A61	&9 MINOR
37.5	39.6	5A6	9 TRACE (4HO) 75:25

Drill Hole Report

Record 298 Drill Hole - 88V-26

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9666.2	9999.0	1154.1	902917.4	594397.1

Length: 41.5 Section: 23 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880829
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-26
Northing: 9666.2 Easting: 9999.0 Elevation: 1154.1
Length: 41.5 Core: NQ

From	To	Unit	Description
.0	11.0	#	TRICONED - NO RECOVERY
11.0	11.2	#	TILL - 10AB BOULDER FRAGMENTS
11.2	14.8	4E4 &1	BXA WEATHERED + POROUS (4L GOUGE) 97:03
14.8	18.0	4L0 &2	&4 & GOUGE "WEATHERED" (10Q0)
18.0	18.4	3C*	
18.4	20.1	4L0	(10Q0) 90:10
20.1	21.9	3G96	
21.9	24.4	4G4 &#	&\$ (10Q9)
24.4	28.2	4E1 &#	&\$ &8
28.2	30.2	4C3	
30.2	34.2	4C3 &5	(3C*) TRACE
34.2	37.6	4C3	(3C*) TRACE
37.6	39.2	4L724	(10Q0) 80:20
39.2	40.1	4C3 &\$	(4L62) 90:10
40.1	41.5	4L0	&2 MINOR &7 MINOR (4C3) 90:10

Drill Hole Report

Record 299 Drill Hole - 88V-27

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9723.5	9954.7	1150.0	902930.4	594325.9

Length: 51.5 Section: 21 E / - 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880801
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-27
Northing: 9723.5 Easting: 9954.7 Elevation: 1150.0
Length: 51.5 Core: NQ

From	To	Unit	Description
.0	6.5	#	TRICONED - NO RECOVERY
6.5	10.7	3G0 MUD	WEATHERED (10Q0) 80:20
10.7	15.5	4A4	(4E0) 75:25
15.5	20.6	4L247	&6 &9 TRACE "STRINGERED"
20.6	21.8	4L6	&2 MINOR (10Q0) 90:10
21.8	22.7	4C3	"CHLORITIC"
22.7	40.1	4L62 &47	&9 TRACE (3C*) TRACE
40.1	48.5	4E0 &4	&8 &6 MINOR &\$ MINOR &1 MINOR
48.5	51.5	4L0 &6	&24 MINOR

Drill Hole Report

Record 300 Drill Hole - 88V-28

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9818.7	9950.0	1144.0	902998.1	594258.9

Length: 35.4 Section: 18 E / - 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880713
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-28
Northing: 9818.7 Easting: 9950.0 Elevation: 1144.0
Length: 35.4 Core: NQ

From	To	Unit	Description
.0	6.7	#	CORED OVERBURDEN WITH NO RECOVERY
6.7	7.7	#	TILL - 10AB BOULDERS
7.7	15.4	4G4	&WEATHERED (3G9 WEATHERED)(4L GOUGE) 98:01:01
15.4	17.4	4L6	2 TRACE (4L GOUGE) 90:10
17.4	21.1	4E4 &#	&8 (4L6 GOUGE) (3C*) 100:TRACE:TRACE
21.1	21.6	4A4	
21.6	24.9	3B14*	[3C4*]
24.9	27.1	5A61	9 TRACE [3G9 6 TRACE] (4L62)(10Q9) 60:30:10
27.1	28.7	4G4	
28.7	30.1	4E4	&8 MINOR
30.1	32.6	4E0 &1	&8 MINOR &9 TRACE
32.6	35.4	4L6247	"STRINGERED"

Drill Hole Report

Record 301 Drill Hole - 88V-29

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9757.0	9952.5	1148.3	902953.9	594301.9

Length: 52.4 Section: 20 E / - 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880729
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-29
Northing: 9757.0 Easting: 9952.5 Elevation: 1148.3
Length: 52.4 Core: NQ

From	To	Unit	Description
.0	7.3	#	CORED WITH NO RECOVERY
7.3	7.9	4G48 ?	EXTREMELY WEATHERED
7.9	11.3	4GO#&8&4	&\$ MINOR
11.3	16.0	4A4	
16.0	25.0	4L0 &6	&2 &7 MINOR (10Q0) MINOR (3C*) TRACE
25.0	28.1	3C#	(10Q0) MINOR
28.1	32.8	4L0 &6	&2 &7
32.8	33.9	3G9 &7	&3
33.9	35.8	10Q9	(3C*) 50:50
35.8	39.5	4L2	&7 MINOR &9 TRACE
39.5	41.3	5A0 &9	[3G93]
41.3	42.0	4L24 &6	&1
42.0	43.2	4GO #8	4GO #8
43.2	46.1	4E0 &1	&8 &4 MINOR &# VERY MINOR &7 MINOR
46.1	47.5	4L124	&6 BXA
47.5	52.4	4L6247	&1

Drill Hole Report

Record 302 Drill Hole - 88V-30

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9756.6	9983.0	1149.0	902973.9	594325.0

Length: 46.3 Section: 20 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880711
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-30
Northing: 9756.6 Easting: 9983.0 Elevation: 1149.0
Length: 46.3 Core: NQ

From	To	Unit	Description
.0	5.2	#	TRICONED - NO RECOVERY
5.2	9.4	#	TILL
9.4	20.0	3G0 &9	(10Q0) TRACE
20.0	22.0	4L02 &6	& GOUGE
22.0	29.7	4G4 &8	&# (4E486 &# MINOR) 90:10
29.7	32.8	4C3	&9 TRACE
32.8	34.1	4D43	BXA &9 TRACE
34.1	37.4	4E0 &8	&1 MINOR
37.4	43.3	4C38	&9 TRACE &7 TRACE
43.3	46.3	4L6 &7	&2 TRACE

Drill Hole Report

Record 303 Drill Hole - 88V-31

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9787.4	10001.0	1147.6	903008.8	594317.8

Length: 32.2 Section: 19 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880915
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-31
Northing: 9787.4 Easting: 10001.0 Elevation: 1147.6
Length: 32.2 Core: NQ

From	To	Unit	Description
.0	9.0	#	CORED WITH NO RECOVERY
9.0	9.4	#	O/B 10AB BOULDER FRAGMENTS
9.4	10.7	4E08	&\$ MINOR
10.7	15.8	4E18	&\$ MINOR
15.8	18.9	4C3	&5 TRACE
18.9	20.5	4A0	
20.5	21.3	4C3 &5	(4L24) 60:40
21.3	25.1	4C3	&7 MINOR -> [4E1 &7 MINOR]
25.1	30.3	4C37 &8	&9 TRACE "CHLORITIC" (4D37 &8 &9 TRACE) 70:30
30.3	32.2	4L0247	&1 "STRINGERED" (10Q9) 95:5

Drill Hole Report

Record 304 Drill Hole - 88V-32

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9756.8	10017.1	1151.8	902996.8	594350.1

Length: 27.4 Section: 20 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880831
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-32
Northing: 9756.8 Easting: 10017.1 Elevation: 1151.8
Length: 27.4 Core: NQ

From	To	Unit	Description
.0	9.2	#	CORED WITH NO RECOVERY
9.2	9.8	#	TILL - 10AB BOULDER FRAGMENTS
9.8	11.1	4E1	
11.1	12.2	4E8 &4	BXA
12.2	12.8	4G4	&8 MINOR
12.8	13.4	4E0	&1 MINOR
13.4	15.7	4E8 &4	&1 MINOR &\$ MINOR
15.7	23.8	4C3	&8 MINOR &\$ MINOR & MICACEOUS FOLIA &9 TRACE
23.8	27.4	4L6	&2 MINOR &4 MINOR

Drill Hole Report

Record 305 Drill Hole - 88V-33

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9632.9	10013.2	1156.2	902901.9	594429.9

Length: 42.4 Section: 24 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880803
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-33
Northing: 9632.9 Easting: 10013.2 Elevation: 1156.2
Length: 42.4 Core: NQ

From	To	Unit	Description
.0	4.9	#	CORED WITH NO RECOVERY
4.9	5.1	#	OVERBURDEN - GRAVEL
5.1	7.6	3G0	WEATHERED &6 TRACE
7.6	13.3	3G0 &9	MODERATELY WEATHERED
13.3	17.5	3G0	MODERATELY WEATHERED
17.5	26.6	4L6 &2	& GOUGE (3G9 & GOUGE) 85:15
26.6	27.9	4L02 &6	
27.9	31.8	4G4 &#	
31.8	35.9	4EO &1&0	&# &4 MINOR & POROUS &8 MINOR
35.9	39.8	4C0	&9 & SLIGHTLY POROUS
39.8	40.5	4C05	-> [4A0]
40.5	42.4	4L6	(10Q0) 90:10

Drill Hole Report

Record 306 Drill Hole - 88V-34

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9603.0	10001.0	1157.0	902871.5	594440.8

Length: 41.1 Section: 25 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880910
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 88V-34
 Northing: 9603.0 Easting: 10001.0 Elevation: 1157.0
 Length: 41.1 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 31.9	31.9	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
16724	31.9 33.0	1.1	100	4G4	60	3.90	15.90	5.70	10.20	98.0	-1.0	.82	13.10	2.65	10.45	-1.00	-1.00
16725	33.0 33.9	.9	100	4G4	60	4.30	12.92	5.74	7.18	108.0	-1.0	1.23	15.00	1.55	13.45	-1.00	-1.00
16726	33.9 35.3	1.4	100	4E1 &8	50	4.10	2.69	1.00	1.69	20.0	-1.0	1.75	40.40	5.27	35.13	-1.00	-1.00
16727	35.3 36.8	1.5	100	4E1	50	3.90	1.21	.63	.58	22.0	-1.0	.82	39.40	8.53	30.87	-1.00	-1.00
16728	36.8 38.3	1.5	100	4E1	50	4.00	1.26	.75	.51	24.0	-1.0	.82	39.40	10.30	29.10	-1.00	-1.00
16729	38.3 39.3	1.0	100	4L247	120	3.10	1.93	.87	1.06	22.0	-1.0	.27	18.10	4.65	13.45	-1.00	-1.00
16730	39.3 41.1	1.8	20	4L7	120	3.80	3.38	2.17	1.21	39.0	-1.0	.96	43.20	33.30	9.90	-1.00	-1.00

LITHOLOGIES

Drill Hole: 88V-34
Northing: 9603.0 Easting: 10001.0 Elevation: 1157.0
Length: 41.1 Core: NQ

From	To	Unit	Description
.0	12.3	#	CORED WITH NO RECOVERY
12.3	12.5	#	O/B MUD - TILL
12.5	17.1	3G0	WEATHERED
17.1	18.1	3G9	
18.1	31.9	4L0	& 27 MINOR
31.9	33.9	4G4	& # TRACE
33.9	38.3	4E1	& 8 MINOR
38.3	41.1	4L247	"STRINGERED"

Drill Hole Report

Record 307 Drill Hole - 88V-35

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9577.6	10020.0	1158.6	902865.3	594471.9

Length: 41.5 Section: 26 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880712
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 88V-35
Northing: 9577.6 Easting: 10020.0 Elevation: 1158.6
Length: 41.5 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 9.8	9.8	-1	WASTE	100	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
16149	9.8 11.3	1.5	89	4G0	60	3.80	9.91	4.14	5.77	82.0	-1.0	1.44	17.30	.30	17.00	-1.00	-1.00
16150	11.3 12.8	1.5	63	4G0	60	4.30	7.80	3.54	4.26	57.0	-1.0	1.10	35.50	.64	34.86	-1.00	-1.00
16151	12.8 13.6	.8	100	4G0	60	4.30	9.37	3.96	5.41	74.0	-1.0	1.23	22.70	.47	22.23	-1.00	-1.00
16152	13.6 14.5	.9	100	4E1	50	3.50	.50	.29	.21	11.0	-1.0	.89	28.20	.44	27.67	-1.00	-1.00
16153	14.5 15.5	1.0	100	4C3	30	3.50	.45	.24	.21	11.0	-1.0	1.03	28.40	.44	27.96	-1.00	-1.00
16154	15.5 16.9	1.4	100	4C3	30	3.10	.31	.11	.20	11.0	-1.0	1.03	27.00	1.49	25.51	-1.00	-1.00
16155	16.9 18.3	1.4	100	4C3	30	3.40	.43	.17	.26	9.0	-1.0	.82	29.00	1.63	27.37	-1.00	-1.00
16156	18.3 19.7	1.4	100	4C3	30	3.70	.47	.11	.36	9.0	-1.0	.69	31.20	1.90	29.30	-1.00	-1.00
16157	19.7 20.6	.9	100	4C3	30	3.30	.78	.28	.44	11.0	-1.0	.55	27.80	3.05	30.85	-1.00	-1.00
16158	20.6 21.9	1.3	100	4C3	30	3.10	.28	.15	.13	8.0	-1.0	.51	24.70	2.19	22.51	-1.00	-1.00
16159	21.9 23.5	1.6	100	4C3	30	2.90	.42	.28	.14	6.0	-1.0	.75	25.30	1.84	23.46	-1.00	-1.00
16160	23.5 24.8	1.3	100	4C3	30	3.30	.38	.14	.24	8.0	-1.0	.82	30.10	2.45	27.65	-1.00	-1.00
16161	24.8 26.2	1.4	100	4C3	30	3.60	.98	.84	.14	21.0	-1.0	.69	26.90	1.80	25.10	-1.00	-1.00
16162	26.2 27.6	1.5	100	4C3	30	3.70	.47	.25	.22	9.0	-1.0	.82	28.10	1.46	26.64	-1.00	-1.00
16163	27.6 28.7	1.1	100	4C3	30	3.40	.76	.31	.45	13.0	-1.0	.62	25.80	2.30	23.50	-1.00	-1.00
16164	28.7 29.8	1.1	100	4C3	30	3.20	.82	.26	.56	13.0	-1.0	.48	26.70	4.02	22.68	-1.00	-1.00
16165	29.8 30.8	1.0	100	4C3	30	3.20	.80	.20	.60	6.0	-1.0	.34	21.50	4.14	17.36	-1.00	-1.00
16166	30.8 32.0	1.2	100	4C38	30	3.40	.92	.25	.67	10.0	-1.0	.48	28.10	4.58	23.52	-1.00	-1.00
16167	32.0 33.0	1.0	100	4C38	30	3.80	1.48	.45	1.03	15.0	-1.0	.62	33.40	8.41	24.99	-1.00	-1.00
16168	33.0 34.2	1.2	100	4C38	30	3.30	1.59	.59	1.00	23.0	-1.0	1.17	28.70	6.21	22.49	-1.00	-1.00
16169	34.2 35.4	1.2	100	4D38	80	3.90	6.10	3.23	2.87	56.0	-1.0	1.58	30.70	6.65	24.05	-1.00	-1.00
16170	35.4 36.9	1.5	100	4E1	50	3.40	.58	.25	.33	6.0	-1.0	.93	34.90	2.64	32.26	-1.00	-1.00
16171	36.9 38.4	1.5	100	5A69	100	3.00	.84	.22	.62	8.0	-1.0	.67	18.10	4.34	13.76	-1.00	-1.00
0	38.4 41.5	3.1	100	WASTE	100	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 88V-35
Northing: 9577.6 Easting: 10020.0 Elevation: 1158.6
Length: 41.5 Core: NQ

From	To	Unit	Description
.0	5.7	#	CORED WITH NO RECOVERY
5.7	9.8	3G	EXTREMELY WEATHERED & MUD (10Q0) 90:10
9.8	13.6	4G0	POROUS & WEATHERED (10Q9) TRACE
13.6	14.5	4E1	&5 MINOR
14.5	27.6	4C3 &5	&9 TRACE
27.6	32.0	4C3	&8 MINOR (10Q9) (4L621) 95:5:TRACE
32.0	35.4	4C38	-> [4D38]
35.4	36.9	4E1	
36.9	38.4	5A69	(4A0) (4E1 &5) 40:30:30
38.4	41.5	4L624	(10Q0 9 MINOR)

Drill Hole Report

Record 308 Drill Hole - 88V-36

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9573.1	9985.8	1154.1	902839.2	564449.4

Length: 40.2 Section: 26 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880714
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-36
Northing: 9573.1 Easting: 9985.8 Elevation: 1154.1
Length: 40.2 Core: NQ

From	To	Unit	Description
.0	7.7	#	CORED WITH NO RECOVERY
7.7	7.8	#	O/B TILL
7.8	18.3	5A6	
18.3	25.2	4L624	"STRINGERED"
25.2	26.6	4E8 &4	&6 MINOR
26.6	33.0	4E81	&9 TRACE
33.0	34.1	4L02	"STRINGERED"
34.1	40.2	4L6 &2	& 1 MINOR

PC-XPLOR V

Drill Hole Report

Record 310 Drill Hole - 88V-38

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9575.3	10079.2	1161.0	902403.1	594517.4

Length: 36.6 Section: 26 E / + 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880802
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-38
Northing: 9575.3 Easting: 10079.2 Elevation: 1161.0
Length: 36.6 Core: NQ

From	To	Unit	Description
.0	9.5	#	CORED WITH NO RECOVERY
9.5	14.0	#	O/E 10AB BOULDER FRAGMENTS
14.0	15.8	4C3	WEATHERED & POROUS
15.8	18.8	4C0 &7	& 8 MINOR SLIGHTLY WEATHERED
18.8	20.2	4A0	& 9 TRACE
20.2	23.2	4L172	& \$ MINOR & 9 TRACE
23.2	25.5	5A619	[3G916]
25.5	35.6	4L0 &127	& 6 MINOR
35.6	36.6	4L6	& 27 MINOR

Drill Hole Report

Record 311 Drill Hole - 88V-39

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9632.2	10074.8	1159.5	902942.5	594476.3

Length: 40.2 Section: 24 E / + 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880713
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-39
Northing: 9632.2 Easting: 10074.8 Elevation: 1159.5
Length: 40.2 Core: NQ

From	To	Unit	Description
.0	6.1	#	CORED WITH NO RECOVERY
6.1	10.5	#	10AB O/B BOULDER FRAGMENTS
10.5	11.8	4G4	WEATHERED & POROUS
11.8	13.7	4E0 &4	SAND
13.7	17.0	4G4	
17.0	19.7	4C3	POROUS & WEATHERED
19.7	26.0	4C3	& 9 TRACE & BXA (4L62)TRACE
26.0	27.9	4L GOUGE	(4C3 BXA) 90:10
27.9	40.2	4L6	& 2 MINOR & GOUGE & BXA

Drill Hole Report

Record 312 Drill Hole - 88V-40

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9542.4	9999.8	1155.5	902825.6	594480.3

Length: 29.9 Section: 27 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880727
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-40
Northing: 9542.4 Easting: 9999.8 Elevation: 1155.5
Length: 29.9 Core: NQ

From	To	Unit	Description
.0	3.8	#	CORED WITH NO RECOVERY
3.8	4.9	#	IRON CEMENTED O/B
4.9	10.7	#	O/B TILL
10.7	17.1	4L0 &26	(10Q0) 95:5
17.1	17.8	4E4 &1\$	
17.8	21.6	4G4	& # MINOR
21.6	22.6	4E0	& 4 MINOR BXA
22.6	24.9	4E1	& BXA
24.9	29.9	4L0 &6	2 MINOR

Drill Hole Report

Record 313 Drill Hole - 88V-41

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9513.0	9985.4	1154.3	902794.1	594489.1

Length: 27.4 Section: 28 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880726
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 88V-41
Northing: 9513.0 Easting: 9985.4 Elevation: 1154.3
Length: 27.4 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 27.4	27.4	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 88V-41
Northing: 9513.0 Easting: 9985.4 Elevation: 1154.3
Length: 27.4 Core: NQ

From	To	Unit	Description
.0	9.6	#	CORED WITH NO RECOVERY
9.6	9.8	#	O/B BOULDER FRAGMENTS
9.8	12.6	3G?	EXTREMELY WEATHERED
12.6	27.4	4L0 &24	(10Q9) 95:5

Drill Hole Report

Record 314 Drill Hole - 88V-42

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9513.7	10016.8	1158.3	902815.6	594512.1

Length: 38.1 Section: 28 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880717
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-42
Northing: 9513.7 Easting: 10016.8 Elevation: 1158.3
Length: 38.1 Core: NQ

From	To	Unit	Description
.0	5.9	#	CORED WITH NO RECOVERY
5.9	9.6	3G0	[4L0 ?] EXTREMELY WEATHERED
9.6	14.1	4G4	WEATHERED (4E0 WEATHERED) 90 :10
14.1	27.5	4C3 &5	WEATHERED (4L6) 98:2
27.5	37.5	4C3	& 87 MINOR & 9 TRACE
37.5	38.1	4L6	& 27 MINOR

Drill Hole Report

Record 315 Drill Hole - 88V-43

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9483.2	10000.0	1157.1	902781.8	594519.9

Length: 31.1 Section: 29 E / + 0.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880726
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-43
Northing: 9483.2 Easting: 10000.0 Elevation: 1157.1
Length: 31.1 Core: NQ

From	To	Unit	Description
.0	11.2	#	CORED WITH NO RECOVERY
11.2	11.4	#	O/B PEBBLES
11.4	16.5	4L62	
16.5	18.9	4G4	& # MINOR
18.9	21.5	4L6	& 9 MINOR
21.5	22.0	4G4	
22.0	24.8	3G9	& 6 MINOR (3C*) TRACE
24.8	31.1	4L6	& 2 MINOR

Drill Hole Report

Record 316 Drill Hole - 88V-44

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9455.1	9985.6	1155.8	902751.2	594527.9

Length: 30.5 Section: 30 E / - 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880725
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 88V-44
Northing: 9455.1 Easting: 9985.6 Elevation: 1155.8
Length: 30.5 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 30.5	30.5	-1	WASTE	100	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 88V-44
Northing: 9455.1 Easting: 9985.6 Elevation: 1155.8
Length: 30.5 Core: NQ

From	To	Unit	Description
.0	9.6	#	CORED WITH NO RECOVERY
9.6	9.9	#	O/B PEBBLES & 10AB FRAGMENTS
9.9	18.3	4L6 &2	&4 MINOR &7 TRACE (10Q9) 90:10
18.3	30.5	4L6 &247	

Drill Hole Report

Record 317 Drill Hole - 88V-45

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9453.9	10015.9	1159.0	902770.4	594551.3

Length: 36.6 Section: 30 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880726
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-45
Northing: 9453.9 Easting: 10015.9 Elevation: 1159.0
Length: 36.6 Core: NQ

From	To	Unit	Description
.0	4.7	#	CORED WITH NO RECOVERY
4.7	5.0	#	O/B 10AB FRAGMENTS
5.0	7.5	4D?	EXTREMELY WEATHERED & POROUS
7.5	11.4	3G0	EXTREMELY WEATHERED
11.4	17.3	3G0 &7	&6 MINOR
17.3	21.0	3G9 &16	
21.0	22.7	4L6	(10Q0) TRACE
22.7	24.1	4E48	&6 MINOR &9 TRACE &# VERY MINOR
24.1	25.2	4G0	&8 MINOR (4E48) 90:10
25.2	33.8	4C3 &8	&9 TRACE
33.8	36.6	3G0 &7	

Drill Hole Report

Record 318 Drill Hole - 88V-46

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9632.1	10090.6	1160.3	902953.0	594488.1

Length: 30.5 Section: 24 E / + 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880818
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-46
Northing: 9632.1 Easting: 10090.6 Elevation: 1160.3
Length: 30.5 Core: NQ

From	To	Unit	Description
.0	9.4	#	CORED WITH NO RECOVERY
9.4	9.8	#	O/B 10AB BOULDER FRAGMENTS
9.8	18.0	4L124	
18.0	20.1	4A0	
20.1	21.9	4C0 &7	"MICACEOUS" -> [4L172]
21.9	24.0	4L0 &2	&7 MINOR
24.0	30.5	4L6 &72	

Drill Hole Report

Record 319 Drill Hole - 88V-47

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9635.2	9890.4	1148.0	902821.8	594336.9

Length: 31.1 Section: 24 E / - 3.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880729
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-47
Northing: 9635.2 Easting: 9890.4 Elevation: 1148.0
Length: 31.1 Core: NQ

From	To	Unit	Description
.0	8.2	#	CORED WITH NO RECOVERY
8.2	8.8	#	O/B 10AB BOULDER FRAGMENTS
8.8	9.8	#	O/B MUD - TILL
9.8	10.7	3G9	(3G0) 80:20
10.7	12.6	4A0	-> [5A619]
12.6	14.0	10Q9	
14.0	15.7	4L6 BXA	247 (10Q9 BXA) (4E0 BXA) 93:5:2
15.7	16.0	4H4	1 MINOR
16.0	18.9	4L6 BXA	247
18.9	20.9	4E47 BXA	(4L1 BXA) 95:5
20.9	21.3	4E4	
21.3	22.1	4L0	&24 MINOR
22.1	26.2	3G0 &9	&6 MINOR
26.2	27.3	4C35	(4E0) 95:5
27.3	28.1	3G9	&2 MINOR
28.1	31.1	5A619	(4E0) TRACE

Drill Hole Report

Record 320 Drill Hole - 88V-48

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10001.4	9894.4	1148.0	903097.1	594095.7

Length: 73.8 Section: 12 E / - 3.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880810
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
69.8	-89.2	219.5	177.6	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 88V-48
Northing: 10001.4 Easting: 9894.4 Elevation: 1148.0
Length: 73.8 Core: NQ

From	To	Unit	Description
.0	19.3	#	TRICONED -- NO RECOVERY
19.3	20.4	3G	WEATHERED
20.4	21.3	10Q0	WEATHERED
21.3	24.7	3C4	* MINOR WEATHERED (10Q0) 90:10
24.7	42.3	4L2 &7	"STRINGERED" SLIGHTLY WEATHERED
42.3	44.7	4C3 &5	"MICACEOUS"
44.7	48.7	4E48 &#	&1 &6 MINOR &7 MINOR
48.7	49.3	4D0 &8	
49.3	54.4	4E8	&# (4L124) 80:20
54.4	57.3	4D0 &5	&3 &# MINOR (4L0) (3B4*) 91:08:01
57.3	59.6	4C3 &7	(5A69) (4A0 &4) (4E18 &4)
59.6	62.9	4E81	&# &1 MINOR
62.9	65.4	4C0	"MICACEOUS" -> [4L12 4 MINOR 7 MINOR]
65.4	68.3	5A0 &9	&1
68.3	70.4	4A3	
70.4	73.8	5A0 &9	&1

Drill Hole Report

Record 321 Drill Hole - 88V-49

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10125.4	9952.5	1151.2	903228.3	594056.3

Length: 94.8 Section: 08 E / - 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880817
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
90.8	-88.0	60.3	18.4	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 88V-49
 Northing: 10125.4 Easting: 9952.5 Elevation: 1151.2
 Length: 94.8 Core: NQ

From	To	Unit	Description
.0	32.4	#	TRICONED -- NO RECOVERY
32.4	38.7	#	TILL - DOMINANTLY 10AB BOULDERS
38.7	39.4	4L0 &6	(10Q9) 95:05
39.4	39.7	4G4	&# MINOR
39.7	53.4	3G0 &9	
53.4	54.9	4G4#	
54.9	56.4	4E0	&# MINOR
56.4	58.2	4G4#	&8 MINOR
58.2	59.0	4E4 &#	
59.0	65.1	4G4# &8	(10Q 9 TRACE)
65.1	68.5	4K0 &4	
68.5	70.9	4E4# &6	
70.9	71.8	4G4 &#	
71.8	80.1	5A619	-> [4A0]
80.1	81.5	4G4#	
81.5	82.3	4C0	"CHLORITIC"
82.3	85.6	4E46 &#	&8
85.6	88.4	4E4	&8 &# &\$ & EXA
88.4	91.6	4L GOUGE	EXA
91.6	93.1	5C4*	(10Q0) 90:10
93.1	94.8	5A0	(10Q0)

Drill Hole Report

Record 322 Drill Hole - 88V-50

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9939.5	9925.3	1148.4	903071.6	594160.1

Length: 44.2 Section: 14 E / - 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880812
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-50
Northing: 9939.5 Easting: 9925.3 Elevation: 1148.4
Length: 44.2 Core: NQ

From	To	Unit	Description
.0	13.9	#	TRICONED - NO RECOVERY
13.9	15.8	4L0 &2	WEATHERED
15.8	22.8	3G0	&9 MINOR
22.8	28.8	4L6	(3G0) 70:30
28.8	31.3	5A16	&9 MINOR (4E0) 90:10
31.3	35.6	4E#8	&1 MINOR
35.6	37.2	4L62	(4A0)(4G4 &8 MINOR) 33:33:34
37.2	39.8	5A619	-> [4A0]
39.8	42.4	4E81 &4	(4A4) 60:40
42.4	44.2	4L6 &2	&4 MINOR

Drill Hole Report

Record 323 Drill Hole - 88V-51

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9879.3	9905.5	1140.6	903013.6	594185.4

Length: 31.1 Section: 16 E / - 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880822
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-51
Northing: 9879.3 Easting: 9905.5 Elevation: 1140.6
Length: 31.1 Core: NQ

From	To	Unit	Description
.0	4.4	#	CORED WITH NO RECOVERY
4.4	5.4	#	TILL - 10AB BOULDERS
5.4	7.4	4L6	MODERATELY WEATHERED
7.4	11.0	4E0 &1	&4 ? (4C3 &5)(4L) ALL WEATHERED 60:40:TRACE
11.0	12.3	4L124	-> [4C0 "MICACEOUS"] (4E1)(10Q9) 85:10:05
12.3	14.0	3E0 &1	&9 [3C47] (4E0) 95:05
14.0	18.2	3G0 &9	&\$ MINOR
18.2	19.0	4L1247	
19.0	19.7	4C5	
19.7	20.8	4L247	&6 & BXA
20.8	23.6	4A0	
23.6	25.1	4L2471	&6 MINOR "STRINGERED" (3G0) 90:10
25.1	26.3	5A69 &1	(5C*) 90:10
26.3	26.5	4G#	
26.5	31.1	5A06 &1	&9 MINOR

Drill Hole Report

Record 324 Drill Hole - 88V-52

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9817.4	10040.7	1153.3	903057.6	594327.3

Length: 31.1 Section: 18 E / + 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880823
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-52
Northing: 9817.4 Easting: 10040.7 Elevation: 1153.3
Length: 31.1 Core: NQ

From	To	Unit	Description
.0	8.1	#	CORED WITH NO RECOVERY
8.1	9.1	#	TILL - 10AB BOULDERS
9.1	9.9	4C3	WEATHERED
9.9	15.5	4C3 &7	&9 TRACE
15.5	18.9	4D387	&\$ MINOR &9 TRACE
18.9	19.4	4L6	
19.4	26.4	4C87	&9 TRACE
26.4	31.1	4L6	

Drill Hole Report

Record 325 Drill Hole - 88V-53

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9818.2	9920.0	1143.1	902977.8	594236.9

Length: 40.2 Section: 18 E / - 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880823
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-53
Northing: 9818.2 Easting: 9920.0 Elevation: 1143.1
Length: 40.2 Core: NQ

From	To	Unit	Description
.0	6.6	#	CORED WITH NO RECOVERY
6.6	6.7	#	TILL - 10AB BOULDERS
6.7	9.8	4L6	WEATHERED
9.8	10.8	4E4	MODERATELY WEATHERED
10.8	11.7	4L24	"STRINGERED" WEATHERED
11.7	15.9	4E08#	&4 &6 MINOR &9 TRACE (4L6)(10Q9) 95:05:TRACE
15.9	18.8	4E1 &#	(4G4) (3C*) 60:20:20
18.8	21.6	4G4 &\$	
21.6	27.1	5A19 &6	(4L24 &6) 95:05
27.1	34.8	5A6 &9	& EXA
34.8	36.3	4E4 &6	&\$ MINOR & BXA
36.3	40.2	4L24 &6	& GOUGE

Drill Hole Report

Record 326 Drill Hole - 88V-54

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9755.8	9921.7	1147.0	902932.4	594279.8

Length: 30.5 Section: 20 E / - 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880916
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-54
Northing: 9755.8 Easting: 9921.7 Elevation: 1147.0
Length: 30.5 Core: NQ

From	To	Unit	Description
.0	8.5	#	CORED WITH NO RECOVERY
8.5	8.8	10Q9	WEATHERED
8.8	12.3	4E46 &8	(4G4 &8) (4L) 66:26:8
12.3	13.8	4AO BXA	
13.8	18.5	4A0	
18.5	21.5	4E0 &4	&8 MINOR &\$ TRACE (4DO) (4L6 &2 MINOR) 75:15:10
21.5	24.6	4A4 &7	& BXA (4L) 95:5
24.6	30.5	4L2471	"STRINGERED"

Drill Hole Report

Record 327 Drill Hole - 88V-55

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9691.1	10076.7	1159.0	902987.6	594438.4

Length: 31.1 Section: 22 E / + 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880823
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-55
Northing: 9691.1 Easting: 10076.7 Elevation: 1159.0
Length: 31.1 Core: NQ

From	To	Unit	Description
.0	5.2	#	CORED WITH NO RECOVERY
5.2	11.4	#	TILL - 10AB BOULDERS
11.4	16.8	4E1	& WEATHERED & POROUS
16.8	17.0	4A0	-> [5A619]
17.0	18.7	4L24	"STRINGERED" WEATHERED
18.7	25.5	4L6	
25.5	25.7	4H0	&\$ MINOR &9 TRACE
25.7	28.3	4L GOUGE	BXA
28.3	31.1	4L6	

Drill Hole Report

Record 328 Drill Hole - 88V-56

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9662.4	10076.1	1158.5	902965.9	594457.1

Length: 28.0 Section: 23 E / + 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880916
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-56
Northing: 9662.4 Easting: 10076.1 Elevation: 1158.5
Length: 28.0 Core: NQ

From	To	Unit	Description
.0	9.2	#	CORED WITH NO RECOVERY
9.2	9.8	#	O/B 10AB BOULDER FRAGMENTS
9.8	10.2	OX MUD	
10.2	11.3	4E4	EXTREMELY WEATHERED AND POROUS
11.3	12.6	4C3	
12.6	16.6	4C3	POROUS BXA
16.6	19.5	4C3	RUBBLE
19.5	25.5	4L0 &27	&BXA &GOUGE MINOR
25.5	28.0	4L6 &27	

Drill Hole Report

Record 329 Drill Hole - 88V-57

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9452.9	10030.4	1161.4	902779.4	594562.8

Length: 36.6 Section: 30 E / + 1.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880919
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-57
Northing: 9452.9 Easting: 10030.4 Elevation: 1161.4
Length: 36.6 Core: NQ

From	To	Unit	Description
.0	5.7	#	CORED WITH NO RECOVERY
5.7	6.7	#	O/B 10AB BOULDER FRAGMENTS
6.7	8.3	#	IRON OXIDE CEMENTED O/B TILL BXA
8.3	9.8	Pb OXIDE	SAND + RUBBLE
9.8	11.3	4E4	SAND
11.3	16.9	4G4	WEATHERED & POROUS
16.9	18.6	4E0	&8 MINOR & SAND
18.6	22.0	4E48	&1
22.0	28.0	4E1	&8 MINOR
28.0	28.8	4E41	&8 MINOR
28.8	29.7	4L0	&24 MINOR
29.7	31.2	4E1	(4L247) TRACE
31.2	34.7	4L0	(10Q9) 90:10
34.7	36.6	3G0	

Drill Hole Report

Record 330 Drill Hole - 88V-58

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9452.5	10045.2	1162.6	902789.0	594574.1

Length: 34.1 Section: 30 E / + 1.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880919
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-58
Northing: 9452.5 Easting: 10045.2 Elevation: 1162.6
Length: 34.1 Core: NQ

From	To	Unit	Description
.0	7.6	#	CORED WITH NO RECOVERY
7.6	12.8	#	O/B 10AB BOULDER FRAGMENTS
12.8	18.6	4E1	POROUS
18.6	21.0	4E4 &4	
21.0	27.2	4C3	&58 TRACE
27.2	27.7	4A0	&9 MINOR
27.7	29.1	4E1	&8 TRACE
29.1	32.9	4C3	&8 MINOR &9 TRACE & "MICACEOUS FOLIATIONS"
32.9	34.1	4L0	&24 MINOR

Drill Hole Report

Record 331 Drill Hole - 88V-59

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9392.1	10015.6	1162.8	902724.3	594592.3

Length: 33.8 Section: 32 E / + 0.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880921
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 88V-59
Northing: 9392.1 Easting: 10015.6 Elevation: 1162.8
Length: 33.8 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 33.8	33.8	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 88V-59
Northing: 9392.1 Easting: 10015.6 Elevation: 1162.8
Length: 33.8 Core: NQ

From	To	Unit	Description
----	---	----	-----
.0	7.6	#	CORED WITH NO RECOVERY
7.6	15.7	4L247	"STRINGERED"
15.7	33.8	4L247 &6	"STRINGERED"

Drill Hole Report

Record 332 Drill Hole - 88V-60

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9756.5	9906.6	1147.0	902922.9	594268.1

Length: 30.5 Section: 20 E / - 3.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880831
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-60
Northing: 9756.5 Easting: 9906.6 Elevation: 1147.0
Length: 30.5 Core: NQ

From	To	Unit	Description
.0	5.7	#	CORED WITH NO RECOVERY
5.7	5.9	#	OVERBURDEN MUD
5.9	6.0	4L ?	VERY WEATHERED
6.0	8.2	4G4	MODERATELY WEATHERED
8.2	9.6	4LO	WEATHERED
9.6	11.3	4E0 &1	WEATHERED POROUS
11.3	23.2	3G9	MODERATELY WEATHERED
23.2	24.0	4C3	&8 MINOR &5 MINOR
24.0	27.4	4A4	&9 TRACE
27.4	30.5	4LO &6	

Drill Hole Report

Record 333 Drill Hole - 88V-61

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9599.4	9926.3	1150.4	902819.1	594387.6

Length: 48.8 Section: 25 E / - 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880818
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR

LITHOLOGIES

Drill Hole: 88V-61
Northing: 9599.4 Easting: 9926.3 Elevation: 1150.4
Length: 48.8 Core: NQ

From	To	Unit	Description
.0	9.4	#	CORED WITH NO RECOVERY
9.4	9.5	#	O/B PEBBLES
9.5	11.8	4G4 &#	WEATHERED AND POROUS
11.8	13.4	4A0	& BXA (4L) (4G4 &8) 50:25:25 WEATHERED
13.4	22.4	5A6	[3G9]
22.4	26.0	5A6 GOUG	[3G9] GOUGE
26.0	27.0	4C0 EXA	&3
27.0	31.0	4L GOUGE	(5A6 GOUGE) 70:30
31.0	48.8	5A6	[3G9]

Drill Hole Report

Record 334 Drill Hole - 88V-62

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9723.5	10059.5	1155.5	903000.3	594403.9

Length: 26.5 Section: 21 E / + 2.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880822
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR

ASSAYS

Drill Hole: 88V-62
Northing: 9723.5 Easting: 10059.5 Elevation: 1155.5
Length: 26.5 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
0	.0 26.5	26.5	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 88V-62
Northing: 9723.5 Easting: 10059.5 Elevation: 1155.5
Length: 26.5 Core: NQ

From	To	Unit	Description
.0	5.8	#	CORED WITH NO RECOVERY
5.8	9.8	#	O/B 10AB BOULDER FRAGMENTS
9.8	26.5	4L6	

Drill Hole Report

Record 335 Drill Hole - 88V-63

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10001.0	9925.1	1153.0	903117.3	594118.9

Length: 92.1 Section: 12 E / - 2.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 880920
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
88.1	-87.5	152.3	110.4	SS SINGLE SHOT

ASSAYS

Drill Hole: 88V-63
 Northing: 10001.0 Easting: 9925.1 Elevation: 1153.0
 Length: 92.1 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 42.1	42.1	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
16835	42.1 42.6	.5	100	4D443	80	3.40	13.38	4.36	9.02	63.0	-1.0	.34	17.30	10.90	6.40	-1.00	-1.00
16836	42.6 43.4	.8	100	4E4 &6	50	3.50	8.38	3.17	5.21	48.0	-1.0	.41	15.80	4.14	11.66	-1.00	-1.00
16837	43.4 44.3	.9	100	4E4 &6	50	3.70	7.54	3.11	4.43	48.0	-1.0	.55	29.20	6.40	22.80	-1.00	-1.00
0	44.3 46.1	1.8	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
16838	46.1 47.5	1.4	100	4A0	20	2.90	3.27	1.60	1.67	24.0	-1.0	.55	11.90	3.49	8.41	-1.00	-1.00
16839	47.5 48.2	.7	100	4E8 &14	50	3.90	3.77	2.06	1.71	43.0	-1.0	.69	31.20	5.94	25.26	-1.00	-1.00
16840	48.2 49.5	1.3	100	4A0	20	3.00	2.57	1.29	1.28	19.0	-1.0	.62	11.40	3.84	7.56	-1.00	-1.00
0	49.5 54.9	5.4	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
16841	54.9 56.3	1.4	93	4A0 &7	20	3.10	3.73	2.15	1.58	28.0	-1.0	.41	10.40	3.53	6.87	-1.00	-1.00
16842	56.3 57.7	1.4	100	4A4 &7	20	3.00	7.20	2.33	4.87	39.0	-1.0	.41	11.30	3.55	7.75	-1.00	-1.00
16843	57.7 59.3	1.6	94	4A4 &7	20	3.10	6.09	2.47	3.62	38.0	-1.0	.55	12.50	2.96	9.54	-1.00	-1.00
0	59.3 67.2	7.9	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
16844	67.2 68.1	.9	100	4A4 &7	20	3.00	6.68	1.92	4.76	30.0	-1.0	.21	12.10	6.80	5.30	-1.00	-1.00
16845	68.1 69.2	1.1	100	4A4 &7	20	3.30	7.47	2.95	4.52	46.0	-1.0	.48	11.10	3.49	7.61	-1.00	-1.00
16846	69.2 70.4	1.2	100	4A0 &7	20	2.90	1.57	1.17	.40	18.0	-1.0	.55	11.40	5.40	6.00	-1.00	-1.00
0	70.4 80.8	10.4	-1	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
16847	80.8 82.8	2.0	75	4A0 &7	20	2.80	3.73	2.11	1.62	34.0	-1.0	.34	10.60	5.93	4.67	-1.00	-1.00
16848	82.8 83.3	.5	100	4E08 &1	50	3.70	2.63	1.61	1.02	34.0	-1.0	.96	28.70	5.93	22.77	-1.00	-1.00
16849	83.3 84.0	.7	100	3B#	100	2.80	.66	.22	.44	6.0	-1.0	.07	8.68	8.13	.55	-1.00	-1.00
16850	84.0 85.1	1.1	100	4A47	20	3.40	7.30	2.91	4.39	47.0	-1.0	.55	18.50	9.13	9.37	-1.00	-1.00
16851	85.1 86.6	1.5	100	4E1 &8	50	3.80	.87	.57	.30	16.0	-1.0	.55	31.00	5.79	25.21	-1.00	-1.00
16852	86.6 87.9	1.3	100	4E1 &8	50	3.50	3.98	2.21	1.77	34.0	-1.0	.41	25.00	7.87	17.13	-1.00	-1.00
16853	87.9 89.0	1.1	100	5A619	100	2.90	1.44	.65	.79	12.0	-1.0	.27	10.90	5.60	5.30	-1.00	-1.00
16854	89.0 90.5	1.5	100	5A619	100	2.70	.35	.11	.24	4.0	-1.0	.07	8.95	4.49	4.46	-1.00	-1.00
16855	90.5 92.1	1.6	100	5A619	100	2.70	.41	.19	.22	4.0	-1.0	.07	6.25	1.57	4.68	-1.00	-1.00

LITHOLOGIES

Drill Hole: 88V-63
 Northing: 10001.0 Easting: 9925.1 Elevation: 1153.0
 Length: 92.1 Core: NQ

From	To	Unit	Description
.0	16.9	#	TRICONED NO RECOVERY
16.9	22.2	#	O/B 10AB BOULDER FRAGMENTS
22.2	25.0	3G0	WEATHERED
44.3	46.1	4L0 &24	
46.1	47.5	4A0	&7 MINOR
47.5	49.5	4A4	&7 MINOR (4E8 &14) (4D0) 60:35:5
49.5	54.9	3G0	
54.9	59.3	4A4	&7 MINOR
59.3	67.2	3G06 &4	(10Q0) 92:8
67.2	70.4	4A4	&7 MINOR
70.4	80.8	4L0 &6	&247 MINOR
80.8	82.6	4A4 &7	(4L0 &247 MINOR) 90:10
82.6	84.0	3B#	(4E48 &1) 60:40
84.0	85.1	4A47	&9 TRACE
85.1	87.9	4E1 &48	&#& MINOR &9 TRACE (3B#) TRACE
87.9	92.1	5A619	(3G6) (4E8 &14) 95:5:TRACE

Drill Hole Report

Record 336 Drill Hole - 88VX-01

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9002.4	10458.7	1189.3	902729.6	595182.1

Length: 213.4 Section: 45 E / + 15.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 881003
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
86.3	-86.0	124.0	82.0	SS SINGLE SHOT
147.2	-82.0	121.0	79.0	SS SINGLE SHOT
208.2	-77.0	101.0	59.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 88VX-01
 Northing: 9002.4 Easting: 10458.7 Elevation: 1189.3
 Length: 213.4 Core: NQ

From	To	Unit	Description
.0	5.2	#	TRICONED NO RECOVERY
5.2	14.3	3G8	
14.3	18.6	3EO	(3G8 BIO) 95:5
18.6	25.5	3G9	
25.5	36.4	3GO	
36.4	37.5	3E	INCIPIENT GOUGE AND BXA
37.5	38.3	3EO	
38.3	43.4	3GO	9 WEAK & 7 MINOR
43.4	44.4	3EO	
44.4	48.2	3F91	(3EO)
48.2	91.9	3EO	& 3 TRACE (10QO) TRACE
91.9	98.1	3EO	& 3 MINOR
98.1	103.4	3F91	(3EO) 60:40
103.4	105.4	3GO	& 9
105.4	107.5	10QO	3GO 9 WEAK & GOUGE MINOR)
107.5	112.3	3GO & 9	(10QO) 90:10
112.3	115.8	3GO	(3G83 & BIO) 90:10
115.8	116.5	3G9	BXA & GOUGE
116.5	117.9	10QO	(3GO 9 WEAK)
117.9	122.3	3GO	9 WEAK
122.3	126.3	3EO	& 6 TRACE
126.3	129.9	10QO	& 9 TRACES
129.9	132.8	3G9	& 3 MINOR & BIO MINOR
132.8	142.0	3E1	& 3 MINOR & 6 TRACE
142.0	167.6	3E1	
167.6	169.4	10QO	(3E1) 80:20
169.4	170.2	3EO	& 3
170.2	171.5	3G7	& 1 & BIO COMPOSITIONALLY BANDED (3G9) 75:25
171.5	187.5	3G91	& BIO MINOR (3F91) TRACE
187.5	195.5	3G9	& BIO MINOR
195.5	196.0	3EO	
196.0	206.0	3GO	9 WEAK & BIO TRACE
206.0	206.3	3GO	GOUGE & BXA
206.3	213.4	3GO	9 WEAK & BIO MINOR

Drill Hole Report

Record 337 Drill Hole - 88VX-02

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9528.5	10393.4	1182.3	903117.9	594746.6

Length: 191.4 Section: 27 E / + 13.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 881004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
65.5	-88.0	64.0	22.0	SS SINGLE SHOT
126.5	-84.0	107.0	65.0	SS SINGLE SHOT
187.5	-80.0	122.0	80.0	SS SINGLE SHOT

ASSAYS

Drill Hole: 88VX-02
Northing: 9528.5 Easting: 10393.4 Elevation: 1182.3
Length: 191.4 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
0	.0 191.4	191.4	100	WASTE	0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 88VX-02
Northing: 9528.5 Easting: 10393.4 Elevation: 1182.3
Length: 191.4 Core: NQ

From	To	Unit	Description
.0	7.0	#	TRICONED NO RECOVERY
7.0	13.9	3G8	WEATHERED
13.9	16.5	3GO	
16.5	17.8	3GO	GOUGE
17.8	19.4	3GO	&4 MINOR
19.4	42.1	3GO	8 WEAK &BIO TRACE
42.1	45.4	3G8	& BIO MINOR
45.4	66.1	3GO	&8 WEAK
66.1	76.4	3GO	8 WEAK (3GO &9)
76.4	78.2	3G8	
78.2	81.5	3G8	(10QO) 70:30
81.5	112.7	3GO	& BIO TRACE 8 WEAK
112.7	113.4	3G8	& INCIPIENT GOUGE &BXA
113.4	133.4	3GO	8 WEAK
133.4	134.3	3G7	& INCIPIENT GOUGE & INCIPIENT BXA
134.3	138.9	3GO	
138.9	170.7	3GO	&2 MINOR
170.7	176.5	3EO	
176.5	177.4	3EO	& INCIPIENT GOUGE
177.4	185.5	3EO	& GOUGE (MINOR) (3BO &BIO MINOR) 95:5
185.5	191.4	3GO	9 WEAK

Drill Hole Report

Record 338 Drill Hole - 88VX-03

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9575.0	10199.1	1167.7	902982.8	594606.9

Length: 153.3 Section: 26 E / + 6.5
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 881005
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT COLLAR
57.9	-86.0	96.0	54.0	SS SINGLE SHOT
88.4	-84.0	70.0	28.0	SS SINGLE SHOT
149.4	-82.0	78.0	36.0	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 88VX-03
 Northing: 9575.0 Easting: 10199.1 Elevation: 1167.7
 Length: 153.3 Core: NQ

From	To	Unit	Description
.0	9.8	#	TRICONED NO RECOVERY
9.8	10.0	#	OVERBURDEN PEBBLES AND GRAVEL
10.0	19.1	4L72	PO+PY "STRINGERED"
19.1	30.8	3G0	(10Q0) 80:20
30.8	31.6	4L671	&9 TRACE
31.6	39.2	3G0	&7 (10Q0) 80:20
39.2	45.4	4L6	&7&1 9TRACE (3B4#)
45.4	51.3	3G0	&7
51.3	58.9	3G0	&7 MINOR &6 MINOR (5B4#) TRACE
58.9	78.0	3G0	&7 MINOR & BIO TRACE (3B4#) TRACE
78.0	81.6	3G0	9 WEAK &7 MINOR & BIO MINOR
81.6	86.8	3G0	&2 WEAK
86.8	92.5	3G0	
92.5	96.9	3G0	&9 WEAK
96.9	97.5	3C4	*#@
97.5	122.9	3G0	&7 MINOR
122.9	123.9	3G4	INCIPIENT EXA + GOUGE
123.9	153.3	3G0	&7 MINOR

Drill Hole Report

Record 339 Drill Hole - 88VX-04

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10182.0	10201.1	1141.9	903436.1	594203.7

Length: 304.8 Section: 06 E / + 6.65
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 881006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
66.1	-86.4	90.3	48.4	SS SINGLE SHOT
127.1	-82.2	99.3	57.4	SS SINGLE SHOT
188.0	-79.8	107.3	65.4	SS SINGLE SHOT
249.0	-77.0	106.3	64.4	SS SINGLE SHOT
279.5	-74.2	108.3	66.4	SS SINGLE SHOT
300.8	-74.5	117.3	75.4	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 88VX-04
 Northing: 10182.0 Easting: 10201.1 Elevation: 1141.9
 Length: 304.8 Core: NQ

From	To	Unit	Description
.0	9.9	#	TRICONED NO RECOVERY
9.9	25.2	3G0	&"PO STRINGERED" (3C*) TRACE
25.2	34.2	3G0	8 WEAK & "PO STRINGERED"
34.2	35.1	3G1	
35.1	44.5	3G0	&PO+PY "STRINGERS"
44.5	44.8	3G6	"PYRHOTITIC"
44.8	54.5	3G0	8 WEAK (10Q0) 95:5
54.5	55.5	3G7	4 WEAK
55.5	56.2	3G4	& GOUGE
56.2	57.9	3G7	4 WEAK
57.9	60.0	3G0	&7 MINOR &9 MINOR
60.0	61.0	3G0	9 WEAK
61.0	70.3	3G0	6 MINOR (PO STRINGERED)
70.3	73.4	3G0	6 TRACE
73.4	74.1	3C*	
74.1	75.0	3G7	6
75.0	81.5	3G0	
81.5	85.5	3G0	&9 WEAK
85.5	86.2	10Q0	9 TRACE
86.2	90.0	3G0	9 WEAK (10Q0) 85:15
90.0	96.0	3G0	& BIO TRACE & 9 MINOR
96.0	97.4	3G4	&BIO &BXA (3G8 &BIO BXA) (3B\$ BIO) 70:10:20
97.4	109.3	3G0	&6 TRACE
109.3	112.7	3G76	"PO STRINGERED" 4 WEAK
112.7	114.5	4L67	"STRINGERED"
114.5	124.3	4L6	&7 MINOR &BIO TRACE
124.3	131.6	3G0	9 WEAK
131.6	138.0	3G0	& BIO TRACE & 6 TRACE
138.0	139.2	3G0	&7 MINOR &1 MINOR &BIO &6 MINOR
139.2	140.2	3E4	
140.2	156.9	3G0	&9 MINOR (10Q0) 99:1
156.9	160.9	3C4*	
160.9	163.0	3G4	
163.0	164.0	3G	GOUGE + BXA (3G4 BXA)
164.0	166.2	3C4*	
166.2	169.7	3G3	BIO "CALCSILICATEY" (3C4*) 90:10
169.7	214.3	3G0	9 WEAK
214.3	218.8	3E0	
218.8	220.5	3E	GOUGE
220.5	234.9	3E0	
234.9	235.9	3E	GOUGE
235.9	254.7	3E0 &1	
254.7	262.9	3E31	"PO+PY STRINGERED"
262.9	267.4	3E1	(3E1 &BIO MINOR) 60:40
267.4	270.7	3F1	&BIO

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
10:32:53 Serial no: 20320
25/ 7/90 Page : 85

270.7	271.8	3E1	
271.8	273.7	3F1	&BIO
273.7	281.0	3E0	1 WEAK &3 &BIO
281.0	288.9	3E1	&3 &BIO &6 MINOR (3F1) 90:10
288.9	295.8	3E0	&BIO
295.8	297.6	3E13	
297.6	304.8	3G9	&BIO (10Q0) 90:10

Drill Hole Report

Record 340 Drill Hole - 88VX-05

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10182.7	10308.3	1152.6	903508.2	594283.0

Length: 243.8 Section: 06 E / + 10.0
Type: DDH Core: NQ Location: GRUM

Logged by: CVR Date: 881016
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT COLLAR
112.8	-82.5	129.3	87.4	SS SINGLE SHOT
173.7	-79.8	127.3	85.4	SS SINGLE SHOT
204.2	-77.0	125.3	83.4	SS SINGLE SHOT
234.7	-75.0	125.3	83.4	SS SINGLE SHOT

LITHOLOGIES

Drill Hole: 88VX-05
 Northing: 10182.7 Easting: 10308.3 Elevation: 1152.6
 Length: 243.8 Core: NQ

From	To	Unit	Description
.0	10.0	#	TRICONED NO RECOVERY
10.0	10.4	#	OVERBURDEN SAND, MUD AND GRAVEL
10.4	15.5	3G9	&3 MINOR
15.5	18.9	3G0	&6 TRACE
18.9	22.3	3G3	&9 &6 MINOR
22.3	38.6	3G0	&6 MINOR
38.6	59.5	3G0	
59.5	65.6	3G7	&6 MINOR (10Q0)
65.6	81.7	3G0	&7 MINOR &6 TRACE
81.7	83.7	3G0	(3C#) 80:20
83.7	86.1	4L67	2 &9 TRACE
86.1	96.0	3G9	
96.0	97.3	10Q0	(3G9) 85:15
97.3	106.1	3G0	&9 WEAK
106.1	111.6	3G4	WEAKLY ALTERED
111.6	121.0	3G0	&9 WEAK &BIO TRACE (3C#?310) TRACE
121.0	125.7	3G4	WEAKLY ALTERED
125.7	141.0	3G0	&BIO TRACE
141.0	144.0	3G0	&BIO TRACE (3C4#) (10Q0) 65:20:15
144.0	146.9	3C4	\$ (3G BIO) 65:35
146.9	148.3	3G0	BIO
148.3	151.2	3G0	
151.2	157.6	3G0	&9 WEAK &7 MINOR &BIO MINOR
157.6	185.0	3E0	
185.0	187.9	3E0	
187.9	210.0	3E0	
210.0	215.7	3G0	9 WEAK
215.7	219.9	3E	GOUGE
219.9	243.8	3EI	&3 &6 &BIO MINOR (3F91 &BIO MINOR) 95:5

Drill Hole Report

Record 341 Drill Hole - 90V-01

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9720.4	9910.0	1148.0	902898.3	594294.7

Length: 22.3 Section: 21 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
22.3	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-01
 Northing: 9720.4 Easting: 9910.0 Elevation: 1148.0
 Length: 22.3 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60175	13.2 14.8	-1.0	-1	4A4	20	-1.00	6.22	2.60	3.62	30.9	-1.0	.93	12.06	-1.00	-1.00	-1.00	.14
60176	14.8 16.3	-1.0	-1	4A4	20	-1.00	4.62	1.82	2.80	21.7	-1.0	1.01	10.37	-1.00	-1.00	-1.00	.13
60177	16.3 17.9	-1.0	-1	4A4	20	-1.00	6.40	2.20	4.20	27.5	-1.0	.98	13.88	-1.00	-1.00	-1.00	.14
60178	17.9 19.5	-1.0	-1	4A4	20	-1.00	11.08	3.37	7.71	31.2	-1.0	.94	10.41	-1.00	-1.00	-1.00	.09
60179	19.5 21.0	-1.0	-1	4A4	20	-1.00	9.04	3.40	5.64	34.7	-1.0	.62	11.38	-1.00	-1.00	-1.00	.09

LITHOLOGIES

Drill Hole: 90V-01
Northing: 9720.4 Easting: 9910.0 Elevation: 1148.0
Length: 22.3 Core: BQ

From	To	Unit	Description
.0	3.0	#	CASING NO RECOVERY
3.0	4.7	OB	
4.7	5.5	4L	HIGHLY WEATHERED
5.5	11.9	3G9	HIGHLY WEATHERED
11.9	13.2	4L0	WEATHERED
13.2	21.0	4A4	&9 MINOR
21.0	22.3	4L0	&7

Drill Hole Report

Record 342 Drill Hole - 90V-02

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9720.7	9925.9	1149.4	902909.1	594306.4

Length: 54.3 Section: 21 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
54.3	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-02
 Northing: 9720.7 Easting: 9925.9 Elevation: 1149.4
 Length: 54.3 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60164	11.6 13.1	-1.0	-1	4A4	20	-1.00	5.68	2.21	3.47	25.8	-1.0	.90	14.18	-1.00	-1.00	-1.00	.14
60165	13.1 14.7	-1.0	-1	4A4	20	-1.00	8.99	2.71	6.28	34.4	-1.0	.84	8.86	-1.00	-1.00	-1.00	.12
60166	14.7 16.3	-1.0	-1	4A4	20	-1.00	9.68	3.70	5.98	39.4	-1.0	.87	10.17	-1.00	-1.00	-1.00	.13
60167	16.3 17.8	-1.0	-1	4A4	20	-1.00	15.71	4.24	11.47	50.9	-1.0	1.09	13.06	-1.00	-1.00	-1.00	.18
60168	17.8 18.8	-1.0	-1	4A4	20	-1.00	8.39	3.04	5.35	34.7	-1.0	1.08	10.11	-1.00	-1.00	-1.00	.20
60169	18.8 19.8	-1.0	-1	4A44	20	-1.00	14.20	4.18	10.02	50.0	-1.0	2.11	10.29	-1.00	-1.00	-1.00	.11
60170	46.6 47.7	-1.0	-1	4E64	50	-1.00	17.11	6.91	10.20	76.6	-1.0	6.38	19.22	-1.00	-1.00	-1.00	.17

LITHOLOGIES

Drill Hole: 90V-02
Northing: 9720.7 Easting: 9925.9 Elevation: 1149.4
Length: 54.3 Core: BQ

From	To	Unit	Description
22.3	3.0	#	CASING NO RECOVERY
3.0	4.0	OB	
4.0	5.5	OB	FERRICRETE
5.5	11.6	5A6	
11.6	17.8	4A4	&9 TRACE
17.8	19.8	4A4	&9 TRACE
19.8	46.6	4L27	&9 TRACE &1
46.6	47.6	4E64	*
47.6	48.8	4LOBXA	&1
48.8	54.3	4L70	@4 MINOR

Drill Hole Report

Record 343 Drill Hole - 90V-03

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9720.6	9938.9	1149.0	902917.7	594316.1

Length: 31.4 Section: 21 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
31.4	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-03
 Northing: 9720.6 Easting: 9938.9 Elevation: 1149.0
 Length: 31.4 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60171	10.4 11.6	-1.0	-1	4E06	50	-1.00	2.50	1.46	1.04	16.7	-1.0	5.10	27.13	-1.00	-1.00	-1.00	.23
60172	11.6 13.2	-1.0	-1	4A4	20	-1.00	9.37	4.07	5.30	43.4	-1.0	1.03	10.04	-1.00	-1.00	-1.00	.09
60173	13.2 14.8	-1.0	-1	4A44	20	-1.00	13.77	4.88	8.89	59.3	-1.0	1.15	9.94	-1.00	-1.00	-1.00	.09
60174	14.8 16.3	-1.0	-1	4A44	20	-1.00	10.02	3.19	6.83	38.5	-1.0	.67	9.93	-1.00	-1.00	-1.00	.13

LITHOLOGIES

Drill Hole: 90V-03
Northing: 9720.6 Easting: 9938.9 Elevation: 1149.0
Length: 31.4 Core: BQ

From	To	Unit	Description
.0	15.2	#	CASING NO RECOVERY
15.2	5.5	OB	OB FERRICRETE
5.5	9.4	3EO	MINOR GOUGE
9.4	10.4	4LO	WEATHERED
10.4	11.6	4E06	&8 #STRONG
11.6	16.3	4A44	
16.3	26.1	4L627	
26.1	28.0	5CO	#ZEBRA ROCK
28.0	28.7	4L627	
28.7	29.7	5CO	#
29.7	31.4	4L627	

Drill Hole Report

Record 344 Drill Hole - 90V-04

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9721.0	9969.3	1150.4	902938.3	594338.4

Length: 40.2 Section: 21 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
40.2	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-04
 Northing: 9721.0 Easting: 9969.3 Elevation: 1150.4
 Length: 40.2 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60151	15.2 15.7	-1.0	-1	4A4	20	-1.00	6.45	2.05	4.40	24.3	-1.0	.64	14.64	-1.00	-1.00	-1.00	.03
60152	15.7 16.1	-1.0	-1	4E4	50	-1.00	12.23	3.78	8.45	56.4	-1.0	2.33	25.79	-1.00	-1.00	-1.00	.12
60153	16.1 17.0	-1.0	-1	4E41	50	-1.00	7.84	3.65	4.19	51.3	-1.0	.96	29.82	-1.00	-1.00	-1.00	.40
60154	17.0 18.6	-1.0	-1	4G48	60	-1.00	11.64	6.49	5.15	60.7	-1.0	1.25	25.73	-1.00	-1.00	-1.00	.17
60155	18.6 19.4	-1.0	-1	4G0	60	-1.00	8.59	3.12	5.47	36.7	-1.0	.54	18.82	-1.00	-1.00	-1.00	.05
60156	19.4 20.3	-1.0	-1	4G4	60	-1.00	13.12	5.44	7.68	60.7	-1.0	1.37	18.65	-1.00	-1.00	-1.00	.08
60157	20.3 21.2	-1.0	-1	4G4	60	-1.00	7.98	3.72	4.26	33.5	-1.0	.64	25.05	-1.00	-1.00	-1.00	.13
60158	21.2 22.2	-1.0	-1	4D0	80	-1.00	8.22	2.26	5.96	34.8	-1.0	.25	16.28	-1.00	-1.00	-1.00	.13
60159	22.2 26.9	-1.0	-1	4G4	60	-1.00	11.40	3.97	7.43	40.8	-1.0	.40	16.47	-1.00	-1.00	-1.00	.07
60160	26.9 28.2	-1.0	-1	4G4	60	-1.00	13.26	5.52	7.74	33.1	-1.0	.24	19.33	-1.00	-1.00	-1.00	.09
60161	28.2 29.1	-1.0	-1	4G4	60	-1.00	10.39	3.51	6.88	34.3	-1.0	.21	16.39	-1.00	-1.00	-1.00	.06
60162	29.1 30.8	-1.0	-1	4G4	60	-1.00	11.99	4.26	7.73	57.0	-1.0	.41	13.18	-1.00	-1.00	-1.00	.04
60163	30.8 35.8	-1.0	-1	4E0	50	-1.00	3.36	1.41	1.95	35.6	-1.0	.30	27.56	-1.00	-1.00	-1.00	.49

LITHOLOGIES

Drill Hole: 90V-04
 Northing: 9721.0 Easting: 9969.3 Elevation: 1150.4
 Length: 40.2 Core: BQ

From	To	Unit	Description
.0	.6	#	CASING NO RECOVERY
.6	2.4	OB	HUMUS
2.4	5.5	OB	FERRICRETE
5.5	15.2	3G0	
15.2	15.7	4A4	
15.7	16.1	4E4	(5C4) 50:50
16.1	17.0	4E41	&46 MINOR
17.0	18.6	4G48	
18.6	19.4	4G0	(4L0) 50:50
19.4	21.2	4G4	&8
21.2	22.2	4D0	&7(4L0) 70:30
22.2	26.4	4L0	&24 FAULT GOUGE
26.4	26.9	4G4	
26.9	27.3	4L0	&24
27.3	29.1	4G4	&8 MINOR &BXA
29.1	29.9	4L0	&2
29.9	30.8	4G4	&BXA
30.8	34.2	3G49	&BXA &FAULT GOUGE
34.2	35.8	4E0	&19 MINOR
35.8	40.2	3G9	

%Ba *%Ba 0*
oDu
Ba 0
8.0
8.6

Drill Hole Report

Record 345 Drill Hole - 90V-05

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9721.5	9999.2	1151.4	902958.6	594360.4

Length: 36.0 Section: 21 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
36.0	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-05
 Northing: 9721.5 Easting: 9999.2 Elevation: 1151.4
 Length: 36.0 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60139	5.9 6.3	-1.0	-1	4E46	50	-1.00	17.80	9.64	8.16	116.9	-1.0	.74	20.60	-1.00	-1.00	-1.00	.03
60140	6.3 9.2	-1.0	-1	4E46	50	-1.00	13.48	5.97	7.51	70.9	-1.0	1.03	20.59	-1.00	-1.00	-1.00	.09
60141	9.2 10.8	-1.0	-1	4E46	50	-1.00	8.83	3.56	5.27	41.4	-1.0	.55	17.89	-1.00	-1.00	-1.00	.13
60142	16.6 17.6	-1.0	-1	4E4	50	-1.00	11.85	5.25	6.60	35.0	-1.0	.45	29.01	-1.00	-1.00	-1.00	.07
60143	17.6 18.6	-1.0	-1	4E0	50	-1.00	3.42	1.50	1.92	12.6	-1.0	1.69	30.63	-1.00	-1.00	-1.00	.19
60144	18.6 19.6	-1.0	-1	4E0	50	-1.00	1.06	.33	.73	20.0	-1.0	.60	31.90	-1.00	-1.00	-1.00	.36
60145	19.6 20.9	-1.0	-1	4C0	30	-1.00	2.02	1.57	.45	18.5	-1.0	1.38	26.02	-1.00	-1.00	-1.00	.29
60146	20.9 22.3	-1.0	-1	4C0	30	-1.00	1.24	.78	.46	13.5	-1.0	.77	26.21	-1.00	-1.00	-1.00	.22
60147	22.3 23.6	-1.0	-1	4C0	30	-1.00	1.95	1.36	.59	16.2	-1.0	.61	24.76	-1.00	-1.00	-1.00	.41
60148	23.6 24.9	-1.0	-1	4C0	30	-1.00	1.14	.62	.52	12.5	-1.0	.43	23.95	-1.00	-1.00	-1.00	.42
60149	25.3 26.5	-1.0	-1	4C0	30	-1.00	1.58	.84	.74	13.0	-1.0	.99	20.58	-1.00	-1.00	-1.00	.22
60150	26.5 27.7	-1.0	-1	4C0	30	-1.00	.52	.14	.38	5.0	-1.0	.52	25.36	-1.00	-1.00	-1.00	.18

LITHOLOGIES

Drill Hole: 90V-05
Northing: 9721.5 Easting: 9999.2 Elevation: 1151.4
Length: 36.0 Core: BQ

From	To	Unit	Description
.0	.6	#	CASING NO RECOVERY
.6	2.1	OB	OB
2.1	5.9	4LO	WEATHERED:GOUGE
5.9	6.3	4E46	&8 MINOR
6.3	7.6	4LO	[3G47]
7.6	10.8	4E4	&689(5C\$)(4D4)80:10:1
10.8	16.6	4L3	&8
16.6	19.6	4E0	&1(4E4)90:10
19.6	24.9	4C0	&59
24.9	31.2	4LO	&87(4C0)(4E1)78:20:2
31.2	36.0	3G0	[1D0]

Drill Hole Report

Record 346 Drill Hole - 90V-06

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9718.7	10029.6	1153.9	902976.8	594384.9

Length: 25.3 Section: 21 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
25.3	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-06
 Northing: 9718.7 Easting: 10029.6 Elevation: 1153.9
 Length: 25.3 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60132	8.7 10.0	-1.0	-1	4C3	40	-1.00	.54	.49	.05	14.4	-1.0	.69	26.44	-1.00	-1.00	-1.00	.32
60133	10.0 10.7	-1.0	-1	4C3	40	-1.00	.96	.25	.71	14.3	-1.0	.51	26.08	-1.00	-1.00	-1.00	.29
60134	10.7 12.3	-1.0	-1	4E1	40	-1.00	6.45	2.96	3.49	29.3	-1.0	2.02	29.89	-1.00	-1.00	-1.00	.34
60135	12.3 13.6	-1.0	-1	4E0	50	-1.00	5.07	1.71	3.36	19.0	-1.0	.78	34.97	-1.00	-1.00	-1.00	.22
60136	13.6 14.8	-1.0	-1	4E1	40	-1.00	4.24	1.60	2.64	18.7	-1.0	2.63	21.06	-1.00	-1.00	-1.00	.30
60137	14.8 16.1	-1.0	-1	4E1	40	-1.00	1.99	.46	1.53	23.0	-1.0	.51	19.74	-1.00	-1.00	-1.00	.53
60138	16.1 17.3	-1.0	-1	4E1	40	-1.00	2.67	.19	2.48	13.3	-1.0	.37	24.58	-1.00	-1.00	-1.00	.34

LITHOLOGIES

Drill Hole: 90V-06
Northing: 9718.7 Easting: 10029.6 Elevation: 1153.9
Length: 25.3 Core: BQ

From	To	Unit	Description
.0	2.1	#	CASING NO RECOVERY
2.1	3.8	OB	OB
3.8	8.7	4L0	
8.7	10.7	4C3	
10.7	12.3	4E1	&48 MINOR
12.3	13.6	4E0	&1
13.6	17.3	4E1	RUBBLY &4BXA
17.3	25.3	4L0	

Drill Hole Report

Record 347 Drill Hole - 90V-07

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9719.0	10045.0	1155.3	902987.3	594396.2

Length: 23.8 Section: 21 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
23.8	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-07
 Northing: 9719.0 Easting: 10045.0 Elevation: 1155.3
 Length: 23.8 Core: BQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60001	7.6 8.2	-1.0	-1	4G0	60	-1.00	10.17	3.47	6.70	27.5	-1.0	.33	5.60	-1.00	-1.00	-1.00	-1.00
60002	8.2 9.1	-1.0	-1	4E1	40	-1.00	3.35	1.93	1.42	36.1	-1.0	.66	19.18	-1.00	-1.00	-1.00	-1.00
60003	9.1 10.1	-1.0	-1	4E1	40	-1.00	6.99	2.90	4.09	35.9	-1.0	1.04	17.50	-1.00	-1.00	-1.00	-1.00
60004	10.1 11.0	-1.0	-1	4E1	40	-1.00	5.67	2.09	3.58	22.9	-1.0	.46	16.52	-1.00	-1.00	-1.00	-1.00
60005	11.0 11.7	-1.0	-1	4D4	80	-1.00	26.50	11.60	14.90	96.4	-1.0	.60	12.03	-1.00	-1.00	-1.00	-1.00
60006	11.7 12.8	-1.0	-1	4D4	80	-1.00	24.80	14.30	10.50	154.7	-1.0	.50	16.87	-1.00	-1.00	-1.00	-1.00
60007	12.8 13.6	-1.0	-1	4D4	80	-1.00	14.39	8.13	6.26	89.7	-1.0	.78	11.61	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 90V-07
Northing: 9719.0 Easting: 10045.0 Elevation: 1155.3
Length: 23.8 Core: BQ

From	To	Unit	Description
.0	4.3	OE	OB
4.3	7.6	4L0	
7.6	8.2	4G0	
8.2	11.0	4E1	&4 (4C0) 90:10
11.0	13.6	4D4	&9
13.6	21.0	4L0	
21.0	23.8	3G0	

Drill Hole Report

Record 348 Drill Hole - 90V-08

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9659.2	10058.3	1157.6	902951.6	594446.0

Length: 29.9 Section: 23 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----

ASSAYS

Drill Hole: 90V-08
 Northing: 9659.2 Easting: 10058.3 Elevation: 1157.6
 Length: 29.9 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Fy %	BaO %	Cu %
60097	8.4 9.9	-1.0	-1	4E0	50	-1.00	3.62	3.01	.61	33.3	-1.0	1.27	23.47	-1.00	-1.00	-1.00	.51
60098	9.9 12.8	-1.0	-1	4E0	50	-1.00	1.36	.81	.55	16.5	-1.0	.64	16.58	-1.00	-1.00	-1.00	.56
60099	12.8 14.3	-1.0	-1	4E0	50	-1.00	.73	.62	.11	8.8	-1.0	1.44	27.65	-1.00	-1.00	-1.00	.11
60100	14.3 15.9	-1.0	-1	4E0	50	-1.00	1.67	1.39	.28	13.9	-1.0	1.86	18.78	-1.00	-1.00	-1.00	.53
60101	15.9 17.1	-1.0	-1	4E0	50	-1.00	2.60	1.28	1.32	20.2	-1.0	3.51	17.70	-1.00	-1.00	-1.00	.73
60102	17.1 18.1	-1.0	-1	4E4	50	-1.00	9.90	5.82	4.08	54.7	-1.0	1.02	18.56	-1.00	-1.00	-1.00	.92
60103	18.1 19.5	-1.0	-1	4E0	50	-1.00	4.70	1.36	3.34	14.8	-1.0	.55	27.20	-1.00	-1.00	-1.00	.37
60104	19.5 20.0	-1.0	-1	4C0	30	-1.00	2.58	.85	1.73	20.5	-1.0	.73	22.69	-1.00	-1.00	-1.00	.31
60105	20.0 22.2	-1.0	-1	4E4	50	-1.00	22.58	7.48	15.10	78.7	-1.0	1.24	16.09	-1.00	-1.00	-1.00	.13
60106	22.2 23.8	-1.0	-1	4D0	80	-1.00	8.87	3.60	5.27	36.0	-1.0	.41	20.41	-1.00	-1.00	-1.00	.31

LITHOLOGIES

Drill Hole: 90V-08
Northing: 9659.2 Easting: 10058.3 Elevation: 1157.6
Length: 29.9 Core: BQ

From	To	Unit	Description
.0	.6	#	CASING NO RECOVERY
.6	6.2	OB	OB
6.2	8.4	OB	FERRICRETE
8.4	19.5	4EO	&164
19.5	20.0	4CO	
20.0	21.0	4LO	
21.0	22.2	4EO	&46
22.2	22.6	4LO	
22.6	23.8	4DO	&9
23.8	29.9	4LO	&3 (3G9) 80:20

Drill Hole Report

Record 349 Drill Hole - 90V-09

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9658.7	10045.2	1157.2	902942.5	594436.5

Length: 36.6 Section: 23 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
36.6	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-09
 Northing: 9658.7 Easting: 10045.2 Elevation: 1157.2
 Length: 36.6 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60067	6.6 7.8	-1.0	-1	4G4	60	-1.00	11.01	3.92	7.09	77.5	-1.0	.41	7.07	-1.00	-1.00	-1.00	.34
60068	7.8 9.8	-1.0	-1	4G4	60	-1.00	12.68	5.32	7.36	84.1	-1.0	1.03	11.27	-1.00	-1.00	-1.00	.23
60069	9.8 10.7	-1.0	-1	4E0	50	-1.00	2.39	1.81	.58	17.8	-1.0	1.02	38.19	-1.00	-1.00	-1.00	.28
60070	10.7 11.3	-1.0	-1	4E0	50	-1.00	1.57	1.21	.36	16.1	-1.0	1.36	31.92	-1.00	-1.00	-1.00	.23
60071	11.3 12.8	-1.0	-1	4E0	50	-1.00	1.62	1.54	.08	17.8	-1.0	.76	26.45	-1.00	-1.00	-1.00	.20
60072	14.3 15.9	-1.0	-1	4G4	60	-1.00	18.19	7.70	10.49	99.5	-1.0	1.24	14.33	-1.00	-1.00	-1.00	.92
60073	16.3 17.1	-1.0	-1	4E1	40	-1.00	4.87	1.79	3.08	16.0	-1.0	2.83	22.96	-1.00	-1.00	-1.00	.15
60074	17.1 18.8	-1.0	-1	4E1	40	-1.00	2.61	1.21	1.40	19.7	-1.0	7.18	25.02	-1.00	-1.00	-1.00	.58
60075	18.8 20.1	-1.0	-1	4E1	40	-1.00	3.39	1.15	2.24	17.0	-1.0	.58	22.78	-1.00	-1.00	-1.00	.36
60076	20.1 21.4	-1.0	-1	4E4	50	-1.00	6.92	3.19	3.73	20.1	-1.0	.93	32.75	-1.00	-1.00	-1.00	.16
60077	21.4 22.7	-1.0	-1	4E4	50	-1.00	11.62	6.62	5.00	41.1	-1.0	1.37	29.33	-1.00	-1.00	-1.00	.23
60078	22.7 24.0	-1.0	-1	4E4	50	-1.00	6.89	3.65	3.24	29.9	-1.0	1.40	27.22	-1.00	-1.00	-1.00	.22
60079	24.0 25.5	-1.0	-1	4C3	40	-1.00	2.54	.54	2.00	10.8	-1.0	.68	22.48	-1.00	-1.00	-1.00	.23
60080	25.5 27.0	-1.0	-1	4C3	40	-1.00	1.44	.38	1.06	13.6	-1.0	.27	24.44	-1.00	-1.00	-1.00	.38
60081	27.0 28.4	-1.0	-1	4C3	40	-1.00	1.00	.10	.90	9.8	-1.0	.42	24.56	-1.00	-1.00	-1.00	.29
60082	28.4 29.9	-1.0	-1	4C3	40	-1.00	.34	.13	.21	7.1	-1.0	.19	19.00	-1.00	-1.00	-1.00	.19

LITHOLOGIES

Drill Hole: 90V-09
Northing: 9658.7 Easting: 10045.2 Elevation: 1157.2
Length: 36.6 Core: BQ

From	To	Unit	Description
.0	6.6	OB	OB
6.6	9.8	4G4	FRACTURED
9.8	12.7	4E0	GOUGE BROKEN
12.7	14.3	4E0	NO CORE
14.3	15.8	4G4	
15.8	16.3	4L0	PULVERIZED GOUGE
16.3	20.1	4E1	&&&6
20.1	24.0	4E4	
20.1	29.9	4C3	&9
29.9	36.6	4L0	(4E0)99:1

Drill Hole Report

Record 350 Drill Hole - 90V-10

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9659.5	10030.5	1156.3	902933.3	594425.1

Length: 38.4 Section: 23 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
38.4	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-10
 Northing: 9659.5 Easting: 10030.5 Elevation: 1156.3
 Length: 38.4 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60083	18.7 20.1	-1.0	-1	4E1	40	-1.00	2.53	.86	1.67	15.0	-1.0	1.33	25.71	-1.00	-1.00	-1.00	.19
60084	20.1 21.4	-1.0	-1	4E1	40	-1.00	5.75	1.68	4.07	19.7	-1.0	.69	26.17	-1.00	-1.00	-1.00	.14
60085	21.4 22.7	-1.0	-1	4E1	40	-1.00	2.67	.89	1.78	13.5	-1.0	.87	29.47	-1.00	-1.00	-1.00	.29
60086	22.7 24.1	-1.0	-1	4E1	40	-1.00	5.43	2.20	3.23	16.8	-1.0	2.53	33.45	-1.00	-1.00	-1.00	.18
60087	24.1 25.5	-1.0	-1	4E1	40	-1.00	5.18	2.51	2.67	31.8	-1.0	1.58	20.41	-1.00	-1.00	-1.00	.15
60088	25.5 26.8	-1.0	-1	4C0	30	-1.00	2.02	.77	1.25	9.9	-1.0	1.67	17.81	-1.00	-1.00	-1.00	.40
60089	26.8 28.2	-1.0	-1	4C0	30	-1.00	.98	.27	.71	7.1	-1.0	.69	27.10	-1.00	-1.00	-1.00	.38
60090	28.2 30.8	-1.0	-1	4C0	30	-1.00	1.20	.24	.96	7.4	-1.0	.55	18.53	-1.00	-1.00	-1.00	.23
60091	30.8 32.0	-1.0	-1	4C0	30	-1.00	1.38	.12	1.26	6.6	-1.0	.25	21.01	-1.00	-1.00	-1.00	.26
60092	32.0 33.7	-1.0	-1	4E1	40	-1.00	5.33	1.96	3.37	18.7	-1.0	.35	21.96	-1.00	-1.00	-1.00	.27

LITHOLOGIES

Drill Hole: 90V-10
Northing: 9659.5 Easting: 10030.5 Elevation: 1156.3
Length: 38.4 Core: BQ

From	To	Unit	Description
.0	1.2	#	CASING NO RECOVERY
1.2	1.8	OB	"B" HORIZON
1.8	3.8	OB	OB
3.8	9.7	4L6	WEATHERED
9.7	18.7	4L0	
18.7	25.5	4E0	&48 MINOR (4E4) 90:10
25.5	31.9	4C0	&8&9
31.9	33.7	4E1	(4E44) 95:5
33.7	34.6	4L26	BXA
34.6	38.4	4L0	

Drill Hole Report

Record 351 Drill Hole - 90V-11

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9657.3	10016.5	1155.5	902922.3	594416.1

Length: 45.1 Section: 23 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
45.1	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-11
 Northing: 9657.3 Easting: 10016.5 Elevation: 1155.5
 Length: 45.1 Core: BQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60114	7.9 9.6	-1.0	-1	4G4	60	-1.00	10.51	5.46	5.05	53.5	-1.0	.83	22.97	-1.00	-1.00	-1.00	.18
60115	9.6 11.3	-1.0	-1	4G4	60	-1.00	10.75	4.99	5.76	53.0	-1.0	1.00	24.41	-1.00	-1.00	-1.00	.20
60116	11.3 13.0	-1.0	-1	4E146	40	-1.00	6.73	2.63	4.10	27.0	-1.0	.49	15.58	-1.00	-1.00	-1.00	.12
60117	24.7 25.9	-1.0	-1	4E1	40	-1.00	2.72	.65	2.07	13.8	-1.0	.97	27.14	-1.00	-1.00	-1.00	.20
60118	25.9 27.0	-1.0	-1	4E1	40	-1.00	2.13	.39	1.74	10.7	-1.0	.72	28.52	-1.00	-1.00	-1.00	.18
60119	28.0 29.1	-1.0	-1	4E1	40	-1.00	3.96	1.44	2.52	22.0	-1.0	1.27	25.62	-1.00	-1.00	-1.00	.25
60120	29.1 30.2	-1.0	-1	4E1	40	-1.00	.20	.07	.13	5.4	-1.0	.54	25.00	-1.00	-1.00	-1.00	.16
60121	30.2 30.3	-1.0	-1	4E1	40	-1.00	2.02	.84	1.18	9.7	-1.0	.68	32.43	-1.00	-1.00	-1.00	.18
60122	30.3 31.4	-1.0	-1	4E1	40	-1.00	3.60	1.22	2.38	13.0	-1.0	.60	32.87	-1.00	-1.00	-1.00	.20
60123	31.4 32.4	-1.0	-1	4E1	40	-1.00	2.57	.27	2.30	7.4	-1.0	.50	30.20	-1.00	-1.00	-1.00	.18
60124	32.4 33.5	-1.0	-1	4E1	40	-1.00	1.03	.27	.76	12.9	-1.0	.60	24.49	-1.00	-1.00	-1.00	.35
60125	33.5 34.5	-1.0	-1	4E1	40	-1.00	.62	.13	.49	13.6	-1.0	.67	30.41	-1.00	-1.00	-1.00	.50
60126	34.5 35.7	-1.0	-1	4C3	40	-1.00	.55	.12	.43	8.0	-1.0	.84	22.90	-1.00	-1.00	-1.00	.57
60127	35.7 37.0	-1.0	-1	4C3	40	-1.00	.63	.18	.45	7.8	-1.0	.50	21.55	-1.00	-1.00	-1.00	.39
60128	37.0 38.3	-1.0	-1	4C3	40	-1.00	2.08	.69	1.39	13.1	-1.0	.57	23.33	-1.00	-1.00	-1.00	.29
60129	38.3 39.6	-1.0	-1	4C3	40	-1.00	1.96	.75	1.21	13.9	-1.0	.45	21.56	-1.00	-1.00	-1.00	.29
60130	39.6 40.6	-1.0	-1	4C3	40	-1.00	2.52	.71	1.81	10.4	-1.0	.55	20.52	-1.00	-1.00	-1.00	.20
60131	40.6 40.9	-1.0	-1	4C3	40	-1.00	1.07	.45	.62	7.5	-1.0	.78	20.41	-1.00	-1.00	-1.00	.14

LITHOLOGIES

Drill Hole: 90V-11
Northing: 9657.3 Easting: 10016.5 Elevation: 1155.5
Length: 45.1 Core: BQ

From	To	Unit	Description
.0	.6	#	CASING NO RECOVERY
.6	3.7	OB	OB
3.7	7.9	4LO	SLIGHT WEATHER
7.9	11.3	4G4#	&8
11.3	13.0	4E14	(4LO) 80:20
13.0	23.2	4LO	&2
23.2	24.7	4LO	GOUGE \ FAULT
24.7	27.0	4E1	
27.0	28.0	4C3	GOUGE
28.0	34.4	4LO	&8 (4LO) 99:1
34.4	40.8	4C3	&9 4 8
40.8	45.1	4LO	&5

Drill Hole Report

Record 352 Drill Hole - 90V-12

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9659.5	9943.2	1152.3	902875.1	594360.1

Length: 50.3 Section: 23 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
50.3	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-12
 Northing: 9659.5 Easting: 9943.2 Elevation: 1152.3
 Length: 50.3 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60043	6.7 8.0	-1.0	-1	4G4	60	-1.00	10.17	6.34	3.83	115.2	-1.0	.69	7.26	-1.00	-1.00	-1.00	.50
60044	8.0 9.3	-1.0	-1	4G4	60	-1.00	14.62	11.09	3.53	119.7	-1.0	.89	7.88	-1.00	-1.00	-1.00	.63
60045	9.3 10.5	-1.0	-1	4G4	60	-1.00	11.41	7.09	4.32	73.5	-1.0	1.00	11.30	-1.00	-1.00	-1.00	.56
60046	10.5 11.8	-1.0	-1	4G4	60	-1.00	12.54	8.33	4.21	79.2	-1.0	.98	18.28	-1.00	-1.00	-1.00	.50
60047	11.8 13.1	-1.0	-1	4E46	50	-1.00	15.15	10.70	4.45	97.8	-1.0	1.40	33.14	-1.00	-1.00	-1.00	.84
60048	13.1 14.3	-1.0	-1	4E4	50	-1.00	13.89	8.04	5.85	94.3	-1.0	1.19	33.28	-1.00	-1.00	-1.00	.73
60049	14.3 15.5	-1.0	-1	4E4	50	-1.00	9.60	5.00	4.60	46.2	-1.0	.74	31.71	-1.00	-1.00	-1.00	.35
60050	15.5 16.7	-1.0	-1	4E46	50	-1.00	9.91	3.53	6.38	40.2	-1.0	1.14	28.23	-1.00	-1.00	-1.00	.12
60051	16.7 17.8	-1.0	-1	4E476	50	-1.00	13.15	6.92	6.23	63.2	-1.0	1.91	28.36	-1.00	-1.00	-1.00	.18
60052	17.8 19.0	-1.0	-1	4E476	50	-1.00	13.35	6.04	7.31	53.7	-1.0	2.97	17.21	-1.00	-1.00	-1.00	.06
60053	19.0 20.5	-1.0	-1	4E01	50	-1.00	3.88	1.44	2.44	22.2	-1.0	1.18	29.19	-1.00	-1.00	-1.00	.31
60054	20.5 21.3	-1.0	-1	4G4	60	-1.00	13.85	4.78	9.07	71.3	-1.0	1.91	12.04	-1.00	-1.00	-1.00	.05
60055	21.3 22.3	-1.0	-1	4G4	60	-1.00	9.88	3.93	5.95	52.5	-1.0	4.11	22.42	-1.00	-1.00	-1.00	.16
60056	22.3 23.8	-1.0	-1	4A0	20	-1.00	2.32	1.04	1.28	15.6	-1.0	.63	16.45	-1.00	-1.00	-1.00	.12
60057	23.8 25.2	-1.0	-1	4A0	20	-1.00	.47	.16	.31	3.1	-1.0	.33	5.92	-1.00	-1.00	-1.00	.04
60058	25.2 26.7	-1.0	-1	4A0	20	-1.00	.55	.17	.38	3.7	-1.0	.30	7.78	-1.00	-1.00	-1.00	.02
60059	26.7 28.2	-1.0	-1	4A0	20	-1.00	.72	.25	.47	5.0	-1.0	.19	5.84	-1.00	-1.00	-1.00	.01
60060	28.2 29.7	-1.0	-1	4A0	20	-1.00	1.36	.41	.95	7.8	-1.0	.24	9.33	-1.00	-1.00	-1.00	.02
60061	30.4 31.6	-1.0	-1	4E1	40	-1.00	1.69	.75	.94	14.2	-1.0	.77	31.39	-1.00	-1.00	-1.00	.16
60062	31.6 32.8	-1.0	-1	4A4	20	-1.00	9.15	3.83	5.32	45.0	-1.0	1.65	10.62	-1.00	-1.00	-1.00	.11
60063	32.8 34.0	-1.0	-1	4A4	20	-1.00	5.35	1.91	3.44	25.3	-1.0	.86	9.64	-1.00	-1.00	-1.00	.14
60064	34.0 35.5	-1.0	-1	4A0	20	-1.00	1.34	.59	.75	8.8	-1.0	.60	16.40	-1.00	-1.00	-1.00	.21
60065	35.5 36.9	-1.0	-1	4A0	20	-1.00	1.67	.78	.89	12.3	-1.0	.66	6.92	-1.00	-1.00	-1.00	.10
60066	36.9 38.4	-1.0	-1	4A0	20	-1.00	1.35	.66	.69	8.8	-1.0	.38	6.46	-1.00	-1.00	-1.00	.06

LITHOLOGIES

Drill Hole: 90V-12
Northing: 9659.5 Easting: 9943.2 Elevation: 1152.3
Length: 50.3 Core: BQ

From	To	Unit	Description
.0	1.2	#	CASING NO RECOVERY
1.2	6.7	OB	OB
6.7	11.8	4G4	RUBBLY POWDERED
11.8	16.7	4E4	&7#
16.7	19.0	4E476	
19.0	20.5	4E01	&97MINOR(4L2)60:40
20.5	22.3	4G4	
22.3	29.7	4A0	&9MINOR&4(4L29&4)
29.7	30.4	4L2	&4
30.4	31.5	4E1	&468
31.5	34.0	4A4	&9
34.0	38.3	4A0	&97 MINOR &4
38.3	39.9	3G964	
39.9	42.2	4L2	&74
42.2	50.3	3G962	

Drill Hole Report

Record 353 Drill Hole - 90V-13

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9659.9	9955.7	1153.1	902883.7	594369.1

Length: 50.6 Section: 23 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
50.6	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-13
Northing: 9659.9 Easting: 9955.7 Elevation: 1153.1
Length: 50.6 Core: BQ

From	To	Unit	Description
.0	1.5	#	CASING NO RECOVERY
1.5	1.7	OB	OB
1.7	3.7	4L6	
3.7	6.6	4L6	WEATHERED
6.6	17.7	3G0	
17.7	22.2	4L0	GOUGED 50
22.2	24.9	4E18&4	(4G4)(4LOBXA)75:10:15
24.9	26.0	4A0	
26.0	27.8	4E18	\$&4
27.8	33.4	4A4	&79 MINOR
33.4	34.3	3G9	
34.3	39.7	4L2	&7
39.7	40.3	5C\$	ZEBRA ROCK
40.3	42.0	3G9	1" GOUGE
42.0	43.3	4L0	LOW CONTACT GOUGED
43.3	50.6	5A16	&9

Drill Hole Report

Record 354 Drill Hole - 90V-14

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9660.8	9969.7	1153.9	902893.7	594378.9

Length: 46.3 Section: 23 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
46.3	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-14
 Northing: 9660.8 Easting: 9969.7 Elevation: 1153.9
 Length: 46.3 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60107	21.4 22.4	-1.0	-1	4J478	80	-1.00	12.45	6.94	5.51	78.2	-1.0	1.50	20.42	-1.00	-1.00	-1.00	.18
60108	22.4 23.6	-1.0	-1	4G4	60	-1.00	11.22	4.61	6.61	58.5	-1.0	2.06	21.16	-1.00	-1.00	-1.00	.17
60109	23.6 24.8	-1.0	-1	4G0	60	-1.00	4.63	2.41	2.22	32.9	-1.0	.54	26.13	-1.00	-1.00	-1.00	.19
60110	24.8 27.7	-1.0	-1	4A4	20	-1.00	6.75	2.45	4.30	26.4	-1.0	.36	18.39	-1.00	-1.00	-1.00	.12
60111	27.7 28.9	-1.0	-1	4A0	20	-1.00	2.96	1.28	1.68	16.7	-1.0	.39	11.11	-1.00	-1.00	-1.00	.10
60112	28.9 30.1	-1.0	-1	4A4	20	-1.00	8.12	2.63	5.49	37.1	-1.0	.92	8.77	-1.00	-1.00	-1.00	.16
60113	42.4 43.3	-1.0	-1	4E46	50	-1.00	16.56	5.95	10.61	61.3	-1.0	.56	28.37	-1.00	-1.00	-1.00	.16

LITHOLOGIES

Drill Hole: 90V-14
Northing: 9660.8 Easting: 9969.7 Elevation: 1153.9
Length: 46.3 Core: BQ

From	To	Unit	Description
.0	.6	#	CASING NO RECOVERY
.6	1.8	OB	OB
1.8	7.7	3G0	MOD.OXIDIZED
7.7	21.4	3G9	LOCAL MINOR GOUGE
21.4	22.4	4J478	&1 (4G48#)50:50
22.4	24.8	4G4	&8#
24.8	26.5	3G9	&4(4LO) 85:15
26.5	30.1	4A4	&7 (4E6) 90:10
30.1	32.6	3G94	FAULT(4LO) 90:10
32.6	36.3	4LO	&27
36.3	41.8	3G9	&64 MINOR GOUGES
41.8	42.4	4LO	BXA &2 FAULT
42.4	43.3	4E4	&6&&8 MINOR
43.3	44.7	4LO	BXA &2 FAULT
44.7	46.3	5A0	&9

Drill Hole Report

Record 355 Drill Hole - 90V-15

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9658.8	9985.9	1153.9	902903.1	594392.3

Length: 46.3 Section: 23 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
46.3	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-15
 Northing: 9658.8 Easting: 9985.9 Elevation: 1153.9
 Length: 46.3 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60013	13.6 14.5	-1.0	-1	4A4	20	-1.00	7.70	2.17	5.53	36.2	-1.0	2.67	4.55	-1.00	-1.00	-1.00	-1.00
60014	15.9 17.3	-1.0	-1	4A4	20	-1.00	12.99	5.48	7.51	82.8	-1.0	1.49	15.47	-1.00	-1.00	-1.00	-1.00
60015	17.3 18.8	-1.0	-1	4A4	20	-1.00	12.79	5.28	7.51	69.8	-1.0	1.41	14.46	-1.00	-1.00	-1.00	-1.00
60016	18.8 20.3	-1.0	-1	4A4	20	-1.00	14.96	6.99	7.97	90.9	-1.0	1.81	16.86	-1.00	-1.00	-1.00	-1.00
60017	20.3 21.8	-1.0	-1	4A4	20	-1.00	13.86	6.35	7.51	66.7	-1.0	1.38	15.81	-1.00	-1.00	-1.00	-1.00
60018	21.8 23.3	-1.0	-1	4A4	20	-1.00	7.07	3.39	3.68	44.6	-1.0	1.03	20.68	-1.00	-1.00	-1.00	-1.00
60019	23.3 24.8	-1.0	-1	4A0	20	-1.00	3.29	1.87	1.42	30.7	-1.0	.47	21.05	-1.00	-1.00	-1.00	-1.00
60020	24.8 26.3	-1.0	-1	4A44	20	-1.00	16.79	6.29	10.50	58.7	-1.0	.59	11.26	-1.00	-1.00	-1.00	-1.00
60021	27.5 28.5	-1.0	-1	4G4	60	-1.00	10.53	3.37	7.16	46.6	-1.0	.29	14.77	-1.00	-1.00	-1.00	-1.00
60022	30.5 31.6	-1.0	-1	4G4	60	-1.00	14.15	4.28	9.87	77.5	-1.0	.73	10.04	-1.00	-1.00	-1.00	-1.00
60023	31.6 32.6	-1.0	-1	4G4	60	-1.00	14.48	3.88	10.60	57.7	-1.0	.79	8.58	-1.00	-1.00	-1.00	-1.00
60024	39.6 41.1	-1.0	-1	4G4#	60	-1.00	13.16	4.42	8.74	51.0	-1.0	.67	18.31	-1.00	-1.00	-1.00	-1.00
60025	41.1 42.5	-1.0	-1	4E1	40	-1.00	5.59	1.64	3.95	18.5	-1.0	.71	23.59	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 90V-15
Northing: 9658.8 Easting: 9985.9 Elevation: 1153.9
Length: 46.3 Core: BQ

From	To	Unit	Description
.0	1.2	#	CASING NO RECOVERY
1.2	2.0	OB	OB HUMUS
2.0	5.1	OB	OB
5.1	13.6	3G9	
13.6	14.5	4A4	
14.5	15.8	4L0	WEATHERED/POROUS
15.8	24.8	4G4	&8 (4L1&2)
24.8	26.3	4A44	&BXA
26.3	27.5	4L2	
27.5	28.5	4G4	
28.5	30.5	4L2	
30.5	32.6	4G64	
32.6	39.6	4L2	
39.6	41.1	4G4#	&6
41.1	42.5	4E1	&4 &BXA
42.5	46.3	4L0	(3G4) 70:30

Drill Hole Report

Record 356 Drill Hole - 90V-16

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9720.1	9897.9	1148.0	902890.0	594285.9

Length: 25.9 Section: 21 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
25.9	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-16
 Northing: 9720.1 Easting: 9897.9 Elevation: 1148.0
 Length: 25.9 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60008	15.0 15.7	-1.0	-1	4E0	50	-1.00	3.15	1.48	1.67	23.4	-1.0	1.90	30.35	-1.00	-1.00	-1.00	-1.00
60009	15.7 17.0	-1.0	-1	4A4	20	-1.00	8.10	2.57	5.53	34.0	-1.0	.90	10.24	-1.00	-1.00	-1.00	-1.00
60010	17.0 18.4	-1.0	-1	4A4	20	-1.00	12.25	2.85	9.40	42.5	-1.0	.72	6.48	-1.00	-1.00	-1.00	-1.00
60011	18.4 19.8	-1.0	-1	4A4	20	-1.00	14.87	4.11	10.76	57.7	-1.0	.68	6.24	-1.00	-1.00	-1.00	-1.00
60012	19.8 21.1	-1.0	-1	4A0	20	-1.00	2.68	.93	1.75	14.1	-1.0	.57	7.70	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 90V-16
Northing: 9720.1 Easting: 9897.9 Elevation: 1148.0
Length: 25.9 Core: BQ

From	To	Unit	Description
.0	.6	#	CASING NO RECOVERY
.6	1.6	OB	OB FERRICRETE
1.6	3.8	4LO	WEATHERED
3.8	9.1	3E0	&3 UP CONTACT GOUGED
9.1	24.2	4LO	
24.2	15.7	4E0	&8
15.7	19.8	4A44	&79 (4A4) 94:6
19.8	21.1	4A0	&79
21.1	25.9	4LO	&1

Drill Hole Report

Record 357 Drill Hole - 90V-17

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9659.9	9923.5	1149.3	902862.3	594345.1

Length: 33.5 Section: 23 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
33.5	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-17
 Northing: 9659.9 Easting: 9923.5 Elevation: 1149.3
 Length: 33.5 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60093	11.3 12.7	-1.0	-1	4G4	60	-1.00	12.13	5.24	6.89	79.2	-1.0	.43	7.22	-1.00	-1.00	-1.00	.29
60094	12.7 14.1	-1.0	-1	4G4	60	-1.00	13.49	6.16	7.33	84.7	-1.0	1.13	10.83	-1.00	-1.00	-1.00	.23
60095	14.1 15.4	-1.0	-1	4G4	60	-1.00	10.39	4.36	6.03	48.7	-1.0	1.44	27.73	-1.00	-1.00	-1.00	.17
60096	15.4 15.9	-1.0	-1	4LO	120	-1.00	1.53	.62	.91	8.8	-1.0	.56	15.25	-1.00	-1.00	-1.00	.05

LITHOLOGIES

Drill Hole: 90V-17
Northing: 9659.9 Easting: 9923.5 Elevation: 1149.3
Length: 33.5 Core: BQ

From	To	Unit	Description
.0	2.0	#	CASING NO RECOVERY
2.0	5.2	OB	OB
5.2	11.3	4L0	WEATHERED
11.3	15.4	4G4	&8 BROKEN & RUBBLY
15.4	15.9	4L0	&4 WEATHERED
15.9	16.5	4E0	&7
16.5	17.4	4L24	&1
17.4	19.1	4G4	&1 (4L0) 80:20
19.1	21.4	4G44	&8
21.4	23.1	4L2	&45
23.1	25.7	4A0	
25.7	33.2	3E0	
33.2	33.5	4E0	

Drill Hole Report

Record 358 Drill Hole - 90V-18

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9660.3	9909.3	1148.3	902853.1	594334.2

Length: 40.2 Section: 23 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
40.2	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-18
 Northing: 9660.3 Easting: 9909.3 Elevation: 1148.3
 Length: 40.2 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60397	8.2 11.3	-1.0	-1	4G4	60	-1.00	11.38	5.78	5.60	63.9	-1.0	.75	6.89	-1.00	-1.00	-1.00	.07
60398	11.3 14.3	-1.0	-1	4G0	60	-1.00	8.15	3.55	4.60	45.2	-1.0	1.98	22.27	-1.00	-1.00	-1.00	.15
60399	18.9 20.7	-1.0	-1	4E1	40	-1.00	2.66	1.38	1.28	14.2	-1.0	.67	28.68	-1.00	-1.00	-1.00	.26
60400	21.3 22.0	-1.0	-1	4G0	60	-1.00	8.90	3.34	5.56	37.4	-1.0	1.21	22.65	-1.00	-1.00	-1.00	.13
60401	23.6 25.2	-1.0	-1	4D0	80	-1.00	6.06	2.28	3.78	33.0	-1.0	.89	12.82	-1.00	-1.00	-1.00	.11
60402	34.5 35.7	-1.0	-1	4A0	20	-1.00	3.26	1.26	2.00	23.7	-1.0	.51	9.77	-1.00	-1.00	-1.00	.28

LITHOLOGIES

Drill Hole: 90V-18
Northing: 9660.3 Easting: 9909.3 Elevation: 1148.3
Length: 40.2 Core: BQ

From	To	Unit	Description
.0	5.2	#	CASING NO RECOVERY
5.2	8.2	OB	OB
8.2	14.3	4G4	&8*
14.3	15.8	#	NO CORE NO RECOVERY
15.8	17.4	4LO	0.4ft REC.BROKEN & RUBBLY
17.4	18.9	4L24	&9
18.9	20.7	4E1	&8
20.7	21.3	4LO	&27
21.3	21.9	4G0	
21.9	25.1	4C0	(4LO)(4E74)&680:15:5
25.1	34.5	3G9	&6
34.5	35.7	4A0	
35.7	40.2	4LO	&12

Drill Hole Report

Record 359 Drill Hole - 90V-19

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9660.8	9895.2	1147.4	902844.1	594323.4

Length: 31.1 Section: 23 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
31.1	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-19
Northing: 9660.8 Easting: 9895.2 Elevation: 1147.4
Length: 31.1 Core: BQ

From	To	Unit	Description
.0	2.1	#	CASING NO RECOVERY
2.1	9.8	OB	OB
9.8	10.5	4E4	?
10.5	14.3	4L0	BROKEN & RUBBLY
14.3	17.1	4E18\$	
17.1	20.4	4L2	&8
20.4	22.9	4A08	(4L0) 95:5
22.9	26.4	4G4	&\$79
26.4	31.1	3G9	

Drill Hole Report

Record 360 Drill Hole - 90V-20

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9602.4	9909.5	1149.6	902810.1	594373.0

Length: 34.1 Section: 25 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
34.1	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-20
Northing: 9602.4 Easting: 9909.5 Elevation: 1149.6
Length: 34.1 Core: BQ

From	To	Unit	Description
.0	.6	#	CASING NO RECOVERY
.6	8.2	OB	OB
8.2	11.0	4L0	WEATHERED POSS. GOUGED
11.0	14.5	4G4	(4A0) 85:15
14.5	16.4	4G087	;
16.4	20.1	4L0	&27 (3G9&7)50:50
20.1	23.2	4A4	
23.2	25.0	5A196	[4A0] GOUGED
25.0	34.1	5A96	

Drill Hole Report

Record 361 Drill Hole - 90V-21

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9603.1	9939.5	1151.2	902830.6	594394.9

Length: 30.5 Section: 25 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
30.5	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-21
Northing: 9603.1 Easting: 9939.5 Elevation: 1151.2
Length: 30.5 Core: BQ

From	To	Unit	Description
.0	1.7	#	CASING NO RECOVERY
1.7	6.9	OB	OB FERRICRETE
6.9	8.2	4G4??	NO CORE
8.2	11.3	4G4	FRACTURE RUBBLY
11.3	11.6	4G4??	NO CORE
11.6	16.1	3G9	&4
16.1	17.0	4E0	&1
17.0	23.5	3E1	BROKEN & RUBBLY
23.5	25.0	3E1	NO CORE
25.0	26.4	3E1	
26.4	28.6	4E0	&46(4L0)(4A0)70:25:5
28.6	30.5	4L2	

Drill Hole Report

Record 362 Drill Hole - 90V-22

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9602.6	9954.5	1152.8	902840.3	594406.4

Length: 30.5 Section: 25 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
30.5	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-22
Northing: 9602.6 Easting: 9954.5 Elevation: 1152.8
Length: 30.5 Core: BQ

From	To	Unit	Description
.0	.6	#	CASING NO RECOVERY
.6	7.7	OB	OB FERRICRETE
7.7	12.2	4G0	FRACTURE BROKEN RUBBLY
12.2	16.5	4E46	(4L0) 98:2
16.5	20.6	3G0	&41
20.6	24.2	4C0	?
24.2	30.5	4L0	&97 (3G9)95:5

Drill Hole Report

Record 363 Drill Hole - 90V-23

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9602.8	9969.6	1154.4	902850.5	594417.5

Length: 38.1 Section: 25 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
38.1	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-23
Northing: 9602.8 Easting: 9969.6 Elevation: 1154.4
Length: 38.1 Core: BQ

From	To	Unit	Description
.0	2.0	#	CASING NO RECOVERY
2.0	5.2	OB	OB
5.2	8.5	OB	FERRICRETE
8.5	11.3	4E1#	&46 RUBBLE
11.3	14.6	3E0	&6 COMPACTED MUD
14.6	15.8	4E0	MUD
15.8	20.5	3E2	RUBBLY
20.5	22.3	4E0	&1\$5 LOCAL(4LO)60:40
22.3	25.1	4A0	&4
25.1	31.3	4L2	&7&GOUGE (FAULT)
31.3	34.0	4L26	&7
34.0	36.6	5C6	ZEBRA ROCK
36.6	38.1	3G0	

Drill Hole Report

Record 364 Drill Hole - 90V-24

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9604.1	10015.9	1157.6	902882.3	594451.1

Length: 29.6 Section: 25 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
29.6	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-24
Northing: 9604.1 Easting: 10015.9 Elevation: 1157.6
Length: 29.6 Core: NQ

From	To	Unit	Description
.0	1.5	#	CASING NO RECOVERY
1.5	11.3	OB	OB
11.3	12.2	3G6	&4
12.2	13.0	4L0	
13.0	20.7	3G6	&4
20.7	23.8	4L2	INT. GOUGES
23.8	24.8	3G0	FAULT
24.8	25.5	3G0	GOUGE @83.0
25.5	29.6	4L2	FAULT GOUGED
29.6	31.9	4G4	(4E6)50:50
31.9	32.9	4E86	&41\$ MINOR
32.9	34.9	4E1	&4
34.9	35.8	4E1	(4L0)50:50 BXA
35.8	42.7	4L0	

Drill Hole Report

Record 365 Drill Hole - 90V-25

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9784.1	10012.2	1147.8	903013.9	594328.3

Length: 19.2 Section: 19 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
19.2	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-25
 Northing: 9784.1 Easting: 10012.2 Elevation: 1147.8
 Length: 19.2 Core: BQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60289	7.6 8.9	-1.0	-1	4E487	50	-1.00	7.42	4.65	2.77	30.9	-1.0	.96	30.85	-1.00	-1.00	-1.00	.22
60290	8.9 10.1	-1.0	-1	4E87	50	-1.00	3.66	1.89	1.77	9.1	-1.0	.79	29.56	-1.00	-1.00	-1.00	.31
60291	10.1 11.4	-1.0	-1	4E87	50	-1.00	3.51	2.30	1.21	12.2	-1.0	1.38	25.62	-1.00	-1.00	-1.00	.38
60292	11.4 11.6	-1.0	-1	4C375	40	-1.00	2.24	1.22	1.02	5.8	-1.0	1.24	22.01	-1.00	-1.00	-1.00	.19
60293	11.6 13.1	-1.0	-1	4C375	40	-1.00	3.89	2.68	1.21	22.9	-1.0	2.54	20.18	-1.00	-1.00	-1.00	.34
60294	13.1 14.6	-1.0	-1	4E17	40	-1.00	1.60	.66	.94	11.5	-1.0	.59	29.46	-1.00	-1.00	-1.00	.43
60295	14.6 16.2	-1.0	-1	4E17	40	-1.00	3.47	2.79	.68	23.1	-1.0	.62	27.05	-1.00	-1.00	-1.00	.26
60296	17.7 19.2	-1.0	-1	4E17	40	-1.00	.33	.24	.09	4.8	-1.0	.64	19.58	-1.00	-1.00	-1.00	.27

LITHOLOGIES

Drill Hole: 90V-25
Northing: 9784.1 Easting: 10012.2 Elevation: 1147.8
Length: 19.2 Core: BQ

From	To	Unit	Description
.0	1.8	#	CASING NO RECOVERY
1.8	3.7	OB	OB
3.7	7.6	OB	OB
7.6	11.4	4E87	&14
11.4	13.1	4C375	&49
13.1	19.2	4E17	&4

Drill Hole Report

Record 366 Drill Hole - 90V-26

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10028.5	10033.1	1161.5	903187.9	594156.1

Length: 69.5 Section: 11 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
69.5	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-26
 Northing: 10028.5 Easting: 10033.1 Elevation: 1161.5
 Length: 69.5 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60364	27.4 29.6	-1.0	-1	4A0	20	-1.00	4.03	1.99	2.04	18.5	-1.0	.53	3.13	-1.00	-1.00	-1.00	.05
60365	29.6 31.1	-1.0	-1	4A4	20	-1.00	7.41	3.44	3.97	33.6	-1.0	.74	8.23	-1.00	-1.00	-1.00	.04
60366	31.1 32.5	-1.0	-1	4G4	60	-1.00	11.15	5.70	5.45	62.2	-1.0	.38	20.78	-1.00	-1.00	-1.00	.18
60367	32.5 33.9	-1.0	-1	4G4	60	-1.00	10.70	5.49	5.21	44.0	-1.0	.21	24.65	-1.00	-1.00	-1.00	.15
60368	33.9 35.3	-1.0	-1	4G4	60	-1.00	11.58	4.79	6.79	39.0	-1.0	.33	15.22	-1.00	-1.00	-1.00	.03
60369	35.5 36.8	-1.0	-1	4G4	60	-1.00	14.27	7.31	6.96	67.1	-1.0	.15	18.35	-1.00	-1.00	-1.00	.06
60370	36.8 38.3	-1.0	-1	4A0	20	-1.00	3.74	1.45	2.29	9.3	-1.0	.25	5.18	-1.00	-1.00	-1.00	.01
60371	38.3 39.8	-1.0	-1	4A0	20	-1.00	2.69	.94	1.75	6.0	-1.0	.27	4.46	-1.00	-1.00	-1.00	.02
60372	39.8 41.2	-1.0	-1	4A0	20	-1.00	5.61	2.07	3.54	23.2	-1.0	.60	6.74	-1.00	-1.00	-1.00	.03
60373	41.2 43.5	-1.0	-1	4A0	20	-1.00	4.26	1.60	2.66	14.7	-1.0	.30	3.67	-1.00	-1.00	-1.00	.05
60374	43.5 44.8	-1.0	-1	4A0	20	-1.00	4.20	1.40	2.80	13.5	-1.0	.27	5.55	-1.00	-1.00	-1.00	.05
60375	44.8 46.3	-1.0	-1	4A0	20	-1.00	3.03	.58	2.45	8.3	-1.0	.35	10.52	-1.00	-1.00	-1.00	.04
60376	46.3 47.4	-1.0	-1	4A0	20	-1.00	6.20	1.98	4.22	13.7	-1.0	.31	13.00	-1.00	-1.00	-1.00	.06
60377	47.4 48.8	-1.0	-1	4E4	50	-1.00	5.83	1.96	3.87	16.0	-1.0	.49	23.29	-1.00	-1.00	-1.00	.09
60378	48.8 50.3	-1.0	-1	4E4	50	-1.00	14.04	5.72	8.32	37.8	-1.0	.26	22.36	-1.00	-1.00	-1.00	.04
60379	50.3 51.7	-1.0	-1	4E0	50	-1.00	3.72	1.34	2.38	17.4	-1.0	.60	33.82	-1.00	-1.00	-1.00	.19
60380	51.7 53.0	-1.0	-1	4E148	40	-1.00	17.31	9.95	7.36	43.7	-1.0	1.10	30.15	-1.00	-1.00	-1.00	.15
60381	53.0 54.3	-1.0	-1	4E148	40	-1.00	15.98	8.15	7.83	36.1	-1.0	.92	29.66	-1.00	-1.00	-1.00	.10
60382	54.3 55.6	-1.0	-1	4E148	40	-1.00	9.76	4.88	4.88	31.6	-1.0	.61	32.46	-1.00	-1.00	-1.00	.24
60383	55.6 57.2	-1.0	-1	4E1	40	-1.00	.98	.30	.68	10.8	-1.0	.74	34.85	-1.00	-1.00	-1.00	.25
60384	57.2 58.7	-1.0	-1	4E1	40	-1.00	1.21	.36	.85	12.2	-1.0	.38	32.36	-1.00	-1.00	-1.00	.31
60385	58.7 60.2	-1.0	-1	4E1	40	-1.00	5.09	4.24	.85	42.6	-1.0	.36	33.74	-1.00	-1.00	-1.00	.24
60386	60.2 61.6	-1.0	-1	4E1	40	-1.00	1.37	.37	1.00	16.0	-1.0	.49	32.07	-1.00	-1.00	-1.00	.32
60387	61.6 63.3	-1.0	-1	4E1	40	-1.00	2.23	.76	1.47	18.5	-1.0	.39	22.76	-1.00	-1.00	-1.00	.35
60388	63.3 64.9	-1.0	-1	4E1	40	-1.00	2.17	.62	1.55	15.9	-1.0	.33	21.40	-1.00	-1.00	-1.00	.29
60389	64.9 66.4	-1.0	-1	4E1	40	-1.00	1.39	.61	.78	23.1	-1.0	.29	34.30	-1.00	-1.00	-1.00	.50
60390	66.4 68.0	-1.0	-1	4E1	40	-1.00	1.07	.18	.89	19.4	-1.0	.49	28.09	-1.00	-1.00	-1.00	.40
60391	68.0 69.5	-1.0	-1	4E1	40	-1.00	1.76	.59	1.17	22.6	-1.0	.57	32.48	-1.00	-1.00	-1.00	.67

LITHOLOGIES

Drill Hole: 90V-26
Northing: 10028.5 Easting: 10033.1 Elevation: 1161.5
Length: 69.5 Core: NQ

From	To	Unit	Description
.0	15.7	#	CASING NO RECOVERY
15.7	27.4	OB	OB
27.4	31.1	4A0	&9
31.1	35.3	4G4	(4E6)(4E0)80:15:5
35.3	36.8	4L2	[3G6](4G4)75:25
36.8	47.4	4A0	(4L2)95:5
47.4	51.7	4E0	
51.7	55.6	4E148	
55.6	69.5	4E1	

Drill Hole Report

Record 367 Drill Hole - 90V-27

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10059.9	10077.3	1158.5	903262.6	594192.9

Length: 70.7 Section: 10 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
70.7	-89.0	82.0	41.0	SPERRY SUN

ASSAYS

Drill Hole: 90V-27
 Northing: 10059.9 Easting: 10077.3 Elevation: 1158.5
 Length: 70.7 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60707	36.9 38.4	-1.0	-1	4A0	20	-1.00	1.60	.38	1.22	8.3	-1.0	.15	4.80	-1.00	-1.00	-1.00	.04
60708	38.4 39.9	-1.0	-1	4A0	20	-1.00	1.16	.32	.84	5.3	-1.0	.82	4.18	-1.00	-1.00	-1.00	.03
60709	39.9 41.5	-1.0	-1	4A0	20	-1.00	1.45	.48	.97	6.0	-1.0	.14	4.57	-1.00	-1.00	-1.00	.02
60710	41.5 43.0	-1.0	-1	4A0	20	-1.00	1.50	.56	.94	7.3	-1.0	.11	5.22	-1.00	-1.00	-1.00	.01
60711	43.0 44.5	-1.0	-1	4A0	20	-1.00	1.21	.54	.67	7.2	-1.0	.23	4.57	-1.00	-1.00	-1.00	.03
60712	44.5 46.0	-1.0	-1	4A0	20	-1.00	.76	.14	.62	3.2	-1.0	.10	6.42	-1.00	-1.00	-1.00	.06
60713	46.0 47.6	-1.0	-1	4A0	20	-1.00	1.40	.27	1.13	6.6	-1.0	4.94	8.14	-1.00	-1.00	-1.00	.02
60714	47.6 49.1	-1.0	-1	4A0	20	-1.00	.97	.11	.86	3.4	-1.0	1.08	7.05	-1.00	-1.00	-1.00	.01
60715	55.4 56.9	-1.0	-1	4C3	40	-1.00	1.03	.40	.63	7.9	-1.0	.44	17.90	-1.00	-1.00	-1.00	.13
60716	56.9 58.2	-1.0	-1	4C3	40	-1.00	.21	.06	.15	5.8	-1.0	.61	22.44	-1.00	-1.00	-1.00	.26
60717	58.2 59.7	-1.0	-1	4C3	40	-1.00	.44	.08	.36	4.2	-1.0	.32	17.90	-1.00	-1.00	-1.00	.17
60718	59.7 61.1	-1.0	-1	4C3	40	-1.00	.29	.03	.26	4.5	-1.0	.74	19.14	-1.00	-1.00	-1.00	.21
60719	61.1 62.5	-1.0	-1	4C3	40	-1.00	.45	.09	.36	4.7	-1.0	.83	20.32	-1.00	-1.00	-1.00	.17
60720	62.5 64.0	-1.0	-1	4C3	40	-1.00	.35	.06	.29	4.5	-1.0	.51	17.71	-1.00	-1.00	-1.00	.16
60721	66.6 67.2	-1.0	-1	4C4	30	-1.00	8.12	2.47	5.65	26.3	-1.0	.03	19.12	-1.00	-1.00	-1.00	.11

LITHOLOGIES

Drill Hole: 90V-27
Northing: 10059.9 Easting: 10077.3 Elevation: 1158.5
Length: 70.7 Core: NQ

From	To	Unit	Description
.0	10.8	#	CASING NO RECOVERY
10.8	34.0	OB	OB
34.0	36.9	3G9	&6MINOR(4E1)98:2
36.9	49.1	4A0	&64 MINOR
49.1	55.4	3G9	&6
55.4	64.0	4C3	&69 MINOR [4A3]
64.0	66.6	4L0	&2
66.6	67.2	4C4	
67.2	70.7	4L0	

Drill Hole Report

Record 368 Drill Hole - 90V-28

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10059.3	10045.9	1158.2	903241.3	594169.9

Length: 82.9 Section: 10 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
82.9	-89.0	257.0	216.0	SPERRY SUN

ASSAYS

Drill Hole: 90V-28
 Northing: 10059.3 Easting: 10045.9 Elevation: 1158.2
 Length: 82.9 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60580	45.6 46.6	-1.0	-1	4A4	20	-1.00	4.59	1.76	2.83	17.4	-1.0	.35	6.27	-1.00	-1.00	-1.00	.05
60581	46.6 47.7	-1.0	-1	4A4	20	-1.00	6.39	1.93	4.46	26.8	-1.0	.39	6.29	-1.00	-1.00	-1.00	.03
60582	47.7 49.2	-1.0	-1	4E14	40	-1.00	9.97	3.96	6.01	43.0	-1.0	.47	22.93	-1.00	-1.00	-1.00	.08
60583	49.2 50.8	-1.0	-1	4E14	40	-1.00	16.17	8.96	7.21	83.8	-1.0	.98	21.10	-1.00	-1.00	-1.00	.13
60584	50.8 52.3	-1.0	-1	4E14	40	-1.00	7.54	4.74	2.80	46.0	-1.0	1.13	21.59	-1.00	-1.00	-1.00	.16
60585	52.3 53.9	-1.0	-1	4E14	40	-1.00	1.81	.81	1.00	15.1	-1.0	1.05	26.42	-1.00	-1.00	-1.00	.18
60586	53.9 55.4	-1.0	-1	4E14	40	-1.00	4.13	1.54	2.59	20.3	-1.0	.52	26.03	-1.00	-1.00	-1.00	.15
60587	55.4 56.7	-1.0	-1	4A4	20	-1.00	7.77	3.01	4.76	28.6	-1.0	.60	12.97	-1.00	-1.00	-1.00	.10
60588	56.7 57.9	-1.0	-1	4A0	20	-1.00	5.85	2.50	3.35	35.0	-1.0	.91	16.14	-1.00	-1.00	-1.00	.10
60589	57.9 59.1	-1.0	-1	4A0	20	-1.00	3.40	1.79	1.61	26.6	-1.0	1.15	18.11	-1.00	-1.00	-1.00	.16
60590	59.1 60.6	-1.0	-1	4C3	40	-1.00	.76	.16	.60	10.0	-1.0	.42	21.07	-1.00	-1.00	-1.00	.24
60591	60.6 62.3	-1.0	-1	4C3	40	-1.00	.67	.12	.55	9.7	-1.0	.55	23.03	-1.00	-1.00	-1.00	.19
60592	63.9 65.4	-1.0	-1	4C38	40	-1.00	4.14	1.14	3.00	10.2	-1.0	.64	27.07	-1.00	-1.00	-1.00	.15
60593	65.4 66.9	-1.0	-1	4C38	40	-1.00	2.11	.95	1.16	7.6	-1.0	.73	24.02	-1.00	-1.00	-1.00	.18
60594	66.9 68.4	-1.0	-1	4C38	40	-1.00	1.55	.54	1.01	4.8	-1.0	.42	15.91	-1.00	-1.00	-1.00	.09

LITHOLOGIES

Drill Hole: 90V-28
Northing: 10059.3 Easting: 10045.9 Elevation: 1158.2
Length: 82.9 Core: NQ

From	To	Unit	Description
.0	9.1	#	CASING NO RECOVERY
9.1	38.7	OB	OB
38.7	45.6	3G0	&6
45.6	47.7	4A4	&9 MINOR
47.7	55.4	4E14	&#(4E44)(4LO)78:10:2
55.4	56.7	4A4	
56.7	59.0	4A0	&4
59.0	62.2	4C3	&69MINOR(4LO)98:2
62.2	63.9	4L0	FAULT
63.9	68.3	4C38	&7
68.3	74.0	4L2	&7
74.0	82.9	4L27	&148

Drill Hole Report

Record 369 Drill Hole - 90V-29

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10060.6	10012.8	1157.3	903220.2	594144.4

Length: 87.5 Section: 10 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
87.5	-88.0	37.0	356.0	SPERRY SUN

ASSAYS

Drill Hole: 90V-29
 Northing: 10060.6 Easting: 10012.8 Elevation: 1157.3
 Length: 87.5 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60529	37.3 38.7	-1.0	-1	4G4	60	-1.00	18.05	8.77	9.28	95.9	-1.0	.41	19.99	-1.00	-1.00	-1.00	.59
60530	38.7 40.4	-1.0	-1	4G4	60	-1.00	9.81	4.09	5.72	51.5	-1.0	.53	19.16	-1.00	-1.00	-1.00	.13
60532	40.4 41.9	-1.0	-1	4G4	60	-1.00	18.77	9.06	9.71	132.2	-1.0	.55	21.81	-1.00	-1.00	-1.00	.08
60533	41.9 43.3	-1.0	-1	4G4	60	-1.00	17.10	7.97	9.13	96.3	-1.0	.82	16.99	-1.00	-1.00	-1.00	.04
60534	43.3 44.8	-1.0	-1	4G4	60	-1.00	13.10	5.22	7.88	98.1	-1.0	.20	22.92	-1.00	-1.00	-1.00	.10
60535	44.8 46.7	-1.0	-1	4G4	60	-1.00	16.45	7.21	9.24	101.5	-1.0	.40	15.13	-1.00	-1.00	-1.00	.08
60536	46.7 48.2	-1.0	-1	4E41	50	-1.00	7.91	3.62	4.29	54.5	-1.0	.64	33.54	-1.00	-1.00	-1.00	.20
60537	48.2 49.8	-1.0	-1	4E41	50	-1.00	7.18	2.99	4.19	34.7	-1.0	.95	34.69	-1.00	-1.00	-1.00	.23
60538	49.8 51.3	-1.0	-1	4E1	40	-1.00	2.12	.30	1.82	14.6	-1.0	.99	35.49	-1.00	-1.00	-1.00	.27
60539	51.3 52.5	-1.0	-1	4E41	50	-1.00	14.42	5.52	8.90	75.7	-1.0	.54	20.93	-1.00	-1.00	-1.00	.24
60540	52.5 54.0	-1.0	-1	4E1	40	-1.00	2.30	.29	2.01	8.5	-1.0	1.11	32.90	-1.00	-1.00	-1.00	.28
60541	54.0 55.5	-1.0	-1	4E1	40	-1.00	4.81	1.53	3.28	22.8	-1.0	6.89	35.02	-1.00	-1.00	-1.00	.25
60542	55.5 57.1	-1.0	-1	4E1	40	-1.00	2.03	.78	1.25	15.9	-1.0	.01	37.29	-1.00	-1.00	-1.00	.20
60543	57.1 58.6	-1.0	-1	4E1	40	-1.00	4.35	1.69	2.66	22.0	-1.0	1.05	34.17	-1.00	-1.00	-1.00	.21
60544	58.6 59.5	-1.0	-1	4E1	40	-1.00	4.56	2.40	2.16	21.2	-1.0	.76	35.28	-1.00	-1.00	-1.00	.11
60545	59.5 60.5	-1.0	-1	4E41	50	-1.00	6.87	2.42	4.45	27.9	-1.0	.74	34.17	-1.00	-1.00	-1.00	.16
60546	60.5 61.8	-1.0	-1	4G4	60	-1.00	16.48	5.79	10.69	82.5	-1.0	1.62	25.82	-1.00	-1.00	-1.00	.17
60547	61.8 63.1	-1.0	-1	4G4	60	-1.00	17.01	7.32	9.69	78.8	-1.0	2.08	29.66	-1.00	-1.00	-1.00	.23
60548	63.1 64.4	-1.0	-1	4G4	60	-1.00	13.37	4.74	8.63	15.5	-1.0	2.33	24.54	-1.00	-1.00	-1.00	.18
60549	64.4 65.7	-1.0	-1	4C3	40	-1.00	1.34	.42	.92	13.2	-1.0	.47	32.17	-1.00	-1.00	-1.00	.22
60550	65.7 67.0	-1.0	-1	4C3	40	-1.00	.61	.25	.36	10.6	-1.0	.77	24.48	-1.00	-1.00	-1.00	.19
60551	67.0 68.3	-1.0	-1	4C3	40	-1.00	.79	.22	.57	17.2	-1.0	.86	25.09	-1.00	-1.00	-1.00	.41
60552	68.3 69.6	-1.0	-1	4C3	40	-1.00	1.04	.20	.84	21.1	-1.0	.74	30.62	-1.00	-1.00	-1.00	.34
60553	69.6 70.9	-1.0	-1	4C3	40	-1.00	3.04	1.08	1.96	26.0	-1.0	1.60	30.85	-1.00	-1.00	-1.00	.29
60554	70.9 72.4	-1.0	-1	4C3	40	-1.00	1.66	.29	1.37	29.6	-1.0	.47	34.49	-1.00	-1.00	-1.00	.39
60555	72.4 73.7	-1.0	-1	4E1	40	-1.00	3.13	.88	2.25	22.2	-1.0	1.00	34.94	-1.00	-1.00	-1.00	.34
60556	73.7 75.1	-1.0	-1	4E1	40	-1.00	2.19	.81	1.38	18.7	-1.0	.65	41.12	-1.00	-1.00	-1.00	.31
60557	75.1 76.6	-1.0	-1	4E1	40	-1.00	.68	.37	.31	14.1	-1.0	4.86	37.87	-1.00	-1.00	-1.00	.45
60558	76.6 78.1	-1.0	-1	4E1	40	-1.00	.70	.16	.54	24.8	-1.0	.56	37.44	-1.00	-1.00	-1.00	.44

LITHOLOGIES

Drill Hole: 90V-29
Northing: 10060.6 Easting: 10012.8 Elevation: 1157.3
Length: 87.5 Core: NQ

From	To	Unit	Description
.0	12.2	#	CASING NO RECOVERY
12.2	37.3	OB	OB
37.3	46.7	4G4*	&68(4L0)98:2
46.7	60.5	4E1	&68(4E164)(4L2)93:5:2
60.5	64.3	4G4	
64.3	72.2	4C3	&9(4C4)98:2
72.2	78.1	4E1	&69 MINOR
78.1	87.5	4L0	&27

Drill Hole Report

Record 370 Drill Hole - 90V-30

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9601.7	10074.0	1160.1	902919.3	594496.0

Length: 25.0 Section: 25 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
25.0	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-30
Northing: 9601.7 Easting: 10074.0 Elevation: 1160.1
Length: 25.0 Core: BQ

From	To	Unit	Description
.0	.8	#	CASING NO RECOVERY
.8	1.4	OB	OB HUMUS
1.4	11.3	OB	OB
11.3	13.9	4C0	&4 RUBBLE
13.9	14.9	4C0	&4? RUBBLE
14.9	16.3	4C0	&4 RUBBLY
16.3	17.1	4E1	&48 MINOR
17.1	18.9	4C0	&4MINOR&8&4MINOR
18.9	25.0	4L672	&14[4C0&4+SERICITE]

Drill Hole Report

Record 371 Drill Hole - 90V-31

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9603.4	10059.8	1159.3	902911.1	594484.3

Length: 29.3 Section: 25 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
29.3	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-31
Northing: 9603.4 Easting: 10059.8 Elevation: 1159.3
Length: 29.3 Core: BQ

From	To	Unit	Description
.0	2.0	#	CASING NO RECOVERY
2.0	6.7	OB	OB
6.7	9.1	4C0	&4? RUBBLE
9.1	10.2	4H314	BXA
10.2	14.9	4C3	&8
14.9	21.0	4E14	&8
21.0	22.6	4E0	&6481
22.6	26.8	4C7	&4
26.8	29.3	4L672	&14[4C0&4+SERICITE]

Drill Hole Report

Record 372 Drill Hole - 90V-32

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9602.3	10043.8	1158.6	902899.6	594473.1

Length: 31.6 Section: 25 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
31.6	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-32
Northing: 9602.3 Easting: 10043.8 Elevation: 1158.6
Length: 31.6 Core: BQ

From	To	Unit	Description
.0	.3	#	CASING NO RECOVERY
.3	1.8	OB	OB
1.8	7.6	OB	OB
7.6	10.4	4L0	HEAVILY FRACTURED RUBBLY
10.4	12.6	3E0	HEAVILY FRACTURED
12.6	14.1	4G4	&1
14.1	15.4	4E8	
15.4	22.6	4E0	&189(4G4)95:5
22.6	23.2	4G4	MOD. FRACTURED
23.2	26.4	4E0	&81
26.4	31.6	4C37	&9

Drill Hole Report

Record 373 Drill Hole - 90V-33

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9603.1	10029.4	1158.3	902890.6	594461.8

Length: 40.2 Section: 25 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
40.2	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-33
Northing: 9603.1 Easting: 10029.4 Elevation: 1158.3
Length: 40.2 Core: BQ

From	To	Unit	Description
.0	1.8	#	CASING NO RECOVERY
1.8	2.3	OB	OB
2.3	8.2	4L0?	VERY WEATHERED
8.2	14.3	4L62	&7
14.3	18.7	5C0	ZEBRA TEXTURE
18.7	26.2	4E0	&81(4G4)95:5
26.2	31.4	4C0	&59
31.4	34.1	4E1	&897
34.1	40.2	4L62	&7

Drill Hole Report

Record 374 Drill Hole - 90V-34

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9663.2	9878.3	1146.9	902834.6	594309.3

Length: 28.7 Section: 23 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
28.7	-90.0	.0	.0	NO TEST

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
11:36:32 Serial no: 20320
25/ 7/90 Page : 189

ASSAYS

Drill Hole: 90V-34
Northing: 9663.2 Easting: 9878.3 Elevation: 1146.9
Length: 28.7 Core: BQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: 90V-34
Northing: 9663.2 Easting: 9878.3 Elevation: 1146.9
Length: 28.7 Core: BQ

From	To	Unit	Description
.0	.6	#	CASING NO RECOVERY
.6	1.2	OB	SNOW & ICE
1.2	1.4	OB	HUMUS
1.4	6.6	OB	OB
6.6	14.8	4L2	
14.8	17.1	3G9	
17.1	21.2	4L0	&2 OXIDIZED
21.2	23.2	3G9	&1
23.2	24.7	3G92	&4
24.7	25.8	4L7	BXA
25.8	28.7	3G9	

Drill Hole Report

Record 375 Drill Hole - 90V-35

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9785.7	9908.2	1146.9	902945.7	594249.8

Length: 22.0 Section: 19 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
22.0	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-35
 Northing: 9785.7 Easting: 9908.2 Elevation: 1146.9
 Length: 22.0 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60253	6.5 7.8	-1.0	-1	4E0	50	-1.00	2.96	1.36	1.60	13.7	-1.0	1.08	26.61	-1.00	-1.00	-1.00	.41
60254	7.8 9.1	-1.0	-1	4E0	50	-1.00	2.12	1.07	1.05	10.1	-1.0	.70	28.66	-1.00	-1.00	-1.00	.48
60255	9.1 10.5	-1.0	-1	4E0	50	-1.00	4.26	2.57	1.69	21.2	-1.0	.62	26.07	-1.00	-1.00	-1.00	.31
60256	10.5 12.0	-1.0	-1	4G4	60	-1.00	12.15	5.44	6.71	62.0	-1.0	1.90	16.31	-1.00	-1.00	-1.00	.14
60257	12.0 13.5	-1.0	-1	4G4	60	-1.00	12.23	5.12	7.11	56.4	-1.0	1.08	15.74	-1.00	-1.00	-1.00	.09
60258	13.5 15.1	-1.0	-1	4G0	60	-1.00	8.44	3.72	4.72	37.7	-1.0	1.01	22.32	-1.00	-1.00	-1.00	.15
60259	15.5 16.5	-1.0	-1	4G0	60	-1.00	4.24	2.40	1.84	21.9	-1.0	.70	26.74	-1.00	-1.00	-1.00	.19
60260	18.1 18.7	-1.0	-1	4E8	50	-1.00	2.12	1.01	1.11	17.8	-1.0	.69	24.52	-1.00	-1.00	-1.00	.22

LITHOLOGIES

Drill Hole: 90V-35
Northing: 9785.7 Easting: 9908.2 Elevation: 1146.9
Length: 22.0 Core: BQ

From	To	Unit	Description
.0	1.5	#	CASING NO RECOVERY
1.5	1.6	OB	HUMUS
1.6	6.5	OB	OB
6.5	10.5	4E0	&84(4L0)95:5
10.5	15.0	4G0	&8
15.0	15.5	4L62	
15.5	16.5	4G0	&98
16.5	17.5	4L2	
17.5	18.1	3G94	&1
18.1	18.7	4E8	
18.7	19.6	3G94	
19.6	21.9	3G9	

Drill Hole Report

Record 376 Drill Hole - 90V-36

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9785.0	9924.3	1146.0	902955.9	594262.3

Length: 27.7 Section: 19 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
27.7	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-36
 Northing: 9785.0 Easting: 9924.3 Elevation: 1146.0
 Length: 27.7 Core: BQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60297	6.9 8.2	-1.0	-1	4E0	50	-1.00	3.32	1.53	1.79	18.6	-1.0	4.98	37.92	-1.00	-1.00	-1.00	.41
60298	8.2 9.7	-1.0	-1	4E4	50	-1.00	7.19	3.93	3.26	29.5	-1.0	2.37	34.23	-1.00	-1.00	-1.00	.26
60299	9.7 11.2	-1.0	-1	4E0	50	-1.00	4.15	2.14	2.01	17.5	-1.0	1.52	35.19	-1.00	-1.00	-1.00	.32
60300	11.2 12.8	-1.0	-1	4G4	60	-1.00	13.71	5.53	8.18	61.5	-1.0	.99	14.30	-1.00	-1.00	-1.00	.09
60301	12.8 14.1	-1.0	-1	4E4	50	-1.00	9.62	4.76	4.86	36.8	-1.0	1.27	22.54	-1.00	-1.00	-1.00	.08
60302	14.1 15.3	-1.0	-1	4C3	40	-1.00	1.23	.73	.50	9.8	-1.0	.79	32.51	-1.00	-1.00	-1.00	.34
60303	15.3 16.8	-1.0	-1	4C3	40	-1.00	2.28	1.15	1.13	9.7	-1.0	.70	31.01	-1.00	-1.00	-1.00	.19
60304	16.8 18.1	-1.0	-1	4EA	50	-1.00	.95	.46	.49	5.5	-1.0	.64	21.70	-1.00	-1.00	-1.00	.16
60305	18.1 19.5	-1.0	-1	4E0	50	-1.00	3.78	2.24	1.54	22.1	-1.0	1.16	32.82	-1.00	-1.00	-1.00	.27
60306	19.5 20.8	-1.0	-1	4E1	40	-1.00	2.03	.88	1.15	11.2	-1.0	.43	20.17	-1.00	-1.00	-1.00	.06
60307	20.8 22.1	-1.0	-1	4E1	40	-1.00	1.04	.31	.73	4.0	-1.0	7.52	31.64	-1.00	-1.00	-1.00	.02
60308	22.1 23.4	-1.0	-1	4E1	40	-1.00	.87	.21	.66	4.8	-1.0	3.04	27.37	-1.00	-1.00	-1.00	.06
60309	23.4 24.9	-1.0	-1	4E1	40	-1.00	1.35	.38	.97	5.3	-1.0	1.36	30.96	-1.00	-1.00	-1.00	.08

LITHOLOGIES

Drill Hole: 90V-36
Northing: 9785.0 Easting: 9924.3 Elevation: 1146.0
Length: 27.7 Core: BQ

From	To	Unit	Description
.0	1.8	#	CASING NO RECOVERY
1.8	6.8	OB	OB
6.8	11.2	4E0	&18 GOUGED
11.2	12.8	4G4	&8
12.8	14.1	4E4	
14.1	16.8	4C3	&8 (5C0)95:5
16.8	18.1	4E0	&8 (4A0)55:45
18.1	19.4	4E0	&8
19.4	24.9	4E0	(4A0) 70:30
24.9	27.7	4L0	

Drill Hole Report

Record 377 Drill Hole - 90V-37

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9785.5	9937.2	1146.9	902964.9	594271.6

Length: 40.5 Section: 19 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETER Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
40.5	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-37
 Northing: 9785.5 Easting: 9937.2 Elevation: 1146.9
 Length: 40.5 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60280	10.8 11.9	-1.0	-1	4G4	60	-1.00	12.10	6.05	6.05	39.8	-1.0	.93	22.79	-1.00	-1.00	-1.00	.16
60281	11.9 13.0	-1.0	-1	4G4	60	-1.00	13.30	6.46	6.84	55.9	-1.0	.84	18.79	-1.00	-1.00	-1.00	.09
60282	15.3 16.6	-1.0	-1	4E68	50	-1.00	9.83	4.57	5.26	41.4	-1.0	1.09	22.07	-1.00	-1.00	-1.00	.23
60283	16.6 17.9	-1.0	-1	4E684	50	-1.00	3.43	2.14	1.29	16.2	-1.0	.75	31.71	-1.00	-1.00	-1.00	.37
60284	17.9 19.2	-1.0	-1	4E68	50	-1.00	3.05	1.94	1.11	17.2	-1.0	1.09	31.32	-1.00	-1.00	-1.00	.32
60285	19.2 20.6	-1.0	-1	4E68	50	-1.00	2.06	1.11	.95	13.1	-1.0	.39	34.60	-1.00	-1.00	-1.00	.19
60286	20.6 21.7	-1.0	-1	4A44	20	-1.00	11.94	5.21	6.73	44.3	-1.0	.67	8.60	-1.00	-1.00	-1.00	.12
60287	33.1 34.5	-1.0	-1	4E68	50	-1.00	9.49	5.65	3.84	29.7	-1.0	.76	30.82	-1.00	-1.00	-1.00	.23
60288	34.5 36.0	-1.0	-1	4E18	40	-1.00	3.06	1.65	1.41	15.9	-1.0	.80	38.94	-1.00	-1.00	-1.00	.34

LITHOLOGIES

Drill Hole: 90V-37
Northing: 9785.5 Easting: 9937.2 Elevation: 1146.9
Length: 40.5 Core: BQ

From	To	Unit	Description
.0	.6	#	CASING NO RECOVERY
.6	2.7	OB	OB
2.7	9.8	OB	FERRICRETE
9.8	10.8	4L68	
10.8	13.0	4G4	&8(4L2&7)90:10
13.0	15.3	4L2	&7
15.3	16.6	4E684	&#LOCAL
16.6	20.6	4E08	
20.6	21.7	4A44	
21.7	26.8	4L62	&7
26.8	28.2	5C#	OR [3C#] ZEBRA ROCK
28.2	31.5	4L62	&7
31.5	33.1	4L0	
33.1	36.0	4E08	&14
36.0	37.5	5C#	
37.5	40.5	4L62	&7

Drill Hole Report

Record 378 Drill Hole - 90V-38

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9786.1	9953.4	1145.9	902976.2	594283.2

Length: 39.9 Section: 19 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
39.9	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-38
 Northing: 9786.1 Easting: 9953.4 Elevation: 1145.9
 Length: 39.9 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60272	3.8 5.3	-1.0	-1	4G0	60	-1.00	7.00	3.80	3.20	35.4	-1.0	1.17	26.98	-1.00	-1.00	-1.00	.33
60273	5.3 8.6	-1.0	-1	4G0	60	-1.00	10.66	5.08	5.58	33.6	-1.0	.48	11.68	-1.00	-1.00	-1.00	.07
60274	8.6 10.6	-1.0	-1	4G0#	60	-1.00	6.26	3.25	3.01	31.0	-1.0	.78	26.74	-1.00	-1.00	-1.00	.26
60275	10.6 11.7	-1.0	-1	4A07	20	-1.00	2.08	.73	1.35	7.4	-1.0	.39	11.45	-1.00	-1.00	-1.00	.13
60276	11.7 12.8	-1.0	-1	4A47	20	-1.00	10.42	3.82	6.60	37.8	-1.0	.40	9.09	-1.00	-1.00	-1.00	.10
60277	30.3 31.1	-1.0	-1	4G4	60	-1.00	11.10	4.60	6.50	52.2	-1.0	.81	16.16	-1.00	-1.00	-1.00	.12
60278	31.1 31.1	-1.0	-1	4E64	50	-1.00	9.92	5.27	4.65	28.3	-1.0	.32	27.62	-1.00	-1.00	-1.00	.18
60279	31.1 32.9	-1.0	-1	4E4	50	-1.00	4.72	2.46	2.26	13.5	-1.0	.69	33.98	-1.00	-1.00	-1.00	.33

LITHOLOGIES

Drill Hole: 90V-38
Northing: 9786.1 Easting: 9953.4 Elevation: 1145.9
Length: 39.9 Core: NQ

From	To	Unit	Description
.0	2.6	#	CASING NO RECOVERY
2.6	3.8	OB	OB
3.8	5.3	4G0	
5.3	7.2	4L0	(4E1)95:5
7.2	8.5	4E3	&68(4L0)80:20
8.5	9.1	5C9	&1
9.1	10.6	4G0#	&18
10.6	12.8	4A47	&9(4L0)98:2
12.8	18.1	4L0	(5C0)96:4
18.1	23.3	5B34	&7
23.3	25.9	5B32	
25.9	30.3	4L6	&79(5B34)96:4
30.3	31.1	4G4	
31.1	32.9	4E64	&81
32.9	34.0	4L6	
34.0	39.9	3G61	&9(3G6)60:40

Drill Hole Report

Record 378 Drill Hole - 90V-39

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9787.0	9985.0	1146.0	-1.0	-1.0

Length: 35.7 Section: 19 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
35.7	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-39
 Northing: 9787.0 Easting: 9985.0 Elevation: 1146.0
 Length: 35.7 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
61735	12.5 13.8	-1.0	-1	4G4	60	-1.00	12.49	5.09	7.40	.0	-1.0	-1.00	18.40	-1.00	-1.00	-1.00	-1.00
61736	13.8 15.1	-1.0	-1	4G4	60	-1.00	13.77	5.28	8.49	90.0	-1.0	-1.00	9.61	-1.00	-1.00	-1.00	-1.00
61737	15.1 16.3	-1.0	-1	4G4	60	-1.00	13.74	5.24	8.50	95.0	-1.0	-1.00	12.60	-1.00	-1.00	-1.00	-1.00
61738	16.3 17.6	-1.0	-1	4G4	60	-1.00	10.15	3.72	6.43	10.0	-1.0	-1.00	17.00	-1.00	-1.00	-1.00	-1.00
61739	17.6 18.9	-1.0	-1	4G4	60	-1.00	11.93	5.21	6.72	15.0	-1.0	-1.00	17.30	-1.00	-1.00	-1.00	-1.00
60261	18.9 20.5	-1.0	-1	4C38	40	-1.00	1.95	.94	1.01	6.0	-1.0	.94	25.97	-1.00	-1.00	-1.00	.16
60262	20.5 21.7	-1.0	-1	4E18	40	-1.00	1.47	1.24	.23	7.5	-1.0	1.09	30.19	-1.00	-1.00	-1.00	.28
60263	21.7 22.9	-1.0	-1	4E18	40	-1.00	.66	.34	.32	3.7	-1.0	1.02	31.12	-1.00	-1.00	-1.00	.28
60264	22.9 24.1	-1.0	-1	4C3	40	-1.00	.23	.11	.12	3.5	-1.0	.86	26.24	-1.00	-1.00	-1.00	.23
60265	24.1 25.4	-1.0	-1	4C3	40	-1.00	.41	.24	.17	6.1	-1.0	.77	24.55	-1.00	-1.00	-1.00	.17
60266	25.4 26.6	-1.0	-1	4C3	40	-1.00	.42	.19	.23	5.3	-1.0	.70	23.27	-1.00	-1.00	-1.00	.21
60267	26.6 28.1	-1.0	-1	4E4	50	-1.00	9.88	4.18	5.70	39.5	-1.0	1.29	25.03	-1.00	-1.00	-1.00	.14
60268	28.1 29.6	-1.0	-1	4E0	50	-1.00	2.55	.89	1.66	10.4	-1.0	2.25	29.80	-1.00	-1.00	-1.00	.10
60269	29.6 31.2	-1.0	-1	4C3	40	-1.00	1.41	1.05	.36	13.8	-1.0	.75	21.32	-1.00	-1.00	-1.00	.17
60270	31.2 32.7	-1.0	-1	4C3	40	-1.00	1.43	.71	.72	10.3	-1.0	.82	24.01	-1.00	-1.00	-1.00	.25
60271	32.7 34.2	-1.0	-1	4C3	40	-1.00	1.74	.50	1.24	13.9	-1.0	.65	22.57	-1.00	-1.00	-1.00	.43

LITHOLOGIES

Drill Hole: 90V-39
Northing: 9787.0 Easting: 9985.0 Elevation: 1146.0
Length: 35.7 Core: NQ

From	To	Unit	Description
.0	.3	#	CASING NO RECOVERY
.3	2.1	OB	OB
2.1	3.7	OB	
3.7	5.2	OB	FERRICRETE
5.2	7.3	3G92	WEATHERED
7.3	12.5	3G92	&6
12.5	18.9	4G4	&8&#LOCAL(4LO)98:2
18.9	20.5	4C38	&4
20.5	22.9	4E18	
22.9	26.7	4C3	&59 MINOR
26.7	29.6	4E0	&486 LOCAL &#
29.6	34.2	4C3	&497(4L6GOUGE)98:2
34.2	35.7	4L62	&7

Drill Hole Report

Record 379 Drill Hole - 90V-40

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9846.6	10045.8	1160.7	903082.8	594311.7

Length: 30.8 Section: 17 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
30.8	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-40
 Northing: 9846.6 Easting: 10045.8 Elevation: 1160.7
 Length: 30.8 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60310	14.5 16.0	-1.0	-1	4E1	40	-1.00	.89	.69	.20	25.6	-1.0	2.80	23.22	-1.00	-1.00	-1.00	.94
60311	16.0 17.5	-1.0	-1	4E1	40	-1.00	.91	.49	.42	13.3	-1.0	1.35	25.09	-1.00	-1.00	-1.00	.65
60312	17.5 19.2	-1.0	-1	4E8	50	-1.00	3.18	1.75	1.43	59.6	-1.0	3.74	26.13	-1.00	-1.00	-1.00	.31
60313	19.2 20.7	-1.0	-1	4C7	30	-1.00	.27	.11	.16	11.1	-1.0	.36	20.75	-1.00	-1.00	-1.00	.37
60314	20.7 22.1	-1.0	-1	4C7	30	-1.00	.58	.19	.39	13.6	-1.0	.65	19.48	-1.00	-1.00	-1.00	.57
60315	22.1 23.6	-1.0	-1	4C7	30	-1.00	1.44	.47	.97	8.8	-1.0	.40	20.39	-1.00	-1.00	-1.00	.47
60316	23.6 25.0	-1.0	-1	4C7	30	-1.00	1.02	.34	.68	5.2	-1.0	.32	14.89	-1.00	-1.00	-1.00	.19

LITHOLOGIES

Drill Hole: 90V-40
Northing: 9846.6 Easting: 10045.8 Elevation: 1160.7
Length: 30.8 Core: NQ

From	To	Unit	Description
.0	.6	#	CASING NO RECOVERY
.6	12.8	OB	OB
12.8	14.5	OB	FERRICRETE
14.5	17.5	4E1	&648 RUBBLE
17.5	19.2	4E8	&14
19.2	25.0	4C7	&49
25.0	30.8	4L2	&4

Drill Hole Report

Record 380 Drill Hole - 90V-41

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9907.5	10060.7	1167.8	903138.1	594282.2

Length: 31.1 Section: 15 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
31.1	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-41
 Northing: 9907.5 Easting: 10060.7 Elevation: 1167.8
 Length: 31.1 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60357	20.6 21.4	-1.0	-1	4E0	50	-1.00	1.49	.97	.52	16.0	-1.0	1.01	24.96	-1.00	-1.00	-1.00	.39
60358	21.4 23.6	-1.0	-1	4E18	40	-1.00	.72	.27	.45	8.1	-1.0	1.25	22.64	-1.00	-1.00	-1.00	.39
60359	23.6 25.1	-1.0	-1	4E18	40	-1.00	.71	.15	.56	9.1	-1.0	.76	24.83	-1.00	-1.00	-1.00	.41
60360	25.1 26.6	-1.0	-1	4E18	40	-1.00	.49	.09	.40	8.3	-1.0	.61	22.52	-1.00	-1.00	-1.00	.34
60361	26.6 28.0	-1.0	-1	4E18	40	-1.00	.36	.11	.25	14.3	-1.0	1.30	22.89	-1.00	-1.00	-1.00	.49
60362	28.0 29.6	-1.0	-1	4C0	30	-1.00	.26	.12	.14	11.0	-1.0	.44	21.93	-1.00	-1.00	-1.00	.39
60363	29.6 31.1	-1.0	-1	4C0	30	-1.00	1.25	.94	.31	15.8	-1.0	.25	16.48	-1.00	-1.00	-1.00	.36

LITHOLOGIES

Drill Hole: 90V-41
Northing: 9907.5 Easting: 10060.7 Elevation: 1167.8
Length: 31.1 Core: NQ

From	To	Unit	Description
.0	.8	#	CASING NO RECOVERY
.8	18.4	OB	OB
18.4	20.6	3E0	
20.6	21.5	4E0	FRACTURED BROKEN
21.5	22.2	4L0	(5C0)60:40 FAULT
22.2	28.0	4E18	&9
28.0	31.1	4C0	&97

Drill Hole Report

Record 381 Drill Hole - 90V-42

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9907.6	10045.1	1166.0	903127.8	594270.5

Length: 39.3 Section: 15 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
39.3	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-42
 Northing: 9907.6 Easting: 10045.1 Elevation: 1166.0
 Length: 39.3 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60343	17.9 19.4	-1.0	-1	4G4	60	-1.00	15.05	6.85	8.20	93.4	-1.0	.91	20.17	-1.00	-1.00	-1.00	.14
60344	19.4 20.7	-1.0	-1	4G4	60	-1.00	14.13	5.52	8.61	64.9	-1.0	.62	13.96	-1.00	-1.00	-1.00	.09
60345	20.7 22.2	-1.0	-1	4C37	40	-1.00	1.65	.81	.84	15.5	-1.0	1.91	27.19	-1.00	-1.00	-1.00	.32
60346	22.2 23.5	-1.0	-1	4C37	40	-1.00	.49	.23	.26	9.4	-1.0	1.70	27.31	-1.00	-1.00	-1.00	.50
60347	23.5 24.8	-1.0	-1	4C37	40	-1.00	.31	.21	.10	8.4	-1.0	2.71	25.35	-1.00	-1.00	-1.00	.33
60348	24.8 26.1	-1.0	-1	4C37	40	-1.00	.64	.35	.29	13.5	-1.0	1.28	24.61	-1.00	-1.00	-1.00	.38
60349	26.1 27.4	-1.0	-1	4C73	30	-1.00	.71	.32	.39	15.9	-1.0	.98	20.89	-1.00	-1.00	-1.00	.46
60350	27.4 28.8	-1.0	-1	4C73	30	-1.00	1.78	.72	1.06	14.2	-1.0	1.09	25.45	-1.00	-1.00	-1.00	.38
60351	28.8 30.1	-1.0	-1	4C73	30	-1.00	1.60	.85	.75	13.0	-1.0	4.29	25.12	-1.00	-1.00	-1.00	.31
60352	30.1 31.4	-1.0	-1	4C73	30	-1.00	3.14	1.73	1.41	20.8	-1.0	1.10	23.29	-1.00	-1.00	-1.00	.22
60353	31.4 32.8	-1.0	-1	4C73	30	-1.00	.97	.48	.49	7.9	-1.0	1.96	21.94	-1.00	-1.00	-1.00	.35
60354	32.8 34.1	-1.0	-1	4C73	30	-1.00	.63	.19	.44	3.9	-1.0	.53	22.21	-1.00	-1.00	-1.00	.35
60355	34.1 35.3	-1.0	-1	4C07	30	-1.00	.74	.27	.47	4.9	-1.0	.44	19.13	-1.00	-1.00	-1.00	.32
60356	35.3 36.4	-1.0	-1	4C07	30	-1.00	.52	.12	.40	2.3	-1.0	.35	15.59	-1.00	-1.00	-1.00	.20

LITHOLOGIES

Drill Hole: 90V-42
Northing: 9907.6 Easting: 10045.1 Elevation: 1166.0
Length: 39.3 Core: NQ

From	To	Unit	Description
.0	.6	#	CASING NO RECOVERY
.6	17.9	OB	OB
17.9	20.9	4G4	&8(4L0)99:1
20.9	26.1	4C37	&8 &9 MINOR
26.1	34.1	4C73	&9 &8
34.1	36.4	4C7	&9 &8
36.4	39.3	4L72	

Drill Hole Report

Record 382 Drill Hole - 90V-43

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9968.3	10044.1	1164.8	903172.3	594229.3

Length: 50.9 Section: 13 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
50.9	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-43
 Northing: 9968.3 Easting: 10044.1 Elevation: 1164.8
 Length: 50.9 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60595	25.3 26.5	-1.0	-1	4G48	60	-1.00	17.23	7.97	9.26	112.0	-1.0	.63	8.67	-1.00	-1.00	-1.00	.11
60596	26.5 27.8	-1.0	-1	4G48	60	-1.00	17.62	8.32	9.30	73.2	-1.0	1.43	20.77	-1.00	-1.00	-1.00	.24
60597	27.8 29.3	-1.0	-1	4G48	60	-1.00	13.96	3.75	10.21	60.5	-1.0	.36	10.46	-1.00	-1.00	-1.00	.03
60598	29.3 30.7	-1.0	-1	4G48	60	-1.00	19.62	6.62	13.00	75.4	-1.0	.49	14.34	-1.00	-1.00	-1.00	.05
60599	30.7 32.0	-1.0	-1	4G48	60	-1.00	13.64	4.73	8.91	71.7	-1.0	.48	10.18	-1.00	-1.00	-1.00	.03
60600	32.0 33.4	-1.0	-1	4E468	50	-1.00	13.95	6.53	7.42	58.8	-1.0	.85	26.24	-1.00	-1.00	-1.00	.12
60601	33.4 34.5	-1.0	-1	4E18	40	-1.00	2.37	1.03	1.34	16.9	-1.0	1.49	33.58	-1.00	-1.00	-1.00	.30
60602	34.5 35.9	-1.0	-1	4E417	50	-1.00	8.67	3.38	5.29	34.3	-1.0	.49	32.25	-1.00	-1.00	-1.00	.25
60603	35.9 37.2	-1.0	-1	4G417	60	-1.00	13.09	5.07	8.02	58.1	-1.0	1.26	20.69	-1.00	-1.00	-1.00	.11
60604	37.2 38.6	-1.0	-1	4G417	60	-1.00	9.56	5.21	4.35	53.6	-1.0	.84	11.42	-1.00	-1.00	-1.00	.08
60605	38.6 40.2	-1.0	-1	4D78	80	-1.00	5.72	1.37	4.35	17.6	-1.0	.51	18.36	-1.00	-1.00	-1.00	.09
60606	43.6 45.3	-1.0	-1	4D7	80	-1.00	8.96	4.26	4.70	26.7	-1.0	4.06	18.80	-1.00	-1.00	-1.00	.26
60607	45.3 47.0	-1.0	-1	4D7	80	-1.00	6.39	3.27	3.12	21.0	-1.0	4.36	17.02	-1.00	-1.00	-1.00	.26
60608	47.0 48.3	-1.0	-1	4E18	40	-1.00	1.96	.71	1.25	12.4	-1.0	2.41	27.97	-1.00	-1.00	-1.00	.58
60609	48.3 49.6	-1.0	-1	4E18	40	-1.00	3.43	1.34	2.09	11.1	-1.0	.95	26.71	-1.00	-1.00	-1.00	.39
60610	49.6 50.9	-1.0	-1	4E18	40	-1.00	1.73	.55	1.18	6.4	-1.0	.66	34.33	-1.00	-1.00	-1.00	.26

LITHOLOGIES

Drill Hole: 90V-43
Northing: 9968.3 Easting: 10044.1 Elevation: 1164.8
Length: 50.9 Core: NQ

From	To	Unit	Description
.0	1.2	#	CASING NO RECOVERY
1.2	25.3	OB	OB
25.3	33.4	4G48	WEATHERED
33.4	34.5	4E18	
34.5	38.6	4E417	&69(4G48)(4G0)75:20:5
38.6	40.2	4D78	&9
40.2	43.6	3G9	&7185[5A6](4D7)80:20
43.6	46.9	4D7	&49
46.9	50.9	4E18	&9

Drill Hole Report

Record 383 Drill Hole - 90V-44

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9968.2	10029.9	1164.7	903172.3	594229.3

Length: 58.8 Section: 13 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments: NO SURVEYED LOCATION

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
58.8	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-44
 Northing: 9968.2 Easting: 10029.9 Elevation: 1164.7
 Length: 58.8 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
	From To																
60611	24.2 25.0	-1.0	-1	4E4	50	-1.00	19.68	14.40	5.28	63.0	-1.0	1.47	30.46	-1.00	-1.00	-1.00	.55
60612	25.0 26.5	-1.0	-1	4E4	50	-1.00	17.63	9.38	8.25	43.4	-1.0	2.17	27.52	-1.00	-1.00	-1.00	.23
60613	26.5 27.7	-1.0	-1	4E4	50	-1.00	8.12	6.31	1.81	35.9	-1.0	1.28	23.84	-1.00	-1.00	-1.00	.25
60614	27.7 28.5	-1.0	-1	4E4	50	-1.00	11.81	6.12	5.69	43.8	-1.0	1.18	28.15	-1.00	-1.00	-1.00	.11
60615	28.5 29.6	-1.0	-1	4E46	50	-1.00	11.54	5.59	5.95	30.4	-1.0	6.66	27.53	-1.00	-1.00	-1.00	.12
60616	29.6 30.8	-1.0	-1	4E48	50	-1.00	4.00	1.55	2.45	11.3	-1.0	1.61	35.91	-1.00	-1.00	-1.00	.26
60617	30.8 31.7	-1.0	-1	4E48	50	-1.00	18.07	8.46	9.61	47.4	-1.0	2.32	28.51	-1.00	-1.00	-1.00	.11
60618	31.7 33.4	-1.0	-1	4D74	80	-1.00	6.24	2.71	3.53	19.4	-1.0	.96	37.10	-1.00	-1.00	-1.00	.16
60619	33.4 34.9	-1.0	-1	4D74	80	-1.00	5.60	2.96	2.64	16.1	-1.0	.92	32.23	-1.00	-1.00	-1.00	.10
60620	34.9 36.2	-1.0	-1	4G48	60	-1.00	16.09	5.41	10.68	53.9	-1.0	.79	20.32	-1.00	-1.00	-1.00	.13
60621	36.2 37.4	-1.0	-1	4G48	60	-1.00	11.54	5.73	5.81	48.9	-1.0	1.09	21.86	-1.00	-1.00	-1.00	.12
60622	37.4 38.7	-1.0	-1	4G48	60	-1.00	14.51	5.42	9.09	43.9	-1.0	.71	21.24	-1.00	-1.00	-1.00	.15
60623	38.7 40.2	-1.0	-1	4D73	80	-1.00	8.66	2.92	5.74	19.3	-1.0	.87	29.10	-1.00	-1.00	-1.00	.26
60624	40.2 41.7	-1.0	-1	4D73	80	-1.00	7.08	3.68	3.40	27.5	-1.0	1.68	27.65	-1.00	-1.00	-1.00	.29
60625	41.7 43.3	-1.0	-1	4D73	80	-1.00	3.07	1.81	1.26	14.0	-1.0	.86	26.43	-1.00	-1.00	-1.00	.20
60626	43.3 44.8	-1.0	-1	4C0	30	-1.00	1.51	.90	.61	10.3	-1.0	.80	20.80	-1.00	-1.00	-1.00	.36
60627	44.8 47.9	-1.0	-1	4C0	30	-1.00	2.68	1.13	1.55	12.0	-1.0	.67	22.50	-1.00	-1.00	-1.00	.42
60628	47.9 49.4	-1.0	-1	4C0	30	-1.00	1.18	.27	.91	5.9	-1.0	.67	22.92	-1.00	-1.00	-1.00	.42
60629	49.4 50.8	-1.0	-1	4C3	40	-1.00	4.15	.86	3.29	7.9	-1.0	.84	20.59	-1.00	-1.00	-1.00	.26
60630	50.8 52.0	-1.0	-1	4C3	40	-1.00	.68	.06	.62	2.7	-1.0	1.17	22.82	-1.00	-1.00	-1.00	.29
60631	52.0 54.5	-1.0	-1	4C3	40	-1.00	.84	.16	.68	2.8	-1.0	.46	21.74	-1.00	-1.00	-1.00	.25
60632	54.5 55.9	-1.0	-1	4C3	40	-1.00	4.22	1.24	2.98	8.8	-1.0	.34	18.77	-1.00	-1.00	-1.00	.13
60633	55.9 57.1	-1.0	-1	4E1	40	-1.00	4.43	1.77	2.66	11.4	-1.0	.41	18.80	-1.00	-1.00	-1.00	.14
60634	57.1 58.8	-1.0	-1	4E1	40	-1.00	2.92	1.29	1.63	12.1	-1.0	.89	19.90	-1.00	-1.00	-1.00	.43

LITHOLOGIES

Drill Hole: 90V-44
Northing: 9968.2 Easting: 10029.9 Elevation: 1164.7
Length: 58.8 Core: NQ

From	To	Unit	Description
.0	7.7	#	CASING NO RECOVERY
7.7	24.2	OB	OB
24.2	28.5	4E4	&86[4G4]
28.5	29.6	4E46	&8
29.6	31.9	4E8	
31.9	34.9	4D74	
34.9	38.7	4G48	
38.7	43.3	4D73	&96 MINOR &8
43.3	49.4	4C0	&9 7 8
49.4	55.9	4C3	&8(4LO)95:5
55.9	58.8	4E1	&84 [4C0]

Drill Hole Report

Record 384 Drill Hole - 90V-45

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9968.2	10014.9	1164.6	903152.7	594207.6

Length: 66.2 Section: 13 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
66.2	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-45
 Northing: 9968.2 Easting: 10014.9 Elevation: 1164.6
 Length: 66.2 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60559	27.1 28.7	-1.0	-1	4G4	60	-1.00	11.09	6.92	4.17	81.0	-1.0	.53	15.29	-1.00	-1.00	-1.00	.24
60560	28.7 30.8	-1.0	-1	4G0	60	-1.00	7.71	3.73	3.98	41.4	-1.0	.71	29.64	-1.00	-1.00	-1.00	.24
60561	30.8 32.1	-1.0	-1	4G4	60	-1.00	12.47	5.24	7.23	67.6	-1.0	.51	23.09	-1.00	-1.00	-1.00	.15
60562	32.1 33.4	-1.0	-1	4G0	60	-1.00	9.62	3.24	6.38	37.8	-1.0	.87	25.47	-1.00	-1.00	-1.00	.16
60563	33.4 34.8	-1.0	-1	4G0	60	-1.00	7.54	3.34	4.20	29.2	-1.0	.55	32.33	-1.00	-1.00	-1.00	.17
60564	34.8 36.1	-1.0	-1	4G4	60	-1.00	13.12	4.11	9.01	36.8	-1.0	.75	13.70	-1.00	-1.00	-1.00	.07
60565	36.1 37.7	-1.0	-1	4E1	40	-1.00	1.35	.48	.87	12.1	-1.0	1.56	30.77	-1.00	-1.00	-1.00	.07
60566	37.7 39.2	-1.0	-1	4E1	40	-1.00	.66	.40	.26	24.7	-1.0	.97	25.69	-1.00	-1.00	-1.00	.61
60567	39.2 40.7	-1.0	-1	4E1	40	-1.00	1.41	.94	.47	20.1	-1.0	.37	25.68	-1.00	-1.00	-1.00	.85
60568	40.7 42.2	-1.0	-1	4E1	40	-1.00	2.30	.32	1.98	9.5	-1.0	.70	30.71	-1.00	-1.00	-1.00	.20
60569	42.2 42.9	-1.0	-1	4G4	60	-1.00	15.12	4.65	10.47	63.4	-1.0	.42	11.29	-1.00	-1.00	-1.00	.08
60570	42.9 44.4	-1.0	-1	4E1	40	-1.00	.68	.17	.51	16.6	-1.0	.39	37.61	-1.00	-1.00	-1.00	.31
60571	44.4 45.9	-1.0	-1	4E1	40	-1.00	1.20	.20	1.00	13.9	-1.0	.63	33.74	-1.00	-1.00	-1.00	.29
60572	45.9 47.4	-1.0	-1	4E1	40	-1.00	3.61	1.86	1.75	29.1	-1.0	.91	31.30	-1.00	-1.00	-1.00	.23
60573	47.4 48.9	-1.0	-1	4E1	40	-1.00	.87	.50	.37	14.5	-1.0	.59	30.27	-1.00	-1.00	-1.00	.25
60574	48.9 50.4	-1.0	-1	4E1	40	-1.00	.35	.14	.21	12.1	-1.0	.77	29.77	-1.00	-1.00	-1.00	.26
60575	50.4 51.9	-1.0	-1	4E1	40	-1.00	.37	.07	.30	6.1	-1.0	.84	34.16	-1.00	-1.00	-1.00	.35
60576	51.9 53.4	-1.0	-1	4E1	40	-1.00	1.00	.66	.34	13.6	-1.0	1.26	30.73	-1.00	-1.00	-1.00	.23
60577	53.4 54.8	-1.0	-1	4E1	40	-1.00	.53	.15	.38	7.3	-1.0	1.10	34.47	-1.00	-1.00	-1.00	.31
60578	54.8 56.2	-1.0	-1	4E1	40	-1.00	.62	.05	.57	5.3	-1.0	.31	26.06	-1.00	-1.00	-1.00	.39
60579	56.2 57.6	-1.0	-1	4E1	40	-1.00	3.89	.41	3.48	11.1	-1.0	.39	25.17	-1.00	-1.00	-1.00	.31

LITHOLOGIES

Drill Hole: 90V-45
Northing: 9968.2 Easting: 10014.9 Elevation: 1164.6
Length: 66.2 Core: NQ

From	To	Unit	Description
.0	14.0	#	CASING NO RECOVERY
14.0	23.3	OB	OB OXIDIZED
23.3	27.1	OB	FERRICRETE OXIDIZED
27.1	30.8	4G4	(4E&64)60:40GOUGED
30.8	36.1	4G4	(4E486)70:30
36.1	42.2	4E1	&#LOCAL
42.2	42.9	4G4	 OR 8
42.9	54.8	4E1	&8 4 9 MINOR
54.8	57.6	4E1	&549MINOR(4L0)80:20
57.6	63.4	4L2	&7 4
63.4	66.1	4L27	&4 1

Drill Hole Report

Record 385 Drill Hole - 90V-46

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9998.2	10076.4	1163.7	903216.1	594233.4

Length: 54.0 Section: 12 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
54.0	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-46
 Northing: 9998.2 Easting: 10076.4 Elevation: 1163.7
 Length: 54.0 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60478	28.0 29.3	-1.0	-1	4E41	50	-1.00	6.67	3.55	3.12	31.7	-1.0	.21	19.66	-1.00	-1.00	-1.00	.41
60479	29.3 31.1	-1.0	-1	4E1	40	-1.00	.82	.39	.43	10.7	-1.0	1.41	21.92	-1.00	-1.00	-1.00	.37
60480	31.1 32.0	-1.0	-1	4E1	40	-1.00	.38	.25	.13	17.5	-1.0	.45	23.72	-1.00	-1.00	-1.00	.59
60481	32.0 33.0	-1.0	-1	4E1	40	-1.00	.15	.07	.08	18.4	-1.0	1.08	24.93	-1.00	-1.00	-1.00	.53
60482	33.0 34.7	-1.0	-1	4C3	40	-1.00	.78	.23	.55	11.0	-1.0	.72	21.47	-1.00	-1.00	-1.00	.31
60483	34.7 36.4	-1.0	-1	4C3	40	-1.00	4.10	2.06	2.04	19.5	-1.0	1.11	19.99	-1.00	-1.00	-1.00	.32
60484	36.4 37.7	-1.0	-1	4C37	40	-1.00	4.59	1.97	2.62	15.6	-1.0	.80	17.94	-1.00	-1.00	-1.00	.24
60485	37.7 38.9	-1.0	-1	4C37	40	-1.00	4.91	2.12	2.79	22.4	-1.0	.57	17.04	-1.00	-1.00	-1.00	.23
60486	38.9 40.2	-1.0	-1	4C37	40	-1.00	.25	.05	.20	3.5	-1.0	.41	18.37	-1.00	-1.00	-1.00	.23
60487	40.2 41.4	-1.0	-1	4C37	40	-1.00	.45	.22	.23	4.7	-1.0	.47	18.57	-1.00	-1.00	-1.00	.25
60488	41.4 42.7	-1.0	-1	4C37	40	-1.00	.80	.25	.55	4.8	-1.0	.41	21.11	-1.00	-1.00	-1.00	.31
60489	42.7 43.9	-1.0	-1	4C37	40	-1.00	.47	.13	.34	6.7	-1.0	.06	18.75	-1.00	-1.00	-1.00	.32
60490	43.9 45.2	-1.0	-1	4C7	30	-1.00	.29	.09	.20	3.3	-1.0	.12	13.29	-1.00	-1.00	-1.00	.25
60491	45.2 46.4	-1.0	-1	4C7	30	-1.00	.85	.25	.60	4.9	-1.0	.07	13.03	-1.00	-1.00	-1.00	.23
60492	46.4 48.8	-1.0	-1	4C7	30	-1.00	.77	.21	.56	5.7	-1.0	.21	11.62	-1.00	-1.00	-1.00	.19

LITHOLOGIES

Drill Hole: 90V-46
Northing: 9998.2 Easting: 10076.4 Elevation: 1163.7
Length: 54.0 Core: NQ

From	To	Unit	Description
.0	13.7	#	CASING NO RECOVERY
13.7	28.0	OB	OB
28.0	33.0	4E1	&8[4C0]
33.0	36.4	4C3	&8 OR &74
36.4	44.0	4C37	&8 &9 MINOR
44.0	48.8	4C7	&9
48.8	53.9	3G61	&9[4C0 &759]

Drill Hole Report

Record 386 Drill Hole - 90V-47

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9999.0	10045.5	1163.8	903196.1	594209.8

Length: 67.7 Section: 12 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
67.7	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-47
 Northing: 9999.0 Easting: 10045.5 Elevation: 1163.8
 Length: 67.7 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60317	28.8 30.2	-1.0	-1	4G48	60	-1.00	11.31	5.73	5.58	76.8	-1.0	.31	18.40	-1.00	-1.00	-1.00	.17
60318	30.2 31.7	-1.0	-1	4G48	60	-1.00	11.09	3.82	7.27	46.5	-1.0	.26	11.90	-1.00	-1.00	-1.00	.06
60319	31.7 33.1	-1.0	-1	4G48	60	-1.00	10.88	4.44	6.44	42.6	-1.0	.30	16.57	-1.00	-1.00	-1.00	.10
60320	33.1 34.6	-1.0	-1	4G48	60	-1.00	11.26	5.16	6.10	46.9	-1.0	.36	19.26	-1.00	-1.00	-1.00	.15
60321	34.6 36.0	-1.0	-1	4G48	60	-1.00	12.39	4.97	7.42	48.6	-1.0	.21	14.21	-1.00	-1.00	-1.00	.05
60322	36.0 37.5	-1.0	-1	4G48	60	-1.00	12.74	5.50	7.24	39.8	-1.0	.19	13.08	-1.00	-1.00	-1.00	.04
60323	37.5 38.9	-1.0	-1	4G48	60	-1.00	11.81	6.84	4.97	53.0	-1.0	1.08	22.24	-1.00	-1.00	-1.00	.16
60324	38.9 40.2	-1.0	-1	4E74	50	-1.00	5.75	3.02	2.73	39.9	-1.0	.72	29.69	-1.00	-1.00	-1.00	.25
60325	40.2 41.6	-1.0	-1	4E74	50	-1.00	4.82	2.06	2.76	25.7	-1.0	.46	22.42	-1.00	-1.00	-1.00	.22
60326	41.6 43.0	-1.0	-1	4E74	50	-1.00	3.35	2.05	1.30	26.3	-1.0	1.08	18.11	-1.00	-1.00	-1.00	.23
60327	43.0 44.5	-1.0	-1	4E74	50	-1.00	4.94	3.08	1.86	28.2	-1.0	1.56	21.66	-1.00	-1.00	-1.00	.19
60328	44.5 45.9	-1.0	-1	4E17	40	-1.00	2.76	1.47	1.29	11.1	-1.0	4.10	22.72	-1.00	-1.00	-1.00	.24
60329	45.9 47.3	-1.0	-1	4E17	40	-1.00	1.07	.54	.53	7.1	-1.0	4.56	22.17	-1.00	-1.00	-1.00	.30
60330	47.3 48.8	-1.0	-1	4E17	40	-1.00	1.99	.88	1.11	10.1	-1.0	1.02	23.80	-1.00	-1.00	-1.00	.44
60331	48.8 50.3	-1.0	-1	4E17	40	-1.00	.85	.22	.63	14.7	-1.0	.57	24.09	-1.00	-1.00	-1.00	.47
60332	50.3 51.7	-1.0	-1	4E17	40	-1.00	.40	.15	.25	14.7	-1.0	.41	24.58	-1.00	-1.00	-1.00	.46
60333	51.7 53.1	-1.0	-1	4E17	40	-1.00	.51	.31	.20	16.5	-1.0	.42	23.94	-1.00	-1.00	-1.00	.27
60334	53.1 54.5	-1.0	-1	4E17	40	-1.00	1.10	.67	.43	18.4	-1.0	.41	25.71	-1.00	-1.00	-1.00	.44
60335	54.5 55.9	-1.0	-1	4E17	40	-1.00	.45	.21	.24	8.5	-1.0	1.08	24.60	-1.00	-1.00	-1.00	.49
60336	55.9 57.4	-1.0	-1	4C7	30	-1.00	2.85	2.66	.19	18.5	-1.0	.93	18.85	-1.00	-1.00	-1.00	.54
60337	57.4 58.9	-1.0	-1	4C7	30	-1.00	.10	.04	.06	7.0	-1.0	.59	21.16	-1.00	-1.00	-1.00	.44
60338	58.9 60.4	-1.0	-1	4C7	30	-1.00	.07	.03	.04	7.8	-1.0	.27	22.17	-1.00	-1.00	-1.00	.32
60339	60.4 61.9	-1.0	-1	4C7	30	-1.00	.21	.09	.12	5.0	-1.0	.51	19.86	-1.00	-1.00	-1.00	.19
60340	61.9 63.4	-1.0	-1	4C7	30	-1.00	1.44	.79	.65	15.3	-1.0	2.23	20.37	-1.00	-1.00	-1.00	.32
60341	63.4 64.8	-1.0	-1	4D7	80	-1.00	4.74	1.52	3.22	14.8	-1.0	1.15	21.19	-1.00	-1.00	-1.00	.28
60342	64.8 66.2	-1.0	-1	4C7	30	-1.00	.98	.38	.60	5.3	-1.0	.56	18.05	-1.00	-1.00	-1.00	.22

LITHOLOGIES

Drill Hole: 90V-47
Northing: 9999.0 Easting: 10045.5 Elevation: 1163.8
Length: 67.7 Core: NQ

From	To	Unit	Description
.0	13.7	#	CASING NO RECOVERY
13.7	28.8	OB	OB FERRICRETE
28.8	38.9	4G48	(4E46)&7 70:30
38.9	44.5	4E74	&1
44.5	55.9	4E17	&9
55.9	63.4	4C7	&9#MIN &4MIN&8
63.4	66.1	4D7	&89(4D47)98:2
66.1	67.7	4L67	

Drill Hole Report

Record 387 Drill Hole - 90V-48

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9998.3	10013.6	1163.4	903174.3	594186.5

Length: 72.6 Section: 12 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
72.6	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-48
 Northing: 9998.3 Easting: 10013.6 Elevation: 1163.4
 Length: 72.6 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60442	31.1 32.6	-1.0	-1	4G4	60	-1.00	9.08	5.61	3.47	58.6	-1.0	.71	25.73	-1.00	-1.00	-1.00	.27
60443	32.6 34.1	-1.0	-1	4G4	60	-1.00	11.08	5.84	5.24	83.0	-1.0	1.12	24.39	-1.00	-1.00	-1.00	.20
60444	34.1 36.3	-1.0	-1	4G4	60	-1.00	9.47	5.41	4.06	58.1	-1.0	1.70	25.56	-1.00	-1.00	-1.00	.20
60445	36.3 37.2	-1.0	-1	4G4	60	-1.00	16.20	8.37	7.83	110.4	-1.0	.70	17.46	-1.00	-1.00	-1.00	.17
60446	37.2 38.7	-1.0	-1	4G4	60	-1.00	15.86	11.80	4.06	113.7	-1.0	.91	30.23	-1.00	-1.00	-1.00	.36
60447	38.7 40.2	-1.0	-1	4G4	60	-1.00	13.11	6.38	6.73	58.3	-1.0	.71	20.76	-1.00	-1.00	-1.00	.21
60448	40.2 41.8	-1.0	-1	4G4	60	-1.00	11.89	6.11	5.78	52.7	-1.0	.61	21.11	-1.00	-1.00	-1.00	.21
60449	41.8 43.3	-1.0	-1	4G4	60	-1.00	10.14	4.49	5.65	49.5	-1.0	.87	22.70	-1.00	-1.00	-1.00	.18
60450	43.3 44.8	-1.0	-1	4E1	40	-1.00	3.38	1.85	1.53	13.1	-1.0	1.01	33.61	-1.00	-1.00	-1.00	.18
60451	44.8 46.4	-1.0	-1	4E1	40	-1.00	2.52	.80	1.72	9.0	-1.0	1.27	40.52	-1.00	-1.00	-1.00	.11
60452	46.4 47.9	-1.0	-1	4E1	40	-1.00	3.82	2.39	1.43	14.0	-1.0	1.20	27.66	-1.00	-1.00	-1.00	.20
60453	47.9 49.5	-1.0	-1	4E1	40	-1.00	.66	.46	.20	13.3	-1.0	1.47	30.08	-1.00	-1.00	-1.00	.34
60454	49.5 51.0	-1.0	-1	4E1	40	-1.00	4.45	3.81	.64	14.9	-1.0	.70	35.11	-1.00	-1.00	-1.00	.29
60455	51.0 52.6	-1.0	-1	4E1	40	-1.00	.43	.07	.36	8.2	-1.0	1.21	26.57	-1.00	-1.00	-1.00	.37
60456	52.6 53.8	-1.0	-1	4E41	50	-1.00	10.52	4.67	5.85	34.9	-1.0	.68	20.29	-1.00	-1.00	-1.00	.14
60457	53.8 55.1	-1.0	-1	4G4	60	-1.00	14.94	6.83	8.11	38.0	-1.0	.35	18.86	-1.00	-1.00	-1.00	.13
60458	55.1 56.3	-1.0	-1	4E41	50	-1.00	18.19	9.94	8.25	49.0	-1.0	.28	19.93	-1.00	-1.00	-1.00	.14
60459	56.3 57.7	-1.0	-1	4E1	40	-1.00	5.10	2.90	2.20	27.6	-1.0	.87	29.31	-1.00	-1.00	-1.00	.28
60460	57.7 59.1	-1.0	-1	4E1	40	-1.00	3.49	1.22	2.27	23.5	-1.0	.50	33.84	-1.00	-1.00	-1.00	.43
60461	59.1 60.5	-1.0	-1	4E1	40	-1.00	2.16	1.03	1.13	23.3	-1.0	.53	25.87	-1.00	-1.00	-1.00	.34
60462	60.5 61.9	-1.0	-1	4E1	40	-1.00	3.19	1.42	1.77	25.4	-1.0	.57	28.60	-1.00	-1.00	-1.00	.40
60463	61.9 64.0	-1.0	-1	4E41	50	-1.00	14.60	6.27	8.33	38.8	-1.0	.37	18.37	-1.00	-1.00	-1.00	.13
60464	64.0 64.9	-1.0	-1	4E41	50	-1.00	16.02	6.19	9.83	39.9	-1.0	.66	14.53	-1.00	-1.00	-1.00	.06

LITHOLOGIES

Drill Hole: 90V-48
Northing: 9998.3 Easting: 10013.6 Elevation: 1163.4
Length: 72.6 Core: NQ

From	To	Unit	Description
.0	14.3	#	CASING NO RECOVERY
14.3	31.1	OB	OB
31.1	43.3	4G4	(4E64)70:30
43.3	52.6	4E1	&8 4 MINOR&9 MINOR
52.6	56.2	4E14	&6
56.2	61.9	4E1	&BXA
61.9	63.0	4LO	BXA
63.0	64.9	4E41	
64.9	72.5	4LO	&24BXA(3G9&6)90:10

Drill Hole Report

Record 388 Drill Hole - 90V-49

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10030.5	9998.8	1160.0	903188.4	594154.1

Length: 84.5 Section: 11 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
84.5	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-49
 Northing: 10030.5 Easting: 9998.8 Elevation: 1160.0
 Length: 84.5 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60635	30.0 31.3	-1.0	-1	4E46	50	-1.00	9.47	5.34	4.13	47.9	-1.0	1.16	28.61	-1.00	-1.00	-1.00	.20
60636	31.3 32.3	-1.0	-1	4G4	60	-1.00	11.84	5.47	6.37	71.7	-1.0	.97	16.40	-1.00	-1.00	-1.00	.13
60637	32.3 34.9	-1.0	-1	4G4	60	-1.00	13.82	6.29	7.53	77.0	-1.0	.90	9.11	-1.00	-1.00	-1.00	.03
60638	34.9 36.3	-1.0	-1	4G4	60	-1.00	17.35	9.37	7.98	92.4	-1.0	.75	18.45	-1.00	-1.00	-1.00	.04
60639	36.3 37.7	-1.0	-1	4G4	60	-1.00	14.49	6.90	7.59	71.4	-1.0	.64	15.85	-1.00	-1.00	-1.00	.07
60640	37.7 39.0	-1.0	-1	4G4	60	-1.00	17.48	9.08	8.40	86.2	-1.0	1.38	19.40	-1.00	-1.00	-1.00	.23
60641	39.0 48.4	-1.0	-1	4G4	60	-1.00	10.15	4.76	5.39	42.5	-1.0	6.48	16.39	-1.00	-1.00	-1.00	.04
60642	48.4 50.0	-1.0	-1	4G0	60	-1.00	7.27	3.55	3.72	39.5	-1.0	.64	14.66	-1.00	-1.00	-1.00	.05
60643	50.0 51.4	-1.0	-1	4L0	120	-1.00	6.60	2.81	3.79	29.6	-1.0	.47	8.96	-1.00	-1.00	-1.00	.05
60644	51.4 52.8	-1.0	-1	4E468	50	-1.00	15.92	5.67	10.25	71.0	-1.0	.53	20.32	-1.00	-1.00	-1.00	.15
60645	52.8 54.2	-1.0	-1	4E468	50	-1.00	6.99	3.31	3.68	38.7	-1.0	.56	21.34	-1.00	-1.00	-1.00	.30
60646	54.2 55.6	-1.0	-1	4E468	50	-1.00	6.71	2.85	3.86	26.4	-1.0	.37	22.03	-1.00	-1.00	-1.00	.21
60647	55.6 56.7	-1.0	-1	4A4	20	-1.00	12.40	3.94	8.46	32.7	-1.0	.65	8.88	-1.00	-1.00	-1.00	.09
60648	76.0 76.9	-1.0	-1	4G4	60	-1.00	16.55	6.97	9.58	92.1	-1.0	1.51	9.09	-1.00	-1.00	-1.00	.05
60649	76.9 77.8	-1.0	-1	4G4	60	-1.00	13.51	5.71	7.80	107.8	-1.0	.69	11.04	-1.00	-1.00	-1.00	.08
60650	77.8 79.4	-1.0	-1	4L7	120	-1.00	6.28	2.54	3.74	17.0	-1.0	.10	8.40	-1.00	-1.00	-1.00	.07

LITHOLOGIES

Drill Hole: 90V-49
Northing: 10030.5 Easting: 9998.8 Elevation: 1160.0
Length: 84.5 Core: NQ

From	To	Unit	Description
.0	16.8	#	CASING NO RECOVERY
16.8	19.8	OB	OB
19.8	25.2	OB	OB
25.2	30.0	3G9	OXIDIZED&4(5A0)70:30
30.0	31.2	4E46	
31.2	32.3	4G4	
32.3	33.5	4L0	
33.5	39.0	4G4	&8
39.0	42.5	4L2	&GOUGE
42.5	43.8	3G9	
43.8	46.8	4L0	&2
46.8	50.0	4G4	&#STRONG(4L0)95:5
50.0	51.4	4L0	&2(4G4)70:30
51.4	55.6	4E468	
55.6	56.7	4A4	RUBBLY & GOUGED
56.7	76.0	4L2	&74(5C0)(3G0&9)93:7
76.0	77.8	4G4	&#
77.8	83.3	4L7	&24(4G4) 93:7
83.3	84.4	5C0	ZEBRA ROCK

Drill Hole Report

Record 389 Drill Hole - 90V-50

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10027.9	10078.8	1162.7	903239.8	594215.4

Length: 63.1 Section: 11 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
63.1	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-50
 Northing: 10027.9 Easting: 10078.8 Elevation: 1162.7
 Length: 63.1 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60651	47.4 48.6	-1.0	-1	4D05	80	-1.00	6.01	2.80	3.21	22.2	-1.0	.31	20.71	-1.00	-1.00	-1.00	.07
60652	48.6 49.8	-1.0	-1	4D05	80	-1.00	9.38	3.14	6.24	24.1	-1.0	.38	13.72	-1.00	-1.00	-1.00	.13
60653	49.8 51.1	-1.0	-1	4D05	80	-1.00	6.57	2.51	4.06	23.9	-1.0	.44	15.20	-1.00	-1.00	-1.00	.12
60654	51.1 52.4	-1.0	-1	4E1	40	-1.00	2.68	.98	1.70	19.6	-1.0	.51	25.06	-1.00	-1.00	-1.00	.33
60655	52.4 53.7	-1.0	-1	4E1	40	-1.00	2.49	.70	1.79	15.4	-1.0	.26	17.22	-1.00	-1.00	-1.00	.18
60656	53.7 55.0	-1.0	-1	4E1	40	-1.00	2.53	.85	1.68	7.9	-1.0	.11	33.16	-1.00	-1.00	-1.00	.46
60657	55.0 56.1	-1.0	-1	4E1	40	-1.00	.39	.13	.26	9.4	-1.0	.52	23.14	-1.00	-1.00	-1.00	.17
60658	56.1 57.1	-1.0	-1	4E1	40	-1.00	.39	.14	.25	4.4	-1.0	.57	24.10	-1.00	-1.00	-1.00	.17

LITHOLOGIES

Drill Hole: 90V-50
Northing: 10027.9 Easting: 10078.8 Elevation: 1162.7
Length: 63.1 Core: NQ

From	To	Unit	Description
.0	16.8	#	CASING NO RECOVERY
16.8	27.7	OB	OB
27.7	35.8	OB	OB
35.8	37.3	OB	OB
37.3	47.4	3G94	
47.4	51.1	4D05	&4
51.1	52.4	4E1	&7(4LO)95:5
52.4	55.0	4E1	&7(4LO)50:50 BXA
55.0	57.1	4E1	&89 MINOR(4LO)95:5
57.1	63.1	4L2	&7(4H3)

Drill Hole Report

Record 390 Drill Hole - 90V-51

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10059.7	10107.6	1159.2	903282.7	594215.6

Length: 68.6 Section: 10 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
68.6	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-51
 Northing: 10059.7 Easting: 10107.6 Elevation: 1159.2
 Length: 68.6 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60503	28.4 29.8	-1.0	-1	4A7	20	-1.00	1.88	.77	1.11	9.5	-1.0	.41	9.57	-1.00	-1.00	-1.00	.12
60504	29.8 31.3	-1.0	-1	4A7	20	-1.00	1.63	.73	.90	8.2	-1.0	.30	4.78	-1.00	-1.00	-1.00	.07
60505	31.3 32.8	-1.0	-1	4A7	20	-1.00	.81	.32	.49	6.3	-1.0	.13	6.70	-1.00	-1.00	-1.00	.10
60506	32.8 34.3	-1.0	-1	4A7	20	-1.00	.75	.35	.40	4.3	-1.0	.10	6.42	-1.00	-1.00	-1.00	.09
60507	47.9 49.4	-1.0	-1	4A7	20	-1.00	.81	.31	.50	3.0	-1.0	.01	12.09	-1.00	-1.00	-1.00	.07
60508	49.4 50.9	-1.0	-1	4A7	20	-1.00	.31	.14	.17	2.6	-1.0	.04	9.13	-1.00	-1.00	-1.00	.10
60509	50.9 52.4	-1.0	-1	4A7	20	-1.00	.31	.11	.20	2.7	-1.0	.11	11.25	-1.00	-1.00	-1.00	.12
60510	52.4 53.9	-1.0	-1	4A7	20	-1.00	.76	.31	.45	6.5	-1.0	.35	8.38	-1.00	-1.00	-1.00	.17
60511	53.9 55.4	-1.0	-1	4A7	20	-1.00	.17	.06	.11	1.8	-1.0	.09	7.04	-1.00	-1.00	-1.00	.07
60512	55.4 56.9	-1.0	-1	4A7	20	-1.00	.11	.05	.06	.9	-1.0	.11	5.87	-1.00	-1.00	-1.00	.04

LITHOLOGIES

Drill Hole: 90V-51
Northing: 10059.7 Easting: 10107.6 Elevation: 1159.2
Length: 68.6 Core: NQ

From	To	Unit	Description
.0	9.1	#	CASING NO RECOVERY
9.1	27.5	OB	OB
27.5	28.3	4L7	&2
28.3	34.3	4A7	&49 MINOR
34.3	39.1	4L6	&2
39.1	44.8	5B0	&9
44.8	47.9	5A0	&3
47.9	56.9	4A7	&49 MINOR
56.9	59.1	4L7	&2 FAULT EXA
59.1	65.5	4L72	&#
65.5	68.6	3G8	

Drill Hole Report

Record 391 Drill Hole - 90V-52

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10090.6	10091.8	1156.5	903295.1	594183.3

Length: 64.9 Section: 9 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
64.9	-88.0	53.0	12.0	SPERRY SUN

ASSAYS

Drill Hole: 90V-52
 Northing: 10090.6 Easting: 10091.8 Elevation: 1156.5
 Length: 64.9 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
	From To																
60722	23.8 24.9	-1.0	-1	4A4	20	-1.00	5.96	2.02	3.94	27.6	-1.0	.29	6.05	-1.00	-1.00	-1.00	.02
60723	24.9 26.1	-1.0	-1	4A0	20	-1.00	.97	.20	.77	4.0	-1.0	.01	7.70	-1.00	-1.00	-1.00	.00
60724	26.1 27.6	-1.0	-1	4D05	80	-1.00	6.92	2.13	4.79	31.1	-1.0	.13	7.36	-1.00	-1.00	-1.00	.03
60725	27.6 29.0	-1.0	-1	4C05	30	-1.00	1.80	.89	.91	11.1	-1.0	.74	20.60	-1.00	-1.00	-1.00	.14
60726	29.0 30.5	-1.0	-1	4C05	30	-1.00	.97	.46	.51	8.1	-1.0	.73	23.77	-1.00	-1.00	-1.00	.27
60727	30.5 31.7	-1.0	-1	4A4	20	-1.00	11.40	4.10	7.30	46.0	-1.0	.75	15.85	-1.00	-1.00	-1.00	.07
60728	31.7 32.9	-1.0	-1	4A4	20	-1.00	10.64	3.39	7.25	42.4	-1.0	1.45	14.06	-1.00	-1.00	-1.00	.09
60729	32.9 34.1	-1.0	-1	4A4	20	-1.00	7.12	2.45	4.67	34.9	-1.0	.69	13.15	-1.00	-1.00	-1.00	.15
60730	34.1 35.7	-1.0	-1	4A0	20	-1.00	2.74	1.17	1.57	19.3	-1.0	.28	10.90	-1.00	-1.00	-1.00	.19
60731	35.7 37.2	-1.0	-1	4A0	20	-1.00	3.08	1.20	1.88	15.7	-1.0	.49	14.42	-1.00	-1.00	-1.00	.17
60732	37.2 38.7	-1.0	-1	4A0	20	-1.00	3.70	1.48	2.22	22.4	-1.0	.89	21.70	-1.00	-1.00	-1.00	.32
60733	38.7 40.2	-1.0	-1	4A0	20	-1.00	2.27	.94	1.33	19.9	-1.0	1.11	15.43	-1.00	-1.00	-1.00	.22
60734	40.2 41.7	-1.0	-1	4A0	20	-1.00	2.29	.99	1.30	17.8	-1.0	1.33	15.52	-1.00	-1.00	-1.00	.17
60735	41.7 43.4	-1.0	-1	4C3	40	-1.00	1.13	.86	.27	12.6	-1.0	1.10	18.18	-1.00	-1.00	-1.00	.16
60736	43.4 45.1	-1.0	-1	4C3	40	-1.00	.35	.32	.03	8.3	-1.0	.38	19.01	-1.00	-1.00	-1.00	.19
60737	45.1 46.6	-1.0	-1	4C38	40	-1.00	.05	.03	.02	11.6	-1.0	.31	19.71	-1.00	-1.00	-1.00	.32
60738	46.6 48.0	-1.0	-1	4C38	40	-1.00	.04	.03	.01	17.5	-1.0	.37	18.72	-1.00	-1.00	-1.00	.52
60739	48.0 49.5	-1.0	-1	4C38	40	-1.00	.06	.04	.02	9.4	-1.0	.20	18.92	-1.00	-1.00	-1.00	.35
60740	49.5 51.0	-1.0	-1	4C38	40	-1.00	.06	.04	.02	9.1	-1.0	.42	19.29	-1.00	-1.00	-1.00	.33
60741	51.0 52.5	-1.0	-1	4C38	40	-1.00	.05	.03	.02	7.3	-1.0	.38	17.95	-1.00	-1.00	-1.00	.37
60742	53.4 54.8	-1.0	-1	4C38	40	-1.00	.06	.05	.01	7.7	-1.0	.64	20.56	-1.00	-1.00	-1.00	.29
60743	54.8 56.2	-1.0	-1	4C38	40	-1.00	.06	.05	.01	6.9	-1.0	.74	24.10	-1.00	-1.00	-1.00	.29
60744	57.1 58.0	-1.0	-1	4C5	30	-1.00	.11	.06	.05	9.2	-1.0	.60	19.03	-1.00	-1.00	-1.00	.29
60745	58.0 59.0	-1.0	-1	4C5	30	-1.00	.20	.11	.09	8.9	-1.0	1.21	17.31	-1.00	-1.00	-1.00	.29

LITHOLOGIES

Drill Hole: 90V-52
Northing: 10090.6 Easting: 10091.8 Elevation: 1156.5
Length: 64.9 Core: NQ

From	To	Unit	Description
.0	9.1	#	CASING NO RECOVERY
9.1	23.8	OB	OB
23.8	26.1	4A0	&49MINOR(4L6 OXY)60:40
26.1	30.5	4C05	&4(3C#) 95:5
30.5	34.1	4A4	&9
34.1	41.7	4A0	&9
41.7	45.0	4C3	&8(3C#) 50:50
45.0	52.5	4C38	&49 MINOR
52.5	53.4	3C#	&4
53.4	56.2	4C38	&49 MINOR
56.2	57.1	3C#	
57.1	58.9	4C5	&7LOCAL &9
58.9	61.4	3G96	
61.4	64.9	4L72	&91

Drill Hole Report

Record 392 Drill Hole - 90V-53

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10091.6	10013.9	1155.0	903244.0	594124.6

Length: 66.2 Section: 9 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
66.2	-88.0	151.0	110.0	SPERRY SUN

ASSAYS

Drill Hole: 90V-53
 Northing: 10091.6 Easting: 10013.9 Elevation: 1155.0
 Length: 66.2 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60659	34.2 36.3	-1.0	-1	4C0	30	-1.00	2.91	.78	2.13	10.4	-1.0	.23	6.59	-1.00	-1.00	-1.00	.01
60660	38.4 39.5	-1.0	-1	4G08	60	-1.00	9.99	3.82	6.17	50.6	-1.0	.38	8.73	-1.00	-1.00	-1.00	.03
60661	39.5 40.6	-1.0	-1	4G08	60	-1.00	7.95	2.90	5.05	33.9	-1.0	.17	8.00	-1.00	-1.00	-1.00	.02
60662	40.6 41.8	-1.0	-1	5C*	100	-1.00	.87	.17	.70	2.3	-1.0	.14	5.61	-1.00	-1.00	-1.00	.01
60663	41.8 42.8	-1.0	-1	4G48	60	-1.00	13.33	5.63	7.70	71.3	-1.0	.74	14.00	-1.00	-1.00	-1.00	.07
60664	42.8 43.9	-1.0	-1	4G48	60	-1.00	12.11	4.77	7.34	60.0	-1.0	.41	9.64	-1.00	-1.00	-1.00	.04
60665	43.9 45.0	-1.0	-1	4G48	60	-1.00	12.40	4.64	7.76	65.3	-1.0	.33	9.55	-1.00	-1.00	-1.00	.03
60666	45.0 46.0	-1.0	-1	4G48	60	-1.00	14.41	6.05	8.36	77.9	-1.0	.10	8.95	-1.00	-1.00	-1.00	.04
60667	46.0 47.0	-1.0	-1	4G48	60	-1.00	14.87	5.96	8.91	68.8	-1.0	.64	11.04	-1.00	-1.00	-1.00	.05
60668	47.0 48.2	-1.0	-1	4G48	60	-1.00	16.87	6.22	10.65	54.6	-1.0	.45	11.80	-1.00	-1.00	-1.00	.04
60669	48.2 49.3	-1.0	-1	4C7	30	-1.00	4.06	2.27	1.79	28.4	-1.0	1.89	18.05	-1.00	-1.00	-1.00	.19
60670	49.3 50.3	-1.0	-1	4C7	30	-1.00	1.77	1.01	.76	12.3	-1.0	.93	24.80	-1.00	-1.00	-1.00	.27
60671	50.3 51.4	-1.0	-1	4C7	30	-1.00	3.31	1.61	1.70	11.0	-1.0	.69	29.90	-1.00	-1.00	-1.00	.22
60672	51.4 52.5	-1.0	-1	4C7	30	-1.00	2.94	1.49	1.45	13.7	-1.0	.53	24.73	-1.00	-1.00	-1.00	.46
60673	52.5 53.6	-1.0	-1	4C7	30	-1.00	2.18	.89	1.29	11.4	-1.0	.97	22.47	-1.00	-1.00	-1.00	.43
60674	53.6 54.7	-1.0	-1	4C7	30	-1.00	1.22	.31	.91	6.1	-1.0	.72	26.60	-1.00	-1.00	-1.00	.28
60675	54.7 56.1	-1.0	-1	4C7	30	-1.00	.36	.06	.30	5.8	-1.0	.62	22.87	-1.00	-1.00	-1.00	.35
60676	56.1 57.6	-1.0	-1	4C7	30	-1.00	.40	.21	.19	5.5	-1.0	.71	21.36	-1.00	-1.00	-1.00	.42
60677	57.6 59.0	-1.0	-1	4C7	30	-1.00	1.04	.39	.65	6.3	-1.0	.77	24.93	-1.00	-1.00	-1.00	.31
60678	59.0 60.4	-1.0	-1	4C7	30	-1.00	5.93	5.55	.38	37.6	-1.0	1.17	25.08	-1.00	-1.00	-1.00	.29
60679	60.4 61.9	-1.0	-1	4C7	30	-1.00	.43	.28	.15	4.0	-1.0	.69	25.21	-1.00	-1.00	-1.00	.43
60680	61.9 63.3	-1.0	-1	4C7	30	-1.00	13.14	5.57	7.57	69.9	-1.0	.56	15.30	-1.00	-1.00	-1.00	.07
60681	63.3 64.7	-1.0	-1	4C7	30	-1.00	.84	.53	.31	5.8	-1.0	.46	22.11	-1.00	-1.00	-1.00	.28
60682	64.7 66.2	-1.0	-1	4C7	30	-1.00	.94	.64	.30	3.7	-1.0	.66	19.46	-1.00	-1.00	-1.00	.21

LITHOLOGIES

Drill Hole: 90V-53
Northing: 10091.6 Easting: 10013.9 Elevation: 1155.0
Length: 66.2 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	9.1	#	CASING NO RECOVERY
9.1	34.2	OB	OB
34.2	36.3	4C0	
36.3	38.3	4E0	&1
38.3	41.8	4G48	(5C#) 50:50
41.8	48.2	4G08	
48.2	54.7	4C7	&98
54.7	66.1	4C07	&849 MINOR

Drill Hole Report

Record 393 Drill Hole - 90V-54

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10092.0	10001.2	1155.0	903244.1	594124.7

Length: 85.4 Section: 9 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
85.4	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-54
 Northing: 10092.0 Easting: 10001.2 Elevation: 1155.0
 Length: 85.4 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60945	41.8 43.1	-1.0	-1	4G4#8	60	-1.00	14.12	6.86	7.26	70.2	-1.0	.44	17.91	-1.00	-1.00	-1.00	.03
60946	43.1 44.4	-1.0	-1	4G4#8	60	-1.00	17.02	9.23	7.79	98.4	-1.0	.35	17.85	-1.00	-1.00	-1.00	.06
60947	44.4 45.7	-1.0	-1	4G4#8	60	-1.00	6.84	4.08	2.76	72.3	-1.0	.23	6.48	-1.00	-1.00	-1.00	.01
60948	45.7 47.0	-1.0	-1	4G4#8	60	-1.00	11.56	6.08	5.48	60.8	-1.0	.36	13.11	-1.00	-1.00	-1.00	.04
60949	47.0 48.4	-1.0	-1	4E8	50	-1.00	3.94	2.01	1.93	25.6	-1.0	1.00	38.09	-1.00	-1.00	-1.00	.29
60950	48.4 49.7	-1.0	-1	4E8	50	-1.00	2.85	1.18	1.67	13.6	-1.0	1.08	38.81	-1.00	-1.00	-1.00	.29
60951	49.7 51.0	-1.0	-1	4E8	50	-1.00	4.49	1.81	2.68	21.1	-1.0	.63	40.39	-1.00	-1.00	-1.00	.26
60952	51.0 52.4	-1.0	-1	4E8	50	-1.00	1.59	.58	1.01	10.0	-1.0	1.15	39.82	-1.00	-1.00	-1.00	.17
60953	52.4 53.9	-1.0	-1	4C38	40	-1.00	1.81	.78	1.03	12.2	-1.0	1.06	33.11	-1.00	-1.00	-1.00	.23
60954	53.9 55.4	-1.0	-1	4C38	40	-1.00	.98	.28	.70	9.6	-1.0	.87	26.21	-1.00	-1.00	-1.00	.25
60955	55.4 56.9	-1.0	-1	4C38	40	-1.00	.25	.08	.17	5.5	-1.0	.86	26.89	-1.00	-1.00	-1.00	.29
60956	56.9 58.4	-1.0	-1	4C38	40	-1.00	.11	.04	.07	5.8	-1.0	.83	28.15	-1.00	-1.00	-1.00	.34
60957	58.4 60.0	-1.0	-1	4C38	40	-1.00	.28	.15	.13	4.9	-1.0	.71	19.99	-1.00	-1.00	-1.00	.19
60958	60.0 61.5	-1.0	-1	4C38	40	-1.00	.34	.15	.19	4.3	-1.0	1.00	25.70	-1.00	-1.00	-1.00	.32
60959	61.5 63.0	-1.0	-1	4C38	40	-1.00	.24	.12	.12	3.1	-1.0	.75	28.19	-1.00	-1.00	-1.00	.24
60960	63.0 64.5	-1.0	-1	4C38	40	-1.00	5.85	5.68	.17	26.7	-1.0	.59	24.83	-1.00	-1.00	-1.00	.27
60961	64.5 66.0	-1.0	-1	4C38	40	-1.00	.26	.13	.13	2.5	-1.0	.45	24.55	-1.00	-1.00	-1.00	.29
60962	66.0 67.6	-1.0	-1	4C38	40	-1.00	.99	.45	.54	6.0	-1.0	.40	23.32	-1.00	-1.00	-1.00	.24
60963	67.6 69.0	-1.0	-1	4C8	30	-1.00	7.76	2.63	5.13	24.5	-1.0	.42	26.40	-1.00	-1.00	-1.00	.26
60964	69.0 70.5	-1.0	-1	4C8	30	-1.00	8.65	2.15	6.50	21.0	-1.0	.35	21.68	-1.00	-1.00	-1.00	.15
60965	70.5 71.9	-1.0	-1	4C8	30	-1.00	12.24	4.54	7.70	39.1	-1.0	.46	14.23	-1.00	-1.00	-1.00	.08
60966	71.9 73.3	-1.0	-1	4D8	80	-1.00	7.74	5.26	2.48	23.4	-1.0	.62	16.19	-1.00	-1.00	-1.00	.18
60967	73.3 74.8	-1.0	-1	4C8	30	-1.00	4.22	3.16	1.06	21.8	-1.0	.95	19.68	-1.00	-1.00	-1.00	.34
60968	74.8 76.2	-1.0	-1	4C8	30	-1.00	2.88	.72	2.16	8.1	-1.0	.79	27.31	-1.00	-1.00	-1.00	.45
60969	76.2 77.6	-1.0	-1	4C8	30	-1.00	2.42	.98	1.44	11.0	-1.0	5.20	23.42	-1.00	-1.00	-1.00	.32
60970	77.6 79.1	-1.0	-1	4C8	30	-1.00	2.77	1.00	1.77	14.1	-1.0	.97	24.64	-1.00	-1.00	-1.00	.44
60971	79.1 80.6	-1.0	-1	4C8	30	-1.00	2.14	.80	1.34	8.7	-1.0	.64	20.25	-1.00	-1.00	-1.00	.14
60972	84.8 85.4	-1.0	-1	4E0	50	-1.00	.35	.14	.21	12.7	-1.0	.45	25.70	-1.00	-1.00	-1.00	.33

LITHOLOGIES

Drill Hole: 90V-54
Northing: 10092.0 Easting: 10001.2 Elevation: 1155.0
Length: 85.4 Core: BQ

From	To	Unit	Description
.0	9.1	#	CASING NO RECOVERY
9.1	41.8	OB	OB
41.8	47.0	4G4#8	&1
47.0	52.4	4E8	&176(4G4)98:2
52.4	67.5	4C38	&7#
67.5	80.6	4C8	O MINOR
80.6	84.8	4L2	*FAULT ZONE
84.8	85.3	4E0	

Drill Hole Report

Record 394 Drill Hole - 90V-55

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10059.6	9924.0	1156.2	903160.2	594078.9

Length: 50.6 Section: 10 E
Type: DDH Core: BQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
50.0	-87.5	88.0	47.0	SPERRY SUN

ASSAYS

Drill Hole: 90V-55
 Northing: 10059.6 Easting: 9924.0 Elevation: 1156.2
 Length: 50.6 Core: BQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60493	39.4 40.5	-1.0	-1	4E18	40	-1.00	2.00	1.26	.74	13.1	-1.0	.27	30.41	-1.00	-1.00	-1.00	.26
60494	40.5 41.7	-1.0	-1	4E18	40	-1.00	2.96	1.62	1.34	15.1	-1.0	.32	25.30	-1.00	-1.00	-1.00	.23
60495	41.7 42.8	-1.0	-1	4E18	40	-1.00	5.76	3.10	2.66	28.5	-1.0	.54	29.93	-1.00	-1.00	-1.00	.38
60496	47.7 49.1	-1.0	-1	4E18	40	-1.00	5.40	2.79	2.61	16.5	-1.0	.40	32.69	-1.00	-1.00	-1.00	.24
60497	49.1 50.6	-1.0	-1	4E18	40	-1.00	5.63	3.11	2.52	19.5	-1.0	.51	31.01	-1.00	-1.00	-1.00	.32

LITHOLOGIES

Drill Hole: 90V-55
Northing: 10059.6 Easting: 9924.0 Elevation: 1156.2
Length: 50.6 Core: BQ

From	To	Unit	Description
.0	9.1	#	CASING NO RECOVERY
9.1	27.1	OB	OB
27.1	36.7	3G0	[4L6] WEATHERED
36.7	39.4	3E0	&91
39.4	42.8	4E18	&9 MINOR (4L2) 90:10
42.8	47.6	4L27	&9
47.6	50.6	4E81	&^&49 MINOR

Drill Hole Report

Record 395 Drill Hole - 90V-56

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10121.6	10108.2	1152.7	903329.2	594174.8

Length: 58.5 Section: 8 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
58.5	-85.0	182.0	141.0	SPERRY SUN

ASSAYS

Drill Hole: 90V-56
 Northing: 10121.6 Easting: 10108.2 Elevation: 1152.7
 Length: 58.5 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60760	22.7 24.2	-1.0	-1	4A74	20	-1.00	6.27	2.96	3.31	121.8	-1.0	.33	4.14	-1.00	-1.00	-1.00	.02
60761	24.2 25.8	-1.0	-1	4A7	20	-1.00	.97	.38	.59	14.5	-1.0	.20	5.29	-1.00	-1.00	-1.00	.01
60762	25.8 27.3	-1.0	-1	4A7	20	-1.00	5.02	2.38	2.64	69.9	-1.0	.31	4.01	-1.00	-1.00	-1.00	.03
60763	27.3 28.9	-1.0	-1	4A7	20	-1.00	2.26	.85	1.41	13.0	-1.0	.28	6.68	-1.00	-1.00	-1.00	.04
60764	28.9 30.4	-1.0	-1	4A7	20	-1.00	1.02	.45	.57	8.8	-1.0	.17	7.73	-1.00	-1.00	-1.00	.02
60765	30.4 32.1	-1.0	-1	4A7	20	-1.00	3.78	.81	2.97	13.7	-1.0	.40	12.00	-1.00	-1.00	-1.00	.02
60766	51.3 52.4	-1.0	-1	4A7	20	-1.00	.47	.40	.07	10.3	-1.0	.33	20.71	-1.00	-1.00	-1.00	.09
60767	54.8 56.1	-1.0	-1	4A7	20	-1.00	.20	.18	.02	3.1	-1.0	.20	14.69	-1.00	-1.00	-1.00	.04

LITHOLOGIES

Drill Hole: 90V-56
Northing: 10121.6 Easting: 10108.2 Elevation: 1152.7
Length: 58.5 Core: NQ

From	To	Unit	Description
.0	6.7	#	CASING NO RECOVERY
6.7	17.1	OB	OB
17.1	22.6	3G7	&#
22.6	32.1	4A7	(4L67)[3G0] 90:10
32.1	51.3	3G96	
51.3	52.4	4A7	&9
52.4	54.6	3G9	&6&#
54.6	56.1	4A7	&9
56.1	58.5	4L7	&29 MINOR

Drill Hole Report

Record 396 Drill Hole - 90V-57

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10121.8	10080.4	1154.4	903310.8	594153.9

Length: 70.7 Section: 8 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
70.7	-89.0	332.0	291.0	SPERRY SUN

ASSAYS

Drill Hole: 90V-57
 Northing: 10121.8 Easting: 10080.4 Elevation: 1154.4
 Length: 70.7 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60784	23.8 25.3	-1.0	-1	4E48	50	-1.00	9.84	3.69	6.15	50.9	-1.0	.33	26.88	-1.00	-1.00	-1.00	.04
60785	25.3 26.8	-1.0	-1	4E48	50	-1.00	7.51	3.52	3.99	32.2	-1.0	.86	32.37	-1.00	-1.00	-1.00	.05
60786	26.8 28.3	-1.0	-1	4E48	50	-1.00	12.32	6.09	6.23	57.8	-1.0	.67	29.50	-1.00	-1.00	-1.00	.02
60787	28.3 29.2	-1.0	-1	4A4	20	-1.00	16.38	7.96	8.42	80.7	-1.0	1.09	21.04	-1.00	-1.00	-1.00	.09
60788	29.2 30.1	-1.0	-1	4A4	20	-1.00	7.57	3.65	3.92	37.5	-1.0	.95	15.41	-1.00	-1.00	-1.00	.07
60789	30.1 31.7	-1.0	-1	4E18	40	-1.00	1.41	.53	.88	11.0	-1.0	1.42	27.65	-1.00	-1.00	-1.00	.19
60790	31.7 33.2	-1.0	-1	4E18	40	-1.00	1.33	.51	.82	10.1	-1.0	1.10	27.62	-1.00	-1.00	-1.00	.24
60791	33.2 34.8	-1.0	-1	4A4	20	-1.00	14.05	5.24	8.81	82.9	-1.0	2.47	16.97	-1.00	-1.00	-1.00	.12
60792	34.8 36.3	-1.0	-1	4A4	20	-1.00	7.60	3.05	4.55	52.3	-1.0	1.15	13.20	-1.00	-1.00	-1.00	.11
60793	36.3 37.9	-1.0	-1	4A0	20	-1.00	3.65	1.68	1.97	30.0	-1.0	1.10	17.13	-1.00	-1.00	-1.00	.17
60794	37.9 39.4	-1.0	-1	4C0	30	-1.00	2.03	1.27	.76	28.2	-1.0	1.60	25.75	-1.00	-1.00	-1.00	.33
60795	40.3 41.8	-1.0	-1	4C7	30	-1.00	1.01	.20	.81	9.7	-1.0	.66	27.96	-1.00	-1.00	-1.00	.35
60796	41.8 43.3	-1.0	-1	4C7	30	-1.00	.95	.21	.74	9.2	-1.0	.62	27.13	-1.00	-1.00	-1.00	.35
60797	43.3 44.8	-1.0	-1	4C7	30	-1.00	.46	.16	.30	11.5	-1.0	.67	23.96	-1.00	-1.00	-1.00	.45
60798	44.8 46.3	-1.0	-1	4C7	30	-1.00	.59	.11	.48	10.8	-1.0	1.14	23.06	-1.00	-1.00	-1.00	.37
60799	46.3 47.7	-1.0	-1	4C7	30	-1.00	.22	.04	.18	8.5	-1.0	.76	23.73	-1.00	-1.00	-1.00	.29
60800	47.7 49.2	-1.0	-1	4C7	30	-1.00	.43	.05	.38	10.6	-1.0	1.22	27.41	-1.00	-1.00	-1.00	.50
60801	49.2 50.7	-1.0	-1	4C7	30	-1.00	.54	.02	.52	6.4	-1.0	.99	26.83	-1.00	-1.00	-1.00	.33
60802	50.7 52.2	-1.0	-1	4C7	30	-1.00	.65	.13	.52	7.4	-1.0	1.05	24.02	-1.00	-1.00	-1.00	.31
60803	52.2 53.7	-1.0	-1	4C7	30	-1.00	.43	.16	.27	10.8	-1.0	.95	23.38	-1.00	-1.00	-1.00	.40
60804	53.7 55.2	-1.0	-1	4C7	30	-1.00	.20	.03	.17	6.7	-1.0	.50	28.59	-1.00	-1.00	-1.00	.36
60805	55.2 56.7	-1.0	-1	4C7	30	-1.00	.07	.04	.03	5.1	-1.0	.79	23.15	-1.00	-1.00	-1.00	.38
60806	56.7 58.2	-1.0	-1	4C7	30	-1.00	.07	.01	.06	5.6	-1.0	.51	27.86	-1.00	-1.00	-1.00	.36
60807	58.2 59.7	-1.0	-1	4C7	30	-1.00	.05	.01	.04	10.8	-1.0	.83	24.61	-1.00	-1.00	-1.00	.57
60808	59.7 61.2	-1.0	-1	4C7	30	-1.00	.14	.10	.04	9.4	-1.0	.65	25.66	-1.00	-1.00	-1.00	.31
60809	61.2 62.7	-1.0	-1	4C7	30	-1.00	.24	.07	.17	6.6	-1.0	.34	22.65	-1.00	-1.00	-1.00	.34
60810	62.7 64.2	-1.0	-1	4C7	30	-1.00	.12	.02	.10	7.7	-1.0	.42	16.25	-1.00	-1.00	-1.00	.50
60811	65.4 66.5	-1.0	-1	4C57	30	-1.00	.35	.04	.31	6.5	-1.0	.47	19.88	-1.00	-1.00	-1.00	.27
60812	66.5 67.6	-1.0	-1	4C57	30	-1.00	.38	.01	.37	7.6	-1.0	.36	17.41	-1.00	-1.00	-1.00	.25
60813	67.6 68.6	-1.0	-1	4C57	30	-1.00	.31	.01	.30	3.6	-1.0	.37	15.55	-1.00	-1.00	-1.00	.14
60814	68.6 69.7	-1.0	-1	4C57	30	-1.00	.16	.06	.10	4.7	-1.0	.36	12.30	-1.00	-1.00	-1.00	.26
60815	69.7 70.8	-1.0	-1	4C57	30	-1.00	.61	.56	.05	10.0	-1.0	.21	20.09	-1.00	-1.00	-1.00	.17

LITHOLOGIES

Drill Hole: 90V-57
Northing: 10121.8 Easting: 10080.4 Elevation: 1154.4
Length: 70.7 Core: NQ

From	To	Unit	Description
.0	9.1	#	CASING NO RECOVERY
9.1	20.4	OB	OB
20.4	23.8	3G9	
23.8	28.3	4E48	&14 (4A4)&9 95:5
28.3	30.1	4A4	&89 MINOR
30.1	33.2	4E18	&49 MINOR (4L0) 98:2
33.2	37.9	4A4	&9 MINOR
37.9	39.3	4C0	&79 MINOR
39.3	40.3	5C#	
40.3	64.2	4C7	&89 MINOR
64.2	65.4	5C#	
65.4	70.7	4C57	&9 MINOR &4

Drill Hole Report

Record 397 Drill Hole - 90V-58

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10152.6	10091.9	1149.4	903341.4	594142.0

Length: 73.8 Section: 7 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
73.8	-85.5	67.0	26.0	SPERRY SUN

ASSAYS

Drill Hole: 90V-58
 Northing: 10152.6 Easting: 10091.9 Elevation: 1149.4
 Length: 73.8 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60746	31.6 32.4	-1.0	-1	4A4	20	-1.00	5.55	1.42	4.13	26.7	-1.0	.47	8.39	-1.00	-1.00	-1.00	.04
60747	32.4 34.0	-1.0	-1	4C37	40	-1.00	2.51	1.08	1.43	20.1	-1.0	.80	21.86	-1.00	-1.00	-1.00	.16
60748	34.0 35.7	-1.0	-1	4C37	40	-1.00	.90	.25	.65	6.2	-1.0	1.09	27.13	-1.00	-1.00	-1.00	.18
60749	35.7 37.0	-1.0	-1	4A4	20	-1.00	12.31	4.90	7.41	68.3	-1.0	.81	15.40	-1.00	-1.00	-1.00	.08
60750	37.0 38.4	-1.0	-1	4A4	20	-1.00	11.91	3.48	8.43	61.1	-1.0	.83	14.17	-1.00	-1.00	-1.00	.09
60751	38.4 39.7	-1.0	-1	4A0	20	-1.00	4.81	1.61	3.20	29.7	-1.0	.72	12.24	-1.00	-1.00	-1.00	.11
60752	39.7 41.0	-1.0	-1	4A0	20	-1.00	3.56	1.15	2.41	26.9	-1.0	.70	17.52	-1.00	-1.00	-1.00	.19
60753	43.6 44.9	-1.0	-1	4A0	20	-1.00	4.98	3.42	1.56	49.8	-1.0	1.04	24.62	-1.00	-1.00	-1.00	.20
60754	44.9 46.2	-1.0	-1	4A0	20	-1.00	5.11	2.76	2.35	34.0	-1.0	.33	16.32	-1.00	-1.00	-1.00	.17
60755	46.2 47.4	-1.0	-1	4A0	20	-1.00	1.61	.24	1.37	5.2	-1.0	.25	10.88	-1.00	-1.00	-1.00	.04
60756	59.8 61.4	-1.0	-1	4C35	40	-1.00	.76	.31	.45	11.2	-1.0	.83	27.46	-1.00	-1.00	-1.00	.22
60757	61.4 63.0	-1.0	-1	4C35	40	-1.00	.36	.20	.16	10.7	-1.0	.99	21.01	-1.00	-1.00	-1.00	.23
60758	63.0 64.6	-1.0	-1	4C35	40	-1.00	.23	.17	.06	9.5	-1.0	1.40	27.28	-1.00	-1.00	-1.00	.25
60759	64.6 66.2	-1.0	-1	4C35	40	-1.00	.34	.12	.22	6.4	-1.0	1.07	24.43	-1.00	-1.00	-1.00	.22

LITHOLOGIES

Drill Hole: 90V-58
Northing: 10152.6 Easting: 10091.9 Elevation: 1149.4
Length: 73.8 Core: NQ

From	To	Unit	Description
.0	9.1	#	CASING NO RECOVERY
9.1	18.9	OB	OB
18.9	21.1	3G0	&6 (po) OXIDIZED
21.1	28.3	3G0	&6 (po)
28.3	31.6	3E6	[4A0&4]
31.6	32.4	4A4	
32.4	35.7	4C37	&45
35.7	38.4	4A4	&9 MINOR
38.4	41.0	4A0	
41.0	43.6	3C3	(4H0) 97:3
43.6	47.4	4A0	
47.4	59.7	3G9	&6 (po MINOR sph)
59.7	66.2	4C35	&497MINOR(3C\$)95:5
66.2	73.8	4L72	&41 (3G9) 99:1

Drill Hole Report

Record 398 Drill Hole - 90V-59

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10150.5	10106.3	1149.2	903349.4	594154.1

Length: 72.0 Section: 7 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
72.0	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-59
 Northing: 10150.5 Easting: 10106.3 Elevation: 1149.2
 Length: 72.0 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60973	23.7 25.2	-1.0	-1	4A47	20	-1.00	7.66	2.88	4.78	46.1	-1.0	.55	6.00	-1.00	-1.00	-1.00	.03
60974	25.2 26.7	-1.0	-1	4A07	20	-1.00	.47	.13	.34	67.7	-1.0	.64	21.52	-1.00	-1.00	-1.00	.71
60975	26.7 28.3	-1.0	-1	4A07	20	-1.00	.61	.06	.55	30.1	-1.0	.46	26.48	-1.00	-1.00	-1.00	.28
60976	28.3 29.8	-1.0	-1	4A07	20	-1.00	.26	.05	.21	18.0	-1.0	.30	29.46	-1.00	-1.00	-1.00	.28
60977	29.8 31.3	-1.0	-1	4A47	20	-1.00	14.04	8.38	5.66	7.7	-1.0	.36	33.18	-1.00	-1.00	-1.00	.14
60978	33.9 34.5	-1.0	-1	4A47	20	-1.00	15.27	7.37	7.90	112.4	-1.0	.51	17.60	-1.00	-1.00	-1.00	.09
60979	37.0 37.9	-1.0	-1	4A47	20	-1.00	13.48	5.48	8.00	10.3	-1.0	.18	13.47	-1.00	-1.00	-1.00	.06

LITHOLOGIES

Drill Hole: 90V-59
Northing: 10150.5 Easting: 10106.3 Elevation: 1149.2
Length: 72.0 Core: NQ

From	To	Unit	Description
.0	9.1	#	CASING NO RECOVERY
9.1	22.8	OB	OB
22.8	23.7	3C0	
23.7	25.2	4A47	&8 MINOR
25.2	29.8	4A0	
29.8	31.3	4A47	
31.3	33.8	3G92	&6 sph py
33.8	34.4	4A47	MINOR chlorite
34.4	36.9	3E86	&sph MINOR
36.9	37.9	4A47	
37.9	62.1	3G96	&2
62.1	65.2	3G4	&1sph [4A47]
65.2	71.9	4L72	&4 MINOR

Drill Hole Report

Record 399 Drill Hole - 90V-60

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10154.6	10043.1	1152.3	903310.3	594104.3

Length: 63.1 Section: 7 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
63.1	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-60
 Northing: 10154.6 Easting: 10043.1 Elevation: 1152.3
 Length: 63.1 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60843	22.1 23.7	-1.0	-1	4G48	60	-1.00	17.42	8.97	8.45	95.7	-1.0	.49	16.40	-1.00	-1.00	-1.00	.09
60844	23.7 25.2	-1.0	-1	4G48	60	-1.00	13.61	6.01	7.60	78.0	-1.0	.12	14.97	-1.00	-1.00	-1.00	.07
60845	25.2 26.8	-1.0	-1	4G48	60	-1.00	16.44	7.72	8.72	89.6	-1.0	.19	16.40	-1.00	-1.00	-1.00	.10
60846	33.8 35.2	-1.0	-1	4A0	20	-1.00	4.35	1.26	3.09	20.5	-1.0	.36	7.37	-1.00	-1.00	-1.00	.04
60847	35.2 36.6	-1.0	-1	4A0	20	-1.00	4.41	1.67	2.74	19.3	-1.0	.49	8.82	-1.00	-1.00	-1.00	.03
60848	36.6 38.0	-1.0	-1	4A0	20	-1.00	2.77	.90	1.87	13.0	-1.0	.50	7.81	-1.00	-1.00	-1.00	.03
60849	38.0 39.5	-1.0	-1	4A4	20	-1.00	8.24	3.46	4.78	43.3	-1.0	.49	9.94	-1.00	-1.00	-1.00	.03
60850	39.5 40.9	-1.0	-1	4A0	20	-1.00	2.91	1.06	1.85	22.9	-1.0	.44	8.24	-1.00	-1.00	-1.00	.09
60851	40.9 42.3	-1.0	-1	4A4	20	-1.00	4.35	1.23	3.12	17.4	-1.0	.50	13.56	-1.00	-1.00	-1.00	.01
60852	42.3 43.8	-1.0	-1	4A4	20	-1.00	6.65	2.19	4.46	24.7	-1.0	.46	23.31	-1.00	-1.00	-1.00	.01
60853	43.8 44.8	-1.0	-1	4G48	60	-1.00	12.71	5.02	7.69	76.2	-1.0	.49	13.57	-1.00	-1.00	-1.00	.07
60854	44.8 46.3	-1.0	-1	4C3	40	-1.00	2.86	1.33	1.53	23.1	-1.0	1.11	27.49	-1.00	-1.00	-1.00	.21
60855	46.3 47.9	-1.0	-1	4C3	40	-1.00	2.66	1.27	1.39	19.2	-1.0	1.21	28.83	-1.00	-1.00	-1.00	.22
60856	47.9 49.4	-1.0	-1	4C3	40	-1.00	3.47	2.12	1.35	27.2	-1.0	1.89	27.48	-1.00	-1.00	-1.00	.25
60857	49.4 50.9	-1.0	-1	4C3	40	-1.00	1.60	.94	.66	16.9	-1.0	1.10	28.44	-1.00	-1.00	-1.00	.37
60858	50.9 51.6	-1.0	-1	4H0	70	-1.00	1.48	.85	.63	16.2	-1.0	.44	32.73	-1.00	-1.00	-1.00	.47
60859	51.6 53.1	-1.0	-1	4C3	40	-1.00	1.82	.49	1.33	9.2	-1.0	1.24	24.75	-1.00	-1.00	-1.00	.28
60860	53.1 54.6	-1.0	-1	4D0	80	-1.00	6.18	2.75	3.43	30.9	-1.0	1.14	28.88	-1.00	-1.00	-1.00	.14
60861	54.6 56.1	-1.0	-1	4D4	80	-1.00	13.49	8.61	4.88	71.9	-1.0	1.64	20.48	-1.00	-1.00	-1.00	.12
60862	56.1 57.6	-1.0	-1	4D0	80	-1.00	6.47	5.78	.69	10.0	-1.0	1.27	18.32	-1.00	-1.00	-1.00	.13
60863	57.6 59.1	-1.0	-1	4D0	80	-1.00	6.99	4.00	2.99	24.5	-1.0	.92	19.48	-1.00	-1.00	-1.00	.10
60864	59.1 60.4	-1.0	-1	4C7	30	-1.00	3.50	2.63	.87	15.2	-1.0	.67	21.03	-1.00	-1.00	-1.00	.29
60865	60.4 61.7	-1.0	-1	4C7	30	-1.00	1.38	1.11	.27	5.3	-1.0	1.40	23.36	-1.00	-1.00	-1.00	.21
60866	61.7 63.1	-1.0	-1	4C7	30	-1.00	1.38	1.06	.32	5.8	-1.0	1.67	20.79	-1.00	-1.00	-1.00	.26

LITHOLOGIES

Drill Hole: 90V-60
Northing: 10154.6 Easting: 10043.1 Elevation: 1152.3
Length: 63.1 Core: NQ

From	To	Unit	Description
.0	9.1	#	CASING NO RECOVERY
9.1	22.1	OB	OB
22.1	26.8	4G48	&#(4H4) 98:2
26.8	33.8	3G9	
33.8	43.8	4A0	&7(4G4) 98:2
43.8	44.8	4G48	
44.8	50.9	4C3	&789 MINOR
50.9	51.6	4H0	&9
51.6	59.0	4D0	&79(4D44)&7 60:40
59.0	63.1	4C7	&9 MINOR

Drill Hole Report

Record 400 Drill Hole - 90V-61

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10027.8	10048.5	1162.7	903210.0	594181.0

Length: 86.0 Section: 11 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
79.3	-87.0	75.0	34.0	sperry sun

ASSAYS

Drill Hole: 90V-61
 Northing: 10027.8 Easting: 10048.5 Elevation: 1162.7
 Length: 86.0 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60871	32.8 33.9	-1.0	-1	4G4	60	-1.00	15.96	8.61	7.35	92.6	-1.0	.69	14.79	-1.00	-1.00	-1.00	.13
60872	33.9 35.2	-1.0	-1	4G4	60	-1.00	16.53	8.17	8.36	76.2	-1.0	.25	14.52	-1.00	-1.00	-1.00	.06
60873	35.2 36.5	-1.0	-1	4G4	60	-1.00	13.92	7.78	6.14	54.0	-1.0	.20	13.31	-1.00	-1.00	-1.00	.01
60874	36.5 37.8	-1.0	-1	4G4	60	-1.00	13.29	5.07	8.22	109.5	-1.0	.47	14.63	-1.00	-1.00	-1.00	.03
60875	37.8 38.7	-1.0	-1	4A4	20	-1.00	6.95	2.17	4.78	41.0	-1.0	.37	6.66	-1.00	-1.00	-1.00	.04
60876	38.7 44.4	-1.0	-1	4A4	20	-1.00	5.26	3.21	2.05	13.0	-1.0	.40	5.55	-1.00	-1.00	-1.00	.03
60877	44.4 45.4	-1.0	-1	4A4	20	-1.00	11.97	8.06	3.91	29.4	-1.0	.24	9.28	-1.00	-1.00	-1.00	.04
60878	45.4 46.2	-1.0	-1	4G4#	60	-1.00	13.66	2.15	11.51	121.8	-1.0	.44	16.75	-1.00	-1.00	-1.00	.11
60879	46.2 47.3	-1.0	-1	4A4	20	-1.00	4.91	2.28	2.63	21.7	-1.0	.34	7.16	-1.00	-1.00	-1.00	.06
60880	47.3 49.1	-1.0	-1	4A4	20	-1.00	8.58	5.39	3.19	15.2	-1.0	.23	8.35	-1.00	-1.00	-1.00	.04
60881	49.1 52.7	-1.0	-1	4A4	20	-1.00	9.80	3.02	6.78	87.9	-1.0	.21	10.86	-1.00	-1.00	-1.00	.03
60882	52.7 54.3	-1.0	-1	4A4	20	-1.00	8.61	2.66	5.95	22.9	-1.0	.21	10.83	-1.00	-1.00	-1.00	.01
60883	54.3 56.6	-1.0	-1	4A4	20	-1.00	9.19	3.92	5.27	19.8	-1.0	.24	17.82	-1.00	-1.00	-1.00	.03
60884	56.6 58.0	-1.0	-1	4E41	50	-1.00	7.24	1.50	5.74	34.2	-1.0	.45	28.78	-1.00	-1.00	-1.00	.15
60885	58.0 59.5	-1.0	-1	4E1	40	-1.00	2.58	1.05	1.53	29.4	-1.0	1.18	31.79	-1.00	-1.00	-1.00	.38
60886	59.5 60.8	-1.0	-1	4E1	40	-1.00	1.46	1.40	.06	22.6	-1.0	.75	32.04	-1.00	-1.00	-1.00	.45
60887	60.8 61.9	-1.0	-1	4E1	40	-1.00	1.53	1.44	.09	20.4	-1.0	.70	27.18	-1.00	-1.00	-1.00	.31
60888	61.9 63.6	-1.0	-1	4E1	40	-1.00	2.47	1.83	.64	13.9	-1.0	.94	31.88	-1.00	-1.00	-1.00	.23
60889	63.6 64.6	-1.0	-1	4E41	50	-1.00	8.80	5.59	3.21	52.4	-1.0	.76	28.62	-1.00	-1.00	-1.00	.16
60890	64.6 66.9	-1.0	-1	4E41	50	-1.00	8.06	4.96	3.10	49.4	-1.0	1.23	28.64	-1.00	-1.00	-1.00	.32
60891	66.9 68.4	-1.0	-1	4G0\$	60	-1.00	6.39	3.82	2.57	43.2	-1.0	.47	27.88	-1.00	-1.00	-1.00	.20
60892	68.4 70.0	-1.0	-1	4G0\$	60	-1.00	7.24	3.16	4.08	15.3	-1.0	.63	23.08	-1.00	-1.00	-1.00	.16
60893	70.0 71.5	-1.0	-1	4G0\$	60	-1.00	6.72	2.71	4.01	25.7	-1.0	.23	24.70	-1.00	-1.00	-1.00	.25
60894	71.5 73.1	-1.0	-1	4G0\$	60	-1.00	6.27	2.81	3.46	25.8	-1.0	.40	28.71	-1.00	-1.00	-1.00	.21
60895	73.1 74.7	-1.0	-1	4G0\$	60	-1.00	4.76	1.98	2.78	31.9	-1.0	.67	18.01	-1.00	-1.00	-1.00	.17
60896	75.9 76.7	-1.0	-1	4E4\$	50	-1.00	5.68	2.39	3.29	39.3	-1.0	.63	26.62	-1.00	-1.00	-1.00	.31

LITHOLOGIES

Drill Hole: 90V-61
Northing: 10027.8 Easting: 10048.5 Elevation: 1162.7
Length: 86.0 Core: NQ

From	To	Unit	Description
.0	9.1	#	CASING NO RECOVERY
9.1	26.5	OB	OB
26.5	32.6	OB	OB
32.6	37.8	4G4	(3C0)
37.8	38.7	4A4	
38.7	43.3	GOUGE	FAULT GOUGE
43.3	45.4	4A4	&4
45.4	46.2	4G4#	
46.2	56.5	4A4	&4
56.5	58.0	4E41	&489 MIN&76 LOC
58.0	63.6	4E1	
63.6	66.8	4E41	
66.8	74.7	4G0\$	&8(4E648) 80:20
74.7	75.9	3G6	&1BXA LOCAL
75.9	76.7	4E4\$	&149 MINOR
76.7	82.7	4LO	&27
82.7	86.0	3G6	(po)

Drill Hole Report

Record 401 Drill Hole - 90V-62

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10027.8	10063.5	1162.8	903219.7	594193.0

Length: 73.8 Section: 11 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments: NO SURVEYED LOCATION

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
73.8	-89.0	1.0	1.0	SPERRY SUN

ASSAYS

Drill Hole: 90V-62
 Northing: 10027.8 Easting: 10063.5 Elevation: 1162.8
 Length: 73.8 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60897	49.2 52.4	-1.0	-1	4A0	20	-1.00	3.67	1.01	2.66	12.8	-1.0	.25	8.92	-1.00	-1.00	-1.00	.03
60898	52.4 54.6	-1.0	-1	4A0	20	-1.00	6.96	2.17	4.79	34.8	-1.0	.49	12.28	-1.00	-1.00	-1.00	.04
60899	54.6 55.6	-1.0	-1	4E0	50	-1.00	11.55	5.17	6.38	60.1	-1.0	.74	26.77	-1.00	-1.00	-1.00	.21
60900	55.6 56.7	-1.0	-1	4E0	50	-1.00	12.20	5.79	6.41	62.0	-1.0	.90	25.72	-1.00	-1.00	-1.00	.17
60901	56.7 58.4	-1.0	-1	4C3	40	-1.00	1.67	.60	1.07	19.2	-1.0	.74	31.26	-1.00	-1.00	-1.00	.28
60902	58.4 59.6	-1.0	-1	4C3	40	-1.00	3.43	1.57	1.86	24.6	-1.0	1.40	26.58	-1.00	-1.00	-1.00	.25
60903	59.6 64.0	-1.0	-1	4C3	40	-1.00	1.43	.60	.83	22.2	-1.0	.88	24.22	-1.00	-1.00	-1.00	.32
60904	64.0 65.4	-1.0	-1	4C3	40	-1.00	.76	.22	.54	11.2	-1.0	.47	30.74	-1.00	-1.00	-1.00	.46
60905	65.4 66.8	-1.0	-1	4C3	40	-1.00	.87	.30	.57	24.0	-1.0	.38	31.24	-1.00	-1.00	-1.00	.44
60906	66.8 68.1	-1.0	-1	4C3	40	-1.00	.46	.22	.24	24.7	-1.0	.47	28.59	-1.00	-1.00	-1.00	.74
60907	68.1 69.5	-1.0	-1	4C3	40	-1.00	1.89	.73	1.16	18.1	-1.0	.51	33.54	-1.00	-1.00	-1.00	.58
60908	69.5 71.0	-1.0	-1	4E7	50	-1.00	1.93	.95	.98	20.4	-1.0	.39	38.62	-1.00	-1.00	-1.00	.43
60909	71.0 72.0	-1.0	-1	4E7	50	-1.00	1.68	.84	.84	19.4	-1.0	.39	37.05	-1.00	-1.00	-1.00	.42

LITHOLOGIES

Drill Hole: 90V-62
Northing: 10027.8 Easting: 10063.5 Elevation: 1162.8
Length: 73.8 Core: NQ

From	To	Unit	Description
.0	9.2	#	CASING NO RECOVERY
9.2	28.0	OB	OB
28.0	34.1	OB	OB
34.1	35.7	OB	OB WEATHERED
35.7	49.2	3G9	&4 LOCAL
49.2	54.6	4A0	&4
54.6	56.7	4E0	&1#6
56.7	57.0	4C3	&79(4G4)95:5
57.0	64.0	4C3	*FAULT
64.0	69.7	4C3	&79(4G4)95:5
69.7	72.0	4E7	&16 MINOR
72.0	73.8	4L2	

Drill Hole Report

Record 402 Drill Hole - 90V-63

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10090.0	9924.8	1154.9	903183.4	594059.3

Length: 95.1 Section: 9 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
45.7	-50.0	90.0	49.0	sperry sun
95.1	-52.0	92.0	51.0	sperry sun

ASSAYS

Drill Hole: 90V-63
 Northing: 10090.0 Easting: 9924.8 Elevation: 1154.9
 Length: 95.1 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61502	61.6 63.3	-1.0	-1	4E84	50	-1.00	3.53	2.49	1.04	104.8	-1.0	.66	4.34	-1.00	-1.00	-1.00	.03
61503	63.8 65.4	-1.0	-1	4G4	60	-1.00	4.40	.37	4.03	96.6	-1.0	.23	11.61	-1.00	-1.00	-1.00	.17
61504	65.4 66.9	-1.0	-1	4G4	60	-1.00	2.37	1.15	1.22	80.3	-1.0	.94	8.80	-1.00	-1.00	-1.00	.05
61505	66.9 68.5	-1.0	-1	4G4	60	-1.00	1.72	.14	1.58	68.4	-1.0	.55	6.81	-1.00	-1.00	-1.00	1.13
61506	72.3 73.7	-1.0	-1	4E0\$	50	-1.00	.59	.01	.58	16.4	-1.0	1.20	6.52	-1.00	-1.00	-1.00	.20
61507	73.7 74.6	-1.0	-1	4G81\$	60	-1.00	1.10	.88	.22	89.2	-1.0	1.21	5.33	-1.00	-1.00	-1.00	.02
61508	74.6 75.5	-1.0	-1	4G81\$	60	-1.00	2.86	1.75	1.11	36.3	-1.0	1.59	32.59	-1.00	-1.00	-1.00	.40
61509	75.5 76.9	-1.0	-1	4E0\$	50	-1.00	3.74	1.99	1.75	14.3	-1.0	1.12	16.59	-1.00	-1.00	-1.00	.34
61510	76.9 78.2	-1.0	-1	4E1	40	-1.00	7.13	5.51	1.62	10.2	-1.0	1.00	6.98	-1.00	-1.00	-1.00	.14
61511	78.2 79.4	-1.0	-1	4E1	40	-1.00	9.41	.28	9.13	10.3	-1.0	1.21	13.45	-1.00	-1.00	-1.00	.85
61512	79.4 80.7	-1.0	-1	4E1	40	-1.00	.45	.23	.22	20.0	-1.0	1.38	27.48	-1.00	-1.00	-1.00	.32
61513	80.7 82.0	-1.0	-1	4G4	60	-1.00	1.06	.86	.20	61.8	-1.0	.65	23.40	-1.00	-1.00	-1.00	.38
61514	82.0 83.4	-1.0	-1	4G4	60	-1.00	.49	.13	.36	69.4	-1.0	1.33	20.30	-1.00	-1.00	-1.00	.37
61515	83.4 84.7	-1.0	-1	4G4	60	-1.00	.30	.19	.11	55.4	-1.0	.92	20.08	-1.00	-1.00	-1.00	.18
61516	84.7 86.1	-1.0	-1	4C0	30	-1.00	.44	.20	.24	8.4	-1.0	.57	24.12	-1.00	-1.00	-1.00	.43
61517	86.1 87.5	-1.0	-1	4C0	30	-1.00	1.47	1.35	.12	15.4	-1.0	.55	23.27	-1.00	-1.00	-1.00	.49
61518	87.5 89.0	-1.0	-1	4C0	30	-1.00	3.29	2.64	.65	18.1	-1.0	.35	21.17	-1.00	-1.00	-1.00	.40
61519	89.0 90.4	-1.0	-1	4C0	30	-1.00	.68	.12	.56	14.1	-1.0	.72	22.08	-1.00	-1.00	-1.00	.36
61520	90.4 91.6	-1.0	-1	4E0	50	-1.00	.85	.40	.45	21.9	-1.0	.31	33.40	-1.00	-1.00	-1.00	.44
61521	91.6 92.9	-1.0	-1	4E1	40	-1.00	1.10	.41	.69	20.4	-1.0	.61	26.65	-1.00	-1.00	-1.00	.44
61522	92.9 94.1	-1.0	-1	4E1	40	-1.00	3.48	1.47	2.01	28.2	-1.0	1.28	24.84	-1.00	-1.00	-1.00	.40
61523	94.1 95.4	-1.0	-1	4E1	40	-1.00	2.42	.82	1.60	15.7	-1.0	1.43	24.34	-1.00	-1.00	-1.00	.34
61524	95.4 96.6	-1.0	-1	4E1	40	-1.00	3.53	.71	2.82	13.9	-1.0	.59	22.86	-1.00	-1.00	-1.00	.23

61502-61508

LITHOLOGIES

Drill Hole: 90V-63
Northing: 10090.0 Easting: 9924.8 Elevation: 1154.9
Length: 95.1 Core: NQ

From	To	Unit	Description
.0	10.4	#	CASING NO RECOVERY
10.4	44.8	OB	OB
44.8	55.5	4L6	&7[3G6](4E0&6)(4E1)
55.5	61.6	4L6	&7[3G6](4E1&784)
61.6	63.3	4E84	&1&6
63.3	63.8	3C\$	
63.8	68.5	4G4	&1(4E684&1) 60:40
68.5	72.3	4L27	&1&4 MINOR
72.3	73.6	4E0\$	&1&4 LAM
73.6	75.5	4G81\$	LAM
75.5	76.9	4E0\$	&1&4 NONLAM
76.9	80.7	4E1	&8\$46
80.7	84.7	4G4	&8 LOCAL
84.7	90.4	4C0	&549
90.4	91.7	4E0	&814
91.7	96.6	4E1	&8&4

Drill Hole Report

Record 403 Drill Hole - 90V-64

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10093.7	10060.5	1156.4	-1.0	-1.0

Length: 47.9 Section: 9 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-50.0	89.0	48.0	AT C
45.7	-50.0	90.0	49.0	SPERRY
95.1	-52.0	92.0	51.0	SPERRY

ASSAYS

Drill Hole: 90V-64
 Northing: 10093.7 Easting: 10060.5 Elevation: 1156.4
 Length: 47.9 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
61647	29.9 31.1	-1.0	-1	4A4	20	-1.00	4.69	1.66	3.03	29.1	-1.0	.40	9.52	-1.00	-1.00	-1.00	.03
61648	31.1 32.4	-1.0	-1	4A4	20	-1.00	4.89	1.73	3.16	29.3	-1.0	.30	9.03	-1.00	-1.00	-1.00	.03
61649	32.4 33.6	-1.0	-1	4A4	20	-1.00	5.79	1.81	3.98	24.4	-1.0	.59	15.90	-1.00	-1.00	-1.00	.03
61650	33.6 34.9	-1.0	-1	4A4	20	-1.00	6.85	3.55	3.30	33.3	-1.0	.41	29.56	-1.00	-1.00	-1.00	.12
61651	34.9 36.5	-1.0	-1	4E0\$	50	-1.00	1.38	.56	.82	12.6	-1.0	.96	29.13	-1.00	-1.00	-1.00	.22
61652	36.5 37.9	-1.0	-1	4C38	40	-1.00	1.09	.71	.38	10.1	-1.0	1.24	25.70	-1.00	-1.00	-1.00	.33
61653	37.9 39.3	-1.0	-1	4C38	40	-1.00	.28	.17	.11	6.2	-1.0	2.41	24.65	-1.00	-1.00	-1.00	.31
61654	39.3 40.6	-1.0	-1	4C38	40	-1.00	.58	.27	.31	6.3	-1.0	1.55	26.66	-1.00	-1.00	-1.00	.33
61655	40.6 42.0	-1.0	-1	4C38	40	-1.00	.23	.14	.09	6.7	-1.0	.86	24.71	-1.00	-1.00	-1.00	.31
61656	42.0 43.4	-1.0	-1	4C38	40	-1.00	.25	.15	.10	6.4	-1.0	.79	26.03	-1.00	-1.00	-1.00	.32
61657	43.4 44.8	-1.0	-1	4C38	40	-1.00	1.32	.61	.71	11.4	-1.0	1.76	25.25	-1.00	-1.00	-1.00	.31
61658	44.8 46.4	-1.0	-1	4C38	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61659	46.4 47.9	-1.0	-1	4D08	80	-1.00	9.02	3.61	5.41	47.9	-1.0	.87	28.02	-1.00	-1.00	-1.00	.22

LITHOLOGIES

Drill Hole: 90V-64
Northing: 10093.7 Easting: 10060.5 Elevation: 1156.4
Length: 47.9 Core: NQ

From	To	Unit	Description
.0	12.2	#	CASING NO RECOVERY
12.2	27.3	OB	OB
27.3	29.9	4L0	&2&4 MINOR
29.9	34.9	4A4	&9 LOCAL(4G4) 97:3
34.9	36.5	4E0\$	&6?(3C1&\$MINOR)90:10
36.5	44.8	4C38	&794 MINOR py
44.8	46.4	4D38	&79 &# LOCAL
46.4	47.9	4D8	&# LOCAL &9

Drill Hole Report

Record 404 Drill Hole - 90V-65

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10091.7	10044.9	1156.2	-1.0	-1.0

Length: 58.5 Section: 9 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9005
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
58.5	-89.0	.0	.0	AT C

ASSAYS

Drill Hole: 90V-65
 Northing: 10091.7 Easting: 10044.9 Elevation: 1156.2
 Length: 58.5 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61617	27.4 28.8	-1.0	-1	4A0	20	-1.00	3.64	1.31	2.33	17.1	-1.0	.47	7.75	-1.00	-1.00	-1.00	.05
61618	28.8 30.2	-1.0	-1	4A0	20	-1.00	5.10	1.95	3.15	29.1	-1.0	.39	9.20	-1.00	-1.00	-1.00	.04
61619	30.2 31.6	-1.0	-1	4A0	20	-1.00	1.31	.50	.81	8.3	-1.0	.45	7.45	-1.00	-1.00	-1.00	.02
61620	31.6 33.0	-1.0	-1	4A0	20	-1.00	1.39	.63	.76	10.6	-1.0	.45	9.24	-1.00	-1.00	-1.00	.02
61621	33.0 34.4	-1.0	-1	4A0	20	-1.00	2.11	.83	1.28	11.7	-1.0	.35	7.81	-1.00	-1.00	-1.00	.01
61622	34.4 35.8	-1.0	-1	4A0	20	-1.00	1.63	.55	1.08	9.7	-1.0	.36	10.73	-1.00	-1.00	-1.00	.02
61623	35.8 37.3	-1.0	-1	4A0	20	-1.00	3.25	1.00	2.25	17.3	-1.0	.51	13.79	-1.00	-1.00	-1.00	.02
61624	37.3 38.8	-1.0	-1	4G0	60	-1.00	8.85	3.26	5.59	50.0	-1.0	.32	13.24	-1.00	-1.00	-1.00	.04
61625	38.8 40.4	-1.0	-1	4C3	40	-1.00	1.72	.68	1.04	14.3	-1.0	1.11	27.54	-1.00	-1.00	-1.00	.25
61626	40.4 42.0	-1.0	-1	4C3	40	-1.00	.93	.43	.50	9.6	-1.0	.81	27.85	-1.00	-1.00	-1.00	.20
61627	42.0 43.6	-1.0	-1	4C3	40	-1.00	.65	.34	.31	11.4	-1.0	.38	30.03	-1.00	-1.00	-1.00	.45
61628	43.6 44.9	-1.0	-1	4C7	30	-1.00	.23	.12	.11	6.3	-1.0	.86	28.78	-1.00	-1.00	-1.00	.37
61629	44.9 46.1	-1.0	-1	4C7	30	-1.00	4.19	1.73	2.46	19.8	-1.0	.57	34.52	-1.00	-1.00	-1.00	.20
61630	46.1 47.5	-1.0	-1	4H14	70	-1.00	6.21	2.77	3.44	29.9	-1.0	.70	18.88	-1.00	-1.00	-1.00	.15
61631	47.5 48.9	-1.0	-1	4C78	30	-1.00	1.14	.61	.53	8.0	-1.0	.48	28.20	-1.00	-1.00	-1.00	.15
61632	48.9 50.3	-1.0	-1	4C78	30	-1.00	.78	.27	.51	4.5	-1.0	1.96	24.90	-1.00	-1.00	-1.00	.22
61633	50.3 51.7	-1.0	-1	4C78	30	-1.00	.84	.25	.59	4.3	-1.0	1.57	22.33	-1.00	-1.00	-1.00	.24
61634	51.7 53.1	-1.0	-1	4C78	30	-1.00	1.23	.41	.82	5.0	-1.0	.25	20.09	-1.00	-1.00	-1.00	.16
61635	53.1 54.5	-1.0	-1	4C78	30	-1.00	3.16	.92	2.24	12.7	-1.0	.21	20.02	-1.00	-1.00	-1.00	.28
61636	54.5 55.9	-1.0	-1	4C78	30	-1.00	1.72	.45	1.27	11.1	-1.0	.35	20.16	-1.00	-1.00	-1.00	.68
61637	55.9 57.3	-1.0	-1	4C78	30	-1.00	.76	.24	.52	8.7	-1.0	.24	19.85	-1.00	-1.00	-1.00	.83
61638	57.3 58.7	-1.0	-1	4C78	30	-1.00	2.40	.52	1.88	6.4	-1.0	.17	19.90	-1.00	-1.00	-1.00	.35
61639	58.7 60.1	-1.0	-1	4D78	80	-1.00	11.06	4.65	6.41	59.4	-1.0	.82	17.00	-1.00	-1.00	-1.00	.11

LITHOLOGIES

Drill Hole: 90V-65
Northing: 10091.7 Easting: 10044.9 Elevation: 1156.2
Length: 58.5 Core: NQ

From	To	Unit	Description
.0	11.3	#	CASING NO RECOVERY
11.3	27.4	OB	OB
27.4	37.3	4A0	&4FOLDED BXA LOCAL4GO
37.3	38.8	4G0	&8 (4E64)
38.8	43.6	4C3	&849 MINOR&6?LOCAL
43.6	46.1	4C7	&9
46.1	47.5	4H14	BXA
47.5	60.0	4C78	&9

Drill Hole Report

Record 406 Drill Hole - 90V-66

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10183.6	10044.4	1148.7	903332.8	594085.9

Length: 89.0 Section: 6 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
44.8	-51.0	94.0	53.0	sperry sun
121.0	-31.0	93.0	52.0	sperry sun

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
12:42: 0 Serial no: 20320
25/ 7/90 Page : 285

ASSAYS

Drill Hole: 90V-66
Northing: 10183.6 Easting: 10044.4 Elevation: 1148.7
Length: 89.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
12:42:23 Serial no: 20320
25/ 7/90 Page : 286

LITHOLOGIES

Drill Hole: 90V-66
Northing: 10183.6 Easting: 10044.4 Elevation: 1148.7
Length: 89.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record 407 Drill Hole - 90V-67

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10181.4	9900.6	1148.3	903235.3	593980.3

Length: 121.0 Section: 6 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-50.0	90.0	49.0	AT C
121.0	-50.0	90.0	49.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-67
Northing: 10181.4 Easting: 9900.6 Elevation: 1148.3
Length: 121.0 Core: NQ

From	To	Unit	Description
.0	12.8	#	CASING NO RECOVERY
12.8	30.9	OB	OB
30.9	42.0	3G0	&9MIN RUBBLY OX
42.0	43.9	3E0	
43.9	50.7	4L2	
50.7	51.8	3E0	
51.8	53.2	4L2	
53.2	54.3	3B0	
54.3	58.5	3G9	
58.5	68.0	3G0	[4L0]
68.0	73.2	4L27	OX
73.2	79.8	4G4	&8 (4E0)
79.8	82.2	4C1	GOUGE
82.2	86.9	4G4	&8 [4E4]
86.9	88.2	4D4	FLOW EXA
88.2	93.6	4G4	&* MINOR
93.6	94.8	4D*86	EXA
94.8	97.8	4G48	&* EXA
97.8	101.8	4E48	&*1 MINOR
101.8	103.2	4G4	[4E4] OX
103.2	112.1	4C78	
112.1	112.9	4D8	&*
112.9	121.0	4C48	

Drill Hole Report

Record 408 Drill Hole - 90V-68

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10181.4	9901.0	1148.3	903235.5	593980.6

Length: 127.7 Section: 6 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-61.0	90.0	49.0	AT C
81.4	-67.0	92.0	51.0	sperry sun

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
12:46:10 Serial no: 20320
25/ 7/90 Page : 291

ASSAYS

Drill Hole: 90V-68
Northing: 10181.4 Easting: 9901.0 Elevation: 1148.3
Length: 127.7 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
12:46:31 Serial no: 20320
25/ 7/90 Page : 292

LITHOLOGIES

Drill Hole: 90V-68
Northing: 10181.4 Easting: 9901.0 Elevation: 1148.3
Length: 127.7 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-69

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10181.3	10074.6	1145.9	903351.2	594110.0

Length: 81.4 Section: 6 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
81.4	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-69
 Northing: 10181.3 Easting: 10074.6 Elevation: 1145.9
 Length: 81.4 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61970	34.1 35.5	-1.0	-1	4A4 4A0	20	-1.00	3.94	1.53	2.41	22.9	-1.0	.36	5.68	-1.00	-1.00	-1.00	.03
61971	35.5 37.0	-1.0	-1	4A4 4A0	20	-1.00	2.33	.70	1.63	10.7	-1.0	.34	6.35	-1.00	-1.00	-1.00	.04
61972	37.0 38.4	-1.0	-1	4A4	20	-1.00	5.56	2.18	3.38	28.9	-1.0	.60	12.38	-1.00	-1.00	-1.00	.07
61973	38.4 39.5	-1.0	-1	4E6 4E46	50	-1.00	10.76	5.17	5.59	51.3	-1.0	1.16	21.50	-1.00	-1.00	-1.00	.09
61974	39.5 40.9	-1.0	-1	4C38 4D38	40	-1.00	12.83	6.91	5.92	70.5	-1.0	1.25	22.93	-1.00	-1.00	-1.00	.12
61975	40.9 42.3	-1.0	-1	4C38	40	-1.00	3.98	2.17	1.81	24.6	-1.0	1.30	28.91	-1.00	-1.00	-1.00	.26
61976	42.3 43.7	-1.0	-1	4C38	40	-1.00	.90	.39	.51	7.9	-1.0	1.59	31.25	-1.00	-1.00	-1.00	.21
61977	43.7 45.1	-1.0	-1	4C38	40	-1.00	1.05	.56	.49	9.3	-1.0	2.01	30.16	-1.00	-1.00	-1.00	.27
61978	45.1 46.4	-1.0	-1	4C38	40	-1.00	5.16	3.49	1.67	38.2	-1.0	2.11	27.36	-1.00	-1.00	-1.00	.33
61979	46.4 47.9	-1.0	-1	4D52 4D453	80	-1.00	14.54	8.94	5.60	100.2	-1.0	1.99	18.52	-1.00	-1.00	-1.00	.14
61980	47.9 49.4	-1.0	-1	4C38	40	-1.00	.87	.45	.42	10.6	-1.0	1.59	24.96	-1.00	-1.00	-1.00	.31
61981	49.4 50.9	-1.0	-1	4C38	40	-1.00	.44	.17	.27	8.3	-1.0	.78	25.73	-1.00	-1.00	-1.00	.57
61982	50.9 52.3	-1.0	-1	4C38	40	-1.00	.43	.15	.28	7.0	-1.0	.60	26.33	-1.00	-1.00	-1.00	.35
61983	52.3 53.8	-1.0	-1	4C38	40	-1.00	.55	.22	.33	8.1	-1.0	.71	31.45	-1.00	-1.00	-1.00	.34
61984	53.8 55.3	-1.0	-1	4C38	40	-1.00	.76	.31	.45	13.3	-1.0	1.11	25.02	-1.00	-1.00	-1.00	.32
61985	55.3 58.4	-1.0	-1	4C3	40	-1.00	.25	.13	.12	8.4	-1.0	1.12	19.99	-1.00	-1.00	-1.00	.24
61986	58.4 59.8	-1.0	-1	4C3	40	-1.00	.35	.10	.25	13.6	-1.0	1.71	25.42	-1.00	-1.00	-1.00	.31
61987	59.8 61.1	-1.0	-1	4C3	40	-1.00	.34	.13	.21	8.8	-1.0	1.01	20.91	-1.00	-1.00	-1.00	.31
61988	61.1 62.5	-1.0	-1	4C3	40	-1.00	.27	.09	.18	6.2	-1.0	.23	15.47	-1.00	-1.00	-1.00	.24
61989	62.5 63.8	-1.0	-1	4C3	40	-1.00	.65	.20	.45	10.3	-1.0	.46	19.81	-1.00	-1.00	-1.00	.35
61990	63.8 65.2	-1.0	-1	4C3	40	-1.00	.37	.10	.27	7.8	-1.0	.57	18.15	-1.00	-1.00	-1.00	.33
61991	65.2 66.7	-1.0	-1	4C378	40	-1.00	.79	.11	.68	8.9	-1.0	1.29	20.28	-1.00	-1.00	-1.00	.38
61992	66.7 68.3	-1.0	-1	4C378	40	-1.00	.42	.16	.26	7.7	-1.0	1.10	21.68	-1.00	-1.00	-1.00	.25
61993	68.3 69.9	-1.0	-1	4C378	40	-1.00	.58	.40	.18	12.4	-1.0	.91	22.95	-1.00	-1.00	-1.00	.39
61994	69.9 71.5	-1.0	-1	4C378	40	-1.00	.19	.12	.07	8.7	-1.0	.58	22.10	-1.00	-1.00	-1.00	.32
61995	71.5 73.0	-1.0	-1	4C378	40	-1.00	.31	.08	.23	7.9	-1.0	.58	17.42	-1.00	-1.00	-1.00	.21
61996	73.0 74.1	-1.0	-1	4C35	40	-1.00	.19	.03	.16	7.2	-1.0	.41	13.97	-1.00	-1.00	-1.00	.21
61997	74.1 75.2	-1.0	-1	4C35	40	-1.00	.10	.03	.07	7.3	-1.0	.33	21.37	-1.00	-1.00	-1.00	.33
61998	75.2 77.6	-1.0	-1	4C5	30	-1.00	.24	.03	.21	3.7	-1.0	.21	16.50	-1.00	-1.00	-1.00	.23

LITHOLOGIES

Drill Hole: 90V-69
 Northing: 10181.3 Easting: 10074.6 Elevation: 1145.9
 Length: 81.4 Core: NQ

From	To	Unit	Description
.0	14.3	#	CASING NO RETURN
14.3	14.7	OB	OVERBURDEN
14.7	34.1	3G09	&64
34.1	38.3	4A 4A0	7/- 4
38.3	39.5	4B 4E4 G	&#A
40.9 39.5	46.4	4C38 4D38	&4
46.4	47.9	4D53 4D45 >	GRAD. CONTACT
47.9	55.3	4C38	&794MINOR
55.3	57.1	3C#	&6 (POPY)
57.1	65.1	3B#	&8479 MINOR
65.1	73.0	4C378	&49 MONOR
73.0	75.2	4C35	&8\$
75.2	76.9	3C#	
76.9	77.6	4C05	&8
77.6	79.1	3G96	&#LOCAL
79.1	80.4	3B#6	&4
80.4	81.4	3B#	&POWEATHERED

Drill Hole Report

Record -1 Drill Hole - 90V-70

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10183.5	10015.1	1149.6	903313.2	594064.2

Length: 92.1 Section: 6 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
92.1	-88.0	357.0	316.0	sperry

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
12:50: 3 Serial no: 20320
25/ 7/90 Page : 297

ASSAYS

Drill Hole: 90V-70
Northing: 10183.5 Easting: 10015.1 Elevation: 1149.6
Length: 92.1 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: 90V-70
Northing: 10183.5 Easting: 10015.1 Elevation: 1149.6
Length: 92.1 Core: NQ

From	To	Unit	Description
.0	12.8	#	CASING NO RECOVERY
12.8	23.0	OB	OB
23.0	24.5	4J487	&3OXIDIZEDFRAC
24.5	25.8	4G4	 FRAC
25.8	30.9	4E8	&74#9MIN (5C#)99:1
30.9	32.0	4G8	 FRAC
32.0	33.1	4E874	&#(4H4)70:30FRACBXA
33.1	39.4	4G48	&#(4E64)&8 80:20
39.4	41.5	5C4#	(4E46) 90:10
41.5	49.5	4A4	&74 FRACBXA
49.5	52.1	3G0	
52.1	54.7	4A4	(4E46#) 50:50 FRACBXA
54.7	58.9	4G48#	(3C\$) 99:1 FRAC
58.9	59.6	4J438	MASSIVE MINOR FRAC
59.6	60.7	4G48#	MINOR FRAC
60.7	64.7	4H41	&9(5C\$1)95:5FAULTBX
64.7	66.2	4E8	&1#4 po
66.2	70.1	4C73	&48&9 MINOR pypo
70.1	71.7	4E8	(4C73&89) 50:50
71.7	85.8	4C73	&489MINCHLORITE BNDS
85.8	92.0	4C3	&78MIN CHLORITIC

Drill Hole Report

Record 409 Drill Hole - 90V-71

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9845.8	9954.6	1144.4	903021.4	594244.3

Length: 35.7 Section: 17 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
35.7	-81.0	189.0	148.0	sperry

ASSAYS

Drill Hole: 90V-71
 Northing: 9845.8 Easting: 9954.6 Elevation: 1144.4
 Length: 35.7 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60428	11.3 12.8	-1.0	-1	4G0	60	-1.00	10.50	5.19	5.31	59.4	-1.0	.62	19.11	-1.00	-1.00	-1.00	.12
60429	12.8 14.3	-1.0	-1	4G0	60	-1.00	8.08	5.03	3.05	53.2	-1.0	1.65	23.95	-1.00	-1.00	-1.00	.16
60430	16.0 17.1	-1.0	-1	4LG	120	-1.00	5.73	2.57	3.16	27.6	-1.0	.41	7.24	-1.00	-1.00	-1.00	.01
60431	17.1 18.7	-1.0	-1	4G0	60	-1.00	9.79	3.84	5.95	48.3	-1.0	2.37	16.63	-1.00	-1.00	-1.00	.13
60432	18.7 20.3	-1.0	-1	4G0	60	-1.00	9.66	4.44	5.22	54.1	-1.0	1.93	17.82	-1.00	-1.00	-1.00	.22
60433	21.6 22.7	-1.0	-1	4A44	20	-1.00	14.47	5.71	8.76	70.7	-1.0	.83	7.57	-1.00	-1.00	-1.00	.10
60434	22.7 23.8	-1.0	-1	4A44	20	-1.00	11.85	3.88	7.97	52.7	-1.0	.64	6.87	-1.00	-1.00	-1.00	.09
60435	23.8 24.8	-1.0	-1	4G4	60	-1.00	14.35	5.48	8.87	78.9	-1.0	.86	8.08	-1.00	-1.00	-1.00	.08
60436	24.8 25.8	-1.0	-1	4G4	60	-1.00	16.72	7.10	9.62	105.6	-1.0	1.11	8.39	-1.00	-1.00	-1.00	.09
60437	25.8 27.1	-1.0	-1	4E46	50	-1.00	9.86	4.48	5.38	48.4	-1.0	3.13	24.57	-1.00	-1.00	-1.00	.15
60438	27.1 28.4	-1.0	-1	4E8	50	-1.00	3.39	2.58	.81	50.7	-1.0	3.53	31.96	-1.00	-1.00	-1.00	.33
60439	28.4 29.6	-1.0	-1	4E8	50	-1.00	2.60	.93	1.67	14.9	-1.0	2.34	31.75	-1.00	-1.00	-1.00	.36
60440	29.6 30.8	-1.0	-1	4E8	50	-1.00	2.29	1.08	1.21	17.3	-1.0	.75	33.28	-1.00	-1.00	-1.00	.38
60441	30.8 32.1	-1.0	-1	4E8	50	-1.00	3.58	1.69	1.89	22.3	-1.0	.80	33.59	-1.00	-1.00	-1.00	.28

LITHOLOGIES

Drill Hole: 90V-71
Northing: 9845.8 Easting: 9954.6 Elevation: 1144.4
Length: 35.7 Core: NQ

From	To	Unit	Description
.0	3.7	#	CASING NO RECOVERY
3.7	6.7	OB	OB
6.7	10.2	3G9	(4A0)90:10
10.2	11.3	4L0	&2
11.3	14.3	4E64	&8(4G4)60:40
14.3	17.1	4L0	&2(4G4)90:10
17.1	20.3	4G4	(4E64)(4L0&2)75:15:10
20.3	21.6	4L26	&41&CARB. LAM.LOCAL
21.6	23.8	4A44	
23.8	25.8	4G4	&89
25.8	27.1	4E46	&8
27.1	32.1	4E8	&1794(4G47)85:15
32.1	35.7	4L2	&7

Drill Hole Report

Record 410 Drill Hole - 90V-72

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9846.7	9985.5	1149.4	903042.7	594266.7

Length: 29.9 Section: 17 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
29.9	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-72
 Northing: 9846.7 Easting: 9985.5 Elevation: 1149.4
 Length: 29.9 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60465	10.4 11.9	-1.0	-1	4G0	60	-1.00	7.99	4.27	3.72	42.5	-1.0	.28	24.48	-1.00	-1.00	-1.00	.21
60466	11.9 13.4	-1.0	-1	4G4	60	-1.00	11.94	6.31	5.63	46.4	-1.0	.79	26.05	-1.00	-1.00	-1.00	.14
60467	13.4 14.9	-1.0	-1	4G4	60	-1.00	13.88	6.40	7.48	72.3	-1.0	1.12	16.35	-1.00	-1.00	-1.00	.13
60468	14.9 16.4	-1.0	-1	4G4	60	-1.00	13.36	5.60	7.76	71.3	-1.0	1.75	12.87	-1.00	-1.00	-1.00	.82
60469	16.4 17.9	-1.0	-1	4G4	60	-1.00	11.73	4.00	7.73	51.9	-1.0	.81	14.20	-1.00	-1.00	-1.00	.11
60470	17.9 19.3	-1.0	-1	4E18	40	-1.00	3.61	2.28	1.33	15.6	-1.0	.93	25.14	-1.00	-1.00	-1.00	.20
60471	19.3 20.6	-1.0	-1	4E18	40	-1.00	3.42	1.30	2.12	16.3	-1.0	.98	23.37	-1.00	-1.00	-1.00	.24
60472	20.6 22.0	-1.0	-1	4E18	40	-1.00	4.34	2.34	2.00	16.9	-1.0	1.66	27.13	-1.00	-1.00	-1.00	.19
60473	22.0 23.5	-1.0	-1	4C35	40	-1.00	1.13	.48	.65	9.8	-1.0	.73	19.74	-1.00	-1.00	-1.00	.35
60474	23.5 25.0	-1.0	-1	4C35	40	-1.00	.44	.17	.27	7.1	-1.0	.54	16.61	-1.00	-1.00	-1.00	.28
60475	25.0 26.3	-1.0	-1	4C3	40	-1.00	.78	.21	.57	10.3	-1.0	.78	21.31	-1.00	-1.00	-1.00	.44
60476	26.3 27.6	-1.0	-1	4C3	40	-1.00	.54	.14	.40	9.8	-1.0	.73	21.97	-1.00	-1.00	-1.00	.51
60477	27.6 29.0	-1.0	-1	4C3	40	-1.00	2.35	1.29	1.06	22.0	-1.0	1.32	20.69	-1.00	-1.00	-1.00	.45

LITHOLOGIES

Drill Hole: 90V-72
Northing: 9846.7 Easting: 9985.5 Elevation: 1149.4
Length: 29.9 Core: NQ

From	To	Unit	Description
.0	3.7	#	CASING NO RECOVERY
3.7	10.4	OB	OB
10.4	17.9	4G4	&\$(4E648)70:30
17.9	21.9	4E18	&46MINOR &9MINOR
21.9	25.0	4C35	&489
25.0	29.0	4C3	&489
29.0	29.9	4L67	&241

Drill Hole Report

Record 411 Drill Hole - 90V-73

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9784.6	10042.1	1149.9	903034.2	594350.3

Length: 20.1 Section: 19 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
20.1	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-73
 Northing: 9784.6 Easting: 10042.1 Elevation: 1149.9
 Length: 20.1 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60403	9.8 10.9	-1.0	-1	4C7	30	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
60404	10.9 12.1	-1.0	-1	4C7	30	-1.00	1.87	.49	1.38	6.1	-1.0	.44	17.64	-1.00	-1.00	-1.00	.37
60405	12.1 13.3	-1.0	-1	4C7	30	-1.00	1.63	.53	1.10	8.0	-1.0	.32	17.57	-1.00	-1.00	-1.00	.46
60406	13.3 14.5	-1.0	-1	4C7	30	-1.00	.87	.04	.83	1.5	-1.0	.30	10.64	-1.00	-1.00	-1.00	.09
60407	14.5 15.6	-1.0	-1	4C7	30	-1.00	.60	.11	.49	.8	-1.0	.31	9.26	-1.00	-1.00	-1.00	.06

LITHOLOGIES

Drill Hole: 90V-73
Northing: 9784.6 Easting: 10042.1 Elevation: 1149.9
Length: 20.1 Core: NQ

From	To	Unit	Description
.0	5.2	#	CASING NO RETURN
5.2	9.8	OB	O.B.
9.8	13.3	4C7	&9
13.3	15.6	4C7	&54 [3G61]
15.6	20.1	4L672	

Drill Hole Report

Record 412 Drill Hole - 90V-74

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9907.3	9953.4	1152.5	903066.4	594202.4

Length: 50.0 Section: 15 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
50.0	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-74
Northing: 9907.3 Easting: 9953.4 Elevation: 1152.5
Length: 50.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60513	21.3 22.3	-1.0	-1	4GL	60	-1.00	6.87	2.88	3.99	47.3	-1.0	.59	10.67	-1.00	-1.00	-1.00	.05
60514	36.5 37.6	-1.0	-1	4E64	50	-1.00	4.22	1.99	2.23	22.6	-1.0	.18	27.45	-1.00	-1.00	-1.00	.18
60515	37.6 38.7	-1.0	-1	4E64	50	-1.00	6.19	2.27	3.92	24.7	-1.0	.16	19.94	-1.00	-1.00	-1.00	.08

LITHOLOGIES

Drill Hole: 90V-74
Northing: 9907.3 Easting: 9953.4 Elevation: 1152.5
Length: 50.0 Core: NQ

From	To	Unit	Description
.0	8.8	#	CASING NO RECOVERY
8.8	11.3	OB	OB
11.3	13.1	3G9	WEATHERED
13.1	21.3	3G9	(4L6GOUGED & FOLDED)95:5
21.3	27.2	4L6	&7GOUGED~~~~?(4G4)93:7
27.2	34.8	3G9	&BXA MINOR
34.8	36.5	4L24	&9BXA GOUGE +1 LOCAL
36.5	38.7	4E64	&8(4A0BXA)(4LO)90:10
38.7	42.9	4LO	&72
42.9	45.5	3G9	LOCAL<=1"GOUGE ZONES
45.5	50.0	4L2	&71

Drill Hole Report

Record 413 Drill Hole - 90V-75

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9907.0	10015.8	1163.4	903107.8	594249.1

Length: 36.0 Section: 15 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
36.0	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-75
 Northing: 9907.0 Easting: 10015.8 Elevation: 1163.4
 Length: 36.0 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61564	20.6 23.5	-1.0	-1	4E148	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61565	23.5 24.5	-1.0	-1	4E148	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61566	24.5 25.5	-1.0	-1	4E148	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61567	25.5 26.5	-1.0	-1	4E148	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61568	26.5 27.4	-1.0	-1	4E148	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61569	27.4 28.6	-1.0	-1	4E468	50	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61570	28.6 29.8	-1.0	-1	4E468	50	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61571	29.8 30.9	-1.0	-1	4E468	50	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61572	30.9 32.6	-1.0	-1	4E14	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61573	32.6 33.8	-1.0	-1	4C0	30	-1.00	4.67	1.93	2.74	24.2	-1.0	.45	22.00	-1.00	-1.00	-1.00	.22
61574	33.8 35.1	-1.0	-1	4C0	30	-1.00	5.01	2.06	2.95	24.0	-1.0	.77	17.46	-1.00	-1.00	-1.00	.24
61575	35.1 36.0	-1.0	-1	4C0	30	-1.00	3.42	1.77	1.65	15.6	-1.0	.73	21.31	-1.00	-1.00	-1.00	.19

LITHOLOGIES

Drill Hole: 90V-75
Northing: 9907.0 Easting: 10015.8 Elevation: 1163.4
Length: 36.0 Core: NQ

From	To	Unit	Description
.0	8.2	#	CASING NO RECOVERY
8.2	17.8	OB	OB
17.8	20.5	3G9	
20.5	27.4	4E148	FAULT 82-85.5 170.5-176
27.4	30.9	4E468	[4G48]
30.9	32.6	4E14	&6
32.6	36.0	4C0	[4D] FAULT 105.5-113

Drill Hole Report

Record 414 Drill Hole - 90V-76

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9968.4	9984.7	1161.7	903132.8	594185.0

Length: 60.1 Section: 13 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
60.1	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-76
 Northing: 9968.4 Easting: 9984.7 Elevation: 1161.7
 Length: 60.1 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60516	33.2 34.8	-1.0	-1	4G4	60	-1.00	13.99	7.82	6.17	69.9	-1.0	.93	32.45	-1.00	-1.00	-1.00	.11
60517	34.8 36.4	-1.0	-1	4G4	60	-1.00	11.02	4.15	6.87	55.1	-1.0	.69	17.10	-1.00	-1.00	-1.00	.04
60518	36.4 38.0	-1.0	-1	4G0	60	-1.00	8.50	4.66	3.84	55.4	-1.0	1.23	29.17	-1.00	-1.00	-1.00	.15
60519	43.3 44.6	-1.0	-1	4E41	50	-1.00	6.00	2.23	3.77	23.0	-1.0	1.36	23.01	-1.00	-1.00	-1.00	.02
60520	44.6 46.0	-1.0	-1	4E41	50	-1.00	5.45	3.29	2.16	31.0	-1.0	.57	25.46	-1.00	-1.00	-1.00	.24
60521	46.0 47.3	-1.0	-1	4E1	40	-1.00	3.25	1.72	1.53	22.6	-1.0	.49	31.72	-1.00	-1.00	-1.00	.21
60522	47.3 48.7	-1.0	-1	4E41	50	-1.00	7.23	2.88	4.35	29.6	-1.0	.49	22.23	-1.00	-1.00	-1.00	.16
60523	48.7 49.2	-1.0	-1	4A4	20	-1.00	5.62	1.53	4.09	15.4	-1.0	.13	8.64	-1.00	-1.00	-1.00	.02
60524	53.5 54.8	-1.0	-1	4G4	60	-1.00	13.79	5.66	8.13	66.0	-1.0	.53	14.23	-1.00	-1.00	-1.00	.11
60525	54.8 56.0	-1.0	-1	4E64	50	-1.00	7.20	3.28	3.92	45.9	-1.0	.63	34.27	-1.00	-1.00	-1.00	.20
60526	56.0 57.3	-1.0	-1	4E64	50	-1.00	3.35	1.31	2.04	28.9	-1.0	1.37	35.86	-1.00	-1.00	-1.00	.32
60527	57.3 58.5	-1.0	-1	4E64	50	-1.00	6.20	2.60	3.60	45.0	-1.0	.76	28.66	-1.00	-1.00	-1.00	.23
60528	58.5 59.1	-1.0	-1	4H41	70	-1.00	5.40	2.18	3.22	35.4	-1.0	.27	41.84	-1.00	-1.00	-1.00	.33

LITHOLOGIES

Drill Hole: 90V-76
Northing: 9968.4 Easting: 9984.7 Elevation: 1161.7
Length: 60.1 Core: NQ

From	To	Unit	Description
.0	11.3	#	CASING NO RECOVERY
11.3	25.3	OB	OB
25.3	27.1	3G0	OXIDIZED
27.1	33.2	3G0	&94
33.2	37.9	4G0	&8(4E64) 80:20
37.9	42.5	4L6	
42.5	43.3	4L0	&GOUGE
43.3	48.7	4E41	&69 (4G0&8) 90:10
48.7	49.2	3E0	(4A4&8 OR 7)60:40
49.2	53.5	3G4	&96 (py)
53.5	58.5	4E64	LOC(4G4&8)60:40
58.5	59.1	4H41	&9
59.1	60.0	3G4	&96 (py)

Drill Hole Report

Record 415 Drill Hole - 90V-77

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9968.3	9968.9	1158.0	903122.2	594173.3

Length: 53.0 Section: 13 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
53.0	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-77
 Northing: 9968.3 Easting: 9968.9 Elevation: 1158.0
 Length: 53.0 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61559	27.1 28.2	-1.0	-1	4E64	50	-1.00	19.11	11.80	7.31	155.3	-1.0	1.23	23.12	-1.00	-1.00	-1.00	.15
61560	28.2 29.4	-1.0	-1	4E64	50	-1.00	10.34	5.41	4.93	5.2	-1.0	.75	29.43	-1.00	-1.00	-1.00	.15
61561	29.4 32.4	-1.0	-1	4E64	50	-1.00	14.19	4.74	9.45	71.9	-1.0	.45	18.88	-1.00	-1.00	-1.00	.09
61562	32.4 45.9	-1.0	-1	4E41	50	-1.00	9.03	3.23	5.80	27.5	-1.0	.19	16.61	-1.00	-1.00	-1.00	.05
61563	45.9 48.6	-1.0	-1	4E41	50	-1.00	9.10	2.83	6.27	29.4	-1.0	.20	15.51	-1.00	-1.00	-1.00	.12

LITHOLOGIES

Drill Hole: 90V-77
Northing: 9968.3 Easting: 9968.9 Elevation: 1158.0
Length: 53.0 Core: NQ

From	To	Unit	Description
.0	11.3	#	CASING NO RECOVERY
11.3	18.3	OB	OB
18.3	25.6	3G6	&9 OXIDIZED
25.6	26.5	3E6	FAULT @ 86-86.8
26.5	27.1	3G6	OXIDIZED
27.1	29.4	4E64	&7 MINOR
29.4	30.7	3G61	&5
30.7	32.4	4E64	
32.4	43.6	3G9	BXA LOWER 2'
43.6	45.4	4E41	FAULT BXA 4E
45.4	45.9	4E4	
45.9	47.1	3G0	GOUGE 151-154.5
47.1	48.6	4E41	Sph & PbS CONC @BXA
48.6	53.0	4I4	GOUGE 3cm @161162&163'

Drill Hole Report

Record 416 Drill Hole - 90V-78

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9906.6	9986.7	1157.3	903088.1	594227.7

Length: 36.3 Section: 15 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETE Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
36.3	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-78
 Northing: 9906.6 Easting: 9986.7 Elevation: 1157.3
 Length: 36.3 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60498	19.1 20.5	-1.0	-1	4G4	60	-1.00	17.36	8.69	8.67	69.2	-1.0	1.43	17.39	-1.00	-1.00	-1.00	.26
60499	20.5 22.0	-1.0	-1	4G4	60	-1.00	16.11	8.45	7.66	82.4	-1.0	.99	23.81	-1.00	-1.00	-1.00	.18
60500	22.0 25.6	-1.0	-1	4A4	20	-1.00	5.39	2.29	3.10	31.7	-1.0	.16	5.81	-1.00	-1.00	-1.00	.05
60501	31.9 32.9	-1.0	-1	4G4B	60	-1.00	12.81	7.09	5.72	71.0	-1.0	.84	21.57	-1.00	-1.00	-1.00	.11
60502	34.8 36.3	-1.0	-1	4G4	60	-1.00	11.70	7.17	4.53	58.1	-1.0	1.36	24.50	-1.00	-1.00	-1.00	.09

LITHOLOGIES

Drill Hole: 90V-78
Northing: 9906.6 Easting: 9986.7 Elevation: 1157.3
Length: 36.3 Core: NQ

From	To	Unit	Description
.0	9.8	#	CASING NO RECOVERY
9.8	19.1	OB	OB
19.1	21.9	4G4	
21.9	25.6	4A4	(4LO)98:2
25.6	30.5	3G9	
30.5	31.9	4LO	
31.9	32.9	4G48	
32.9	34.7	4LO	
34.7	36.3	4G4	&8 [4E64] &8

Drill Hole Report

Record 417 Drill Hole - 90V-79

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9847.4	10015.3	1155.3	903063.1	594288.4

Length: 29.9 Section: 17 E
Type: DDH Core: NQ Location: GRUM

Logged by: PETER Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
29.9	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-79
 Northing: 9847.4 Easting: 10015.3 Elevation: 1155.3
 Length: 29.9 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60418	16.2 17.2	-1.0	-1	4E784	50	-1.00	6.18	3.01	3.17	29.3	-1.0	.31	28.17	-1.00	-1.00	-1.00	.19
60419	17.2 18.4	-1.0	-1	4G4	60	-1.00	10.46	5.25	5.21	53.8	-1.0	.60	21.90	-1.00	-1.00	-1.00	.16
60420	18.4 19.6	-1.0	-1	4G4	60	-1.00	8.12	4.02	4.10	50.3	-1.0	.64	24.34	-1.00	-1.00	-1.00	.16
60421	19.6 20.9	-1.0	-1	4G4	60	-1.00	10.99	5.98	5.01	41.1	-1.0	.44	17.19	-1.00	-1.00	-1.00	.15
60422	20.9 22.3	-1.0	-1	4C0	30	-1.00	4.82	2.17	2.65	24.4	-1.0	.65	22.57	-1.00	-1.00	-1.00	.23
60423	22.3 23.8	-1.0	-1	4C0	30	-1.00	3.94	1.22	2.72	19.9	-1.0	.29	19.81	-1.00	-1.00	-1.00	.22
60424	23.8 25.3	-1.0	-1	4C0	30	-1.00	4.75	2.62	2.13	30.8	-1.0	.62	17.46	-1.00	-1.00	-1.00	.22
60425	25.3 26.8	-1.0	-1	4C0	30	-1.00	3.86	2.47	1.39	22.7	-1.0	1.50	15.40	-1.00	-1.00	-1.00	.20
60426	26.8 28.4	-1.0	-1	4C0	30	-1.00	1.94	1.41	.53	12.3	-1.0	.63	22.07	-1.00	-1.00	-1.00	.46
60427	28.4 29.9	-1.0	-1	4C0	30	-1.00	1.97	.73	1.24	10.9	-1.0	.44	17.31	-1.00	-1.00	-1.00	.15

LITHOLOGIES

Drill Hole: 90V-79
Northing: 9847.4 Easting: 10015.3 Elevation: 1155.3
Length: 29.9 Core: NQ

From	To	Unit	Description
.0	6.7	#	CASING NO RECOVERY
6.7	16.4	OB	OB
16.4	17.2	4E784	BXA
17.2	20.8	4G4	&8(4E64&8)70:30
20.8	29.9	4C0	&74

Drill Hole Report

Record 418 Drill Hole - 90V-80

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9848.0	10029.3	1157.8	903072.9	594298.5

Length: 33.2 Section: 17 E
Type: DDH Core: NQ Location: GRUM ?

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
33.2	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-80
 Northing: 9848.0 Easting: 10029.3 Elevation: 1157.8
 Length: 33.2 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60408	15.9 17.4	-1.0	-1	4G4	60	-1.00	18.27	9.09	9.18	101.4	-1.0	.43	17.45	-1.00	-1.00	-1.00	.07
60409	17.4 18.8	-1.0	-1	4G4	60	-1.00	13.80	5.90	7.90	60.9	-1.0	.46	12.06	-1.00	-1.00	-1.00	.04
60410	18.8 20.2	-1.0	-1	4G4	60	-1.00	10.31	3.83	6.48	44.1	-1.0	.63	12.10	-1.00	-1.00	-1.00	.04
60411	20.2 21.7	-1.0	-1	4G4	60	-1.00	12.36	4.83	7.53	60.4	-1.0	.69	15.48	-1.00	-1.00	-1.00	.06
60412	21.7 23.1	-1.0	-1	4G4	60	-1.00	12.52	7.28	5.24	87.3	-1.0	.82	21.75	-1.00	-1.00	-1.00	.19
60413	23.1 24.6	-1.0	-1	4C7	30	-1.00	1.65	.37	1.28	8.9	-1.0	.37	14.65	-1.00	-1.00	-1.00	.44
60414	24.6 26.2	-1.0	-1	4C7	30	-1.00	.64	.24	.40	7.8	-1.0	.10	12.04	-1.00	-1.00	-1.00	.12
60415	26.2 27.7	-1.0	-1	4C7	30	-1.00	.90	.03	.87	6.6	-1.0	.13	11.95	-1.00	-1.00	-1.00	.16
60416	27.7 29.2	-1.0	-1	4C7	30	-1.00	.54	.01	.53	6.2	-1.0	.16	14.61	-1.00	-1.00	-1.00	.14
60417	29.2 30.7	-1.0	-1	4C7	30	-1.00	2.60	.92	1.68	7.5	-1.0	.55	16.38	-1.00	-1.00	-1.00	.13

LITHOLOGIES

Drill Hole: 90V-80
Northing: 9848.0 Easting: 10029.3 Elevation: 1157.8
Length: 33.2 Core: NQ

From	To	Unit	Description
.0	6.7	#	CASING NO RECOVERY
6.7	15.9	OB	OB
15.9	23.1	4G44	(3C4) 95:5
23.1	30.7	4C7	SILICIFIED 4L472
30.7	31.3	4L0	&GOUGE
31.3	33.2	3G6	(Po & Py minor Py)

Drill Hole Report

Record 419 Drill Hole - 90V-81

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10091.5	10076.3	1155.9	903285.5	594171.1

Length: 72.3 Section: 9 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
72.3	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-81
 Northing: 10091.5 Easting: 10076.3 Elevation: 1155.9
 Length: 72.3 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60683	26.7 28.2	-1.0	-1	4A0	20	-1.00	2.74	.67	2.07	8.8	-1.0	.35	7.81	-1.00	-1.00	-1.00	.02
60684	28.2 29.8	-1.0	-1	4A0	20	-1.00	2.61	.96	1.65	13.3	-1.0	.47	5.30	-1.00	-1.00	-1.00	.03
60685	29.8 31.4	-1.0	-1	4A4	20	-1.00	4.75	1.42	3.33	22.0	-1.0	.63	8.64	-1.00	-1.00	-1.00	.04
60686	31.4 32.7	-1.0	-1	4E641	50	-1.00	12.00	5.91	6.09	58.8	-1.0	1.09	21.66	-1.00	-1.00	-1.00	.04
60687	32.7 33.9	-1.0	-1	4E641	50	-1.00	11.56	7.06	4.50	61.7	-1.0	1.34	21.83	-1.00	-1.00	-1.00	.13
60688	33.9 35.2	-1.0	-1	4E1	40	-1.00	1.42	.47	.95	5.8	-1.0	1.63	27.68	-1.00	-1.00	-1.00	.17
60689	35.2 36.5	-1.0	-1	4E1	40	-1.00	1.51	.81	.70	11.8	-1.0	2.69	26.12	-1.00	-1.00	-1.00	.24
60690	36.5 38.1	-1.0	-1	4D5	80	-1.00	7.37	3.13	4.24	49.1	-1.0	1.29	16.37	-1.00	-1.00	-1.00	.12
60691	38.1 39.8	-1.0	-1	4D5	80	-1.00	4.59	2.89	1.70	43.7	-1.0	1.59	16.97	-1.00	-1.00	-1.00	.18
60692	39.8 41.3	-1.0	-1	4C87	30	-1.00	1.02	.60	.42	11.6	-1.0	1.43	21.38	-1.00	-1.00	-1.00	.18
60693	41.3 42.9	-1.0	-1	4C87	30	-1.00	.82	.28	.54	9.9	-1.0	.28	27.93	-1.00	-1.00	-1.00	.52
60694	42.9 44.4	-1.0	-1	4C87	30	-1.00	.56	.12	.44	8.9	-1.0	.44	23.75	-1.00	-1.00	-1.00	.54
60695	44.4 46.0	-1.0	-1	4C87	30	-1.00	.19	.06	.13	10.2	-1.0	.97	22.86	-1.00	-1.00	-1.00	.53
60696	46.0 47.5	-1.0	-1	4C87	30	-1.00	.56	.07	.49	8.7	-1.0	.84	24.24	-1.00	-1.00	-1.00	.44
60697	47.5 49.1	-1.0	-1	4C87	30	-1.00	.25	.02	.23	8.0	-1.0	.69	24.23	-1.00	-1.00	-1.00	.74
60698	49.1 50.6	-1.0	-1	4C87	30	-1.00	.17	.01	.16	6.6	-1.0	.56	24.04	-1.00	-1.00	-1.00	.84
60699	50.6 52.1	-1.0	-1	4C87	30	-1.00	.15	.01	.14	6.9	-1.0	.41	25.35	-1.00	-1.00	-1.00	.12
60700	52.1 53.6	-1.0	-1	4C87	30	-1.00	.88	.77	.11	10.7	-1.0	.39	17.37	-1.00	-1.00	-1.00	.30
60701	53.6 55.2	-1.0	-1	4C87	30	-1.00	1.66	1.48	.18	19.6	-1.0	.42	15.49	-1.00	-1.00	-1.00	.23
60702	55.2 56.7	-1.0	-1	4C87	30	-1.00	.26	.06	.20	6.7	-1.0	.62	19.45	-1.00	-1.00	-1.00	.60
60703	56.7 58.4	-1.0	-1	4C779	30	-1.00	.62	.22	.40	10.5	-1.0	.15	28.42	-1.00	-1.00	-1.00	.49
60704	58.4 60.0	-1.0	-1	4C779	30	-1.00	.83	.29	.54	11.0	-1.0	.21	30.23	-1.00	-1.00	-1.00	.36
60705	61.7 63.3	-1.0	-1	4C75	30	-1.00	.45	.18	.27	6.5	-1.0	.18	12.71	-1.00	-1.00	-1.00	.16
60706	63.3 64.4	-1.0	-1	4C7	30	-1.00	.41	.33	.08	8.6	-1.0	.34	21.38	-1.00	-1.00	-1.00	.75

LITHOLOGIES

Drill Hole: 90V-81
Northing: 10091.5 Easting: 10076.3 Elevation: 1155.9
Length: 72.3 Core: NQ

From	To	Unit	Description
.0	7.3	#	CASING NO RECOVERY
7.3	26.7	OB	OB
26.7	31.4	4A0	&8
31.4	33.9	4E641	&8
33.9	36.5	4E1	
36.5	39.7	4D5	&7
39.7	56.7	4C87	&495(3C3) 98:2
56.7	60.0	4C779	
60.0	61.7	3C3	&6MINOR(4C87) 90:10
61.7	63.3	4C75	&49 MINOR
63.3	64.4	4C7	&495 MINOR
64.4	72.2	4L71	&2

Drill Hole Report

Record 420 Drill Hole - 90V-82

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10120.2	10042.5	1154.4	903284.4	594126.8

Length: 50.9 Section: 8 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
50.9	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-82
 Northing: 10120.2 Easting: 10042.5 Elevation: 1154.4
 Length: 50.9 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60910	28.4 29.7	-1.0	-1	4A0	20	-1.00	4.82	1.51	3.31	22.9	-1.0	.40	7.35	-1.00	-1.00	-1.00	.06
60911	29.7 30.9	-1.0	-1	4A0	20	-1.00	3.24	1.12	2.12	13.9	-1.0	.41	6.53	-1.00	-1.00	-1.00	.04
60912	30.9 32.1	-1.0	-1	4A0	20	-1.00	3.89	1.15	2.74	16.2	-1.0	.31	4.29	-1.00	-1.00	-1.00	.03
60913	32.1 34.1	-1.0	-1	4A0	20	-1.00	4.72	1.72	3.00	23.1	-1.0	.47	5.26	-1.00	-1.00	-1.00	.04
60914	34.1 35.7	-1.0	-1	4A0	20	-1.00	3.89	1.26	2.63	17.9	-1.0	.43	7.22	-1.00	-1.00	-1.00	.03
60915	35.7 37.2	-1.0	-1	4A0	20	-1.00	7.18	2.68	4.50	32.8	-1.0	.22	9.25	-1.00	-1.00	-1.00	.04
60916	37.2 38.8	-1.0	-1	4A0	20	-1.00	2.10	.61	1.49	10.5	-1.0	.32	7.63	-1.00	-1.00	-1.00	.02
60917	38.8 40.4	-1.0	-1	4A0	20	-1.00	2.55	.81	1.74	13.0	-1.0	.46	10.13	-1.00	-1.00	-1.00	.02
60918	40.4 41.7	-1.0	-1	4G0	60	-1.00	18.90	6.90	12.00	86.0	-1.0	.56	11.23	-1.00	-1.00	-1.00	.16
60919	41.7 43.4	-1.0	-1	4E1	40	-1.00	2.62	.61	2.01	13.4	-1.0	.63	39.15	-1.00	-1.00	-1.00	.00
60920	43.4 44.8	-1.0	-1	4C78	30	-1.00	1.65	.80	.85	16.0	-1.0	1.11	29.98	-1.00	-1.00	-1.00	.23
60921	44.8 46.3	-1.0	-1	4C78	30	-1.00	1.04	.66	.38	13.1	-1.0	1.11	33.39	-1.00	-1.00	-1.00	.30
60922	46.3 47.9	-1.0	-1	4C78	30	-1.00	.94	.50	.44	9.9	-1.0	1.20	31.65	-1.00	-1.00	-1.00	.30
60923	47.9 49.1	-1.0	-1	4H1	70	-1.00	4.22	1.80	2.42	18.3	-1.0	.77	34.79	-1.00	-1.00	-1.00	.33
60924	49.1 50.0	-1.0	-1	4D78	80	-1.00	6.83	3.93	2.90	37.8	-1.0	.69	18.75	-1.00	-1.00	-1.00	.12
60925	50.0 50.9	-1.0	-1	4D78	80	-1.00	9.50	5.27	4.23	51.0	-1.0	1.37	24.25	-1.00	-1.00	-1.00	.15

LITHOLOGIES

Drill Hole: 90V-82
Northing: 10120.2 Easting: 10042.5 Elevation: 1154.4
Length: 50.9 Core: NQ

From	To	Unit	Description
.0	6.1	#	CASING NO RECOVERY
6.1	27.3	OB	OB
27.3	28.4	3G9	
28.4	32.1	4A0	&47(3G9)98:2
32.1	32.6	4L0	&2
32.6	40.4	4A0	&74(4L0)(4G0)98:1:1
40.4	41.7	4G4	
41.7	43.3	4E1	&8 MINOR
43.3	47.9	4C78	&49
47.9	49.1	4H1	
49.1	50.9	4D87	&9 MINOR

Drill Hole Report

Record 421 Drill Hole - 90V-83

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10001.8	9984.3	1160.5	903157.4	594162.4

Length: 53.0 Section: 12 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
53.0	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-83
 Northing: 10001.8 Easting: 9984.3 Elevation: 1160.5
 Length: 53.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60984	33.8 35.1	-1.0	-1	4L0	120	-1.00	3.68	1.97	1.71	20.8	-1.0	.24	33.31	-1.00	-1.00	-1.00	.08
60985	35.1 36.6	-1.0	-1	4A0	20	-1.00	2.94	1.15	1.79	33.8	-1.0	.62	25.63	-1.00	-1.00	-1.00	.20
60986	36.6 38.4	-1.0	-1	4G4#	60	-1.00	10.59	4.30	6.29	57.4	-1.0	.80	16.65	-1.00	-1.00	-1.00	.07
60987	38.4 39.8	-1.0	-1	4A0	20	-1.00	1.02	.48	.54	10.6	-1.0	.31	16.67	-1.00	-1.00	-1.00	.08
60988	39.8 41.3	-1.0	-1	4A0	20	-1.00	4.16	1.61	2.55	25.1	-1.0	.62	15.55	-1.00	-1.00	-1.00	.12
60989	43.2 44.5	-1.0	-1	4A4	20	-1.00	13.81	4.86	8.95	50.5	-1.0	.31	16.45	-1.00	-1.00	-1.00	.16
60990	44.5 45.7	-1.0	-1	4A4	20	-1.00	6.32	2.72	3.60	27.6	-1.0	.25	15.87	-1.00	-1.00	-1.00	.17

LITHOLOGIES

Drill Hole: 90V-83
Northing: 10001.8 Easting: 9984.3 Elevation: 1160.5
Length: 53.0 Core: NQ

From	To	Unit	Description
.0	6.7	#	CASING NO RECOVERY
6.7	29.0	OB	OB
29.0	33.8	4LO	WX 8' LOST CORE
33.8	35.1	4LO	&6 (4E48)60:40FRAC
35.1	35.2	4AO	FAULT GOUGE
35.2	36.6	4AO	FRAC
36.6	37.5	4LO	&1 (4G4) 75:25FRAC
37.5	38.3	4G4#	&8 FRAC
38.3	41.2	4AO	(4L2)&6 75:25
41.2	43.2	4L6	&1# [3G9]FRAC
43.2	45.7	4A4	(4E4) 90:10
45.7	53.0	4L6#	&27GOUGE 168.4-168.6

Drill Hole Report

Record 422 Drill Hole - 90V-84

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10149.4	10029.5	1152.6	903297.4	594097.6

Length: 74.1 Section: 7 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
74.1	-88.5	107.0	66.0	SPERRY SUN

ASSAYS

Drill Hole: 90V-84
 Northing: 10149.4 Easting: 10029.5 Elevation: 1152.6
 Length: 74.1 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61680	24.7 26.3	-1.0	-1	4G4	60	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61681	26.3 27.4	-1.0	-1	4D68	80	-1.00	6.73	3.38	3.35	30.7	-1.0	.56	32.99	-1.00	-1.00	-1.00	.11
61682	27.4 28.5	-1.0	-1	4D68	80	-1.00	7.21	3.30	3.91	38.0	-1.0	.45	27.93	-1.00	-1.00	-1.00	.09
61683	28.5 30.0	-1.0	-1	4G48	60	-1.00	14.39	6.81	7.58	70.8	-1.0	.67	20.66	-1.00	-1.00	-1.00	.03
61684	30.0 31.5	-1.0	-1	4G48	60	-1.00	14.26	6.94	7.32	134.0	-1.0	.94	19.10	-1.00	-1.00	-1.00	.05
61685	31.5 33.0	-1.0	-1	4G48	60	-1.00	13.17	6.30	6.87	69.3	-1.0	.06	16.00	-1.00	-1.00	-1.00	.07
61686	33.0 34.6	-1.0	-1	4G48	60	-1.00	11.10	4.12	6.98	50.4	-1.0	.41	16.40	-1.00	-1.00	-1.00	.07
61687	34.6 36.1	-1.0	-1	4G48	60	-1.00	15.02	7.59	7.43	76.6	-1.0	.59	17.53	-1.00	-1.00	-1.00	.06
61688	36.1 37.7	-1.0	-1	4G48	60	-1.00	9.13	3.91	5.22	46.8	-1.0	.47	22.91	-1.00	-1.00	-1.00	.17
61689	37.7 39.1	-1.0	-1	4A0*	20	-1.00	11.05	4.44	6.61	52.2	-1.0	.43	17.47	-1.00	-1.00	-1.00	.08
61690	39.1 40.4	-1.0	-1	4A4*	20	-1.00	1.71	.55	1.16	7.2	-1.0	.22	9.11	-1.00	-1.00	-1.00	.03
61691	40.4 41.8	-1.0	-1	4A0*	20	-1.00	6.49	2.49	4.00	35.3	-1.0	.11	13.17	-1.00	-1.00	-1.00	.03
61692	41.8 43.2	-1.0	-1	4A0*	20	-1.00	.79	.21	.58	5.0	-1.0	.45	15.49	-1.00	-1.00	-1.00	.03
61693	43.2 44.5	-1.0	-1	4A0*	20	-1.00	3.46	1.11	2.35	14.9	-1.0	.61	17.14	-1.00	-1.00	-1.00	.03
61694	44.5 45.9	-1.0	-1	4E0	50	-1.00	3.16	.75	2.41	12.7	-1.0	.80	35.82	-1.00	-1.00	-1.00	.01
61695	45.9 47.1	-1.0	-1	4G487	60	-1.00	12.07	4.36	7.71	52.8	-1.0	.41	11.64	-1.00	-1.00	-1.00	.03
61696	47.1 48.4	-1.0	-1	4G487	60	-1.00	11.73	5.68	6.05	47.0	-1.0	.74	26.58	-1.00	-1.00	-1.00	.11
61697	48.4 49.7	-1.0	-1	4G87	60	-1.00	7.60	4.37	3.23	55.4	-1.0	.52	27.66	-1.00	-1.00	-1.00	.08
61698	49.7 51.0	-1.0	-1	4G87	60	-1.00	11.75	4.02	7.73	57.3	-1.0	.45	13.75	-1.00	-1.00	-1.00	.03
61699	51.0 52.5	-1.0	-1	4D8	80	-1.00	4.92	2.16	2.76	22.5	-1.0	.99	22.00	-1.00	-1.00	-1.00	.20
61700	52.5 54.0	-1.0	-1	4C8	30	-1.00	3.36	.75	2.61	10.5	-1.0	.76	16.53	-1.00	-1.00	-1.00	.16
61701	54.0 55.4	-1.0	-1	4C8	30	-1.00	2.37	.36	2.01	5.2	-1.0	.60	10.36	-1.00	-1.00	-1.00	.11
61702	55.4 57.0	-1.0	-1	4H8	70	-1.00	7.63	4.70	2.93	59.7	-1.0	1.91	28.12	-1.00	-1.00	-1.00	.45
61703	57.0 58.4	-1.0	-1	4H8	70	-1.00	3.09	1.72	1.37	23.6	-1.0	3.26	38.12	-1.00	-1.00	-1.00	.54
61704	58.4 59.7	-1.0	-1	4C789	30	-1.00	.67	.32	.35	6.7	-1.0	1.78	26.64	-1.00	-1.00	-1.00	.48
61705	59.7 62.3	-1.0	-1	4C789	30	-1.00	1.46	.74	.72	7.4	-1.0	5.00	24.49	-1.00	-1.00	-1.00	.28
61706	62.3 63.7	-1.0	-1	4C789	30	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61707	63.7 65.0	-1.0	-1	4C789	30	-1.00	.68	.33	.35	8.3	-1.0	1.71	19.76	-1.00	-1.00	-1.00	.61
61708	65.0 66.3	-1.0	-1	4C789	30	-1.00	1.55	.79	.76	8.4	-1.0	4.39	24.71	-1.00	-1.00	-1.00	.38
61709	66.3 67.6	-1.0	-1	4C789	30	-1.00	1.03	.37	.66	6.5	-1.0	8.08	26.55	-1.00	-1.00	-1.00	.82
61710	67.6 68.9	-1.0	-1	4C789	30	-1.00	.44	.13	.31	4.7	-1.0	4.59	28.70	-1.00	-1.00	-1.00	.83
61711	68.9 70.2	-1.0	-1	4C789	30	-1.00	.85	.24	.61	4.8	-1.0	1.19	20.45	-1.00	-1.00	-1.00	.59
61712	70.2 71.5	-1.0	-1	4C789	30	-1.00	1.59	.64	.95	6.7	-1.0	2.37	24.91	-1.00	-1.00	-1.00	.26
61713	71.5 72.8	-1.0	-1	4C789	30	-1.00	1.36	.58	.78	10.9	-1.0	4.84	24.68	-1.00	-1.00	-1.00	.56
61714	72.8 74.1	-1.0	-1	4C789	30	-1.00	2.40	.87	1.53	9.9	-1.0	2.17	31.36	-1.00	-1.00	-1.00	.25

LITHOLOGIES

Drill Hole: 90V-84
Northing: 10149.4 Easting: 10029.5 Elevation: 1152.6
Length: 74.1 Core: NQ

From	To	Unit	Description
.0	6.7	#	CASING NO RECOVERY
6.7	22.3	OB	OB
22.3	24.7	OB	WX BARITIC & SULPHIDE ORE
24.7	26.3	4G4	WXFRAC py BANDS
26.3	28.5	4D68	&* MINOR
28.5	37.7	4G48	[4D][4H] LOCALLY
37.7	44.5	4A0*	&4
44.5	45.8	4E4	BXA?
45.8	51.0	4G87	pmag BANDS BXA?
51.0	55.4	4C8	&7MINOR&*MINOR[3G]
55.4	58.4	4H8	FLOW BXA
58.4	74.1	4C789	[4F] BXA?

Drill Hole Report

Record 423 Drill Hole - 90V-85

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10090.6	10106.8	1156.4	903305.2	594194.4

Length: 90.5 Section: 9 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
90.5	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-85
 Northing: 10090.6 Easting: 10106.8 Elevation: 1156.4
 Length: 90.5 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60867	46.9 48.4	-1.0	-1	4A0	20	-1.00	2.17	1.33	.84	19.9	-1.0	2.50	19.53	-1.00	-1.00	-1.00	.26
60868	48.4 49.9	-1.0	-1	4A0	20	-1.00	1.24	1.04	.20	18.6	-1.0	.93	20.07	-1.00	-1.00	-1.00	.29
60869	49.9 51.5	-1.0	-1	4A0	20	-1.00	.33	.08	.25	6.6	-1.0	.71	23.28	-1.00	-1.00	-1.00	.30
60870	51.5 52.9	-1.0	-1	4A0	20	-1.00	.38	.16	.22	8.0	-1.0	.48	20.74	-1.00	-1.00	-1.00	.28

LITHOLOGIES

Drill Hole: 90V-85
Northing: 10090.6 Easting: 10106.8 Elevation: 1156.4
Length: 90.5 Core: NQ

From	To	Unit	Description
.0	2.1	#	CASING NO RECOVERY
2.1	23.6	OB	OB
23.6	27.3	3G9	&7
27.3	46.7	3G9	&6 MINOR
46.7	52.6	4A0	&7 MINOR
52.6	57.5	3G9	&6 MINOR
57.5	90.5	4L7	&2 MINOR

Drill Hole Report

Record 424 Drill Hole - 90V-86

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10091.5	10029.6	1156.3	903254.4	594136.3

Length: 76.8 Section: 9 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
76.8	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-86
 Northing: 10091.5 Easting: 10029.6 Elevation: 1156.3
 Length: 76.8 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61525	29.6 31.1	-1.0	-1	4A4	20	-1.00	5.68	1.63	4.05	27.5	-1.0	.37	11.56	-1.00	-1.00	-1.00	.03
61526	31.1 32.6	-1.0	-1	4A4	20	-1.00	5.44	1.59	3.85	25.5	-1.0	.31	11.85	-1.00	-1.00	-1.00	.02
61527	32.6 34.1	-1.0	-1	4A4	20	-1.00	5.77	1.66	4.11	24.1	-1.0	.24	12.53	-1.00	-1.00	-1.00	.02
61528	34.1 35.4	-1.0	-1	4A4	20	-1.00	5.39	1.59	3.80	26.6	-1.0	.61	8.26	-1.00	-1.00	-1.00	.02
61529	35.4 36.9	-1.0	-1	4A0	20	-1.00	2.08	.60	1.48	14.7	-1.0	.45	13.32	-1.00	-1.00	-1.00	.03
61530	36.9 38.1	-1.0	-1	4A0	20	-1.00	1.51	.58	.93	12.9	-1.0	.46	12.88	-1.00	-1.00	-1.00	.03
61531	38.1 39.8	-1.0	-1	4A0	20	-1.00	3.25	.90	2.35	18.5	-1.0	.51	13.42	-1.00	-1.00	-1.00	.02
61532	39.8 42.0	-1.0	-1	4G8	60	-1.00	6.40	2.26	4.14	30.5	-1.0	.31	28.57	-1.00	-1.00	-1.00	.03
61533	42.0 42.8	-1.0	-1	4G8	60	-1.00	11.85	4.51	7.34	69.5	-1.0	.26	11.61	-1.00	-1.00	-1.00	.04
61534	42.8 44.1	-1.0	-1	4G8	60	-1.00	9.41	4.21	5.20	66.6	-1.0	.73	16.71	-1.00	-1.00	-1.00	.06
61535	44.1 45.8	-1.0	-1	4D47	80	-1.00	11.24	5.08	6.16	62.3	-1.0	.69	23.46	-1.00	-1.00	-1.00	.10
61536	45.8 47.8	-1.0	-1	4G48	60	-1.00	10.83	4.16	6.67	46.0	-1.0	2.05	9.73	-1.00	-1.00	-1.00	.02
61537	47.8 49.4	-1.0	-1	4D7	80	-1.00	5.03	2.38	2.65	27.5	-1.0	.86	21.19	-1.00	-1.00	-1.00	.24
61538	49.4 50.6	-1.0	-1	4D47	80	-1.00	14.87	6.65	8.22	73.4	-1.0	.75	19.30	-1.00	-1.00	-1.00	.03
61539	50.6 52.1	-1.0	-1	4D7	80	-1.00	5.08	3.39	1.69	40.0	-1.0	2.64	17.96	-1.00	-1.00	-1.00	.30
61540	52.1 53.4	-1.0	-1	4C7	30	-1.00	2.92	1.53	1.39	19.4	-1.0	3.09	20.43	-1.00	-1.00	-1.00	.30
61541	53.4 54.8	-1.0	-1	4C7	30	-1.00	.93	.34	.59	7.5	-1.0	1.96	26.60	-1.00	-1.00	-1.00	.34
61542	54.8 56.4	-1.0	-1	4C7	30	-1.00	.99	.40	.59	6.5	-1.0	1.04	26.78	-1.00	-1.00	-1.00	.62
61543	56.4 57.9	-1.0	-1	4C7	30	-1.00	.46	.16	.30	4.5	-1.0	.77	23.85	-1.00	-1.00	-1.00	.52
61544	57.9 59.7	-1.0	-1	4C7	30	-1.00	.86	.45	.41	6.2	-1.0	.36	25.23	-1.00	-1.00	-1.00	.35
61545	59.7 61.3	-1.0	-1	4C7	30	-1.00	1.05	.28	.77	4.6	-1.0	.33	28.47	-1.00	-1.00	-1.00	.24
61546	61.3 62.8	-1.0	-1	4C7	30	-1.00	1.21	.33	.88	5.7	-1.0	.26	26.93	-1.00	-1.00	-1.00	.25
61547	62.8 63.5	-1.0	-1	4C7	30	-1.00	.85	.30	.55	6.1	-1.0	.24	23.14	-1.00	-1.00	-1.00	.21
61548	63.5 65.0	-1.0	-1	4C7	30	-1.00	.32	.10	.22	5.2	-1.0	.34	21.01	-1.00	-1.00	-1.00	.31
61549	65.0 66.3	-1.0	-1	4C7	30	-1.00	.78	.16	.62	3.4	-1.0	.85	25.51	-1.00	-1.00	-1.00	.28
61550	66.3 67.7	-1.0	-1	4C7	30	-1.00	.98	.23	.75	82.1	-1.0	.57	24.11	-1.00	-1.00	-1.00	.20
61551	67.7 69.2	-1.0	-1	4C7	30	-1.00	.61	.12	.49	4.8	-1.0	.37	20.79	-1.00	-1.00	-1.00	.21
61552	69.2 70.7	-1.0	-1	4C7	30	-1.00	.10	.03	.07	2.1	-1.0	.23	20.43	-1.00	-1.00	-1.00	.20
61553	70.7 72.4	-1.0	-1	4C7	30	-1.00	.44	.30	.14	5.6	-1.0	.15	19.63	-1.00	-1.00	-1.00	.16
61554	72.4 73.6	-1.0	-1	4C7	30	-1.00	.41	.30	.11	3.5	-1.0	.10	14.02	-1.00	-1.00	-1.00	.14
61555	73.6 75.1	-1.0	-1	4L724	120	-1.00	.61	.40	.21	2.7	-1.0	.04	16.83	-1.00	-1.00	-1.00	.25
61556	75.1 76.8	-1.0	-1	4L724	120	-1.00	.17	.01	.16	1.9	-1.0	.13	14.77	-1.00	-1.00	-1.00	.26
61557	76.8 78.0	-1.0	-1	4L724	120	-1.00	.11	.02	.09	1.9	-1.0	.15	13.07	-1.00	-1.00	-1.00	.22
61558	78.0 79.9	-1.0	-1	4L724	120	-1.00	.16	.03	.13	1.6	-1.0	.07	10.56	-1.00	-1.00	-1.00	.13

LITHOLOGIES

Drill Hole: 90V-86
Northing: 10091.5 Easting: 10029.6 Elevation: 1156.3
Length: 76.8 Core: NQ

From	To	Unit	Description
.0	4.6	#	CASING NO RECOVERY
4.6	29.6	OB	OB
29.6	35.4	4A4	
35.4	39.9	4A0	&4* MINOR CARBONATE
39.9	41.9	4G48	
41.9	44.1	4G48	
44.1	45.8	4D7	&8 MINOR
45.8	46.8	3H6	+ sphalerite
46.8	47.7	4G48	
47.7	52.1	4D7	&9
52.1	73.6	4C7	&4 MINOR
73.6	79.9	4L72	&4

Drill Hole Report

Record 425 Drill Hole - 90V-87

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9484.5	10015.6	1159.2	902793.1	594530.6

Length: 35.1 Section: 29 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
35.1	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-87
 Northing: 9484.5 Easting: 10015.6 Elevation: 1159.2
 Length: 35.1 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60816	11.3 17.4	-1.0	-1	4G4	60	-1.00	13.43	6.95	6.48	50.2	-1.0	.50	30.57	-1.00	-1.00	-1.00	1.34
60817	17.4 20.4	-1.0	-1	4G0	60	-1.00	6.58	3.59	2.99	40.2	-1.0	1.71	35.19	-1.00	-1.00	-1.00	1.26
60818	20.4 23.5	-1.0	-1	4G0	60	-1.00	4.99	2.47	2.52	23.0	-1.0	1.49	39.26	-1.00	-1.00	-1.00	1.02
60819	23.5 24.4	-1.0	-1	4E4	50	-1.00	22.38	15.39	6.99	88.8	-1.0	.79	33.19	-1.00	-1.00	-1.00	1.24
60820	24.4 25.5	-1.0	-1	4D68	80	-1.00	9.94	5.93	4.01	58.0	-1.0	1.41	25.92	-1.00	-1.00	-1.00	.29
60821	25.5 26.7	-1.0	-1	4D468	80	-1.00	12.51	6.19	6.32	43.0	-1.0	.71	27.16	-1.00	-1.00	-1.00	.62
60822	26.7 27.9	-1.0	-1	4D68	80	-1.00	7.26	1.01	6.25	15.7	-1.0	.79	21.59	-1.00	-1.00	-1.00	.13
60823	27.9 29.1	-1.0	-1	4E1	40	-1.00	4.69	.11	4.58	9.3	-1.0	.67	22.69	-1.00	-1.00	-1.00	.22
60824	29.1 30.2	-1.0	-1	4E1	40	-1.00	6.81	1.44	5.37	24.6	-1.0	.84	28.76	-1.00	-1.00	-1.00	.22
60825	30.2 31.4	-1.0	-1	4E1	40	-1.00	4.73	.09	4.64	7.8	-1.0	.69	27.17	-1.00	-1.00	-1.00	.13
60826	31.4 32.6	-1.0	-1	4A0	20	-1.00	4.50	.06	4.44	6.7	-1.0	.24	13.35	-1.00	-1.00	-1.00	.13
60827	32.6 33.8	-1.0	-1	4A4	20	-1.00	6.11	.43	5.68	12.0	-1.0	.40	15.33	-1.00	-1.00	-1.00	.18
60828	33.8 35.1	-1.0	-1	4A4	20	-1.00	9.53	1.56	7.97	22.7	-1.0	1.12	26.62	-1.00	-1.00	-1.00	.20

LITHOLOGIES

Drill Hole: 90V-87
Northing: 9484.5 Easting: 10015.6 Elevation: 1159.2
Length: 35.1 Core: NQ

From	To	Unit	Description
----	--	----	-----
.0	.6	#	CASING NO RECOVERY
.6	11.3	OB	OB
11.3	24.4	4E64	(4G4)60:40 (POSS FAULT)
24.4	27.9	4D68	&5 LOCAL(4G4) 90:10
27.9	31.4	4E1	&8 MINOR
31.4	35.1	4A4	(4E15 &8 MINOR)

Drill Hole Report

Record 426 Drill Hole - 90V-88

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9544.4	10017.0	1159.1	902838.6	594491.8

Length: 30.5 Section: 27 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
30.5	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-88
Northing: 9544.4 Easting: 10017.0 Elevation: 1159.1
Length: 30.5 Core: NQ

From	To	Unit	Description
.0	5.0	#	CASING NO RECOVERY
5.0	5.2	OB	OB
5.2	13.9	4L0	OXIDIZED FERRICRETE
13.9	14.3	4G0	
14.3	20.5	4D4	&549 MINOR
20.5	23.8	4C3	&549 MINOR &FAULT
23.8	25.5	4C0	&9
25.5	27.1	4D4	
27.1	30.5	4E1	&8 (4C0&4)

Drill Hole Report

Record 427 Drill Hole - 90V-89

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9540.9	9984.7	1154.1	902814.5	594470.0

Length: 36.6 Section: 27 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
36.6	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-89
 Northing: 9540.9 Easting: 9984.7 Elevation: 1154.1
 Length: 36.6 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
60980	8.5 16.7	-1.0	-1	4A4	20	-1.00	11.24	4.26	6.98	26.7	-1.0	.46	18.28	-1.00	-1.00	-1.00	.14
60981	20.1 21.6	-1.0	-1	4E46	50	-1.00	5.08	2.10	2.98	4.1	-1.0	.11	31.83	-1.00	-1.00	-1.00	.13
60982	21.6 22.9	-1.0	-1	4E46	50	-1.00	12.60	5.50	7.10	.8	-1.0	.06	16.61	-1.00	-1.00	-1.00	.15
60983	22.9 24.2	-1.0	-1	4E48	50	-1.00	7.71	3.47	4.24	16.8	-1.0	.76	24.35	-1.00	-1.00	-1.00	.13

LITHOLOGIES

Drill Hole: 90V-89
Northing: 9540.9 Easting: 9984.7 Elevation: 1154.1
Length: 36.6 Core: NQ

From	To	Unit	Description
.0	6.1	#	CASING NO RECOVERY
6.1	8.5	OB	OB
8.5	16.7	4A4	(4E4) 80:20
16.7	20.1	4L0	&27
20.1	22.9	4E46	
22.9	24.2	4E48	&14
24.2	28.1	4L2	
28.1	32.8	3G4	&72 MINOR
32.8	36.6	3G6	

Drill Hole Report

Record 428 Drill Hole - 90V-90

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9485.3	10031.0	1161.1	902803.9	594541.6

Length: 38.7 Section: 29 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
38.7	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-90
 Northing: 9485.3 Easting: 10031.0 Elevation: 1161.1
 Length: 38.7 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60768	12.2 13.8	-1.0	-1	4C3	40	-1.00	.13	.12	.01	8.6	-1.0	.69	25.71	-1.00	-1.00	-1.00	.47
60769	13.8 15.3	-1.0	-1	4C3	40	-1.00	.10	.09	.01	12.0	-1.0	1.19	22.37	-1.00	-1.00	-1.00	.27
60770	15.3 16.9	-1.0	-1	4C3	40	-1.00	.61	.33	.28	7.1	-1.0	.57	22.46	-1.00	-1.00	-1.00	.19
60771	16.9 18.4	-1.0	-1	4C3	40	-1.00	.39	.23	.16	4.4	-1.0	.49	21.22	-1.00	-1.00	-1.00	.21
60772	18.4 20.0	-1.0	-1	4C3	40	-1.00	1.34	1.30	.04	9.7	-1.0	.66	19.02	-1.00	-1.00	-1.00	.19
60773	20.0 21.5	-1.0	-1	4C3	40	-1.00	.69	.43	.26	8.5	-1.0	.85	15.70	-1.00	-1.00	-1.00	.22
60774	21.5 23.1	-1.0	-1	4C3	40	-1.00	.48	.27	.21	8.3	-1.0	.75	22.65	-1.00	-1.00	-1.00	.35
60775	23.1 24.6	-1.0	-1	4C3	40	-1.00	1.53	1.11	.42	22.3	-1.0	.74	18.67	-1.00	-1.00	-1.00	.45
60776	24.6 26.2	-1.0	-1	4C3	40	-1.00	.23	.15	.08	8.1	-1.0	.48	22.14	-1.00	-1.00	-1.00	.37
60777	26.2 27.7	-1.0	-1	4C3	40	-1.00	.09	.07	.02	10.7	-1.0	.42	22.96	-1.00	-1.00	-1.00	.54
60778	27.7 29.3	-1.0	-1	4C3	40	-1.00	.27	.15	.12	9.9	-1.0	.38	22.20	-1.00	-1.00	-1.00	.32
60779	29.3 30.5	-1.0	-1	4C3	40	-1.00	3.53	.77	2.76	15.6	-1.0	.97	20.27	-1.00	-1.00	-1.00	.11
60780	30.5 31.7	-1.0	-1	4C3	40	-1.00	4.61	.69	3.92	8.3	-1.0	.16	14.45	-1.00	-1.00	-1.00	.05
60781	31.7 33.4	-1.0	-1	4C0	30	-1.00	1.86	.35	1.51	8.6	-1.0	.22	16.69	-1.00	-1.00	-1.00	.25
60782	33.4 35.1	-1.0	-1	4C0	30	-1.00	2.49	.62	1.87	9.2	-1.0	.45	22.14	-1.00	-1.00	-1.00	.17
60783	35.1 36.0	-1.0	-1	4L2	120	-1.00	3.18	1.04	2.14	13.7	-1.0	4.58	13.06	-1.00	-1.00	-1.00	.30

LITHOLOGIES

Drill Hole: 90V-90
Northing: 9485.3 Easting: 10031.0 Elevation: 1161.1
Length: 38.7 Core: NQ

From	To	Unit	Description
.0	4.1	#	CASING NO RECOVERY
4.1	8.2	OB	OB
8.2	12.2	OB	FERRICRETE
12.2	29.3	4C3	&94
29.3	31.7	4D3	(4L0&2)60:40
31.7	35.1	4C0	4C0
35.1	36.0	4L2	&4[4C0 &4]
36.0	37.6	4L0	&2
37.6	38.7	3G0	&4

Drill Hole Report

Record 429 Drill Hole - 90V-91

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10180.3	10106.7	1142.3	903371.9	594134.5

Length: 65.2 Section: 6 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
65.2	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-91
 Northing: 10180.3 Easting: 10106.7 Elevation: 1142.3
 Length: 65.2 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60926	24.1 25.5	-1.0	-1	4A0	20	-1.00	4.06	2.49	1.57	23.7	-1.0	.35	7.86	-1.00	-1.00	-1.00	.03
60927	25.5 27.0	-1.0	-1	4A0	20	-1.00	1.54	1.40	.14	4.7	-1.0	.22	3.56	-1.00	-1.00	-1.00	.01
60928	27.0 28.4	-1.0	-1	4A0	20	-1.00	4.82	2.27	2.55	19.2	-1.0	.41	2.69	-1.00	-1.00	-1.00	.02
60929	28.4 29.8	-1.0	-1	4A4	20	-1.00	5.84	2.78	3.06	28.6	-1.0	.50	2.44	-1.00	-1.00	-1.00	.03
60930	29.8 31.3	-1.0	-1	4A4	20	-1.00	6.44	3.97	2.47	41.9	-1.0	.89	4.91	-1.00	-1.00	-1.00	.03
60931	31.3 32.8	-1.0	-1	4A7	20	-1.00	2.30	1.70	.60	8.1	-1.0	.17	5.58	-1.00	-1.00	-1.00	.03
60932	32.8 34.4	-1.0	-1	4A7	20	-1.00	2.01	1.42	.59	3.4	-1.0	.35	7.27	-1.00	-1.00	-1.00	.04
60933	34.4 35.9	-1.0	-1	4A7	20	-1.00	1.88	1.40	.48	3.9	-1.0	.21	7.01	-1.00	-1.00	-1.00	.05
60934	35.9 37.0	-1.0	-1	4A7	20	-1.00	1.86	1.45	.41	5.3	-1.0	.20	9.30	-1.00	-1.00	-1.00	.04
60935	37.0 38.2	-1.0	-1	4A7	20	-1.00	1.58	1.36	.22	2.8	-1.0	.11	6.01	-1.00	-1.00	-1.00	.04
60936	38.2 39.3	-1.0	-1	4A7	20	-1.00	3.06	2.01	1.05	12.3	-1.0	.49	7.60	-1.00	-1.00	-1.00	.04
60937	39.3 40.4	-1.0	-1	4A7	20	-1.00	2.54	1.42	1.12	8.9	-1.0	.45	6.38	-1.00	-1.00	-1.00	.03
60938	40.4 41.5	-1.0	-1	4A7	20	-1.00	1.35	1.27	.08	1.3	-1.0	.22	4.67	-1.00	-1.00	-1.00	.00
60939	41.5 42.6	-1.0	-1	4A7	20	-1.00	2.33	1.42	.91	5.7	-1.0	.23	5.54	-1.00	-1.00	-1.00	.01
60940	55.9 57.5	-1.0	-1	4A7	20	-1.00	1.53	1.36	.17	1.8	-1.0	.20	9.92	-1.00	-1.00	-1.00	.04
60941	57.5 59.1	-1.0	-1	4A7	20	-1.00	1.47	1.33	.14	1.9	-1.0	.21	6.67	-1.00	-1.00	-1.00	.02
60942	59.1 60.6	-1.0	-1	4A7	20	-1.00	1.55	1.36	.19	2.3	-1.0	.39	8.63	-1.00	-1.00	-1.00	.06
60943	60.6 62.2	-1.0	-1	4A7	20	-1.00	1.66	1.39	.27	3.4	-1.0	.44	9.82	-1.00	-1.00	-1.00	.07
60944	64.0 65.2	-1.0	-1	4A7	20	-1.00	1.99	1.46	.53	6.7	-1.0	.12	11.40	-1.00	-1.00	-1.00	.07

LITHOLOGIES

Drill Hole: 90V-91
Northing: 10180.3 Easting: 10106.7 Elevation: 1142.3
Length: 65.2 Core: NQ

From	To	Unit	Description
.0	6.4	#	CASING NO RECOVERY
6.4	15.6	OB	OB
15.6	24.1	4L6	&7#
24.1	31.3	4A0	&94
31.3	35.9	4A7	?&49 (4L27) 50:50
35.9	42.6	4A7	&49
42.6	55.9	3G9	&17 (3E1)90:10
55.9	62.2	4A7	&9 MINOR
62.2	64.0	4L71	&5
64.0	65.5	4A7	&9 MINOR

Drill Hole Report

Record 430 Drill Hole - 90V-92

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10153.9	10075.3	1150.0	903331.3	594128.8

Length: 55.2 Section: 7 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
55.2	-88.0	1.0	1.0	NO TEST

ASSAYS

Drill Hole: 90V-92
 Northing: 10153.9 Easting: 10075.3 Elevation: 1150.0
 Length: 55.2 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
60829	32.9 34.1	-1.0	-1	4L437	120	-1.00	4.26	.21	4.05	.3	-1.0	15.80	6.45	-1.00	-1.00	-1.00	.00
60830	34.1 35.2	-1.0	-1	4L437	120	-1.00	4.16	.19	3.97	.2	-1.0	2.48	7.64	-1.00	-1.00	-1.00	.01
60831	35.2 36.4	-1.0	-1	4L437	120	-1.00	4.19	.20	3.99	.8	-1.0	.24	6.51	-1.00	-1.00	-1.00	.02
60832	39.5 40.5	-1.0	-1	4A47	20	-1.00	8.92	1.54	7.38	20.4	-1.0	.47	7.15	-1.00	-1.00	-1.00	.03
60833	40.5 41.7	-1.0	-1	4G4	60	-1.00	12.36	2.74	9.62	34.0	-1.0	1.93	22.12	-1.00	-1.00	-1.00	.03
60834	41.7 43.2	-1.0	-1	4D4	80	-1.00	13.21	5.50	7.71	53.2	-1.0	1.64	24.92	-1.00	-1.00	-1.00	.16
60835	43.2 44.8	-1.0	-1	4D38	80	-1.00	5.60	.85	4.75	12.5	-1.0	1.53	30.63	-1.00	-1.00	-1.00	.22
60836	44.8 46.3	-1.0	-1	4D38	80	-1.00	6.27	1.42	4.85	18.7	-1.0	2.30	28.36	-1.00	-1.00	-1.00	.25
60837	46.3 47.8	-1.0	-1	4D4	80	-1.00	18.05	6.56	11.49	86.9	-1.0	2.15	18.68	-1.00	-1.00	-1.00	.19
60838	47.8 49.3	-1.0	-1	4D0	80	-1.00	5.89	.83	5.06	16.7	-1.0	1.03	28.49	-1.00	-1.00	-1.00	.38
60839	49.3 50.7	-1.0	-1	4D0	80	-1.00	5.55	.76	4.79	13.2	-1.0	1.01	33.02	-1.00	-1.00	-1.00	.29
60840	50.7 52.2	-1.0	-1	4D0	80	-1.00	4.39	.32	4.07	11.4	-1.0	.97	26.01	-1.00	-1.00	-1.00	.58
60841	52.2 53.7	-1.0	-1	4D0	80	-1.00	5.13	.49	4.64	10.2	-1.0	.92	23.39	-1.00	-1.00	-1.00	.32
60842	53.7 55.2	-1.0	-1	4C0	30	-1.00	.49	.21	.28	9.9	-1.0	1.01	22.87	-1.00	-1.00	-1.00	.47

LITHOLOGIES

Drill Hole: 90V-92
Northing: 10153.9 Easting: 10075.3 Elevation: 1150.0
Length: 55.2 Core: NQ

From	To	Unit	Description
.0	9.1	#	CASING NO RECOVERY
9.1	29.4	OB	OB
29.4	39.5	4L43	(po py asp)&9 FAULT?
39.5	40.5	4A47	
40.5	41.7	4G4	&#(5C\$) 95:5
41.7	46.3	4D0	&74 (4D87)94:6
46.3	47.8	4D0	&5
47.8	55.2	4C38	&79 MINOR

Drill Hole Report

Record 431 Drill Hole - 90V-93

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10183.8	9981.5	1149.6	903291.0	594039.0

Length: 96.6 Section: 6 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9004
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
96.6	-90.0	.0	.0	NO TEST

ASSAYS

Drill Hole: 90V-93
 Northing: 10183.8 Easting: 9981.5 Elevation: 1149.6
 Length: 96.6 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61576	34.0 35.4	-1.0	-1	4A0	20	-1.00	4.36	1.40	2.96	17.5	-1.0	.24	8.72	-1.00	-1.00	-1.00	.03
61577	35.4 36.9	-1.0	-1	4A0	20	-1.00	1.88	.73	1.15	7.9	-1.0	.21	8.75	-1.00	-1.00	-1.00	.02
61578	36.9 38.3	-1.0	-1	4A0	20	-1.00	3.26	1.25	2.01	14.6	-1.0	.49	10.96	-1.00	-1.00	-1.00	.02
61579	38.3 39.7	-1.0	-1	4A4	20	-1.00	7.92	3.78	4.14	46.4	-1.0	.36	10.86	-1.00	-1.00	-1.00	.07
61580	39.7 41.2	-1.0	-1	4A0	20	-1.00	3.31	1.66	1.65	19.0	-1.0	.34	9.65	-1.00	-1.00	-1.00	.05
61581	41.2 44.4	-1.0	-1	4A4	20	-1.00	7.38	3.88	3.50	46.7	-1.0	.27	12.80	-1.00	-1.00	-1.00	.01
61582	44.4 46.0	-1.0	-1	4A4	20	-1.00	6.06	1.84	4.22	20.6	-1.0	.18	8.20	-1.00	-1.00	-1.00	.04
61583	46.0 47.0	-1.0	-1	4A4	20	-1.00	5.76	2.01	3.75	22.1	-1.0	.30	11.40	-1.00	-1.00	-1.00	.02
61584	47.0 48.2	-1.0	-1	4E46	50	-1.00	13.76	6.35	7.41	69.1	-1.0	.20	25.09	-1.00	-1.00	-1.00	.06
61585	48.2 49.5	-1.0	-1	4E46	50	-1.00	18.01	8.35	9.66	78.1	-1.0	.31	29.44	-1.00	-1.00	-1.00	.02
61586	49.5 51.2	-1.0	-1	4E46	50	-1.00	12.90	6.43	6.47	66.7	-1.0	.56	28.46	-1.00	-1.00	-1.00	.09
61587	51.2 52.1	-1.0	-1	4E46	50	-1.00	13.13	4.72	8.41	69.9	-1.0	.63	11.91	-1.00	-1.00	-1.00	.08
61588	52.1 52.9	-1.0	-1	4G8	60	-1.00	7.64	4.59	3.05	49.1	-1.0	.37	34.63	-1.00	-1.00	-1.00	.11
61589	52.9 53.8	-1.0	-1	4G8	60	-1.00	10.79	4.59	6.20	61.7	-1.0	.48	13.38	-1.00	-1.00	-1.00	.08
61590	53.8 55.6	-1.0	-1	4E1	40	-1.00	3.55	1.58	1.97	13.0	-1.0	.78	24.72	-1.00	-1.00	-1.00	.20
61591	55.6 57.0	-1.0	-1	4E8	50	-1.00	3.62	1.82	1.80	14.4	-1.0	1.10	29.32	-1.00	-1.00	-1.00	.23
61592	57.0 58.4	-1.0	-1	4E48	50	-1.00	6.06	2.60	3.46	24.5	-1.0	1.07	33.46	-1.00	-1.00	-1.00	.50
61593	58.4 59.8	-1.0	-1	4E48	50	-1.00	5.35	2.04	3.31	20.5	-1.0	.99	35.45	-1.00	-1.00	-1.00	.38
61594	59.8 61.1	-1.0	-1	4E48	50	-1.00	8.35	4.15	4.20	44.0	-1.0	1.08	31.04	-1.00	-1.00	-1.00	.26
61595	61.1 62.6	-1.0	-1	4E08	50	-1.00	3.54	1.05	2.49	23.9	-1.0	1.19	32.17	-1.00	-1.00	-1.00	.07
61596	62.6 64.6	-1.0	-1	4EL	50	-1.00	3.68	1.73	1.95	22.1	-1.0	1.04	40.30	-1.00	-1.00	-1.00	.28
61597	64.6 65.9	-1.0	-1	4E4	50	-1.00	5.55	3.02	2.53	15.1	-1.0	1.14	33.90	-1.00	-1.00	-1.00	.15
61598	65.9 67.2	-1.0	-1	4C3#	40	-1.00	2.38	1.81	.57	11.7	-1.0	8.91	19.02	-1.00	-1.00	-1.00	.13
61599	67.2 68.4	-1.0	-1	4D3#	80	-1.00	10.08	6.07	4.01	26.2	-1.0	.90	13.17	-1.00	-1.00	-1.00	.29
61600	68.4 69.7	-1.0	-1	4D3#	80	-1.00	6.04	4.57	1.47	19.2	-1.0	1.04	21.59	-1.00	-1.00	-1.00	.12
61601	69.7 71.0	-1.0	-1	4D3#	80	-1.00	7.43	5.91	1.52	18.8	-1.0	2.93	27.07	-1.00	-1.00	-1.00	.25
61602	71.0 72.3	-1.0	-1	4D3#	80	-1.00	6.27	3.20	3.07	29.9	-1.0	1.59	28.15	-1.00	-1.00	-1.00	.13
61603	72.3 73.5	-1.0	-1	4E08	50	-1.00	2.81	2.21	.60	22.7	-1.0	1.33	34.69	-1.00	-1.00	-1.00	.33
61604	73.5 75.2	-1.0	-1	4C3	40	-1.00	.40	.19	.21	8.4	-1.0	1.34	26.93	-1.00	-1.00	-1.00	.44
61605	75.2 76.7	-1.0	-1	4C3	40	-1.00	.22	.10	.12	5.0	-1.0	.84	28.55	-1.00	-1.00	-1.00	.48
61606	76.7 78.2	-1.0	-1	4C3	40	-1.00	.16	.07	.09	4.8	-1.0	.79	23.73	-1.00	-1.00	-1.00	.50
61607	78.2 79.7	-1.0	-1	4C3	40	-1.00	.78	.39	.39	8.2	-1.0	.92	25.13	-1.00	-1.00	-1.00	.50
61608	79.7 81.3	-1.0	-1	4C3	40	-1.00	.28	.06	.22	4.9	-1.0	2.39	24.07	-1.00	-1.00	-1.00	.42
61609	81.3 82.8	-1.0	-1	4C3	40	-1.00	.59	.15	.44	5.5	-1.0	.70	24.00	-1.00	-1.00	-1.00	.42
61610	82.8 84.3	-1.0	-1	4C3	40	-1.00	2.88	2.83	.05	27.2	-1.0	.64	22.02	-1.00	-1.00	-1.00	.26
61611	84.3 85.8	-1.0	-1	4C3	40	-1.00	1.57	.66	.91	8.6	-1.0	.44	23.88	-1.00	-1.00	-1.00	.20
61612	85.8 87.3	-1.0	-1	4C3	40	-1.00	1.09	.39	.70	8.4	-1.0	.51	21.67	-1.00	-1.00	-1.00	.37
61613	87.3 88.9	-1.0	-1	4C3	40	-1.00	.64	.30	.34	8.7	-1.0	.62	20.97	-1.00	-1.00	-1.00	.31
61614	88.9 90.4	-1.0	-1	4C3	40	-1.00	.43	.17	.26	12.8	-1.0	.57	19.39	-1.00	-1.00	-1.00	.35
61615	90.4 91.9	-1.0	-1	4C3	40	-1.00	2.12	1.16	.96	25.0	-1.0	1.40	24.84	-1.00	-1.00	-1.00	.36
61616	91.9 93.8	-1.0	-1	4C3	40	-1.00	1.77	.59	1.18	15.3	-1.0	1.90	25.89	-1.00	-1.00	-1.00	.31

LITHOLOGIES

Drill Hole: 90V-93
Northing: 10183.8 Easting: 9981.5 Elevation: 1149.6
Length: 96.6 Core: NQ

From	To	Unit	Description
.0	9.1	#	CASING
9.1	26.2	OB	OB
26.2	34.0	3G9	&4[3E0]FRACGOUGE .1'
34.0	38.3	4A0	
38.3	46.9	4A4	(4L0)(4E4) 87:10:3FRAC
46.9	52.1	4E46	&8 FRAC
52.1	53.8	4G8	&# FRAC
53.8	55.6	4E1	&6 FAULTFRACGOUGE
55.6	62.5	4E8	&6(4G4)&8 95:5
62.5	63.3	4L6	&9&7
63.3	65.9	4E46	(4G4)&# 90:10
65.9	69.2	4D34#	(4G4)&8&# 80:20
69.2	69.3	GOUGE	FAULT GOUGE
69.3	72.3	4D34#	(4G4)&8&# 80:20
72.3	73.6	4E08	&1&9 MINOR
73.6	93.6	4C3	&479#65(4A0)98:2
93.6	96.6	4L0	&7 po FRAC

Drill Hole Report

Record -1 Drill Hole - 90V-94

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10153.0	9999.8	1151.8	903280.3	594073.1

Length: 93.0 Section: 7 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
93.0	-90.0	.0	.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-94
Northing: 10153.0 Easting: 9999.8 Elevation: 1151.8
Length: 93.0 Core: NQ

From	To	Unit	Description
.0	13.7	#	CASING NO RECOVERY
13.7	34.4	OB	OB
34.4	36.7	4LO	
36.7	55.8	4G48	&7 MINOR [4E]
55.8	64.0	4E4*	CARB CLASTS
64.0	64.6	3C3?	CARB
64.6	72.8	4C*4	&9 MINOR
72.8	88.5	4D8	&* MINOR
88.5	92.0	4C4*8	

Drill Hole Report

Record 433 Drill Hole - 90V-95

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10154.9	10059.3	1151.1	903321.3	594116.1

Length: 66.5 Section: 7 E
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C

ASSAYS

Drill Hole: 90V-95
 Northing: 10154.9 Easting: 10059.3 Elevation: 1151.1
 Length: 66.5 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
61660	39.0 40.3	-1.0	-1	4A4	20	-1.00	4.14	1.38	2.76	19.5	-1.0	.40	5.70	-1.00	-1.00	-1.00	.03
61661	40.3 41.7	-1.0	-1	4A0	20	-1.00	2.05	.77	1.28	11.4	-1.0	.24	6.39	-1.00	-1.00	-1.00	.04
61662	41.7 42.4	-1.0	-1	4D5#	80	-1.00	6.50	2.15	4.35	26.4	-1.0	.63	16.59	-1.00	-1.00	-1.00	.02
61663	42.4 44.1	-1.0	-1	4E64	50	-1.00	15.99	9.02	6.97	92.5	-1.0	1.24	24.69	-1.00	-1.00	-1.00	.11
61664	44.1 45.6	-1.0	-1	4E8\$	50	-1.00	1.80	.92	.88	18.1	-1.0	1.92	28.77	-1.00	-1.00	-1.00	.33
61665	45.6 47.2	-1.0	-1	4E8\$	50	-1.00	.81	.27	.54	10.0	-1.0	1.07	29.51	-1.00	-1.00	-1.00	.25
61666	47.2 48.8	-1.0	-1	4E8\$	50	-1.00	.63	.31	.32	6.8	-1.0	1.06	27.22	-1.00	-1.00	-1.00	.42
61667	48.8 50.3	-1.0	-1	4E8\$	50	-1.00	.51	.28	.23	7.0	-1.0	.77	26.00	-1.00	-1.00	-1.00	.42
61668	50.3 51.7	-1.0	-1	4C8	30	-1.00	.03	.01	.02	4.4	-1.0	.84	23.46	-1.00	-1.00	-1.00	.40
61669	51.7 53.1	-1.0	-1	4C8	30	-1.00	.13	.11	.02	6.0	-1.0	1.74	24.65	-1.00	-1.00	-1.00	.38
61670	53.1 54.5	-1.0	-1	4C8	30	-1.00	.07	.01	.06	4.3	-1.0	.68	24.15	-1.00	-1.00	-1.00	.31
61671	54.5 55.9	-1.0	-1	4C8	30	-1.00	.23	.06	.17	4.8	-1.0	.77	22.61	-1.00	-1.00	-1.00	.32
61672	55.9 57.4	-1.0	-1	4C8	30	-1.00	.50	.29	.21	7.1	-1.0	.64	23.74	-1.00	-1.00	-1.00	.25
61673	57.4 58.7	-1.0	-1	4H1	70	-1.00	4.47	2.46	2.01	29.2	-1.0	.06	40.71	-1.00	-1.00	-1.00	.26
61674	58.7 59.9	-1.0	-1	4H1	70	-1.00	4.90	2.89	2.01	35.8	-1.0	.11	37.34	-1.00	-1.00	-1.00	.36
61675	59.9 61.2	-1.0	-1	4H1	70	-1.00	3.71	1.49	2.22	16.9	-1.0	.09	30.68	-1.00	-1.00	-1.00	.35
61676	61.2 62.5	-1.0	-1	4H1	70	-1.00	4.87	2.57	2.30	38.6	-1.0	.10	32.10	-1.00	-1.00	-1.00	.24
61677	62.5 63.8	-1.0	-1	4C8	30	-1.00	1.18	.78	.40	14.4	-1.0	.85	23.84	-1.00	-1.00	-1.00	.40
61678	63.8 65.1	-1.0	-1	4C8	30	-1.00	.97	.39	.58	10.7	-1.0	.82	26.83	-1.00	-1.00	-1.00	.36
61679	65.1 66.5	-1.0	-1	4C8	30	-1.00	.59	.37	.22	13.1	-1.0	.70	21.98	-1.00	-1.00	-1.00	.50

LITHOLOGIES

Drill Hole: 90V-95
Northing: 10154.9 Easting: 10059.3 Elevation: 1151.1
Length: 66.5 Core: NQ

From	To	Unit	Description
.0	20.1	#	CASING NO RECOVERY
20.1	21.9	OB	OB
21.9	39.0	3G09	&7
39.0	40.3	4A4	
40.3	41.7	4A0	(5C\$4)
41.7	42.4	4D5#	(4G4) 90:10
42.4	44.1	4E64	&1
44.1	50.3	4E8\$	&1&9 MINOR
50.3	57.4	4C8	&7&9MINOR&\$LOCAL
57.4	62.5	4H1	&9&BXA
62.5	66.4	4C8	&\$(5C#) 95:5

Drill Hole Report

Record 434 Drill Hole - 90V-96

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10091.2	9903.8	1154.0	903170.3	594042.9

Length: 115.1 Section: 9 E
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-50.0	90.0	49.0	AT C
115.1	-50.0	90.0	49.0	NO TEST

ASSAYS

Drill Hole: 90V-96
 Northing: 10091.2 Easting: 9903.8 Elevation: 1154.0
 Length: 115.1 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61640	97.7 98.9	-1.0	-1	4D0	80	-1.00	5.30	2.38	2.92	34.1	-1.0	.51	21.95	-1.00	-1.00	-1.00	.16
61641	98.9 100.2	-1.0	-1	4C0	30	-1.00	2.49	1.07	1.42	16.6	-1.0	.41	8.47	-1.00	-1.00	-1.00	.07
61642	100.2 101.0	-1.0	-1	4A0	20	-1.00	4.62	1.70	2.92	35.4	-1.0	.14	12.29	-1.00	-1.00	-1.00	.04
61643	101.0 104.1	-1.0	-1	4A4	20	-1.00	13.36	5.11	8.25	66.6	-1.0	.64	13.35	-1.00	-1.00	-1.00	.11
61644	104.1 111.9	-1.0	-1	4G478	60	-1.00	12.59	5.05	7.54	88.3	-1.0	1.03	14.12	-1.00	-1.00	-1.00	.09
61645	111.9 113.1	-1.0	-1	4G478	60	-1.00	11.97	4.74	7.23	75.5	-1.0	1.61	14.55	-1.00	-1.00	-1.00	.13
61646	113.1 114.3	-1.0	-1	4L	120	-1.00	2.75	.95	1.80	13.9	-1.0	2.21	7.38	-1.00	-1.00	-1.00	.03

LITHOLOGIES

Drill Hole: 90V-96
Northing: 10091.2 Easting: 9903.8 Elevation: 1154.0
Length: 115.1 Core: NQ

From	To	Unit	Description
.0	15.2	#	CASING NO RECOVERY
15.2	47.9	OB	OB
47.9	49.9	3EO	&6 MINOR
49.9	55.1	3GO	GOUGE 171-171.6174.5-176
55.1	55.8	3EO	
55.8	82.0	GOUGE	GOUGE&3EO3GOLOST COR
82.0	85.8	3GO	
85.8	90.8	3E8	GOUGE 297.2-LOWER CONTACT
90.8	97.7	3G01	
97.7	100.2	4C0	9" FAULT @234.5'
100.2	100.9	4A0	6" GOUGE @LOWER CONTACT
100.9	102.7	3G6	FAULT 290:38 S2=46
102.7	103.0	GOUGE	FAULT S2=46
103.0	104.0	4A4	10" GOUGE @LOWER CONTACT
104.0	107.8	3E6	
107.8	110.7	3G6	FAULT?
110.7	113.1	4G478	FAULT?
113.1	115.0	3GO	&6 MINOR

Drill Hole Report

Record -1 Drill Hole - 90V-97

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10740.3	10462.5	1149.9	904026.1	594026.1

Length: 89.0 Section: 7 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-51.0	90.0	49.0	AT C
89.0	-51.0	90.0	49.0	NO TEST

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
13:43:48 Serial no: 20320
25/ 7/90 Page : 378

ASSAYS

Drill Hole: 90V-97
Northing: 10740.3 Easting: 10462.5 Elevation: 1149.9
Length: 89.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: 90V-97
Northing: 10740.3 Easting: 10462.5 Elevation: 1149.9
Length: 89.0 Core: NQ

From	To	Unit	Description
.0	28.3	#	CASING NO RECOVERY
28.3	47.9	OB	OB
47.9	55.2	4L0	&6 FRACGOUGEFAULT?
55.2	56.0	4L0	&72 FRAC
56.0	60.0	4E48\$	&9MINOR&6?FRAC
60.0	60.6	3C14	&\$ FRAC
60.6	66.0	4G48\$	(3C4&16)(4H48) 97:2:1
66.0	67.7	4E0	&6?&4 FAULT
67.7	71.8	4E461	&\$9MIN(4G48)95:5BXA
71.8	78.3	4E8	&4\$6(3C#&1)FOLFR
78.3	81.8	4E681	&4(4G8) FAULT
81.8	84.5	4E6	&4#9MINOR FRAC
84.5	85.8	4C384	&#
85.8	89.0	4C3	&9MINOR FAULT?

Drill Hole Report

Record -1 Drill Hole - 90V-98

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10147.4	9911.0	1149.9	903217.0	594010.7

Length: 111.3 Section: 7 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-51.0	90.0	49.0	3
111.3	-51.0	90.0	49.0	NO TEST

ASSAYS

Drill Hole: 90V-98
Northing: 10147.4 Easting: 9911.0 Elevation: 1149.9
Length: 111.3 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
13:45:37 Serial no: 20320
25/ 7/90 Page : 382

LITHOLOGIES

Drill Hole: 90V-98
Northing: 10147.4 Easting: 9911.0 Elevation: 1149.9
Length: 111.3 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-101

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10145.7	9890.6	1150.1	903202.0	593996.7

Length: 134.8 Section: 7 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-51.0	90.0	49.0	AT C
134.8	-51.0	90.0	49.0	NO TEST

LITHOLOGIES

Drill Hole: 90V-101
Northing: 10145.7 Easting: 9890.6 Elevation: 1150.1
Length: 134.8 Core: NQ

From	To	Unit	Description
.0	30.5	#	CASING NO RECOVERY
30.5	56.5	OB	OB
56.5	59.3	3G0	&7 GOUGED
59.3	64.3	3C0	&4 LOCAL
64.3	67.7	3G04	(3C0) 60:40 GOUGE
67.7	71.7	3G0	&47
71.7	73.0	4L0	&2 MINOR
73.0	73.9	4G4\$	
73.9	79.0	4L06	(4G0#) 91:9
79.0	84.2	3G0	
84.2	94.3	4L0	(4G0&\$) 95:5
94.3	95.5	4G8#	(4J48&1 EXA) 80:20
95.5	98.3	3C#	(4G0#)(4L0) 60:20:20
98.3	100.9	4A0	&47MINOR(3G96) 80:20
100.9	103.5	3G9	&46 (4G7) 96:4
103.5	107.2	4G8#	CALC
107.2	114.5	4E864	&\$ (4G#) 95:5
114.5	115.0	4E8#	&6?4? FAULT GOUGE
115.0	121.2	4E78	&4# MINOR6 MINOR?
121.2	130.4	4C38	&749MIN(4L784&69)
130.4	134.7	4L784	&691#LOCAL

Drill Hole Report

Record -1 Drill Hole - 90V-102

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10211.0	9921.0	1146.8	903271.0	593975.8

Length: 104.9 Section: 5 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-50.0	90.0	48.0	AT C
45.7	-53.0	96.0	55.0	sperry
104.9	-56.0	100.0	59.0	sperry

ASSAYS

Drill Hole: 90V-102
 Northing: 10211.0 Easting: 9921.0 Elevation: 1146.8
 Length: 104.9 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61787	72.7 74.0	-1.0	-1	4G48	60	-1.00	11.60	5.22	6.38	62.4	-1.0	.31	9.10	-1.00	-1.00	-1.00	.04
61788	74.0 75.3	-1.0	-1	4G48	60	-1.00	9.75	4.06	5.69	57.4	-1.0	.39	7.26	-1.00	-1.00	-1.00	.03
61789	75.3 76.7	-1.0	-1	4G48	60	-1.00	11.03	3.62	7.41	51.7	-1.0	.22	10.55	-1.00	-1.00	-1.00	.02
61790	77.6 79.0	-1.0	-1	4H4	70	-1.00	12.30	6.14	6.16	74.6	-1.0	.72	19.69	-1.00	-1.00	-1.00	.17
61791	79.0 80.4	-1.0	-1	4H4	70	-1.00	9.66	3.70	5.96	46.6	-1.0	.78	21.80	-1.00	-1.00	-1.00	.11
61792	80.4 81.7	-1.0	-1	4H4	70	-1.00	10.13	4.33	5.80	42.5	-1.0	.42	28.46	-1.00	-1.00	-1.00	.46
61793	81.7 83.0	-1.0	-1	4E648	50	-1.00	12.24	4.87	7.37	45.1	-1.0	.77	24.68	-1.00	-1.00	-1.00	.16
61794	83.0 84.3	-1.0	-1	4E648	50	-1.00	9.36	4.24	5.12	42.6	-1.0	.97	24.34	-1.00	-1.00	-1.00	.25
61795	84.3 85.6	-1.0	-1	4E648	50	-1.00	4.13	2.21	1.92	15.8	-1.0	1.23	25.95	-1.00	-1.00	-1.00	.13
61796	85.6 86.9	-1.0	-1	4E648	50	-1.00	8.55	5.39	3.16	33.7	-1.0	1.29	31.23	-1.00	-1.00	-1.00	.32
61797	86.9 88.2	-1.0	-1	4E648	50	-1.00	9.32	3.81	5.51	23.5	-1.0	1.33	32.00	-1.00	-1.00	-1.00	.38
61798	88.2 89.8	-1.0	-1	4K#	50	-1.00	2.68	2.25	.43	8.0	-1.0	.81	18.02	-1.00	-1.00	-1.00	.07
61799	89.8 91.3	-1.0	-1	4K#	50	-1.00	2.78	1.53	1.25	7.0	-1.0	1.80	20.20	-1.00	-1.00	-1.00	.07
61800	91.3 92.9	-1.0	-1	4K#	50	-1.00	1.85	1.53	.32	8.4	-1.0	1.44	31.84	-1.00	-1.00	-1.00	.13
61801	92.9 94.4	-1.0	-1	4D873	80	-1.00	9.25	4.66	4.59	40.7	-1.0	1.11	23.41	-1.00	-1.00	-1.00	.19
61802	94.4 95.9	-1.0	-1	4D873	80	-1.00	6.06	3.62	2.44	31.4	-1.0	.94	30.61	-1.00	-1.00	-1.00	.22
61803	95.9 97.4	-1.0	-1	4C873	30	-1.00	.85	.46	.39	7.1	-1.0	1.13	28.98	-1.00	-1.00	-1.00	.37
61804	97.4 98.9	-1.0	-1	4C873	30	-1.00	4.94	3.36	1.58	29.2	-1.0	1.16	30.17	-1.00	-1.00	-1.00	.25
61805	98.9 100.4	-1.0	-1	4C873	30	-1.00	3.65	2.86	.79	25.9	-1.0	1.16	31.70	-1.00	-1.00	-1.00	.22
61806	100.4 101.9	-1.0	-1	4C873	30	-1.00	.92	.75	.17	14.1	-1.0	1.04	25.98	-1.00	-1.00	-1.00	.36
61807	101.9 103.4	-1.0	-1	4C873	30	-1.00	.45	.19	.26	4.7	-1.0	.59	23.57	-1.00	-1.00	-1.00	.44
61808	103.4 104.9	-1.0	-1	4C873	30	-1.00	.56	.46	.10	4.4	-1.0	.70	23.10	-1.00	-1.00	-1.00	.55

LITHOLOGIES

Drill Hole: 90V-102
Northing: 10211.0 Easting: 9921.0 Elevation: 1146.8
Length: 104.9 Core: NQ

From	To	Unit	Description
.0	30.5	#	CASING NO RECOVERY
30.5	40.8	OB	OB
40.8	45.4	3G0	(4H4#) OXYDIZED
45.4	59.0	3G0	&6 (po)
59.0	68.7	3G04	&6 (po)
68.7	72.6	3C301	&6 FOLDED
72.6	76.7	4G48	&#LOC(3B031&6)80:20
76.7	77.6	3C301	&6
77.6	81.7	4H4	(4G0)(3B301)(4E68#)EXA
81.7	88.1	4E648	(4G8#)(4E448) 65:30:5
88.1	92.9	4K#	&8 LOCAL&BXA
92.9	95.9	4D873	
95.9	104.9	4C873	1MINOR

Drill Hole Report

Record -1 Drill Hole - 90V-103

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10211.0	9921.5	1146.8	903271.3	593975.8

Length: 121.0 Section: 5 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-60.0	90.0	48.0	AT C
45.7	-61.5	106.0	65.0	sperry
112.8	-63.0	88.0	47.0	sperry

ASSAYS

Drill Hole: 90V-103
 Northing: 10211.0 Easting: 9921.5 Elevation: 1146.8
 Length: 121.0 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61740	72.3 73.9	-1.0	-1	4J874	80	-1.00	23.93	14.10	9.83	121.9	-1.0	1.02	26.14	-1.00	-1.00	-1.00	.07
61741	73.9 75.5	-1.0	-1	4J874	80	-1.00	26.48	18.50	7.98	161.6	-1.0	1.97	30.32	-1.00	-1.00	-1.00	.09
61742	75.5 77.1	-1.0	-1	4J874	80	-1.00	23.15	12.50	10.65	127.1	-1.0	.93	28.97	-1.00	-1.00	-1.00	.08
61743	80.2 81.6	-1.0	-1	4G4	60	-1.00	12.36	6.01	6.35	80.6	-1.0	2.28	19.12	-1.00	-1.00	-1.00	.11
61744	81.6 83.0	-1.0	-1	4G4	60	-1.00	1.02	.40	.62	10.2	-1.0	1.95	32.87	-1.00	-1.00	-1.00	.46
61745	83.0 84.3	-1.0	-1	4G4	60	-1.00	1.39	.55	.84	11.1	-1.0	2.09	34.06	-1.00	-1.00	-1.00	.37
61746	84.3 85.7	-1.0	-1	4G4	60	-1.00	1.19	.39	.80	10.6	-1.0	1.90	33.65	-1.00	-1.00	-1.00	.39
61747	85.7 87.1	-1.0	-1	4G4	60	-1.00	3.39	1.97	1.42	55.0	-1.0	-1.00	34.80	-1.00	-1.00	-1.00	-1.00
61748	87.1 88.2	-1.0	-1	4K0	50	-1.00	9.81	6.08	3.73	95.0	-1.0	-1.00	12.50	-1.00	-1.00	-1.00	-1.00
61749	88.2 89.3	-1.0	-1	4K0	50	-1.00	4.72	2.31	2.41	45.0	-1.0	-1.00	40.80	-1.00	-1.00	-1.00	-1.00
61750	89.3 90.4	-1.0	-1	4K0	50	-1.00	6.34	3.56	2.78	38.7	-1.0	1.40	26.55	-1.00	-1.00	-1.00	.23
61751	90.4 91.8	-1.0	-1	4G48	60	-1.00	.84	.70	.14	30.0	-1.0	-1.00	4.13	-1.00	-1.00	-1.00	-1.00
61752	91.8 93.2	-1.0	-1	4G48	60	-1.00	.63	.60	.03	40.0	-1.0	-1.00	1.34	-1.00	-1.00	-1.00	-1.00
61753	93.2 94.6	-1.0	-1	4G48	60	-1.00	4.90	2.66	2.24	55.0	-1.0	-1.00	9.21	-1.00	-1.00	-1.00	-1.00
61754	94.6 96.0	-1.0	-1	4G48	60	-1.00	7.36	2.72	4.64	55.0	-1.0	-1.00	13.60	-1.00	-1.00	-1.00	-1.00
61755	96.0 97.2	-1.0	-1	4G48	60	-1.00	6.71	2.27	4.44	45.0	-1.0	-1.00	37.00	-1.00	-1.00	-1.00	-1.00
61756	97.2 98.4	-1.0	-1	4C3	40	-1.00	14.40	5.60	8.80	95.0	-1.0	-1.00	33.00	-1.00	-1.00	-1.00	-1.00
61757	98.4 99.6	-1.0	-1	4C3	40	-1.00	13.48	5.26	8.22	.0	-1.0	-1.00	9.69	-1.00	-1.00	-1.00	-1.00
61758	99.6 100.8	-1.0	-1	4C3	40	-1.00	1.28	.58	.70	20.0	-1.0	-1.00	33.30	-1.00	-1.00	-1.00	-1.00
61759	100.8 102.1	-1.0	-1	4C847	30	-1.00	.84	.41	.43	25.0	-1.0	-1.00	29.20	-1.00	-1.00	-1.00	-1.00
61760	102.1 103.2	-1.0	-1	4C847	30	-1.00	.40	.26	.14	20.0	-1.0	-1.00	33.10	-1.00	-1.00	-1.00	-1.00
61761	103.2 104.5	-1.0	-1	4C5	30	-1.00	.19	.11	.08	20.0	-1.0	-1.00	30.50	-1.00	-1.00	-1.00	-1.00
61762	104.5 105.7	-1.0	-1	4C5	30	-1.00	.26	.12	.14	25.0	-1.0	-1.00	26.40	-1.00	-1.00	-1.00	-1.00
61763	105.7 107.0	-1.0	-1	4C5	30	-1.00	4.00	2.04	1.96	35.0	-1.0	-1.00	29.70	-1.00	-1.00	-1.00	-1.00
61764	107.0 108.5	-1.0	-1	4C3	40	-1.00	6.57	3.46	3.11	37.6	-1.0	1.43	25.39	-1.00	-1.00	-1.00	.21
61765	108.5 109.4	-1.0	-1	4C3	40	-1.00	11.84	7.65	4.19	68.6	-1.0	3.75	24.07	-1.00	-1.00	-1.00	.18
61766	109.4 110.9	-1.0	-1	4E1	40	-1.00	9.16	4.67	4.49	51.5	-1.0	2.45	27.53	-1.00	-1.00	-1.00	.19
61767	110.9 112.5	-1.0	-1	4E1	40	-1.00	2.45	1.26	1.19	8.5	-1.0	2.59	29.40	-1.00	-1.00	-1.00	.18
61768	112.5 114.0	-1.0	-1	4E1	40	-1.00	1.46	1.06	.40	8.1	-1.0	3.18	32.60	-1.00	-1.00	-1.00	.11
61769	114.0 115.5	-1.0	-1	4E1	40	-1.00	1.27	.81	.46	7.2	-1.0	2.69	27.65	-1.00	-1.00	-1.00	.09
61770	115.5 117.2	-1.0	-1	4E1	40	-1.00	11.95	6.65	5.30	60.9	-1.0	2.86	28.04	-1.00	-1.00	-1.00	.21

LITHOLOGIES

Drill Hole: 90V-103
Northing: 10211.0 Easting: 9921.5 Elevation: 1146.8
Length: 121.0 Core: NQ

From	To	Unit	Description
.0	17.4	#	CASING NO RECOVERY
17.4	33.0	OB	OB
33.0	38.3	3G09	FRAC GOUGE:RUBBLE
38.3	41.2	4L2	&6(4E&48)FRACWX
41.2	48.9	3G09	 FRAC FAULT?
48.9	56.6	4L7	&16 FRAC
56.6	57.9	3G09	&6# (po)FRAC
57.9	72.2	3G0	&6# (pypo)FRAC
72.2	77.1	4J874	&# FRACBXA
77.1	79.4	3G0	&6MIONR(4J874) 99:1
79.4	80.2	3C#	&6(pypo)FRACGOUGE
80.2	87.1	4G4	
87.1	90.3	4K0	FRAC
90.3	97.2	4G48	&#(3C#) 99:1
97.2	100.8	4C3	&79MINOR
100.8	103.2	4C847	(4G48#) 95:5
103.2	107.0	4C5	&4 FRAC
107.0	109.3	4C3	&78 &BXA
109.3	117.2	4E1	&8
117.2	124.1	4L72	FRAC

Drill Hole Report

Record -1 Drill Hole - 90V-104

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10210.9	9922.1	1146.9	903271.6	593976.6

Length: 133.2 Section: 5 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-67.0	90.0	48.0	AT C
61.0	-68.0	91.0	50.0	sperry
133.2	68.5	85.0	44.0	sperry

ASSAYS

Drill Hole: 90V-104
 Northing: 10210.9 Easting: 9922.1 Elevation: 1146.9
 Length: 133.2 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61922	75.8 77.6	-1.0	-1	4G# 464	60	-1.00	21.33	10.80	10.53	148.7	-1.0	.54	10.62	-1.00	-1.00	-1.00	.04
61923	77.6 79.0	-1.0	-1	4G# 4648#	60	-1.00	18.01	7.22	10.79	110.6	-1.0	1.05	14.78	-1.00	-1.00	-1.00	.09
61924	79.0 80.4	-1.0	-1	4G# 4648#	60	-1.00	11.78	5.73	6.05	71.5	-1.0	1.47	22.73	-1.00	-1.00	-1.00	.19
61925	80.4 81.9	-1.0	-1	4G8#	60	-1.00	4.45	2.37	2.08	23.2	-1.0	.76	28.32	-1.00	-1.00	-1.00	.20
61926	81.9 83.3	-1.0	-1	4G8#	60	-1.00	3.66	2.18	1.48	23.9	-1.0	.53	29.81	-1.00	-1.00	-1.00	.32
61927	83.3 84.7	-1.0	-1	4G8#	60	-1.00	6.48	3.08	3.40	32.9	-1.0	.73	26.85	-1.00	-1.00	-1.00	.25
61928	92.0 93.4	-1.0	-1	4G#	60	-1.00	10.57	4.29	6.28	49.4	-1.0	.58	13.16	-1.00	-1.00	-1.00	.09
61929	93.4 94.7	-1.0	-1	4G#	60	-1.00	12.14	4.82	7.32	53.8	-1.0	1.10	15.65	-1.00	-1.00	-1.00	.16
61930	94.7 96.1	-1.0	-1	4G#	60	-1.00	13.36	6.87	6.49	70.8	-1.0	1.29	16.25	-1.00	-1.00	-1.00	.10
61931	96.1 97.5	-1.0	-1	4E64	50	-1.00	12.90	5.85	7.05	56.4	-1.0	1.35	19.82	-1.00	-1.00	-1.00	.16
61932	97.5 99.0	-1.0	-1	4E64	50	-1.00	2.55	1.45	1.10	31.3	-1.0	1.30	33.85	-1.00	-1.00	-1.00	.24
61933	99.0 100.5	-1.0	-1	4E84	50	-1.00	5.76	2.46	3.30	27.6	-1.0	1.31	31.39	-1.00	-1.00	-1.00	.23
61934	100.5 102.1	-1.0	-1	4E84	50	-1.00	5.41	2.45	2.96	28.0	-1.0	1.92	33.78	-1.00	-1.00	-1.00	.27
61935	102.1 103.7	-1.0	-1	4E84	50	-1.00	4.71	2.36	2.35	24.6	-1.0	1.86	32.55	-1.00	-1.00	-1.00	.21
61936	103.7 105.2	-1.0	-1	4E84	50	-1.00	2.70	1.17	1.53	20.5	-1.0	2.04	32.58	-1.00	-1.00	-1.00	.33
61937	105.2 106.7	-1.0	-1	4E684	50	-1.00	8.95	5.14	3.81	64.4	-1.0	2.58	32.19	-1.00	-1.00	-1.00	.17
61938	106.7 108.2	-1.0	-1	4E684	50	-1.00	12.55	5.59	6.96	52.5	-1.0	1.40	22.53	-1.00	-1.00	-1.00	.20
61939	108.2 109.6	-1.0	-1	4E84	50	-1.00	3.87	2.26	1.61	28.3	-1.0	1.82	34.47	-1.00	-1.00	-1.00	.30
61940	109.6 111.0	-1.0	-1	4E84	50	-1.00	4.52	1.93	2.59	24.0	-1.0	.94	31.17	-1.00	-1.00	-1.00	.32
61941	111.0 112.3	-1.0	-1	4E84	50	-1.00	3.06	1.30	1.76	16.6	-1.0	1.03	32.36	-1.00	-1.00	-1.00	.27
61942	112.3 113.7	-1.0	-1	4E84	50	-1.00	4.76	2.44	2.32	36.0	-1.0	1.04	39.38	-1.00	-1.00	-1.00	.53
61943	113.7 115.1	-1.0	-1	4E84	50	-1.00	4.58	2.64	1.94	35.6	-1.0	.94	36.11	-1.00	-1.00	-1.00	.39
61944	115.1 116.4	-1.0	-1	4E81	50	-1.00	2.35	.99	1.36	18.5	-1.0	1.03	30.08	-1.00	-1.00	-1.00	.37
61945	116.4 117.8	-1.0	-1	4E81	50	-1.00	1.12	.55	.57	20.1	-1.0	2.19	32.72	-1.00	-1.00	-1.00	.94
61946	117.8 119.1	-1.0	-1	4E81	50	-1.00	.52	.32	.20	28.2	-1.0	1.20	33.95	-1.00	-1.00	-1.00	.80
61947	119.1 120.4	-1.0	-1	4E81	50	-1.00	.11	.07	.04	6.0	-1.0	.65	42.92	-1.00	-1.00	-1.00	.26
61948	120.4 121.7	-1.0	-1	4E81	50	-1.00	.06	.04	.02	6.3	-1.0	.79	36.24	-1.00	-1.00	-1.00	.40
61949	121.7 123.2	-1.0	-1	4C7	30	-1.00	.05	.03	.02	2.6	-1.0	.17	12.36	-1.00	-1.00	-1.00	.14
61950	123.2 124.7	-1.0	-1	4C7	30	-1.00	.19	.08	.11	4.4	-1.0	.26	23.93	-1.00	-1.00	-1.00	.23
61951	124.7 126.2	-1.0	-1	4C7	30	-1.00	1.91	.75	1.16	14.2	-1.0	.19	17.55	-1.00	-1.00	-1.00	.15

LITHOLOGIES

Drill Hole: 90V-104
Northing: 10210.9 Easting: 9922.1 Elevation: 1146.9
Length: 133.2 Core: NQ

From	To	Unit	Description
.0	9.1	#	CASING NO RECOVERY
9.1	31.9	OB	OB
31.9	40.3	3G09	
40.3	49.2	4L7	&46LOCAL &FAULT?
49.2	57.6	3G09	+6(po) MINOR
57.6	71.3	3G04	&6(poppy)&BXA MINOR
71.3	75.8	3C\$	&6 LOCAL FOLDED
75.8	77.5	4G0	
77.5	84.6	4G8#	CALC
84.6	85.9	10H#	QTZ FLOODED
85.9	90.2	4L672	(4G8#) 97:3
90.2	92.0	3G096	
92.0	96.1	4G#	&8(4L0) 95\5
96.1	98.9	4E64	 50 CALC
98.9	105.2	4E84	&19MINOR6?MINOR
105.2	108.2	4E684	&#\$1
108.2	115.1	4E84	&19MINOR6?MINOR
115.1	121.7	4E81	&47LOCAL9MINOR
121.7	126.2	4C7	[4L7	MINOR]
126.2	133.2	4L67	&2

Drill Hole Report

Record -1 Drill Hole - 90V-105

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10180.5	9883.1	1147.9	903223.0	593967.9

Length: 130.2 Section: 6 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-61.0	90.0	48.0	AT C
62.8	-63.0	84.0	43.0	sperry
129.9	-64.0	104.0	63.0	sperry

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
13:57:11 Serial no: 20320
25/ 7/90 Page : 396

ASSAYS

Drill Hole: 90V-105
Northing: 10180.5 Easting: 9883.1 Elevation: 1147.9
Length: 130.2 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
13:57:34 Serial no: 20320
25/ 7/90 Page : 397

LITHOLOGIES

Drill Hole: 90V-105
Northing: 10180.5 Easting: 9883.1 Elevation: 1147.9
Length: 130.2 Core: NQ

From	To	Unit	Description
----	--	----	-----

Drill Hole Report

Record -1 Drill Hole - 90V-106

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10090.8	9959.2	1155.1	903206.9	594084.3

Length: 114.3 Section: 9 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-85.0	90.0	48.0	AT C
375.0	-82.0	94.8	53.0	sperry

ASSAYS

Drill Hole: 90V-106
 Northing: 10090.8 Easting: 9959.2 Elevation: 1155.1
 Length: 114.3 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
61952	35.8 38.3	-1.0	-1	4E0	50	-1.00	.77	.27	.50	4.5	-1.0	.31	11.27	-1.00	-1.00	-1.00	.01
61953	38.3 40.4	-1.0	-1	4E0	50	-1.00	9.55	4.98	4.57	54.9	-1.0	.38	18.45	-1.00	-1.00	-1.00	.05
61954	40.4 41.8	-1.0	-1	4E0	50	-1.00	14.08	10.02	4.06	101.7	-1.0	.40	21.05	-1.00	-1.00	-1.00	.17
61955	41.8 43.3	-1.0	-1	4E0	50	-1.00	5.98	3.60	2.38	30.1	-1.0	1.14	31.82	-1.00	-1.00	-1.00	.11
61956	48.0 49.4	-1.0	-1	4E48	50	-1.00	14.95	9.02	5.93	77.7	-1.0	.99	29.30	-1.00	-1.00	-1.00	.16
61957	49.4 50.8	-1.0	-1	4E48	50	-1.00	10.61	6.17	4.44	75.1	-1.0	.97	34.92	-1.00	-1.00	-1.00	.16
61958	50.8 52.3	-1.0	-1	4G48	60	-1.00	18.76	9.62	9.14	109.6	-1.0	.34	10.36	-1.00	-1.00	-1.00	.04
61959	52.3 53.9	-1.0	-1	4G48	60	-1.00	15.47	6.46	9.01	88.9	-1.0	1.26	13.35	-1.00	-1.00	-1.00	.03
61960	53.9 54.4	-1.0	-1	4E14	40	-1.00	9.52	7.26	2.26	50.2	-1.0	.31	31.57	-1.00	-1.00	-1.00	.00
61961	54.4 55.4	-1.0	-1	4G48	60	-1.00	14.25	5.45	8.80	57.7	-1.0	.49	24.47	-1.00	-1.00	-1.00	.16
61962	55.4 56.4	-1.0	-1	4G48	60	-1.00	13.06	6.22	6.84	82.1	-1.0	.69	17.78	-1.00	-1.00	-1.00	.13
61963	56.4 57.3	-1.0	-1	4D45	80	-1.00	10.86	3.53	7.33	53.5	-1.0	.26	9.56	-1.00	-1.00	-1.00	.07
61964	68.3 69.6	-1.0	-1	4E8#	50	-1.00	6.07	3.17	2.90	35.4	-1.0	.55	30.90	-1.00	-1.00	-1.00	.18
61965	69.6 71.0	-1.0	-1	4E8#	50	-1.00	5.85	2.66	3.19	29.3	-1.0	.49	24.80	-1.00	-1.00	-1.00	.18
61966	76.3 77.5	-1.0	-1	4G48	60	-1.00	9.17	4.08	5.09	29.5	-1.0	.37	24.60	-1.00	-1.00	-1.00	.17
61967	77.5 78.7	-1.0	-1	4G48	60	-1.00	3.39	1.65	1.74	20.5	-1.0	.15	18.96	-1.00	-1.00	-1.00	.13
61968	78.7 79.4	-1.0	-1	4G48	60	-1.00	11.59	4.84	6.75	90.7	-1.0	.87	12.98	-1.00	-1.00	-1.00	.12
61969	87.3 87.5	-1.0	-1	4G4#	60	-1.00	13.06	5.54	7.52	119.6	-1.0	1.08	12.14	-1.00	-1.00	-1.00	.14

LITHOLOGIES

Drill Hole: 90V-106
Northing: 10090.8 Easting: 9959.2 Elevation: 1155.1
Length: 114.3 Core: NQ

From	To	Unit	Description
.0	32.3	#	CASING
32.3	35.8	OB	OVERBURDEN
35.8	43.3	4E0	&6GOUGED
43.3	46.0	4L06	MODERATE FRACTURE
46.0	47.9	4L02	&176FAULTING
47.9	50.7	4E48	MINOR
50.7	53.9	4G48	
53.9	54.4	4E14	&6
54.4	56.4	4G48	MINOR
56.4	57.4	4D45	+\\1BLEACHED
57.4	60.8	4L02	+\\1MOD. FRAC
60.8	62.9	3C	MOD. FRAC
62.9	68.3	4L0	GOUGED
68.3	71.0	4E8#	BRECCIA
71.0	73.8	4L0	&627MINOR
73.8	75.6	4L62	MOD. FRAC
75.6	76.3	4L0	&21
76.3	79.4	4G48	&1#6
79.4	84.2	3G09	&1#MOD. FRAC
84.2	85.0	4L02	MOD. FRAC.
85.0	87.0	3C#	MOD. FRAC
87.0	88.9	4L0	MOD. FRAC
88.9	93.7	3G09	HEAVY FRAC
93.7	114.3	3G01	&16

Drill Hole Report

Record -1 Drill Hole - 90V-107

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10210.4	9905.5	1146.5	903260.1	593964.6

Length: 130.2 Section: 6 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-67.0	89.8	48.0	AT C
207.0	-66.0	91.8	50.0	sperry
427.0	-68.0	101.8	60.0	sperry

ASSAYS

Drill Hole: 90V-107
Northing: 10210.4 Easting: 9905.5 Elevation: 1146.5
Length: 130.2 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14: 1: 8 Serial no: 20320
25/ 7/90 Page : 403

LITHOLOGIES

Drill Hole: 90V-107
Northing: 10210.4 Easting: 9905.5 Elevation: 1146.5
Length: 130.2 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-108

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10242.0	10035.7	1134.1	903370.6	594040.5

Length: 74.7 Section: 4 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-76.0	90.0	48.0	AT C
236.0	-74.0	96.8	55.0	sperry

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14: 1:54 Serial no: 20320
25/ 7/90 Page : 405

ASSAYS

Drill Hole: 90V-108
Northing: 10242.0 Easting: 10035.7 Elevation: 1134.1
Length: 74.7 Core: NQ

Sample #	---Depths--- From To	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
----------	-------------------------	----------	----------	--------------	--------------	--------------	------------	---------	---------	--------------	--------------	-----------	------------	---------	---------	----------	---------

LITHOLOGIES

Drill Hole: 90V-108
Northing: 10242.0 Easting: 10035.7 Elevation: 1134.1
Length: 74.7 Core: NQ

From	To	Unit	Description
.0	10.4	#	CASING NO RECOVERY
10.4	18.3	OB	OB
18.3	21.3	4G48*	
21.3	22.1	4J4783*	FLOW BXA
22.1	24.1	4D8*7	[4G4] BXA
24.1	33.1	4G4*8	[4J38][4E6][4J6]
33.1	33.8	4J47	FOLIATED BXA
33.8	45.4	3G09	[10Q]
45.4	51.2	4A478	[3C]
51.2	58.7	4E184*	[4D8][4J]
58.7	60.2	4C	&4
60.2	71.9	4H*4	[4C*]

Drill Hole Report

Record 1 Drill Hole - 90V-109

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
-1.0	-1.0	-1.0	-1.0	-1.0

Length: -1.0 Section:
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	90.0	48.0	AT C
93.6	-88.5	.0	.0	sperry

ASSAYS

Drill Hole: 90V-109
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
----------	--------------	-------	-------	-----------	-----------	-----------	---------	------	------	-----------	-----------	--------	---------	------	------	-------	------

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14: 3:39 Serial no: 20320
25/ 7/90 Page : 409

LITHOLOGIES

Drill Hole: 90V-109
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-110

MODEL			UTM		
Northing	Easting	Elev	Northing	Easting	
-1.0	-1.0	-1.0	-1.0	-1.0	

Length: -1.0 Section:
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	90.0	48.0	AT C
89.6	-88.5	.0	.0	sperry

ASSAYS

Drill Hole: 90V-110
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
-1	-1.0 -1.0	-1.0	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 90V-110
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-111

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10211.5	10001.5	1141.2	903325.0	594035.4

Length: 98.2 Section: 5 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
98.2	-90.0	.0	.0	NO TEST

62044	79.8	81.2	-1.0	-1	4C7	30	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
62045	81.2	82.5	-1.0	-1	4C7	30	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
62046	82.5	83.8	-1.0	-1	4C7	30	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
62047	83.8	85.2	-1.0	-1	4E14	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
62048	85.2	86.5	-1.0	-1	4E14	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
62049	86.5	87.9	-1.0	-1	4E14	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
62050	87.9	89.4	-1.0	-1	4C38	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
62051	89.4	91.0	-1.0	-1	4C38	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
62052	91.0	92.5	-1.0	-1	4C38	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
62053	92.5	94.1	-1.0	-1	4C38	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
62054	94.1	95.6	-1.0	-1	4C38	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
62124	95.6	97.2	-1.0	-1	4C38	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 90V-111
Northing: 10211.5 Easting: 10001.5 Elevation: 1141.2
Length: 98.2 Core: NQ

From	To	Unit	Description
.0	17.4	#	CASING NO RECOVERY
17.4	18.1	OB	OB
18.1	19.2	4A4	BOULDER RUBBLE
19.2	19.7	OB	TILL SEAM OX
19.7	22.0	4G8#	
22.0	25.9	4E84	&617#9MIN (3C#6)
25.9	32.9	4G8#	(4G48#)
32.9	37.7	4G448#	(3G96#) 90:10
37.7	38.9	4G96#	&1 [5B93&1]?
38.9	44.4	4G448#	&1LOC9LOC (4D47)(10Q)
44.4	45.6	4E64	&19? LEACHED
45.6	50.9	4G448	&#MIN (3C#) 90:10
50.9	56.0	4G8	&# (3E6) 98:2
56.0	58.5	4E8	 BXA
58.5	62.3	4E18	&4 (3C0) 99:1
62.3	71.5	4C3	&784 (4J4483) 99:1
71.5	78.5	4E8	&14#MIN
78.5	83.8	4C7	&84#
83.8	87.8	4E14	&85LOC9MIN#LOC
87.8	97.1	4C38	&7# &CHLORITE BANDS
97.1	98.1	3G6	

Drill Hole Report

Record -1 Drill Hole - 90V-112

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10210.6	10032.6	1140.3	903345.1	594059.2

Length: 93.0 Section: 5 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
302.0	-89.0	54.8	13.0	sperry

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:10: 8 Serial no: 20320
25/ 7/90 Page : 418

ASSAYS

Drill Hole: 90V-112
Northing: 10210.6 Easting: 10032.6 Elevation: 1140.3
Length: 93.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:10:28 Serial no: 20320
25/ 7/90 Page : 419

LITHOLOGIES

Drill Hole: 90V-112
Northing: 10210.6 Easting: 10032.6 Elevation: 1140.3
Length: 93.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-113

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9968.3	10059.1	1164.8	-1.0	-1.0

Length: 58.5 Section: 13 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9007
Comments: NO SURVEY LOCATION

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
58.5	-84.0	266.0	225.0	SPERRY

ASSAYS

Drill Hole: 90V-113
 Northing: 9968.3 Easting: 10059.1 Elevation: 1164.8
 Length: 58.5 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
61716	21.5 26.5	-1.0	-1	4E4	50	-1.00	9.21	5.12	4.09	95.0	-1.0	-1.00	35.70	-1.00	-1.00	-1.00	-1.00
61717	26.5 28.0	-1.0	-1	4A4	20	-1.00	12.11	4.85	7.26	85.0	-1.0	-1.00	23.00	-1.00	-1.00	-1.00	-1.00
61718	28.0 29.5	-1.0	-1	4G08	60	-1.00	7.17	2.35	4.82	45.0	-1.0	-1.00	12.30	-1.00	-1.00	-1.00	-1.00
61719	29.5 31.0	-1.0	-1	4G08	60	-1.00	9.33	3.13	6.20	60.0	-1.0	-1.00	11.20	-1.00	-1.00	-1.00	-1.00
61720	31.0 32.6	-1.0	-1	4G48	60	-1.00	15.61	7.30	8.31	35.0	-1.0	-1.00	13.80	-1.00	-1.00	-1.00	-1.00
61721	32.6 34.1	-1.0	-1	4C874	30	-1.00	4.75	2.74	2.01	60.0	-1.0	-1.00	36.40	-1.00	-1.00	-1.00	-1.00
61722	34.1 35.6	-1.0	-1	4C874	30	-1.00	2.10	1.45	.65	40.0	-1.0	-1.00	31.70	-1.00	-1.00	-1.00	-1.00
61723	35.6 37.2	-1.0	-1	4C73	30	-1.00	2.43	1.09	1.34	35.0	-1.0	-1.00	31.40	-1.00	-1.00	-1.00	-1.00
61724	37.2 38.7	-1.0	-1	4C73	30	-1.00	2.92	1.49	1.43	45.0	-1.0	-1.00	29.40	-1.00	-1.00	-1.00	-1.00
61725	38.7 40.2	-1.0	-1	4C73	30	-1.00	.40	.17	.23	20.0	-1.0	-1.00	36.10	-1.00	-1.00	-1.00	-1.00
61726	40.2 41.4	-1.0	-1	4H4	70	-1.00	15.98	8.60	7.38	15.0	-1.0	-1.00	31.50	-1.00	-1.00	-1.00	-1.00
61727	41.4 42.6	-1.0	-1	4D7	80	-1.00	11.11	6.34	4.77	.0	-1.0	-1.00	29.40	-1.00	-1.00	-1.00	-1.00
61728	42.6 43.7	-1.0	-1	4D7	80	-1.00	8.22	3.35	4.87	35.0	-1.0	-1.00	19.90	-1.00	-1.00	-1.00	-1.00
61729	43.7 45.1	-1.0	-1	4C37	40	-1.00	1.67	.73	.94	20.0	-1.0	-1.00	24.60	-1.00	-1.00	-1.00	-1.00
61730	45.1 46.5	-1.0	-1	4C37	40	-1.00	2.64	.83	1.81	15.0	-1.0	-1.00	.38	-1.00	-1.00	-1.00	-1.00
61731	46.5 47.9	-1.0	-1	4C37	40	-1.00	1.99	.95	1.04	20.0	-1.0	-1.00	.31	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 90V-113
Northing: 9968.3 Easting: 10059.1 Elevation: 1164.8
Length: 58.5 Core: NQ

From	To	Unit	Description
.0	4.6	#	CASING NO RECOVERY
4.6	18.4	OB	OB
18.4	21.5	OB	OB
21.5	26.5	4E4	&1 FAULT? WX?
26.5	28.0	4A4	&4 FRAC
28.0	32.6	4G48	(5C\$) 95\5
32.6	35.6	4C874	&9MINOR
35.6	40.2	4C73	&489MINOR
40.2	41.4	4H4	&18? FLOW BXA FAULT
41.4	43.7	4D7	&89MINOR
43.7	47.9	4C37	&89MINOR
47.9	50.4	4L21	FRAC GOUGE FAULT?
50.4	58.5	4L2	&17 FRAC

Drill Hole Report

Record -1 Drill Hole - 90V-114

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
9968.3	10074.1	1164.8	-1.0	-1.0

Length: 46.3 Section: 13 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9007
Comments: NO SURVEY LOCATION

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
46.3	-89.5	51.0	10.0	SPERRY

ASSAYS

Drill Hole: 90V-114
 Northing: 9968.3 Easting: 10074.1 Elevation: 1164.8
 Length: 46.3 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%
61747	17.7 18.9	-1.0	-1	4A0	20	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61748	19.7 22.0	-1.0	-1	4A0	20	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61749	22.0 25.0	-1.0	-1	4A4	20	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61750	25.0 26.9	-1.0	-1	4A4	20	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61751	26.9 28.7	-1.0	-1	4E4	50	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61752	28.7 29.8	-1.0	-1	4G48	60	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61753	29.8 30.8	-1.0	-1	4G48	60	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61754	30.8 32.3	-1.0	-1	4C387	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61755	32.3 33.8	-1.0	-1	4C387	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61756	33.8 35.2	-1.0	-1	4C387	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61757	35.2 36.7	-1.0	-1	4C387	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61758	36.7 38.3	-1.0	-1	4C387	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00
61759	38.3 40.1	-1.0	-1	4C387	40	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00

W AOW #5

LITHOLOGIES

Drill Hole: 90V-114
Northing: 9968.3 Easting: 10074.1 Elevation: 1164.8
Length: 46.3 Core: NQ

From	To	Unit	Description
.0	12.8	#	CASING NO RECOVERY
12.8	17.7	OB	OB
17.7	18.9	4A0	&4? RUBBLE
18.9	19.7	4L0	OXIDIZED RUBBLE
19.7	21.9	4A0	RUBBLE
21.9	25.0	4A4	RUBBLE & FAULT GOUGE
25.0	26.9	4A4	FOLDED
26.9	28.7	4E4	&4MIN1MIN FAULT GOUGE
28.7	30.8	4G48	&3
30.8	40.1	4C387	&49MINOR
40.1	42.7	3E0	&6BXAFOLDEDFAULT?
42.7	46.3	3G6	&4LOCAL&BXA[4L67]

Drill Hole Report

Record -1 Drill Hole - 90V-115

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10243.4	9983.3	1136.2	903336.6	594000.6

Length: 114.9 Section: 4 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
377.0	-87.5	72.8	31.0	sperry

ASSAYS

Drill Hole: 90V-115
Northing: 10243.4 Easting: 9983.3 Elevation: 1136.2
Length: 114.9 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: 90V-115
 Northing: 10243.4 Easting: 9983.3 Elevation: 1136.2
 Length: 114.9 Core: NQ

From	To	Unit	Description
.0	14.9	#	CASING NO RECOVERY
14.9	15.8	OB	OB
15.8	20.4	3E1	FRAC
20.4	22.0	10Q	FRAC
22.0	29.2	3E1	&4 [4A0] FRAC
29.2	32.8	4A0	&47 (4L0)&7 99:1
32.8	34.0	4E6	 MINOR FRAC
34.0	37.0	4H4	(4G4)&8 90:10 FRAC
37.0	39.3	4L7	&6
39.3	40.8	4E0	?4(4H4&8)70:30
40.8	44.9	4H4	&1 (4E4)[4G4]
44.9	47.8	4G4#	&8 (4E6&4\$) FRAC
47.8	51.3	4E0	&146 FAULT FRAC
51.3	58.7	4E8	&64 (4G0)(3C\$)
58.7	63.6	4E1	&46 FAULT
63.6	67.1	4E0	&1#846? (4E1)[4C0]
67.1	68.2	4G0	&8 MINOR FRAC
68.2	77.7	4C0	&7MIN9MIN (3C\$) 99:1
77.7	79.4	4C5	FRAC
79.4	88.8	4C3	&9MIN7MIN8MIN (3C\$)
88.8	89.4	4E0	&#
89.4	95.1	4C3	MIN
95.1	97.4	3G0	&7 FRAC
97.4	98.4	3G16	;MIN4
98.4	100.9	4C3	&749MIN#
100.9	111.1	3G0	&71
111.1	112.5	4H1	
112.5	114.9	3G7	&1 FRAC

Drill Hole Report

Record -1 Drill Hole - 90V-116

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10239.3	9952.1	1138.5	903312.8	593980.1

Length: 120.4 Section: 4 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
395.0	-88.0	92.8	53.0	sperry

PC-XPLOR VERSION 1.30 ***
Exploration Data Manager ***
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

*** Curragh Resources In
*** 14:19:24 Serial no: 20320
25/ 7/90 Page : 431

61919	111.4	112.8	-1.0	-1 4E8	50	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
61920	112.8	113.9	-1.0	-1 4H4	70	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00
61921	113.9	114.9	-1.0	-1 4H4	70	-1.00	-1.00	-1.00	-1.00	-1.0	-1.0	-1.00	-1.00	-1.00	-1.00	-1.00

LITHOLOGIES

Drill Hole: 90V-116
Northing: 10239.3 Easting: 9952.1 Elevation: 1138.5
Length: 120.4 Core: NQ

From	To	Unit	Description
.0	17.4	#	CASING NO RECOVERY
17.4	20.4	OB	OB
20.4	39.6	3G09	&416MINOR(po)FRAC
39.6	44.6	4A0	&48 (3C\$) 80:20
44.6	50.6	4A0	(3C\$)(3G9&6) 80:10:10
50.6	52.7	3G0	&16MIN(pypo)(3C\$)99:1
52.7	53.2	4G0	
53.2	62.3	3G0	&16 (popy)FRAC
62.3	66.8	4L0	&21(4G4)(3E0)35:30:35
66.8	71.0	4G04	&8#(4E684) 80:20
71.0	76.2	4E684	&9MIN(4G0)(4H4)80:19:1
76.2	78.4	4E648	&#
78.4	83.8	4K#4	&819MIN
83.8	89.0	4G04	&8#
89.0	89.9	4E48	&1
89.9	103.7	4E84	
103.7	107.1	4G\$	&149MIN [4E6\$]
107.1	112.8	4E8	&6?41 (4G48) 80:20
112.8	114.9	4H4	&9MIN#
114.9	120.4	3G09	&6(po)#\$ FRAC

Drill Hole Report

Record -1 Drill Hole - 90V-117

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10211.0	10047.5	1140.3	903355.3	594070.0

Length: 89.0 Section: 5 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
292.0	-88.0	2.8	321.0	sperry

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:20:55 Serial no: 20320
25/ 7/90 Page : 434

ASSAYS

Drill Hole: 90V-117
Northing: 10211.0 Easting: 10047.5 Elevation: 1140.3
Length: 89.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:21:17 Serial no: 20320
25/ 7/90 Page : 435

LITHOLOGIES

Drill Hole: 90V-117
Northing: 10211.0 Easting: 10047.5 Elevation: 1140.3
Length: 89.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-118

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10244.4	10016.1	1134.4	903359.2	594024.3

Length: 95.1 Section: 4 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	90.0	48.0	AT C
95.1	-89.0	61.8	21.0	sperry

ASSAYS

Drill Hole: 90V-118
Northing: 10244.4 Easting: 10016.1 Elevation: 1134.4
Length: 95.1 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: 90V-118
Northing: 10244.4 Easting: 10016.1 Elevation: 1134.4
Length: 95.1 Core: NQ

From	To	Unit	Description
.0	9.7	#	CASING NO RECOVERY
9.7	19.0	OB	OB
19.0	23.7	4G4	[4J478*3][4L][4J48*]
23.7	29.8	4E648	&* MINOR [4G4]
29.8	34.8	4G4	&*8MIN [4J][4E]
34.8	39.3	4A4*	&* [3B?][4G4][4H4]
39.3	42.8	4E84	
42.8	52.3	4G48	[4J834][4J478][4J48]
52.3	53.1	4D8	&* MINOR BXA
53.1	62.8	4E4*8	[4G4][4D]
62.8	66.4	4H4	&8 MINOR
66.4	82.4	4D48	&* MIN [4C8][4E]
82.4	84.6	4C4	[4D]
84.6	87.7	4D8	[4C]
87.7	91.7	4C4	
91.7	95.1	4L3	

Drill Hole Report

Record -1 Drill Hole - 90V-119

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10275.8	9957.7	1131.2	903343.6	593959.9

Length: 102.7 Section: 3 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	90.0	48.0	AT C
102.7	-76.0	97.8	56.0	sperry

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:23:30 Serial no: 20320
25/ 7/90 Page : 440

ASSAYS

Drill Hole: 90V-119
Northing: 10275.8 Easting: 9957.7 Elevation: 1131.2
Length: 102.7 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: 90V-119
Northing: 10275.8 Easting: 9957.7 Elevation: 1131.2
Length: 102.7 Core: NQ

From	To	Unit	Description
.0	20.4	#	CASING NO RECOVERY
20.4	21.5	OB	OB TILL
21.5	35.4	4A4	
35.4	40.4	3G09	&4LOC (4A04)(3C3)(4E8)
40.4	41.8	4G84#	
41.8	50.1	3G04	&6(po py sph gn) GOUGE
50.1	52.9	3C3	&1 LOC ALTERED
52.9	60.3	4G#6	&8 CALC
60.3	66.7	4G#	&8 (4K0&8) 60:40
66.7	71.5	4K8	&4 (3C3) 97:3 CALC
71.5	74.2	4C##	&4 CALC
74.2	77.1	4K81	&4 CALC
77.1	80.4	4G48#	
80.4	84.4	4E1	&8749MIN#LOC
84.4	91.4	4C73#	&849MIN
91.4	98.3	4L72	 &BXA LOCAL
98.3	102.7	3G6	&# (po)

Drill Hole Report

Record -1 Drill Hole - 90V-120

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10280.0	9998.6	1131.1	903374.1	593987.6

Length: 93.6 Section: 3 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	90.0	48.0	AT C
93.6	-87.0	110.8	69.0	sperry

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:25: 5 Serial no: 20320
25/ 7/90 Page : 443

ASSAYS

Drill Hole: 90V-120
Northing: 10280.0 Easting: 9998.6 Elevation: 1131.1
Length: 93.6 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:25:29 Serial no: 20320
25/ 7/90 Page : 444

LITHOLOGIES

Drill Hole: 90V-120

Northing: 10280.0

Length: 93.6

Easting: 9998.6

Core: NQ

Elevation: 1131.1

From

To

Unit

Description

Drill Hole Report

Record -1 Drill Hole - 90V-121

MODEL			UTM		
Northing	Easting	Elev	Northing	Easting	
-1.0	-1.0	-1.0	-1.0	-1.0	

Length: -1.0 Section:
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	90.0	48.0	AT C
84.5	-88.0	112.8	71.0	sperry

ASSAYS

Drill Hole: 90V-121
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag-AA g/t	Ag-FA g/t	Au g/t	Po+Py %	Po %	Py %	BaO %	Cu %
----------	--------------	-------	-------	-----------	-----------	-----------	---------	------	------	-----------	-----------	--------	---------	------	------	-------	------

LITHOLOGIES

Drill Hole: 90V-121
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-122

MODEL			UTM		
Northing	Easting	Elev	Northing	Easting	
-1.0	-1.0	-1.0	-1.0	-1.0	

Length: -1.0 Section:
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	90.0	48.0	AT C
92.1	-86.0	119.8	78.0	sperry

ASSAYS

Drill Hole: 90V-122
 Northing: -1.0 Easting: -1.0 Elevation: -1.0
 Length: -1.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:27:50 Serial no: 20320
25/ 7/90 Page : 450

LITHOLOGIES

Drill Hole: 90V-122
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-123

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
-1.0	-1.0	-1.0	-1.0	-1.0

Length: -1.0 Section:
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	----	----	----	-----
.0	-90.0	.0	.0	AT C
80.5	-88.5	65.0	24.0	SPERRY

ASSAYS

Drill Hole: 90V-123
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:29: 4 Serial no: 20320
25/ 7/90 Page : 453

LITHOLOGIES

Drill Hole: 90V-123
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-124

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
-1.0	-1.0	-1.0	-1.0	-1.0

Length: -1.0 Section:
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-87.0	89.0	48.0	AT C
92.1	-89.0	.0	.0	SPERRY

ASSAYS

Drill Hole: 90V-124
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:30:19 Serial no: 20320
25/ 7/90 Page : 456

LITHOLOGIES

Drill Hole: 90V-124
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-125

MODEL			UTM		
Northing	Easting	Elev	Northing	Easting	
-1.0	-1.0	-1.0	-1.0	-1.0	

Length: -1.0 Section:
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
105.8	-84.0	87.0	46.0	SPERRY

ASSAYS

Drill Hole: 90V-125

Northing: -1.0 Easting: -1.0 Elevation: -1.0

Length: -1.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:31:33 Serial no: 20320
25/ 7/90 Page : 459

LITHOLOGIES

Drill Hole: 90V-125
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-126

MODEL			UTM		
Northing	Easting	Elev	Northing	Easting	
-1.0	-1.0	-1.0	-1.0	-1.0	

Length: -1.0 Section:
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
91.5	-81.0	94.0	53.0	SPERRY

PC-XPLOR VERSION 1.30 ***
Exploration Data Manager ***
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

*** Curragh Resources In
*** 14:32:23 Serial no: 20320
25/ 7/90 Page : 461

ASSAYS

Drill Hole: 90V-126
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:32:47 Serial no: 20320
25/ 7/90 Page : 462

LITHOLOGIES

Drill Hole: 90V-126
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-127

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
-1.0	-1.0	-1.0	-1.0	-1.0

Length: -1.0 Section:
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:33:38 Serial no: 20320
25/ 7/90 Page : 464

ASSAYS

Drill Hole: 90V-127
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Fb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

LITHOLOGIES

Drill Hole: 90V-127
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-129

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
-1.0	-1.0	-1.0	-1.0	-1.0

Length: -1.0 Section:
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-87.0	.0	.0	AT C
45.7	-84.0	.0	.0	AT C

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:34:52 Serial no: 20320
25/ 7/90 Page : 467

ASSAYS

Drill Hole: 90V-129
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30 ***
Exploration Data Manager ***
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:35:12 Serial no: 20320
25/ 7/90 Page : 468

LITHOLOGIES

Drill Hole: 90V-129
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-134

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
-1.0	-1.0	-1.0	-1.0	-1.0

Length: -1.0 Section:
Type: DDH Core: NQ Location: GRUM

Logged by: Date: -1
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
-----	---	---	---	-----
.0	-90.0	.0	.0	AT C
.0	-88.5	57.0	16.0	SPERRY

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:36: 6 Serial no: 20320
25/ 7/90 Page : 470

ASSAYS

Drill Hole: 90V-134

 Northing: -1.0 Easting: -1.0 Elevation: -1.0

 Length: -1.0 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:36:29 Serial no: 20320
25/ 7/90 Page : 471

LITHOLOGIES

Drill Hole: 90V-134
Northing: -1.0 Easting: -1.0 Elevation: -1.0
Length: -1.0 Core: NQ

From	To	Unit	Description
------	----	------	-------------

Drill Hole Report

Record -1 Drill Hole - 90V-141

MODEL			UTM	
Northing	Easting	Elev	Northing	Easting
10277.0	10031.5	1132.5	903393.8	594014.1

Length: 84.5 Section: 3 E
Type: DDH Core: NQ Location: GRUM

Logged by: PLP Date: 9006
Comments:

DOWNHOLE SURVEYS

Distance (m)	Dip	Az Mdl	Az UTM	Method
.0	-90.0	.0	.0	AT C
84.5	-90.0	.0	.0	NO TEST

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:37:19 Serial no: 20320
25/ 7/90 Page : 473

ASSAYS

Drill Hole: 90V-141
Northing: 10277.0 Easting: 10031.5 Elevation: 1132.5
Length: 84.5 Core: NQ

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag-AA	Ag-FA	Au	Po+Py	Po	Py	BaO	Cu
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	g/t	g/t	%	%	%	%	%

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

Curragh Resources In
14:37:43 Serial no: 20320
25/ 7/90 Page : 474

LITHOLOGIES

Drill Hole: 90V-141
Northing: 10277.0 Easting: 10031.5 Elevation: 1132.5
Length: 84.5 Core: NQ

From	To	Unit	Description
------	----	------	-------------

PC-XPLOR VERSION 1.30 ***
Exploration Data Manager ***
By GEMCOM SERVICES INC.

VANGORDA - Drill Hole Database

*** Curragh Resources In
*** 14:38: 2 Serial no: 20320
25/ 7/90 Page : 475