

017476

SCH No. 2 (118')

- 98 - 100' Biotitic quartz schist, graphitic, 5% sulphides, crystalline pyrite with minor pyrrhotite.
- 100 - 110' FAULT ZONE - mud and water.

SCH No. 4 (310')

(No PbS, ZnS, or CuFeS₂ Ndetech)

- 0 - 10' Overburden *mag. py po*
- 10 - 30' } Sericite schist, 5% sulphides to 20' and 15% from 20 to 30', pyrite with pyrrhotite. *look 90% pyrite other sulf reading dist*
- 30 - 50' } Massive sulphides, 75% pyrite with an indeterminate amount of pyrrhotite. *look 90% pyrite other sulf reading dist*
- 50 - 70' } Sericite schist, 50% sulphides to 60' and 15% sulphides to 70'. *looks like maybe picking up graphitic zone*
- 70 - 80' } Sericitic biotite schist, 35% sulphides, pyrite.
- 80 - 130' } Graphitic biotite schist, 5% sulphides, pyrite with pyrrhotite.
- 130 - 310' } Graphite schist, 5% sulphides, crystalline pyrite with an indeterminate amount of lesser pyrrhotite.

*200 = 30 15% py po
 249 = 50 15% py po*

SCH No. 5 (335')

- 0 - 40' Sericite schist, no sulphides to 10', 3% from 10 to 30', 4% sulphides 30 to 40', largely pyrite with lesser pyrrhotite.
- 40 - 50' Graphitic sericite schist, 5% sulphides.
- 50 - 335' Graphite schist, pyrite in excess of pyrrhotite.

~ 10 py + po

70 75