

017529

Anvil Mining Corporation Ltd.

AREA

Lee Page 1 of 37

DATE

July 12 & 13 / 14-19

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
12751	L4W21S		fine	Level	Good, clay	15	5	75			
2	4W20S		fine, hash	"	Ash, "	0	0	15			
3	19S		fine	"	Horg, "	10	0	55			
4	18S		fine	Slope	Good, "	5	0	20			
5	17S		fine sandy	Level	Fine, "	0	0	15			
6	16S		fine	Slope	Ash, Horg	0	0	5			
7	15S		fine	"	Clay, "	2	0	35			
8	14S		fine, storg, slash	"	Ash, "	5	0	7			
9	13S		fine	Level	" Clay	0	0	10			
12760	12S		storg	Slope	Ash Horg	10	3	35			
1	11S		fine, hash	"	"	2	0	5			
2	10S		fine sandy	"	"	5	0	12			
3	9S		ash	Level	"	0	0	0			
4	8S		fine, slash	"	"	0	0	7			
5	7S		ash	"	"	0	0	5			
6	6S		ash	Slope	"	0	0	7			
7	5S		ash	Level	"	0	0	0			
8	4S		hash, storg	"	"	0	0	5			
9	3S		ash	Slope	"	0	0	5			
12770	2S		ash	"	"	0	0	10			

Anvil Mining Corporation Ltd.

AREA Lee Page 2 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
12771	L4W 1S		fine, sl. stony	Level	Rocky, clay	10	0	45		
2	OS		ash	"	Ash	0	0	0		
3	LOW OS		ash	"	"	5	0	20		
4	OW 1S		slush, stony	Slope	" , Horg. clay	0	0	0		
5	2S		fine, slash?	"	fine, "	0	0	0		
6	3S		fine sandy	Level	Horg	5	0	10		
7	4S		ash	"	Ash	10	0	0		
8	5S		ash	"	"	0	0	0		
9	L2BE 13N		fine, sl. stony	"	Good clay	10	0	50		
12780	12N		fine, sl. stony	"	Rocky "	0	0	20		
1	11N		fine	"	" "	4 ¹⁰	3	5 ³⁵		
2	10N		fine	"	" "	10	5	60		
3	9N		fine	"	" "	20	3	40		
4	8N		slush, stony	"	" "	0	0	12		
5	7N		fine sandy	"	" "	20	15	70		
6	6N		fine	"	" "	5	0	45		
7	5N		slong.	"	" "	15	0	35		
8	4N		fine	"	" "	20	0	50		
9	3N		hash	"	Fine "	2	0	15		
12990	2N		fine	"	Rocky "	0	0	70		

Anvil Mining Corporation Ltd.

AREA

Lee

Page 3 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
12791	L28E1N		fine	Level	Rocky clay	30	3	75		
2	+00N		fine	"	" "	0	0	20		
3	15		hash	"	Fine "	0	0	0		
4	25		fine, sl. stony	"	Rocky "	10	0	40		
5	35		fine	"	Fine "	10	2	60		
6	45		fine	"	Mucky "	20	17	70		
7	55		fine, clay	"	Rocky "	75	25	95		
8	65		fine, sl. stony	"	" "	25 25	7 7	60 60		
9	75		fine	"	"	0	0	45		
12800	85		slush	"	Ash	2	3	15		
1	PL4E.8+00S		fine	South Slope	Clay, gravel	5	0	10		
2	9		stony	"	" , Humus	15	0	10		
3	10		ash	"	Ashy, wet mass	0	0	0		
4	11		fine, sl. stony	"	Clay, rocky	10	5	20		
5	12		fine, stony	"	" , PF	2	0	35		
6	13		fine, sl. stony	"	Boxed, sandy	10	0	30		
7	14		fine, sl. stony	"	" sandy rocky	0	0	40		
8	15		fine	"	" , washout	0	0	40		
9	16		fine	"	" , gutter-hole	0	0	5		
12800	17		fine	"	" , sandy	0	17	75		

Anvil Mining Corporation Ltd.

AREA Lee Page 4 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
12811	PL4E.18+005		fine slash	South Slope	Clay	0	0	12		
2	19		fine, loam	"	Good, ash	2	3	40		
3	20		fine	"	" "	0	0	40		
4	21		fine, stony	"	Mossy	5	0	20		
5	22		fine	"	Good, clay	0	0	12		
6	23		fine	"	Hard	15	0	45		
7	24		fine stony	West	" clay	15	0	40		
8	25		ash	"	Good, rocks	0	0	0		
9	26		fine, slash	South	ashy - clay	0	0	10		
12820	27		fine, sl stony	"	Good brown	10	0	60		
1	28		fine sandy	"	Hard, clay	0	0	17		
2	29		fine	"	Ashy, brown	0	0	60		
3	30	also BLI. 4 + 06E	fine	"	Good, brown	15	0	40		
4	31	also 31 + 005 L U	fine, sl stony	"	Good, "	0	0	0		fine
5	32		fine	"	Brown, fair, mushy	0	0	20		
6	33		fine, slash	"	" , good	25	0	45		
7	34		fine	"	" , fair, hard	0	0	25		
8	35		stony	"	" , " , clay, good	0	0	17		
9	36		stony	"	" , fair	10	0	30		
12830	37		fine	"	" , good, clay	0	0	25		

Anvil Mining Corporation Ltd.

AREA

Lee Page 5 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
12831	PL4.38+00S		fine	Level	Good Brown	5	0	30			
2	39+00S		sloog	S. slope	Horg	15	0	20			
3	40		sloog	"	Good clay	0	0	20			
4	41		fine	"	Good brown	5	0	40			
5	42		sloog	"	" "	0	0	12			
6	43-		fine	"	Clay	10	0	35			
7	44		fine	SW.	Horg, brown	0	0	5			
8	45		fine sandy	W	Good, brown	20	0	35			
9	L8E 30S		fine, sl. stony	W.	" "	10	0	60			
12840	29S L8E		fine	W	" "	5	0	40			
1	28S		fine	SW	"	0	0	40			
2	27S		fine	"	" clay	0	0	30			
3	26S		clay	SW	" "	20	0	70			
4	25S		fine	"	Brown clay	15	0	75			
5	24S		fine	"	Ash, "	0	0	40			
6	23S		fine	Slope	Good, ash	0	0	5			
7	22S		fine	W. slope	clay, ash	0	0	35			
8	21S		fine sandy	"	Good, brown	40	22	60			
9	20S		fine	"	Clay, ash	10	0	45			
12850	19S		fine sandy	"	Good	20	15	70			

Anvil Mining Corporation Ltd.

AREA

Lee Page 6 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
12851	185 L8E		fine, stony	W slope	Good	15	0	40		
2	175		fine, clay, sl. stony	"	" , rocky	0	0	60		
3	165		fine	"	Fair, hong	0	0	30		
4	155		fine, stony	"	Good clay, rock	20	8	40		
5	145		fine sandy, stony	"	Gravel, clay	20	3	35		
6	135		fine	"	" "	0	10	80		
7	125		fine, sl. stony	"	Good	20	15	55		
8	115		fine, sl. stony	"	" , rocky	45	17	60		
9	105		fine	"	" , "	15	7	40		
12860	95		fine, sl. stony	"	" , "	15	7	45		
1	85		fine sandy	"	" , "	5	0	35		
2	75		fine stony	"	" , "	10	0	10		
3	65		fine	"	" , "	10	0	40		
4	55		fine, slash	"	" , Fine, clay	5	0	12		
5	45		No sample . water, mus Reg		moss	-	-	-		
6	35		ash	SW.	Good, Fine, ash	2	0	5		
7	25		fine	W Gully	Ashy clay	0	0	60		
8	15		fine	"	" "	5	0	40		
9	BLO 800E		fine	W slope	Fine, good	5	0	35		
12870	7		hash	E slope	Fair	0	0	7		

Anvil Mining Corporation Ltd.

AREA

Lee Page 7 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
12871	BLO, 6400E		fine sandy	E slope	Ash, marsh	5	0	10			
2	5		fine, hash	"	Fine, good	0	0	0			
3	4		fine, hash	"	" "	5	0	10			
4	PL4E 1400S		fine	S slope	" "	5	2	35			
5	2		No Sample	"	Moss	-	-	-			
6	3		fine	"	Fine	0	0	20			
7	4		fine stony	Plain	Good	0	0	40			
8	5		ash	Hollow	Ash	0	0	0			
9	6		fine, stony	w-slope	Horg	0	17	30			
12880	7		fine sandy	S slope	Good	15	0	50			
1	1N L8E		fine, stony	"	Horg	25	2	20			
2	2N		fine slash	"	" Ash	7	0	7			
3	3N		fine, stony	"	"	0	5	25			
4	4N		fine, slash	"	Good, Ash	5	0	20			
5	5N		fine	"	Horg, Ashy	0	0	20			
6	10N L12E		fine	E slope	Good	5	5	35			
7	9N		fine	"	"	25	25	60			
8	8N		fine	SE	Horg	20	5	35			
9	7N		fine	"	Fine, good	5	2	40			
12890	6N		fine	S.	" "	30	3	40			

Anvil Mining Corporation Ltd.

AREA Lee Page 8 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
12891	5N L12E		fine, sl. stony	SW- Slope	Clay, gravel	5	0	25		
2	4N		fine sandy, sl. stony	W	Fine, good "	15	0	35		
3	3N		fine	"	" " "	2	10	60		
4	2N		fine	"	Clay	5	0	30		
5	1N		fine stony	"	"	15	2	45		
6	BL 0 12+00E	Base B	fine, stony	"	"	45	12	70		
7	1S		fine	"	"	50	10	55		
8	2S		fine	"	Heavy gravel	30	0	60		
9	3S		fine	"	Clay "	35	7	80		
12900	4S		fine, stony	"	" "	40	0	35		
1	BL 16 ^w +00W		fine	South	" Good	0	0	40		
2	1S		fine stony	"	"	0	0	30		
3	2S		hash	"	"	0	0	0		
4	3S		fine stony	"	" Ash	0	0	7		
5	4S		fine sandy, stony	—	—	0	0	12		
6	5S		fine slash, stony	"	Ash	0	0	50		
7	6S		fine	"	Clay	0	0	30		
8	7S		fine	"	"	0	0	17		
9	8S		fine	"	"	0	0	35		
12910	9S		fine (stony)	"	"	0	0	20		

Anvil Mining Corporation Ltd.

AREA

Lee Page 9 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
129 11	BL16W 10S		fine	South Slope	Clay	0	0	10			
2	11S		fine stony	"	"	0	0	35			
3	12S		fine	"	"	10	0	40			
4	13S		fine, hash	"	" Ash	0	0	5			
5	14S		fine, stony	"	"	0	0	70			
6	15S		fine, sl. stony	"	"	0	0	20			
7	16S		fine, v. stony	"	" Rocky	5	0	40			
8	17S		stony	"	"	5	0	20			
9	18S		fine stony	"	"	0	0	35			
129 20	19S		fine	"	"	0	0	25			
1	20S		fine stony	"	"	0	0	60			
2	21S		v. stony, stony	Level	" Creek valley	10	0	25			
3	22S		stony	N slope	Clay	0	0	20			
4	23S		fine stony	"	"	0	0	40			
5	24S		fine	"	"	0	0	40			
6	25S		fine	Level	"	0	0	60			
7	26S		fine sandy	E.	"	0	0	55			
8	27S		fine stony	"	"	0	30	40			
9	28S		fine, stony	"	"	0	0	40			
129 30	29S		fine, stony ash	"	"	10	0	40 15			

Anvil Mining Corporation Ltd.

AREA Lee Page 10 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
12931	BL 16w 30S		f. sandy slorg	East Slope	Clay	0	0	45			
2	31S		fine slorg	" cliff	" , rocky	0	0	60			
3	32S		slorg	" "	" "	5	0	20			
4	33S		fine	S. slope	" , "	0	0	20			
5	34S		slorg	S. cliff	"	5	3	55			
6	35S		fine slash, slorg	S. slope	" , rocky	2	12	15			
7	36S		fine stony	"	" "	20	0	40			
8	37S		No Sample	"		-	-	-			
9	38S		slorg	"	" "	5	0	10			
12940	39S		Slorg	"	"	50	0	55			
1	40S		Slorg	"	"	10	0	60			
2	41S		fine powdery slorg	"	"	25	0	35			
3	42S		hang	"	Hang, PF	5	0	15			
4	43S		fine (slorg?)	"	Clay	0	0	60			
5	44S		slorg	"	"	45	0	35			
6	BL 20w 32S		hash slorg	"	"	0	0	0			
7	33S		fine	"	"	0	0	0			
8	34S		Slorg	"	Ash	0	0	0			
9	35S		fine slash, slorg	"	" Hang	0	0	10			
12950	36S		ash	"	"	0	0	0			

Anvil Mining Corporation Ltd.

AREA

Lee Page 11 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
12951	BL 20W/37S		storg	South Slope	Clay	0	0	30			
2	38S		fine sandy	"	"	0	0	100			
3	37S		fine	"	"	7	0	20			
4	31S		hash	"	" , Ash	2	0	5			
5	30S		fine	Level	"	30	0	55			
6	24S		storg	"	" "	0	0	0			
7	28S		fine	South	" "	0	0	0			
8	27S		fine slash	E slope	" "	0	0	30			
9	26S		ash	"	"	2	0	5			
12960	25S		fine	"	"	5	0	20			
1	24S		ash	"	"	0	0	0			
2	23S		fine sandy, sl. storg	"	" , Rocky	30	5	40			
3	22S		fine	NE slope	"	2	0	20			
4	21S		fine storg	"	"	0	0	25			
5	20S		storg	N	"	0	0	7			
6	19S		storg	"	"	0	0	20			
7	18S		fine sandy	Level	Creek, clay	0	0	30			
8	17S		fine storg	"	Horg, "	0	0	20			
9	16S		storg	"	"	5	0	60			
12970	15S		storg, stony	S slope	Clay, Rocky	10	0	20			

Anvil Mining Corporation Ltd.

AREA Lee Page 12 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.			
						Cu	Pb	Zn	
12971	BL 20W145		fine slong	S. slope	clay	0	0	20	
2	135		fine slong	"	"	0	0	17	
3	115	Yep, that's right!	fine slash	"	"	0	0	30	
4	125		fine (slong)	"	"	2	0	20	
5	105		fine slash	"	" Ash	0	0	17	
6	95		ash	"	"	0	0	5	
7	85		fine, loam	"	"	5	0	40	
8	75		hash	"	"	2	0	15	
9	65		fine	"	"	0	0	20	
12980	55		finestony	"	"	0	0	35	
1	45		fine sandy, slong	"	"	0	0	20	
2	35		fine	"	"	2	0	20	
3	25		fine	"	"	10	0	20	
4	15		fine hash	"	"	0	0	0	
5	BL 20W		fine sandy	SW	"	20	10	60	
6	BL 20E		hash	"	"	0	0	10	
7	1N		fine, slash	W slope	" , rocky	0	0	0	
8	2N		fine	"	"	45	15	75	
9	3N		fine, sl. stony	"	"	30	15	80	
12990	4N		fine	"	"	40	10	50	

Anvil Mining Corporation Ltd.

AREA Lee Page 13 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
12991	BL 20E 5N		hash	West Slope	Clay & Ash	10	15	10		
2	6N		fine clay	"	"	40	10	60		
3	7N		fine	"	" Rocky	30	8	40		
4	8N		hash	"	"	0	0	7		
5	9N		fine	"	" "	30	10	50		
6	10N		fine sandy, sl. stony	"	" "	40	15	60		
7	11N		fine	"	"	25	2	40		
8	12N		fine, slorg	"	"	2	0	10		
9	24E 44S		fine sandy, slorg, slash	S Slope	Slorg	10	0	10		
13000	BL 20E 13N	24E 45S	ash	"	Hash	2	0	7		
1	BL 20E 13N		ash	W Slope	Clay	5	2	10		
2	1S		fine	"	"	0	0	30		
3	2S		fine	"	"	20	10	30		
4	3S		fine	"	" Rocky	35	10	50		
5	4S		fine, stony	"	" "	10	0	50		
6	5S		fine	"	" Ash	2	2	30		
7	6S		fine stony	"	"	40	10	80		
8	7S		fine, slash	"	"	0	0	30		
9	8S		fine	"	"	5	0	40		
13010	9S		fine, slorg	"	"	40	15	50		

Anvil Mining Corporation Ltd.

AREA Lee Page 14 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13011	BL 10E 10S		fine slorg	W. slope	Clay	0	0	7		
2	20 11S		fine, slorg	"	"	0	10	40		
3	12S		fine	"	"	0	0	5		
4	13S		fine, slorg	"	"	10	0	20		
5	14S		fine	"	" Rocky	0	0	40		
6	15S		fine	Level	"	5	0	25		
7	16S		hash	"	Ash	0	0	0		
8	17S		fine	"	Clay	0	0	0		
9	18S		fine slash	"	"	0	0	0		
13020	19S		hash, slorg	"	"	0	0	0		
1	20S		hash	"	"	2	7	8		
2	21S		fine, sl. stony	"	" Rocky	20	7	35		
3	22S		hash	"	"	0	0	0		
4	23S		fine	"	"	6	0	30		
5	24S		fine slash	"	"	0	0	12		
6	25S		fine	"	"	5	2	15		
7	26S		slorg, slash	"	"	0	0	0		
8	27S		slash, slorg	"	"	0	0	0		
9	28S		ash	"	"	5	0	10		
13030	32S		fine	"	"	0	0	12		

Anvil Mining Corporation Ltd.

AREA

Lee Page 15 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
13031	BL20E 33S		Slush, slorg	Level	Clay, Ash	0	0	0			
2	34S		fine	"	"	0	0	12			
3	35S		hash	"	" Ash	0	0	0			
4	36S		hash	"	"	0	0	5			
5	37S		hash	"	"	2	3	5			
6	38S		hash	"	"	0	0	0			
7	39S		fine, slush, slorg	"	"	5	0	5			
8	40S		hash	"	"	0	0	0			
9	41S		hash	"	"	0	0	0			
13040	42S		fine	"	"	0	0	5			
1	43S		fine	"	"	0	0	0			
2	44S		fine	"	"	0	0	20			
3	45S		fine	"	"	0	0	25			
4	31S		fine	"	"	0	0	40			
5	29S		fine	"	"	2	0	5			
6	BL28W 31S		hash	W. slope	" Ash	0	0	0			
7	28W 32S		fine clay	Level	"	0	0	35			
8	28W 33S		fine	"	" , Rocky	0	0	5			
9	28W 34S		fine sandy	"	"	30	0	60			
13050	" 35S		hash	"	Ash	0	0	0			

Anvil Mining Corporation Ltd.

AREA

Lee Page 16 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13251	L28E 9S		fine slorg	Level	Clay, horg	0	0	0		
2	10S		fine	"	"	20	10	60		
3	11S		hash	"	Ash	20	0	20		
4	12S		slorg	"	Horg, rocky	20	35	50		
5	13S		fine, stony	"	Clay, "	35	35	85		
6	14S		fine, sl. stony	"	" "	0	0	35		
7	15S		fine slash	"	Ash	0	0	0		
8	16S		fine	"	Clay, rocky	0	0	40		
9	17S		fine	"	"	0	0	35		
13260	18S		fine	"	"	0	2	60		
1	19S		fine	"	"	0	0	40		
2	20S		fine	"	"	0	0	35		
3	21S		fine	"	"	20	10	55		
4	22S		fine	"	" "	15	2	30		
5	23S		fine	"	" "	0	0	40		
6	24S		ash	"	" "	0	0	5		
7	25S		fine	"	"	2	10	30		
8	26S		fine	"	" fine	10	25	60		
9	27S		fine	"	"	0	0	25		
13270	28S		fine, stony	"	" , rocky	0	0	35		

Anvil Mining Corporation Ltd.

AREA

Lee Page 17 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.			
						Cu	Pb	Zn	
13271	28E 24S		fine sandy slorg (ash?)	Level	Ash	0	0	20	
2	30S		fine	"	Clay	0	0	40	
3	31S		fine slash	"	"	0	0	0	
4	32S		fine	"	"	0	0	40	
5	33S		fine slorg	"	" Rocky	0	0	7	
6	34S		fine	"	" "	0	0	17	
7	35S		fine	"	" "	0	0	25	
8	36S		fine	"	" "	0	0	35	
9	37S		ash	"	Sandy Ash	0	0	0	
13280	38S		ash	"	"	0	0	0	
1	39S		fine	"	"	0	0	25	
2	40S		slash, slorg	"	"	0	0	0	
3	41S		hash	"	"	0	0	7	
4	42S		ash	"	"	0	0	0	
5	43S		ash	"	"	0	0	0	
6	44S		ash	"	"	0	0	0	
7	45S		ash	"	"	0	0	0	
8	46S		hash	"	Clay "	2	0	10	
9	47S		hash, slorg	"	" "	0	0	0	
13290	48S		fine slorg	"	"	0	0	0	

Anvil Mining Corporation Ltd.

AREA

Lee Page 18 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13291	W BL 28 4 31S		fine, slash	Level	Clay	0	0	20		
2	24 4 31S		ash	"	"	0	0	0		
3	W 32S		ash	"	" Ash	2	0	50		
4	33S		slash, storg	"	" "	0	0	0		
5	34S		storg	"	"	0	0	40		
6	35S		fine sandy, storg	"	"	0	0	20		
7	36S		fine, storg, slash	"	"	2	0	10		
8	37S		fine,	"	"	0	0	40		
9	38S		ash	"	"	0	0	0		
13300	39S		fine	"	"	0	0	30		
1	Tag missed					-	-	-		
2	24E 5N		fine	Level	Clay, ferr	30	0	40		
3	4N		fine, hash	"	Ash	2	0	10		
4	3N		fine stony	"	" gravel	50	10	85		
5	2N		fine	"	Morg	12	0	10		
6	1N		fine, sl stony	"	" good	35	10	80		
7	24+00E		fine, sl stony	"	" fair	25	0	50		
8	1S		fine sandy, stony	"	" fair	5	0	35		
9	2S		fine	"	" fair	20	10	25		
13310	3S		fine stony	N slope	" good	70	10	90		

Anvil Mining Corporation Ltd.

AREA Lee Page 19 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13311	24E 4S		fine	North Slope	Org	35	7	60		
2	5S		fine, v. stony	"	"	40	20	80		
3	6S		fine sandy stony	Level	" gravel	0	15	30		
4	7S		fine	"	good clay	35	10	75		
5	8S		fine	"	org, gravel	25	0	65		
6	9S		fine	"	clay, "	20	10	55		
7	10S		v. stony	"	"	40	25	100		
8	11S		fine	S. slope	good	35	20	85		
9	12S		fine	"	fine clay	60	25	90		
13320	13S		fine stony	"	Org	45	10	50		
1	14S		fine, stony	Level	S. slope	20	10	80	That's what it says on the tag!	
2	15S		hash	S. slope	Hash	2	0	10		
3	16S		fine	"	Org	45	17	90		
4	17S		fine	"	Clay, good	30	25	45		
5	18S		fine	Level	Sandy	5	10	40		
6	19S		fine	"	Org	10	0	35		
7	20S		fine	"	Ash	30	10	80		
8	21S		f sandy (ash?)	"	Sandy	2	0	15		
9	22S		clay	"	Gravel, clay	110	2	70		
13330	23S		fine	"	Good, clay	5	3	20		

Anvil Mining Corporation Ltd.

AREA Lee Page 20 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
13331	24E 24S	—	fine, slash, stony	Level	Hash	30	0	25			
2	25S	—	fine, slash, stony	"	Clay, fair	40	0	40			
3	26S		fine hash	"	Sandy	2	0	5			
4	27S		fine, sl. stony	"	Fair clay	15	0	45			
5	28S		ash	"	Sandy	5	0	10			
6	29S		fine, hash	"	Sandy	10	0	15			
7	30S		fine, sl. stony	"	Sandy	25	0	35			
8	31S		hash	"	Dog	30	15	45			
9	32S		fine, stony	"	Good clay	10	0	25			
13340	33S		fine, ash	"	Sandy clay	0	0	10			
1	34S		hash	"	Sand	2	0	15			
2	35S		fine	"	Fair clay	2	0	15			
3	36S		fine	"	Sandy	15	0	12			
4	37S		ash	"	Heavy Ash	2	0	7			
5	38S		fine sandy, slash, stony	"	" "	10	0	12			
6	39S		ash	"	Red clay	2	0	7			
7	40S		hash, stony	"	Hash	2	0	12			
8	41S		fine	"	Sand	10	0	30			
9	42S		fine, clay-like	S. Slope	Good clay	10	0	10			
13350	43S		ash	"	red clay	2	0	5			

Anvil Mining Corporation Ltd.

AREA Lee Page 21 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13451	5S L2E		fine, st. stony	W Slope	Clay, Gravel	30	10	65		
2	6S 12E		fine	"	Good	10	2	40		
3	7S		fine, stony	"	Good, rocky	10	10	35		
4	8S		fine	"	Clay	2	0	10		
5	9S		fine	"	"	5	0	35		
6	10S		fine, stony	"	"	35	5	50		
7	11S		fine, stony	"	Good	5	0	20		
8	12S		slash	SW slope	Ashy	2	0	10		
9	13S		fine	"	Fair	7	0	55		
13460	14S		slash, stony	"	Ashy, rocky	10	2	15		
1	15S		fine, st. stony	W	Clay, "	5	0	65		
2	16S		slash	"	Heavy, Ash, "	5	0	10		
3	17S		fine slash	SW	Clay, gravel	5	0	20		
4	18S		fine clay	"	"	2	5	45		
5	19S		fine slash	"	Fine, gravel	10	0	10		
6	20S		stony	"	Heavy, black	20	10	35		
7	21S		fine, stony	"	Good	25	2	50		
8	22S		heavy	"	" fine	2	0	5		
9	24S		fine	W	"	10	0	35		
13470	25S		fine, stony	SW	Good, fine	10	0	45		

Anvil Mining Corporation Ltd.

AREA

Lee Page 22 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13471	26S 12E		hash	SW slope	Ashy	2	0	5		
2	27S		fine	"	Fine, good	2	5	65		
3	28S		ash	"	Ashy	0	0	5		
4	29S		Sample lost	"	Fine good	-	-	-		
5	BL1, L12+00E	30S	hash	"	" "	10	2	40		
6	31S		hash	"	" "	0	0	10		
7	32S		fine	"	Humous	2	0	25		
8	33S		fine sandy	"	Fine, good	5	0	25		
9	34S		fine	"	" "	20	0	45		
13480	35S		fine	"	" "	15	5	30		
1	36S		fine, slash	"	" "	2	2	20		
2	37S		fine, slash	"	" "	17	0	30		
3	38S		fine	"	Humous	10	0	15		
4	39S		hash, slog	"	Brown Ash	2	0	5		
5	40S		fine slash	"	Ash	2	0	2		
6	41S		slash	"	Humous, good	2	0	15		
7	42S		fine	"	Fine good	2	0	25		
8	43S		fine	S "	" "	2	0	30		
9	44S		fine sandy	S "	Humous, ashy	100	5	55		
13490	45S		fine, sandy	S slope		120	17	40		

Anvil Mining Corporation Ltd.

AREA Lee Page 23 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13491	315 L8 ^E		s/org	SW slope	Humous	40	0	30		
2	325 E		fine	S	Fine good clay	30	0	35		
3	335		fine	SW	F good	12	0	15		
4	345		fine	"	" "	5	0	20		
5	355		clay	"	Clay	25	0	60		
6	365		fine	"	Good	10	0	12		
7	375		fine, sl stony	"	"	45	0	70		
8	385		fine, slash	"	F good	5	0	15		
9	395		s/org	"	F good	10	0	20		
13500	405		s/org, slash	"	F good	10	0	7		
1	415		ash	"	Ash	5	0	10		
2	425		s/org	"	Horq	5	3	7		
3	435		ash	"	Ash	20	0	5		
4	445		fine	"	F good	15	0	20		
5	455		fine,	"	Horq	2	0	5		
13554	L16E 26S		hash, s/org	West	Ash	0	0	0		
2	16E 27S		s/org	"	Gravel	0	0	20		
3	28S		s/org, slash	"	Ash	0	0	20		
4	24S		horq, slash	"	Gravel	10	0	10		
5	30S		hash, s/org	"	Ash	0	0	0		

Anvil Mining Corporation Ltd.

AREA Lee Page 24 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13556	L16E 315		ash	West Slope	Ash	0	0	5		
7	325		hash	"	Gravel	10	0	10		
8	335		horg	"	Ash	2	0	15		
9	345		slash, slorg	"	Gravel	5	0	15		
13560	355		horg	"	"	2	0	15		
1	365		slash, slorg	"	Ash	5	0	15		
2	375		slorg, slash	"	Gravel	0	0	0		
3	385		ash	"	Ash	0	0	0		
4	395		ash	"	Horg	0	0	10		
5	405		fine, slorg	"	Ash	0	0	45		
6	415		hash, slorg	"	Horg	0	0	0		
7	425		hash	"	Ash	0	0	0		
8	435		fine	"	"	30	35	75		
9	445		ash	"	Clay, good	0	0	7		
13570	455		fine	"	Ash	5	0	40		
1	L4W 315		ash	Level	"	10	0	15		
2	325		hash, slorg	South	Clay, good	2	2	10		
3	335		ash	"	Ash	0	0	5		
4	345		fine slorg, slash	"	"	0	0	0		
5	355		fine, slorg, hash	"	Clay, good	0	0	5		

Anvil Mining Corporation Ltd.

AREA Lee Page 26 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
13751	LOW ON	LO 6S	ash	Level	Ash	0	0	0			
2	75		fine	"	Good clay	0	0	2			
3	85		fine, sl. stony	"	" "	5	0	20			
4	95		stony	"	Heavy	0	0	0			
5	105	LO	fine stony	S. Slope	"	0	0	40			
6	115		fine	"	"	20	0	40			
7	125			"	"	20	0	45			
8	135		fine	"	" Ash	10	0	20			
9	145	LO	fine stony	Level	Good clay	20	0	35			
13760	155		fine	S slope	Rocky clay	5	0	40			
1	165		fine	Level	Ash	10	0	35			
2	175		fine slash	"	" Heavy	0	0	10			
3	185		ash	Slope	"	0	0	0			
4	195		fine	Rocky clay	Level	0	0	40			
5	205		ash	Level	Ash	0	0	0			
6	215		fine	"	clay	0	0	20			
7	225	LO	fine	"	"	0	0	40			
8	235		fine stony	"	Heavy, Ash	0	0	12			
9	245	LO	slash, fine	"	" "	0	0	10			
13770	255		fine		"	0	0	7			

Anvil Mining Corporation Ltd.

AREA Lee Page 27 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13771	L.O. 26S		fine, hash	Level	Ash, Hoog	0	0	0		
2	27S		ash	"	"	0	0	0		
3	28S		fine slash	"	" "	5	0	0		
4	29S	tan	fine slorg	"	" "	0	0	0		
5	30S		ash	"	"	0	0	0		
6	31S		slorg	"	"	0	0	5		
7	32S		ash	"	"	0	0	0		
8	33S		fine sandy	"	"	0	0	12		
9	34S		ash	"	"	10	0	5		
13780	35S		fine, slash	"	" "	0	0	5		
1	36S		fine	"	Clay, rocky	50	0	55		
2	37S		slorg	"	Hoog	5	0	50		
3	38S		fine	"	"	10	0	40		
4	39S		fine, stony	"	Rocky clay	50	15	60		
5	40S		ash	"	Ash, Hoog	0	0	0		
6	41S		ash	"	"	0	0	17		
7	42S		slorg	Slope	"	15	0	35		
8	43S	tan	fine sandy	"	"	45	0	20		
9	44		slorg	Level	"	5	0	30		
13790	45	tan	slorg	"	"	5	0	20		

Anvil Mining Corporation Ltd.

AREA

Lee Page 28 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13791	L4W 45S		storg	Level	Horg	0	0	60		
2	30S		fine	"	" Ash	0	0	0		
3	24S		fine	"	" clay	0	0	40		
4	28S		storg	Slope	"	10	0	40		
5	27S		fine storg	"	"	0	0	40		
6	26S		fine	Level	"	0	0	30		
7	25S		storg	"	"	0	0	40		
8	24S		fine	"	Rocky clay	20	7	60		
9	23S		fine, storg	"	Good "	5	0	20		
13800	22S		fine	"	Rocky "	25	0	100		
1	8W OE ON		fine sandy, storg	S. slope	Horg, sandy	5	0	15		
2	18 S		fine, v. stony	"	Good clay	2	0	40		
3	25		fine, sl. stony	"	" "	20	0	25		
4	35		fine, slash	"	Sandy	10	0	20		
5	45		fine	"	Good	15	0	30		
6	55		fine	"	Org	35	0	30		
7	65		fine	"	Hash	2	0	40		
8	75		fine	"	Good	10	0	20		
9	85		fine	"	Hash	10	0	20		
13810	95		fine	"	Horg	10	5	40		

Anvil Mining Corporation Ltd.

AREA Lee Page 29 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13811	8W 10S		fine slash	South Slope	Hash	0	0	15		
2	11S		fine	" "	Good	2	0	30		
3	12S		hash	"	Hash	2	0	7		
4	13S		ash	"	" Horg	2	0	10		
5	14S		fine loam	Level	Good	12	0	45		
6	15S		clay	"	Hash	0	0	15		
7	16S		fine	S. slope	" Horg	2	0	20		
8	17S		fine	"	Hash	12	8	40		
9	18S		fine	"	" Horg	15	2	40		
13820	19S		ash	"	Sandy	10	0	10		
1	20S		fine	"	Hash	30	0	40		
2	21S		fine	"	Org	25	0	7		
3	22S		fine, stony	"	Horg	5	0	40		
4	23S		fine sandy stony	"	Org	2	0	40		
5	24S		fine, slash	"	Horg	2	0	7		
6	25S		fine	N slope	Org	30	0	60		
7	26S		fine, clay	NW	Good clay	10	0	35		
8	27S		fine	W	Gravel	0	0	30		
9	28S		stony	W-SW	very Horg	0	0	25		
13830	29S		fine	SW	Fair	15	0	30		

Anvil Mining Corporation Ltd.

AREA

Lee Page 30 of 37

DATE

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13831	8W 30S		fine, stony	SW slope	Good clay	5	0	5		
2	31S		fine, stony	"	"	30	0	30		
3	32S		fine stony	"	Hard	0	0	7		
4	33S		fine	"	" clay	0	0	25		
5	34S		stony	"	"	15	0	12		
6	35S		fine, sl. stony	"	" "	20	0	80		
7	36S		fine, sl. stony	Level	Ash	10	0	20		
8	37S		fine	"	Hash	20	0	20		
9	38S		fine	S. slope, slight	"	35	0	35		
13840	39S		ash fine, stony	"	Fair	70	0	40		
1	40S		fine, sl. stony	"	Gravel	40	5	65		
2	41S		fine	"	"	20	0	35		
3	42S		ash	Level	Hash, Sandy	2	0	7		
4	43S		hash	"	Fair	2	0	5		
5	44S		fine stony	"	Hard	35	0	30		
6	45S		fine reddish	Slight S slope	Slight Ash	20	0	35		
7	12W 45S		fine	W slope	Hard	60	5	65		
8	44S		fine, sl. stony	E slope	Good clay	50	2	80		
9	43S		ash	"	"	30	0	20		
13850	42S		fine	"	"	35	0	40		

Anvil Mining Corporation Ltd.

AREA LBE Page 31 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13851	12W 41S		fine	East slope	Org., gravel	45	0	80		
2	40S		fine	"	Good clay	10	0	40		
3	39S		fine, sl. stony	"	Fair "	40	0	60		
4	38S		fine	"	Org.	40	0	40		
5	37S		fine	"	Good clay	10	0	30		
6	36S		fine sandy, slorg	Level	Heavy sandy	5	0	35		
7	35S		fine	S/S. SLOPE	G. CLAY.	5	0	35		
8	34S		fine, slorg	E. SLOPE	VHO	20	0	25		
9	33S		slorg	E. SLOPE	H.O.	5	0	17		
13860	32S	←	slorg	"	"	35	0	20		
1	31S		slorg	"	ROCKY H.O.	0	0	12		
2	30S		slorg	"	P.F. H.O.	20	0	30		
3	29S		slorg	"	H.O.	0	0	17		
4	28S		slorg	"	H.O. P.F.	0	0	20		
5	27S		fine, slorg	"	H.O.	5	0	20		
6	26S		fine	"	H.O.	10	0	17		
7	25S		fine	"	F. CLAY.	10	0	20		
8	24S		fine	LEVEL	G. CLAY.	40	4	40		
9	23S	←	fine	S. SLOPE	H.O. ^{ROCKY}	20	0	45		
13870	22S		slorg	SE. SLOPE	ROCKY H.O.	20	0	40		

Anvil Mining Corporation Ltd.

AREA LEE PAGE 315 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.					
						Cu	Pb	Zn			
13871	12W/21S		fine, stony	S.E. SLOPE	H.O.	2	0	7			
2	20S		fine sandy	"	H.O. H.A.	25	0	90			
3	19S		fine	"	H.O.	20	0	40			
4	18S		fine	S. SLOPE	F: CLAY	0	0	5			
5	17S		ash	LEVEL	SANDY.	0	0	12			
6	16S		fine stony, hash	"	ORG. ASH	20	0	10			
7	15S		fine, hash	"	B: CLAY	25	0	15			
8	14S		ash	"	SANDY.	0	5	5			
9	13S		hash	S. SLOPE	H.O.	5	0	10			
13880	12S		slash	SL. S. SLOPE	ORG. SANDY	5	0	7			
1	11S		fine sandy, stony	"	"	50	8	60			
2	10S		ash	"	H.A.	5	0	5			
3	9S		ash	"	"	2	0	5			
4	8S		fine	"	F: CLAY.	0	0	5			
5	7S		fine, stony, slash	"	SANDY.	0	0	5			
6	6S		fine	"	SANDY CLAY	10	0	20			
7	5S		fine sandy ash	"	SANDY ASH	15 ⁰	0	15 ⁰			
8	4S		ash	"	H.A.	0	0	0			
9	3S		ash	LEVEL	F: SAND	10	0	0			
13890	2S		horg	"	H.O.	5	4	40			

Anvil Mining Corporation Ltd.

AREA LEE PAGE 32 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.			
						Cu	Pb	Zn	
13891	12W/15		storg, slash	LEVEL	ASH.	10	0	7	
2	12+00W OR 8W/05		storg	"	FAIR.	5	0	12	
3	24E/13N		fine	"	H.O.	20	15	50	
4	12N		fine sandy	"	SANDY.	40	5	90	
5	11N		fine	"	ORE.	10	0	25	
6	10N		fine	"	F:CLAY.	10	3	40	
7	9N		fine, stony	"	G:CLAY.	45	10	90	
8	8N		fine, slash	"	H.O.	5	5	15	
9	7N		fine, stony	"	H.O.	12	0	45	
13900	6N		fine sandy, stony	"	G:CLAY	30	0	70	
1	28W 0N		fine, hesh	S. SLOPE	ASH.	0	0	0	
2	1S		ash	"	"	0	0	0	
3	2S		fine	"	GRAVEL	0	0	20	
4	3S		fine sandy, slash?	"	"	0	0	17	
5	3S		fine	"	ASH.	0	0	40	
6	4S		fine slash	"	"	5	0	12	
7	5S		fine	"	GOOD.	5	0	35	
8	6S		fine, st. stony	"	GRAVEL	0	0	60	
9	7S		fine	"	—	0	0	20	
13910	8S		horg	N: SLOPE	MARSH HD	0	0	0	

Anvil Mining Corporation Ltd.

AREA LEE PAGE 33 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.			
						Cu	Pb	Zn	
13911	28W/95		fine, slorg	N. SLOPE	G:CLAY	0	0	60	
2	10S		fine, sl storg	"	"	0	0	40	
3	11S		fine, hash	"	GRAVEL	0	0	0	
4	12S		slorg	"	H.O.	20	0	30	
5	13S		fine	"	GRAVEL	5	0	60	
6	14S		slorg	E. SLOPE	H.O. ASH.	0	0	30	
7	15S		loam	"	GRAVEL	20	0	45	
8	16S		fine slash, slorg	"	H.O. ASH.	0	0	0	
9	17S		slorg	"	H.O.	5	0	5	
13920	18S		ash	"	"	0	0	7	
1	19S		ash	"	ASH.	0	0	0	
2	20S		slash, slorg	"	H.O.	0	0	5	
3	21S		fine slorg	"	"	0	0	30	
4	22S		fine	"	"	0	0	35	
5	23S		horg	LEVEL	H.O. ASH.	0	0	5	
6	24S		ash	"	H.O.	0	0	0	
7	25S		slorg	"	"	0	0	20	
8	26S		fine	"	ASH.	0	0	65	
9	27S		LOST	E. SLOPE	G:CLAY.	-	-	-	
13930	28S		ash	"	ASH.	0	0	0	

Anvil Mining Corporation Ltd.

AREA LEE PAGE 34 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13931	28W/29S		fine, slorg	E. SLOPE	ASH.	0	0	20		
2	30S		ash	"	"	0	0	0		
3	BL 24+00 W		hash, slorg	S. SLOPE	H.O.	0	0	5		
4	24W/29S		slorg	"	"	0	0	30		
5	28S		fine sandy	E. SLOPE	"	0	0	17		
6	27S		slorg	"	"	0	0	5		
7	26S		slash, slorg	"	"	0	0	0		
8	25S		slorg	LEVEL	"	0	0	5		
9	24S		fine, slorg, slash	E. SLOPE	"	0	0	5		
13940	23S		ash	"	ASH.	0	0	10		
1	22S		horg	"	H.O. GRAVEL	0	0	5		
2	21S		slorg	"	H.O.	0	0	20		
3	20S		org	"	"	10	0	15		
4	18S		ash, fine	"	GOOD.	0	0	0		
5	19S		fine, slorg	"	H.O.	0	0	40		
6	17S		ash	"	GOOD.	0	0	30		
7	16S		fine slorg	"	G: GRAVEL	0	0	40		
8	15S		fine, slorg ash	"	ASH	0	0	0		
9	14S		fine	"	GRAVEL	0	0	20		
13950	13S		slorg	RIVERBEP. LEVEL	H.O.	0	0	20		

Anvil Mining Corporation Ltd.

AREA LEE PAGE 35 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13951	24W/12S	24W/12S	fine	RIVERBED	H.O.	0	0	0		
2	11S		fine sandy slorg	"	GRAVEL	0	0	40		
3	10S		NO SAMPLE		GREEK.	-	-	-		
4	9S		NO SAMPLE		"	-	-	-		
5	8S		fine slorg	W. SLOPE	GRAVEL	0	0	30		
6										
7	7S		fine, slorg	LEVEL	GRAVEL	20	0	35		
8	6S		NO SAMPLE		CREEK	-	-	-		
9	5S		NO SAMPLE		CREEK	-	-	-		
13960	4S		fine sandy	SIDEHILL	GRAVEL	0	0	40		
1	3S		slorg	"	"	0	0	40		
2	2S		fine sandy, slash	E. SLOPE	ASH.	0	0	30		
3	1S		fine sandy, ash?	SIDEHILL	GRAVEL	30	0	60		
4	BL 24W/0S		fine slorg	"	"	0	0	30		
5	16E/10N		fine sandy, sl. slorg	W. SLOPE	"	0	0	60		
6	9N		hash, slorg	"	ASH.	5	0	12		
7	8N		fine, slash, slorg	"	"	0	17	47		
8	7N		hash	"	GRAVEL	0	0	0		
9	6N		hash, slorg	"	ASH.	2	0	5		
13970	5N		hash	"	"	0	0	7		

Anvil Mining Corporation Ltd.

AREA LEE PAGE 36 of 37

DATE _____

SAMPLE NUMBER	SAMPLE LOCATION	N. T. S. GRID LOCATION	NOTES	TERRAIN	SOIL	METAL VALUES IN P. P. M.				
						Cu	Pb	Zn		
13971	16E/4N		fine, sl. stony, sloop	W. SLOPE	ASH.	0	0	40		
2	3N		fine	"	"	30	3	40		
3	2N		fine, stony	"	GRAVEL	0	0	60		
4	1N		Hash	"	ASH.	0	0	12		
5	0S		fine	"	"	2	0	7		
6	1S		fine sloop	"	"	0	0	25		
7	2S		fine hash	"	"	20	3	25		
8	3S		fine	"	GRAVEL	0	10	35		
9	4S		fine stony	"	SAND	0	0	30		
13980	5S		fine	"	ASH.	0	0	25		
1	6S		hash	"	"	0	0	5		
2	7S		fine stony	"	"	0	0	25 ¹²		
3	8S		fine	"	GRAVEL	0	0	25		
4	9S		fine (slash?)	"	G: CLAY.	5	0	45		
5	10S		stony	"	ASH.	0	0	10		
6	11S		fine, sl. stony	"	GRAVEL	0	0	40		
7	12S		fine stony slash	"	MUD.	0	0	35		
8	13S		slash, stony	"	ASH.	0	0	0		
9	14S		hash	"	H.O.	5	0	15		
13990	15S		fine	"	GRAVEL	0	0	40		

