(5 pages)

017604

SAMPLE NAME: Project	Property	Year	Sampler	Number	Type	Latitude	N/S	Longitude	E/W	One Mile Map (Example: 1 1 5 I 1 3)	pH (eg: 4 5)	Copper (ppm) Extraction: ✓	Lead (ppm) Extraction: ✓	Zinc (ppm) Extraction: ✓	Fe %	As	Ba	Ag	Value No.	C	P	Z	Spare
	81			62								143	13	295	5.7	33	300	1.0					
				63								76	26	370	4.8	30	230	1.1					
				64								43	10	370	2.7	14	90	.7					
				65								60	40	176	5.1	9	110	.1					
				66								41	24	100	4.1	.6	40	.1					
				67								131	28	82	8.7	72	50	.1					
				68								35	19	105	4.1	30	70	.1					
				69								45	30	128	4.6	14	30	.1					
				70								32	8	66	4.4	28	100	.1					
				77								49	18	210	2.0	20	235	.7					
				78								39	15	140	1.7	16	110	.6					
				81								96	17	322	2.8	25	155	2.3					
				82								123	22	500	2.4	24	120	3.1					
				83								95	12	255	3.7	31	170	1.1					
				84								91	17	360	2.8	29	120	1.8					
				85								218	20	310	5.9	28	90	1.3					
				86								195	15	510	4.9	37	50	1.9					
				87								130	11	295	3.1	23	90	1.6					
				88								114	14	230	4.3	17	70	1.2					
				89								32	13	133	2.8	8	110	.3					
				90								19	15	91	2.5	39	50	.2					
				91								17	15	75	2.3	7	50	.2					
				155								149	26	405	3.1	48	160	9.0					
				156								81	22	495	3.9	61	80	1.9					
				157								38	17	262	2.9	24	150	1.2					
				158								32	12	152	3.8	25	50	.1					
				159								48	13	100	3.9	16	60	.1					
	81			160								35	34	94	4.7	17	45	.1					

FILE NUMBER: 81-1655
DATE SAMPLES RECEIVED: Dec 17, 1981
DATE REPORT SENT:

ANALYSIS AND REPORT BY: Acme Analytical Labs Ltd.
ANALYST:

FILE NUMBER: 91-1623
DATE SAMPLES RECEIVED:
DATE REPORT SENT:

ASSAYS APPROVED BY: Kamloops Assay Lab Ltd.
ANALYSIS BY:
ANALYST:

SAMPLE NAME: PROJECT	PROPERTY	YEAR	SAMPLER	NUMBER	TYPE	LATITUDE	N S	LONGITUDE	E W	ONE MILE MAP (Example: 1 1 5 I 1 3)	pH (eg: 4.5)	COPPER (ppm) Extraction: ✓	LEAD (ppm) Extraction: ✓	ZINC (ppm) Extraction: ✓	Fe%	As	Ba	Ag	VALUE No.	C	P	Z	SPARE
T		91		161								70	45	261	3.8	22	70	8					
				162								80	33	137	5.3	12	25	1					
				163								41	42	119	4.5	37	45	1					
				164								32	34	91	4.6	32	25	1					
				171								37	27	102	3.6	25	40	1					
				172								30	20	86	4.1	36	30	1					
				173								26	24	88	3.3	16	60	1					
				174								41	25	149	3.5	10	40	1					
				175								48	70	116	5.1	25	45	1					
				176								37	57	180	6.2	48	20	1					
				177								39	33	122	5.1	1701	35	1					
				178								47	38	156	5.3	498	25	1					
				179								36	31	105	4.2	26	30	1					
				232								50	14	246	2.8	25	720	4					
				233								76	20	262	3.7	45	625	7					
				235								52	15	215	2.6	23	335	4					
				236								32	30	142	4.2	41	30	1					
				237								56	20	178	3.5	59	595	6					
				238								53	14	223	2.7	25	760	4					
				239								52	16	211	3.1	34	100	5					
				240								50	14	231	2.6	24	430	4					
				241								45	14	209	2.4	25	120	5					
				242								13	11	51	1.3	9	220	2					
				243								43	14	200	2.3	23	230	5					
				244								46	16	210	2.5	29	445	5					
				245								29	13	146	2.2	18	30	4					
				285								209	222	524	9.6	173	215	1					
T		91		334								107	27	168	4.5	55	90	6					

3

SAMPLE NAME: PROJECT	PROPERTY	YEAR	SAMPLER	NUMBER	TYPE	GRID CO-ORDINATES: LATITUDE	N S	LONGITUDE	E W	ONE MILE MAP (Example: 1 1 5 I 1 3)	pH (eg.: 4 5)	COPPER (ppm) Extraction: ✓	LEAD (ppm) Extraction: ✓	ZINC (ppm) Extraction: ✓	Fe %	As	Ba	Ag	VALUE: No.	C	P	Z	SPARE
T		81		378								16	12	52	1.6	9	30	2					
				379								11	10	42	1.3	5	35	1					
				380								9	7	35	1.1	25	35	1					
				381								16	11	55	1.9	16	25	2					
				382								17	14	58	2.1	5	25	1					
				383								19	12	54	1.9	7	25	2					
				385								41	12	141	4.4	62	50	1					
				386								34	28	56	2.9	18	40	1					
				387								19	22	87	3.9	6	40	1					
				388								39	25	104	4.5	10	25	1					
				389								40	26	109	4.6	11	40	1					
				393								25	22	113	2.9	61	90	1					
				394								38	32	140	3.9	92	90	1					
				395								31	31	116	3.8	105	55	1					
				396								31	33	125	3.8	94	80	1					
				397								34	33	133	3.4	77	90	1					
				815								34	27	129	4.2	12	40	1					
				816								39	25	116	4.4	8	45	1					
				817								36	30	158	4.4	20	20	1					
				818								38	43	163	4.4	28	30	1					
				819								55	47	220	4.4	43	20	1					
				820								47	29	126	4.7	6	450	1					
				821								18	29	92	2.6	17	30	1					
				822								19	16	97	3.6	4	50	1					
				824								20	28	118	3.1	19	40	1					
				825								14	30	93	2.2	25	50	1					
				826								37	18	104	4.1	2	110	1					
T		81		827								35	24	106	4.3	8	60	1					

FILE NUMBER:
DATE SAMPLES RECEIVED:
DATE REPORT SENT:
ANALYST:

Cert. No. 1-1-80

81-1883

Sample Name: Project	Year	Number	Type	Latitude	N/S	Longitude	E/W	One Mile Map (Example: 1 1 5 I 1 3)	pH	Copper (ppm) Extraction: ✓	Lead (ppm) Extraction: ✓	Zinc (ppm) Extraction: ✓	Fe%	As	Ba	Ag	Value No.	C	P	Z	Spare
	80	828								31	16	103	4.2	7	50	1					
		829								25	18	98	3.8	10	50	1					
		830								25	24	94	3.7	15	40	1					
		831								23	19	93	3.6	7	40	1					
		832								24	19	79	3.0	17	20	1					
		832A								16	25	86	2.2	21	50	1					
		833								33	20	101	3.9	7	90	1					
		834								5	7	39	1.0	4	40	1					
		835								8	12	34	.7	13	60	1					
		836								69	117	140	5.2	14	40	1					
		837								54	46	169	5.8	17	20	1					
		838								42	60	137	4.8	10	30	1					
		839								100	208	540	7.8	545	30	2.5					
		840								8	18	42	.8	14	50	1					
		841								26	41	318	2.7	33	110	1					
		842								59	70	218	5.0	31	60	1					
		843								58	84	197	4.8	22	60	1					
		844								35	139	172	4.0	86	70	4					
		860								36	40	105	4.9	14	20	1					
		861								44	43	127	4.9	11	30	1					
		862								73	37	144	5.1	26	20	1					
		863								44	51	99	4.9	13	20	1					
		864								33	35	110	4.9	9	20	1					
		865								34	28	97	4.8	9	20	1					
		866								22	15	63	3.0	6	30	1					
		867								24	22	60	3.6	10	30	1					
		868								23	13	53	4.8	6	10	1					
	81	869								23	20	65	3.2	12	70	1					

29. Std Mill/Acid 30. Re. T.81 835 Re: 30/8 42/1.1 189/3.0 25/.7 13/10 1060/70 3/1

Date Sampled Received:

Date Survey Sent:

Analyses by: Acme Analytical Labs Ltd.

SAMPLE NAME: PROJECT	PROPERTY	YEAR	SAMPLER	NUMBER	TYPE	LATITUDE	N/S	LONGITUDE	E/W	ONE MILE MAP (Example: 1 1 5 I 1 3)	pH (eg: 4 5)	COPPER (ppm) Extraction: ✓	LEAD (ppm) Extraction: ✓	ZINC (ppm) Extraction: ✓	Fe%	As	Ba	Ag	VALUE No.	C	P	Z	SPARE
T		81		8070								41	33	112	4.1	18	40	.1					
				7 1								37	39	139	6.8	55	20	.1					
				72								63	43	130	6.6	363	20	.1					
				80								31	28	193	2.7	29	140	.3					
				8081								5	8	32	.6	10	40	.1					
				82								7	13	51	1.0	13	70	.1					
				83								10	12	182	1.3	17	110	.1					
				84								28	19	121	4.2	16	20	.1					
				85								23	37	317	2.6	27	90	.1					
T		81		86								49	40	190	4.2	25	70	.1					
				Std. 3261		1.0		1.0				27	34	184	2.4	5	10000	.2					
				R. T 81		88.0						32	29	196	2.7	30	130	.3					

FILE NUMBER: 81-1165

DATE SAMPLES RECEIVED:

DATE REPORT SENT:

PANTEL GEOCHEM REPORT

Pantel Resources Ltd.

1 (2 pages)

81-890

Dec. 1, 1981

FILE NUMBER:
DATE SAMPLES RECEIVED:
DATE REPORT SENT:

SAMPLE NAME: PROJECT	PROPERTY	YEAR	SAMPLER	NUMBER	TYPE	GRID CO-ORDINATES N/S	E/W	Mo	Cu	ONE MILE MAP	Pb	pH	Zn	Ag	Fe %	As	Ba	W	VALUE No.	C	P	Z
L		81		8				3	19		11		118	.3	1.3	9	180	1				
				20				2	21		8		170	.4	1.5	10	925	2				
				28				4	34		9		1085	.5	2.0	38	1095	3				
				46				2	10		5		50	.2	1.4	5	255	23				
				67				5	55		17		264	.3	2.7	10	260	1				
				70				5	35		19		207	.2	3.3	16	595	1				
				71				3	4		1		65	.1	.1	4	135	2				
				83				4	28		17		106	.2	2.0	7	75	1				
				101				3	27		12		131	.3	1.8	10	1555	1				
				107				3	22		14		69	.2	2.5	6	165	1				
				126				3	30		13		97	.4	2.0	12	455	1				
				131				1	9		7		48	.2	1.3	7	235	1				
				132				1	15		7		364	.3	.9	6	440	2				
				136				2	13		8		79	.2	1.2	5	3000	1				
				137				2	19		11		84	.3	1.8	9	1505	1				
				168				20	43		39		1095	.8	1.3	22	2740	3				
				169				2	3		4		26	.1	1.0	12	155	5				
				171				2	12		6		462	.3	1.1	8	900	2				
				172				4	40		16		301	.4	1.8	15	740	1				
				175				2	18		12		104	.2	1.5	7	2560	1				
				177				2	15		15		71	.1	2.1	4	350	1				
				178				6	25		11		1314	.4	2.7	14	1405	3				
				179				3	22		10		138	.4	1.2	6	2770	1				
				180				2	18		15		99	.3	1.7	7	1220	1				
L		81		182				2	19		14		61	.1	2.0	8	190	1				
				std				3	30		40		183	.3	2.5	16	11000	1				
				[illegible]				4	27		13		131	.3	1.8	11	[illegible]	1				
				[illegible]														37				

SPARE

CYANIDE ANVIL GEOCHEM REPORT
ANALYSIS BY: ACME Analytical Labs Ltd.
ANALYST:

SAMPLE NAME: PROJECT	PROPERTY	YEAR	SAMPLER	NUMBER	TYPE	GRID CO-ORDINATES N/S	Mo	E/W	Cu	ONE MILE MAP	Pb	pH	Zn	Ag	Fe %	As	Ba	W
G	81			806			2		14		7		57	.1	1.9	6	110	1
				810			1		7		8		41	.1	1.0	2	150	1
				817			1		11		10		64	.1	1.6	6	160	1
				818			2		13		10		69	.2	1.5	8	140	1
G	81			819			1		14		10		55	.2	1.3	6	160	1

GEOCHEMICAL RESULTS

VALUE: No. C P Z

SPARE

FILE NUMBER: 81-1950

DATE SAMPLES RECEIVED:

DATE REPORT SENT:

ANVIL GEOCHEM REPORT

Home Analytical Labs Ltd.

ANALYSIS BY:

ANALYST: