



017605

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: 984-0221
 AREA CODE: 604
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CERTIFICATE NO. A8210509-001

TO: Cyprus Anvil Explorations Limited
 300 - 355 Burrard Street
 Vancouver, B.C.
 V6E 2G8

INVOICE NO. I8210509

RECEIVED Mar. 3/82

ANALYSED Mar. 16/82

ATTN:

| SAMPLE NO. : | PPM (Orig. Run) | | PPM (HCl leach) | |
|------------------|------------------|-----|-----------------|----------------|
| | Pb | Run | Pb | leach |
| 81C0001-20+35 HN | 92 | | 860 | |
| 1-35+60 | 68 | | 680 | |
| 1-60+150) | 76 | | 670 |) - 60HN = 883 |
| 1-150 | 72 | | 1340 | |
| 3-20+35 | 42 | | 340 | |
| 3-35+60 | 50 | | 340 | |
| 3-60+150) | 64 | | 540 |) - 60HN = 603 |
| 3-150 | 56 | | 740 | |
| 8-20+35 | 16 | | NSS | |
| 8-35+60 | 10 | | NSS | |
| 8-60+150) | 14 | | 112 | |
| 8-150 | 36 | | NSS | |
| 10-20+30 | 18 | | NSS | |
| 10-35+60 | 46 | | NSS | |
| 10-60+150) | 48 | | 530 |) - 60HN = 630 |
| 10-150 | 44 | | 720 | |
| 12-20+35 | 8 | | 104 | |
| 12-35+60 | 4 | | 40 | |
| 12-60+150) | 4 | | 28 |) - 60HN = 31 |
| 12-150 | 14 | | 70 | |
| 13-20+35 | 8 | | NSS | |
| 13-35+60 | 4 | | NSS | |
| 13-60+150) | 6 | | 46 | |
| 13-150 | 4 | | NSS | |
| 14-20+35 | 4 | | NSS | |
| 14-35+60 | 1 | | 26 | |
| 14-60+150) | 1 | | 24 | |
| 14-150 | 1 | | NSS | |



MEMBER
 CANADIAN TESTING
 ASSOCIATION

CERTIFIED BY:

Hart Bichler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: 984-0221
AREA CODE: 604
TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO: Cyprus Anvil Explorations Limited
300 - 355 Burrard Street
Vancouver, B.C.
V6E 2G8

CERTIFICATE NO. A8210518-001

INVOICE NO. I8210518

RECEIVED Mar. 3/82

ANALYSED Mar. 17/82

ATTN:

| SAMPLE NO. : | PPM (Original Run) | | PPM (HCl Leach) | |
|---------------|--------------------|--|-----------------|--|
| | Pb | | Pb | |
| 81C0002-60 HN | 1 | | NSS | |
| 4-60 | 1 | | 130 | |
| 5-60 | 1 | | 310 | |
| 6-60 | 24 | | NSS | |
| 7-60 | 1 | | 12 | |
| 9-60 | 1 | | 20 | |
| 11-60 | 1 | | 220 | |
| 20-60 | 1 | | NSS | |
| 21-60 | 1 | | NSS | |
| 22-60 | 24 | | 60 | |
| 23-60 | 1 | | 680 | |
| 24-60 | 1 | | NSS | |
| 25-60 | 1 | | 120 | |
| 26-60 | 1 | | 60 | |
| 27-60 | 1 | | 270 | |
| 28-60 | 1 | | NSS | |
| 29-60 | 1 | | 26 | |
| 30-60 | 24 | | NSS | |
| 31-60 | 1 | | NSS | |
| 32-60 | 1 | | 44 | |
| 33-60 | 1 | | NSS | |
| 34-60 | 1 | | NSS | |
| 35-60 | 10 | | NSS | |
| 36-60 | 6 | | NSS | |
| 37-60 | 1 | | NSS | |
| 38-60 HN | 118 | | NSS | |



MEMBER
CANADIAN TESTING
ASSOCIATION

CERTIFIED BY:

Hart Bichler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210509-001-A
 INVOICE # : I8210509
 DATE : 16-MAR-82
 P.O. # : NONE
 81C ORIENTATION

ATTN: G. JILSEN

| Sample description | Prep code | Cu ppm | Mo ppm | Pb ppm | Zn ppm | Ag ppm | Cd ppm |
|--------------------|-----------|--------|--------|--------|--------|--------|--------|
| 81C0001-20+35 HN | 205 | 34 | 10 | 92 | 1520 | 5.2 | 6.6 |
| 81C0001-35+60 HN | 205 | 60 | 6 | 68 | 1380 | 5.4 | 6.0 |
| 81C0001-60+150HN | 205 | 60 | 6 | 76 | 2000 | 4.6 | 13.4 |
| 81C0001-150 HN | 214 | 58 | 6 | 72 | 1280 | 4.6 | 12.0 |
| 81C0003-20+35 HN | 205 | 22 | 6 | 42 | 720 | 1.6 | 3.2 |
| 81C0003-35+60 HN | 205 | 24 | 4 | 50 | 640 | 1.8 | 3.2 |
| 81C0003-60+150HN | 205 | 46 | 8 | 64 | 1220 | 2.2 | 8.0 |
| 81C0003-150 HN | 214 | 52 | 10 | 56 | 1740 | 3.2 | 12.2 |
| 81C0008-20+35 HN | 205 | 18 | 10 | 16 | 500 | 0.4 | 1.4 |
| 81C0008-35+60 HN | 205 | 16 | 4 | 10 | 680 | 0.6 | 4.4 |
| 81C0008-60+150HN | 205 | 60 | 4 | 14 | 1040 | 0.6 | 6.8 |
| 81C0008-150 HN | 214 | 100 | 12 | 36 | 2400 | 2.6 | 17.2 |
| 81C0010-20+30 HN | 205 | 58 | 8 | 18 | 1300 | 1.0 | 8.0 |
| 81C0010-35+60 HN | 205 | 46 | 10 | 46 | 2000 | 1.4 | 14.2 |
| 81C0010-60+150HN | 205 | 80 | 14 | 48 | 3200 | 2.2 | 21.0 |
| 81C0010-150 HN | 214 | 104 | 12 | 44 | 2400 | 4.6 | 18.4 |
| 81C0012-20+35 HN | 205 | 62 | 8 | 8 | 1000 | 0.1 | 6.2 |
| 81C0012-35+60 HN | 205 | 68 | 4 | 4 | 980 | 0.1 | 6.0 |
| 81C0012-60+150HN | 205 | 98 | 1 | 4 | 760 | 0.1 | 5.0 |
| 81C0012-150 HN | 214 | 114 | 14 | 14 | 880 | 0.1 | 5.4 |
| 81C0013-20+35 HN | 205 | 14 | 6 | 8 | 670 | 0.1 | 3.4 |
| 81C0013-35+60 HN | 205 | 138 | 6 | 4 | 1530 | 0.1 | 10.6 |
| 81C0013-60+150HN | 205 | 180 | 6 | 6 | 2200 | 0.1 | 17.8 |
| 81C0013-150 HN | 214 | 250 | 14 | 4 | 2000 | 0.6 | 13.4 |
| 81C0014-20+35 HN | 205 | 82 | 8 | 4 | 770 | 0.6 | 4.0 |
| 81C0014-35+60 HN | 205 | 152 | 6 | 1 | 1180 | 0.4 | 10.0 |
| 81C0014-60+150HN | 205 | 148 | 6 | 1 | 1350 | 0.4 | 11.4 |
| 81C0014-150 HN | 214 | 204 | 12 | 1 | 1350 | 0.6 | 10.2 |

Certified by Hart Buchler





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210509-001-C
 INVOICE # : I821C509
 DATE : 16-MAR-82
 P.O. # : NONE
 81C ORIENTATION

ATTN: G. JILSEN

| Sample description | Prep code | Au NAA ppb | | | | | | |
|--------------------|-----------|------------|-------|----|----|----|----|----|
| 81C0001-20+35 | HN 205 | 30 | -- | -- | -- | -- | -- | -- |
| 81C0001-35+60 | HN 205 | 20 | -- | -- | -- | -- | -- | -- |
| 81C0001-60+150 | HN 205 | 30 | -- | -- | -- | -- | -- | -- |
| 81C0001-150 | HN 214 | 100 |) 52 | -- | -- | -- | -- | -- |
| 81C0003-20+35 | HN 205 | <10 | -- | -- | -- | -- | -- | -- |
| 81C0003-35+60 | HN 205 | 20 | -- | -- | -- | -- | -- | -- |
| 81C0003-60+150 | HN 205 | <10 |) <10 | -- | -- | -- | -- | -- |
| 81C0003-150 | HN 214 | 10 | -- | -- | -- | -- | -- | -- |
| 81C0008-20+35 | HN 205 | N.S.S. | -- | -- | -- | -- | -- | -- |
| 81C0008-35+60 | HN 205 | 35 | -- | -- | -- | -- | -- | -- |
| 81C0008-60+150 | HN 205 | <10 |) <12 | -- | -- | -- | -- | -- |
| 81C0008-150 | HN 214 | 20 | -- | -- | -- | -- | -- | -- |
| 81C0010-20+30 | HN 205 | N.S.S. | -- | -- | -- | -- | -- | -- |
| 81C0010-35+60 | HN 205 | <30 | -- | -- | -- | -- | -- | -- |
| 81C0010-60+150 | HN 205 | 20 |) 15 | -- | -- | -- | -- | -- |
| 81C0010-150 | HN 214 | 10 | -- | -- | -- | -- | -- | -- |
| 81C0012-20+35 | HN 205 | <10 | -- | -- | -- | -- | -- | -- |
| 81C0012-35+60 | HN 205 | 20 | -- | -- | -- | -- | -- | -- |
| 81C0012-60+150 | HN 205 | 20 |) <19 | -- | -- | -- | -- | -- |
| 81C0012-150 | HN 214 | <10 | -- | -- | -- | -- | -- | -- |
| 81C0013-20+35 | HN 205 | 35 | -- | -- | -- | -- | -- | -- |
| 81C0013-35+60 | HN 205 | 10 | -- | -- | -- | -- | -- | -- |
| 81C0013-60+150 | HN 205 | 30 |) 42 | -- | -- | -- | -- | -- |
| 81C0013-150 | HN 214 | 90 | -- | -- | -- | -- | -- | -- |
| 81C0014-20+35 | HN 205 | 10 | -- | -- | -- | -- | -- | -- |
| 81C0014-35+60 | HN 205 | 30 | -- | -- | -- | -- | -- | -- |
| 81C0014-60+150 | HN 205 | 20 |) 24 | -- | -- | -- | -- | -- |
| 81C0014-150 | HN 214 | 50 | -- | -- | -- | -- | -- | -- |

Hart Bichler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

| |
|-------------------------|
| CERTIFICATE OF ANALYSIS |
|-------------------------|

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210518-001-A
 INVOICE # : I8210518
 DATE : 16-MAR-82
 P.O. # : NONE
 81-C

ATTN: G. JILSEN

| Sample description | Prep code | Cu ppm | Mo ppm | Pb ppm | Zn ppm | Ag ppm | Cd ppm |
|--------------------|-----------|--------|--------|--------|--------|--------|--------|
| 81C0002-60 HN | 205 | 390 | 30 | 1 | 4320 | 1.0 | 63.0 |
| 81C0004-60 HN | 205 | 82 | 6 | 1 | 540 | 0.1 | 5.8 |
| 81C0005-60 HN | 205 | 110 | 50 | 1 | 4400 | 0.4 | 71.0 |
| 81C0006-60 HN | 205 | 122 | 28 | 24 | 3300 | 0.8 | 30.6 |
| 81C0007-60 HN | 205 | 320 | 12 | 1 | 2560 | 0.6 | 32.0 |
| 81C0009-60 HN | 205 | 26 | 4 | 1 | 480 | 0.1 | 4.4 |
| 81C0011-60 HN | 205 | 64 | 24 | 1 | 2700 | 0.1 | 40.4 |
| 81C0020-60 HN | 205 | 1160 | 26 | 1 | 5500 | 1.6 | 92.0 |
| 81C0021-60 HN | 205 | 130 | 8 | 1 | 426 | 0.1 | 5.0 |
| 81C0022-60 HN | 205 | 12 | 6 | 24 | 330 | 0.1 | 1.6 |
| 81C0023-60 HN | 205 | 790 | 48 | 1 | 2060 | 1.2 | 31.6 |
| 81C0024-60 HN | 205 | 610 | 32 | 1 | 9700 | 1.0 | 152.0 |
| 81C0025-60 HN | 205 | 60 | 6 | 1 | 744 | 0.1 | 6.6 |
| 81C0026-60 HN | 205 | 410 | 18 | 1 | 1600 | 0.4 | 14.2 |
| 81C0027-60 HN | 205 | 396 | 26 | 1 | 1080 | 0.1 | 10.0 |
| 81C0028-60 HN | 205 | 148 | 6 | 1 | 1460 | 3.8 | 17.6 |
| 81C0029-60 HN | 205 | 108 | 6 | 1 | 1240 | 2.8 | 17.2 |
| 81C0030-60 HN | 205 | 240 | 210 | 24 | 8300 | 3.8 | 176.0 |
| 81C0031-60 HN | 205 | 230 | 18 | 1 | 3900 | 8.6 | 57.0 |
| 81C0032-60 HN | 205 | 176 | 6 | 1 | 3060 | 1.0 | 52.0 |
| 81C0033-60 HN | 205 | 80 | 4 | 1 | 1320 | 1.6 | 17.6 |
| 81C0034-60 HN | 205 | 544 | 12 | 1 | 3060 | 2.2 | 61.0 |
| 81C0035-60 HN | 205 | 276 | 54 | 10 | 36500 | 3.4 | 350.0 |
| 81C0036-60 HN | 205 | 636 | 26 | 6 | 6760 | 2.8 | 118.0 |
| 81C0037-60 HN | 205 | 1580 | 14 | 1 | 1600 | 0.8 | 18.6 |
| 81C0038-60 HN | 205 | 1350 | 17 | 118 | 4060 | 1.2 | 43.5 |

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8

CERT. # : A8210518-001-B
 INVOICE # : 18210518
 DATE : 16-MAR-82
 P.C. # : NONE
 81-C


ATTN: G. JILSEN

| Sample description | Prep code | Fe % | Mn ppm | AS ppm | W ppm | Sn ppm | Sb ppm |
|--------------------|-----------|-------|--------|--------|--------|--------|--------|
| 81C0002-60 HN | 205 | 8.50 | 102 | 35 | N.S.S. | N.S.S. | 8.0 |
| 81C0004-60 HN | 205 | 0.58 | 24 | 6 | 1 | 2 | 0.4 |
| 81C0005-60 HN | 205 | 3.76 | 84 | 17 | 1 | 8 | 3.2 |
| 81C0006-60 HN | 205 | 1.62 | 52 | 9 | N.S.S. | 2 | 4.8 |
| 81C0007-60 HN | 205 | 5.00 | 40 | 11 | 1 | 2 | 2.4 |
| 81C0009-60 HN | 205 | 0.46 | 42 | 5 | 1 | 2 | 1.6 |
| 81C0011-60 HN | 205 | 1.60 | 44 | 7 | 1 | 10 | 2.4 |
| 81C0020-60 HN | 205 | 8.70 | 152 | 41 | N.S.S. | N.S.S. | 3.2 |
| 81C0021-60 HN | 205 | 2.16 | 86 | 19 | N.S.S. | N.S.S. | 2.4 |
| 81C0022-60 HN | 205 | 0.74 | 54 | 9 | 1 | 2 | 1.6 |
| 81C0023-60 HN | 205 | 11.00 | 90 | 65 | 4 | 2 | 1.6 |
| 81C0024-60 HN | 205 | 4.30 | 92 | 22 | N.S.S. | N.S.S. | N.S.S. |
| 81C0025-60 HN | 205 | 0.62 | 36 | 4 | 1 | 2 | 0.8 |
| 81C0026-60 HN | 205 | 7.80 | 88 | 50 | 1 | 2 | 0.4 |
| 81C0027-60 HN | 205 | 3.96 | 78 | 15 | 1 | 4 | 1.6 |
| 81C0028-60 HN | 205 | 3.10 | 138 | 27 | N.S.S. | 10 | 0.8 |
| 81C0029-60 HN | 205 | 2.76 | 70 | 22 | 16 | 8 | 3.2 |
| 81C0030-60 HN | 205 | 2.94 | 144 | 30 | N.S.S. | N.S.S. | 8.0 |
| 81C0031-60 HN | 205 | 4.60 | 190 | 43 | N.S.S. | N.S.S. | 9.6 |
| 81C0032-60 HN | 205 | 7.00 | 136 | 35 | 26 | 2 | 6.4 |
| 81C0033-60 HN | 205 | 1.76 | 148 | 16 | N.S.S. | N.S.S. | 5.6 |
| 81C0034-60 HN | 205 | 8.10 | 376 | 55 | N.S.S. | N.S.S. | N.S.S. |
| 81C0035-60 HN | 205 | 6.10 | 134 | 43 | N.S.S. | N.S.S. | N.S.S. |
| 81C0036-60 HN | 205 | 20.00 | 116 | 99 | N.S.S. | N.S.S. | 7.0 |
| 81C0037-60 HN | 205 | 11.00 | 154 | 99 | N.S.S. | N.S.S. | 2.4 |
| 81C0038-60 HN | 205 | 17.06 | 106 | 265 | N.S.S. | N.S.S. | N.S.S. |

Certified by *Hart Bichler*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210518-001-C
INVOICE # : I8210518
DATE : 16-MAR-82
P.O. # : NONE
81-C

ATTN: G. JILSEN

| Sample description | Prep code | Au NAA ppb | | | | | | |
|--------------------|-----------|------------|----|----|----|----|----|----|
| 81C0002-60 HN | 205 | N.S.S. | -- | -- | -- | -- | -- | -- |
| 81C0004-60 HN | 205 | <10 | -- | -- | -- | -- | -- | -- |
| 81C0005-60 HN | 205 | 15 | -- | -- | -- | -- | -- | -- |
| 81C0006-60 HN | 205 | 20 | -- | -- | -- | -- | -- | -- |
| 81C0007-60 HN | 205 | <10 | -- | -- | -- | -- | -- | -- |
| 81C0009-60 HN | 205 | <10 | -- | -- | -- | -- | -- | -- |
| 81C0011-60 HN | 205 | 20 | -- | -- | -- | -- | -- | -- |
| 81C0020-60 HN | 205 | N.S.S. | -- | -- | -- | -- | -- | -- |
| 81C0021-60 HN | 205 | 11 | -- | -- | -- | -- | -- | -- |
| 81C0022-60 HN | 205 | 10 | -- | -- | -- | -- | -- | -- |
| 81C0023-60 HN | 205 | 70 | -- | -- | -- | -- | -- | -- |
| 81C0024-60 HN | 205 | N.S.S. | -- | -- | -- | -- | -- | -- |
| 81C0025-60 HN | 205 | <10 | -- | -- | -- | -- | -- | -- |
| 81C0026-60 HN | 205 | <10 | -- | -- | -- | -- | -- | -- |
| 81C0027-60 HN | 205 | 10 | -- | -- | -- | -- | -- | -- |
| 81C0028-60 HN | 205 | 30 | -- | -- | -- | -- | -- | -- |
| 81C0029-60 HN | 205 | <10 | -- | -- | -- | -- | -- | -- |
| 81C0030-60 HN | 205 | N.S.S. | -- | -- | -- | -- | -- | -- |
| 81C0031-60 HN | 205 | <10 | -- | -- | -- | -- | -- | -- |
| 81C0032-60 HN | 205 | <10 | -- | -- | -- | -- | -- | -- |
| 81C0033-60 HN | 205 | N.S.S. | -- | -- | -- | -- | -- | -- |
| 81C0034-60 HN | 205 | N.S.S. | -- | -- | -- | -- | -- | -- |
| 81C0035-60 HN | 205 | N.S.S. | -- | -- | -- | -- | -- | -- |
| 81C0036-60 HN | 205 | N.S.S. | -- | -- | -- | -- | -- | -- |
| 81C0037-60 HN | 205 | <80 | -- | -- | -- | -- | -- | -- |
| 81C0038-60 HN | 205 | N.S.S. | -- | -- | -- | -- | -- | -- |



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*