



# CHEMEX LABS LTD.

017606

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1

TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210517-001-A  
INVOICE # : I8210517  
DATE : 15-MAR-82  
P.O. # : NONE  
81-C

ATTN: G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81C0002-35+60	IP 205	350	250	154	8400	0.8	48.0
81C0004-35+60	IP 205	480	130	204	3100	3.0	32.4
81C0005-35+60	IP 205	400	240	136	7500	2.2	38.0
81C0006-35+60	IP 205	476	250	220	9100	3.0	50.0
81C0007-35+60	IP 205	464	234	202	4787	7.7	18.1
81C0009-35+60	IP 205	290	230	124	6100	1.8	29.6
81C0011-35+60	IP 205	410	230	164	7700	2.6	39.6
81C0020-35+60	IP 205	480	138	190	3400	2.2	22.0
81C0021-35+60	IP 205	406	134	370	3500	1.8	14.2
81C0022-35+60	IP 205	276	220	584	9200	1.4	44.0
81C0023-35+60	IP 205	100	66	52	1860	0.1	12.8
81C0024-35+60	IP 205	475	345	175	6500	2.5	36.5
81C0025-35+60	IP 205	500	168	252	5000	4.4	25.0
81C0026-35+60	IP 205	96	24	20	640	0.1	3.6
81C0027-35+60	IP 205	126	40	56	1060	0.1	4.8
81C0028-35+60	IP 205	200	94	36	3700	5.4	13.0
81C0029-35+60	IP 205	360	230	60	6900	3.8	60.0
81C0030-35+60	IP 205	380	280	60	12000	1.6	136.0
81C0031-35+60	IP 205	346	230	74	6800	4.4	47.0
81C0032-35+60	IP 205	340	106	144	5000	3.2	39.6
81C0033-35+60	IP 205	360	200	150	6400	3.0	50.0
81C0034-35+60	IP 205	312	140	52	7400	1.2	60.0
81C0035-35+60	IP 205	388	182	178	10500	3.6	79.6
81C0036-35+60	IP 205	430	86	366	2960	2.2	24.4
81C0037-35+60	IP 205	430	46	544	1280	1.8	6.2
<u>81C0038-35+60</u>	<u>IP 205</u>	<u>456</u>	<u>58</u>	<u>486</u>	<u>1560</u>	<u>1.8</u>	<u>11.2</u>
81C0002-60	HP 205	340	220	420	13000	2.2	62.0
81C0004-60	HP 205	430	86	256	7000	3.2	37.0
81C0005-60	HP 205	420	210	216	8400	3.8	39.0
81C0006-60	HP 205	436	170	336	9200	3.6	49.0
81C0007-60	HP 205	600	184	230	5040	9.8	19.2
81C0009-60	HP 205	346	184	190	7200	2.4	33.0
81C0011-60	HP 205	420	144	316	8600	4.6	43.0
81C0020-60	HP 205	740	174	330	3760	6.2	23.0
81C0021-60	HP 205	500	102	364	3060	3.6	14.6
81C0022-60	HP 205	376	176	464	9000	3.4	41.6
81C0023-60	HP 205	360	152	340	5400	2.8	39.2
81C0024-60	HP 205	790	290	224	6800	6.6	38.0
81C0025-60	HP 205	520	148	260	4600	6.8	24.0
81C0026-60	HP 205	566	86	150	2800	3.6	16.2


34  
22

Hart Bichler

Certified by .....



MEMBER  
CANADIAN TESTING  
ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: (604)984-0221  
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
 300-355 BURRARD STREET  
 VANCOUVER, B.C.  
 V6E 2G8

CERT. # : A8210517-001-B  
 INVOICE # : I8210517  
 DATE : 15-MAR-82  
 P.O. # : NONE  
 81-C

ATTN: G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81C0002-35+60	IP 205	29.00	1110	220	70.0	--	--
81C0004-35+60	IP 205	35.00	1680	200	52.0	--	--
81C0005-35+60	IP 205	33.00	880	230	62.0	--	--
81C0006-35+60	IP 205	35.00	730	220	74.0	--	--
81C0007-35+60	IP 205	34.00	596	150	N.S.S.	--	--
81C0009-35+60	IP 205	33.40	930	180	56.0	--	--
81C0011-35+60	IP 205	32.00	716	140	66.0	--	--
81C0020-35+60	IP 205	28.00	1040	160	40.0	--	--
81C0021-35+60	IP 205	31.00	1970	220	56.0	--	--
81C0022-35+60	IP 205	35.00	910	300	70.0	--	--
81C0023-35+60	IP 205	11.90	1440	80	26.0	--	--
81C0024-35+60	IP 205	36.00	1125	200	N.S.S.	--	--
81C0025-35+60	IP 205	35.00	960	140	N.S.S.	--	--
81C0026-35+60	IP 205	11.60	1340	24	8.0	--	--
81C0027-35+60	IP 205	15.00	1350	50	11.2	--	--
81C0028-35+60	IP 205	30.00	1736	160	29.0	--	--
81C0029-35+60	IP 205	35.00	740	200	64.0	--	--
81C0030-35+60	IP 205	37.00	760	220	76.0	--	--
81C0031-35+60	IP 205	35.00	1180	200	68.0	--	--
81C0032-35+60	IP 205	25.00	840	140	48.0	--	--
81C0033-35+60	IP 205	35.00	960	200	58.0	--	--
81C0034-35+60	IP 205	39.00	1016	160	40.0	--	--
81C0035-35+60	IP 205	36.00	670	200	92.0	--	--
81C0036-35+60	IP 205	34.00	920	340	33.0	--	--
81C0037-35+60	IP 205	33.00	1146	180	20.0	--	--
81C0038-35+60	IP 205	33.00	1010	220	26.0	--	--
81C0002-60	HP 205	47.00	1340	240	75.0	--	--
81C0004-60	HP 205	46.00	1470	170	46.0	--	--
81C0005-60	HP 205	42.60	1080	220	68.0	--	--
81C0006-60	HP 205	45.00	1310	200	68.0	--	--
81C0007-60	HP 205	41.00	800	120	47.0	--	--
81C0009-60	HP 205	44.00	1120	170	50.0	--	--
81C0011-60	HP 205	45.40	1116	180	66.0	--	--
81C0020-60	HP 205	41.40	1250	220	44.0	--	--
81C0021-60	HP 205	41.40	2900	240	53.0	--	--
81C0022-60	HP 205	42.60	1456	260	68.0	--	--
81C0023-60	HP 205	42.60	750	270	73.0	--	--
81C0024-60	HP 205	44.00	1180	250	N.S.S.	--	--
81C0025-60	HP 205	41.80	1090	120	45.0	--	--
81C0026-60	HP 205	40.60	776	100	30.0	--	--

Certified by *Hart Bichler*



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210517-002-A  
INVOICE # : I8210517  
DATE : 15-MAR-82  
P.O. # : NONE  
81-C

ATTN: G. JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81C0027-60	HP 205	560	122	250	3640	2.8	14.4
81C0028-60	HP 205	225	115	190	3330	13.0	16.0
81C0029-60	HP 205	410	240	112	7200	5.8	59.0
81C0030-60	HP 205	372	198	124	10800	2.0	122.0
81C0031-60	HP 205	380	190	116	7000	5.4	51.0
81C0032-60	HP 205	360	70	204	5200	3.4	41.0
81C0033-60	HP 205	390	166	230	7000	4.6	52.0
81C0034-60	HP 205	370	176	106	8120	1.2	61.0
81C0035-60	HP 205	272	68	170	10500	3.0	68.0
81C0036-60	HP 205	480	68	396	2560	2.4	18.0
81C0037-60	HP 205	560	68	640	1030	1.8	4.2
81C0038-60	HP 205	530	70	520	1800	2.0	12.8

Certified by *Hart Bichler*





# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: (604)984-0221  
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED  
300-355 BURRARD STREET  
VANCOUVER, B.C.  
V6E 2G8

CERT. # : A8210517-002-B  
INVOICE # : 18210517  
DATE : 15-MAR-82  
P.O. # : NONE  
81-C

ATTN: G. JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81C0027-60	HP 205	41.00	1040	170	37.0	--	--
81C0028-60	HP 205	32.00	1370	120	N.S.S.	--	--
81C0029-60	HP 205	42.00	910	280	74.0	--	--
81C0030-60	HP 205	45.00	935	220	70.0	--	--
81C0031-60	HP 205	42.00	1200	220	66.0	--	--
81C0032-60	HP 205	43.00	1360	140	51.0	--	--
81C0033-60	HP 205	45.00	1160	160	49.0	--	--
81C0034-60	HP 205	46.00	1065	130	48.0	--	--
81C0035-60	HP 205	47.00	760	100	46.0	--	--
81C0036-60	HP 205	47.00	1040	300	24.0	--	--
81C0037-60	HP 205	51.00	1050	300	17.0	--	--
81C0038-60	HP 205	43.00	955	230	25.0	--	--



MEMBER  
CANADIAN TESTING  
ASSOCIATION

Certified by *Hart Buchler* .....