



CHEMEX LABS LTD.

017608

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-001-A
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0001-35+60IP	205	220	22	95	1070	0.3	4.0
81-L0002-35+60IP	205	61	7	28	340	0.1	0.3
81-L0003-35+60IP	205	200	18	104	900	0.1	3.2
81-L0004-35+60IP	205	158	19	60	1450	0.2	4.0
81-L0005-35+60IP	205	138	33	52	1490	0.1	4.6
81-L0007-35+60IP	205	133	6	60	385	0.1	0.1
81-L0009-35+60IP	205	60	12	20	740	0.1	1.2
81-L0010-35+60IP	205	145	23	56	1800	0.1	4.7
81-L0011-35+60IP	205	132	11	84	610	0.1	1.8
81-L0012-35+60IP	205	132	16	78	1050	0.1	2.8
81-L0013-35+60IP	205	130	15	72	940	0.1	1.5
81-L0014-35+60IP	205	123	6	71	550	0.1	0.9
81-L0015-35+60IP	205	185	21	78	1300	0.3	4.0
81-L0016-35+60IP	205	98	6	56	460	0.1	0.9
81-L0017-35+60IP	205	135	19	42	1180	0.1	1.7
81-L0018-35+60IP	205	136	12	70	985	0.1	3.1
81-L0019-35+60IP	205	186	35	57	2700	0.1	7.4
81-L0021-35+60IP	205	135	23	40	1640	0.2	4.0
81-L0022-35+60IP	205	148	22	48	1590	0.2	5.5
81-L0023-35+60IP	205	138	14	90	1170	0.2	1.8
81-L0024-35+60IP	205	142	8	100	760	0.1	1.1
81-L0025-35+60IP	205	114	11	72	630	0.1	1.3
81-L0026-35+60IP	205	164	17	87	970	0.2	2.0
81-L0027-35+60IP	205	207	34	63	2300	0.3	9.4
81-L0028-35+60IP	205	113	16	34	1800	0.2	6.6
81-L0029-35+60IP	205	255	31	88	1780	0.7	4.9
81-L0030-35+60IP	205	440	36	100	1680	1.3	4.7
81-L0031-35+60IP	205	365	38	108	2550	0.9	8.7
81-L0032-35+60IP	205	108	62	52	2760	0.2	5.8
81-L0034-35+60IP	205	116	24	46	3000	0.2	11.0
81-L0035-35+60IP	205	56	63	6	1230	0.3	4.2
81-L0036-35+60IP	205	162	42	108	3000	0.2	6.8
81-L0037-35+60IP	205	66	6	16	300	0.1	0.4
81-L0039-35+60IP	205	68	28	20	1400	0.2	2.0
81-L0040-35+60IP	205	63	5	14	260	0.1	0.2
81-L0041-35+60IP	205	130	10	58	900	0.1	1.7
81-L0042-35+60IP	205	82	10	56	360	0.2	0.2
81-L0043-35+60IP	205	66	5	23	300	0.1	0.1
81-L0044-35+60IP	205	128	20	57	1550	0.1	2.7
81-L0045-35+60IP	205	34	4	18	240	0.1	0.2

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-001-B
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0001-35+60IP	205	24.00	1250	120	15.0	--	--
81-L0002-35+60IP	205	10.20	1450	35	4.6	--	--
81-L0003-35+60IP	205	22.00	1420	92	12.2	--	--
81-L0004-35+60IP	205	20.00	1040	110	13.6	--	--
81-L0005-35+60IP	205	18.80	1150	125	22.0	--	--
81-L0007-35+60IP	205	19.00	1410	77	4.8	--	--
81-L0009-35+60IP	205	10.90	945	85	8.2	--	--
81-L0010-35+60IP	205	21.50	1250	145	17.0	--	--
81-L0011-35+60IP	205	19.20	1540	77	9.4	--	--
81-L0012-35+60IP	205	25.00	2420	88	12.8	--	--
81-L0013-35+60IP	205	24.00	1340	100	10.6	--	--
81-L0014-35+60IP	205	19.30	1080	45	5.8	--	--
81-L0015-35+60IP	205	22.50	910	100	21.0	--	--
81-L0016-35+60IP	205	16.50	990	43	5.0	--	--
81-L0017-35+60IP	205	20.50	1270	83	17.8	--	--
81-L0018-35+60IP	205	21.00	1150	88	10.0	--	--
81-L0019-35+60IP	205	24.00	1530	200	22.0	--	--
81-L0021-35+60IP	205	20.00	1360	115	9.0	--	--
81-L0022-35+60IP	205	19.80	1850	145	16.2	--	--
81-L0023-35+60IP	205	25.00	1650	125	19.0	--	--
81-L0024-35+60IP	205	22.00	1980	90	8.8	--	--
81-L0025-35+60IP	205	14.60	1030	77	9.2	--	--
81-L0026-35+60IP	205	19.50	1370	100	16.4	--	--
81-L0027-35+60IP	205	20.20	1630	180	24.0	--	--
81-L0028-35+60IP	205	14.50	1840	230	13.4	--	--
81-L0029-35+60IP	205	20.00	1400	120	25.0	--	--
81-L0030-35+60IP	205	26.00	1410	165	21.0	--	--
81-L0031-35+60IP	205	27.00	2200	315	38.0	--	--
81-L0032-35+60IP	205	20.60	950	142	25.0	--	--
81-L0034-35+60IP	205	16.90	1180	80	3.2	--	--
81-L0035-35+60IP	205	11.00	1365	240	N.S.S.	--	--
81-L0036-35+60IP	205	16.20	1170	146	N.S.S.	--	--
81-L0037-35+60IP	205	6.70	800	27	3.0	--	--
81-L0039-35+60IP	205	8.40	720	56	N.S.S.	--	--
81-L0040-35+60IP	205	6.20	780	25	4.2	--	--
81-L0041-35+60IP	205	20.00	1430	75	10.8	--	--
81-L0042-35+60IP	205	9.60	1220	60	5.6	--	--
81-L0043-35+60IP	205	8.00	830	17	3.0	--	--
81-L0044-35+60IP	205	20.80	1200	120	18.0	--	--
81-L0045-35+60IP	205	7.25	750	22	2.0	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-002-A
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0046-35+60IP	205	73	12	20	290	0.1	0.3
81-L0047-35+60IP	205	32	4	4	75	0.1	0.1
81-L0048-35+60IP	205	148	10	104	950	0.1	2.0
81-L0049-35+60IP	205	85	6	56	380	0.1	0.2
81-L0050-35+60IP	205	164	12	80	1040	0.2	3.0
81-L0051-35+60IP	205	50	6	29	250	0.1	0.2
81-L0052-35+60IP	205	68	9	36	370	0.1	0.4
81-L0053-35+60IP	205	155	16	89	710	0.1	2.2
81-L0055-35+60IP	205	76	10	36	440	0.1	1.1
81-L0056-35+60IP	205	123	12	70	650	0.1	1.3
81-L0057-35+60IP	205	175	18	105	1070	0.1	2.5
81-L0058-35+60IP	205	108	12	54	580	0.1	1.4
81-L0059-35+60IP	205	158	12	105	910	0.1	2.4
81-L0060-35+60IP	205	185	21	97	1160	0.1	4.0
81-L0061-35+60IP	205	212	26	160	1440	0.2	4.4
81-L0062-35+60IP	205	86	8	50	460	0.2	0.2
81-L0063-35+60IP	205	56	6	25	170	0.2	1.3
81-L0064-35+60IP	205	200	11	110	810	0.1	1.3
81-L0065-35+60IP	205	155	14	78	920	0.1	3.5
81-L0066-35+60IP	205	143	14	68	1000	0.1	2.7
81-L0067-35+60IP	205	422	28	77	1880	0.1	10.5
81-L0068-35+60IP	205	337	42	80	1680	0.2	4.5
81-L0069-35+60IP	205	224	40	58	2320	0.2	7.6
81-L0070-35+60IP	205	88	8	40	680	0.1	1.5
81-L0071-35+60IP	205	14	8	2	112	0.2	0.4
81-L0072-35+60IP	205	190	20	86	1240	0.2	2.8
81-L0073-35+60IP	205	372	60	56	3730	0.9	10.0
81-L0074-35+60IP	205	94	29	33	2150	0.1	3.3
81-L0075-35+60IP	205	66	26	16	1700	0.1	7.1
81-L0076-35+60IP	205	213	74	45	6400	0.9	16.6
81-L0077-35+60IP	205	218	45	39	2850	0.6	7.5
81-L0078-35+60IP	205	168	48	33	3650	0.6	7.9
81-L0079-35+60IP	205	180	25	48	1630	0.2	5.0
81-L0080-35+60IP	205	102	4	90	580	0.1	0.2
81-L0081-35+60IP	205	127	11	99	800	0.1	2.0
81-L0082-35+60IP	205	170	4	85	310	0.1	0.1
81-L0083-35+60IP	205	245	15	78	600	0.2	2.7
81-L0084-35+60IP	205	320	16	105	590	0.1	2.0
81-L0085-35+60IP	205	162	6	170	480	0.1	0.2
81-L0086-35+60IP	205	185	9	100	470	0.1	0.6



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-002-B
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0046-35+60IP	205	7.50	1050	55	2.8	--	--
81-L0047-35+60IP	205	4.20	720	4	0.4	--	--
81-L0048-35+60IP	205	23.00	1520	110	12.0	--	--
81-L0049-35+60IP	205	18.00	1220	73	19.4	--	--
81-L0050-35+60IP	205	28.00	1440	80	10.4	--	--
81-L0051-35+60IP	205	10.60	950	33	3.0	--	--
81-L0052-35+60IP	205	10.50	970	55	5.4	--	--
81-L0053-35+60IP	205	21.50	1180	85	12.8	--	--
81-L0055-35+60IP	205	12.00	930	70	6.6	--	--
81-L0056-35+60IP	205	20.00	1300	75	9.6	--	--
81-L0057-35+60IP	205	24.00	1530	110	13.6	--	--
81-L0058-35+60IP	205	16.30	1200	55	9.0	--	--
81-L0059-35+60IP	205	25.10	1850	100	11.6	--	--
81-L0060-35+60IP	205	23.00	1780	95	14.0	--	--
81-L0061-35+60IP	205	28.00	3550	120	15.2	--	--
81-L0062-35+60IP	205	22.40	2360	35	2.4	--	--
81-L0063-35+60IP	205	3.35	300	13	2.2	--	--
81-L0064-35+60IP	205	25.50	1340	60	7.2	--	--
81-L0065-35+60IP	205	21.00	1810	75	10.4	--	--
81-L0066-35+60IP	205	28.00	980	85	8.8	--	--
81-L0067-35+60IP	205	26.50	900	80	9.2	--	--
81-L0068-35+60IP	205	24.75	1500	138	N.S.S.	--	--
81-L0069-35+60IP	205	22.80	1670	170	26.0	--	--
81-L0070-35+60IP	205	22.50	1410	55	6.4	--	--
81-L0071-35+60IP	205	5.70	1360	15	N.S.S.	--	--
81-L0072-35+60IP	205	22.40	3560	240	N.S.S.	--	--
81-L0073-35+60IP	205	19.00	1070	225	25.0	--	--
81-L0074-35+60IP	205	14.30	965	80	12.0	--	--
81-L0075-35+60IP	205	16.60	3030	85	9.6	--	--
81-L0076-35+60IP	205	28.50	930	300	45.0	--	--
81-L0077-35+60IP	205	20.50	1080	425	29.0	--	--
81-L0078-35+60IP	205	22.00	1470	350	24.0	--	--
81-L0079-35+60IP	205	22.50	1820	165	15.0	--	--
81-L0080-35+60IP	205	25.50	1340	75	5.6	--	--
81-L0081-35+60IP	205	25.00	1600	80	8.0	--	--
81-L0082-35+60IP	205	12.90	1020	55	5.6	--	--
81-L0083-35+60IP	205	24.00	1450	80	8.2	--	--
81-L0084-35+60IP	205	27.50	1100	115	12.0	--	--
81-L0085-35+60IP	205	23.50	1680	145	8.0	--	--
81-L0086-35+60IP	205	22.00	1320	95	7.2	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-003-A
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0087-35+60IP	205	185	9	100	440	0.1	0.6
81-L0088-35+60IP	205	90	6	67	590	0.1	1.0
81-L0089-35+60IP	205	210	11	150	590	0.1	1.5
81-L0090-35+60IP	205	223	12	130	650	0.1	1.3
81-L0091-35+60IP	205	152	5	129	360	0.1	0.5
81-L0092-35+60IP	205	113	5	90	510	0.1	3.0
81-L0093-35+60IP	205	160	14	108	640	0.2	2.4
81-L0094-35+60IP	205	145	11	123	660	0.1	2.1
81-L0095-35+60IP	205	150	6	115	550	0.1	1.2
81-L0096-35+60IP	205	105	5	92	530	0.1	1.5
81-L0097-35+60IP	205	88	4	64	520	0.2	0.2
81-L0098-35+60IP	205	120	6	105	360	0.1	0.1
81-L0099-35+60IP	205	115	8	98	640	0.1	3.2
81-L0100-35+60IP	205	150	6	160	615	0.1	3.1
81-L0101-35+60IP	205	200	12	120	1120	0.2	5.2
81-L0102-35+60IP	205	166	8	126	620	0.2	1.7
81-L0103-35+60IP	205	140	12	110	480	0.2	0.8
81-L0104-35+60IP	205	40	3	19	140	0.1	0.1
81-L0105-35+60IP	205	156	7	100	380	0.1	0.3
81-L0106-35+60IP	205	240	18	117	530	0.2	1.5
81-L0107-35+60IP	205	200	11	95	440	0.1	0.9
81-L0108-35+60IP	205	175	9	104	420	0.2	0.8
81-L0109-35+60IP	205	162	53	57	3600	0.4	6.1
81-L0110-35+60IP	205	160	91	37	5800	0.4	18.0
81-L0111-35+60IP	205	188	36	57	2300	0.8	8.4
81-L0112-35+60IP	205	244	240	76	8500	0.6	14.8
81-L0113-35+60IP	205	340	78	64	4760	1.4	11.0
81-L0114-35+60IP	205	110	112	22	2600	0.2	15.6
81-L0115-35+60IP	205	315	70	60	3780	1.8	9.7
81-L0116-35+60IP	205	264	78	80	5800	1.2	12.8
81-L0117-35+60IP	205	330	60	90	5260	1.4	12.6
81-L0118-35+60IP	205	270	31	107	2150	0.9	4.6
81-L0119-35+60IP	205	295	53	81	3150	1.2	9.1
81-L0120-35+60IP	205	126	32	48	1660	0.2	3.2
81-L0121-35+60IP	205	52	12	22	620	0.2	0.8
81-L0122-35+60IP	205	220	29	67	1330	0.7	5.5
81-L0123-35+60IP	205	256	66	58	3900	0.6	11.6
81-L0124-35+60IP	205	300	85	52	4200	1.8	11.5
81-L0125-35+60IP	205	184	23	90	900	0.4	3.4
81-L0126-35+60IP	205	170	32	53	1230	0.2	2.9

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210629-003-B
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0087-35+60IP	205	21.00	1120	80	5.6	--	--
81-L0088-35+60IP	205	14.00	920	85	8.8	--	--
81-L0089-35+60IP	205	25.00	2000	110	13.2	--	--
81-L0090-35+60IP	205	26.50	1980	100	11.2	--	--
81-L0091-35+60IP	205	21.30	1420	165	9.0	--	--
81-L0092-35+60IP	205	25.50	1730	60	2.2	--	--
81-L0093-35+60IP	205	19.00	1340	120	10.4	--	--
81-L0094-35+60IP	205	21.00	1750	125	9.6	--	--
81-L0095-35+60IP	205	23.00	1790	75	5.6	--	--
81-L0096-35+60IP	205	20.50	1400	75	5.6	--	--
81-L0097-35+60IP	205	20.40	1060	60	3.2	--	--
81-L0098-35+60IP	205	19.30	1000	85	2.4	--	--
81-L0099-35+60IP	205	17.80	1580	80	8.8	--	--
81-L0100-35+60IP	205	24.00	2040	100	7.4	--	--
81-L0101-35+60IP	205	26.00	1500	110	14.8	--	--
81-L0102-35+60IP	205	23.00	830	115	7.4	--	--
81-L0103-35+60IP	205	20.00	2100	100	8.8	--	--
81-L0104-35+60IP	205	8.00	1000	20	1.6	--	--
81-L0105-35+60IP	205	20.00	1550	60	4.6	--	--
81-L0106-35+60IP	205	24.50	1480	95	10.6	--	--
81-L0107-35+60IP	205	25.00	1620	70	9.6	--	--
81-L0108-35+60IP	205	21.50	1250	70	5.6	--	--
81-L0109-35+60IP	205	27.00	1010	230	31.0	--	--
81-L0110-35+60IP	205	31.50	1780	165	25.0	--	--
81-L0111-35+60IP	205	18.30	1060	115	22.0	--	--
81-L0112-35+60IP	205	27.00	2240	380	46.0	--	--
81-L0113-35+60IP	205	25.60	1920	190	28.0	--	--
81-L0114-35+60IP	205	16.00	840	360	N.S.S.	--	--
81-L0115-35+60IP	205	18.50	1060	200	28.0	--	--
81-L0116-35+60IP	205	28.00	2840	300	41.0	--	--
81-L0117-35+60IP	205	30.60	5680	300	32.0	--	--
81-L0118-35+60IP	205	24.50	1320	150	22.0	--	--
81-L0119-35+60IP	205	27.00	1330	215	44.0	--	--
81-L0120-35+60IP	205	20.60	1480	120	17.6	--	--
81-L0121-35+60IP	205	11.60	590	30	4.8	--	--
81-L0122-35+60IP	205	17.90	925	80	12.6	--	--
81-L0123-35+60IP	205	28.20	1360	200	32.0	--	--
81-L0124-35+60IP	205	32.00	880	300	32.0	--	--
81-L0125-35+60IP	205	16.80	960	75	10.4	--	--
81-L0126-35+60IP	205	21.00	1210	115	15.2	--	--

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-004-A
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0127-35+60IP	205	70	9	32	400	0.1	0.5
81-L0128-35+60IP	205	68	5	26	230	0.1	0.3
81-L0129-35+60IP	205	28	8	12	260	0.2	0.4
81-L0130-35+60IP	205	20	6	8	170	0.2	0.2
81-L0131-35+60IP	205	65	11	32	405	0.1	0.4
81-L0132-35+60IP	205	25	5	1	170	0.1	0.1
81-L0133-35+60IP	205	25	5	9	145	0.1	0.1
81-L0134-35+60IP	205	15	3	7	240	0.1	0.1
81-L0135-35+60IP	205	108	20	46	1220	0.3	1.3
81-L0136-35+60IP	205	204	20	84	1650	0.2	3.0
81-L0137-35+60IP	205	184	16	134	1040	0.2	1.4
81-L0138-35+60IP	205	12	2	3	95	0.1	0.1
81-L0139-35+60IP	205	37	4	18	360	0.1	0.2
81-L0140-35+60IP	205	190	20	67	1420	0.2	3.2
81-L0141-35+60IP	205	160	13	53	730	0.1	1.1
81-L0142-35+60IP	205	78	8	41	520	0.1	0.9
81-L0143-35+60IP	205	190	18	66	1130	0.6	2.1
81-L0144-35+60IP	205	195	83	81	4500	1.1	29.0
81-L0145-35+60IP	205	37	5	11	170	0.1	0.1
81-L0146-35+60IP	205	120	25	46	2250	0.3	1.6
81-L0147-35+60IP	205	42	4	11	240	0.1	0.1
81-L0148-35+60IP	205	36	2	21	230	0.1	0.1
81-L0149-35+60IP	205	49	5	28	325	0.1	0.6
81-L0150-35+60IP	205	45	4	25	330	0.1	0.2
81-L0151-35+60IP	205	80	8	30	610	0.2	1.0
81-L0152-35+60IP	205	52	5	24	240	0.1	0.1
81-L0153-35+60IP	205	30	4	12	160	0.1	0.1
81-L0154-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-L0155-35+60IP	205	73	7	39	425	0.1	0.3
81-L0156-35+60IP	205	105	9	66	480	0.1	0.3
81-L0159-35+60IP	205	42	8	17	225	0.1	0.1
81-L0160-35+60IP	205	104	10	40	270	0.2	0.2
81-L0161-35+60IP	205	92	14	32	500	0.2	0.2
81-L0162-35+60IP	205	133	14	45	530	0.2	0.6
81-L0163-35+60IP	205	153	15	65	920	0.1	0.7
81-L0165-35+60IP	205	200	24	77	1230	0.2	1.7
81-L0166-35+60IP	205	112	14	70	500	0.2	0.2
81-L0167-35+60IP	205	25	3	6	62	0.1	0.1
81-L0168-35+60IP	205	206	8	160	450	0.2	0.4
81-L0169-35+60IP	205	17	27	7	92	0.1	0.1



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-004-B
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE


ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0127-35+60IP	205	11.20	1000	35	6.0	--	--
81-L0128-35+60IP	205	11.10	900	25	3.2	--	--
81-L0129-35+60IP	205	6.70	1000	30	3.2	--	--
81-L0130-35+60IP	205	6.10	970	10	N.S.S.	--	--
81-L0131-35+60IP	205	11.60	1100	80	5.6	--	--
81-L0132-35+60IP	205	7.15	830	10	N.S.S.	--	--
81-L0133-35+60IP	205	5.70	965	15	1.6	--	--
81-L0134-35+60IP	205	5.70	800	10	1.6	--	--
81-L0135-35+60IP	205	15.00	900	65	N.S.S.	--	--
81-L0136-35+60IP	205	22.80	1160	110	N.S.S.	--	--
81-L0137-35+60IP	205	23.20	1370	120	17.2	--	--
81-L0138-35+60IP	205	6.00	880	5	0.8	--	--
81-L0139-35+60IP	205	8.00	970	15	4.4	--	--
81-L0140-35+60IP	205	22.00	820	120	28.0	--	--
81-L0141-35+60IP	205	14.50	870	85	13.6	--	--
81-L0142-35+60IP	205	9.70	685	85	N.S.S.	--	--
81-L0143-35+60IP	205	14.75	870	190	24.0	--	--
81-L0144-35+60IP	205	10.80	320	115	N.S.S.	--	--
81-L0145-35+60IP	205	5.55	820	15	2.8	--	--
81-L0146-35+60IP	205	17.00	1640	95	21.0	--	--
81-L0147-35+60IP	205	7.80	980	10	2.6	--	--
81-L0148-35+60IP	205	10.30	1220	15	2.2	--	--
81-L0149-35+60IP	205	14.50	1460	30	3.0	--	--
81-L0150-35+60IP	205	12.20	1180	25	3.8	--	--
81-L0151-35+60IP	205	12.20	1460	40	N.S.S.	--	--
81-L0152-35+60IP	205	8.10	950	20	2.8	--	--
81-L0153-35+60IP	205	5.50	770	20	2.0	--	--
81-L0154-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81-L0155-35+60IP	205	18.00	1040	55	4.0	--	--
81-L0156-35+60IP	205	18.00	1080	85	5.6	--	--
81-L0159-35+60IP	205	9.20	2550	30	3.8	--	--
81-L0160-35+60IP	205	13.40	1630	30	4.8	--	--
81-L0161-35+60IP	205	12.40	960	50	9.6	--	--
81-L0162-35+60IP	205	17.00	1320	85	11.2	--	--
81-L0163-35+60IP	205	25.00	1210	100	17.6	--	--
81-L0165-35+60IP	205	25.50	1060	115	19.6	--	--
81-L0166-35+60IP	205	15.00	1240	100	10.4	--	--
81-L0167-35+60IP	205	4.30	730	5	0.8	--	--
81-L0168-35+60IP	205	28.20	1650	100	N.S.S.	--	--
81-L0169-35+60IP	205	6.30	560	200	1.6	--	--

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-005-A
INVOICE # : 18210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0170-35+60IP	205	185	23	60	1150	0.5	3.3
81-L0171-35+60IP	205	80	14	30	1150	0.3	0.8
81-L0172-35+60IP	205	140	18	80	1100	0.8	1.4
81-L0173-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-L0174-35+60IP	205	52	8	34	660	0.2	1.2
81-L0175-35+60IP	205	90	9	41	725	0.5	1.7
81-L0176-35+60IP	205	100	9	51	840	0.1	1.9
81-L0177-35+60IP	205	96	5	88	595	0.5	0.9
81-L0178-35+60IP	205	40	24	38	2650	0.6	5.1
81-L0179-35+60IP	205	193	24	46	1350	0.7	5.2
81-L0180-35+60IP	205	350	42	72	1400	0.9	7.0
81-L0181-35+60IP	205	170	19	71	1380	0.5	3.8
81-L0182-35+60IP	205	100	7	60	450	0.2	1.0
81-L0183-35+60IP	205	95	5	47	320	0.3	0.3
81-L0184-35+60IP	205	64	4	65	300	0.1	0.1
81-L0185-35+60IP	205	79	4	74	325	0.3	0.2
81-L0186-35+60IP	205	70	5	66	350	0.4	0.2
81-L0187-35+60IP	205	70	4	83	350	0.2	0.3
81-L0188-35+60IP	205	38	3	32	270	0.3	0.1
81-L0189-35+60IP	205	26	3	16	160	0.2	0.2
81-L0191-35+60IP	205	58	5	45	325	0.3	0.2
81-L0192-35+60IP	205	78	4	74	350	0.2	0.2
81-L0193-35+60IP	205	105	6	90	970	0.2	3.2
81-L0194-35+60IP	205	90	6	61	390	0.1	0.5
81-L0195-35+60IP	205	95	6	63	425	0.2	0.6
81-L0196-35+60IP	205	80	4	58	340	0.2	0.4
81-L0197-35+60IP	205	85	5	74	390	0.3	0.5
81-L0198-35+60IP	205	87	6	58	395	0.4	0.8
81-L0199-35+60IP	205	185	18	51	1300	0.4	4.3
81-L0201-35+60IP	205	24	3	14	180	0.3	0.3
81-L0202-35+60IP	205	36	4	20	265	0.2	0.8
81-L0203-35+60IP	205	47	5	28	285	0.1	0.7
81-L0204-35+60IP	205	16	3	5	100	0.3	0.2
81-L0205-35+60IP	205	14	3	5	93	0.3	0.2
81-L0206-35+60IP	205	13	1	10	256	0.1	0.3
81-L0207-35+60IP	205	150	9	65	325	0.3	0.8
81-L0209-35+60IP	205	32	4	16	415	0.3	1.7
81-L0210-35+60IP	205	18	2	8	130	0.2	0.5
81-L0211-35+60IP	205	30	3	11	155	0.2	0.2
81-L0216-35+60IP	205	16	2	3	100	0.2	0.1



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-005-B
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0170-35+60IP	205	16.00	955	63	24.0	--	--
81-L0171-35+60IP	205	19.00	1700	45	10.2	--	--
81-L0172-35+60IP	205	17.00	930	94	10.4	--	--
81-L0173-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81-L0174-35+60IP	205	8.90	910	24	7.8	--	--
81-L0175-35+60IP	205	13.00	790	63	13.6	--	--
81-L0176-35+60IP	205	22.50	2050	67	10.0	--	--
81-L0177-35+60IP	205	24.00	2280	63	5.4	--	--
81-L0178-35+60IP	205	16.50	1060	77	30.0	--	--
81-L0179-35+60IP	205	17.00	1120	88	31.0	--	--
81-L0180-35+60IP	205	20.00	720	85	21.0	--	--
81-L0181-35+60IP	205	18.00	970	180	24.0	--	--
81-L0182-35+60IP	205	20.50	1130	73	27.0	--	--
81-L0183-35+60IP	205	20.00	1320	150	45.0	--	--
81-L0184-35+60IP	205	18.50	900	88	27.0	--	--
81-L0185-35+60IP	205	22.00	1230	145	35.0	--	--
81-L0186-35+60IP	205	23.00	1520	101	18.0	--	--
81-L0187-35+60IP	205	22.00	1320	75	13.0	--	--
81-L0188-35+60IP	205	17.50	835	48	8.4	--	--
81-L0189-35+60IP	205	9.00	895	16	3.0	--	--
81-L0191-35+60IP	205	20.50	1500	77	11.8	--	--
81-L0192-35+60IP	205	21.50	1320	115	25.0	--	--
81-L0193-35+60IP	205	31.00	2670	69	4.2	--	--
81-L0194-35+60IP	205	20.00	1090	100	14.6	--	--
81-L0195-35+60IP	205	21.00	1080	110	16.8	--	--
81-L0196-35+60IP	205	22.00	1220	113	15.6	--	--
81-L0197-35+60IP	205	22.00	1400	107	16.6	--	--
81-L0198-35+60IP	205	20.00	1900	75	12.4	--	--
81-L0199-35+60IP	205	25.00	1700	125	8.0	--	--
81-L0201-35+60IP	205	8.50	890	17	2.4	--	--
81-L0202-35+60IP	205	11.00	1090	36	3.6	--	--
81-L0203-35+60IP	205	13.50	1100	48	4.4	--	--
81-L0204-35+60IP	205	5.50	758	7	0.8	--	--
81-L0205-35+60IP	205	4.00	585	5	0.6	--	--
81-L0206-35+60IP	205	2.00	335	11	1.2	--	--
81-L0207-35+60IP	205	18.00	1080	83	6.4	--	--
81-L0209-35+60IP	205	11.00	1050	39	3.8	--	--
81-L0210-35+60IP	205	6.50	845	15	1.6	--	--
81-L0211-35+60IP	205	7.50	915	15	1.4	--	--
81-L0216-35+60IP	205	5.50	745	9	0.8	--	--

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-006-A
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0218-35+60IP	205	70	3	3	360	0.3	0.3
81-L0219-35+60IP	205	72	6	34	400	0.2	0.2
81-L0220-35+60IP	205	24	2	14	200	0.2	0.2
81-L0221-35+60IP	205	78	4	66	410	0.2	0.2
81-L0222-35+60IP	205	80	7	33	450	0.3	1.4
81-L0223-35+60IP	205	18	4	6	176	0.2	0.2
81-L0224-35+60IP	205	80	8	60	360	0.2	0.2
81-L0225-35+60IP	205	420	32	90	880	1.2	2.4
81-L0226-35+60IP	205	60	4	16	290	0.2	0.2
81-L0227-35+60IP	205	120	10	74	400	0.2	0.2
81-L0228-35+60IP	205	190	12	76	500	0.5	0.8
81-L0229-35+60IP	205	68	7	40	400	0.3	0.3
81-L0230-35+60IP	205	20	3	3	240	0.3	0.3
81-L0231-35+60IP	205	94	7	176	750	0.2	0.6
81-L0232-35+60IP	205	120	9	62	450	0.3	0.7
81-L0233-35+60IP	205	90	8	54	420	0.6	0.4
81-L0234-35+60IP	205	102	6	62	425	0.1	0.2
81-L0235-35+60IP	205	70	20	50	400	0.4	0.4
81-L0236-35+60IP	205	128	8	68	485	0.3	0.5
81-L0237-35+60IP	205	310	50	76	2350	0.8	8.0
81-L0238-35+60IP	205	144	18	32	680	0.6	1.6
81-L0239-35+60IP	205	198	29	42	1470	0.5	5.5
81-L0240-35+60IP	205	210	32	68	1750	0.7	4.0
81-L0241-35+60IP	205	97	16	30	890	0.5	3.0
81-L0242-35+60IP	205	245	15	98	950	0.3	1.5
81-L0243-35+60IP	205	185	9	87	725	0.4	2.4
81-L0244-35+60IP	205	310	24	132	1000	0.6	1.8
81-L0245-35+60IP	205	290	22	92	1400	0.3	5.0
81-L0246-35+60IP	205	200	15	75	1100	0.3	3.6
81-L0247-35+60IP	205	440	36	176	920	1.3	2.9
81-L0248-35+60IP	205	910	66	240	980	2.2	5.5
81-L0249-35+60IP	205	505	51	110	970	1.4	3.8
81-L0250-35+60IP	205	235	18	64	1300	0.2	3.1
81-L0251-35+60IP	205	580	40	136	980	2.0	2.6
81-L0252-35+60IP	205	450	44	100	1400	1.7	4.8
81-L0253-35+60IP	205	560	52	88	2900	1.8	12.5
81-L0254-35+60IP	205	910	28	410	600	2.4	1.0
81-L0255-35+60IP	205	570	46	120	1060	2.0	2.8
81-L0256-35+60IP	205	840	84	166	1820	4.2	5.2
81-L0257-35+60IP	205	620	68	144	920	1.6	2.0

Hart Buchler

Certified by



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-006-B
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0218-35+60IP	205	20.50	4430	100	N.S.S.	--	--
81-L0219-35+60IP	205	13.60	1020	28	2.0	--	--
81-L0220-35+60IP	205	7.20	770	14	1.6	--	--
81-L0221-35+60IP	205	26.00	1306	90	N.S.S.	--	--
81-L0222-35+60IP	205	12.50	958	46	6.4	--	--
81-L0223-35+60IP	205	7.10	944	12	N.S.S.	--	--
81-L0224-35+60IP	205	26.00	2100	96	7.2	--	--
81-L0225-35+60IP	205	31.00	1700	200	22.0	--	--
81-L0226-35+60IP	205	12.80	1010	72	N.S.S.	--	--
81-L0227-35+60IP	205	19.30	1256	100	6.5	--	--
81-L0228-35+60IP	205	22.50	1020	95	8.4	--	--
81-L0229-35+60IP	205	14.00	1000	53	4.8	--	--
81-L0230-35+60IP	205	9.50	830	40	N.S.S.	--	--
81-L0231-35+60IP	205	26.00	1720	110	7.0	--	--
81-L0232-35+60IP	205	14.00	1640	85	6.9	--	--
81-L0233-35+60IP	205	27.00	1500	72	N.S.S.	--	--
81-L0234-35+60IP	205	25.00	1110	80	4.6	--	--
81-L0235-35+60IP	205	18.00	1000	58	N.S.S.	--	--
81-L0236-35+60IP	205	26.00	1030	85	6.8	--	--
81-L0237-35+60IP	205	29.00	1910	220	31.0	--	--
81-L0238-35+60IP	205	11.30	656	65	9.1	--	--
81-L0239-35+60IP	205	15.00	1020	110	19.4	--	--
81-L0240-35+60IP	205	15.00	815	115	23.0	--	--
81-L0241-35+60IP	205	9.90	865	99	11.2	--	--
81-L0242-35+60IP	205	24.50	1440	85	10.0	--	--
81-L0243-35+60IP	205	17.00	800	85	7.8	--	--
81-L0244-35+60IP	205	23.00	720	100	13.2	--	--
81-L0245-35+60IP	205	26.00	930	105	12.8	--	--
81-L0246-35+60IP	205	20.00	1060	85	8.8	--	--
81-L0247-35+60IP	205	22.50	930	135	12.4	--	--
81-L0248-35+60IP	205	30.00	1000	190	16.8	--	--
81-L0249-35+60IP	205	16.00	810	110	17.6	--	--
81-L0250-35+60IP	205	20.50	818	140	8.2	--	--
81-L0251-35+60IP	205	24.00	2000	165	12.6	--	--
81-L0252-35+60IP	205	24.50	895	140	13.2	--	--
81-L0253-35+60IP	205	32.00	1470	160	16.8	--	--
81-L0254-35+60IP	205	27.00	1180	198	12.0	--	--
81-L0255-35+60IP	205	23.00	1180	184	16.8	--	--
81-L0256-35+60IP	205	31.00	1470	110	27.0	--	--
81-L0257-35+60IP	205	30.00	2180	165	N.S.S.	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-007-A
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0258-35+60IP	205	785	22	335	550	1.9	0.5
81-L0259-35+60IP	205	750	56	135	1800	1.9	6.8
81-L0260-35+60IP	205	715	39	465	675	2.0	0.8
81-L0261-35+60IP	205	1200	68	310	865	5.0	2.3
81-L0262-35+60IP	205	1080	48	480	680	3.0	0.9
81-L0263-35+60IP	205	690	69	195	2100	3.0	10.2
81-L0264-35+60IP	205	260	47	61	2850	1.0	15.5
81-L0265-35+60IP	205	415	59	82	3750	1.2	31.0
81-L0266-35+60IP	205	370	76	76	3800	1.6	18.4
81-L0267-35+60IP	205	380	78	68	4700	2.2	35.0
81-L0268-35+60IP	205	230	25	50	1600	1.3	8.5
81-L0269-35+60IP	205	175	30	28	1500	0.8	5.1
81-L0270-35+60IP	205	255	38	39	1750	0.8	8.3
81-L0271-35+60IP	205	470	72	112	2900	1.8	12.6
81-L0272-35+60IP	205	330	41	64	1250	1.1	4.4
81-L0273-35+60IP	205	335	72	94	1900	2.0	6.5
81-L0274-35+60IP	205	790	82	148	1920	4.4	4.6
81-L0275-35+60IP	205	285	47	74	2100	1.1	8.0
81-L0276-35+60IP	205	140	18	54	990	0.3	2.5
81-L0277-35+60IP	205	320	38	108	1020	1.4	3.8
81-L0278-35+60IP	205	360	56	96	1660	1.8	4.2
81-L0279-35+60IP	205	265	71	73	2850	1.2	9.2
81-L0280-35+60IP	205	365	45	58	2250	1.2	7.1
81-L0281-35+60IP	205	380	61	62	1970	1.6	9.9
81-L0282-35+60IP	205	360	66	94	2000	2.8	7.0
81-L0283-35+60IP	205	460	57	66	2050	1.5	5.1
81-L0284-35+60IP	205	310	47	93	1950	1.2	6.7
81-L0285-35+60IP	205	315	42	35	1520	1.8	3.8
81-L0286-35+60IP	205	570	104	80	3200	2.4	15.8
81-L0287-35+60IP	205	520	66	100	1760	2.0	7.6
81-L0288-35+60IP	205	510	130	88	3400	2.4	22.0
81-L0289-35+60IP	205	80	8	41	525	3.0	1.4
81-L0290-35+60IP	205	275	30	120	1250	0.5	5.6
81-L0291-35+60IP	205	235	38	93	1350	0.9	6.2
81-L0292-35+60IP	205	45	6	13	310	0.6	1.0
81-L0293-35+60IP	205	290	24	75	740	0.7	1.8
81-L0294-35+60IP	205	320	60	120	2900	3.0	10.0
81-L0295-35+60IP	205	170	21	36	970	0.5	2.4
81-L0296-35+60IP	205	290	36	76	2000	1.0	6.6
81-L0297-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-007-B
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0258-35+60IP	205	23.80	1125	155	N.S.S.	--	--
81-L0259-35+60IP	205	29.00	1390	150	32.0	--	--
81-L0260-35+60IP	205	39.00	2550	248	N.S.S.	--	--
81-L0261-35+60IP	205	27.70	715	268	N.S.S.	--	--
81-L0262-35+60IP	205	34.80	832	128	N.S.S.	--	--
81-L0263-35+60IP	205	31.50	880	170	N.S.S.	--	--
81-L0264-35+60IP	205	20.00	850	90	25.0	--	--
81-L0265-35+60IP	205	29.00	755	110	26.0	--	--
81-L0266-35+60IP	205	28.00	990	170	46.0	--	--
81-L0267-35+60IP	205	29.50	665	120	33.0	--	--
81-L0268-35+60IP	205	14.00	595	90	29.0	--	--
81-L0269-35+60IP	205	13.50	748	65	16.0	--	--
81-L0270-35+60IP	205	16.50	745	80	19.4	--	--
81-L0271-35+60IP	205	25.00	1110	180	37.0	--	--
81-L0272-35+60IP	205	15.00	110	88	16.4	--	--
81-L0273-35+60IP	205	22.50	560	150	44.0	--	--
81-L0274-35+60IP	205	37.00	596	180	N.S.S.	--	--
81-L0275-35+60IP	205	18.50	900	110	27.0	--	--
81-L0276-35+60IP	205	16.50	890	85	16.4	--	--
81-L0277-35+60IP	205	15.41	470	80	N.S.S.	--	--
81-L0278-35+60IP	205	22.00	590	110	32.0	--	--
81-L0279-35+60IP	205	21.50	760	100	33.0	--	--
81-L0280-35+60IP	205	24.00	805	100	17.6	--	--
81-L0281-35+60IP	205	22.50	770	130	32.0	--	--
81-L0282-35+60IP	205	26.00	1130	150	33.0	--	--
81-L0283-35+60IP	205	22.00	720	125	25.0	--	--
81-L0284-35+60IP	205	23.00	760	110	27.0	--	--
81-L0285-35+60IP	205	15.00	1740	88	16.6	--	--
81-L0286-35+60IP	205	29.00	1660	154	39.0	--	--
81-L0287-35+60IP	205	29.00	1236	180	31.0	--	--
81-L0288-35+60IP	205	26.00	790	190	42.0	--	--
81-L0289-35+60IP	205	13.00	425	36	3.6	--	--
81-L0290-35+60IP	205	26.00	880	145	14.2	--	--
81-L0291-35+60IP	205	21.50	965	88	17.2	--	--
81-L0292-35+60IP	205	6.50	668	20	3.4	--	--
81-L0293-35+60IP	205	21.00	1120	101	15.4	--	--
81-L0294-35+60IP	205	20.00	980	150	N.S.S.	--	--
81-L0295-35+60IP	205	15.50	680	75	16.4	--	--
81-L0296-35+60IP	205	25.00	955	160	19.0	--	--
81-L0297-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-008-A
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0298-35+60IP	205	270	35	67	1800	1.1	7.4
81-L0299-35+60IP	205	310	51	84	2250	1.8	14.0
81-L0300-35+60IP	205	185	29	53	1850	0.7	6.4
81-L0301-35+60IP	205	92	5	7	270	0.2	0.2
81-L0302-35+60IP	205	35	4	13	330	0.1	0.1
81-L0303-35+60IP	205	75	5	30	210	0.6	0.1
81-L0304-35+60IP	205	170	18	100	1400	0.6	3.1
81-L0305-35+60IP	205	230	32	74	2000	1.0	5.6
81-L0306-35+60IP	205	290	40	86	3500	1.6	4.4
81-L0307-35+60IP	205	260	40	110	2500	1.4	4.6
81-L0308-35+60IP	205	52	6	12	250	0.2	2.7
81-L0309-35+60IP	205	200	19	69	1000	0.6	2.3
81-L0310-35+60IP	205	330	26	120	2650	2.5	6.9
81-L0311-35+60IP	205	410	154	80	7000	2.4	19.0
81-L0312-35+60IP	205	205	30	50	1550	0.8	5.1
81-L0313-35+60IP	205	240	64	50	4000	1.4	12.8
81-L0314-35+60IP	205	300	74	63	4250	1.8	21.0
81-L0315-35+60IP	205	250	54	58	4200	1.0	13.6
81-L0316-35+60IP	205	144	20	74	2400	0.6	3.0
81-L0317-35+60IP	205	310	99	62	6300	2.5	25.0
81-L0318-35+60IP	205	300	168	60	9700	1.6	40.0
81-L0319-35+60IP	205	280	50	54	3300	1.7	8.3
81-L0320-35+60IP	205	220	56	86	2200	1.2	5.0
81-L0321-35+60IP	205	180	7	79	410	0.4	0.2
81-L0323-35+60IP	205	125	28	37	1600	0.9	1.9
81-L0324-35+60IP	205	92	21	32	1250	0.6	1.5
81-L0325-35+60IP	205	17	3	6	185	0.3	0.2
81-L0326-35+60IP	205	74	18	18	1140	0.4	1.9
81-L0327-35+60IP	205	260	36	48	1780	1.0	3.8
81-L0328-35+60IP	205	59	5	13	270	0.5	0.3
81-L0329-35+60IP	205	260	32	36	1100	0.4	0.6
81-L0330-35+60IP	205	45	3	16	215	0.5	0.2
81-L0334-35+60IP	205	142	34	230	3200	1.0	4.8
81-L0336-35+60IP	205	125	10	23	250	1.0	0.3
81-L0337-35+60IP	205	205	17	90	1000	1.2	1.6
81-L0338-35+60IP	205	65	5	26	290	0.5	0.3
81-L0339-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.
81-L0340-35+60IP	205	320	48	66	1820	0.6	4.4
81-L0341-35+60IP	205	26	18	144	800	0.4	3.0
81-L0342-35+60IP	205	192	26	60	1680	0.6	2.0



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-008-B
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0298-35+60IP	205	22.50	1000	101	24.0	--	--
81-L0299-35+60IP	205	20.00	805	115	38.0	--	--
81-L0300-35+60IP	205	16.00	800	85	20.0	--	--
81-L0301-35+60IP	205	14.50	1220	30	3.2	--	--
81-L0302-35+60IP	205	16.50	990	15	1.2	--	--
81-L0303-35+60IP	205	12.50	1120	30	2.6	--	--
81-L0304-35+60IP	205	18.00	975	81	17.4	--	--
81-L0305-35+60IP	205	18.00	1080	101	24.0	--	--
81-L0306-35+60IP	205	22.00	1040	138	28.0	--	--
81-L0307-35+60IP	205	27.00	960	180	28.0	--	--
81-L0308-35+60IP	205	3.00	260	14	2.6	--	--
81-L0309-35+60IP	205	17.50	930	80	21.0	--	--
81-L0310-35+60IP	205	21.50	970	85	24.0	--	--
81-L0311-35+60IP	205	31.00	1080	210	40.0	--	--
81-L0312-35+60IP	205	18.50	880	75	19.4	--	--
81-L0313-35+60IP	205	21.00	1660	110	30.0	--	--
81-L0314-35+60IP	205	23.50	970	110	26.0	--	--
81-L0315-35+60IP	205	23.00	1430	110	29.0	--	--
81-L0316-35+60IP	205	14.60	636	80	18.7	--	--
81-L0317-35+60IP	205	22.00	748	205	48.0	--	--
81-L0318-35+60IP	205	31.00	1590	280	46.0	--	--
81-L0319-35+60IP	205	24.50	1000	100	18.6	--	--
81-L0320-35+60IP	205	15.80	666	110	24.0	--	--
81-L0321-35+60IP	205	16.00	1230	55	6.0	--	--
81-L0323-35+60IP	205	14.50	870	115	15.6	--	--
81-L0324-35+60IP	205	12.50	765	100	11.8	--	--
81-L0325-35+60IP	205	5.50	585	10	1.6	--	--
81-L0326-35+60IP	205	9.00	730	130	12.6	--	--
81-L0327-35+60IP	205	13.80	790	130	14.4	--	--
81-L0328-35+60IP	205	7.00	700	17	3.4	--	--
81-L0329-35+60IP	205	13.20	660	96	N.S.S.	--	--
81-L0330-35+60IP	205	6.50	793	14	2.2	--	--
81-L0334-35+60IP	205	29.00	1690	220	66.0	--	--
81-L0336-35+60IP	205	11.50	893	390	10.6	--	--
81-L0337-35+60IP	205	19.50	1230	200	26.0	--	--
81-L0338-35+60IP	205	9.50	875	70	7.0	--	--
81-L0339-35+60IP	205	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--
81-L0340-35+60IP	205	29.00	1630	120	N.S.S.	--	--
81-L0341-35+60IP	205	25.00	1740	120	11.6	--	--
81-L0342-35+60IP	205	22.00	1170	120	41.0	--	--

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-009-A
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
81-L0343-35+60IP	205	145	11	110	1450	0.6	4.6
81-L0344-35+60IP	205	190	13	160	560	0.5	1.7
81-L0345-35+60IP	205	92	10	40	450	0.2	0.8
81-L0346-35+60IP	205	86	7	50	390	0.3	0.6
81-L0347-35+60IP	205	40	5	20	250	0.3	0.2
81-L0348-35+60IP	205	54	7	24	295	0.2	0.4
81-L0349-35+60IP	205	102	10	40	410	0.2	0.4
81-L0350-35+60IP	205	170	17	56	850	0.8	0.5



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210629-009-B
INVOICE # : I8210629
DATE : 26-MAR-82
P.O. # : NONE

ATTN: GREG JILSEN

Sample description	Prep code	Fe %	Mn ppm	AS ppm	Sb ppm		
81-L0343-35+60IP	205	13.00	705	90	12.6	--	--
81-L0344-35+60IP	205	23.00	1090	170	7.6	--	--
81-L0345-35+60IP	205	12.90	1400	100	7.2	--	--
81-L0346-35+60IP	205	15.00	1150	60	5.2	--	--
81-L0347-35+60IP	205	8.00	1020	24	2.8	--	--
81-L0348-35+60IP	205	9.40	1145	38	N.S.S.	--	--
81-L0349-35+60IP	205	11.60	1040	46	5.6	--	--
81-L0350-35+60IP	205	12.00	790	70	12.6	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*