

017651

DY PCXFLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
76X21	0.0	513.6	513.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
76X21	513.6	515.1	1.5	5497	4K1	-1	-1.00	-1	0.85	0.72	0.13	9.0	-1.00
76X21	515.1	516.6	1.5	5498	4K18	-1	-1.00	-1	1.01	1.00	0.01	10.0	-1.00
76X21	516.6	517.6	1.0	5499	4K189	-1	-1.00	-1	0.11	0.10	0.01	7.5	-1.00
76X21	517.6	518.5	0.9	5500	4K189	-1	-1.00	-1	0.10	0.09	0.01	6.5	-1.00
76X21	518.5	520.0	1.5	5851	4A0	-1	-1.00	-1	3.20	0.85	2.35	7.5	-1.00
76X21	520.0	520.8	0.8	5852	4A0	-1	-1.00	-1	3.28	1.43	1.85	17.4	-1.00
76X21	520.8	521.2	0.4	5853	5B6	-1	-1.00	-1	0.50	0.30	0.20	5.6	-1.00
76X21	521.2	563.0	41.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
76X21	563.0	564.5	1.5	5473	4E0	-1	-1.00	-1	0.16	0.12	0.04	2.8	-1.00
76X21	564.5	565.5	1.0	5474	4D9	-1	-1.00	-1	1.71	0.75	0.96	10.0	-1.00
76X21	565.5	566.3	0.8	5475	4L6	-1	-1.00	-1	0.11	0.04	0.07	1.9	-1.00
76X21	566.3	566.6	0.3	5476	4E0	-1	-1.00	-1	0.06	0.04	0.02	3.7	-1.00
76X21	566.6	567.0	0.4	5477	4L6	-1	-1.00	-1	0.04	0.02	0.02	0.3	-1.00
76X21	567.0	568.9	1.9	5478	4K0	-1	-1.00	-1	0.09	0.07	0.02	3.7	-1.00
76X21	568.9	570.0	1.1	5479	4L6	-1	-1.00	-1	0.04	0.02	0.02	0.3	-1.00
76X21	570.0	571.4	1.4	5480	4K9	-1	-1.00	-1	0.50	0.24	0.26	6.5	-1.00
76X21	571.4	572.9	1.5	5481	4C79	-1	-1.00	-1	0.06	0.05	0.01	3.7	0.01
76X21	572.9	574.4	1.5	5482	4C7	-1	-1.00	-1	0.04	0.03	0.01	0.9	0.01
76X21	574.4	575.9	1.5	5483	4C7	-1	-1.00	-1	0.83	0.23	0.60	4.7	0.01
76X21	575.9	577.4	1.5	5484	4C7	-1	-1.00	-1	0.55	0.27	0.28	7.2	0.02
76X21	577.4	579.0	1.6	5485	4C7	-1	-1.00	-1	0.26	0.18	0.08	4.7	0.01
76X21	579.0	580.5	1.5	5486	4C7	-1	-1.00	-1	0.45	0.12	0.33	1.9	0.01
76X21	580.5	581.7	1.2	5487	4C7	-1	-1.00	-1	0.06	0.05	0.01	1.9	0.01
76X21	581.7	582.6	0.9	5488	4E0	-1	4.30	-1	9.81	3.31	6.50	51.0	0.34
76X21	582.6	584.2	1.6	5489	4A4	-1	3.18	-1	6.80	2.61	4.19	48.0	0.69
76X21	584.2	585.7	1.5	5490	4A4	-1	3.12	-1	6.90	2.48	4.42	36.0	0.41
76X21	585.7	587.2	1.5	5491	4A4	-1	3.09	-1	8.87	3.25	5.62	77.0	1.03
76X21	587.2	588.0	0.8	5492	4A49	-1	3.59	-1	9.56	3.39	6.17	71.0	0.75
76X21	588.0	589.5	1.5	5493	4D0	-1	-1.00	-1	4.75	2.10	2.65	30.2	0.02
76X21	589.5	618.1	28.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
76X21	618.1	619.6	1.5	5494	4A0	-1	-1.00	-1	3.60	1.50	2.10	23.0	0.02
76X21	619.6	621.1	1.5	5495	4A4	-1	-1.00	-1	3.75	1.00	2.75	10.9	0.01
76X21	621.1	622.8	1.7	5496	4A4	-1	-1.00	-1	4.85	1.25	3.60	13.7	0.02
76X21	622.8	774.9	152.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X01	0.0	581.4	581.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X01	581.4	582.4	1.0	10555	4E09	-1	3.91	-1	15.91	5.09	8.42	97.0	1.37
77X01	582.4	583.4	1.0	10556	4E0	-1	4.15	-1	16.87	6.20	10.67	104.0	0.75
77X01	583.4	584.7	1.3	10557	4E15	-1	3.48	-1	9.41	3.77	5.64	58.0	0.89
77X01	584.7	590.2	5.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X01	590.2	592.2	2.0	10558	4C0	-1	-1.00	-1	0.61	0.24	0.37	0.7	-1.00
77X01	592.2	593.5	1.3	10559	4A0	-1	-1.00	-1	1.82	1.33	0.49	6.5	-1.00
77X01	593.5	595.5	2.0	10560	4C0	-1	-1.00	-1	5.70	1.72	3.98	28.8	-1.00
77X01	595.5	597.5	2.0	10561	4C09	-1	-1.00	-1	2.31	1.12	1.19	15.1	-1.00
77X01	597.5	599.5	2.0	10562	4C09	-1	-1.00	-1	2.91	1.09	1.82	17.5	-1.00
77X01	599.5	601.0	1.5	10563	4D09	-1	-1.00	-1	5.29	1.72	3.57	28.8	-1.00
77X01	601.0	603.0	2.0	10564	4D5	-1	-1.00	-1	5.51	2.00	3.51	33.6	-1.00
77X01	603.0	605.0	2.0	10565	4C5	-1	-1.00	-1	2.91	0.78	2.13	15.8	-1.00
77X01	605.0	607.0	2.0	10566	4C5	-1	-1.00	-1	4.16	1.59	2.57	29.1	-1.00
77X01	607.0	608.0	1.0	10567	4D5	-1	-1.00	-1	7.43	3.07	4.36	50.1	-1.00
77X01	608.0	609.5	1.5	10568	4D5	-1	-1.00	-1	7.04	2.53	4.51	39.4	-1.00
77X01	609.5	611.5	2.0	10569	4D09	-1	-1.00	-1	5.63	2.29	3.34	64.1	-1.00
77X01	611.5	613.4	1.9	10570	4K6	-1	-1.00	-1	3.62	1.10	2.52	28.5	-1.00
77X01	613.4	615.4	2.0	10571	4C5	-1	-1.00	-1	3.71	1.19	2.52	26.1	-1.00

L1
7.95% / 7.8m
Take out lower 1.5m
you get
8.10% / 6.3m

L1
12.91% / 3.3m
include 2m of waste
you get
12.17 / 3.5m

3.5

BY PCXPOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
77X01	615.4	617.4	2.0	10572	4C59	-1	-1.00	-1	4.67	1.98	2.69	30.9	-1.00
77X01	617.4	618.4	1.0	10573	4D5	-1	-1.00	-1	8.68	3.53	5.15	56.9	-1.00
77X01	618.4	620.0	1.6	10574	4C5	-1	-1.00	-1	4.79	1.68	3.11	24.7	-1.00
77X01	620.0	620.9	0.9	10575	4G0	-1	-1.00	-1	3.19	0.60	2.59	12.0	-1.00
77X01	620.9	622.6	1.7	10576	5B6	-1	-1.00	-1	0.57	0.09	0.48	0.1	-1.00
77X01	622.6	624.0	1.4	10577	4L14	-1	2.77	-1	4.52	1.79	2.73	30.0	1.23
77X01	624.0	625.2	1.2	10578	4G0	-1	4.22	-1	18.36	7.15	11.21	127.0	0.69
77X01	625.2	774.9	149.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X02	0.0	736.9	736.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X03	0.0	698.1	698.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X03	698.1	700.1	2.0	2601	4L17	-1	-1.00	-1	0.20	0.09	0.11	0.1	-1.00
77X03	700.1	701.1	1.0	2602	4E84	-1	4.30	-1	14.96	9.85	5.11	127.0	0.69
77X03	701.1	702.6	1.5	2603	4E849	-1	4.41	-1	7.27	3.68	3.59	53.0	0.62
77X03	702.6	703.6	1.0	2604	4G184	-1	4.47	-1	12.87	5.88	6.99	77.0	0.55
77X03	703.6	704.6	1.0	2605	4E187	-1	-1.00	-1	5.47	2.46	3.01	41.2	-1.00
77X03	704.6	705.9	1.3	2606	4E187	-1	-1.00	-1	5.24	1.73	3.51	36.7	-1.00
77X03	705.9	707.9	2.0	2607	4K68	-1	-1.00	-1	6.99	5.02	1.97	51.1	-1.00
77X03	707.9	709.9	2.0	2608	4K689	-1	-1.00	-1	2.88	1.92	0.96	28.5	-1.00
77X03	709.9	710.8	0.9	2609	4C79	-1	-1.00	-1	1.53	0.57	0.96	7.2	-1.00
77X03	710.8	712.8	2.0	2610	4A0	-1	-1.00	-1	0.31	0.07	0.24	1.4	-1.00
77X03	712.8	714.0	1.2	2611	4A0	-1	-1.00	-1	0.72	0.44	0.28	6.2	-1.00
77X03	714.0	716.0	2.0	2612	4G9	-1	-1.00	-1	7.31	3.26	4.05	54.9	-1.00
77X03	716.0	717.2	1.2	2613	4E89	-1	-1.00	-1	0.86	0.41	0.45	18.2	-1.00
77X03	717.2	719.2	2.0	2614	4L37	-1	-1.00	-1	0.03	0.01	0.02	0.1	-1.00
77X03	719.2	729.2	10.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X03	729.2	731.2	2.0	2615	4A0	-1	-1.00	-1	0.63	0.29	0.34	0.1	-1.00
77X03	731.2	733.2	2.0	2616	4E186	-1	-1.00	-1	0.90	0.52	0.38	13.0	-1.00
77X03	733.2	735.2	2.0	2617	4E186	-1	-1.00	-1	4.06	2.32	1.74	32.9	-1.00
77X03	735.2	736.6	1.4	2618	4E186	-1	-1.00	-1	3.16	1.74	1.42	24.7	-1.00
77X03	736.6	737.6	1.0	2619	4A0	-1	-1.00	-1	0.78	0.51	0.27	4.1	-1.00
77X03	737.6	739.3	1.7	2620	4L37	-1	-1.00	-1	1.73	1.08	0.65	13.0	-1.00
77X03	739.3	741.3	2.0	2621	4C7	-1	-1.00	-1	3.25	2.04	1.21	36.3	-1.00
77X03	741.3	742.6	1.3	2622	4G9	-1	-1.00	-1	2.68	1.24	1.44	28.5	-1.00
77X03	742.6	743.6	1.0	2623	4C75	-1	-1.00	-1	0.56	0.26	0.30	16.8	-1.00
77X03	743.6	745.6	2.0	2624	4L17	-1	-1.00	-1	0.06	0.04	0.02	0.1	-1.00
77X03	745.6	844.3	98.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X05	0.0	590.0	590.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X05	590.0	591.0	1.0	2657	4G9	-1	-1.00	-1	2.60	1.69	0.91	31.0	-1.00
77X05	591.0	593.0	2.0	2658	4G9	-1	3.95	-1	6.74	3.98	2.76	52.8	-1.00
77X05	593.0	594.3	1.3	2659	4G0	-1	4.68	-1	11.26	5.60	5.66	80.0	0.69
77X05	594.3	595.2	0.9	2660	4E69	-1	4.47	-1	10.84	4.36	6.48	77.0	0.82
77X05	595.2	597.2	2.0	2661	4G0	-1	4.48	-1	10.96	5.51	5.45	65.0	0.41
77X05	597.2	598.3	1.1	2662	4G9	-1	4.61	-1	9.16	4.82	4.34	60.0	0.42
77X05	598.3	600.3	2.0	2663	4C69	-1	4.45	-1	5.07	3.35	1.72	52.8	-1.00
77X05	600.3	602.3	2.0	2664	4C69	-1	3.67	-1	4.06	2.30	1.76	36.2	-1.00
77X05	602.3	604.3	2.0	2665	4G0	-1	4.68	-1	10.56	5.89	4.67	69.0	0.48
77X05	604.3	606.3	2.0	2666	4G0	-1	4.55	-1	11.46	6.35	5.11	76.0	0.41
77X05	606.3	608.3	2.0	2667	4C69	-1	3.91	-1	5.44	2.95	2.49	43.4	-1.00
77X05	608.3	609.2	0.9	2668	4L79	-1	-1.00	-1	2.93	1.46	1.47	28.9	-1.00
77X05	609.2	614.4	5.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X05	614.4	615.4	1.0	2669	4C79	-1	-1.00	-1	4.49	2.33	2.16	33.1	-1.00
77X05	615.4	617.2	1.8	2670	4C79	-1	-1.00	-1	5.93	3.09	2.84	39.3	-1.00
77X05	617.2	618.5	1.3	2671	4G0	-1	4.50	-1	10.81	6.20	4.61	75.0	0.65
77X05	618.5	619.1	0.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

10.92/2.4 } 8.25/3.5m

15.3 mg
9.16

10.6m
C.R.

DY PCXPLO Database - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
77X05	619.1	621.1	2.0	2672	4A0	-1	3.16	-1	7.80	3.10	4.70	37.0	0.45
77X05	621.1	622.4	1.3	2673	4A0	-1	3.02	-1	5.41	1.79	3.62	20.0	0.27
77X05	622.4	624.1	1.7	2674	4E9	-1	4.49	-1	9.45	5.05	4.40	67.0	0.41
77X05	624.1	626.3	2.2	2675	4A0	-1	3.06	-1	6.10	2.25	3.85	27.0	0.27
77X05	626.3	627.8	1.5	2676	4E469	-1	4.51	-1	8.69	4.74	3.93	57.0	0.55
77X05	627.8	635.5	7.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X05	635.5	636.7	1.2	2677	4H19	-1	-1.00	-1	6.81	3.56	3.25	61.7	-1.00
77X05	636.7	640.5	3.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X05	640.5	642.9	2.4	2678	4C7	-1	-1.00	-1	1.79	0.15	1.64	3.0	-1.00
77X05	642.9	671.5	28.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X05	671.5	673.2	1.7	2679	4E89	-1	-1.00	-1	1.74	0.85	0.91	16.0	-1.00
77X05	673.2	673.6	0.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X05	673.6	675.0	1.4	2680	4E89	-1	-1.00	-1	3.23	1.47	1.74	23.8	-1.00
77X05	675.0	707.7	32.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X05	707.7	709.0	1.3	2681	4C79	-1	-1.00	-1	0.61	0.29	0.32	6.0	-1.00
77X05	709.0	711.0	2.0	2682	4G19	-1	4.24	-1	12.28	5.15	7.13	98.0	1.37
77X05	711.0	713.0	2.0	2683	4G19	-1	4.54	-1	14.72	6.05	8.67	123.0	1.65
77X05	713.0	715.0	2.0	2684	4G19	-1	4.45	-1	13.18	5.33	7.85	116.0	1.37
77X05	715.0	716.0	1.0	2685	4A0	-1	3.39	-1	10.14	3.83	6.31	84.0	0.69
77X05	716.0	740.2	24.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X05	740.2	742.4	2.2	2686	4E89	-1	4.33	-1	10.00	4.52	5.48	85.0	1.03
77X05	742.4	742.3	19.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X05	742.3	743.5	1.2	2687	4A0	-1	4.24	-1	1.45	0.11	1.34	18.3	-1.00
77X05	743.5	745.1	1.6	2688	4G0	-1	4.53	-1	9.69	3.70	5.99	57.0	0.55
77X05	745.1	746.7	1.6	2689	4G0	-1	4.41	-1	9.04	3.56	5.48	55.0	0.48
77X05	746.7	748.5	1.8	2690	4A0	-1	-1.00	-1	3.20	1.43	1.77	22.2	-1.00
77X05	748.5	827.7	59.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X05	827.7	830.7	3.0	2691	4C7	-1	-1.00	-1	1.46	0.39	1.07	7.0	-1.00
77X05	830.7	833.8	3.1	2692	4C79	-1	-1.00	-1	0.95	0.43	0.52	9.7	-1.00
77X05	833.8	837.1	3.3	2693	4C79	-1	-1.00	-1	1.63	0.62	1.01	10.4	-1.00
77X05	837.1	879.4	42.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X06	0.0	435.9	435.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X06	435.9	436.6	0.7	1307	4E49	-1	-1.00	-1	2.70	1.28	1.42	17.0	-1.00
77X06	436.6	438.5	1.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X06	438.5	440.6	2.1	1308	4C09	-1	-1.00	-1	0.70	0.34	0.36	10.0	-1.00
77X06	440.6	442.8	2.2	1309	4C09	-1	-1.00	-1	1.18	0.44	0.74	13.0	-1.00
77X06	442.8	443.2	0.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X06	443.2	444.7	1.5	1310	4C49	-1	-1.00	-1	0.48	0.22	0.26	10.0	-1.00
77X06	444.7	452.6	7.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X06	452.6	455.5	2.9	1311	4C0	-1	-1.00	-1	0.05	0.03	0.02	2.0	-1.00
77X06	455.5	457.5	2.0	1312	4K09	-1	-1.00	-1	0.06	0.05	0.01	7.0	-1.00
77X06	457.5	459.5	2.0	1313	4K09	-1	-1.00	-1	0.06	0.05	0.01	8.0	-1.00
77X06	459.5	461.5	2.0	1314	4K09	-1	-1.00	-1	0.05	0.04	0.01	9.0	-1.00
77X06	461.5	462.7	1.2	1315	4K0	-1	-1.00	-1	0.64	0.28	0.36	4.0	-1.00
77X06	462.7	541.3	78.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X06	541.3	543.3	2.0	2629	4A14	-1	3.11	-1	4.50	1.61	2.89	44.0	-1.00
77X06	543.3	545.3	2.0	2630	4A14	-1	2.90	-1	4.84	1.98	2.88	43.0	-1.00
77X06	545.3	547.3	2.0	2631	4A14	-1	2.99	-1	7.77	2.98	4.79	60.0	-1.00
77X06	547.3	549.3	2.0	2632	4A14	-1	2.75	-1	7.34	2.51	4.83	46.0	-1.00
77X06	549.3	550.8	1.5	2633	4A14	-1	2.76	-1	6.32	2.31	4.01	35.0	-1.00
77X06	550.8	552.3	1.5	2634	4A14	-1	2.93	-1	9.82	3.34	6.48	75.0	-1.00
77X06	552.3	557.1	4.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X06	557.1	559.1	2.0	2635	4A14	-1	2.78	-1	5.46	1.98	3.48	35.0	-1.00
77X06	559.1	561.1	2.0	2636	4A14	-1	2.88	-1	4.01	1.34	2.67	27.0	-1.00

L1 12.93%
7.0m

BY PCXPLOE DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
77X06	561.1	576.6	15.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X06	576.6	578.1	1.5	2637	4A4	-1	3.27	-1	15.19	4.43	10.76	82.0	0.34
77X06	578.1	579.5	1.4	2638	4A4	-1	2.97	-1	8.05	2.52	5.53	48.0	0.10
77X06	579.5	583.7	4.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X06	583.7	584.7	1.0	2639	4C0	-1	2.99	-1	6.98	2.19	4.79	40.0	-1.00
77X06	584.7	586.5	1.8	2640	4C0	-1	2.67	-1	-4.80	1.96	2.84	36.0	-1.00
77X06	586.5	588.4	1.9	2641	4E1	-1	3.69	-1	16.47	8.23	8.24	121.0	0.69
77X06	588.4	590.4	2.0	2642	4G0	-1	4.24	-1	20.83	7.11	13.72	145.0	0.75
77X06	590.4	592.4	2.0	2643	4G0	-1	3.94	-1	15.91	4.76	11.15	78.0	0.55
77X06	592.4	593.4	1.0	2644	4G0	-1	4.42	-1	6.41	1.61	4.80	18.0	0.34
77X06	593.4	594.8	1.4	2645	4E1	-1	4.04	-1	29.48	10.49	18.99	240.0	0.93
77X06	594.8	596.8	2.0	2646	4A4	-1	3.51	-1	31.74	10.41	21.33	182.0	0.62
77X06	596.8	597.7	0.9	2647	4A4	-1	3.55	-1	29.96	8.76	21.20	181.0	0.75
77X06	597.7	599.3	1.6	2648	4G1	-1	3.94	-1	10.01	3.96	6.05	66.0	0.55
77X06	599.3	601.3	2.0	2649	4G1	-1	3.60	-1	16.10	4.11	11.99	80.0	0.48
77X06	601.3	603.3	2.0	2650	4G1	-1	3.82	-1	13.08	3.75	9.33	73.0	0.34
77X06	603.3	604.6	1.3	2651	4G1	-1	3.82	-1	22.04	7.81	14.23	151.0	0.34
77X06	604.6	606.6	2.0	2652	4D6	-1	3.48	-1	13.13	6.12	7.01	98.0	1.03
77X06	606.6	608.5	1.9	2653	4D6	-1	3.43	-1	17.18	6.22	10.96	98.0	0.69
77X06	608.5	610.5	2.0	2654	4D0	-1	2.90	-1	14.41	5.82	8.59	101.0	0.55
77X06	610.5	612.1	1.6	2655	4E6	-1	3.67	-1	16.16	6.74	9.42	88.0	0.62
77X06	612.1	801.0	188.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X07	0.0	492.2	492.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X08	0.0	377.6	377.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X08	377.6	378.0	0.4	1316	4A0	-1	-1.00	-1	3.11	0.55	2.56	10.0	-1.00
77X08	378.0	378.4	0.4	1317	4L0	-1	-1.00	-1	0.24	0.04	0.18	1.0	-1.00
77X08	378.4	379.0	0.6	1318	4A0	-1	-1.00	-1	3.23	0.57	2.66	9.0	-1.00
77X08	379.0	379.6	0.6	1319	4L0	-1	-1.00	-1	0.55	0.12	0.43	0.1	-1.00
77X08	379.6	991.2	611.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X09	0.0	625.5	625.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X09	625.5	627.5	2.0	2501	4A4	-1	3.12	-1	11.69	3.52	8.17	25.0	0.72
77X09	627.5	629.5	2.0	2502	4A4	-1	3.06	-1	7.37	2.51	4.86	41.0	0.27
77X09	629.5	631.5	2.0	2503	4A4	-1	2.91	-1	7.54	2.58	4.96	53.0	0.14
77X09	631.5	633.5	2.0	2504	4A4	-1	2.96	-1	8.28	2.57	5.71	45.0	0.69
77X09	633.5	635.5	2.0	2505	4A4	-1	-1.00	-1	6.42	2.63	3.79	37.7	-1.00
77X09	635.5	637.5	2.0	2506	4A4	-1	-1.00	-1	6.05	1.74	4.31	31.1	-1.00
77X09	637.5	639.5	2.0	2507	4A4	-1	-1.00	-1	6.10	2.18	3.92	31.9	-1.00
77X09	639.5	639.6	0.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X09	639.6	641.5	1.9	2508	4A4	-1	-1.00	-1	6.20	2.11	4.09	31.7	-1.00
77X09	641.5	643.5	2.0	2509	4A4	-1	-1.00	-1	5.79	1.93	3.86	31.2	-1.00
77X09	643.5	645.5	2.0	2510	4A4	-1	-1.00	-1	5.97	1.79	4.18	27.9	-1.00
77X09	645.5	647.5	2.0	2511	4A4	-1	-1.00	-1	5.67	1.81	3.86	30.0	-1.00
77X09	647.5	649.5	2.0	2512	4A4	-1	-1.00	-1	6.22	1.88	4.34	31.1	-1.00
77X09	649.5	651.5	2.0	2513	4A4	-1	-1.00	-1	6.42	2.58	3.84	42.0	-1.00
77X09	651.5	653.5	2.0	2514	4A0	-1	-1.00	-1	2.07	0.80	1.27	12.9	-1.00
77X09	653.5	655.5	2.0	2515	4A0	-1	-1.00	-1	2.39	0.98	1.41	16.4	-1.00
77X09	655.5	657.5	2.0	2516	4A0	-1	-1.00	-1	3.26	1.34	1.92	20.9	-1.00
77X09	657.5	657.7	0.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X09	657.7	659.2	1.5	2517	4A0	-1	-1.00	-1	3.67	1.34	2.33	21.2	-1.00
77X09	659.2	695.7	36.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X09	695.7	697.8	2.1	2518	4A7	-1	-1.00	-1	3.09	1.11	1.98	19.6	-1.00
77X09	697.8	699.6	1.8	2519	4A7	-1	-1.00	-1	4.83	1.61	3.22	26.9	-1.00
77X09	699.6	701.6	2.0	2520	4A0	-1	-1.00	-1	7.02	2.69	4.33	54.0	-1.00
77X09	701.6	703.2	1.6	2521	4C4	-1	-1.00	-1	4.31	1.81	2.50	29.8	-1.00

L1

L2
12.96/3.5

DY PCXFLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
77X09	703.2	704.8	1.6	2522	4D0	-1	3.63	-1	12.41	5.60	6.81	80.0	1.51
77X09	704.8	706.0	1.2	2523	4H1	-1	3.90	-1	18.74	7.14	11.60	123.0	0.72
77X09	706.0	802.8	96.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X09	802.8	804.8	2.0	2524	4L7	-1	-1.00	-1	0.90	0.48	0.42	5.8	-1.00
77X09	804.8	806.8	2.0	2525	4L7	-1	-1.00	-1	1.58	0.66	0.92	6.7	-1.00
77X09	806.8	809.0	2.2	2526	4L7	-1	-1.00	-1	2.78	0.30	2.48	4.5	-1.00
77X09	809.0	836.0	27.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X10	0.0	451.7	451.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	0.0	549.7	549.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	549.7	551.3	1.6	2527	4H1	-1	-1.00	-1	7.38	3.04	4.34	39.4	-1.00
77X11	551.3	551.5	0.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	551.5	552.8	1.3	2528	4E7	-1	4.23	-1	14.68	6.19	8.49	75.0	0.75
77X11	552.8	553.2	0.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	553.2	554.8	1.6	2529	4E7	-1	4.06	-1	11.51	5.15	6.36	63.0	0.75
77X11	554.8	557.1	2.3	2530	4L0	-1	-1.00	-1	1.06	0.52	0.54	9.4	-1.00
77X11	557.1	558.2	1.1	2531	4G7	-1	-1.00	-1	7.30	3.42	3.88	44.5	-1.00
77X11	558.2	558.8	0.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	558.8	560.3	1.5	2532	4C7	-1	-1.00	-1	2.78	1.06	1.72	15.5	-1.00
77X11	560.3	560.7	0.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	560.7	561.7	1.0	2533	4A9	-1	-1.00	-1	3.92	1.72	2.20	22.2	-1.00
77X11	561.7	563.7	2.0	2534	4E69	-1	-1.00	-1	3.60	2.24	1.36	42.6	-1.00
77X11	563.7	565.1	1.4	2535	4A4	-1	-1.00	-1	5.22	2.12	3.10	30.4	-1.00
77X11	565.1	566.5	1.4	2536	4C0	-1	-1.00	-1	1.60	0.58	1.02	11.8	-1.00
77X11	566.5	567.9	1.4	2537	4C0	-1	-1.00	-1	2.38	1.24	1.14	17.8	-1.00
77X11	567.9	568.3	0.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	568.3	570.0	1.7	2538	4A0	-1	-1.00	-1	2.16	1.00	1.16	17.0	-1.00
77X11	570.0	570.3	0.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	570.3	571.6	1.3	2539	4A0	-1	-1.00	-1	1.76	0.90	0.86	14.3	-1.00
77X11	571.6	572.9	1.3	2540	5B6	-1	-1.00	-1	0.17	0.14	0.03	4.9	-1.00
77X11	572.9	574.0	1.1	2541	4A0	-1	-1.00	-1	0.36	0.28	0.08	7.5	-1.00
77X11	574.0	576.0	2.0	2542	5B6	-1	-1.00	-1	0.48	0.28	0.20	6.0	-1.00
77X11	576.0	577.0	1.0	2543	5B6	-1	-1.00	-1	0.85	0.72	0.13	13.0	-1.00
77X11	577.0	578.5	1.5	2544	5B6	-1	-1.00	-1	0.74	0.54	0.20	9.2	-1.00
77X11	578.5	580.5	2.0	2545	4A0	-1	-1.00	-1	3.52	1.56	1.96	20.2	-1.00
77X11	580.5	582.3	1.8	2546	4A0	-1	-1.00	-1	3.73	1.48	2.25	20.1	-1.00
77X11	582.3	584.3	2.0	2547	4L0	-1	-1.00	-1	0.32	0.12	0.20	3.0	-1.00
77X11	584.3	660.5	76.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	660.5	661.5	1.0	2551	4C7	-1	-1.00	-1	0.36	0.23	0.13	5.0	-1.00
77X11	661.5	662.8	1.3	2552	4C7	-1	-1.00	-1	0.33	0.25	0.08	8.8	-1.00
77X11	662.8	664.5	1.7	2553	4E1	-1	-1.00	-1	0.28	0.21	0.07	16.4	-1.00
77X11	664.5	665.9	1.4	2554	4E8	-1	-1.00	-1	0.39	0.32	0.07	13.8	-1.00
77X11	665.9	667.8	1.9	2555	4G89	-1	-1.00	-1	8.42	4.69	3.73	52.5	-1.00
77X11	667.8	669.3	1.5	2556	4G19	-1	-1.00	-1	2.21	1.15	1.06	21.2	-1.00
77X11	669.3	670.6	1.3	2557	4G89	-1	-1.00	-1	5.15	3.71	1.44	41.7	-1.00
77X11	670.6	672.5	1.9	2558	4G9	-1	-1.00	-1	2.81	1.94	0.87	35.4	-1.00
77X11	672.5	673.8	1.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	673.8	675.7	1.9	2559	4E16	-1	-1.00	-1	3.31	1.98	1.33	31.7	-1.00
77X11	675.7	676.7	1.0	2560	4G9	-1	-1.00	-1	1.09	0.81	0.28	22.5	-1.00
77X11	676.7	678.1	1.4	2561	4E19	-1	-1.00	-1	1.00	0.61	0.39	23.0	-1.00
77X11	678.1	678.6	0.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	678.6	679.6	1.0	2562	4E16	-1	-1.00	-1	3.84	1.59	2.25	22.8	-1.00
77X11	679.6	681.6	2.0	2563	4A0	-1	-1.00	-1	2.41	0.89	1.52	11.8	-1.00
77X11	681.6	683.3	1.7	2564	4A0	-1	-1.00	-1	3.08	1.32	1.76	19.8	-1.00
77X11	683.3	688.1	4.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

41

3.5m

L1

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
77X11	688.1	690.1	2.0	2565	4A0	-1	-1.00	-1	1.24	0.78	0.46	18.8	-1.00
77X11	690.1	691.1	1.0	2566	4E19	-1	-1.00	-1	0.48	0.36	0.12	20.1	-1.00
77X11	691.1	692.7	1.6	2567	4E1	-1	-1.00	-1	0.25	0.19	0.06	21.3	-1.00
77X11	692.7	731.2	38.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	731.2	732.2	1.0	2568	4E19	-1	-1.00	-1	0.96	0.61	0.35	18.8	-1.00
77X11	732.2	769.4	37.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X11	769.6	771.6	2.0	2569	4A64	-1	-1.00	-1	6.91	2.77	4.14	42.0	-1.00
77X11	771.6	773.6	2.0	2570	4A4	-1	-1.00	-1	5.65	1.83	3.82	29.8	-1.00
77X11	773.6	775.6	2.0	2571	4A4	-1	-1.00	-1	6.18	2.34	3.84	34.7	-1.00
77X11	775.6	777.6	2.0	2572	4A4	-1	-1.00	-1	6.21	2.34	3.87	34.1	-1.00
77X11	777.6	779.6	2.0	2573	4A4	-1	-1.00	-1	6.53	2.09	4.44	30.8	-1.00
77X11	779.6	781.6	2.0	2574	4A4	-1	-1.00	-1	5.21	1.95	3.26	22.3	-1.00
77X11	781.6	783.6	2.0	2575	4A0	-1	-1.00	-1	4.34	1.72	2.62	21.9	-1.00
77X11	783.6	785.6	2.0	2576	4A0	-1	-1.00	-1	4.16	1.64	2.52	21.4	-1.00
77X11	785.6	787.6	2.0	2577	4A0	-1	-1.00	-1	3.32	1.45	1.87	23.7	-1.00
77X11	787.6	789.6	2.0	2578	4A0	-1	-1.00	-1	4.02	1.56	2.46	23.1	-1.00
77X11	789.6	791.7	2.1	2579	4A0	-1	-1.00	-1	2.84	1.12	1.72	18.2	-1.00
77X11	791.7	913.1	121.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X04	0.0	788.6	788.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
77X04	788.6	790.3	1.7	2625	4C7	-1	-1.00	-1	1.10	0.57	0.53	2.7	-1.00
77X04	790.3	791.6	1.3	2626	4E9	-1	-1.00	-1	6.33	2.89	3.45	28.8	-1.00
77X04	791.6	793.6	2.0	2627	4C7	-1	-1.00	-1	0.03	0.02	0.01	0.1	-1.00
77X04	793.6	799.7	6.1	2628	4E15	-1	3.48	-1	8.29	2.37	5.92	43.0	0.41
77X04	799.7	850.1	50.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X01	0.0	475.1	475.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X01	475.1	476.7	1.6	2589	4E19	-1	-1.00	-1	1.12	0.84	0.28	18.6	-1.00
78X01	476.7	480.4	3.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X01	480.4	482.4	2.0	2590	4C9	-1	-1.00	-1	4.42	2.13	2.29	35.3	-1.00
78X01	482.4	484.4	2.0	2591	4C0	-1	-1.00	-1	4.27	1.87	2.40	27.2	-1.00
78X01	484.4	485.4	1.0	2592	4C0	-1	-1.00	-1	4.03	2.04	1.99	28.9	-1.00
78X01	485.4	486.4	1.0	2593	4L0	-1	-1.00	-1	0.77	0.37	0.40	7.1	-1.00
78X01	486.4	487.7	1.3	2594	4L0	-1	-1.00	-1	1.21	0.73	0.48	19.6	-1.00
78X01	487.7	616.4	128.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X01	616.4	618.4	2.0	2721	4D4	-1	3.23	-1	10.98	3.74	7.24	76.0	0.62
78X01	618.4	620.0	1.6	2722	4D4	-1	-1.00	-1	5.94	2.05	3.89	38.0	0.48
78X01	620.0	622.1	2.1	2723	5D6	-1	-1.00	-1	0.64	0.26	0.38	5.7	-1.00
78X01	622.1	623.5	1.4	2724	4A0	-1	-1.00	-1	1.47	0.47	1.00	10.3	-1.00
78X01	623.5	625.5	2.0	2725	4A0	-1	-1.00	-1	3.26	1.26	2.00	27.8	-1.00
78X01	625.5	626.6	1.1	2726	4A0	-1	-1.00	-1	2.96	1.22	1.74	26.5	-1.00
78X01	626.6	629.7	3.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X01	629.7	631.7	2.0	2727	4C0	-1	-1.00	-1	2.69	0.75	1.94	17.1	-1.00
78X01	631.7	633.7	2.0	2728	4C0	-1	-1.00	-1	4.93	2.24	2.69	36.4	-1.00
78X01	633.7	635.7	2.0	2729	4D0	-1	3.22	-1	10.49	3.83	6.66	53.0	1.30
78X01	635.7	637.7	2.0	2730	4D0	-1	2.91	-1	8.93	2.65	6.28	40.0	0.34
78X01	637.7	639.7	2.0	2731	4D0	-1	3.03	-1	8.61	2.78	5.83	49.0	0.82
78X01	639.7	640.7	1.0	2732	4C0	-1	-1.00	-1	3.09	0.92	2.17	14.2	-1.00
78X01	640.7	642.5	1.8	2733	4D0	-1	-1.00	-1	7.99	3.52	4.47	61.8	-1.00
78X01	642.5	645.5	3.0	2734	5A1	-1	-1.00	-1	1.80	0.54	1.26	5.9	-1.00
78X01	645.5	645.8	0.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X01	645.8	647.8	2.0	2735	4A4	-1	3.08	-1	11.21	3.87	7.34	49.0	0.69
78X01	647.8	649.5	1.7	2736	4A4	-1	2.89	-1	9.55	3.65	5.90	51.0	0.69
78X01	649.5	850.1	200.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X02	0.0	508.7	508.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X02	508.7	510.7	2.0	1320	4L7	-1	-1.00	-1	0.63	0.32	0.31	7.0	-1.00

L2

9.3f / 6m L2A

10.44 / 3.7m L2B

DY PCXPLO Database - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
78X02	510.7	512.6	1.9	1321	4L7	-1	-1.00	-1	0.23	0.14	0.09	6.0	-1.00
78X02	512.6	514.6	2.0	1322	4E9	-1	-1.00	-1	0.71	0.44	0.27	18.0	-1.00
78X02	514.6	515.6	1.0	1323	4E9	-1	-1.00	-1	0.11	0.08	0.03	11.0	-1.00
78X02	515.6	581.0	65.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X02	581.0	581.6	0.6	2580	4E4	-1	-1.00	-1	17.15	5.08	12.07	128.0	-1.00
78X02	581.6	585.6	4.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X02	585.6	586.9	1.3	2581	4A4	-1	-1.00	-1	8.89	2.50	6.39	49.2	-1.00
78X02	586.9	588.9	2.0	2582	4A4	-1	-1.00	-1	8.39	2.83	5.56	47.0	-1.00
78X02	588.9	589.9	1.0	2583	4A4	-1	-1.00	-1	0.18	0.07	0.11	0.4	-1.00
78X02	589.9	591.7	1.8	2584	5A19	-1	-1.00	-1	8.97	3.11	5.84	53.9	-1.00
78X02	591.7	593.7	2.0	2585	4A4	-1	-1.00	-1	5.89	1.78	4.11	22.1	-1.00
78X02	593.7	595.7	2.0	2586	4A4	-1	-1.00	-1	6.62	2.17	4.45	11.6	-1.00
78X02	595.7	597.6	1.9	2587	4A4	-1	-1.00	-1	6.05	2.19	3.86	13.9	-1.00
78X02	597.6	598.6	1.0	2588	4A0	-1	-1.00	-1	1.35	0.42	0.93	3.3	-1.00
78X02	598.6	640.5	41.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X02	640.5	642.5	2.0	2595	4A0	-1	-1.00	-1	3.63	2.14	1.49	37.4	-1.00
78X02	642.5	644.0	1.5	2596	4A0	-1	-1.00	-1	1.47	0.69	0.78	15.6	-1.00
78X02	644.0	646.0	2.0	2597	4C7	-1	-1.00	-1	1.11	0.40	0.71	22.5	-1.00
78X02	646.0	648.0	2.0	2598	4C7	-1	-1.00	-1	2.67	0.88	1.79	16.5	-1.00
78X02	648.0	650.0	2.0	2599	4C7	-1	-1.00	-1	0.42	0.17	0.25	1.6	-1.00
78X02	650.0	652.0	2.0	2600	4C7	-1	-1.00	-1	0.79	0.27	0.52	3.0	-1.00
78X02	652.0	653.0	1.0	2701	4L17	-1	-1.00	-1	0.81	0.45	0.36	6.6	-1.00
78X02	653.0	654.0	1.0	2702	4A4	-1	-1.00	-1	6.79	3.65	3.14	53.4	-1.00
78X02	654.0	655.1	1.1	2703	4A4	-1	-1.00	-1	8.29	2.47	5.82	47.6	-1.00
78X02	655.1	674.3	19.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X02	674.3	676.3	2.0	2704	4A4	-1	3.63	-1	10.16	5.77	4.39	49.5	8.05
78X02	676.3	678.3	2.0	2705	4A4	-1	3.41	-1	10.42	6.22	4.20	74.0	1.10
78X02	678.3	680.3	2.0	2706	4E4	-1	3.59	-1	8.51	4.16	4.35	67.0	2.19
78X02	680.3	682.3	2.0	2707	4E4	-1	-1.00	-1	5.52	3.34	2.18	55.0	-1.00
78X02	682.3	684.3	2.0	2708	4E49	-1	-1.00	-1	3.32	1.00	2.32	31.0	-1.00
78X02	684.3	686.3	2.0	2709	4D5	-1	3.43	-1	9.07	3.00	6.07	66.0	1.37
78X02	686.3	687.6	1.3	2710	4D5	-1	3.30	-1	13.29	4.57	8.72	77.0	1.37
78X02	687.6	688.6	1.0	2711	4E1	-1	-1.00	-1	4.85	1.89	2.96	28.0	-1.00
78X02	688.6	690.5	1.9	2712	4E1	-1	-1.00	-1	6.48	2.14	4.34	47.7	-1.00
78X02	690.5	692.5	2.0	2713	4D0	-1	3.61	-1	12.61	4.50	8.11	83.0	1.23
78X02	692.5	694.5	2.0	2714	4D0	-1	3.01	-1	9.88	3.81	6.07	62.0	0.48
78X02	694.5	696.5	2.0	2715	4D0	-1	-1.00	-1	4.17	1.92	2.25	25.1	-1.00
78X02	696.5	697.5	1.0	2716	4D0	-1	-1.00	-1	4.50	1.68	2.82	22.2	-1.00
78X02	697.5	698.9	1.4	2717	4D0	-1	-1.00	-1	6.50	2.22	4.28	36.1	-1.00
78X02	698.9	700.9	2.0	2718	4A4	-1	3.07	-1	10.06	3.92	6.14	65.0	0.69
78X02	700.9	702.2	1.3	2719	4A4	-1	3.04	-1	9.17	3.34	5.83	61.0	0.62
78X02	702.2	703.9	1.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X02	703.9	705.4	1.5	2720	4A4	-1	2.97	-1	10.28	3.87	6.41	66.0	0.62
78X02	705.4	807.7	102.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X03	0.0	876.3	876.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X04	0.0	518.4	518.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X04	518.4	520.6	2.2	2737	4G4	-1	4.35	-1	17.57	5.38	12.19	92.0	0.62
78X04	520.6	532.3	11.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X04	532.3	533.4	1.1	2738	4J0	-1	3.46	-1	16.87	4.42	12.45	49.0	0.14
78X04	533.4	533.9	0.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X04	533.9	534.5	0.6	2739	4J0	-1	3.97	-1	14.59	3.77	10.82	43.0	0.07
78X04	534.5	556.6	22.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X04	556.6	558.6	2.0	2740	4E0	-1	4.40	-1	26.53	11.28	15.25	192.0	0.89

9.56
10.2m

8.58%
20.2m

10.2 - 9 5646

7.7

7.80% / 3.5m

DY PCXPLOR DATABASE -- ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
78X04	560.0	562.0	2.0	2742	4E0	-1	4.25	-1	18.62	8.23	10.39	122.0	1.08
78X04	562.0	675.0	113.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X05	0.0	450.7	450.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X05	450.7	451.1	0.4	3517	4C0	-1	-1.00	-1	0.39	0.24	0.15	6.0	-1.00
78X05	451.1	586.3	135.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X05	586.3	588.1	1.8	2743	4D0	-1	3.46	-1	21.48	7.94	13.54	124.0	1.03
78X05	588.1	589.8	1.7	2744	4D0	-1	3.56	-1	16.73	6.87	9.86	93.0	0.96
78X05	589.8	591.1	1.3	2745	4A3	-1	3.35	-1	7.35	2.60	4.75	48.0	0.62
78X05	591.1	592.3	1.2	2746	4D0	-1	3.43	-1	17.78	6.59	11.19	102.0	1.51
78X05	592.3	593.8	1.5	2747	4D0	-1	3.04	-1	10.29	3.46	6.83	60.0	0.62
78X05	593.8	594.8	1.0	2748	4D0	-1	2.96	-1	9.25	2.97	6.28	47.0	1.30
78X05	594.8	596.2	1.4	2749	4D0	-1	3.09	-1	9.77	3.34	6.43	53.0	1.37
78X05	596.2	598.0	1.8	2750	4D0	-1	3.17	-1	21.57	6.85	14.72	97.0	1.41
78X05	598.0	600.0	2.0	2751	4D0	-1	3.04	-1	10.25	2.85	7.40	58.0	0.75
78X05	600.0	602.0	2.0	2752	4D0	-1	3.29	-1	6.88	2.16	4.72	37.0	0.31
78X05	602.0	603.2	1.2	2753	4D0	-1	3.40	-1	9.48	3.28	6.20	48.0	0.34
78X05	603.2	604.2	1.0	2754	5D6	-1	-1.00	-1	6.49	2.87	3.62	47.0	0.34
78X05	604.2	608.3	4.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X05	608.3	609.2	0.9	2755	4H0	-1	-1.00	-1	1.47	0.56	0.91	23.0	-1.00
78X05	609.2	648.4	39.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X05	648.4	648.8	0.4	3518	4C0	-1	-1.00	-1	4.30	0.33	3.97	2.0	-1.00
78X05	648.8	711.3	62.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X06	0.0	495.4	495.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X06	495.4	495.9	0.5	3519	4E0	-1	-1.00	-1	1.60	0.32	1.28	8.0	-1.00
78X06	495.9	498.2	2.3	3520	4A0	-1	-1.00	-1	5.47	1.97	3.50	37.0	-1.00
78X06	498.2	876.3	378.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X07	0.0	512.4	512.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X07	512.4	513.4	1.0	2762	4K9	-1	-1.00	-1	0.83	0.66	0.17	21.0	-1.00
78X07	513.4	515.6	2.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X07	515.6	517.6	2.0	2763	4K9	-1	-1.00	-1	0.07	0.05	0.02	8.0	-1.00
78X07	517.6	519.6	2.0	2764	4K9	-1	-1.00	-1	0.04	0.03	0.01	7.0	-1.00
78X07	519.6	521.6	2.0	2765	4C9	-1	-1.00	-1	0.03	0.02	0.01	10.0	-1.00
78X07	521.6	523.6	2.0	2766	4C9	-1	-1.00	-1	0.02	0.01	0.01	7.0	-1.00
78X07	523.6	525.6	2.0	2767	4C9	-1	-1.00	-1	0.07	0.03	0.04	8.0	-1.00
78X07	525.6	527.5	1.9	2768	4C9	-1	-1.00	-1	0.40	0.06	0.34	10.0	-1.00
78X07	527.5	529.4	1.9	2769	4C9	-1	-1.00	-1	1.12	0.05	1.07	7.0	-1.00
78X07	529.4	531.4	2.0	2770	4C9	-1	-1.00	-1	0.25	0.08	0.17	9.0	-1.00
78X07	531.4	533.6	2.2	2771	4C89	-1	-1.00	-1	0.07	0.05	0.02	11.0	-1.00
78X07	533.6	535.6	2.0	2772	4C89	-1	-1.00	-1	0.11	0.08	0.03	10.0	-1.00
78X07	535.6	537.6	2.0	2773	4C89	-1	-1.00	-1	0.62	0.34	0.28	15.0	-1.00
78X07	537.6	539.6	2.0	2774	4C89	-1	-1.00	-1	1.32	0.67	0.65	15.0	-1.00
78X07	539.6	541.6	2.0	2775	4C8	-1	-1.00	-1	1.25	0.71	0.54	13.0	-1.00
78X07	541.6	543.6	2.0	2776	4C89	-1	-1.00	-1	1.47	0.83	0.64	18.0	-1.00
78X07	543.6	545.6	2.0	2777	4C89	-1	-1.00	-1	0.12	0.08	0.04	10.0	-1.00
78X07	545.6	547.6	2.0	2778	4C89	-1	-1.00	-1	2.31	1.27	1.04	28.0	-1.00
78X07	547.6	549.6	2.0	2779	4C89	-1	-1.00	-1	2.26	1.39	0.87	27.0	-1.00
78X07	549.6	550.9	1.3	2780	4C89	-1	-1.00	-1	3.00	1.77	1.23	28.0	-1.00
78X07	550.9	553.6	2.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X07	553.6	555.2	1.6	2781	4E189	-1	-1.00	-1	2.39	1.52	0.87	33.0	-1.00
78X07	555.2	557.0	1.8	2782	4L7	-1	-1.00	-1	1.00	0.52	0.48	12.0	-1.00
78X07	557.0	558.9	1.9	2783	4C89	-1	-1.00	-1	2.21	2.04	0.17	36.0	-1.00
78X07	558.9	559.3	0.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

14.28%
/ 13.7% L1

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
78X07	562.6	563.2	0.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X07	563.2	565.2	2.0	2786	4E19	-1	-1.00	-1	0.63	0.48	0.15	18.0	-1.00
78X07	565.2	565.4	0.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X07	565.4	567.4	2.0	2787	4E89	-1	-1.00	-1	1.74	0.73	1.01	26.0	-1.00
78X07	567.4	569.4	2.0	2788	4E189	-1	-1.00	-1	2.06	1.05	1.01	27.0	-1.00
78X07	569.4	571.4	2.0	2789	4D8	-1	3.39	-1	7.37	5.49	1.88	52.0	0.41
78X07	571.4	573.4	2.0	2790	4C89	-1	-1.00	-1	0.88	0.69	0.19	15.0	-1.00
78X07	573.4	575.4	2.0	2791	4C89	-1	-1.00	-1	0.75	0.30	0.45	15.0	-1.00
78X07	575.4	577.4	2.0	2792	4C0	-1	-1.00	-1	0.21	0.14	0.07	6.0	-1.00
78X07	577.4	579.4	2.0	2793	4C0	-1	-1.00	-1	2.22	0.71	1.51	16.2	-1.00
78X07	579.4	581.4	2.0	2794	4C0	-1	-1.00	-1	0.35	0.12	0.23	6.0	-1.00
78X07	581.4	583.4	2.0	2795	4C0	-1	-1.00	-1	0.46	0.23	0.23	8.0	-1.00
78X07	583.4	584.4	1.0	2796	4A0	-1	-1.00	-1	0.57	0.27	0.30	6.0	-1.00
78X07	584.4	585.8	1.4	2797	4A0	-1	-1.00	-1	2.06	0.64	1.42	8.0	1.00
78X07	585.8	587.5	1.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X07	587.5	588.4	0.9	2798	4A7	-1	-1.00	-1	0.57	0.14	0.43	2.0	-1.00
78X07	588.4	590.7	2.3	2799	4A7	-1	-1.00	-1	1.13	0.32	0.81	6.0	-1.00
78X07	590.7	595.3	4.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X07	595.3	596.4	1.1	2800	4C9	-1	-1.00	-1	0.53	0.31	0.22	9.1	-1.00
78X07	596.4	617.5	21.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X07	617.5	619.2	1.7	2801	4A0	-1	-1.00	-1	1.47	0.23	1.24	2.0	-1.00
78X07	619.2	620.7	1.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X07	620.7	621.7	1.0	2802	4C0	-1	-1.00	-1	0.95	0.90	0.05	10.1	-1.00
78X07	621.7	623.5	1.8	2803	4C0	-1	-1.00	-1	0.23	0.16	0.07	9.6	1.00
78X07	623.5	627.9	4.4	2804	4A0	-1	-1.00	-1	2.30	0.87	1.43	10.1	-1.00
78X07	627.9	629.1	1.2	2805	4A0	-1	-1.00	-1	0.36	0.12	0.24	2.0	-1.00
78X07	629.1	630.7	1.6	2806	4G0	-1	4.64	-1	7.06	4.52	2.54	70.0	1.03
78X07	630.7	632.1	1.4	2807	4E9	-1	-1.00	-1	1.11	0.78	0.33	42.9	-1.00
78X07	632.1	876.3	244.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X08	0.0	633.2	633.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X08	633.2	634.1	0.9	2756	4E4	-1	4.05	-1	28.72	7.83	17.89	141.0	0.21
78X08	634.1	636.0	1.9	2757	4E4	-1	3.19	-1	13.16	4.27	8.89	77.0	1.41
78X08	636.0	636.9	0.9	2758	5A1	-1	3.12	-1	1.09	0.37	0.72	17.0	0.41
78X08	636.9	638.9	2.0	2759	4A4	-1	3.39	-1	6.86	2.80	4.06	52.0	0.41
78X08	638.9	640.9	2.0	2760	4A4	-1	-1.00	-1	4.38	2.01	2.37	38.0	-1.00
78X08	640.9	642.5	1.6	2761	4A4	-1	-1.00	-1	5.89	2.20	3.69	42.0	-1.00
78X08	642.5	876.3	233.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X09	0.0	556.3	556.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X09	556.3	557.6	1.3	2808	4G4	-1	3.76	-1	13.29	3.00	10.29	40.0	0.72
78X09	557.6	559.0	1.4	2809	5B6	-1	3.07	-1	5.49	1.71	3.78	29.0	0.41
78X09	559.0	560.5	1.5	2810	4G0	-1	4.28	-1	7.93	2.10	5.83	35.0	0.17
78X09	560.5	562.1	1.6	2811	4G0	-1	4.16	-1	10.86	3.86	7.00	68.0	1.03
78X09	562.1	575.2	13.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X09	575.2	577.2	2.0	2812	4D4	-1	3.53	-1	10.78	4.45	6.33	83.0	1.03
78X09	577.2	579.2	2.0	2813	4D4	-1	3.16	-1	9.88	3.94	5.94	71.0	1.34
78X09	579.2	580.2	1.0	2814	4D4	-1	3.33	-1	12.84	4.50	6.34	69.0	0.86
78X09	580.2	581.4	1.2	2815	4E4	-1	-1.00	-1	5.54	2.40	3.14	48.0	-1.00
78X09	581.4	583.4	2.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X09	583.4	584.4	1.0	2816	4K0	-1	-1.00	-1	1.30	0.62	0.68	37.0	-1.00
78X09	584.4	585.8	1.4	2817	4K0	-1	-1.00	-1	0.69	0.49	0.20	21.0	-1.00
78X09	585.8	587.1	1.3	2818	4K4	-1	3.80	-1	10.26	2.53	7.73	63.0	0.48
78X09	587.1	587.1	0.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

78X07 65H
71.9.6m

9.35% / 5.8m L1

10.83 / 5.0m L2

78X10	0.0	705.0	705.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X11	0.0	464.9	464.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

C.R.I. 11-Mar-91

page 9

wh386\1f:\dy\dytab4.wk3

DY PCXPLO Database - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
78X11	464.9	467.2	2.3	2819	4E89	-1	-1.00	-1	2.29	1.33	0.96	27.0	-1.00
78X11	467.2	468.6	1.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X11	468.6	470.6	2.0	2820	4E819	-1	-1.00	-1	1.69	0.69	1.00	17.0	-1.00
78X11	470.6	471.8	1.2	2821	4E819	-1	-1.00	-1	0.92	0.32	0.60	14.5	-1.00
78X11	471.8	473.8	2.0	2822	4E819	-1	-1.00	-1	0.40	0.21	0.19	14.5	-1.00
78X11	473.8	475.8	2.0	2823	4E819	-1	-1.00	-1	0.43	0.23	0.20	15.0	-1.00
78X11	475.8	477.8	2.0	2824	4E819	-1	-1.00	-1	0.33	0.24	0.09	16.0	-1.00
78X11	477.8	479.4	1.6	2825	4E819	-1	-1.00	-1	0.22	0.16	0.06	10.0	-1.00
78X11	479.4	550.2	70.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X11	550.2	552.2	2.0	2826	4A4	-1	2.72	-1	7.34	2.12	5.22	37.0	0.50
78X11	552.2	554.1	1.9	2827	4A4	-1	2.74	-1	7.15	2.10	5.05	36.0	0.58
78X11	554.1	556.2	2.1	2828	4A4	-1	2.62	-1	8.19	3.56	4.63	53.0	0.34
78X11	556.2	558.3	2.1	2829	4A0	-1	-1.00	-1	3.16	1.62	1.54	21.0	-1.00
78X11	558.3	560.1	1.8	2830	4A0	-1	-1.00	-1	3.38	1.04	2.34	18.0	-1.00
78X11	560.1	561.2	1.1	2831	4A0	-1	-1.00	-1	2.81	0.78	2.03	14.5	-1.00
78X11	561.2	562.3	1.1	2832	4A4	-1	-1.00	-1	7.08	2.31	4.77	37.0	-1.00
78X11	562.3	583.1	20.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X11	583.1	584.1	1.0	2833	4A1	-1	-1.00	-1	3.71	1.27	2.44	14.5	-1.00
78X11	584.1	586.1	2.0	2834	4A1	-1	-1.00	-1	4.27	1.68	2.59	20.0	-1.00
78X11	586.1	587.5	1.4	2835	4A14	-1	-1.00	-1	9.90	4.70	5.20	67.0	-1.00
78X11	587.5	589.5	2.0	2836	4A0	-1	-1.00	-1	2.06	0.92	1.14	12.0	-1.00
78X11	589.5	591.5	2.0	2837	4A0	-1	-1.00	-1	2.66	0.86	1.80	11.0	-1.00
78X11	591.5	592.5	1.0	2838	4A0	-1	-1.00	-1	4.57	1.30	3.27	17.0	-1.00
78X11	592.5	594.2	1.7	2839	4A0	-1	-1.00	-1	2.25	0.64	1.61	7.0	-1.00
78X11	594.2	607.3	13.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
78X11	607.3	609.3	2.0	2840	4A0	-1	-1.00	-1	0.43	0.17	0.26	4.0	-1.00
78X11	609.3	611.3	2.0	2841	4A0	-1	-1.00	-1	4.89	1.84	3.05	28.0	-1.00
78X11	611.3	613.3	2.0	2842	4A0	-1	-1.00	-1	1.76	0.91	0.85	14.5	-1.00
78X11	613.3	615.3	2.0	2843	4A0	-1	-1.00	-1	4.57	1.74	2.83	26.0	-1.00
78X11	615.3	617.2	1.9	2844	4A4	-1	2.99	-1	9.05	3.41	5.64	53.0	0.69
78X11	617.2	618.3	1.1	2845	4E0	-1	4.24	-1	15.28	7.83	7.45	142.0	0.96
78X11	618.3	619.6	1.3	2846	4G4	-1	4.02	-1	21.67	6.83	14.84	106.0	0.69
78X11	619.6	621.6	2.0	2847	4D4	-1	3.15	-1	8.58	3.47	5.11	54.0	0.62
78X11	621.6	623.6	2.0	2848	4D4	-1	3.15	-1	12.00	4.31	7.69	76.0	0.82
78X11	623.6	625.2	1.6	2849	4D4	-1	3.73	-1	11.53	4.48	7.05	69.0	0.69
78X11	625.2	627.2	2.0	2850	4A0	-1	-1.00	-1	3.13	0.92	2.21	17.0	-1.00
78X11	627.2	629.2	2.0	2851	4A0	-1	-1.00	-1	4.13	1.31	2.82	21.0	-1.00
78X11	629.2	631.2	2.0	2852	4A0	-1	-1.00	-1	3.54	0.92	2.62	18.0	-1.00
78X11	631.2	632.2	1.0	2853	4A0	-1	-1.00	-1	3.72	1.06	2.66	20.0	-1.00
78X11	632.2	634.1	1.9	2854	4A0	-1	-1.00	-1	7.21	2.44	4.77	38.0	-1.00
78X11	634.1	636.0	1.9	2855	5A1	-1	-1.00	-1	1.12	0.36	0.76	5.0	-1.00
78X11	636.0	638.0	2.0	2856	4A0	-1	-1.00	-1	5.01	2.00	3.01	35.0	-1.00
78X11	638.0	716.2	78.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X01	0.0	509.8	509.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X01	509.8	511.4	1.6	7	4K9	-1	-1.00	-1	0.08	0.06	0.02	5.0	-1.00
79X01	511.4	512.9	1.5	8	4K9	-1	-1.00	-1	0.32	0.22	0.10	6.5	-1.00
79X01	512.9	514.9	2.0	9	4K0	-1	-1.00	-1	0.52	0.38	0.14	7.0	-1.00
79X01	514.9	517.0	2.1	10	4K0	-1	-1.00	-1	0.11	0.09	0.02	4.0	-1.00
79X01	517.0	518.7	1.7	11	4E0	-1	-1.00	-1	0.63	0.48	0.15	5.0	-1.00
79X01	518.7	520.7	2.0	12	4C9	-1	-1.00	-1	1.25	0.79	0.46	18.0	-1.00

79X01	522.7	524.3	1.6	14	4C5	-1	-1.00	-1	0.20	0.14	0.06	5.0	-1.00
79X01	524.3	525.7	1.4	15	4K0	-1	-1.00	-1	0.14	0.10	0.04	3.5	-1.00
79X01	525.7	526.7	1.0	16	4L0	-1	-1.00	-1	0.20	0.12	0.08	4.0	-1.00

C.R.I. 11-Mar-91

page 10

wh386\fr:\dy\dytab4.wk3

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X01	526.7	528.1	1.4	17	4L0	-1	-1.00	-1	0.15	0.11	0.04	6.0	-1.00
79X01	528.1	528.8	0.7	18	4K0	-1	-1.00	-1	0.11	0.09	0.02	4.0	-1.00
79X01	528.8	530.4	1.6	19	4A0	-1	-1.00	-1	0.04	0.02	0.02	0.1	-1.00
79X01	530.4	532.3	1.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X01	532.3	532.9	0.6	20	4A0	-1	-1.00	-1	0.02	0.01	0.01	0.1	-1.00
79X01	532.9	535.0	2.1	21	4K0	-1	-1.00	-1	0.16	0.11	0.05	6.0	-1.00
79X01	535.0	536.0	1.0	22	4A0	-1	-1.00	-1	0.03	0.02	0.01	0.1	-1.00
79X01	536.0	536.7	0.7	23	4K0	-1	-1.00	-1	0.18	0.12	0.06	8.0	-1.00
79X01	536.7	538.0	1.3	24	4L0	-1	-1.00	-1	0.06	0.04	0.02	0.1	-1.00
79X01	538.0	540.3	2.3	25	4K0	-1	-1.00	-1	0.11	0.07	0.04	3.0	-1.00
79X01	540.3	545.4	5.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X01	545.4	546.0	0.6	26	4L0	-1	-1.00	-1	0.12	0.08	0.04	4.0	-1.00
79X01	546.0	547.3	1.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X01	547.3	549.2	1.9	27	4C5	-1	-1.00	-1	0.19	0.13	0.06	2.5	-1.00
79X01	549.2	550.1	0.9	28	4D9	-1	-1.00	-1	3.95	2.07	1.88	27.0	-1.00
79X01	550.1	554.5	4.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X01	554.5	556.5	2.0	29	4A1	-1	-1.00	-1	5.39	2.20	3.19	39.0	-1.00
79X01	556.5	558.5	2.0	30	4A1	-1	-1.00	-1	4.62	1.30	3.32	23.0	-1.00
79X01	558.5	560.5	2.0	31	4A1	-1	2.85	-1	5.83	2.02	3.81	26.0	0.51
79X01	560.5	561.6	1.1	32	4A1	-1	2.74	-1	7.43	2.16	5.27	33.0	0.38
79X01	561.6	650.9	89.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X01	650.9	652.9	2.0	33	4A0	-1	2.88	-1	7.40	2.45	4.95	49.0	0.72
79X01	652.9	654.9	2.0	34	4A0	-1	2.76	-1	6.38	1.93	4.45	29.0	0.62
79X01	654.9	656.9	2.0	35	4A0	-1	-1.00	-1	5.30	1.65	3.65	27.5	-1.00
79X01	656.9	658.9	2.0	36	4A0	-1	-1.00	-1	4.74	1.61	3.13	26.0	-1.00
79X01	658.9	660.9	2.0	37	4A0	-1	-1.00	-1	3.47	1.40	2.07	25.0	-1.00
79X01	660.9	662.7	1.8	38	4A0	-1	-1.00	-1	3.20	0.98	2.22	21.0	-1.00
79X01	662.7	681.3	18.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X01	681.3	682.6	1.3	39	4C5	-1	-1.00	-1	5.66	2.01	3.65	27.0	-1.00
79X01	682.6	683.5	0.9	40	4B0	-1	-1.00	-1	5.76	2.05	3.71	40.0	-1.00
79X01	683.5	772.2	88.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X02	0.0	536.7	536.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X02	536.7	538.5	1.8	45	4L1	-1	-1.00	-1	0.03	0.01	0.02	1.0	-1.00
79X02	538.5	539.4	0.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X02	539.4	540.5	1.1	46	4L1	-1	-1.00	-1	0.11	0.08	0.03	2.0	-1.00
79X02	540.5	542.5	2.0	47	4A0	-1	-1.00	-1	0.49	0.13	0.36	3.0	-1.00
79X02	542.5	544.8	2.3	48	4A0	-1	-1.00	-1	0.05	0.01	0.04	1.0	-1.00
79X02	544.8	546.0	1.2	49	5A9	-1	-1.00	-1	0.04	0.01	0.03	0.5	-1.00
79X02	546.0	547.2	1.2	50	5A9	-1	-1.00	-1	0.03	0.01	0.02	0.5	-1.00
79X02	547.2	548.3	1.1	51	5B9	-1	-1.00	-1	0.03	0.01	0.02	0.5	-1.00
79X02	548.3	548.6	0.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X02	548.6	550.3	1.7	52	5A9	-1	-1.00	-1	0.03	0.01	0.02	1.0	-1.00
79X02	550.3	551.2	0.9	53	4A7	-1	-1.00	-1	0.12	0.04	0.08	1.0	-1.00
79X02	551.2	557.9	6.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X02	557.9	559.9	2.0	54	4L0	-1	-1.00	-1	0.23	0.11	0.12	2.0	-1.00
79X02	559.9	561.0	1.1	55	4L0	-1	-1.00	-1	0.06	0.03	0.03	16.0	-1.00
79X02	561.0	570.6	9.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X02	570.6	572.6	2.0	56	4L7	-1	-1.00	-1	0.04	0.01	0.03	1.0	-1.00
79X02	572.6	574.6	2.0	57	4L7	-1	-1.00	-1	0.14	0.06	0.08	2.0	-1.00
79X02	574.6	575.7	1.1	58	4L7	-1	-1.00	-1	0.11	0.05	0.07	2.0	-1.00

5.11% / 11.8m L1

5.70% / 2.2m L2

L1

79X02	573.7	577.6	1.9	59	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.00	-1.00
79X02	577.6	579.6	2.0	59	4A0	-1	-1.00	-1	2.54	0.89	1.65	11.0	-1.00
79X02	579.6	581.6	2.0	60	4A0	-1	-1.00	-1	2.50	0.87	1.63	11.0	-1.00
79X02	581.6	583.5	1.9	61	4A0	-1	-1.00	-1	4.39	1.98	2.41	28.0	-1.00

C.R.I. 11-Mar-91

page 11

wh386\frs\dy\dytab4.wk3

DY PCXFLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X02	583.5	585.6	2.1	62	5A9	-1	-1.00	-1	0.36	0.14	0.22	3.0	-1.00
79X02	585.6	587.8	2.2	63	4A0	-1	-1.00	-1	2.97	0.73	2.24	16.0	-1.00
79X02	587.8	589.2	1.4	64	5D9	-1	-1.00	-1	0.54	0.14	0.40	3.0	-1.00
79X02	589.2	590.0	0.8	65	4A0	-1	-1.00	-1	0.32	0.12	0.20	4.0	-1.00
79X02	590.0	592.1	2.1	66	5D9	-1	-1.00	-1	0.47	0.12	0.35	4.0	-1.00
79X02	592.1	593.2	1.1	67	5D9	-1	-1.00	-1	0.17	0.07	0.10	6.0	-1.00
79X02	593.2	594.0	0.8	68	4A0	-1	-1.00	-1	0.52	0.12	0.40	3.0	-1.00
79X02	594.0	595.4	1.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X02	595.4	596.9	1.5	69	4A4	-1	-1.00	-1	4.54	1.96	2.58	34.0	-1.00
79X02	596.9	598.4	1.5	70	4A4	-1	-1.00	-1	0.77	0.04	0.73	2.0	-1.00
79X02	598.4	600.0	1.6	71	4A4	-1	-1.00	-1	0.10	0.02	0.08	3.0	-1.00
79X02	600.0	601.5	1.5	72	4J4	-1	3.51	-1	17.12	6.27	10.85	101.0	0.45
79X02	601.5	602.5	1.0	73	4J4	-1	3.56	-1	18.60	7.50	11.10	88.0	0.38
79X02	602.5	606.6	4.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X02	606.6	607.6	1.0	74	4J4	-1	-1.00	-1	10.13	3.80	6.33	57.0	-1.00
79X02	607.6	608.3	0.7	75	5A0	-1	-1.00	-1	1.33	0.55	0.78	5.0	-1.00
79X02	608.3	646.7	38.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X02	646.7	648.5	1.8	76	3G0	-1	-1.00	-1	0.11	0.04	0.07	2.0	-1.00
79X02	648.5	683.8	35.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	0.0	578.3	578.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	578.3	580.4	2.1	77	4L7	-1	-1.00	-1	0.56	0.42	0.14	6.5	-1.00
79X03	580.4	581.5	1.1	78	4A3	-1	-1.00	-1	0.13	0.11	0.02	2.0	-1.00
79X03	581.5	583.5	2.0	79	4C0	-1	-1.00	-1	0.88	0.66	0.22	8.0	-1.00
79X03	583.5	585.5	2.0	80	4L0	-1	-1.00	-1	0.48	0.34	0.14	4.0	-1.00
79X03	585.5	587.5	2.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	587.5	588.5	1.0	81	4L0	-1	-1.00	-1	0.29	0.26	0.03	3.0	-1.00
79X03	588.5	590.1	1.6	82	5D9	-1	-1.00	-1	0.27	0.23	0.04	3.0	-1.00
79X03	590.1	592.1	2.0	83	4L7	-1	-1.00	-1	0.06	0.04	0.02	2.0	-1.00
79X03	592.1	594.1	2.0	84	4L7	-1	-1.00	-1	0.14	0.10	0.04	2.0	-1.00
79X03	594.1	595.9	1.8	85	4L7	-1	-1.00	-1	0.24	0.13	0.11	1.0	-1.00
79X03	595.9	597.1	1.2	86	4G49	-1	-1.00	-1	1.61	0.91	0.70	16.0	-1.00
79X03	597.1	598.1	1.0	87	4L0	-1	-1.00	-1	0.20	0.13	0.07	2.0	-1.00
79X03	598.1	599.3	1.2	88	4G49	-1	-1.00	-1	2.70	1.79	0.91	30.0	-1.00
79X03	599.3	600.6	1.3	89	4G4	-1	-1.00	-1	5.26	3.34	1.92	45.0	-1.00
79X03	600.6	602.3	1.7	90	4K649	-1	-1.00	-1	1.06	0.75	0.31	28.0	-1.00
79X03	602.3	604.5	2.2	91	4E9	-1	-1.00	-1	0.51	0.38	0.13	27.0	-1.00
79X03	604.5	606.7	2.2	92	4E9	-1	-1.00	-1	0.17	0.12	0.05	7.0	-1.00
79X03	606.7	608.7	2.0	93	4L9	-1	-1.00	-1	0.15	0.11	0.04	13.0	-1.00
79X03	608.7	610.2	1.5	94	4C9	-1	-1.00	-1	0.18	0.11	0.07	11.0	-1.00
79X03	610.2	612.0	1.8	95	4C9	-1	-1.00	-1	1.23	0.65	0.58	16.0	-1.00
79X03	612.0	614.0	2.0	96	4C9	-1	-1.00	-1	0.29	0.15	0.14	9.0	-1.00
79X03	614.0	615.1	1.1	97	4C9	-1	-1.00	-1	0.07	0.04	0.03	5.0	-1.00
79X03	615.1	616.6	1.5	98	4A9	-1	-1.00	-1	0.11	0.06	0.05	6.0	-1.00
79X03	616.6	621.2	4.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	621.2	623.2	2.0	99	5A9	-1	-1.00	-1	0.04	0.02	0.02	0.5	-1.00
79X03	623.2	624.0	0.8	100	4C9	-1	-1.00	-1	0.06	0.04	0.02	2.0	-1.00
79X03	624.0	624.4	0.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	624.4	626.4	2.0	101	4L0	-1	-1.00	-1	0.04	0.01	0.03	0.1	-1.00
79X03	626.4	628.0	1.6	102	4L0	-1	-1.00	-1	0.04	0.02	0.02	0.1	-1.00

79X03	628.4	630.1	1.7	103	4L0	-1	-1.00	-1	0.05	0.02	0.03	1.0	-1.00
79X03	630.1	631.9	1.8	104	5A9	-1	-1.00	-1	0.04	0.02	0.02	1.0	-1.00
79X03	631.9	639.0	7.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	639.0	639.8	0.8	105	4C0	-1	-1.00	-1	0.15	0.10	0.05	8.0	-1.00
79X03	639.8	641.8	2.0	106	4L0	-1	-1.00	-1	0.06	0.03	0.03	2.0	-1.00

C.R.I. 11-Mar-91

page 12

wh386\fr\dy\dytab4.wk3

DY PCXPLOE DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X03	641.8	643.8	2.0	107	4L0	-1	-1.00	-1	0.05	0.03	0.02	2.0	-1.00
79X03	643.8	644.4	0.6	108	4L0	-1	-1.00	-1	0.07	0.02	0.05	2.0	-1.00
79X03	644.4	646.3	1.9	109	4C0	-1	-1.00	-1	0.18	0.13	0.05	7.0	-1.00
79X03	646.3	700.8	54.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	700.8	702.8	2.0	110	4A4	-1	-1.00	-1	5.22	1.94	3.28	36.0	-1.00
79X03	702.8	704.8	2.0	111	4A4	-1	-1.00	-1	4.20	1.48	2.72	29.0	-1.00
79X03	704.8	706.4	1.6	112	4A4	-1	-1.00	-1	4.01	1.31	2.70	25.0	-1.00
79X03	706.4	713.6	7.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	713.6	715.7	2.1	248	4A0	-1	-1.00	-1	0.58	0.27	0.31	5.0	-1.00
79X03	715.7	717.2	1.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	717.2	719.3	2.1	249	4A0	-1	-1.00	-1	0.22	0.09	0.13	2.0	-1.00
79X03	719.3	731.3	12.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	731.3	733.4	2.1	250	4L4	-1	-1.00	-1	2.82	1.88	0.94	25.0	-1.00
79X03	733.4	735.4	2.0	251	4A0	-1	-1.00	-1	0.90	0.02	0.88	30.0	-1.00
79X03	735.4	737.4	2.0	252	4A0	-1	-1.00	-1	0.27	0.01	0.26	16.0	-1.00
79X03	737.4	739.4	2.0	253	4A0	-1	-1.00	-1	1.37	1.07	0.30	17.0	-1.00
79X03	739.4	740.7	1.3	254	4A0	-1	-1.00	-1	0.24	0.08	0.16	7.0	-1.00
79X03	740.7	741.7	1.0	255	4A0	-1	-1.00	-1	0.48	0.37	0.11	12.0	-1.00
79X03	741.7	759.7	18.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	759.7	761.2	1.5	256	4A0	-1	-1.00	-1	0.32	0.24	0.08	4.0	-1.00
79X03	761.2	762.8	1.6	257	4A0	-1	-1.00	-1	0.14	0.06	0.08	10.0	-1.00
79X03	762.8	821.9	59.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	821.9	823.2	1.3	258	4A0	-1	-1.00	-1	4.44	2.03	2.41	32.0	-1.00
79X03	823.2	824.7	1.5	259	4A0	-1	-1.00	-1	1.73	0.69	1.04	15.0	-1.00
79X03	824.7	826.0	1.3	260	4E9	-1	-1.00	-1	0.96	0.62	0.34	15.0	-1.00
79X03	826.0	827.8	1.8	261		-1	-1.00	-1	1.58	0.78	0.80	20.0	-1.00
79X03	827.8	862.3	34.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X03	862.3	864.2	1.9	113	4A1	-1	-1.00	-1	1.75	1.02	0.73	17.0	-1.00
79X03	864.2	864.5	0.3	114	4C0	-1	-1.00	-1	0.62	0.44	0.18	10.0	-1.00
79X03	864.5	866.5	2.0	115	4B4	-1	4.28	-1	9.03	3.51	5.52	56.0	0.86
79X03	866.5	868.0	1.5	116	4B4	-1	4.35	-1	9.88	4.11	5.77	36.0	0.38
79X03	868.0	868.7	0.7	117	4D0	-1	-1.00	-1	0.22	0.15	0.07	6.0	-1.00
79X03	868.7	869.7	1.0	118	4B4	-1	-1.00	-1	3.93	1.51	2.42	43.0	-1.00
79X03	869.7	870.4	0.7	119	4A0	-1	-1.00	-1	0.22	0.17	0.05	8.0	-1.00
79X03	870.4	871.2	0.8	120	4C0	-1	-1.00	-1	0.44	0.30	0.14	14.0	-1.00
79X03	871.2	872.1	0.9	121	4D4	-1	-1.00	-1	10.85	6.56	4.29	146.0	-1.00
79X03	872.1	872.5	0.4	122	4G1	-1	-1.00	-1	1.01	0.66	0.35	27.0	-1.00
79X03	872.5	874.7	2.2	123	4A0	-1	-1.00	-1	0.70	0.36	0.34	6.0	-1.00
79X03	874.7	876.7	2.0	124	4A4	-1	-1.00	-1	1.12	0.54	0.58	14.0	-1.00
79X03	876.7	878.7	2.0	125	4A4	-1	-1.00	-1	0.89	0.39	0.50	10.0	-1.00
79X03	878.7	880.1	1.4	126	4B4	-1	-1.00	-1	1.53	1.02	0.51	27.0	-1.00
79X03	880.1	956.7	76.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X04	0.0	365.5	365.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X04	365.5	367.0	1.5	262	4L76	-1	-1.00	-1	0.08	0.05	0.03	2.0	-1.00
79X04	367.0	390.6	23.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X04	390.6	391.9	1.3	263	4A0	-1	-1.00	-1	0.09	0.05	0.04	2.0	-1.00
79X04	391.9	392.3	0.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X04	392.3	394.5	2.2	264	4A0	-1	-1.00	-1	0.08	0.05	0.03	2.0	-1.00

7.5me

79X04	394.5	396.5	2.0	265	4K1	-1	-1.00	-1	0.04	0.03	0.01	6.0	-1.00
79X04	396.5	398.8	2.3	266	4C79	-1	-1.00	-1	0.05	0.04	0.01	-1.0	-1.00
79X04	398.8	400.0	1.2	267	4A0	-1	-1.00	-1	0.03	0.02	0.01	3.0	-1.00
79X04	400.0	400.5	0.5	268	4E0	-1	-1.00	-1	0.03	0.01	0.02	7.0	-1.00
79X04	400.5	582.2	181.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X04	582.2	584.2	2.0	287	4D57	-1	-1.00	-1	7.40	2.21	5.19	50.0	-1.00

C.R.I. 11-Mar-91

page 13

wh386\fs\dy\dytab4.wk3

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X04	584.2	586.2	2.0	288	4A4	-1	-1.00	-1	1.71	0.68	1.03	12.0	-1.00
79X04	586.2	588.2	2.0	289	4A4	-1	-1.00	-1	7.03	3.62	3.41	46.0	-1.00
79X04	588.2	590.0	1.8	290	4A4	-1	-1.00	-1	5.98	2.64	3.34	40.0	-1.00
79X04	590.0	625.8	35.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X04	625.8	626.8	1.0	127	4G0	-1	4.05	-1	16.74	4.79	11.95	90.0	0.55
79X04	626.8	627.8	1.0	128	4A41	-1	3.03	-1	8.65	2.72	5.93	47.0	0.34
79X04	627.8	629.1	1.3	129	4A41	-1	3.05	-1	10.73	3.60	7.13	66.0	0.55
79X04	629.1	630.6	1.5	130	4C0	-1	3.33	-1	10.53	3.66	6.87	56.0	0.93
79X04	630.6	632.6	2.0	131	4A1	-1	-1.00	-1	3.29	1.18	2.11	21.0	-1.00
79X04	632.6	634.5	1.9	132	4A1	-1	-1.00	-1	3.73	1.70	2.03	25.0	-1.00
79X04	634.5	689.1	54.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X05	0.0	395.3	395.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X05	395.3	396.3	1.0	305	4K78	-1	-1.00	-1	0.16	0.11	0.05	8.0	-1.00
79X05	396.3	396.6	0.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X05	396.6	398.2	1.6	306	4K78	-1	-1.00	-1	0.13	0.08	0.05	8.0	-1.00
79X05	398.2	398.9	0.7	307	4K798	-1	-1.00	-1	0.44	0.22	0.22	10.0	-1.00
79X05	398.9	527.1	128.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X05	527.1	529.0	1.9	311	4L746	-1	-1.00	-1	1.42	0.51	0.91	6.0	-1.00
79X05	529.0	531.0	2.0	312	4L746	-1	-1.00	-1	1.66	0.58	1.08	8.0	-1.00
79X05	531.0	532.0	1.0	313	4L746	-1	-1.00	-1	4.78	1.74	3.04	17.0	-1.00
79X05	532.0	533.0	1.0	314	4L743	-1	-1.00	-1	5.30	2.14	3.16	24.0	-1.00
79X05	533.0	534.9	1.9	315	4L743	-1	-1.00	-1	3.72	1.52	2.26	15.0	-1.00
79X05	534.9	536.7	1.8	316	4L746	-1	-1.00	-1	0.47	0.15	0.32	2.0	-1.00
79X05	536.7	542.5	5.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X05	542.5	544.1	1.6	317	4L746	-1	-1.00	-1	1.34	0.47	0.87	15.0	-1.00
79X05	544.1	586.4	42.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X05	586.4	588.2	1.8	459	4A4	-1	-1.00	-1	0.56	0.20	0.36	3.0	-1.00
79X05	588.2	589.6	1.4	460	4A4	-1	-1.00	-1	4.81	1.31	3.50	22.0	-1.00
79X05	589.6	591.1	1.5	461	4A4	-1	-1.00	-1	4.19	1.38	2.81	23.0	-1.00
79X05	591.1	591.7	0.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X05	591.7	592.3	0.6	462	4H1	-1	-1.00	-1	5.54	1.69	3.85	35.0	-1.00
79X05	592.3	594.3	2.0	463	4A47	-1	-1.00	-1	4.95	1.55	3.40	28.0	-1.00
79X05	594.3	596.1	1.8	464	4A47	-1	-1.00	-1	6.21	4.55	1.66	69.0	-1.00
79X05	596.1	599.7	3.6	465	4A47	-1	-1.00	-1	1.75	0.44	1.31	5.0	-1.00
79X05	599.7	601.3	1.6	466	4A0	-1	-1.00	-1	0.84	0.35	0.49	5.0	-1.00
79X05	601.3	603.3	2.0	467	4A0	-1	-1.00	-1	3.46	1.26	2.20	17.0	-1.00
79X05	603.3	605.3	2.0	468	4A0	-1	-1.00	-1	2.10	0.80	1.30	9.0	-1.00
79X05	605.3	607.3	2.0	469	4A0	-1	-1.00	-1	1.40	0.43	0.97	7.0	-1.00
79X05	607.3	609.4	2.1	470	4A0	-1	-1.00	-1	1.39	0.57	0.82	9.0	-1.00
79X05	609.4	611.1	1.7	471	4A0	-1	-1.00	-1	1.86	0.69	1.17	8.0	-1.00
79X05	611.1	613.1	2.0	472	4A0	-1	-1.00	-1	0.75	0.50	0.25	7.0	-1.00
79X05	613.1	614.2	1.1	473	4A0	-1	-1.00	-1	0.20	0.07	0.13	0.1	-1.00
79X05	614.2	616.6	2.4	474	4L764	-1	-1.00	-1	1.35	0.48	0.87	6.0	-1.00
79X05	616.6	618.1	1.5	475	4A47	-1	-1.00	-1	1.07	0.32	0.75	7.0	-1.00
79X05	618.1	619.6	1.5	476	4A479	-1	-1.00	-1	1.90	0.59	1.31	15.0	-1.00
79X05	619.6	620.7	1.1	477	4L74	-1	-1.00	-1	1.04	0.43	0.61	9.0	-1.00

L2

L1

79X05	622.0	623.7	1.7	478	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.00	-1.00
79X05	623.7	625.4	1.7	479	4A4	-1	-1.00	-1	5.34	2.15	3.19	34.0	-1.00
79X05	625.4	626.3	0.9	480	4A4	-1	-1.00	-1	5.74	3.57	2.17	51.0	-1.00
79X05	626.3	627.4	1.1	481	4A4	-1	-1.00	-1	4.12	2.71	1.41	33.0	-1.00
79X05	627.4	632.6	5.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X05	632.6	634.0	1.4	482	4A0	-1	-1.00	-1	3.11	1.17	1.94	18.0	-1.00
79X05	634.0	635.9	1.9	483	4D0	-1	3.19	-1	12.16	5.01	7.15	75.0	0.34

G.R.I. 11-Mar-91

wh386\fr:\dy\dytab4.wk3

page 14

L2
10.97%
3.5m

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X05	635.9	636.9	1.0	484	4D0	-1	3.15	-1	13.45	4.54	8.91	75.0	0.21
79X05	636.9	754.3	117.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X05	0.0	671.0	671.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X06	671.0	672.0	1.0	308	4K7	-1	-1.00	-1	5.18	2.97	2.21	42.0	-1.00
79X06	672.0	676.7	4.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X06	676.7	677.7	1.0	309	4K79	-1	-1.00	-1	7.68	4.24	3.44	61.0	-1.00
79X06	677.7	678.1	0.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X06	678.1	679.4	1.3	310	4G89	-1	-1.00	-1	9.10	4.71	4.39	88.0	-1.00
79X06	679.4	706.6	27.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	1.00
79X06	706.6	708.5	1.9	318	4E89	-1	4.51	-1	7.00	4.08	2.92	57.0	2.92
79X06	708.5	710.8	2.3	319	4G0	-1	4.05	-1	15.35	6.52	8.83	97.0	0.82
79X06	710.8	713.0	2.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X06	713.0	714.3	1.3	320	4G18	-1	4.29	-1	12.82	7.32	5.50	82.0	0.93
79X06	714.3	714.8	0.5	321	4L3	-1	2.99	-1	4.31	2.77	1.54	26.0	0.21
79X06	714.8	716.1	1.3	322	4G18	-1	4.58	-1	8.35	4.62	3.73	58.0	1.23
79X06	716.1	716.7	0.6	323	4D49	-1	4.39	-1	8.15	4.63	3.52	58.0	1.92
79X06	716.7	717.4	0.7	324	4G148	-1	-1.00	-1	4.18	2.01	2.17	28.0	-1.00
79X06	717.4	718.2	0.8	325	4D48	-1	-1.00	-1	4.44	2.77	1.69	46.0	-1.00
79X06	718.2	720.2	2.0	326	4G148	-1	4.61	-1	14.43	7.47	6.96	100.0	0.86
79X06	720.2	722.2	2.0	327	4G148	-1	4.70	-1	24.75	15.96	8.79	174.0	1.03
79X06	722.2	724.2	2.0	328	4G148	-1	4.47	-1	24.65	15.34	9.31	181.0	0.86
79X06	724.2	725.7	1.5	329	4G148	-1	4.79	-1	30.61	23.76	6.85	248.0	1.44
79X06	725.7	726.7	1.0	330	4G148	-1	4.88	-1	25.72	21.13	4.59	237.0	2.13
79X06	726.7	728.3	1.6	331	4E4	-1	4.59	-1	10.82	6.25	4.57	84.0	1.89
79X06	728.3	730.5	2.2	332	4G0	-1	4.48	-1	14.53	6.48	8.05	99.0	0.89
79X06	730.5	732.7	2.2	333	4G0	-1	3.79	-1	13.75	6.97	6.78	101.0	1.34
79X06	732.7	734.0	1.3	334	4E9	-1	-1.00	-1	1.83	0.91	0.92	23.0	-1.00
79X06	734.0	735.4	1.4	335	4E9	-1	-1.00	-1	6.60	4.25	2.35	60.0	-1.00
79X06	735.4	737.0	1.6	336	4G48	-1	4.81	-1	10.32	4.62	5.70	140.0	1.72
79X06	737.0	738.0	1.0	337	4G48	-1	4.32	-1	8.33	4.62	3.71	57.0	1.20
79X06	738.0	738.5	0.5	338	5D69	-1	2.87	-1	0.26	0.09	0.17	6.0	0.69
79X06	738.5	739.8	1.3	339	4G0	-1	4.60	-1	9.76	5.07	4.69	72.0	2.33
79X06	739.8	741.8	2.0	340	4A0	-1	-1.00	-1	6.48	1.88	4.60	36.0	-1.00
79X06	741.8	743.8	2.0	341	4A0	-1	-1.00	-1	5.26	1.81	3.45	33.0	-1.00
79X06	743.8	745.5	1.7	342	4A0	-1	-1.00	-1	3.65	1.37	2.28	23.0	-1.00
79X06	745.5	747.5	2.0	343	4A7	-1	-1.00	-1	2.29	0.92	1.37	22.0	-1.00
79X06	747.5	772.1	24.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X06	772.1	774.1	2.0	344	4A4	-1	-1.00	-1	6.42	2.28	4.14	34.0	-1.00
79X06	774.1	776.1	2.0	345	4A4	-1	-1.00	-1	7.40	2.61	4.79	46.0	-1.00
79X06	776.1	777.3	1.2	346	4A4	-1	-1.00	-1	5.11	1.88	3.23	33.0	-1.00
79X06	777.3	782.1	4.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X06	782.1	782.8	0.7	347	4G48	-1	-1.00	-1	16.96	9.55	7.41	114.0	-1.00
79X06	782.8	783.3	0.5	348	4D489	-1	-1.00	-1	4.76	2.48	2.28	34.0	-1.00
79X06	783.3	783.9	0.6	349	4C9	-1	-1.00	-1	2.93	1.92	1.01	29.0	-1.00
79X06	783.9	785.2	1.3	350	4A79	-1	-1.00	-1	0.39	0.18	0.21	8.0	-1.00

19.22% / 14.5m

79X06	788.4	788.0	1.6	383	4A0	-1	-1.00	-1	1.44	0.38	0.88	10.0	-1.00
79X06	788.0	788.9	0.9	384	4C0	-1	-1.00	-1	0.57	0.37	0.20	14.0	-1.00
79X06	788.9	789.5	0.6	385	4G0	-1	-1.00	-1	4.82	2.41	2.41	38.0	-1.00
79X06	789.5	790.1	0.6	386	4E89	-1	-1.00	-1	1.69	1.17	0.52	30.0	-1.00
79X06	790.1	790.5	0.4	387	4G8	-1	-1.00	-1	10.91	3.61	7.30	63.0	-1.00
79X06	790.5	791.0	0.5	388	4G9	-1	-1.00	-1	1.12	0.71	0.41	19.0	-1.00
79X06	791.0	791.7	0.7	389	4L7	-1	-1.00	-1	0.83	0.48	0.35	8.0	-1.00
79X06	791.7	793.6	1.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

C.R.I. 11-Mar-91

page 15

wh386\fs\dy\dytab4.wk3

DY PCXPLOE DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X06	793.6	794.5	0.9	390	4G9	-1	-1.00	-1	4.70	2.47	2.23	39.0	-1.00
79X06	794.5	796.6	2.1	391	4E89	-1	-1.00	-1	0.46	0.28	0.18	20.0	-1.00
79X06	796.6	797.8	1.2	392	4G89	-1	-1.00	-1	4.44	1.99	2.45	33.0	-1.00
79X06	797.8	799.5	1.7	393	4A0	-1	-1.00	-1	0.39	0.24	0.15	8.0	-1.00
79X06	799.5	800.6	1.1	394	4L37	-1	-1.00	-1	0.21	0.14	0.07	2.0	-1.00
79X06	800.6	801.6	1.0	395	4A0	-1	-1.00	-1	0.41	0.31	0.10	7.0	-1.00
79X06	801.6	802.9	1.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X06	802.9	804.2	1.3	396	4G89	-1	-1.00	-1	1.02	0.64	0.38	19.0	-1.00
79X06	804.2	805.7	1.5	397	4G89	-1	-1.00	-1	1.84	1.23	0.61	27.0	-1.00
79X06	805.7	812.6	6.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X06	812.6	814.3	1.7	398	4L67	-1	-1.00	-1	0.06	0.03	0.03	6.0	-1.00
79X06	814.3	816.1	1.8	399	4L17	-1	-1.00	-1	0.05	0.02	0.03	2.0	-1.00
79X06	816.1	817.9	1.8	400	4L67	-1	-1.00	-1	0.04	0.01	0.03	2.0	-1.00
79X06	817.9	872.5	54.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X06	872.5	873.2	0.7	379	4L7	-1	-1.00	-1	0.61	0.19	0.42	19.0	-1.00
79X06	873.2	874.2	1.0	380	4A0	-1	-1.00	-1	0.09	0.07	0.02	2.0	-1.00
79X06	874.2	875.7	1.5	381	4A0	-1	-1.00	-1	0.13	0.07	0.06	1.0	-1.00
79X06	875.7	878.0	2.3	451	4A4	-1	-1.00	-1	5.54	1.97	3.57	29.0	-1.00
79X06	878.0	878.8	0.8	452	4G0	-1	-1.00	-1	8.18	3.17	5.01	56.0	-1.00
79X06	878.8	879.2	0.4	453	4A0	-1	-1.00	-1	1.13	0.66	0.47	15.0	-1.00
79X06	879.2	956.7	77.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X07	0.0	544.0	544.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X07	544.0	545.8	1.8	617	4A0	-1	-1.00	-1	4.79	1.51	3.28	28.0	-1.00
79X07	545.8	568.4	22.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X07	568.4	570.2	1.8	619	4A0	-1	-1.00	-1	0.75	0.26	0.49	4.0	-1.00
79X07	570.2	572.2	2.0	620	4A0	-1	-1.00	-1	0.05	0.02	0.03	1.0	-1.00
79X07	572.2	574.2	2.0	621	4A0	-1	-1.00	-1	0.77	0.32	0.45	4.0	-1.00
79X07	574.2	576.1	1.9	622	4G0	-1	4.16	-1	6.42	1.87	4.55	32.0	0.34
79X07	576.1	577.8	1.7	623	4G0	-1	4.25	-1	8.01	2.13	5.88	34.0	0.48
79X07	577.8	578.6	0.8	624	4G0	-1	4.47	-1	22.98	6.78	16.20	150.0	1.20
79X07	578.6	580.3	1.7	625	4D4	-1	3.36	-1	6.87	2.17	4.70	35.0	0.51
79X07	580.3	581.4	1.1	626	4D4	-1	3.05	-1	11.37	3.61	7.76	83.0	0.34
79X07	581.4	583.3	1.9	627	4D4	-1	4.32	-1	16.28	6.76	9.52	104.0	1.44
79X07	583.3	585.2	1.9	628	4D4	-1	3.07	-1	14.26	4.41	9.85	3.0	0.10
79X07	585.2	586.8	1.6	629	4A14	-1	3.97	-1	15.71	5.51	10.20	80.0	0.65
79X07	586.8	588.8	2.0	630	5A0	-1	-1.00	-1	1.14	0.37	0.77	5.0	-1.00
79X07	588.8	792.7	203.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X08	0.0	502.5	502.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X08	502.5	503.6	1.1	2857	4L75	-1	-1.00	-1	0.73	0.53	0.20	12.0	-1.00
79X08	503.6	505.5	1.9	2858	4L75	-1	-1.00	-1	0.36	0.19	0.17	5.0	-1.00
79X08	505.5	507.0	1.5	2859	4L37	-1	-1.00	-1	0.34	0.24	0.10	5.0	-1.00
79X08	507.0	508.2	1.2	2860	4L37	-1	-1.00	-1	0.41	0.14	0.27	5.0	-1.00
79X08	508.2	509.5	1.3	2861	4D0	-1	-1.00	-1	5.55	2.98	2.57	38.0	-1.00
79X08	509.5	510.6	1.1	2862	4G8	-1	-1.00	-1	6.66	3.71	2.95	46.0	-1.00

7906
EoH
918.3

→

79X08	511.5	513.1	1.6	2864	4C89	-1	-1.00	-1	2.63	1.49	1.14	21.0	-1.00
79X08	513.1	515.2	2.1	2865	4C09	-1	-1.00	-1	0.72	0.36	0.36	24.0	-1.00
79X08	515.2	516.6	1.4	2866	4C79	-1	-1.00	-1	0.13	0.05	0.08	11.0	-1.00
79X08	516.6	517.9	1.3	2867	4C79	-1	-1.00	-1	0.14	0.05	0.09	12.0	-1.00
79X08	517.9	518.2	0.3	2868	5D6	-1	-1.00	-1	0.24	0.17	0.07	13.0	-1.00
79X08	518.2	518.9	0.7	2869	4C789	-1	-1.00	-1	0.14	0.05	0.09	8.0	-1.00
79X08	518.9	519.9	1.0	2870	5D6	-1	-1.00	-1	0.06	0.02	0.04	4.0	-1.00
79X08	519.9	521.4	1.5	2871	4D89	-1	-1.00	-1	1.59	0.92	0.67	22.0	-1.00
79X08	521.4	522.5	1.1	2872	4D89	-1	-1.00	-1	1.38	0.77	0.61	20.0	-1.00

C.R.I. 11-Mar-91

page 16

wh386\lf:\dy\dytab4.wk3

DY FCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X08	522.5	524.5	2.0	2873	4C89	-1	-1.00	-1	1.85	0.54	1.31	18.0	-1.00
79X08	524.5	526.5	2.0	2874	4C89	-1	-1.00	-1	3.59	0.81	2.78	18.0	-1.00
79X08	526.5	528.5	2.0	2875	4C89	-1	-1.00	-1	0.76	0.44	0.32	15.0	-1.00
79X08	528.5	529.3	0.8	2876	4L0	-1	-1.00	-1	0.07	0.03	0.04	6.0	-1.00
79X08	529.3	531.3	2.0	2877	4C89	-1	-1.00	-1	0.46	0.26	0.20	13.0	-1.00
79X08	531.3	533.3	2.0	2878	4C89	-1	-1.00	-1	0.64	0.26	0.38	15.0	-1.00
79X08	533.3	535.3	2.0	2879	4C8	-1	-1.00	-1	0.09	0.04	0.05	3.0	-1.00
79X08	535.3	536.6	1.5	2880	4C89	-1	-1.00	-1	0.16	0.10	0.06	15.0	-1.00
79X08	536.6	537.4	0.6	2881	4E9	-1	-1.00	-1	0.19	0.10	0.09	14.0	-1.00
79X08	537.4	538.6	1.2	2882	4C89	-1	-1.00	-1	0.22	0.15	0.07	15.0	-1.00
79X08	538.6	539.9	1.3	2883	4C9	-1	-1.00	-1	2.12	1.21	0.91	24.0	-1.00
79X08	539.9	541.5	1.6	2884	4C9	-1	-1.00	-1	1.27	0.83	0.44	19.0	-1.00
79X08	541.5	543.5	2.0	2885	4C9	-1	-1.00	-1	1.49	0.89	0.60	21.0	-1.00
79X08	543.5	544.4	0.9	2886	4K19	-1	-1.00	-1	1.58	0.98	0.60	21.0	-1.00
79X08	544.4	545.6	1.2	2887	4C79	-1	-1.00	-1	0.90	0.65	0.25	32.0	-1.00
79X08	545.6	547.2	1.6	2888	4K9	-1	-1.00	-1	1.03	0.43	0.60	12.0	-1.00
79X08	547.2	549.2	2.0	2889	4G9	-1	-1.00	-1	8.61	3.73	4.88	66.0	-1.00
79X08	549.2	550.4	1.2	2890	4G9	-1	-1.00	-1	3.27	1.84	1.43	35.0	-1.00
79X08	550.4	551.3	0.9	2891	4C89	-1	-1.00	-1	0.69	0.32	0.37	12.0	-1.00
79X08	551.3	552.0	0.7	2892	4D8	-1	-1.00	-1	3.93	1.93	2.00	28.0	-1.00
79X08	552.0	554.0	2.0	2893	4L728	-1	-1.00	-1	0.55	0.25	0.30	8.0	-1.00
79X08	554.0	555.5	1.5	2894	4L7	-1	-1.00	-1	0.81	0.53	0.28	10.0	-1.00
79X08	555.5	558.0	2.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X08	558.0	560.0	2.0	2895	4L7	-1	-1.00	-1	0.04	0.01	0.03	2.0	-1.00
79X08	560.0	562.0	2.0	2896	4L7	-1	-1.00	-1	0.17	0.09	0.08	4.0	-1.00
79X08	562.0	564.0	2.0	2897	4L7	-1	-1.00	-1	0.06	0.02	0.04	2.0	-1.00
79X08	564.0	566.0	2.0	2898	4L7	-1	-1.00	-1	0.13	0.07	0.06	3.0	-1.00
79X08	566.0	566.7	0.7	2899	4L7	-1	-1.00	-1	0.19	0.09	0.10	3.0	-1.00
79X08	566.7	567.1	0.4	2900	4H9	-1	-1.00	-1	1.95	0.92	1.03	18.0	-1.00
79X08	567.1	568.1	1.0	2951	4L719	-1	-1.00	-1	1.05	0.59	0.46	14.0	-1.00
79X08	568.1	569.0	0.9	2952	4D89	-1	-1.00	-1	3.27	1.90	1.37	27.0	-1.00
79X08	569.0	569.5	0.5	2953	4L1	-1	-1.00	-1	1.30	0.63	0.67	11.0	-1.00
79X08	569.5	572.0	2.5	2954	4G489	-1	4.30	-1	8.24	3.96	4.28	59.0	1.99
79X08	572.0	573.2	1.2	2955	4A4	-1	2.96	-1	5.48	1.88	3.60	29.0	2.33
79X08	573.2	574.2	1.0	2956	4K19	-1	-1.00	-1	0.31	0.20	0.11	19.0	-1.00
79X08	574.2	576.2	2.0	2957	4A9	-1	-1.00	-1	1.19	0.77	0.42	19.0	-1.00
79X08	576.2	577.7	1.5	2958	4C79	-1	-1.00	-1	0.75	0.55	0.20	20.0	-1.00
79X08	577.7	579.7	2.0	2959	5A7	-1	-1.00	-1	0.16	0.07	0.09	5.0	-1.00
79X08	579.7	581.9	2.2	2960	4L7	-1	-1.00	-1	0.03	0.01	0.02	3.0	-1.00
79X08	581.9	586.6	4.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X08	586.6	588.3	1.7	2961	4A0	-1	-1.00	-1	0.83	0.30	0.53	6.0	-1.00
79X08	588.3	588.7	0.4	2962	4L27	-1	-1.00	-1	0.35	0.06	0.29	3.0	-1.00
79X08	588.7	589.1	0.4	2963	4A0	-1	-1.00	-1	0.45	0.06	0.39	4.0	-1.00

79X08	592.4	592.9	0.5	2965	4A0	-1	-1.00	-1	0.16	0.10	0.06	4.0	-1.00
79X08	592.9	593.8	0.9	2966	4L679	-1	-1.00	-1	0.79	0.34	0.45	20.0	-1.00
79X08	593.8	595.8	2.0	2967	4L7	-1	-1.00	-1	0.02	0.01	0.01	1.0	-1.00
79X08	595.8	597.2	1.4	2968	4L6	-1	-1.00	-1	0.26	0.24	0.02	4.0	-1.00
79X08	597.2	597.5	0.3	2969	4C9	-1	-1.00	-1	3.16	1.79	1.37	30.0	-1.00
79X08	597.5	598.0	0.5	2979	4K0	-1	-1.00	-1	1.16	0.42	0.74	16.0	-1.00
79X08	598.0	599.2	1.2	2980	4K0	-1	-1.00	-1	1.21	0.82	0.39	16.0	-1.00
79X08	599.2	600.2	1.0	2981	4E9	-1	-1.00	-1	0.72	0.51	0.21	14.0	-1.00
79X08	600.2	602.3	2.1	2982	4L0	-1	-1.00	-1	0.40	0.19	0.21	4.0	-1.00
79X08	602.3	605.3	3.0	2983	4L9	-1	-1.00	-1	0.24	0.13	0.11	5.0	-1.00

C.R.I. 11-Mar-91

wh386\fr:\dy\dytab4.wk3

page 17

DY FCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X08	605.3	606.2	0.9	2984	4C79	-1	-1.00	-1	0.33	0.30	0.03	8.0	-1.00
79X08	606.2	608.0	1.8	2985	4L79	-1	-1.00	-1	0.16	0.13	0.03	5.0	-1.00
79X08	608.0	610.2	2.2	2986	4C7	-1	-1.00	-1	1.14	0.38	0.76	11.0	-1.00
79X08	610.2	610.8	0.6	2987	4A0	-1	-1.00	-1	0.06	0.04	0.02	5.0	-1.00
79X08	610.8	616.2	5.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X08	616.2	617.8	1.6	2988	4C78	-1	-1.00	-1	1.16	0.14	1.02	6.0	-1.00
79X08	617.8	618.8	1.0	2989	4C78	-1	-1.00	-1	0.50	0.17	0.33	5.0	-1.00
79X08	618.8	620.5	1.7	2990	4L65	-1	-1.00	-1	0.48	0.05	0.43	3.0	-1.00
79X08	620.5	622.0	1.5	2991	4E879	-1	-1.00	-1	3.87	2.50	1.37	40.0	-1.00
79X08	622.0	623.3	1.3	2992	4E879	-1	-1.00	-1	2.98	1.87	1.11	24.0	-1.00
79X08	623.3	624.6	1.3	2993	4G8	-1	-1.00	-1	7.80	4.20	3.60	53.0	-1.00
79X08	624.6	675.2	50.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X08	675.2	676.3	1.1	2994	4A4	-1	-1.00	-1	4.55	1.56	2.99	25.0	-1.00
79X08	676.3	677.7	1.4	2995	4G0	-1	1.90	-1	10.37	4.61	5.76	97.0	0.38
79X08	677.7	679.1	1.4	2996	4G0	-1	4.04	-1	11.28	4.94	6.34	113.0	1.92
79X08	679.1	680.5	1.4	2997	4A4	-1	2.95	-1	6.66	2.64	4.02	43.0	0.86
79X08	680.5	681.5	1.0	2998	4A4	-1	2.62	-1	6.14	2.30	3.84	36.0	0.89
79X08	681.5	683.5	2.0	2999	4A0	-1	-1.00	-1	3.97	1.57	2.40	25.0	-1.00
79X08	683.5	685.5	2.0	3000	4A0	-1	-1.00	-1	1.60	0.69	0.91	13.0	-1.00
79X08	685.5	687.5	2.0	701	4A0	-1	-1.00	-1	2.09	0.74	1.35	13.0	-1.00
79X08	687.5	689.1	1.6	702	4A0	-1	-1.00	-1	1.61	0.65	0.96	13.0	-1.00
79X08	689.1	689.4	0.3	703	5D6	-1	-1.00	-1	0.06	0.03	0.03	3.0	-1.00
79X08	689.4	691.0	1.6	704	4A0	-1	-1.00	-1	1.73	0.81	0.92	16.0	-1.00
79X08	691.0	692.9	1.9	705	4A0	-1	-1.00	-1	2.33	0.92	1.41	18.0	-1.00
79X08	692.9	695.1	2.2	706	4L1	-1	-1.00	-1	2.59	1.21	1.38	17.0	-1.00
79X08	695.1	696.6	1.5	707	4A0	-1	-1.00	-1	2.98	0.90	2.08	14.0	-1.00
79X08	696.6	750.0	53.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X08	750.0	751.4	1.4	668	4A4	-1	-1.00	-1	2.87	0.85	2.02	9.0	-1.00
79X08	751.4	752.4	1.0	669	4A4	-1	-1.00	-1	5.63	2.84	2.79	25.0	-1.00
79X08	752.4	754.4	2.0	670	4A7	-1	-1.00	-1	0.27	0.17	0.10	3.0	-1.00
79X08	754.4	755.7	1.3	671	4A7	-1	-1.00	-1	0.16	0.09	0.07	3.0	-1.00
79X08	755.7	756.7	1.0	672	5D0	-1	-1.00	-1	0.38	0.14	0.24	3.0	-1.00
79X08	756.7	757.3	0.6	673	4A9	-1	-1.00	-1	2.37	0.91	1.46	14.0	-1.00
79X08	757.3	759.4	2.1	674	4C9	-1	-1.00	-1	5.96	2.51	3.45	36.0	-1.00
79X08	759.4	761.0	1.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X08	761.0	761.8	0.8	675	4L7	-1	-1.00	-1	0.19	0.08	0.11	4.0	-1.00
79X08	761.8	956.7	194.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X09	0.0	502.6	502.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X09	502.6	504.6	2.0	806	4L3	-1	-1.00	-1	0.02	0.01	0.01	3.0	-1.00
79X09	504.6	506.8	2.2	807	4L3	-1	-1.00	-1	0.03	0.02	0.01	3.0	-1.00
79X09	506.8	509.1	2.3	808	4K9	-1	-1.00	-1	0.06	0.05	0.01	12.0	-1.00
79X09	509.1	510.4	1.3	809	4K9	-1	-1.00	-1	0.04	0.03	0.01	7.0	-1.00

9.927-13.5m
L1

79X09	510.9	511.6	0.7	811	4K9	-1	-1.00	-1	0.57	0.32	0.25	14.0	-1.00
79X09	511.6	513.6	2.0	812	4K9	-1	-1.00	-1	0.72	0.43	0.29	14.0	-1.00
79X09	513.6	514.6	1.0	813	4K0	-1	-1.00	-1	0.06	0.05	0.01	7.0	-1.00
79X09	514.6	515.6	1.0	814	4C0	-1	-1.00	-1	0.05	0.04	0.01	7.0	-1.00
79X09	515.6	517.6	2.0	815	4A0	-1	-1.00	-1	0.04	0.03	0.01	4.0	-1.00
79X09	517.6	519.6	2.0	816	4A0	-1	-1.00	-1	0.05	0.03	0.02	3.0	-1.00
79X09	519.6	521.6	2.0	817	4A0	-1	-1.00	-1	0.04	0.02	0.02	4.0	-1.00
79X09	521.6	522.2	0.6	818	4A0	-1	-1.00	-1	0.03	0.02	0.01	4.0	-1.00
79X09	522.2	523.6	1.4	819	4C0	-1	-1.00	-1	0.14	0.09	0.05	6.0	-1.00
79X09	523.6	525.0	1.4	820	4A0	-1	-1.00	-1	0.04	0.03	0.01	5.0	-1.00
79X09	525.0	525.6	0.6	821	4C0	-1	-1.00	-1	0.05	0.03	0.02	4.0	-1.00

C.R.I. 11-Mar-91

page 18

wh386\fr:\dy\dytab4.wk3

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X09	525.6	526.4	0.8	822	4K0	-1	-1.00	-1	0.16	0.07	0.09	11.0	-1.00
79X09	526.4	527.6	1.2	823	4C0	-1	-1.00	-1	0.22	0.13	0.09	7.0	-1.00
79X09	527.6	528.8	1.2	824	4K0	-1	-1.00	-1	0.18	0.13	0.05	14.0	-1.00
79X09	528.8	530.0	1.2	825	4A1	-1	-1.00	-1	2.09	0.83	1.26	17.0	-1.00
79X09	530.0	531.2	1.2	826	4A1	-1	-1.00	-1	2.53	1.17	1.36	23.0	-1.00
79X09	531.2	532.5	1.3	827	4C0	-1	-1.00	-1	0.14	0.08	0.06	4.0	-1.00
79X09	532.5	534.1	1.6	828	4A0	-1	-1.00	-1	3.18	1.40	1.78	28.0	-1.00
79X09	534.1	535.9	1.8	829	4L627	-1	-1.00	-1	1.36	0.68	0.68	14.0	-1.00
79X09	535.9	536.2	0.3	830	4A4	-1	-1.00	-1	6.43	1.51	4.92	19.0	-1.00
79X09	536.2	580.2	44.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X09	580.2	582.2	2.0	831	4A4	-1	-1.00	-1	6.38	1.63	4.75	32.0	-1.00
79X09	582.2	584.2	2.0	832	4A4	-1	-1.00	-1	5.46	1.82	3.64	30.0	-1.00
79X09	584.2	586.2	2.0	833	4A4	-1	-1.00	-1	6.66	1.89	4.77	33.0	-1.00
79X09	586.2	587.6	1.4	834	4A4	-1	-1.00	-1	4.00	1.24	2.76	26.0	-1.00
79X09	587.6	592.8	5.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X09	592.8	595.0	2.2	836	4A0	-1	-1.00	-1	1.81	1.02	0.79	11.0	-1.00
79X09	595.0	597.2	2.2	837	4L6	-1	-1.00	-1	2.90	0.89	2.01	11.0	-1.00
79X09	597.2	597.9	0.7	838	4A0	-1	-1.00	-1	3.14	0.49	2.65	9.0	-1.00
79X09	597.9	598.1	0.2	839	5D3	-1	-1.00	-1	0.15	0.05	0.10	2.0	-1.00
79X09	598.1	600.3	2.2	840	4A0	-1	-1.00	-1	3.83	1.00	2.83	17.0	-1.00
79X09	600.3	602.5	2.2	841	4A0	-1	-1.00	-1	3.50	0.82	2.68	15.0	-1.00
79X09	602.5	604.5	2.0	842	4L7	-1	-1.00	-1	5.65	1.56	4.09	23.0	-1.00
79X09	604.5	606.0	1.5	843	4L7	-1	-1.00	-1	7.46	2.31	5.15	34.0	-1.00
79X09	606.0	607.7	1.7	844	4L4	-1	-1.00	-1	3.65	1.00	2.65	16.0	-1.00
79X09	607.7	609.1	1.4	845	4A0	-1	-1.00	-1	0.58	0.23	0.35	5.0	-1.00
79X09	609.1	609.9	0.8	846	5D3	-1	-1.00	-1	0.32	0.09	0.23	3.0	-1.00
79X09	609.9	611.3	1.4	847	4L47	-1	-1.00	-1	1.93	0.40	1.53	7.0	-1.00
79X09	611.3	612.6	1.3	848	4D1	-1	-1.00	-1	6.14	1.60	4.54	26.0	-1.00
79X09	612.6	614.6	2.0	849	4L14	-1	-1.00	-1	7.47	3.53	3.94	52.0	-1.00
79X09	614.6	616.6	2.0	850	4L14	-1	-1.00	-1	2.91	1.54	1.37	24.0	-1.00
79X09	616.6	618.3	1.7	708	4L14	-1	-1.00	-1	3.36	1.77	1.59	23.0	-1.00
79X09	618.3	620.3	2.0	709	4D14	-1	-1.00	-1	3.01	1.46	1.55	22.0	-1.00
79X09	620.3	622.0	1.7	710	4D14	-1	-1.00	-1	3.38	1.33	2.05	18.0	-1.00
79X09	622.0	622.7	0.7	711	4D14	-1	-1.00	-1	8.19	2.15	6.04	38.0	-1.00
79X09	622.7	623.1	0.4	712	5D3	-1	-1.00	-1	4.67	1.35	3.32	23.0	-1.00
79X09	623.1	624.1	1.0	713	4L14	-1	-1.00	-1	8.64	2.32	6.32	48.0	-1.00
79X09	624.1	625.6	1.5	714	5D3	-1	-1.00	-1	1.46	0.39	1.07	7.0	-1.00
79X09	625.6	627.2	1.6	715	4L6	-1	-1.00	-1	1.10	0.27	0.83	6.0	-1.00
79X09	627.2	627.8	0.6	716	4L4	-1	-1.00	-1	0.85	0.16	0.69	3.0	-1.00
79X09	627.8	629.7	1.9	717	5D3	-1	-1.00	-1	0.57	0.19	0.38	8.0	-1.00
79X09	629.7	630.2	0.5	718	4L147	-1	-1.00	-1	2.50	0.69	1.81	14.0	-1.00

79X09	632.0	634.0	2.0	720	4A0	-1	-1.00	-1	1.69	0.56	1.13	11.0	-1.00
79X09	634.0	636.0	2.0	721	4A0	-1	-1.00	-1	0.50	0.23	0.27	5.0	-1.00
79X09	636.0	636.8	0.8	722	4A0	-1	-1.00	-1	3.13	1.55	1.58	28.0	-1.00
79X09	636.8	638.8	2.0	723	4A4	-1	2.77	-1	9.29	3.78	5.51	51.0	0.65
79X09	638.8	640.1	1.3	724	4A4	-1	2.91	-1	9.27	3.55	5.72	47.0	0.69
79X09	640.1	640.9	0.8	725	4D9	-1	3.61	-1	9.28	4.52	4.76	46.0	2.30
79X09	640.9	642.9	2.0	726	4D1	-1	3.22	-1	7.58	3.55	4.03	50.0	0.86
79X09	642.9	644.9	2.0	727	4D1	-1	3.11	-1	4.23	1.47	2.76	26.0	1.82
79X09	644.9	646.9	2.0	728	4D1	-1	3.24	-1	8.95	3.33	5.62	50.0	1.23
79X09	646.9	648.4	1.5	729	4D1	-1	-1.00	-1	3.52	1.29	2.23	26.0	-1.00
79X09	648.4	649.2	0.8	730	4C0	-1	-1.00	-1	1.40	0.59	0.81	13.0	-1.00
79X09	649.2	651.0	1.8	731	4D0	-1	-1.00	-1	4.64	2.36	2.28	35.0	-1.00

C.R.I. 11-Mar-91

page 19

wh386\zf:\dy\dytab4.wk3

BY FCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X09	651.0	653.0	2.0	732	4C9	-1	-1.00	-1	1.52	0.65	0.87	19.0	-1.00
79X09	653.0	653.5	0.5	733	4D0	-1	-1.00	-1	6.78	2.55	4.23	40.0	-1.00
79X09	653.5	654.3	0.8	734	4L4	-1	-1.00	-1	1.19	0.37	0.82	6.0	-1.00
79X09	654.3	656.1	1.8	735	4A0	-1	-1.00	-1	7.45	3.06	4.39	49.0	-1.00
79X09	656.1	657.3	1.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X09	657.3	658.3	1.0	736	4A4	-1	-1.00	-1	9.05	2.16	6.89	35.0	-1.00
79X09	658.3	795.3	137.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X11	0.0	742.1	742.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X11	742.1	742.6	0.5	1135	4G49	-1	-1.00	-1	14.60	6.30	8.30	109.0	-1.00
79X11	742.6	743.3	0.7	1136	4C9	-1	-1.00	-1	1.68	1.01	0.67	16.0	-1.00
79X11	743.3	745.6	2.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X11	745.6	747.7	2.1	1137	4K9	-1	-1.00	-1	2.36	1.41	0.95	15.0	-1.00
79X11	747.7	749.7	2.0	1138	4K89	-1	4.46	-1	7.43	6.50	0.93	36.0	1.82
79X11	749.7	750.9	1.2	1139	4G48	-1	4.33	-1	14.22	7.78	6.44	103.0	1.03
79X11	750.9	751.5	0.6	1140	4K8	-1	4.50	-1	6.70	3.73	2.97	50.0	1.78
79X11	751.5	753.0	1.5	1141	4G48	-1	4.63	-1	12.87	7.07	5.80	92.0	1.03
79X11	753.0	754.0	1.0	1142	4K8	-1	4.60	-1	9.98	6.86	3.12	73.0	1.82
79X11	754.0	755.4	1.4	1143	4G483	-1	4.57	-1	12.78	6.12	6.66	89.0	0.82
79X11	755.4	757.5	2.1	1144	4K89	-1	-1.00	-1	2.36	1.37	0.99	25.0	-1.00
79X11	757.5	759.3	1.8	1145	4K9	-1	-1.00	-1	0.63	0.34	0.29	14.0	-1.00
79X11	759.3	761.1	1.8	1146	4K9	-1	-1.00	-1	1.98	1.15	0.83	18.0	-1.00
79X11	761.1	762.1	1.0	1147	4J4	-1	4.56	-1	18.85	12.35	6.50	131.0	0.58
79X11	762.1	762.7	0.6	1148	4G4	-1	2.84	-1	7.07	2.60	4.47	35.0	0.51
79X11	762.7	763.5	0.8	1149	4D8	-1	4.12	-1	12.84	7.00	5.84	80.0	0.55
79X11	763.5	765.5	2.0	1150	4G483	-1	4.33	-1	11.20	5.40	5.80	86.0	0.48
79X11	765.5	767.1	1.6	1251	4A4	-1	4.38	-1	14.79	5.61	9.18	74.0	0.45
79X11	767.1	769.6	2.5	1252	4A4	-1	2.66	-1	5.81	1.91	3.60	27.0	0.48
79X11	769.6	770.1	0.5	1253	4E1	-1	4.37	-1	12.11	5.17	6.94	90.0	1.06
79X11	770.1	779.2	9.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X11	779.2	779.8	0.6	1254	4E9	-1	-1.00	-1	4.54	1.78	2.76	36.0	-1.00
79X11	779.8	781.5	1.7	1255	4G43	-1	4.50	-1	19.73	11.86	7.87	143.0	1.41
79X11	781.5	783.0	1.5	1256	4G43	-1	4.50	-1	12.24	7.24	5.00	99.0	1.27
79X11	783.0	784.7	1.7	1257	4G43	-1	4.50	-1	17.49	8.05	9.44	145.0	1.92
79X11	784.7	785.7	1.0	1258	4K469	-1	4.61	-1	3.37	2.56	0.81	47.0	1.27
79X11	785.7	787.2	1.5	1259	4K46	-1	4.66	-1	15.81	7.36	8.45	92.0	1.03
79X11	787.2	789.2	2.0	1260	4K469	-1	4.10	-1	5.95	3.32	2.63	67.0	0.79
79X11	789.2	790.7	1.5	1261	4G43	-1	4.61	-1	16.05	7.26	8.79	92.0	0.51
79X11	790.7	792.3	1.6	1262	4E84	-1	4.45	-1	8.16	4.80	3.36	77.0	0.48
79X11	792.3	793.6	1.3	1263	4E849	-1	4.24	-1	2.31	1.20	1.11	39.0	0.58
79X11	793.6	795.0	1.4	1264	4G483	-1	4.39	-1	12.29	6.02	6.27	89.0	0.93
79X11	795.0	796.2	1.2	1265	4G483	-1	4.34	-1	10.65	5.44	5.31	71.0	0.70

L1 11.97% / 5.7m

9.04% / 17.4m

L1R 13.28% / 6.0m

79X11	796.2	797.7	1.5	1266	4D84	-1	-1.00	-1	5.39	3.23	2.16	35.0	-1.00
79X11	797.7	799.7	2.0	1267	4D789	-1	-1.00	-1	5.89	2.53	3.36	34.0	-1.00
79X11	799.7	801.7	2.0	1268	4D789	-1	-1.00	-1	5.25	1.77	3.48	28.0	-1.00
79X11	801.7	802.9	1.2	1269	4D784	-1	-1.00	-1	7.81	2.35	5.46	34.0	-1.00
79X11	802.9	804.3	1.4	1270	4D789	-1	-1.00	-1	1.40	0.63	0.77	13.0	-1.00
79X11	804.3	805.2	0.9	1236	4A739	-1	-1.00	-1	2.13	1.43	0.70	21.0	-1.00
79X11	805.2	807.4	2.2	1237	4A739	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X11	807.4	808.9	1.5	1238	4L179	-1	-1.00	-1	0.25	0.15	0.10	6.0	-1.00
79X11	808.9	810.5	1.6	1239	4L179	-1	-1.00	-1	0.56	0.20	0.36	9.0	-1.00
79X11	810.5	812.2	1.7	1240	4L179	-1	-1.00	-1	1.61	0.39	1.22	12.0	-1.00
79X11	812.2	813.8	1.6	1241	4L179	-1	-1.00	-1	0.34	0.15	0.19	9.0	-1.00
79X11	813.8	819.1	5.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X11	819.1	819.8	0.7	1242	4E0	-1	-1.00	-1	3.95	1.77	2.18	27.0	-1.00

C.R.I. 11-Mar-91

page 20

wh386\lf:\dy\dytab4.wk3

DY PCXPLOR DATABASE -- ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X11	819.8	829.3	9.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X11	829.3	830.9	1.6	1271	4A0	-1	-1.00	-1	0.12	0.06	0.06	4.0	-1.00
79X11	830.9	832.0	1.1	1272	5D9	-1	-1.00	-1	0.12	0.02	0.10	2.0	-1.00
79X11	832.0	834.5	2.5	1273	4A0	-1	-1.00	-1	0.53	0.32	0.21	6.0	-1.00
79X11	834.5	835.0	0.5	1274	4K49	-1	-1.00	-1	4.04	2.60	1.44	34.0	-1.00
79X11	835.0	836.9	1.9	1275	4L67	-1	-1.00	-1	0.17	0.08	0.09	3.0	-1.00
79X11	836.9	838.7	1.8	1276	4L67	-1	-1.00	-1	0.11	0.05	0.06	4.0	-1.00
79X11	838.7	873.3	34.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X11	873.3	875.2	1.9	1277	4L67	-1	-1.00	-1	0.19	0.11	0.08	5.0	-1.00
79X11	875.2	877.1	1.9	1278	4A0	-1	-1.00	-1	0.34	0.32	0.02	7.0	-1.00
79X11	877.1	878.8	1.7	1279	4A0	-1	-1.00	-1	0.44	0.30	0.14	6.0	-1.00
79X11	878.8	880.2	1.4	1280	4A4	-1	-1.00	-1	4.15	1.80	2.35	30.0	-1.00
79X11	880.2	881.9	1.7	1281	4L148	-1	-1.00	-1	5.74	1.59	4.15	23.0	-1.00
79X11	881.9	883.7	1.8	1282	4L148	-1	-1.00	-1	6.33	2.16	4.17	29.0	-1.00
79X11	883.7	885.5	1.8	1283	4L148	-1	-1.00	-1	9.76	3.35	6.41	49.0	-1.00
79X11	885.5	887.5	2.0	1284	5A9	-1	-1.00	-1	0.28	0.09	0.19	3.0	-1.00
79X11	887.5	889.4	1.9	1285	5A9	-1	-1.00	-1	0.06	0.05	0.01	2.0	-1.00
79X11	889.4	891.1	1.7	1286	5A9	-1	-1.00	-1	0.26	0.18	0.08	3.0	-1.00
79X11	891.1	892.5	1.4	1287	5A9	-1	-1.00	-1	0.62	0.35	0.27	7.0	-1.00
79X11	892.5	893.4	0.9	1288	4L794	-1	-1.00	-1	3.81	1.77	2.04	28.0	-1.00
79X11	893.4	894.0	0.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X11	894.0	896.0	2.0	1289	4L749	-1	-1.00	-1	3.96	1.84	2.12	25.0	-1.00
79X11	896.0	897.9	1.9	1290	4L491	-1	-1.00	-1	1.61	0.67	0.94	10.0	-1.00
79X11	897.9	899.7	1.8	1291	4L749	-1	-1.00	-1	1.42	0.58	0.84	7.0	-1.00
79X11	899.7	901.6	1.9	1292	4L741	-1	-1.00	-1	2.28	0.91	1.37	12.0	-1.00
79X11	901.6	903.4	1.8	1293	4L741	-1	-1.00	-1	1.04	0.38	0.66	7.0	-1.00
79X11	903.4	971.1	67.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X12	0.0	723.8	723.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X12	723.8	724.4	0.6	1201	4E1	-1	3.27	-1	6.78	3.08	3.70	50.0	0.51
79X12	724.4	725.0	0.6	1202	4B4	-1	4.47	-1	11.55	4.77	6.78	63.0	0.65
79X12	725.0	727.0	2.0	1203	4D48	-1	4.35	-1	10.66	5.00	5.66	74.0	0.58
79X12	727.0	729.0	2.0	1204	4B4	-1	4.49	-1	7.32	3.48	3.84	50.0	1.23
79X12	729.0	730.0	1.0	1205	4G4	-1	4.25	-1	9.01	5.14	3.87	57.0	0.24
79X12	730.0	732.3	2.3	1206	4G48	-1	4.21	-1	11.84	5.56	6.28	88.0	0.79
79X12	732.3	733.5	1.2	1207	4G48	-1	3.70	-1	11.77	5.79	5.98	83.0	0.34
79X12	733.5	735.0	1.5	1208	4D0	-1	4.31	-1	11.01	5.74	5.27	76.0	0.45
79X12	735.0	736.1	1.1	1209	4EB97	-1	-1.00	-1	3.60	2.10	1.50	40.0	-1.00
79X12	736.1	737.3	1.2	1210	4B4	-1	-1.00	-1	7.57	3.45	4.12	41.0	-1.00
79X12	737.3	737.7	0.4	1211	4E4	-1	-1.00	-1	8.13	4.09	4.04	56.0	-1.00
79X12	737.7	738.8	1.1	1212	4K1	-1	-1.00	-1	2.52	1.53	0.88	24.0	-1.00

10.35%
10.6m

79X12	738.8	740.8	2.0	1213	4C0	-1	-1.00	-1	3.42	1.49	1.93	22.0	-1.00
79X12	740.8	743.1	2.3	1214	4C0	-1	-1.00	-1	2.62	1.31	1.31	20.0	-1.00
79X12	743.1	745.1	2.0	1215	4C79	-1	-1.00	-1	1.77	0.88	0.89	19.0	-1.00
79X12	745.1	746.0	0.9	1216	4C79	-1	-1.00	-1	0.19	0.11	0.08	8.0	-1.00
79X12	746.0	747.0	1.0	1217	4C89	-1	-1.00	-1	0.19	0.11	0.08	6.0	-1.00
79X12	747.0	749.5	2.5	1218	4A0	-1	-1.00	-1	1.10	0.44	0.66	8.0	-1.00
79X12	749.5	750.0	0.5	1219	4E9	-1	-1.00	-1	4.29	2.63	1.66	39.0	-1.00
79X12	750.0	750.8	0.8	1220	4B9	-1	-1.00	-1	14.42	5.54	8.88	91.0	-1.00
79X12	750.8	751.4	0.6	1221	4A0	-1	-1.00	-1	4.61	1.64	2.97	35.0	-1.00
79X12	751.4	753.4	2.0	1222	4E89	-1	-1.00	-1	1.59	0.92	0.67	28.0	-1.00
79X12	753.4	754.9	1.5	1223	4E89	-1	-1.00	-1	0.43	0.33	0.10	21.0	-1.00
79X12	754.9	763.6	8.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X12	763.6	764.1	0.5	1224	4A0	-1	-1.00	-1	1.76	0.85	0.91	22.0	-1.00
79X12	764.1	764.5	0.4	1225	4E9	-1	-1.00	-1	2.16	1.06	1.10	30.0	-1.00

C.R.I. 11-Mar-91

wh386\fr:\dy\dytab4.wk3

page 21

DY PCXFLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X12	764.5	765.5	1.0	1226	4G49	-1	-1.00	-1	1.47	0.74	0.73	24.0	-1.00
79X12	765.5	766.2	0.7	1227	4A9	-1	-1.00	-1	0.65	0.42	0.23	8.0	-1.00
79X12	766.2	767.2	1.0	1228	4G49	-1	-1.00	-1	4.53	2.74	1.79	32.0	-1.00
79X12	767.2	769.3	2.1	1229	4L4	-1	-1.00	-1	1.24	0.73	0.51	5.0	-1.00
79X12	769.3	771.8	2.5	1230	4L7	-1	-1.00	-1	0.32	0.18	0.14	1.0	-1.00
79X12	771.8	772.1	0.3	1231	4D49	-1	-1.00	-1	3.39	1.69	1.70	28.0	-1.00
79X12	772.1	773.2	1.1	1232	4E89	-1	-1.00	-1	2.03	1.00	1.03	22.0	-1.00
79X12	773.2	831.0	57.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X12	831.0	833.0	2.0	1233	4A0	-1	-1.00	-1	1.70	0.63	1.07	9.0	-1.00
79X12	833.0	835.0	2.0	1234	4A0	-1	-1.00	-1	1.38	0.63	0.75	8.0	-1.00
79X12	835.0	837.0	2.0	1235	4A0	-1	-1.00	-1	0.07	0.03	0.04	0.1	-1.00
79X12	837.0	858.1	21.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X12	858.1	859.4	1.3	1324	4C79	-1	-1.00	-1	8.52	4.16	4.36	45.0	-1.00
79X12	859.4	971.1	111.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X13	0.0	771.3	771.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X13	771.3	772.5	1.2	1488	4K0	-1	-1.00	-1	4.90	3.42	1.48	56.0	-1.00
79X13	772.5	774.4	1.9	1489	4L643	-1	3.46	-1	11.84	7.60	4.24	77.0	0.79
79X13	774.4	775.1	0.7	1490	4E4	-1	3.83	-1	8.31	3.38	4.93	59.0	0.65
79X13	775.1	777.1	2.0	1491	4B4	-1	4.21	-1	16.84	7.48	9.36	87.0	1.44
79X13	777.1	779.1	2.0	1492	4G4	-1	4.46	-1	14.71	6.38	8.33	111.0	1.47
79X13	779.1	779.6	0.5	1493	4L4	-1	3.06	-1	9.05	4.01	5.04	60.0	1.41
79X13	779.6	781.3	1.7	1494	4G4	-1	4.19	-1	16.51	7.46	9.05	109.0	1.54
79X13	781.3	786.0	4.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X13	786.0	787.5	1.5	1495	4G4	-1	4.42	-1	16.29	7.66	8.63	93.0	0.45
79X13	787.5	789.0	1.5	1496	4G4	-1	4.36	-1	16.38	7.31	9.07	120.0	0.38
79X13	789.0	790.2	1.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X13	790.2	791.6	1.4	1497	4L4	-1	3.70	-1	15.26	9.24	6.02	98.0	0.93
79X13	791.6	803.4	11.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X13	803.4	805.6	2.2	3128	4E9	-1	-1.00	-1	6.40	2.79	3.61	74.0	-1.00
79X13	805.6	841.7	36.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X13	841.7	843.6	1.9	3129	4L5	-1	-1.00	-1	0.10	0.04	0.06	1.0	-1.00
79X13	843.6	911.2	67.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X13	911.2	911.5	0.3	3130	4L24	-1	-1.00	-1	0.30	0.06	0.24	1.0	-1.00
79X13	911.5	912.1	0.6	3131	4C0	-1	-1.00	-1	2.33	1.32	1.01	17.0	-1.00
79X13	912.1	914.5	2.4	3132	4G8	-1	-1.00	-1	8.00	3.96	4.04	49.0	-1.00
79X13	914.5	1014.9	100.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X14	0.0	686.3	686.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X14	686.3	688.6	2.3	3066	4C89	-1	-1.00	-1	6.46	3.70	2.76	49.0	-1.00

88

79X14	689.0	689.8	0.8	3068	4C289	-1	-1.00	-1	2.29	1.52	0.77	22.0	-1.00
79X14	689.8	690.6	0.8	3069	4L0	-1	-1.00	-1	0.03	0.02	0.01	0.1	-1.00
79X14	690.6	704.1	13.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X14	704.1	705.7	1.6	3070	4C79	-1	-1.00	-1	2.55	1.68	0.87	20.0	-1.00
79X14	705.7	706.4	0.7	3071	4A0	-1	-1.00	-1	0.82	0.47	0.35	2.0	-1.00
79X14	706.4	708.4	2.0	3072	4G89	-1	-1.00	-1	6.79	3.81	2.98	51.0	-1.00
79X14	708.4	710.4	2.0	3073	4G8	-1	-1.00	-1	6.18	3.26	2.92	47.0	-1.00
79X14	710.4	712.5	2.1	3074	4G8	-1	-1.00	-1	6.34	3.43	2.91	42.0	-1.00
79X14	712.5	713.0	0.5	3075	4L79	-1	-1.00	-1	1.46	0.79	0.67	15.0	-1.00
79X14	713.0	714.3	1.3	3076	4A0	-1	-1.00	-1	0.30	0.19	0.11	3.0	-1.00
79X14	714.3	715.5	1.2	3077	4L2	-1	-1.00	-1	2.42	1.24	1.18	23.0	-1.00
79X14	715.5	717.5	2.0	3078	4G89	-1	-1.00	-1	6.38	3.54	2.84	42.0	-1.00
79X14	717.5	719.5	2.0	3079	4G89	-1	4.52	-1	7.21	3.86	3.35	53.0	0.93
79X14	719.5	720.5	1.0	3080	4G8	-1	4.44	-1	11.61	5.53	6.08	78.0	0.93
79X14	720.5	720.8	0.3	3081	4E0	-1	-1.00	-1	4.17	2.20	1.97	58.0	-1.00

C.R.I. 11-Mar-91

wh386\frz\dy\dytab4.wk3

page 22

DY PCXFLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X14	720.8	722.2	1.4	3082	4A0	-1	-1.00	-1	3.56	1.43	2.13	25.0	-1.00
79X14	722.2	723.9	1.7	3083	4A0	-1	-1.00	-1	4.46	1.50	2.96	23.0	-1.00
79X14	723.9	734.1	10.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X14	734.1	734.9	0.8	3084	4C2	-1	-1.00	-1	0.72	0.19	0.53	6.0	-1.00
79X14	734.9	742.0	7.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X14	742.0	743.9	1.9	3085	4L42	-1	-1.00	-1	0.93	0.73	0.20	5.0	-1.00
79X14	743.9	745.9	2.0	3086	4L629	-1	-1.00	-1	2.58	0.51	2.07	8.0	-1.00
79X14	745.9	747.9	2.0	3087	4L629	-1	-1.00	-1	0.15	0.07	0.08	3.0	-1.00
79X14	747.9	749.9	2.0	3088	4L629	-1	-1.00	-1	0.30	0.10	0.20	15.0	-1.00
79X14	749.9	787.7	37.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X14	787.7	788.3	0.6	3089	4C9	-1	-1.00	-1	4.87	1.95	2.92	34.0	-1.00
79X14	788.3	788.8	0.5	3090	4E9	-1	-1.00	-1	1.81	0.80	1.01	22.0	-1.00
79X14	788.8	789.1	0.3	3091	4G4	-1	-1.00	-1	14.97	7.10	7.87	85.0	-1.00
79X14	789.1	790.3	1.2	3092	4E9	-1	-1.00	-1	1.30	0.59	0.71	22.0	-1.00
79X14	790.3	791.6	1.3	3093	4D46	-1	3.61	-1	8.47	3.07	5.40	59.0	0.99
79X14	791.6	792.1	0.5	3094	4G0	-1	4.33	-1	13.61	5.68	7.93	70.0	0.96
79X14	792.1	792.7	0.6	3095	4D6	-1	4.31	-1	9.07	4.17	4.90	56.0	0.79
79X14	792.7	794.2	1.5	3096	4E4	-1	4.78	-1	10.16	5.26	4.90	66.0	1.75
79X14	794.2	794.5	0.3	3097	4G9	-1	4.77	-1	7.82	2.95	4.87	50.0	2.40
79X14	794.5	795.7	1.2	3098	4E49	-1	4.30	-1	6.53	4.95	1.58	62.0	1.75
79X14	795.7	796.1	0.4	3099	4H2	-1	4.42	-1	14.21	8.37	5.84	115.0	1.03
79X14	796.1	798.1	2.0	3100	4K41	-1	4.35	-1	13.02	6.94	6.08	80.0	1.61
79X14	798.1	800.1	2.0	3133	4K491	-1	4.59	-1	10.90	7.20	3.70	88.0	1.65
79X14	800.1	802.1	2.0	3134	4K491	-1	4.36	-1	4.24	2.14	2.10	31.0	2.61
79X14	802.1	804.1	2.0	3135	4K491	-1	4.53	-1	5.20	3.51	1.69	36.0	2.02
79X14	804.1	804.6	0.5	3136	4K41	-1	4.37	-1	17.00	7.82	9.18	93.0	1.51
79X14	804.6	805.1	0.5	3137	4G4	-1	4.62	-1	11.37	5.04	6.33	56.0	1.20
79X14	805.1	807.1	2.0	3138	4K491	-1	-1.00	-1	5.52	2.78	2.74	43.0	-1.00
79X14	807.1	808.7	1.6	3139	4K491	-1	-1.00	-1	1.07	0.55	0.52	19.0	-1.00
79X14	808.7	809.1	0.4	3140	4G4	-1	-1.00	-1	17.58	7.62	9.96	87.0	-1.00
79X14	809.1	811.5	2.4	3141	5D3	-1	-1.00	-1	0.13	0.07	0.06	5.0	-1.00
79X14	811.5	812.4	0.9	3142	4G4	-1	-1.00	-1	18.80	8.82	9.98	92.0	-1.00
79X14	812.4	814.3	1.9	3143	4E419	-1	-1.00	-1	4.20	2.09	2.11	27.0	-1.00
79X14	814.3	815.6	1.3	3144	4A0	-1	-1.00	-1	1.13	0.42	0.71	8.0	-1.00
79X14	815.6	817.6	2.0	3145	4C9	-1	-1.00	-1	0.66	0.25	0.41	13.0	-1.00
79X14	817.6	819.3	1.7	3146	4C9	-1	-1.00	-1	2.80	1.01	1.79	24.0	-1.00
79X14	819.3	821.8	2.5	3147	4A0	-1	-1.00	-1	6.47	2.88	3.59	47.0	-1.00
79X14	821.8	822.5	0.7	3148	4G4	-1	-1.00	-1	17.11	5.50	11.10	24.0	1.70

.99% / 7.9m

10.73% / 8.5m

L2

6.55

79X14	822.5	824.8	2.3	3149	4A0	-1	3.19	-1	7.21	2.84	4.37	45.0	1.27
79X14	824.8	854.5	29.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X14	854.5	856.3	1.8	3150	4L4	-1	-1.00	-1	0.87	0.23	0.64	6.0	-1.00
79X14	856.3	856.8	0.5	3151	4E9	-1	-1.00	-1	1.90	1.23	0.67	23.0	-1.00
79X14	856.8	857.7	0.9	3152	4E7	-1	-1.00	-1	6.57	3.55	3.02	47.0	-1.00
79X14	857.7	902.4	44.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X14	902.4	903.9	1.5	3153	4A0	-1	-1.00	-1	0.30	0.16	0.14	6.0	-1.00
79X14	903.9	904.2	0.3	3154	4A7	-1	-1.00	-1	4.62	2.57	2.05	36.0	-1.00
79X14	904.2	905.0	0.8	3155	4C7	-1	-1.00	-1	0.10	0.08	0.02	7.0	-1.00
79X14	905.0	905.6	0.6	3156	4A79	-1	-1.00	-1	2.43	1.10	1.33	23.0	-1.00
79X14	905.6	907.6	2.0	3157	4A0	-1	-1.00	-1	0.31	0.13	0.18	1.0	-1.00
79X14	907.6	908.9	1.3	3158	4A0	-1	-1.00	-1	0.14	0.07	0.07	1.0	-1.00
79X14	908.9	913.4	4.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X14	913.4	915.4	2.0	3159	4A0	-1	-1.00	-1	1.08	0.70	0.38	10.0	-1.00
79X14	915.4	916.6	1.2	3160	4A0	-1	-1.00	-1	4.38	1.19	3.19	16.0	-1.00
79X14	916.6	927.9	11.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

C.R.I. 11-Mar-91

wh386\af:\dy\dytab4.wk3

page 23

DY PCXFLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X14	927.9	929.0	1.1	3161	4H4	-1	-1.00	-1	5.66	2.68	2.98	37.0	-1.00
79X14	929.0	929.7	0.7	3162	4L1	-1	-1.00	-1	0.68	0.20	0.48	0.1	-1.00
79X14	929.7	955.5	25.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X15	0.0	476.3	476.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X15	476.3	477.0	0.7	3163	4L7	-1	-1.00	-1	0.70	0.31	0.39	2.0	-1.00
79X15	477.0	479.0	2.0	3164	4KB9	-1	-1.00	-1	1.77	1.03	0.74	17.0	-1.00
79X15	479.0	480.7	1.7	3165	4KB	-1	-1.00	-1	0.27	0.18	0.09	6.0	-1.00
79X15	480.7	481.6	0.9	3166	4G0	-1	-1.00	-1	8.18	4.69	3.49	68.0	-1.00
79X15	481.6	482.7	1.1	3167	4K0	-1	-1.00	-1	5.09	2.75	2.34	41.0	-1.00
79X15	482.7	483.7	1.0	3168	4K0	-1	-1.00	-1	0.29	0.18	0.11	3.0	-1.00
79X15	483.7	484.8	1.1	3169	4C0	-1	-1.00	-1	4.88	2.30	2.58	31.0	-1.00
79X15	484.8	486.8	2.0	3170	4CB9	-1	-1.00	-1	5.74	2.68	3.06	34.0	-1.00
79X15	486.8	488.9	2.1	3171	4CB9	-1	-1.00	-1	4.70	2.26	2.44	33.0	-1.00
79X15	488.9	489.8	0.9	3172	4L7	-1	-1.00	-1	0.99	0.33	0.66	6.0	-1.00
79X15	489.8	490.2	0.4	3173	4CB9	-1	-1.00	-1	7.93	4.01	3.92	41.0	-1.00
79X15	490.2	492.2	2.0	3174	4L75	-1	-1.00	-1	1.49	0.84	0.65	12.0	-1.00
79X15	492.2	494.2	2.0	3175	4L75	-1	-1.00	-1	0.27	0.06	0.21	0.1	-1.00
79X15	494.2	496.4	2.2	3176	4L75	-1	-1.00	-1	0.16	0.10	0.06	0.1	-1.00
79X15	496.4	514.9	18.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X15	514.9	516.9	2.0	3177	4A0	-1	-1.00	-1	8.08	2.39	5.69	38.0	-1.00
79X15	516.9	518.3	1.4	3178	4A0	-1	-1.00	-1	1.62	0.67	0.95	18.0	-1.00
79X15	518.3	519.8	1.5	3179	4C0	-1	-1.00	-1	0.59	0.34	0.25	13.0	-1.00
79X15	519.8	521.9	2.1	3180	4A0	-1	-1.00	-1	0.02	0.01	0.01	2.0	-1.00
79X15	521.9	529.4	7.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X15	529.4	531.4	2.0	3181	4A0	-1	-1.00	-1	0.09	0.07	0.02	1.0	-1.00
79X15	531.4	533.4	2.0	3182	4A0	-1	-1.00	-1	0.16	0.09	0.07	2.0	-1.00
79X15	533.4	534.6	1.2	3183	4A0	-1	-1.00	-1	0.22	0.13	0.09	2.0	-1.00
79X15	534.6	955.5	420.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X16	0.0	641.5	641.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X16	641.5	642.0	0.5	3277	4L274	-1	-1.00	-1	1.81	1.16	0.65	18.0	-1.00
79X16	642.0	642.5	0.5	3278	4CB9	-1	-1.00	-1	4.31	2.56	1.75	36.0	-1.00
79X16	642.5	644.1	1.6	3279	4A47	-1	-1.00	-1	3.96	1.74	2.22	24.0	-1.00
79X16	644.1	645.1	1.0	3280	4E19	-1	-1.00	-1	2.16	1.78	0.38	35.0	-1.00
79X16	645.1	647.9	2.8	3281	4L37	-1	-1.00	-1	0.85	0.51	0.34	10.0	-1.00
79X16	647.9	649.1	1.2	3282	4L294	-1	-1.00	-1	3.20	1.57	1.63	26.0	-1.00
79X16	649.1	651.1	2.0	3283	4C294	-1	-1.00	-1	2.05	1.36	0.69	23.0	-1.00

79X15
EOM AT
534.6

u1

79X16	652.1	655.0	2.9	3285	4L482	-1	-1.00	-1	2.16	1.33	0.83	18.0	-1.00
79X16	655.0	656.8	1.8	3286	4L7	-1	-1.00	-1	1.28	0.74	0.54	9.0	-1.00
79X16	656.8	687.3	30.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X16	687.3	687.5	0.2	3287	4A79	-1	-1.00	-1	2.67	1.54	1.13	26.0	-1.00
79X16	687.5	689.6	2.1	3288	4649	-1	-1.00	-1	9.74	5.10	4.64	67.0	-1.00
79X16	689.6	691.6	2.0	3289	4L37	-1	-1.00	-1	0.07	0.03	0.04	2.0	-1.00
79X16	691.6	693.6	2.0	3290	4L37	-1	-1.00	-1	0.04	0.02	0.02	2.0	-1.00
79X16	693.6	694.9	1.3	3291	4L37	-1	-1.00	-1	0.07	0.04	0.03	1.0	-1.00
79X16	694.9	696.9	2.0	3292	4L7	-1	-1.00	-1	0.12	0.08	0.04	1.0	-1.00
79X16	696.9	710.8	13.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X16	710.8	712.1	1.3	3368	4L3	-1	-1.00	-1	0.13	0.07	0.06	1.0	-1.00
79X16	712.1	714.3	2.2	3369	4C0	-1	-1.00	-1	5.99	1.43	4.56	15.0	-1.00
79X16	714.3	715.7	1.4	3370	4L3	-1	-1.00	-1	0.30	0.09	0.21	0.1	-1.00
79X16	715.7	716.9	1.2	3371	4C7	-1	-1.00	-1	0.11	0.07	0.04	0.1	-1.00
79X16	716.9	719.9	3.0	3372	4L3	-1	-1.00	-1	0.31	0.10	0.21	0.1	-1.00
79X16	719.9	721.1	1.2	3373	4C9	-1	-1.00	-1	5.92	1.31	4.61	18.0	-1.00
79X16	721.1	722.3	1.2	3374	4E9	-1	-1.00	-1	1.53	0.90	0.63	13.0	-1.00

C.R.I. 11-Mar-91

wh386\fr\dy\dytab4.wk3

page 24

DY FCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X16	722.3	732.5	10.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X16	732.5	734.0	1.5	3375	4A0	-1	-1.00	-1	0.54	0.20	0.34	4.0	-1.00
79X16	734.0	735.1	1.1	3376	4C9	-1	-1.00	-1	1.25	0.94	0.31	11.0	-1.00
79X16	735.1	735.4	0.3	3377	4L0	-1	-1.00	-1	0.16	0.09	0.07	0.1	-1.00
79X16	735.4	735.7	0.3	3378	4C9	-1	-1.00	-1	1.86	1.39	0.47	17.0	-1.00
79X16	735.7	805.0	69.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X16	805.0	805.3	0.3	3379	464	-1	-1.00	-1	16.58	6.80	9.78	90.0	-1.00
79X16	805.3	805.7	0.4	3380	4K0	-1	-1.00	-1	0.27	0.26	0.01	4.0	-1.00
79X16	805.7	806.8	1.1	3381	5B0	-1	-1.00	-1	0.27	0.13	0.14	0.1	-1.00
79X16	806.8	808.6	1.8	3382	4K19	-1	-1.00	-1	1.91	1.57	0.34	19.0	-1.00
79X16	808.6	809.1	0.5	3383	464	-1	-1.00	-1	14.75	6.34	8.41	70.0	-1.00
79X16	809.1	811.5	2.4	3384	4C9	-1	-1.00	-1	3.37	2.04	1.33	33.0	-1.00
79X16	811.5	811.8	0.3	3385	464	-1	4.37	-1	16.93	7.07	9.86	124.0	0.88
79X16	811.8	812.5	0.7	3386	4E0	-1	4.36	-1	14.18	6.00	8.18	84.0	1.65
79X16	812.5	812.9	0.4	3387	460	-1	3.60	-1	11.86	4.55	7.31	69.0	0.62
79X16	812.9	814.4	1.5	3388	464	-1	4.28	-1	15.73	7.55	8.18	119.0	1.44
79X16	814.4	815.5	1.1	3389	4D4	-1	3.96	-1	15.05	6.26	8.79	87.0	1.06
79X16	815.5	816.4	0.9	3390	464	-1	3.69	-1	15.01	8.51	6.50	104.0	0.88
79X16	816.4	817.8	1.4	3391	4D4	-1	4.15	-1	12.30	6.50	5.80	80.0	0.88
79X16	817.8	819.9	2.1	3392	464	-1	4.55	-1	13.21	5.15	8.06	94.0	0.58
79X16	819.9	820.2	0.3	3393	4H9	-1	3.86	-1	8.96	3.80	5.16	58.0	0.41
79X16	820.2	830.6	10.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X16	830.6	832.7	2.1	3394	4L42	-1	-1.00	-1	3.13	1.40	1.73	26.0	-1.00
79X16	832.7	833.9	1.2	3395	4L3	-1	-1.00	-1	3.08	1.24	1.84	25.0	-1.00
79X16	833.9	836.9	3.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X16	836.9	837.2	0.3	3396	4E7	-1	-1.00	-1	10.49	4.22	6.27	139.0	-1.00
79X16	837.2	840.4	3.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X16	840.4	841.7	1.3	3397	4A4	-1	-1.00	-1	7.47	2.45	5.02	40.0	-1.00
79X16	841.7	842.9	1.2	3398	4A0	-1	-1.00	-1	5.17	1.81	3.36	31.0	-1.00
79X16	842.9	843.5	0.6	3399	4E9	-1	4.51	-1	9.65	4.42	5.23	76.0	1.68
79X16	843.5	844.0	0.5	3400	4A0	-1	3.20	-1	8.16	3.17	4.99	46.0	0.86
79X16	844.0	845.1	1.1	3401	4C0	-1	3.60	-1	6.12	2.47	3.65	48.0	1.27
79X16	845.1	847.1	2.0	3402	4A0	-1	3.17	-1	8.38	2.74	5.64	52.0	0.75
79X16	847.1	849.1	2.0	3403	4A0	-1	-1.00	-1	5.10	1.84	3.26	27.0	-1.00
79X16	849.1	851.1	2.0	3404	4A0	-1	-1.00	-1	5.06	1.60	3.46	21.0	-1.00
79X16	851.1	853.1	2.0	3405	4A0	-1	-1.00	-1	4.33	2.33	3.25	35.0	-1.00

L1

L2A

L2B

79X16	853.1	855.1	2.0	3406	4A0	-1	-1.00	-1	5.45	1.77	3.68	27.0	-1.00
79X16	855.1	857.0	1.9	3407	4A0	-1	-1.00	-1	4.18	1.77	2.41	30.0	-1.00
79X16	857.0	858.2	1.2	3408	4L4	-1	-1.00	-1	2.60	0.82	1.78	16.0	-1.00
79X16	858.2	893.9	35.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X16	893.9	895.0	1.1	3409	4A0	-1	-1.00	-1	0.13	0.07	0.06	3.0	-1.00
79X16	895.0	896.1	1.1	3410	4L7	-1	-1.00	-1	0.23	0.19	0.04	8.0	-1.00
79X16	896.1	910.1	14.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X17	0.0	526.8	526.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X17	526.8	527.9	1.1	3334	4H4	-1	3.92	-1	10.56	3.73	6.83	60.0	0.27
79X17	527.9	529.2	1.3	3335	4G4	-1	4.17	-1	9.43	2.27	7.16	39.0	0.31
79X17	529.2	530.0	0.8	3336	4H4	-1	4.37	-1	4.37	1.32	3.05	23.0	0.17
79X17	530.0	531.3	1.3	3337	4G0	-1	4.42	-1	7.29	1.88	5.41	20.0	0.21
79X17	531.3	533.0	1.7	3338	4H0	-1	-1.00	-1	2.61	0.87	1.74	17.0	-1.00
79X17	533.0	669.6	136.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X18	0.0	627.1	627.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X18	627.1	629.1	2.0	3463	4L73	-1	-1.00	-1	0.04	0.03	0.01	1.0	-1.00
79X18	629.1	631.1	2.0	3464	4L73	-1	-1.00	-1	0.08	0.06	0.02	1.0	-1.00
79X18	631.1	633.9	2.8	3465	4L73	-1	-1.00	-1	0.36	0.20	0.16	3.0	-1.00

6.65' - 16.2m L1

C.R.I. 11-Mar-91

page 25

wh386\fr\dy\dytab4.wk3

DY PCXPLOE DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X18	633.9	634.2	0.3	3466	4C7	-1	-1.00	-1	2.63	1.43	1.18	16.0	-1.00
79X18	634.2	634.9	0.7	3467	4C7B9	-1	-1.00	-1	4.45	3.04	1.41	38.0	-1.00
79X18	634.9	637.1	2.2	3468	4C89	-1	-1.00	-1	3.71	2.18	1.53	37.0	-1.00
79X18	637.1	637.6	0.5	3469	4E9	-1	-1.00	-1	2.61	1.27	1.34	26.0	-1.00
79X18	637.6	638.2	0.6	3470	4G49	-1	-1.00	-1	11.05	4.34	6.71	80.0	-1.00
79X18	638.2	638.8	0.6	3471	4C89	-1	-1.00	-1	0.71	0.52	0.19	18.0	-1.00
79X18	638.8	639.4	0.6	3472	4E89	-1	-1.00	-1	0.47	0.27	0.20	19.0	-1.00
79X18	639.4	640.4	1.0	3473	4A9	-1	-1.00	-1	0.37	0.24	0.13	9.0	-1.00
79X18	640.4	643.1	2.7	3474	4C79	-1	-1.00	-1	0.43	0.21	0.22	10.0	-1.00
79X18	643.1	645.1	2.0	3475	4C79	-1	-1.00	-1	0.40	0.24	0.16	9.0	-1.00
79X18	645.1	647.1	2.0	3476	4C79	-1	-1.00	-1	0.15	0.11	0.04	10.0	-1.00
79X18	647.1	649.1	2.0	3477	4C79	-1	-1.00	-1	0.14	0.10	0.04	6.0	-1.00
79X18	649.1	651.1	2.0	3478	4C7	-1	-1.00	-1	0.08	0.06	0.02	3.0	-1.00
79X18	651.1	651.5	0.4	3479	4A0	-1	-1.00	-1	0.15	0.13	0.02	3.0	-1.00
79X18	651.5	653.5	2.0	3480	4L7	-1	-1.00	-1	0.12	0.06	0.06	0.1	-1.00
79X18	653.5	654.4	0.9	3481	4L7	-1	-1.00	-1	0.36	0.23	0.13	0.1	-1.00
79X18	654.4	654.8	0.4	3482	4D4	-1	-1.00	-1	15.16	7.94	7.22	75.0	-1.00
79X18	654.8	656.2	1.4	3483	4G0	-1	-1.00	-1	8.15	3.60	4.55	52.0	-1.00
79X18	656.2	656.8	0.6	3484	4H4	-1	-1.00	-1	3.05	1.74	1.31	22.0	-1.00
79X18	656.8	657.5	0.7	3485	4H49	-1	-1.00	-1	3.45	2.00	1.45	35.0	-1.00
79X18	657.5	658.1	0.6	3486	4C89	-1	-1.00	-1	0.87	0.74	0.13	13.0	-1.00
79X18	658.1	658.5	0.4	3487	4G4	-1	-1.00	-1	2.37	1.41	0.96	20.0	-1.00
79X18	658.5	659.4	0.9	3488	4C9	-1	-1.00	-1	0.78	0.60	0.18	21.0	-1.00
79X18	659.4	659.9	0.5	3489	4G4	-1	-1.00	-1	10.03	2.89	7.14	41.0	-1.00
79X18	659.9	660.8	0.9	3490	5D0	-1	-1.00	-1	0.56	0.24	0.32	3.0	-1.00
79X18	660.8	662.3	1.5	3491	4G4	-1	-1.00	-1	11.98	4.59	7.39	61.0	-1.00
79X18	662.3	662.8	0.5	3492	4E1	-1	-1.00	-1	4.25	1.85	2.40	64.0	-1.00
79X18	662.8	663.4	0.6	3493	4A4	-1	-1.00	-1	4.19	1.43	2.76	32.0	-1.00
79X18	663.4	663.7	0.3	3494	4D0	-1	-1.00	-1	4.64	4.04	0.60	48.0	-1.00
79X18	663.7	665.7	2.0	3495	4A0	-1	-1.00	-1	6.74	4.78	1.96	47.0	-1.00
79X18	665.7	668.5	2.8	3496	4A0	-1	-1.00	-1	5.14	4.43	0.71	40.0	-1.00
79X18	668.5	670.5	2.0	3497	4C0	-1	-1.00	-1	0.20	0.11	0.09	8.0	-1.00
79X18	670.5	671.7	1.2	3498	4C0	-1	-1.00	-1	0.62	0.25	0.37	7.0	-1.00
79X18	671.7	694.4	22.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

1.8m 29.70
2.9 me 8.09
3.5m 7.83

79X18	694.9	695.4	0.5	3500	4E9	-1	-1.00	-1	2.92	1.56	1.36	19.0	-1.00
79X18	695.4	738.0	42.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X18	738.0	738.6	0.6	3501	4A4	-1	2.83	-1	9.95	2.98	6.97	55.0	0.38
79X18	738.6	740.5	1.9	3502	4D0	-1	3.62	-1	6.23	2.57	3.66	86.0	2.02
79X18	740.5	741.2	0.7	3503	4E19	-1	4.06	-1	7.61	3.17	4.44	109.0	0.47
79X18	741.2	741.9	0.7	3504	4G0	-1	3.85	-1	16.94	5.50	11.44	127.0	1.37
79X18	741.9	743.9	2.0	3505	4A4	-1	2.88	-1	8.48	2.27	6.21	45.0	0.75
79X18	743.9	744.8	0.9	3506	4A4	-1	2.74	-1	7.17	2.48	4.69	43.0	0.99
79X18	744.8	746.8	2.0	3507	4A0	-1	-1.00	-1	4.92	1.71	3.21	30.0	-1.00
79X18	746.8	748.8	2.0	3508	4A0	-1	-1.00	-1	3.47	1.43	2.04	22.0	-1.00
79X18	748.8	750.8	2.0	3509	4A0	-1	-1.00	-1	2.65	1.29	1.36	18.0	-1.00
79X18	750.8	752.8	2.0	3510	4A0	-1	-1.00	-1	1.07	0.56	0.51	5.0	-1.00
79X18	752.8	754.8	2.0	3511	4A0	-1	-1.00	-1	1.56	0.78	0.78	8.0	-1.00
79X18	754.8	755.3	0.5	3512	4A0	-1	-1.00	-1	0.32	0.28	0.04	0.1	-1.00
79X18	755.3	759.5	4.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
79X18	759.5	760.0	0.5	3513	4A0	-1	-1.00	-1	0.45	0.24	0.21	0.1	-1.00
79X18	760.0	762.2	2.2	3514	4A0	-1	-1.00	-1	0.14	0.11	0.03	0.1	-1.00
79X18	762.2	763.5	1.3	3515	4L0	-1	-1.00	-1	0.21	0.11	0.10	0.1	-1.00
79X18	763.5	765.8	2.3	3516	4L37	-1	-1.00	-1	0.24	0.09	0.15	0.1	-1.00

C.R.I. 11-Mar-91

wh386\fr:\dy\dytab4.wk3

page 26

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
79X18	765.8	892.1	126.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X01	0.0	710.6	710.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X01	710.6	710.9	0.3	3521	4H0	-1	-1.00	-1	3.52	2.15	1.37	29.0	-1.00
80X01	710.9	711.1	0.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X01	711.1	712.1	1.0	3522	404B9	-1	-1.00	-1	5.56	3.20	2.36	48.0	-1.00
80X01	712.1	713.3	1.2	3523	4G9	-1	-1.00	-1	5.56	2.94	2.62	41.0	-1.00
80X01	713.3	714.6	1.3	3524	4G9	-1	-1.00	-1	4.14	2.31	1.83	32.0	-1.00
80X01	714.6	717.0	2.4	3525	4A0	-1	-1.00	-1	3.33	1.38	1.95	25.0	-1.00
80X01	717.0	719.0	2.0	3526	4GB9	-1	-1.00	-1	7.98	4.04	3.94	56.0	-1.00
80X01	719.0	721.2	2.2	3527	4GB9	-1	-1.00	-1	5.20	2.92	2.28	46.0	-1.00
80X01	721.2	722.6	1.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X01	722.6	724.5	1.9	3528	4L74	-1	-1.00	-1	1.44	0.56	0.88	6.0	-1.00
80X01	724.5	724.8	0.3	3529	4E89	-1	-1.00	-1	3.97	2.29	1.68	29.0	-1.00
80X01	724.8	757.3	32.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X01	757.3	758.8	1.5	3530	4K34	-1	4.46	-1	14.88	7.10	7.78	102.0	1.10
80X01	758.8	759.6	0.8	3531	4K9	-1	4.39	-1	7.05	3.77	3.28	50.0	1.37
80X01	759.6	761.6	2.0	3532	4K4	-1	4.18	-1	11.10	5.98	5.12	76.0	1.10
80X01	761.6	762.6	1.0	3533	4C9	-1	-1.00	-1	0.91	0.43	0.48	16.0	-1.00
80X01	762.6	764.2	1.6	3534	4A7	-1	-1.00	-1	0.82	0.33	0.49	9.0	-1.00
80X01	764.2	766.4	2.2	3535	4K9	-1	-1.00	-1	1.92	1.20	0.72	18.0	-1.00
80X01	766.4	766.8	0.4	3536	4E4	-1	3.76	-1	13.72	5.15	8.57	62.0	1.17
80X01	766.8	767.8	1.0	3537	4K9	-1	4.02	-1	5.07	3.54	1.53	42.0	0.93
80X01	767.8	768.3	0.5	3538	4D6	-1	3.78	-1	14.15	4.72	9.43	64.0	0.82
80X01	768.3	769.4	1.1	3539	4E9	-1	-1.00	-1	4.56	2.02	2.54	48.0	-1.00
80X01	769.4	771.1	1.7	3540	4E9	-1	-1.00	-1	0.90	0.44	0.46	28.0	-1.00
80X01	771.1	798.4	27.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X01	798.4	799.3	0.9	3541	4K4	-1	-1.00	-1	5.34	2.36	2.98	49.0	-1.00
80X01	799.3	799.8	0.5	3542	4G4	-1	-1.00	-1	8.14	2.93	5.21	59.0	-1.00
80X01	799.8	801.4	1.6	3543	4K846	-1	-1.00	-1	4.46	2.52	1.94	41.0	-1.00
80X01	801.4	803.4	2.0	3544	4K846	-1	-1.00	-1	5.69	2.95	2.74	40.0	-1.00
80X01	803.4	805.0	1.6	3545	4K869	-1	-1.00	-1	1.26	0.92	0.34	29.0	-1.00
80X01	805.0	806.3	1.3	3546	4K6	-1	-1.00	-1	0.63	0.45	0.18	19.0	-1.00
80X01	806.3	807.7	1.4	3547	4K6	-1	-1.00	-1	0.41	0.29	0.12	20.0	-1.00

11.66% / 4.3m

80X01	809.4	811.1	1.7	3549	4K869	-1	-1.00	-1	3.82	2.48	1.34	40.0	-1.00
80X01	811.1	812.9	1.8	3550	4K869	-1	-1.00	-1	2.47	1.54	0.93	20.0	-1.00
80X01	812.9	837.4	24.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X01	837.4	837.7	0.3	1525	4E48	-1	-1.00	-1	5.19	2.89	2.30	41.0	-1.00
80X01	837.7	838.8	1.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X01	838.8	839.7	0.9	1526	4G4	-1	-1.00	-1	1.99	1.16	0.83	23.0	-1.00
80X01	839.7	840.4	0.7	1527	4K0	-1	-1.00	-1	7.34	2.84	4.50	46.0	-1.00
80X01	840.4	841.7	1.3	1528	4E89	-1	-1.00	-1	3.32	1.18	2.14	23.0	-1.00
80X01	841.7	842.6	0.9	1529	4C9	-1	-1.00	-1	1.34	0.90	0.44	25.0	-1.00
80X01	842.6	861.4	18.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X01	861.4	862.2	0.8	1530	4K9	-1	-1.00	-1	0.37	0.29	0.08	13.0	-1.00
80X01	862.2	862.8	0.6	1531	4K4	-1	-1.00	-1	0.87	0.41	0.46	12.0	-1.00
80X01	862.8	863.1	0.3	1532	4A4	-1	-1.00	-1	9.27	3.46	5.81	57.0	-1.00
80X01	863.1	879.2	16.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X01	879.2	880.5	1.3	1533	4K4	-1	-1.00	-1	3.22	1.92	1.30	25.0	-1.00
80X01	880.5	955.5	75.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X02	0.0	731.9	731.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X02	731.9	733.3	1.4	1501	4H34	-1	-1.00	-1	5.52	2.71	2.81	37.0	-1.00
80X02	733.3	783.6	50.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X02	783.6	784.7	1.1	1502	4F9	-1	-1.00	-1	0.82	0.05	0.77	5.0	-1.00

80x01 com
AT 946.3' →

C.R.I. 11-Mar-91

page 27

wh386\fr\dy\dytab4.wk3

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
80X02	784.7	827.8	43.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X02	827.8	829.5	1.7	1503	4E489	-1	-1.00	-1	6.95	3.84	3.11	51.0	-1.00
80X02	829.5	831.1	1.6	1504	4E489	-1	-1.00	-1	4.00	2.02	1.98	24.0	-1.00
80X02	831.1	833.0	1.9	1505	4G429	-1	4.51	-1	19.69	9.55	10.14	90.0	1.70
80X02	833.0	835.0	2.0	1506	4G42	-1	4.46	-1	19.06	8.82	10.24	106.0	1.17
80X02	835.0	837.2	2.2	1507	4G42	-1	4.47	-1	17.71	8.26	9.45	108.0	0.82
80X02	837.2	839.0	1.8	1508	4A4	-1	2.80	-1	8.16	2.50	5.66	40.0	0.27
80X02	839.0	841.0	2.0	1509	4A4	-1	2.72	-1	7.73	2.04	5.69	38.0	0.34
80X02	841.0	843.0	2.0	1510	4A4	-1	-1.00	-1	4.20	1.44	2.76	23.0	-1.00
80X02	843.0	845.0	2.0	1511	4A4	-1	-1.00	-1	6.11	2.12	3.99	32.0	-1.00
80X02	845.0	847.0	2.0	1512	4A4	-1	-1.00	-1	5.02	2.04	2.98	27.0	-1.00
80X02	847.0	848.2	1.2	1513	4A4	-1	-1.00	-1	4.59	1.27	3.32	22.0	-1.00
80X02	848.2	850.3	2.1	1514	4A4	-1	-1.00	-1	6.80	2.00	4.80	32.0	-1.00
80X02	850.3	852.1	1.8	1515	4A4	-1	-1.00	-1	5.64	1.80	3.84	27.0	-1.00
80X02	852.1	854.3	2.2	1516	4A4	-1	-1.00	-1	4.71	1.49	3.22	23.0	-1.00
80X02	854.3	855.9	1.6	1517	4A4	-1	-1.00	-1	5.90	2.14	3.76	33.0	-1.00
80X02	855.9	857.9	2.0	1518	4A0	-1	-1.00	-1	2.54	0.91	1.63	13.0	-1.00
80X02	857.9	859.9	2.0	1519	4A0	-1	-1.00	-1	2.05	0.77	1.28	10.0	-1.00
80X02	859.9	862.0	2.1	1520	4A0	-1	-1.00	-1	1.52	0.63	0.89	11.0	-1.00
80X02	862.0	862.8	0.8	1521	4A0	-1	-1.00	-1	2.11	0.83	1.28	9.0	-1.00
80X02	862.8	864.8	2.0	1522	4A4	-1	-1.00	-1	2.11	0.77	1.34	10.0	-1.00
80X02	864.8	866.8	2.0	1523	4A4	-1	-1.00	-1	4.97	1.76	3.21	23.0	-1.00
80X02	866.8	868.7	1.9	1524	4A4	-1	-1.00	-1	5.84	2.19	3.65	26.0	-1.00
80X02	868.7	872.7	4.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X02	872.7	874.0	1.3	1552	4G0	-1	-1.00	-1	10.16	4.00	6.16	65.0	-1.00
80X02	874.0	876.8	2.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X02	876.8	879.2	2.4	1534	4A4	-1	-1.00	-1	5.29	2.56	2.73	50.0	-1.00
80X02	879.2	880.1	0.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X02	880.1	882.3	2.2	1535	4A0	-1	-1.00	-1	0.97	0.51	0.46	11.0	-1.00
80X02	882.3	883.1	0.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X02	883.1	883.5	0.4	1536	4A49	-1	-1.00	-1	1.94	0.87	1.07	20.0	-1.00
80X02	883.5	883.8	0.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

L2A

80X02	886.0	887.5	1.5	1538	4A4	-1	-1.00	-1	6.19	2.51	3.68	42.0	-1.00
80X02	887.5	888.9	1.4	1539	4A4	-1	-1.00	-1	3.37	1.73	1.64	32.0	-1.00
80X02	888.9	890.8	1.9	1540	4B4	-1	-1.00	-1	12.41	4.28	8.13	82.0	1.51
80X02	890.8	891.8	1.0	1541	4E4	-1	-1.00	-1	20.44	6.53	13.91	98.0	1.37
80X02	891.8	893.4	1.6	1542	4B42	-1	-1.00	-1	12.43	4.26	8.17	78.0	0.75
80X02	893.4	895.4	2.0	1543	4E0	-1	-1.00	-1	9.95	3.48	6.47	58.0	1.92
80X02	895.4	897.4	2.0	1544	4E9	-1	-1.00	-1	2.68	1.20	1.48	27.0	-1.00
80X02	897.4	899.1	1.7	1545	4E9	-1	-1.00	-1	0.81	0.30	0.51	11.0	-1.00
80X02	899.1	900.6	1.5	1546	4E0	-1	-1.00	-1	5.74	2.92	2.82	43.0	-1.00
80X02	900.6	902.6	2.0	1547	4D9	-1	-1.00	-1	12.02	3.62	8.40	68.0	0.69
80X02	902.6	904.9	2.3	1548	4D9	-1	-1.00	-1	16.93	5.84	11.09	100.0	1.70
80X02	904.9	906.9	2.0	1549	4C9	-1	-1.00	-1	0.61	0.21	0.40	10.0	-1.00
80X02	906.9	908.4	1.5	1550	4C9	-1	-1.00	-1	1.32	0.52	0.80	21.0	-1.00
80X02	908.4	910.1	1.7	1551	4C9	-1	-1.00	-1	2.61	2.38	0.23	20.0	-1.00
80X02	910.1	921.9	11.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X03	0.0	543.0	543.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X03	543.0	543.8	0.8	1553	4E0	-1	-1.00	-1	5.82	2.38	3.44	45.0	-1.00
80X03	543.8	955.5	411.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X04	0.0	802.7	802.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X04	802.7	803.6	0.9	1554	4E189	-1	-1.00	-1	1.48	0.98	0.50	20.0	-1.00
80X04	803.6	803.9	0.3	1555	4B4	-1	-1.00	-1	6.47	3.75	2.72	46.0	-1.00

L2B

C.R.I. 11-Mar-91

page 28

wh386\fr:\dy\dytab4.wk3

BY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
80X04	803.9	804.3	0.4	1556	4C79	-1	-1.00	-1	4.61	1.85	2.76	37.0	-1.00
80X04	804.3	806.7	2.4	1557	4A0	-1	-1.00	-1	2.91	1.46	1.45	24.0	-1.00
80X04	806.7	808.4	1.7	1559	4A0	-1	-1.00	-1	1.87	0.90	0.97	52.0	-1.00
80X04	808.4	810.4	2.0	1560	4B9	-1	-1.00	-1	16.88	7.38	9.30	112.0	1.37
80X04	810.4	811.4	1.0	1561	4EB9	-1	-1.00	-1	1.05	0.56	0.49	19.0	2.09
80X04	811.4	811.8	0.4	1562	4B4	-1	-1.00	-1	16.71	7.19	9.52	106.0	1.37
80X04	811.8	819.4	7.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X04	819.4	821.4	2.0	1563	4L7	-1	-1.00	-1	0.08	0.04	0.04	1.0	-1.00
80X04	821.4	823.4	2.0	1564	4L7	-1	-1.00	-1	0.26	0.17	0.09	1.0	-1.00
80X04	823.4	825.4	2.0	1565	4L7	-1	-1.00	-1	0.63	0.39	0.24	1.0	-1.00
80X04	825.4	827.4	2.0	1566	4L7	-1	-1.00	-1	0.07	0.03	0.04	1.0	-1.00
80X04	827.4	829.4	2.0	1567	4L7	-1	-1.00	-1	0.04	0.02	0.02	1.0	-1.00
80X04	829.4	831.2	1.8	1568	4L7	-1	-1.00	-1	0.04	0.02	0.02	1.0	-1.00
80X04	831.2	892.7	61.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X04	892.7	893.4	0.7	1569	4C0	-1	-1.00	-1	0.30	0.22	0.08	5.0	-1.00
80X04	893.4	895.3	1.9	1570	4A0	-1	-1.00	-1	1.66	0.72	0.94	10.0	-1.00
80X04	895.3	895.5	0.2	1571	4E0	-1	-1.00	-1	2.71	1.39	1.32	36.0	-1.00
80X04	895.5	897.7	2.2	1572	4B9	-1	-1.00	-1	4.67	2.75	1.92	40.0	-1.00
80X04	897.7	932.9	35.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X04	932.9	933.4	0.5	1573	4A4	-1	-1.00	-1	6.67	2.72	3.95	43.0	-1.00
80X04	933.4	933.7	0.3	1574	4E4	-1	-1.00	-1	12.39	6.04	6.35	78.0	-1.00
80X04	933.7	934.3	0.6	1575	4A9	-1	-1.00	-1	1.79	0.50	1.29	8.0	-1.00
80X04	934.3	936.2	1.9	1576	4C79	-1	-1.00	-1	0.68	0.27	0.41	7.0	-1.00
80X04	936.2	937.6	1.4	1577	4C7	-1	-1.00	-1	2.82	1.49	1.33	22.0	-1.00
80X04	937.6	939.0	1.4	1578	4C7	-1	-1.00	-1	2.07	1.09	0.98	14.0	-1.00
80X04	939.0	1009.1	70.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X05	0.0	744.9	744.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X05	744.9	746.2	1.3	1660	4B0	-1	-1.00	-1	7.73	3.93	3.80	60.0	-1.00
80X05	746.2	755.3	9.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X05	755.3	757.3	2.0	1661	4L279	-1	-1.00	-1	0.47	0.18	0.29	2.0	-1.00
80X05	757.3	759.3	2.0	1662	4L276	-1	-1.00	-1	0.20	0.05	0.15	0.5	-1.00
80X05	759.3	760.2	0.9	1663	4L274	-1	-1.00	-1	0.89	0.38	0.45	3.0	-1.00

L1

80X05	760.2	846.5	86.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X05	846.5	847.8	1.3	1651	4J4	-1	3.58	-1	10.12	4.03	6.09	63.0	1.23
80X05	847.8	849.1	1.3	1652	4E4	-1	4.36	-1	5.09	1.83	3.26	29.0	1.23
80X05	849.1	851.1	2.0	1653	4G4	-1	4.44	-1	17.51	7.17	10.34	120.0	0.69
80X05	851.1	853.2	2.1	1654	4G4	-1	4.65	-1	18.05	8.50	9.55	119.0	0.62
80X05	853.2	854.8	1.6	1655	4E6	-1	4.85	-1	14.43	8.51	5.92	106.0	0.93
80X05	854.8	856.1	1.3	1656	4E4	-1	4.44	-1	14.81	5.22	9.59	78.0	0.62
80X05	856.1	857.4	1.3	1657	4G4	-1	4.49	-1	15.80	7.55	8.25	102.0	1.17
80X05	857.4	859.4	2.0	1658	4G0	-1	4.53	-1	13.25	5.41	7.84	85.0	1.10
80X05	859.4	861.2	1.8	1659	4G4	-1	4.68	-1	13.82	5.31	8.51	87.0	0.82
80X05	861.2	886.9	25.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X05	886.9	888.4	1.5	1664	4A4	-1	-1.00	-1	9.78	3.61	6.17	66.0	-1.00
80X05	888.4	893.1	4.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X05	893.1	895.5	2.4	1665	4L475	-1	-1.00	-1	2.86	0.83	2.03	5.0	-1.00
80X05	895.5	896.1	0.6	1666	4A0	-1	-1.00	-1	5.77	1.51	4.26	16.0	-1.00
80X05	896.1	898.1	2.0	1667	4E9	-1	4.36	-1	10.43	3.71	6.72	66.0	2.16
80X05	898.1	900.0	1.9	1668	4E0	-1	4.42	-1	7.20	3.77	3.43	54.0	1.30
80X05	900.0	901.1	1.1	1669	4C0	-1	4.15	-1	8.93	3.93	5.00	59.0	1.23
80X05	901.1	901.4	0.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X05	901.4	903.4	2.0	1670	4E18	-1	-1.00	-1	1.06	0.45	0.61	5.0	-1.00
80X05	903.4	904.9	1.5	1671	4E189	-1	-1.00	-1	0.61	0.16	0.45	5.0	-1.00
80X05	904.9	905.5	0.6	1672	4C8	-1	-1.00	-1	2.64	0.91	1.73	12.0	-1.00

LZA

LZB

C.R.I. 11-Mar-91

page 29

wh386\fs\dy\dytab4.wk3

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
80X05	905.5	907.5	2.0	1673	4E89	-1	-1.00	-1	2.51	0.94	1.57	21.0	-1.00
80X05	907.5	909.2	1.7	1674	4C79	-1	-1.00	-1	1.16	0.48	0.68	24.0	-1.00
80X05	909.2	943.3	34.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X05	943.3	944.0	0.7	1675	4A0	-1	-1.00	-1	5.06	1.90	3.16	20.0	-1.00
80X05	944.0	944.4	0.4	1676	4E0	-1	-1.00	-1	14.54	6.15	8.39	79.0	-1.00
80X05	944.4	946.4	2.0	1677	4A0	-1	-1.00	-1	3.99	1.57	2.42	20.0	-1.00
80X05	946.4	947.8	1.4	1678	4A9	-1	-1.00	-1	2.41	1.45	0.96	14.0	-1.00
80X05	947.8	949.1	1.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X05	949.1	950.0	0.9	1679	4C79	-1	-1.00	-1	2.74	0.97	1.77	11.0	-1.00
80X05	950.0	951.2	1.2	1680	4C7	-1	-1.00	-1	4.90	2.16	2.74	31.0	-1.00
80X05	951.2	951.5	0.3	1681	4H249	-1	-1.00	-1	5.17	2.16	3.01	22.0	-1.00
80X05	951.5	1067.5	116.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X06	0.0	842.0	842.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X06	842.0	842.5	0.5	1690	4H9	-1	-1.00	-1	0.58	0.35	0.23	6.0	-1.00
80X06	842.5	844.5	2.0	1682	4G89	-1	-1.00	-1	5.77	2.93	2.84	42.0	-1.00
80X06	844.5	846.5	2.0	1683	4G89	-1	-1.00	-1	10.062	4.61	5.45	67.0	-1.00
80X06	846.5	848.7	2.2	1684	4G89	-1	-1.00	-1	9.34	4.71	4.63	66.0	-1.00
80X06	848.7	850.6	1.9	1685	4A0	-1	-1.00	-1	3.08	1.63	1.45	24.0	-1.00
80X06	850.6	852.5	1.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X06	852.5	854.5	2.0	1686	4L7	-1	-1.00	-1	0.02	0.01	0.01	2.0	-1.00
80X06	854.5	856.5	2.0	1687	4L7	-1	-1.00	-1	0.02	0.01	0.01	1.0	-1.00
80X06	856.5	858.5	2.0	1688	4L7	-1	-1.00	-1	0.27	0.15	0.12	3.0	-1.00
80X06	858.5	860.5	2.0	1689	4L7	-1	-1.00	-1	0.94	0.08	0.86	2.0	-1.00
80X06	860.5	861.9	1.4	1691	4L7	-1	-1.00	-1	0.10	0.04	0.06	0.5	-1.00
80X06	861.9	862.7	0.8	1692	4L3	-1	-1.00	-1	0.63	0.22	0.41	2.0	-1.00
80X06	862.7	863.2	0.5	1693	4D46	-1	4.19	-1	10.25	4.14	6.11	59.0	0.55
80X06	863.2	863.7	0.5	1694	4G4	-1	4.86	-1	11.00	4.75	6.65	64.0	0.62
80X06	863.7	864.7	1.0	1695	4A0	-1	-1.00	-1	0.97	0.47	0.50	4.0	-1.00
80X06	864.7	867.0	2.3	1696	4E49	-1	-1.00	-1	5.47	2.96	2.51	41.0	-1.00
80X06	867.0	868.0	1.0	1697	4E89	-1	-1.00	-1	6.14	2.94	3.20	57.0	-1.00
80X06	868.0	869.5	0.5	1698	4L0	-1	-1.00	-1	1.40	0.60	0.80	4.0	-1.00

L2C

LZA

80X06	868.5	870.2	1.7	1699	4E9	-1	-1.00	-1	5.34	2.61	2.73	51.0	-1.00
80X06	870.2	870.5	0.3	1700	4H9	-1	-1.00	-1	3.57	3.32	0.25	55.0	-1.00
80X06	870.5	875.0	4.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X06	875.0	875.4	0.4	1701	4G4B	-1	4.35	-1	14.51	6.38	8.13	89.0	1.47
80X06	875.4	876.1	0.7	1702	4E89	-1	4.83	-1	5.14	3.01	2.13	45.0	1.71
80X06	876.1	877.1	1.0	1703	4G4B	-1	4.55	-1	13.96	5.83	8.13	84.0	1.09
80X06	877.1	877.5	0.4	1704	4E89	-1	-1.00	-1	1.14	0.70	0.44	23.0	-1.00
80X06	877.5	878.4	0.9	1705	4C0	-1	-1.00	-1	1.96	0.76	1.20	11.0	-1.00
80X06	878.4	879.9	1.5	1706	4A9	-1	-1.00	-1	2.20	1.15	1.05	21.0	-1.00
80X06	879.9	881.3	1.4	1707	4D79	-1	-1.00	-1	3.82	1.65	2.17	23.0	-1.00
80X06	881.3	881.7	0.4	1708	4G0	-1	-1.00	-1	6.53	2.38	4.15	36.0	-1.00
80X06	881.7	882.3	0.6	1709	4D79	-1	-1.00	-1	1.86	0.61	1.25	8.0	-1.00
80X06	882.3	883.2	0.9	1710	4E19	-1	-1.00	-1	3.38	1.36	2.02	19.0	-1.00
80X06	883.2	885.4	2.2	1711	4B8	-1	4.46	-1	6.39	0.96	5.43	116.0	1.65
80X06	885.4	886.1	0.7	1712	4E89	-1	4.42	-1	6.22	4.22	2.00	50.0	1.78
80X06	886.1	888.6	2.5	1713	4G4B9	-1	3.94	-1	13.66	7.20	6.46	99.0	1.17
80X06	888.6	890.6	2.0	1714	4E869	-1	-1.00	-1	3.64	1.99	1.65	30.0	-1.00
80X06	890.6	891.5	0.9	1715	4E869	-1	-1.00	-1	0.75	0.30	0.45	13.0	-1.00
80X06	891.5	893.0	1.5	1716	4C9	-1	-1.00	-1	4.33	2.19	2.14	37.0	-1.00
80X06	893.0	893.7	0.7	1717	4G0	-1	-1.00	-1	9.01	5.29	3.72	81.0	-1.00
80X06	893.7	895.7	2.0	1718	4E89	-1	-1.00	-1	1.43	0.57	0.86	12.0	-1.00
80X06	895.7	896.6	0.9	1719	4E89	-1	-1.00	-1	1.59	0.77	0.82	22.0	-1.00
80X06	896.6	898.6	2.0	1720	4C7	-1	-1.00	-1	4.79	3.37	1.42	45.0	-1.00

875-878.5 @ 7.37

883.2-888.6 L2B

C.R.I. 11-Mar-91

wh386\lf:\dy\dytab4.wk3

page 30

BY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
80X06	898.6	900.6	2.0	1721	4C7	-1	-1.00	-1	2.94	0.90	2.04	10.0	-1.00
80X06	900.6	902.6	2.0	1722	4C7	-1	4.12	-1	8.28	2.44	5.84	32.0	0.69
80X06	902.6	904.3	1.7	1723	4C7	-1	3.69	-1	7.49	2.18	5.31	35.0	0.82
80X06	904.3	906.6	2.3	1724	4A0	-1	-1.00	-1	2.69	0.84	1.85	10.0	-1.00
80X06	906.6	908.6	2.0	1725	4C0	-1	-1.00	-1	0.98	0.30	0.68	4.0	-1.00
80X06	908.6	910.6	2.0	1726	4C9	-1	-1.00	-1	2.62	1.20	1.42	19.0	-1.00
80X06	910.6	914.6	4.0	1727	4C9	-1	-1.00	-1	1.45	0.53	0.92	8.0	-1.00
80X06	914.6	916.6	2.0	1728	4C9	-1	-1.00	-1	0.28	0.13	0.15	2.0	-1.00
80X06	916.6	917.8	1.2	1729	4C9	-1	-1.00	-1	0.14	0.08	0.06	5.0	-1.00
80X06	917.8	946.0	28.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X06	946.0	946.5	0.5	1730	4A4	-1	-1.00	-1	2.91	1.11	1.80	35.0	-1.00
80X06	946.5	946.9	0.4	1731	4E0	-1	-1.00	-1	0.99	0.62	0.37	43.0	-1.00
80X06	946.9	948.9	2.0	1732	4G0	-1	-1.00	-1	4.48	2.40	2.08	51.0	-1.00
80X06	948.9	950.9	2.0	1733	4G0	-1	-1.00	-1	2.77	1.08	1.69	31.0	-1.00
80X06	950.9	952.9	2.0	1734	4G9	-1	-1.00	-1	5.79	2.72	3.07	63.0	-1.00
80X06	952.9	955.0	2.1	1735	4G0	-1	-1.00	-1	6.51	2.20	4.31	32.0	-1.00
80X06	955.0	957.2	2.2	1736	4A4	-1	-1.00	-1	4.97	1.71	3.26	24.0	-1.00
80X06	957.2	959.2	2.0	1737	4A0	-1	-1.00	-1	1.68	0.62	1.06	7.0	-1.00
80X06	959.2	959.8	0.6	1738	4L9	-1	-1.00	-1	6.04	4.52	1.52	59.0	-1.00
80X06	959.8	961.9	2.1	1739	4G9	-1	-1.00	-1	6.62	2.73	3.89	57.0	-1.00
80X06	961.9	962.4	0.5	1740	4L0	-1	-1.00	-1	0.52	0.28	0.24	5.0	-1.00
80X06	962.4	964.3	1.9	1741	4A0	-1	-1.00	-1	2.19	0.76	1.43	7.0	-1.00
80X06	964.3	977.9	13.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X06	977.9	979.4	1.5	1742	4A0	-1	-1.00	-1	2.16	0.43	1.73	3.0	-1.00
80X06	979.4	994.2	14.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X06	994.2	994.7	0.5	1743	4G49	-1	-1.00	-1	7.42	3.27	4.15	40.0	-1.00
80X06	994.7	1099.3	104.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X07	0.0	743.0	743.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X07	743.0	743.5	0.5	5145	4G4	-1	-1.00	-1	13.46	5.50	7.96	77.0	-1.00

900.6 - 904.3

126 954.5 955

80X07	743.8	746.5	2.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X07	746.5	747.2	0.7	5147	4G4	-1	3.92	-1	17.35	7.15	10.20	115.0	0.62
80X07	747.2	748.5	1.3	5148	4A4	-1	2.79	-1	4.10	1.73	2.37	20.0	0.30
80X07	748.5	749.6	1.1	5149	4G4	-1	4.45	-1	11.51	4.87	6.64	65.0	0.96
80X07	749.6	751.1	1.5	5150	4E49	-1	4.22	-1	4.34	2.42	1.92	36.0	2.54
80X07	751.1	753.4	2.3	1744	4G4	-1	4.38	-1	11.98	5.72	6.26	84.0	0.82
80X07	753.4	801.6	48.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X07	801.6	803.6	2.0	1745	4L67	-1	-1.00	-1	0.20	0.08	0.12	3.0	-1.00
80X07	803.6	805.6	2.0	1746	4L67	-1	-1.00	-1	0.05	0.02	0.03	2.0	-1.00
80X07	805.6	807.5	1.9	1747	4L67	-1	-1.00	-1	0.24	0.09	0.15	2.0	-1.00
80X07	807.5	810.0	2.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X07	810.0	810.9	0.9	1748	4A0	-1	-1.00	-1	5.78	2.17	3.61	38.0	-1.00
80X07	810.9	811.2	0.3	1749	4A4	-1	3.30	-1	12.87	3.85	9.02	53.0	0.62
80X07	811.2	811.7	0.5	1750	4E6	-1	4.58	-1	14.17	3.07	11.10	33.0	0.69
80X07	811.7	813.2	1.5	1751	4G0	-1	4.46	-1	9.01	4.12	4.89	50.0	0.75
80X07	813.2	814.4	1.2	1752	4G0	-1	4.13	-1	8.90	3.67	5.23	52.0	0.96
80X07	814.4	815.0	0.6	1753	4C0	-1	3.78	-1	8.92	3.42	5.50	51.0	0.75
80X07	815.0	816.1	1.1	1754	4A4	-1	3.22	-1	5.04	2.48	2.56	38.0	0.69
80X07	816.1	818.8	2.7	1755	4A0	-1	-1.00	-1	0.97	0.61	0.36	11.0	-1.00
80X07	818.8	820.5	1.7	1756	4A4	-1	-1.00	-1	5.72	3.91	1.81	57.0	-1.00
80X07	820.5	825.2	4.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X07	825.2	827.2	2.0	1761	4A0	-1	-1.00	-1	5.40	1.97	3.43	31.0	-1.00
80X07	827.2	828.0	0.8	1762	4A0	-1	-1.00	-1	0.06	0.03	0.03	3.0	-1.00
80X07	828.0	832.7	4.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

11

6.9 m @ 9.30

C.R.I. 11-Mar-91

wh386\df:\dy\dytab4.wk3

page 31

DY PCXPLDR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Fb	%Zn	Ag(g/t)	Au(g/t)
80X07	832.7	834.7	2.0	1757	4L67	-1	-1.00	-1	0.12	0.06	0.06	2.0	-1.00
80X07	834.7	836.7	2.0	1758	4L67	-1	-1.00	-1	0.17	0.09	0.08	5.0	-1.00
80X07	836.7	838.7	2.0	1759	4L67	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X07	838.7	850.7	12.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X07	850.7	851.2	0.5	1760	4D49	-1	-1.00	-1	3.96	1.84	2.12	37.0	-1.00
80X07	851.2	938.4	87.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X08	0.0	822.3	822.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X08	822.3	823.0	0.7	1763	4G489	-1	-1.00	-1	10.07	4.63	5.44	71.0	-1.00
80X08	823.0	826.5	3.5	1764	4L679	-1	-1.00	-1	1.46	0.64	0.82	13.0	-1.00
80X08	826.5	827.0	0.5	1765	4G148	-1	-1.00	-1	9.67	4.32	5.35	62.0	-1.00
80X08	827.0	829.2	2.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X08	829.2	829.7	0.5	1766	4G4	-1	3.90	-1	9.14	3.79	5.35	75.0	1.51
80X08	829.7	830.5	0.8	1767	4D469	-1	4.43	-1	10.30	5.16	5.14	64.0	0.69
80X08	830.5	831.4	0.9	1768	4G0	-1	4.29	-1	13.97	7.05	6.92	83.0	0.93
80X08	831.4	831.9	0.5	1769	4A97	-1	3.10	-1	1.19	0.45	0.74	9.0	0.75
80X08	831.9	832.9	1.0	1770	4G4	-1	4.35	-1	17.82	7.26	10.56	108.0	1.17
80X08	832.9	834.4	1.5	1771	4G48	-1	4.54	-1	15.81	6.53	9.28	106.0	0.92
80X08	834.4	834.9	0.5	1772	4EB19	-1	4.28	-1	2.05	0.94	1.11	24.0	1.47
80X08	834.9	835.2	0.3	1773	4C7	-1	3.62	-1	2.50	1.19	1.31	17.0	0.75
80X08	835.2	835.9	0.7	1774	4G4	-1	4.23	-1	14.86	5.58	9.28	90.0	0.99
80X08	835.9	836.6	0.7	1775	4G9	-1	5.10	-1	12.18	5.16	7.02	140.0	2.84
80X08	836.6	837.5	0.9	1776	4E0	-1	4.63	-1	10.23	4.10	6.13	73.0	1.37
80X08	837.5	839.5	2.0	1777	4G41	-1	4.51	-1	16.35	7.16	9.19	99.0	0.55
80X08	839.5	841.1	1.6	1778	4G4	-1	4.75	-1	19.87	10.10	9.77	138.0	0.75
80X08	841.1	841.8	0.7	1779	4G19	-1	4.27	-1	12.06	4.84	7.22	77.0	1.16
80X08	841.8	842.9	1.1	1780	4C79	-1	-1.00	-1	3.25	1.49	1.76	31.0	-1.00
80X08	842.9	845.2	2.3	1781	4E89	-1	-1.00	-1	1.53	0.69	0.84	18.0	-1.00
80X08	845.2	845.5	0.3	1782	4G4	-1	-1.00	-1	12.38	5.26	7.12	88.0	-1.00

LZA

80X08	847.0	847.6	0.6	1784	4C9	-1	-1.00	-1	3.40	1.80	1.60	33.0	-1.00
80X08	847.6	848.5	0.9	1785	4G4	-1	4.45	-1	17.26	7.68	9.58	109.0	0.69
80X08	848.5	850.6	2.1	1786	4E469	-1	4.50	-1	6.54	3.15	3.39	51.0	1.71
80X08	850.6	860.5	9.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X08	860.5	861.5	1.0	1787	4G4	-1	4.25	-1	13.62	5.42	8.20	83.0	0.69
80X08	861.5	863.5	2.0	1788	4E189	-1	4.15	-1	4.71	2.39	2.32	49.0	1.54
80X08	863.5	865.1	1.6	1789	4E189	-1	3.86	-1	8.05	4.18	3.87	51.0	1.30
80X08	865.1	865.8	0.7	1790	4G0	-1	4.39	-1	16.19	7.69	8.50	82.0	1.51
80X08	865.8	866.5	0.7	1791	4E89	-1	-1.00	-1	1.49	0.72	0.77	19.0	-1.00
80X08	866.5	867.8	1.3	1792	4C79	-1	-1.00	-1	2.34	1.12	1.22	22.0	0.45
80X08	867.8	869.3	1.5	1793	4E9	-1	-1.00	-1	3.00	1.28	1.72	31.0	1.03
80X08	869.3	869.9	0.6	1794	4G4	-1	-1.00	-1	13.66	8.14	8.52	147.0	0.38
80X08	869.9	871.9	2.0	1795	4C7	-1	-1.00	-1	6.20	2.60	3.60	42.0	0.51
80X08	871.9	873.9	2.0	1796	4C7	-1	-1.00	-1	4.27	2.69	1.58	38.0	0.65
80X08	873.9	874.9	1.0	1801	4C79	-1	-1.00	-1	6.07	2.00	4.07	34.0	0.51
80X08	874.9	876.9	2.0	1802	4C0	-1	-1.00	-1	2.25	0.96	1.29	24.0	1.65
80X08	876.9	878.9	2.0	1803	4C89	-1	-1.00	-1	1.41	0.81	0.60	19.0	0.82
80X08	878.9	880.9	2.0	1804	4C89	-1	-1.00	-1	6.41	2.74	3.67	46.0	0.62
80X08	880.9	882.9	2.0	1805	4C89	-1	-1.00	-1	1.12	0.55	0.57	15.0	0.69
80X08	882.9	884.9	2.0	1806	4C89	-1	-1.00	-1	1.51	0.37	1.14	6.0	0.48
80X08	884.9	886.9	2.0	1807	4C89	-1	-1.00	-1	1.38	0.53	0.85	11.0	0.31
80X08	886.9	888.9	2.0	1808	4C89	-1	-1.00	-1	0.83	0.36	0.47	12.0	0.65
80X08	888.9	890.3	1.4	1809	4C89	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	0.51
80X08	890.3	891.0	0.7	1810	4C579	-1	-1.00	-1	0.44	0.21	0.23	10.0	0.55
80X08	891.0	893.0	2.0	1811	4C79	-1	-1.00	-1	0.41	0.22	0.19	11.0	0.48

LZB

C.R.I. 11-Mar-91

page 32

wh386\fr:\dy\dytab4.wk3

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
80X08	893.0	895.0	2.0	1812	4C79	-1	-1.00	-1	0.43	0.18	0.25	12.0	0.55
80X08	895.0	896.6	1.6	1813	4C79	-1	-1.00	-1	0.47	0.29	0.18	16.0	0.79
80X08	896.6	898.6	2.0	1814	4C79	-1	-1.00	-1	0.28	0.15	0.13	15.0	0.58
80X08	898.6	899.3	0.7	1815	4A79	-1	-1.00	-1	0.71	0.63	0.08	15.0	-1.00
80X08	899.3	899.7	0.4	1816	4A9	-1	-1.00	-1	0.38	0.28	0.10	11.0	-1.00
80X08	899.7	901.0	1.3	1817	4C79	-1	-1.00	-1	0.82	0.45	0.37	12.0	-1.00
80X08	901.0	903.0	2.0	1818	4L179	-1	-1.00	-1	0.26	0.13	0.13	7.0	-1.00
80X08	903.0	903.9	0.9	1819	4L17	-1	-1.00	-1	0.16	0.09	0.07	5.0	-1.00
80X08	903.9	905.9	2.0	1820	4L7	-1	-1.00	-1	0.09	0.03	0.06	5.0	-1.00
80X08	905.9	907.6	1.7	1821	4L7	-1	-1.00	-1	0.08	0.05	0.03	4.0	-1.00
80X08	907.6	908.1	0.5	1822	4L6	-1	-1.00	-1	0.04	0.02	0.02	4.0	-1.00
80X08	908.1	920.1	12.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X08	920.1	920.5	0.4	1797	4A4	-1	-1.00	-1	6.77	3.03	3.74	42.0	0.14
80X08	920.5	921.2	0.7	1798	4D7	-1	-1.00	-1	16.13	6.13	10.00	95.0	0.31
80X08	921.2	922.6	1.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X08	922.6	924.6	2.0	1799	4A0	-1	-1.00	-1	3.08	1.64	1.44	30.0	0.14
80X08	924.6	925.5	0.9	1800	4A0	-1	-1.00	-1	0.52	0.35	0.17	10.0	0.27
80X08	925.5	928.2	2.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X08	928.2	930.7	2.5	1823	4A7	-1	-1.00	-1	1.91	0.84	1.07	17.0	-1.00
80X08	930.7	931.3	0.6	1824	4A4	-1	-1.00	-1	2.29	0.83	1.46	16.0	-1.00
80X08	931.3	932.4	1.1	1825	4G9	-1	-1.00	-1	7.59	0.61	6.98	90.0	-1.00
80X08	932.4	933.9	1.5	1826	4H419	-1	-1.00	-1	1.04	0.28	0.76	20.0	-1.00
80X08	933.9	985.4	51.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X09	0.0	637.5	637.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X09	637.5	639.2	1.7	1827	4C89	-1	-1.00	-1	1.05	0.45	0.60	22.0	-1.00
80X09	639.2	640.7	1.5	1828	4L74	-1	-1.00	-1	1.27	0.82	0.45	12.0	-1.00
80X09	640.7	641.6	0.9	1829	4C859	-1	-1.00	-1	4.36	1.82	2.54	28.0	-1.00
80X09	641.6	647.3	5.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

L2C

u1

80X09	647.3	648.3	1.0	1830	4A0	-1	-1.00	-1	2.28	0.88	1.40	20.0	-1.00
80X09	648.3	650.8	2.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X09	650.8	651.3	0.5	1831	4E89	-1	-1.00	-1	7.28	3.48	3.80	54.0	-1.00
80X09	651.3	651.8	0.5	1832	4C7	-1	-1.00	-1	0.67	0.42	0.25	11.0	-1.00
80X09	651.8	653.0	1.2	1833	4G49	-1	-1.00	-1	6.47	3.42	3.05	56.0	-1.00
80X09	653.0	658.1	5.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X09	658.1	659.1	1.0	1834	4L7	-1	-1.00	-1	0.07	0.05	0.02	2.0	-1.00
80X09	659.1	660.1	1.0	1835	4L12	-1	-1.00	-1	1.65	0.76	0.89	15.0	-1.00
80X09	660.1	662.6	2.5	1836	4L7	-1	-1.00	-1	0.21	0.11	0.10	3.0	-1.00
80X09	662.6	663.6	1.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X09	663.6	665.1	1.5	1837	4K89	-1	-1.00	-1	3.43	1.68	1.75	25.0	-1.00
80X09	665.1	677.1	12.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X09	677.1	678.4	1.3	1838	4K09	-1	-1.00	-1	2.62	1.37	1.25	20.0	-1.00
80X09	678.4	725.0	46.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X09	725.0	726.8	1.8	1839	4C9	-1	3.45	-1	11.64	6.58	5.06	83.0	0.34
80X09	726.8	727.0	0.2	1840	4H0	-1	3.89	-1	14.05	9.37	4.68	120.0	0.27
80X09	727.0	729.1	2.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X09	729.1	731.1	2.0	1841	4K41	-1	3.39	-1	11.51	7.40	4.11	83.0	1.17
80X09	731.1	733.1	2.0	1842	4K41	-1	4.15	-1	17.41	11.78	5.63	147.0	1.10
80X09	733.1	735.1	2.0	1843	4K41	-1	4.12	-1	17.00	11.69	5.31	121.0	0.96
80X09	735.1	735.8	0.7	1844	4K41	-1	4.15	-1	15.06	9.77	5.29	97.0	0.75
80X09	735.8	737.8	2.0	1845	4G4	-1	3.74	-1	12.98	6.45	6.53	74.0	0.69
80X09	737.8	739.8	2.0	1846	4G4	-1	3.94	-1	15.75	11.28	4.47	133.0	0.96
80X09	739.8	741.1	1.3	1847	4G4	-1	4.27	-1	16.32	11.38	4.94	135.0	1.51
80X09	741.1	743.1	2.0	1848	4E89	-1	4.33	-1	6.63	4.34	2.29	60.0	1.85
80X09	743.1	744.9	1.8	1849	4E89	-1	-1.00	-1	2.74	1.59	1.15	31.0	-1.00

L1

C.R.I. 11-Mar-91

page 33

wh386\fr:\dy\dytab4.wk3

DY PCXPLO Database - ASSAYS

HostID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
80X09	744.9	745.2	0.3	1850	4H0	-1	-1.00	-1	2.06	0.98	1.08	27.0	-1.00
80X09	745.2	749.4	24.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X09	749.4	770.9	1.5	1851	4C7	-1	4.38	-1	15.06	9.12	5.94	164.0	1.78
80X09	770.9	772.5	1.6	1852	4G4	-1	4.04	-1	17.93	10.71	7.22	153.0	0.34
80X09	772.5	789.7	17.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X09	789.7	791.9	2.2	1853	4C7	-1	-1.00	-1	2.93	1.72	1.21	21.0	-1.00
80X09	791.9	798.1	6.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X09	798.1	799.9	1.8	1854	4L127	-1	-1.00	-1	1.27	0.56	0.71	9.0	-1.00
80X09	799.9	802.2	2.3	1855	4L17	-1	-1.00	-1	0.55	0.25	0.30	4.0	-1.00
80X09	802.2	803.1	0.9	1856	4C789	-1	-1.00	-1	2.99	0.19	2.80	25.0	-1.00
80X09	803.1	955.8	152.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X10	0.0	858.6	858.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X10	858.6	860.8	2.2	1857	4L17	-1	-1.00	-1	7.19	3.24	3.95	63.0	-1.00
80X10	860.8	862.4	1.6	1858	4L17	-1	-1.00	-1	0.08	0.03	0.05	4.0	-1.00
80X10	862.4	864.4	2.0	1859	4L167	-1	-1.00	-1	0.47	0.26	0.21	5.0	-1.00
80X10	864.4	866.4	2.0	1860	4L167	-1	-1.00	-1	0.09	0.03	0.06	5.0	-1.00
80X10	866.4	868.4	2.0	1861	4L167	-1	-1.00	-1	0.15	0.04	0.11	1.0	-1.00
80X10	868.4	870.4	2.0	1862	4L167	-1	-1.00	-1	0.10	0.03	0.07	2.0	-1.00
80X10	870.4	872.4	2.0	1863	4L167	-1	-1.00	-1	0.08	0.02	0.06	3.0	-1.00
80X10	872.4	874.4	2.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X10	874.4	876.9	2.5	1864	4L167	-1	-1.00	-1	0.16	0.05	0.11	6.0	-1.00
80X10	876.9	877.9	1.0	1865	4L17	-1	-1.00	-1	0.19	0.07	0.12	5.0	-1.00
80X10	877.9	879.8	1.9	1866	4L13	-1	-1.00	-1	0.24	0.10	0.14	5.0	-1.00
80X10	879.8	881.5	1.7	1867	4A0	-1	-1.00	-1	5.50	2.31	3.19	27.0	-1.00
80X10	881.5	881.8	0.3	1868	4C0	-1	-1.00	-1	9.42	3.67	5.75	46.0	-1.00
80X10	881.8	909.8	28.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

L2 30 14.65/3.5m

L3

80X10	910.6	911.3	0.7	1870	4E1	-1	4.31	-1	8.56	3.90	4.66	75.0	1.78
80X10	911.3	912.5	1.2	1871	4G4	-1	4.43	-1	15.72	7.80	7.92	116.0	1.03
80X10	912.5	912.9	0.4	1872	4K641	-1	4.14	-1	10.93	6.10	4.83	78.0	1.34
80X10	912.9	913.5	0.6	1873	4G49	-1	4.30	-1	14.66	7.20	7.46	105.0	1.78
80X10	913.5	915.5	2.0	1874	4G4	-1	4.46	-1	17.50	7.10	10.40	99.0	1.10
80X10	915.5	917.1	1.6	1875	4G4	-1	4.38	-1	17.30	6.60	10.70	122.0	1.03
80X10	917.1	918.7	1.6	1876	4E19	-1	4.41	-1	8.94	4.90	4.04	112.0	2.06
80X10	918.7	919.1	0.4	1877	4G49	-1	4.40	-1	15.51	6.80	8.71	102.0	1.99
80X10	919.1	921.1	2.0	1878	4E19	-1	3.83	-1	6.31	2.47	3.84	46.0	1.65
80X10	921.1	922.3	1.2	1879	4E1	-1	5.38	-1	11.97	4.87	7.10	76.0	1.54
80X10	922.3	922.6	0.3	1880	4G4	-1	4.54	-1	12.68	4.98	7.70	80.0	1.37
80X10	922.6	924.6	2.0	1881	4E9	-1	4.34	-1	10.73	4.38	6.35	70.0	1.65
80X10	924.6	925.8	1.2	1882	4E9	-1	4.60	-1	8.28	3.47	4.81	76.0	1.99
80X10	925.8	926.7	0.9	1883	4D0	-1	3.22	-1	8.42	2.87	5.55	42.0	1.44
80X10	926.7	928.2	1.5	1884	4A4	-1	2.82	-1	6.10	2.09	4.01	26.0	0.51
80X10	928.2	928.6	0.4	1885	4G0	-1	4.20	-1	8.40	3.22	5.18	98.0	1.10
80X10	928.6	929.0	0.4	1886	4K9	-1	-1.00	-1	0.22	0.14	0.08	15.0	-1.00
80X10	929.0	948.3	19.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X10	948.3	950.3	2.0	1887	4A0	-1	-1.00	-1	2.01	0.59	1.42	12.0	-1.00
80X10	950.3	950.8	0.5	1888	4A0	-1	-1.00	-1	1.68	0.84	0.84	13.0	-1.00
80X10	950.8	952.8	2.0	1889	4G0	-1	-1.00	-1	4.90	1.83	3.07	30.0	-1.00
80X10	952.8	954.0	1.2	1890	4G9	-1	-1.00	-1	4.02	1.91	2.11	32.0	-1.00
80X10	954.0	954.3	0.3	1891	4A0	-1	-1.00	-1	2.89	0.84	2.05	12.0	-1.00
80X10	954.3	955.3	1.0	1892	4D0	-1	-1.00	-1	9.05	2.59	6.46	31.0	-1.00
80X10	955.3	956.2	0.9	1893	4A0	-1	-1.00	-1	5.54	1.99	3.55	24.0	-1.00
80X10	956.2	1040.2	84.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X11	0.0	612.9	612.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

L2A

L2B

C.R.I. 11-Mar-91

page 34

wh386\fr\dy\dytab4.wk3

BY PCXPLOR DATABASE -- ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
80X11	612.9	613.4	0.5	1894	4E86	-1	4.52	-1	6.65	3.77	2.88	44.0	1.10
80X11	613.4	615.5	2.1	1895	4G9	-1	4.47	-1	10.58	5.15	5.43	82.0	1.03
80X11	615.5	616.2	0.7	1896	4E869	-1	-1.00	-1	0.97	0.51	0.46	21.0	-1.00
80X11	616.2	616.7	0.5	1897	4L15	-1	-1.00	-1	0.09	0.05	0.04	2.0	-1.00
80X11	616.7	618.1	1.4	1898	4C0	-1	-1.00	-1	0.24	0.18	0.06	12.0	-1.00
80X11	618.1	619.1	1.0	1899	4C0	-1	-1.00	-1	0.17	0.11	0.06	11.0	-1.00
80X11	619.1	623.8	4.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X11	623.8	624.1	0.3	1900	4G89	-1	-1.00	-1	1.19	0.65	0.54	13.0	-1.00
80X11	624.1	726.3	102.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X11	726.3	728.4	2.1	1901	4L7	-1	-1.00	-1	0.32	0.12	0.20	4.0	-1.00
80X11	728.4	729.6	1.2	1902	4L17	-1	-1.00	-1	2.06	0.74	1.32	12.0	-1.00
80X11	729.6	731.6	2.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X11	731.6	733.6	2.0	1903	4A4	-1	-1.00	-1	4.42	2.02	2.40	29.0	-1.00
80X11	733.6	735.6	2.0	1904	4A4	-1	-1.00	-1	4.87	2.36	2.51	28.0	-1.00
80X11	735.6	737.6	2.0	1905	4A4	-1	-1.00	-1	7.06	2.21	4.85	30.0	-1.00
80X11	737.6	739.8	2.2	1906	4A4	-1	-1.00	-1	4.95	2.19	2.76	31.0	-1.00
80X11	739.8	752.8	13.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X11	752.8	753.8	1.0	1907	4A0	-1	-1.00	-1	1.05	0.33	0.72	9.0	-1.00
80X11	753.8	757.5	3.7	1908	5B29	-1	-1.00	-1	0.54	0.23	0.31	4.0	-1.00
80X11	757.5	759.5	2.0	1909	4L7	-1	-1.00	-1	0.46	0.29	0.17	4.0	-1.00
80X11	759.5	761.5	2.0	1910	4L7	-1	-1.00	-1	1.17	0.54	0.63	11.0	-1.00
80X11	761.5	762.0	0.5	1911	4L7	-1	-1.00	-1	0.13	0.04	0.09	2.0	-1.00
80X11	762.0	767.3	5.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X11	767.3	768.4	1.1	1912	4L172	-1	-1.00	-1	5.05	1.95	3.10	28.0	-1.00
80X11	768.4	787.6	19.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X11	787.6	789.6	2.0	1913	4D0	-1	-1.00	-1	3.88	2.44	1.45	31.0	-1.00

80X11	789.6	790.0	0.4	1914	4D0	-1	-1.00	-1	0.96	0.24	0.72	4.0	-1.00
80X11	790.0	792.0	2.0	1915	4L145	-1	-1.00	-1	0.27	0.12	0.15	3.0	-1.00
80X11	792.0	794.0	2.0	1916	4L145	-1	-1.00	-1	1.03	0.50	0.53	9.0	-1.00
80X11	794.0	795.4	1.4	1917	4L145	-1	-1.00	-1	0.24	0.09	0.15	9.0	-1.00
80X11	795.4	807.8	12.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X11	807.8	808.5	0.7	1918	4C7	-1	-1.00	-1	2.89	0.64	2.25	14.0	-1.00
80X11	808.5	810.5	2.0	1919	4C0	-1	-1.00	-1	3.03	0.47	2.56	8.0	-1.00
80X11	810.5	811.9	1.4	1920	4C0	-1	-1.00	-1	5.13	1.74	3.39	27.0	-1.00
80X11	811.9	813.9	2.0	1921	4D0	-1	-1.00	-1	6.51	2.33	4.18	44.0	-1.00
80X11	813.9	815.0	1.1	1922	4D0	-1	-1.00	-1	6.16	2.70	3.46	37.0	-1.00
80X11	815.0	815.9	0.9	1923	4C5	-1	-1.00	-1	3.32	0.99	2.33	22.0	-1.00
80X11	815.9	816.7	0.8	1924	4C57	-1	-1.00	-1	0.60	0.16	0.44	8.0	-1.00
80X11	816.7	818.6	1.9	1925	4C0	-1	-1.00	-1	0.84	0.33	0.51	17.0	-1.00
80X11	818.6	917.4	98.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X12	0.0	843.5	843.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X12	843.5	844.2	0.7	2003	4A1	-1	-1.00	-1	0.33	0.19	0.14	5.0	-1.00
80X12	844.2	846.0	1.8	2004	4A0	-1	-1.00	-1	4.65	2.01	2.64	37.0	-1.00
80X12	846.0	846.2	0.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X12	846.2	848.0	1.8	2005	4A0	-1	-1.00	-1	4.98	2.03	2.95	33.0	-1.00
80X12	848.0	848.7	0.7	2006	4D0	-1	3.51	-1	16.77	8.00	8.77	108.0	0.69
80X12	848.7	849.3	0.6	2007	4E0	-1	3.50	-1	11.45	2.42	9.03	50.0	0.58
80X12	849.3	849.9	0.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X12	849.9	851.9	2.0	2008	4A0	-1	-1.00	-1	2.90	1.21	1.69	18.0	-1.00
80X12	851.9	853.9	2.0	2009	4A0	-1	-1.00	-1	4.63	2.15	2.48	34.0	-1.00
80X12	853.9	855.9	2.0	2010	4A0	-1	-1.00	-1	0.88	0.33	0.55	7.0	-1.00
80X12	855.9	857.4	1.5	2011	4A0	-1	-1.00	-1	2.28	0.83	1.45	17.0	-1.00
80X12	857.4	858.1	0.7	2012	4E0	-1	-1.00	-1	7.14	1.67	7.47	36.0	-1.00
80X12	858.1	858.9	0.8	2013	4G4	-1	-1.00	-1	7.87	3.31	4.56	55.0	-1.00

845.3 - 849.3

C.R.I. 11-Mar-91

wh386\lf:\dy\dytab4.wk3

page 35

DY FCXPLOR DATABASE -- ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
80X12	858.9	859.2	0.3	2014	4E19	-1	-1.00	-1	2.25	1.56	0.69	29.0	-1.00
80X12	859.2	860.7	1.5	2015	4L37	-1	-1.00	-1	0.23	0.16	0.07	2.0	-1.00
80X12	860.7	861.5	0.8	2016	4L76	-1	-1.00	-1	0.46	0.33	0.13	4.0	-1.00
80X12	861.5	861.9	0.4	2017	4E69	-1	-1.00	-1	3.16	1.92	1.24	44.0	-1.00
80X12	861.9	863.8	1.9	2018	4K89	-1	-1.00	-1	4.30	1.74	2.56	39.0	-1.00
80X12	863.8	864.2	0.4	2019	4A0	-1	-1.00	-1	2.99	1.01	1.98	18.0	-1.00
80X12	864.2	865.2	1.0	2020	4E0	-1	-1.00	-1	10.22	2.16	8.06	37.0	-1.00
80X12	865.2	866.4	1.2	2021	4A0	-1	-1.00	-1	3.41	1.08	2.33	16.0	-1.00
80X12	866.4	868.6	2.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X12	868.6	870.8	2.2	2022	4A0	-1	-1.00	-1	2.68	1.22	1.46	28.0	-1.00
80X12	870.8	872.9	2.1	2023	4E0	-1	-1.00	-1	1.05	0.70	0.35	32.0	-1.00
80X12	872.9	874.9	2.0	2024	4A0	-1	-1.00	-1	0.23	0.15	0.08	6.0	-1.00
80X12	874.9	876.4	1.5	2025	4A0	-1	-1.00	-1	1.33	0.45	0.88	12.0	-1.00
80X12	876.4	877.1	0.7	2026	4E1	-1	-1.00	-1	0.42	0.26	0.16	14.0	-1.00
80X12	877.1	879.1	2.0	2027	4G9	-1	-1.00	-1	4.57	2.39	2.18	39.0	-1.00
80X12	879.1	881.1	2.0	2028	4G89	-1	-1.00	-1	5.92	3.28	2.64	43.0	-1.00
80X12	881.1	882.5	1.4	2029	4G89	-1	-1.00	-1	1.88	1.11	0.77	28.0	-1.00
80X12	882.5	883.0	0.5	2030	4C9	-1	-1.00	-1	0.57	0.41	0.16	25.0	-1.00
80X12	883.0	884.5	1.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X12	884.5	885.3	0.8	2031	4C8	-1	-1.00	-1	0.54	0.34	0.20	14.0	-1.00
80X12	885.3	886.1	0.8	2032	4C89	-1	-1.00	-1	0.79	0.62	0.17	18.0	-1.00
80X12	886.1	886.4	0.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X12	886.4	888.4	2.0	2033	4L7	-1	-1.00	-1	0.58	0.39	0.19	2.0	-1.00
80X12	888.4	890.4	2.0	2034	4L7	-1	-1.00	-1	0.38	0.18	0.20	3.0	-1.00

80X12	892.4	893.8	1.4	2036	4L7	-1	-1.00	-1	0.90	0.43	0.47	7.0	-1.00
80X12	893.8	897.6	3.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X12	897.6	899.6	2.0	2037	4A0	-1	-1.00	-1	1.02	0.35	0.67	3.0	-1.00
80X12	899.6	901.6	2.0	2038	4A0	-1	-1.00	-1	2.98	1.02	1.96	17.0	-1.00
80X12	901.6	902.4	0.8	2039	4A0	-1	-1.00	-1	0.71	0.22	0.49	5.0	-1.00
80X12	902.4	904.4	2.0	2040	4E0	-1	-1.00	-1	0.63	0.22	0.41	10.0	-1.00
80X12	904.4	906.7	2.3	2041	4E0	-1	-1.00	-1	0.36	0.22	0.14	10.0	-1.00
80X12	906.7	907.4	0.7	2042	4C7	-1	-1.00	-1	7.34	4.05	3.29	66.0	-1.00
80X12	907.4	1040.2	132.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X13	0.0	733.9	733.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X13	733.9	734.5	0.6	1926	4E49	-1	-1.00	-1	8.40	3.85	4.55	63.0	-1.00
80X13	734.5	735.7	1.2	1927	4L74	-1	-1.00	-1	1.86	0.64	1.22	9.0	-1.00
80X13	735.7	736.7	1.0	1928	4EB9	-1	-1.00	-1	4.69	2.10	2.59	36.0	-1.00
80X13	736.7	738.7	2.0	1929	4C79	-1	-1.00	-1	3.94	1.41	2.53	26.0	-1.00
80X13	738.7	740.5	1.8	1930	4C79	-1	-1.00	-1	3.85	1.66	2.19	33.0	-1.00
80X13	740.5	742.0	1.5	1931	4A7	-1	-1.00	-1	1.51	0.78	0.73	19.0	-1.00
80X13	742.0	743.6	1.6	1932	4C79	-1	-1.00	-1	4.35	1.60	2.75	24.0	-1.00
80X13	743.6	743.9	0.3	1933	4L9	-1	-1.00	-1	2.83	0.82	2.01	13.0	-1.00
80X13	743.9	744.5	0.6	1934	4D79	-1	-1.00	-1	8.80	3.13	5.67	36.0	-1.00
80X13	744.5	745.3	0.8	1935	4C89	-1	-1.00	-1	3.01	1.86	1.15	29.0	-1.00
80X13	745.3	746.8	1.5	1936	4C9	-1	-1.00	-1	1.99	0.55	1.44	11.0	-1.00
80X13	746.8	747.5	0.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X13	747.5	748.9	1.4	1937	4A7	-1	-1.00	-1	0.86	0.38	0.48	8.0	-1.00
80X13	748.9	751.0	2.1	1938	4C79	-1	-1.00	-1	0.38	0.20	0.18	6.0	-1.00
80X13	751.0	753.0	2.0	1939	4L127	-1	-1.00	-1	0.11	0.07	0.04	4.0	-1.00
80X13	753.0	754.5	1.5	1940	4L127	-1	-1.00	-1	0.14	0.09	0.05	4.0	-1.00
80X13	754.5	782.0	27.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
80X13	782.0	783.5	1.5	1941	4G48	-1	4.51	-1	12.57	5.05	7.52	64.0	0.58
80X13	783.5	785.5	2.0	1942	4G189	-1	4.26	-1	7.84	3.46	4.38	48.0	0.86

C.R.I. 11-Mar-91

wh386\fs\dy\dytab4.wk3

page 36

DY PCXPLOR DATABASE -- ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
80X13	785.5	786.7	1.2	1943	4G189	-1	4.41	-1	9.15	3.48	5.67	46.0	0.58
80X13	786.7	788.7	2.0	1944	4A0	-1	3.03	-1	7.39	3.55	3.84	46.0	0.58
80X13	788.7	790.7	2.0	1945	4A0	-1	-1.00	-1	3.32	1.83	1.49	31.0	-1.00
80X13	790.7	792.7	2.0	1946	4A0	-1	-1.00	-1	3.23	2.18	1.05	32.0	-1.00
80X13	792.7	794.9	2.2	1947	4A0	-1	-1.00	-1	2.60	0.95	1.65	15.0	-1.00
80X13	794.9	795.6	0.7	1948	4A4	-1	-1.00	-1	6.69	3.05	3.64	41.0	-1.00
80X13	795.6	796.1	0.5	1949	4G0	-1	-1.00	-1	9.47	3.35	6.12	56.0	-1.00
80X13	796.1	797.9	1.8	1950	4G8	-1	-1.00	-1	4.50	1.64	2.86	48.0	-1.00
80X13	797.9	799.5	1.6	2001	4A4	-1	-1.00	-1	9.57	3.45	6.12	25.0	-1.00
80X13	799.5	801.0	1.5	2002	4A0	-1	-1.00	-1	3.43	1.05	2.38	15.0	-1.00
80X13	801.0	914.7	113.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X01	0.0	827.1	827.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X01	827.1	827.7	0.6	1998	4E68	-1	-1.00	-1	10.02	4.45	5.57	70.0	-1.00
EAB1X01	827.7	829.2	1.5	1999	4A0	-1	-1.00	-1	6.12	2.79	3.33	51.0	-1.00
EAB1X01	829.2	840.6	11.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X01	840.6	842.6	2.0	2000	4L12	-1	-1.00	-1	0.34	0.10	0.24	5.0	-1.00
EAB1X01	842.6	844.8	2.2	2043	4L62	-1	-1.00	-1	0.47	0.11	0.36	6.0	-1.00
EAB1X01	844.8	846.4	1.6	2044	4L12	-1	-1.00	-1	0.35	0.13	0.22	7.0	-1.00
EAB1X01	846.4	873.4	27.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X01	873.4	874.5	1.1	2045	4EB6	-1	-1.00	-1	1.27	0.69	0.58	26.0	-1.00
EAB1X01	874.5	874.9	0.4	2046	4C58	-1	-1.00	-1	0.51	0.28	0.23	13.0	-1.00
EAB1X01	874.9	875.6	0.7	2047	4K6*	-1	-1.00	-1	2.58	1.64	0.94	34.0	-1.00
EAB1X01	875.6	877.4	1.8	2048	4E8*	-1	-1.00	-1	2.09	1.49	0.60	32.0	-1.00
EAB1X01	877.4	877.5	0.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

L2

L3

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
EAB1X01	877.8	878.5	0.7	2049	4C*8	-1	-1.00	-1	1.02	0.76	0.26	28.0	-1.00
EAB1X01	878.5	879.7	1.2	2050	4EKB	-1	-1.00	-1	1.65	1.16	0.49	27.0	-1.00
EAB1X01	879.7	880.7	1.0	2401	4GB*	-1	-1.00	-1	2.50	1.95	0.55	37.0	-1.00
EAB1X01	880.7	882.5	1.8	2402	4EB	-1	-1.00	-1	2.04	1.26	0.78	30.0	-1.00
EAB1X01	882.5	895.9	113.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X02	0.0	488.2	488.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X02	488.2	488.9	0.7	1969	4L73	-1	-1.00	-1	0.42	0.23	0.19	4.0	-1.00
EAB1X02	488.9	490.2	1.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X02	490.2	490.6	0.4	1970	4G0	-1	-1.00	-1	11.30	4.20	7.10	58.0	-1.00
EAB1X02	490.6	491.2	0.6	1971	4DK6	-1	-1.00	-1	11.30	4.30	7.00	49.0	-1.00
EAB1X02	491.2	492.1	0.9	1972	4C75	-1	-1.00	-1	5.32	3.30	2.02	30.0	-1.00
EAB1X02	492.1	492.9	0.8	1973	4A0	-1	-1.00	-1	5.50	3.20	2.30	29.0	-1.00
EAB1X02	492.9	493.4	0.5	1974	4C0	-1	-1.00	-1	0.19	0.15	0.04	32.0	-1.00
EAB1X02	493.4	494.1	0.7	1975	4A0	-1	-1.00	-1	0.84	0.41	0.43	13.0	-1.00
EAB1X02	494.1	496.1	2.0	1976	4C07	-1	-1.00	-1	0.79	0.28	0.51	9.0	-1.00
EAB1X02	496.1	497.9	1.8	1977	4C07	-1	-1.00	-1	1.58	0.35	1.23	7.0	-1.00
EAB1X02	497.9	500.0	2.1	1978	4L32	-1	-1.00	-1	1.33	0.23	1.10	6.0	-1.00
EAB1X02	500.0	500.3	0.3	1979	4A7	-1	-1.00	-1	0.63	0.24	0.39	8.0	-1.00
EAB1X02	500.3	513.7	13.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X02	513.7	515.7	2.0	1980	4C7	-1	-1.00	-1	1.39	0.98	0.41	19.0	-1.00
EAB1X02	515.7	517.7	2.0	1981	4C7	-1	-1.00	-1	0.09	0.03	0.06	5.0	-1.00
EAB1X02	517.7	518.5	0.8	1982	4C7	-1	-1.00	-1	0.33	0.09	0.24	7.0	-1.00
EAB1X02	518.5	521.5	3.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X02	521.5	523.5	2.0	1983	4L7	-1	-1.00	-1	0.62	0.19	0.43	5.0	-1.00
EAB1X02	523.5	525.1	1.6	1984	4L7	-1	-1.00	-1	0.13	0.07	0.06	4.0	-1.00
EAB1X02	525.1	562.5	37.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X02	562.5	564.5	2.0	1985	4L7	-1	-1.00	-1	0.05	0.02	0.03	6.0	-1.00
EAB1X02	564.5	566.5	2.0	1986	4L7	-1	-1.00	-1	0.03	0.01	0.02	4.0	-1.00
EAB1X02	566.5	568.6	2.1	1987	4L7	-1	-1.00	-1	0.05	0.04	0.01	4.0	-1.00
EAB1X02	568.6	573.3	4.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

u1 7.59%/2.7m

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
EAB1X02	573.3	574.8	1.5	1997	4L24	-1	-1.00	-1	1.73	0.38	1.35	8.0	-1.00
EAB1X02	574.8	576.8	2.0	1988	4L16	-1	-1.00	-1	0.19	0.05	0.14	4.0	-1.00
EAB1X02	576.8	578.8	2.0	1989	4L16	-1	-1.00	-1	0.25	0.08	0.17	3.0	-1.00
EAB1X02	578.8	580.3	1.5	1990	4L16	-1	-1.00	-1	1.36	0.63	0.73	14.0	-1.00
EAB1X02	580.3	590.4	10.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X02	590.4	590.9	0.5	1991	4G1	-1	-1.00	-1	9.20	4.60	4.60	36.0	-1.00
EAB1X02	590.9	592.7	1.8	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X02	592.7	592.9	0.2	1992	4E1	-1	-1.00	-1	2.95	2.50	0.45	29.0	-1.00
EAB1X02	592.9	593.5	0.6	1993	4G4	-1	-1.00	-1	19.70	9.40	10.30	125.0	-1.00
EAB1X02	593.5	593.7	0.2	1994	4C0	-1	-1.00	-1	1.93	0.78	1.15	18.0	-1.00
EAB1X02	593.7	604.4	10.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X02	604.4	605.4	1.0	1995	4E4	-1	-1.00	-1	19.10	8.90	10.20	146.0	-1.00
EAB1X02	605.4	607.4	2.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X02	607.4	607.8	0.4	1996	4E41	-1	-1.00	-1	19.50	8.60	10.90	150.0	-1.00
EAB1X02	607.8	828.1	220.3	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X03	0.0	906.5	906.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X03	906.5	908.5	2.0	2403	4L79	-1	-1.00	-1	4.19	2.73	1.46	44.0	-1.00
EAB1X03	908.5	919.5	11.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X03	919.5	920.0	0.5	2404	4L7	-1	-1.00	-1	3.34	1.70	1.64	32.0	-1.00
EAB1X03	920.0	920.9	0.9	2405	4E86	-1	-1.00	-1	5.23	3.56	1.67	59.0	-1.00
EAB1X03	920.9	922.1	1.2	2406	4C7	-1	-1.00	-1	4.79	2.90	1.89	46.0	-1.00
EAB1X03	922.1	923.2	1.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

z1

LZ

EAB1X03	925.2	927.0	1.8	2408	4A0	-1	-1.00	-1	2.14	0.65	1.29	17.0	-1.00
EAB1X03	927.0	927.8	0.8	2409	4A0	-1	-1.00	-1	0.52	0.37	0.15	11.0	-1.00
EAB1X03	927.8	931.3	3.5	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X03	931.3	931.7	0.4	2410	4EB4	-1	-1.00	-1	0.66	0.51	0.15	32.0	-1.00
EAB1X03	931.7	932.2	0.5	2411	4GB	-1	-1.00	-1	1.57	0.92	0.65	26.0	-1.00
EAB1X03	932.2	934.2	2.0	2412	4A0	-1	-1.00	-1	0.78	0.52	0.26	12.0	-1.00
EAB1X03	934.2	936.2	2.0	2413	4A0	-1	-1.00	-1	0.37	0.32	0.05	9.0	-1.00
EAB1X03	936.2	936.9	0.7	2414	4A0	-1	-1.00	-1	0.29	0.27	0.02	8.0	-1.00
EAB1X03	936.9	937.9	1.0	2415	4L12	-1	-1.00	-1	0.67	0.18	0.49	13.0	-1.00
EAB1X03	937.9	941.0	3.1	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X03	941.0	941.7	0.7	2416	4L17	-1	-1.00	-1	0.23	0.07	0.16	6.0	-1.00
EAB1X03	941.7	943.7	2.0	2417	4L7	-1	-1.00	-1	0.05	0.02	0.03	4.0	-1.00
EAB1X03	943.7	945.7	2.0	2418	4L7	-1	-1.00	-1	0.06	0.03	0.03	2.0	-1.00
EAB1X03	945.7	947.7	2.0	2419	4L7	-1	-1.00	-1	0.04	0.02	0.02	2.0	-1.00
EAB1X03	947.7	949.7	2.0	2420	4L7	-1	-1.00	-1	0.07	0.03	0.04	1.0	-1.00
EAB1X03	949.7	950.9	1.2	2421	4L7	-1	-1.00	-1	0.03	0.01	0.02	1.0	-1.00
EAB1X03	950.9	951.2	0.3	2422	4C5	-1	-1.00	-1	0.14	0.06	0.08	8.0	-1.00
EAB1X03	951.2	953.2	2.0	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
EAB1X03	953.2	954.3	1.1	2423	4C57	-1	-1.00	-1	1.45	0.77	0.68	13.0	-1.00
EAB1X03	954.3	956.7	2.4	2424	4A0	-1	-1.00	-1	2.07	1.03	1.04	20.0	-1.00
EAB1X03	956.7	957.5	0.8	2425	4A4	-1	-1.00	-1	6.95	2.92	4.03	54.0	-1.00
EAB1X03	957.5	958.2	0.7	2426	4A0	-1	-1.00	-1	0.71	0.29	0.42	9.0	-1.00
EAB1X03	958.2	960.2	2.0	2427	4G*	-1	-1.00	-1	4.17	2.17	2.00	51.0	-1.00
EAB1X03	960.2	961.8	1.6	2428	4G*	-1	-1.00	-1	1.32	0.91	0.41	32.0	-1.00
EAB1X03	961.8	963.8	2.0	2429	4C8	-1	-1.00	1	0.39	0.27	0.12	20.0	-1.00
EAB1X03	963.8	964.7	0.9	2430	4C8	-1	-1.00	-1	2.06	1.15	0.91	30.0	-1.00
EAB1X03	964.7	965.4	0.7	2431	4EB	-1	-1.00	-1	4.13	2.55	1.58	41.0	-1.00
EAB1X03	965.4	966.2	0.8	2432	4GB*	-1	-1.00	-1	7.98	4.70	3.28	55.0	-1.00
EAB1X03	966.2	966.7	0.5	2433	4L1	-1	-1.00	-1	0.52	0.22	0.30	8.0	-1.00
EAB1X03	966.7	968.4	1.7	2434	4GB*	-1	-1.00	-1	0.25	0.18	0.07	20.0	-1.00
EAB1X03	968.4	969.3	0.9	2435	4EB	-1	-1.00	-1	0.38	0.25	0.13	30.0	-1.00

13

BY PCXPLOER DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
EAB1X03	969.3	971.3	2.0	2436	4GB*	-1	-1.00	-1	5.25	3.38	1.87	49.0	-1.00
EAB1X03	971.3	973.3	2.0	2437	4GB*	-1	-1.00	-1	6.49	3.28	3.21	46.0	-1.00
EAB1X03	973.3	973.6	0.3	2438	4GB*	-1	-1.00	-1	4.44	2.08	2.36	35.0	-1.00
EAB1X03	973.6	975.6	2.0	2439	4K6B	-1	-1.00	-1	0.82	0.55	0.27	22.0	-1.00
EAB1X03	975.6	976.3	0.7	2440	4K6B	-1	-1.00	-1	3.09	1.75	1.34	37.0	-1.00
EAB1X03	976.3	977.8	1.5	2441	4A0	-1	-1.00	-1	4.54	1.47	3.07	26.0	-1.00
EAB1X03	977.8	978.3	0.5	2442	4E0	-1	-1.00	-1	0.24	0.10	0.14	14.0	-1.00
EAB1X03	978.3	1047.5	69.2	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
89DS-01	-1.0	-1.0	-1.0			-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
89DS-02	-1.0	-1.0	-1.0			-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
90DY04D	0.0	554.3	554.3		WASTE	-1	2.70	-1	0.00	0.00	0.00	0.0	0.00
90DY04D	554.3	555.2	0.9	65101	4G0	-1	4.25	-1	7.42	2.00	5.42	29.6	0.35
90DY04D	555.2	555.9	0.7	65102	4H04	-1	3.65	-1	3.93	0.61	3.32	11.2	0.11
90DY04D	555.9	556.8	0.9	65103	3G02	-1	2.91	-1	0.15	0.09	0.11	0.1	0.02
90DY04D	556.8	557.8	1.0	65104	4G4	-1	4.09	-1	11.20	2.53	8.87	35.0	0.46
90DY04D	557.8	558.5	0.7	65105	4G4	-1	4.19	-1	11.97	2.76	9.21	39.4	0.45
90DY04D	558.5	559.4	0.9	65106	4G4	-1	4.33	-1	10.45	3.15	7.30	32.3	0.46
90DY04D	559.4	559.9	0.5	65107	4G44	-1	4.11	-1	23.76	5.46	18.30	87.4	0.35
90DY04D	559.9	560.6	0.7	65108	4A0	-1	2.79	-1	1.83	0.54	1.29	6.4	1.21
90DY04D	560.6	561.4	0.8	65109	4A0	-1	2.69	-1	2.64	1.00	1.64	13.2	0.17
90DY04D	561.4	562.0	0.6	65110	3G0	-1	2.76	-1	0.06	0.02	0.04	0.1	0.08

11.12%
9.1m

90DY04D	562.9	563.9	1.0	65112	4EC4	-1	3.98	-1	21.06	8.86	12.20	73.4	0.77
90DY04D	563.9	564.7	0.8	65113	4EC4	-1	3.27	-1	9.70	4.67	5.03	55.3	0.54
90DY04D	564.7	565.3	0.6	65114	4EC4	-1	4.18	-1	13.33	7.27	6.06	87.5	0.72
90DY04D	565.3	565.9	0.6	65115	4EC44	-1	4.25	-1	31.60	10.20	21.40	169.9	0.78
90DY05	516.2	516.7	0.5	65116	4K0	-1	2.49	-1	1.40	0.97	0.43	7.0	0.07
90DY05	516.7	517.5	0.8	65117	4B0	-1	3.84	-1	11.77	3.33	8.44	63.8	0.41
90DY05	517.5	518.3	0.8	65118	4B0	-1	4.33	-1	13.68	1.48	12.20	123.1	0.61
90DY05	518.3	519.1	0.8	65119	4E0	-1	4.12	-1	12.33	4.16	8.17	54.8	0.45
90DY05	519.1	519.7	0.6	65120	4B0	-1	3.33	-1	8.76	2.67	6.09	38.6	0.28
90DY05	519.7	520.4	0.7	65121	4K06	-1	2.98	-1	2.32	0.82	1.50	10.3	0.11
90DY05	520.4	521.1	0.7	65122	4B0	-1	2.86	-1	16.42	4.82	11.60	65.6	0.41
90DY05	521.1	521.8	0.7	65123	4B0	-1	3.74	-1	13.94	3.84	10.10	73.4	0.33
90DY05	521.8	523.2	1.4	65124	4B0	-1	3.09	-1	14.37	4.17	10.20	51.7	0.20
90DY05	523.2	524.6	1.4	65125	4B0	-1	4.27	-1	9.71	2.45	7.26	34.9	0.09
90DY05	524.6	525.2	0.6	65126	4B0	-1	3.82	-1	8.36	2.50	5.86	31.4	0.12
90DY05	525.2	526.1	0.9	65127	4B0	-1	4.04	-1	25.50	10.90	14.60	132.9	0.49
90DY05	526.1	526.3	0.2	65128	4B0	-1	4.33	-1	12.23	3.50	8.73	53.9	0.91
90DY05	526.3	527.4	1.1	65129	4B0	-1	3.93	-1	17.43	6.43	11.00	70.0	0.51
90DY05	527.4	528.6	1.2	65130	4B0	-1	4.23	-1	21.03	9.33	11.70	83.0	0.55
90DY05	528.6	529.1	0.5	65131	4K4	-1	3.74	-1	16.53	5.63	10.90	77.8	0.47
90DY05	529.1	530.2	1.1	65132	4B4	-1	4.16	-1	19.01	8.31	10.70	114.8	0.61
90DY05	530.2	530.9	0.7	65133	4B4	-1	4.23	-1	11.36	3.58	7.78	58.7	0.43
90DY05	530.9	531.9	1.0	65134	4B4	-1	3.84	-1	21.07	8.77	12.30	136.3	0.58
90DY05	531.9	532.6	0.7	65135	4E4	-1	4.48	-1	27.00	14.40	12.60	196.2	1.26
90DY05	532.6	533.0	0.4	65136	4B4	-1	3.83	-1	27.80	12.10	15.70	175.1	0.86
90DY05	533.0	533.6	0.6	65137	4B4	-1	3.46	-1	21.07	8.87	12.20	58.4	0.53
90DY05	533.6	534.6	1.0	65138	4B44	-1	4.11	-1	18.29	6.99	11.30	74.2	0.44
90DY07	381.8	383.4	1.6	65139	4L0	-1	2.76	-1	0.08	0.07	0.01	0.1	0.01
90DY07	383.4	384.7	1.3	65140	4L0	-1	2.79	-1	0.02	0.01	0.01	0.1	0.01
90DY07	384.7	385.1	0.4	65141	4K0*	-1	2.76	-1	0.14	0.06	0.08	0.1	0.01
90DY07	385.1	387.2	2.1	65142	4L0*	-1	2.84	-1	0.02	0.01	0.01	0.1	0.02
90DY07	387.2	388.4	1.2	65143	4L0*	-1	3.08	-1	1.65	0.76	0.89	10.1	0.19

C.R.I. 11-Mar-91

wh386\F:\dy\dytab4.wk3

page 39

41 11.4m

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
90DY07	388.4	390.1	1.7	65144	4E0*	-1	3.58	-1	0.41	0.33	0.08	12.9	0.30
90DY07	390.1	391.7	1.6	65145	4E0	-1	4.04	-1	0.50	0.32	0.18	11.4	0.53
90DY07	391.7	393.4	1.7	65146	4E0	-1	3.83	-1	0.04	0.03	0.01	9.9	0.41
90DY07	393.4	394.9	1.5	65147	4C0	-1	3.41	-1	0.13	0.07	0.06	5.7	0.25
90DY07	394.9	396.6	1.7	65148	4C0	-1	3.24	-1	0.17	0.14	0.03	6.0	0.22
90DY07	396.6	398.6	2.0	65149	4C0	-1	4.09	-1	1.06	0.87	0.19	12.1	0.19
90DY07	398.6	400.6	2.0	65150	4C0	-1	3.21	-1	0.64	0.46	0.18	7.3	0.16
90DY07	400.6	401.6	1.0	65151	4C0	-1	3.44	-1	0.23	0.16	0.07	9.2	0.81
90DY07	401.6	402.8	1.2	65152	4C0	-1	3.15	-1	0.23	0.17	0.06	8.5	0.38
90DY07	402.8	403.9	1.1	65153	4C0	-1	3.06	-1	0.16	0.14	0.02	6.5	0.18
90DY07	403.9	405.7	1.8	65154	4C0	-1	2.78	-1	0.07	0.06	0.01	2.7	0.06
90DY07	405.7	407.1	1.4	65155	4C0	-1	3.16	-1	0.22	0.18	0.04	6.3	0.30
90DY07	407.1	408.1	1.0	65156	4L14	-1	3.00	-1	0.54	0.24	0.30	4.4	0.13
90DY07	408.1	409.6	1.5	65157	4L14	-1	2.76	-1	0.09	0.07	0.02	0.7	0.14
90DY07	409.6	410.0	0.4	65158	5A69	-1	2.78	-1	0.04	0.03	0.01	0.1	0.01
90DY07	410.0	410.7	0.7	65159	5B219	-1	2.67	-1	0.05	0.03	0.02	0.1	0.06
90DY07	410.7	413.0	2.3	65160	5A19	-1	2.54	-1	0.09	0.05	0.04	0.8	0.01
90DY07	413.0	414.4	1.4	65161	5A109	-1	2.79	-1	0.06	0.02	0.04	0.4	0.01
90DY07	414.4	416.6	2.2	65162	5B6	-1	2.68	-1	0.02	0.01	0.01	0.1	0.02
90DY07	416.6	417.3	0.7	65163	5B619	-1	2.74	-1	0.02	0.01	0.01	0.4	0.01
90DY07	417.3	418.0	0.7	65164	4C0	-1	2.97	-1	0.07	0.05	0.02	2.4	0.10

90DY07	418.4	419.0	0.6	65165	5B612	-1	2.71	-1	0.04	0.03	0.01	1.8	0.01
90DY07	587.4	587.9	0.5	65166	4A0	-1	2.43	-1	5.52	1.98	3.54	10.4	0.03
90DY07	587.9	589.0	1.1	65167	5B6	-1	2.72	-1	0.02	0.01	0.01	2.2	0.01
90DY07	589.0	590.7	1.7	65168	4A04	-1	3.19	-1	5.81	2.19	3.62	29.4	0.11
90DY07	590.7	592.4	1.7	65169	4A04	-1	2.67	-1	6.09	1.94	4.15	19.6	0.05
90DY07	592.4	594.2	1.8	65170	4A0	-1	2.59	-1	0.23	0.07	0.16	3.1	0.01
90DY07	594.2	595.5	1.3	65171	4A0	-1	2.75	-1	2.04	0.66	1.38	6.5	0.01
90DY07	595.5	596.0	0.5	65172	4A0	-1	2.57	-1	3.30	1.39	1.91	10.6	0.08
90DY07	596.0	596.5	0.5	65173	4A4	-1	2.99	-1	13.27*	5.19	8.08	70.6	0.11
90DY07	596.5	597.2	0.7	65174	4A0	-1	2.58	-1	0.44	0.11	0.33	7.9	0.03
90DY07	597.2	598.2	1.0	65175	4A4	-1	2.97	-1	15.12	6.25	8.87	97.9	0.59
90DY07	598.2	599.8	1.6	65176	4A04	-1	3.01	-1	7.01	3.11	3.90	45.9	0.51
90DY07	599.8	601.7	1.9	65177	4L1	-1	2.79	-1	0.99	0.45	0.54	7.2	0.08
90DY07	601.7	603.0	1.3	65178	4L1	-1	2.74	-1	0.02	0.01	0.01	0.1	0.07
90DY07	603.0	603.9	0.9	65179	4A4	-1	3.56	-1	12.77	5.41	7.36	86.7	0.22
90DY08	550.9	551.6	0.7	65241	4L0*	-1	3.08	-1	2.04	0.91	1.13	15.4	0.02
90DY08	558.7	559.1	0.4	65242	4A04	-1	2.85	-1	0.31	0.15	0.16	28.6	0.05
90DY08	559.1	560.0	0.9	65243	4G4	-1	3.34	-1	11.48	4.61	6.87	46.7	0.15
90DY08	570.6	571.0	0.4	65244	10E9*	-1	2.90	-1	1.37	0.41	0.96	8.4	0.03
90DY09	549.0	551.2	2.2	65180	5A6	-1	2.47	-1	0.06	0.01	0.05	1.1	0.08
90DY09	551.2	552.0	0.8	65181	4G4	-1	3.71	-1	5.07	1.50	3.57	19.9	0.17
90DY09	552.0	552.8	0.8	65182	4G4	-1	4.09	-1	2.85	0.79	2.06	29.5	0.14
90DY09	552.8	553.5	0.7	65183	4G4	-1	4.30	-1	5.43	1.83	3.60	18.4	0.16
90DY09	553.5	554.4	0.9	65184	4G4	-1	4.16	-1	4.16	0.98	3.18	39.0	0.11
90DY09	554.4	556.5	2.1	65185	4L01*	-1	2.84	-1	0.05	0.01	0.04	0.7	0.05
90DY09	556.5	557.7	1.2	65186	4G4	-1	4.34	-1	9.78	3.61	6.15	56.3	0.12
90DY09	557.7	559.2	1.5	65187	4E0	-1	4.48	-1	25.00	6.60	18.40	108.7	0.78
90DY09	559.2	560.9	1.7	65188	4E0	-1	4.47	-1	16.28	4.38	11.90	89.2	0.61
90DY09	560.9	562.5	1.6	65189	4G44	-1	4.35	-1	13.01	4.89	8.12	79.6	0.18
90DY09	562.5	563.4	0.9	65190	4L0	-1	3.05	-1	0.62	0.18	0.44	3.0	0.01
90DY09	563.4	563.8	0.4	65191	4G44	-1	4.16	-1	5.34	1.56	3.78	16.3	0.09
90DY09	563.8	564.8	1.0	65192	4G4	-1	4.31	-1	2.40	0.64	1.76	10.2	0.13
90DY09	564.8	565.4	0.6	65193	4E4	-1	4.50	-1	22.60	6.50	16.10	109.7	0.85

3.5m @ 8.9°

G.R.I. 11-Mar-91

wh386\fr\dy\dytab4.wk3

page 40

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
90DY09	565.4	566.7	1.3	65194	4E4	-1	3.48	-1	12.39	5.30	7.09	69.2	0.51
90DY09	566.7	567.1	0.4	65195	4L0	-1	2.90	-1	0.34	0.16	0.18	4.1	0.25
90DY09	567.1	569.4	2.3	65196	4G4	-1	3.49	-1	5.88	1.87	4.01	29.5	0.49
90DY09	569.4	570.1	0.7	65197	5A0	-1	2.95	-1	0.44	0.14	0.30	3.7	0.02
90DY09	570.1	572.0	1.9	65198	5A019	-1	2.96	-1	4.05	1.93	2.12	19.2	0.50
90DY09	582.1	583.1	1.0	65199	4L0	-1	2.88	-1	0.04	0.01	0.03	1.5	0.01
90DY09	583.1	583.6	0.5	65200	4H0	-1	4.15	-1	8.47	3.81	4.66	88.9	0.31
90DY09	583.6	584.5	0.9	65201	4L0	-1	3.06	-1	0.78	0.20	0.58	5.0	0.01
90DY09	584.5	586.4	1.9	65202	4L0	-1	2.87	-1	0.03	0.01	0.02	0.9	0.01
90DY09	586.4	587.1	0.7	65203	4G44	-1	3.72	-1	15.72	6.56	9.16	111.5	1.07
90DY09	587.1	588.1	1.0	65204	5B64	-1	2.82	-1	0.06	0.01	0.05	1.3	0.01
90DY09	636.7	637.4	0.7	65205	5B46	-1	2.88	-1	0.41	0.16	0.25	2.4	0.01
90DY09	637.4	639.0	1.6	65206	5B216	-1	2.77	-1	0.38	0.13	0.25	2.0	0.01
90DY09	639.0	639.4	0.4	65207	5D06	-1	2.81	-1	0.04	0.01	0.03	0.6	0.01
90DY09	639.4	640.7	1.3	65208	4L19	-1	2.89	-1	0.49	0.23	0.26	3.5	0.01
90DY09	640.7	642.1	1.4	65209	5B20	-1	2.88	-1	0.18	0.07	0.11	1.5	0.03
90DY09	642.1	643.5	1.4	65210	5B21	-1	2.86	-1	0.36	0.20	0.16	1.8	0.01
90DY09	643.5	644.8	1.3	65211	5B21	-1	2.84	-1	0.03	0.01	0.02	0.5	0.01
91DY01	-1.0	-1.0	-1.0			-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00

91DY02	534.0	534.7	0.7	65213	4E0	-1	4.22	-1	5.34	2.42	2.92	26.3	0.91
91DY02	534.7	535.0	0.3	65214	4E4	-1	3.80	-1	8.65	3.66	4.99	37.4	0.56
91DY02	535.0	535.2	0.2	65215	4C0	-1	3.19	-1	0.85	0.46	0.39	13.8	0.27
91DY02	535.2	537.1	1.9	65216	5B1	-1	2.79	-1	0.04	0.02	0.02	0.2	0.01
91DY02	537.1	538.9	1.8	65217	5B1	-1	2.68	-1	0.02	0.01	0.01	0.1	0.01
91DY02	538.9	540.1	1.2	65218	5B1	-1	2.62	-1	0.02	0.01	0.01	0.1	0.02
91DY02	540.1	540.9	0.8	65219	4L0	-1	2.95	-1	0.02	0.01	0.01	0.8	0.01
91DY02	540.9	541.5	0.6	65220	5B61	-1	2.80	-1	2.69	1.35	1.34	8.5	0.01
91DY02	541.5	542.9	1.4	65221	5A0	-1	2.66	-1	0.02	0.01	0.01	0.1	0.01
91DY02	542.9	544.0	1.1	65222	5B64	-1	2.79	-1	0.02	0.01	0.01	0.8	0.11
91DY02	544.0	545.1	1.1	65223	5A0	-1	2.42	-1	0.27	0.11	0.16	2.7	0.03
91DY02	545.1	547.2	2.1	65224	4C0	-1	3.26	-1	0.16	0.12	0.04	5.5	0.16
91DY02	547.2	549.2	2.0	65225	4C0	-1	3.21	-1	0.20	0.17	0.03	4.5	0.01
91DY02	549.2	549.8	0.6	65226	4C0	-1	3.04	-1	1.21	0.34	0.87	5.4	0.01
91DY02	549.8	550.6	0.8	65227	4L0*	-1	2.97	-1	0.02	0.01	0.01	0.7	0.01
91DY02	550.6	552.3	1.7	65228	4L0*	-1	2.97	-1	0.15	0.07	0.08	2.6	0.32
91DY02	552.3	554.3	2.0	65229	4C0	-1	3.31	-1	0.28	0.23	0.05	5.8	0.11
91DY02	554.3	556.9	2.6	65230	4C0	-1	3.34	-1	1.20	0.47	0.73	8.0	0.11
91DY02	556.9	558.9	2.0	65231	4C0	-1	3.26	-1	0.12	0.11	0.01	4.4	0.26
91DY02	558.9	560.9	2.0	65232	4C0	-1	3.27	-1	0.20	0.10	0.10	8.5	0.20
91DY02	560.9	563.2	2.3	65233	4C0	-1	3.23	-1	0.16	0.11	0.05	8.2	0.21
91DY02	563.2	564.5	1.3	65234	5B0	-1	2.75	-1	0.29	0.09	0.20	3.9	0.13
91DY02	564.5	564.9	0.4	65235	5A61	-1	2.96	-1	0.94	0.44	0.50	5.6	0.34
91DY02	564.9	566.7	1.8	65236	5B16	-1	2.81	-1	0.04	0.03	0.01	0.8	0.07
91DY02	566.7	568.1	1.4	65237	5B16	-1	2.83	-1	0.04	0.03	0.01	0.3	0.03
91DY02	568.1	570.9	2.8	65238	5B16	-1	2.95	-1	0.15	0.14	0.01	1.2	0.15
91DY02	570.9	572.4	1.5	65239	5B19	-1	3.10	-1	0.12	0.11	0.01	1.0	0.47
91DY02	572.4	574.1	1.7	65240	5B19	-1	3.06	-1	0.15	0.10	0.05	2.1	0.14
91DY02	533.0	534.0	1.0	65212	4E0	-1	4.27	-1	3.71	1.46	2.25	22.0	0.87
91DY02	534.0	534.7	0.7	65213	4E0	-1	4.22	-1	5.34	2.42	2.92	26.3	0.91
91DY02	534.7	535.0	0.3	65214	4E4	-1	3.80	-1	8.65	3.66	4.99	37.4	0.56
91DY02	535.0	535.2	0.2	65215	4C0	-1	3.19	-1	0.85	0.46	0.39	13.8	0.27
91DY02	535.2	537.1	1.9	65216	5B1	-1	2.79	-1	0.04	0.02	0.02	0.2	0.01
91DY02	537.1	538.9	1.8	65217	5B1	-1	2.68	-1	0.02	0.01	0.01	0.1	0.01

u3 2.1m

91DY02
ASSAY REP
REPEAT

C.R.I. 11-Mar-91

wh386\wf:\dy\dytab4.wk3

page 41

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SB	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
91DY02	538.9	540.1	1.2	65218	5B1	-1	2.62	-1	0.02	0.01	0.01	0.1	0.02
91DY02	540.1	540.9	0.8	65219	4L0	-1	2.95	-1	0.02	0.01	0.01	0.8	0.01
91DY02	540.9	541.5	0.6	65220	5B61	-1	2.80	-1	2.69	1.35	1.34	8.5	0.01
91DY02	541.5	542.9	1.4	65221	5A0	-1	2.66	-1	0.02	0.01	0.01	0.1	0.01
91DY02	542.9	544.0	1.1	65222	5B64	-1	2.79	-1	0.02	0.01	0.01	0.8	0.11
91DY02	544.0	545.1	1.1	65223	5A0	-1	2.42	-1	0.27	0.11	0.16	2.7	0.03
91DY02	545.1	547.2	2.1	65224	4C0	-1	3.26	-1	0.16	0.12	0.04	5.5	0.16
91DY02	547.2	549.2	2.0	65225	4C0	-1	3.21	-1	0.20	0.17	0.03	4.5	0.01
91DY02	549.2	549.8	0.6	65226	4C0	-1	3.04	-1	1.21	0.34	0.87	5.4	0.01
91DY02	549.8	550.6	0.8	65227	4L0*	-1	2.97	-1	0.02	0.01	0.01	0.7	0.01
91DY02	550.6	552.3	1.7	65228	4L0*	-1	2.97	-1	0.15	0.07	0.08	2.6	0.32
91DY02	552.3	554.3	2.0	65229	4C0	-1	3.31	-1	0.28	0.23	0.05	5.8	0.11
91DY02	554.3	556.9	2.6	65230	4C0	-1	3.34	-1	1.20	0.47	0.73	8.0	0.11
91DY02	556.9	558.9	2.0	65231	4C0	-1	3.26	-1	0.12	0.11	0.01	4.4	0.26
91DY02	558.9	560.9	2.0	65232	4C0	-1	3.27	-1	0.20	0.10	0.10	8.5	0.20
91DY02	560.9	563.2	2.3	65233	4C0	-1	3.23	-1	0.16	0.11	0.05	8.2	0.21
91DY02	563.2	564.5	1.3	65234	5B0	-1	2.75	-1	0.29	0.09	0.20	3.9	0.13
91DY02	564.5	564.9	0.4	65235	5A61	-1	2.96	-1	0.94	0.44	0.50	5.6	0.34

91DY02	566.7	568.1	1.4	65237	5B16	-1	2.83	-1	0.04	0.03	0.01	0.3	0.03
91DY02	568.1	570.9	2.8	65238	5B16	-1	2.95	-1	0.15	0.14	0.01	1.2	0.15
91DY02	570.9	572.4	1.5	65239	5B19	-1	3.10	-1	0.12	0.11	0.01	1.0	0.47
91DY02	572.4	574.1	1.7	65240	5B19	-1	3.06	-1	0.15	0.10	0.05	2.1	0.14
91DY03	0.0	544.7	544.7	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
91DY03	544.7	545.5	0.8	65245		-1	2.80	-1	0.05	0.02	0.03	0.2	0.08
91DY03	545.5	546.2	0.7	65246		-1	3.93	-1	16.98	5.96	11.02	125.6	0.51
91DY03	546.2	547.6	1.4	65247		-1	2.89	-1	7.27	2.71	4.56	52.2	0.55
91DY03	547.6	549.7	2.1	65248		-1	2.84	-1	6.28	2.07	4.21	39.4	0.45
91DY03	549.7	552.6	2.9	65249		-1	3.00	-1	9.59	3.31	6.28	71.5	0.55
91DY03	552.6	553.3	0.7	65250		-1	3.36	-1	8.20	2.67	5.53	58.0	0.53
91DY03	553.3	554.3	1.0	65251		-1	3.19	-1	6.46	2.26	4.20	51.9	0.18
91DY03	554.3	555.7	1.4	65252		-1	2.92	-1	3.98	2.01	1.97	22.1	0.07
91DY03	555.7	558.0	2.3	65253		-1	2.62	-1	0.84	0.28	0.56	13.1	0.06
91DY03	558.0	559.1	1.1	65254		-1	2.86	-1	4.47	2.05	2.42	44.4	0.18
91DY03	559.1	561.3	2.2	65255		-1	2.84	-1	1.94	0.66	1.28	12.5	0.17
91DY03	561.3	562.4	1.1	65256		-1	2.76	-1	0.25	0.13	0.12	1.6	0.03
91DY03	562.4	571.8	9.4	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
91DY03	571.8	572.9	1.1	65257		-1	3.46	-1	8.75	3.47	5.28	44.7	0.62
91DY03	572.9	574.1	1.2	65258		-1	2.87	-1	0.12	0.05	0.07	0.8	0.10
91DY03	574.1	574.8	0.7	65259		-1	3.64	-1	8.33	2.46	5.87	31.7	0.27
91DY03	574.8	576.1	1.3	65260		-1	3.38	-1	7.91	2.60	5.31	38.7	0.24
91DY03	576.1	576.8	0.7	65261		-1	3.23	-1	8.09	3.03	5.06	35.7	0.34
91DY03	576.8	577.7	0.9	65262		-1	2.84	-1	0.27	0.09	0.18	1.3	0.08
91DY03	577.7	579.6	1.9	65263		-1	3.06	-1	3.83	1.45	2.38	22.9	0.44
91DY03	579.6	581.6	2.0	65264		-1	2.89	-1	0.90	0.41	0.49	7.4	0.27
91DY03	581.6	584.1	2.5	65265		-1	2.82	-1	1.64	0.55	1.09	9.8	0.28
91DY03	584.1	585.0	0.9	65266		-1	3.34	-1	11.45	4.54	6.91	55.2	0.30
91DY03	585.0	586.6	1.6	65267		-1	2.95	-1	1.01	0.48	0.53	8.3	0.33
91DY03	586.6	588.3	1.7	65268		-1	3.18	-1	4.14	1.45	2.69	21.6	0.43
91DY03	588.3	589.9	1.6	65269		-1	3.96	-1	10.13	3.24	6.89	52.8	0.75
91DY03	589.9	591.5	1.6	65270		-1	3.75	-1	12.59	4.14	8.45	69.6	0.66
91DY03	591.5	592.3	0.8	65271		-1	2.83	-1	0.19	0.07	0.12	0.4	0.12
91DY03	592.3	594.4	2.1	65272		-1	3.77	-1	11.07	4.88	6.19	71.1	0.99
91DY03	594.4	595.4	1.0	65273		-1	3.74	-1	27.23	12.53	14.70	189.1	1.57

8.39/4.2
9.35/3.5

C.R.I. 11-Mar-91

wh386\fr\dy\dytab4.wk3

page 42

DY PCXPLOR DATABASE - ASSAYS

HoleID	From	To	Int.	Samp#	Unit	Code	SG	Dens	%Pb+Zn	%Pb	%Zn	Ag(g/t)	Au(g/t)
91DY03	595.4	596.3	0.9	65274		-1	3.66	-1	12.55	5.53	7.02	84.1	0.98
91DY03	596.3	597.3	1.0	65275		-1	3.64	-1	12.82	5.69	7.13	86.9	1.02
91DY03	597.3	598.4	1.1	65276		-1	4.37	-1	26.15	11.55	14.60	136.4	0.96
91DY03	598.4	603.0	4.6	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
91DY03	603.0	604.9	1.9	65277		-1	2.82	-1	0.23	0.10	0.13	0.5	0.04
91DY03	604.9	607.3	2.4	65278		-1	2.95	-1	0.11	0.05	0.06	0.3	0.03
91DY04	-1.0	-1.0	-1.0			-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
91DY05	0.0	584.9	584.9	0	WASTE	-1	-1.00	-1	-1.00	-1.00	-1.00	-1.0	-1.00
91DY05	584.9	585.6	0.7	65329		-1	-1.00	-1	19.29	9.05	10.24	-1.0	-1.00
91DY05	585.6	586.5	0.9	65330		-1	-1.00	-1	10.24	5.46	4.78	-1.0	-1.00
91DY05	586.5	587.7	1.2	65331		-1	-1.00	-1	18.66	8.06	10.60	-1.0	-1.00
91DY05	587.7	588.2	0.5	65332		-1	-1.00	-1	1.64	0.48	1.16	-1.0	-1.00
91DY05	588.2	588.5	0.3	65333		-1	-1.00	-1	5.04	2.31	2.73	-1.0	-1.00
91DY05	588.5	590.0	1.5	65334		-1	-1.00	-1	11.96	4.10	7.86	-1.0	-1.00
91DY05	590.0	590.5	0.5	65335		-1	-1.00	-1	14.92	4.32	10.60	-1.0	-1.00
91DY05	590.5	591.6	1.1	65336		-1	-1.00	-1	33.40	11.20	22.20	-1.0	-1.00
91DY05	591.6	592.2	0.6	65337		-1	-1.00	-1	25.31	9.21	16.10	-1.0	-1.00

91DY05	592.7	595.0	2.3	65339	-1	-1.00	-1	0.50	0.21	0.29	-1.0	-1.00
91DY05	595.0	595.5	0.5	65340	-1	-1.00	-1	12.94	3.55	9.39	-1.0	-1.00
91DY05	595.5	595.8	0.3	65341	-1	-1.00	-1	12.45	3.00	9.45	-1.0	-1.00
91DY05	595.8	596.5	0.7	65342	-1	-1.00	-1	5.18	1.09	4.09	-1.0	-1.00
91DY05	596.5	597.1	0.6	65343	-1	-1.00	-1	2.40	0.75	1.65	-1.0	-1.00
91DY05	597.1	597.7	0.6	65344	-1	-1.00	-1	31.82	7.92	23.90	-1.0	-1.00
91DY05	597.7	598.0	0.3	65345	-1	-1.00	-1	8.96	2.57	6.39	-1.0	-1.00
91DY05	598.0	599.2	1.2	65346	-1	-1.00	-1	31.03	8.23	22.80	-1.0	-1.00
91DY05	599.2	599.8	0.6	65347	-1	-1.00	-1	20.55	6.95	13.60	-1.0	-1.00
91DY05	599.8	601.5	1.7	65348	-1	-1.00	-1	27.60	6.20	21.40	-1.0	-1.00
91DY05	601.5	603.7	2.2	65349	-1	-1.00	-1	0.16	0.05	0.11	-1.0	-1.00
91DY05	603.7	604.4	0.7	65350	-1	-1.00	-1	0.13	0.06	0.07	-1.0	-1.00
91DY05	604.4	604.6	0.2	65351	-1	-1.00	-1	10.58	3.44	7.14	-1.0	-1.00
91DY05	604.6	605.8	1.2	65352	-1	-1.00	-1	0.48	0.16	0.32	-1.0	-1.00
91DY05	605.8	606.3	0.5	65353	-1	-1.00	-1	0.05	0.03	0.02	-1.0	-1.00
91DY05	606.3	606.7	0.4	65354	-1	-1.00	-1	12.86	3.29	9.57	-1.0	-1.00
91DY05	606.7	607.0	0.3	65355	-1	-1.00	-1	14.41	3.81	10.60	-1.0	-1.00
91DY05	607.0	607.5	0.5	65356	-1	-1.00	-1	13.89	4.35	9.54	-1.0	-1.00
91DY05	607.5	608.1	0.6	65357	-1	-1.00	-1	9.24	2.60	6.64	-1.0	-1.00