

Cu · Pb · Zn

0 PPM

100

200

300

400

500


50	18	98
52	36	125
40	24	69
79	40	99
42	24	80
39	26	77
37	26	100
47	28	105
30	24	100
33	26	95
38	22	115
50	30	87
50	32	99
51	34	125
49	28	98
53	32	120
50	28	94
67	28	175
39	32	74
34	22	68
33	24	66
39	26	64
43	24	78
58	28	85
57	22	78
45	26	70
44	34	85
45	28	73
48	26	100
45	28	68
49	34	125
38	30	105
53	34	115
53	30	120
54	28	100
73	30	145
81	38	255
135	28	495
100	30	310
86	26	255
96	30	180
110	28	245
115	26	205
130	24	255
125	28	195
120	26	260
125	24	315
98	28	300
125	28	560
110	38	505
115	30	315
180	28	380
175	26	370
150	30	520
135	30	415
130	26	430
100	26	285
115	22	335
115	22	370
120	24	470
120	34	630
105	24	445
105	20	480
110	32	340
110	22	410
110	20	295
115	22	335
100	24	305
110	84	285
105	38	270
130	36	190
120	42	235
90	48	190
98	26	195
78	24	150
78	22	165

Zinc: ———

Copper: - - - -

Lead: - - - - -

HClO<sub>4</sub> extraction



Cu · Pb · Zn

0 PPM

100

200

300 PPM

105	42	155
110	44	166
125	56	165
72	56	160
68	46	145
71	38	155
69	40	110
76	44	180
61	44	160
60	42	180
63	46	165
55	42	155
60	46	195
77	38	140
72	40	190
69	32	165
59	250	150
70	42	155
100	38	176
75	38	135
90	36	120
88	56	145
71	40	125
71	38	165
53	32	150
75	32	150
66	28	130
58	30	175
62	40	165
66	38	170
65	34	145
62	56	210
81	38	160
100	40	190
98	52	195
66	34	185
57	32	175
53	36	170
81	34	180
71	38	200
71	34	185
69	34	160
44	38	175
50	44	165
54	42	150
47	104	310
59	108	260
54	58	150
60	146	405
81	56	175
78	60	145
59	64	220
62	70	235
65	160	325
60	56	215

GEOCHEMICAL PROFILES  
 OF CUB ROTARY HOLE CRH-2  
 AND NASTY ROTARY HOLE NRH-3  
 (1964). Sample interval 10 Ft.

P. Dean August 1971

Samples analyzed at Barringer  
 Research Laboratories, Whitehorse

Geochem Values

CUB RH #2





GEOCHEM VALUES  
(Sample interval 10 ft.)

	Cu	Pb	Zn	Cu	Pb	Zn
0	105	42	155	71	34	185
50	110	44	160	69	34	160
	125	56	165	44	38	175
	72	56	160	50	44	165
100	68	46	145	54	42	150
	71	38	155	47	104	310
	69	40	110	59	108	260
	76	44	180	54	58	150
	61	44	160	60	146	405
	60	42	180	81	56	175
200	63	46	165	78	60	145
	55	42	155	59	64	220
	60	46	195	62	70	235
	77	38	140	65	160	325
	72	40	190	60	56	215
300	69	32	165			
	59	250	150			
	70	42	155			
	100	38	170			
	75	38	135			
400	90	36	120			
	88	56	145			
	71	40	125			
	71	38	165			
	53	32	150			
	75	32	150			
500	66	28	130			
	58	30	175			
	62	40	165			
	66	38	170			
	65	34	145			
	62	56	210			
	81	38	160			
	100	40	190			
	98	52	195			
	66	34	185			
	51	32	175			
	53	36	170			
	81	34	180			
	71	38	200			

NRH #3

(Sample interval 10ft)

ft	Cu	Pb	Zn	Cu	Pb	Zn
0						
50	50	18	98			
	52	36	125			
	40	24	69			
100	79	40	99			
	42	24	80			
	39	26	77			
150	37	26	100	96	30	180
	47	28	105	110	28	245
200	30	24	100	115	26	205
	33	26	95	130	24	255
				125	28	195
	38	22	115	120	26	260
	50	30	87	125	24	315
	50	32	99	98	28	300
300	51	34	125	125	28	560
	49	28	98	110	38	505
	53	32	120			
	50	28	94	115	30	315
	67	28	175	180	28	380
	39	32	74	175	26	370
	34	22	68	150	30	520
400				135	30	415
	33	24	66	130	26	430
	39	26	64	100	26	285
	43	24	78	115	22	335
	58	28	85	115	22	370
	57	22	78	120	24	470
500	45	26	70			
	44	34	85	120	34	630
	45	28	73	105	24	445
	48	26	100	105	20	480
	45	28	68	110	32	340
600				110	22	410
	49	34	125	110	20	295
	38	30	105	115	22	335
	53	34	115	100	24	305
	53	30	120	110	84	285
	54	28	100	105	38	270
700	73	30	145			
	81	38	255	130	36	190
	135	28	495	120	42	235
	100	30	310	90	48	190
	86	26	255	98	26	195
				78	24	150
800				78	22	165



1964 S-3

Geochem Values

0 ft. Cu	Pb	Pb	Zn
25			
50			
75	NO SAMPLES		
100			
125			
150			
175			
200	125	185	580
225	2450	205	1000
250	125	54	100
275	29	21	32
300	100	48	150
	890	160	600
	36	345	180
400	140	26	56
Bottom	150	24	44