

1977

ASSAY BOOK

018277

1
750
930
019
04
495
575

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

~~Assay~~
Summaries

#6

* ANVIL VCR

KRAL KAM

AUG 30TH /77
ATTN GLEN SIMPSON

SILVER ASSAYS FROM KAMLOOPS RESEARCH AND ASSAY LABORATORY

IDENT	AG	GM/MT	
2629	44		
30	43		
31	60		
32	46		
33	35		
34	75		
35	35		
36	27		
37	85		
38	51		
39	40		
40	36		
41	147	-4.3	8.4
42	160	-4.7	9.4
43	80	-2.3	4.6
44	18	0.5	0.5
45			
45	180	5.3	8.0
46	187	5.4	10.8
47	180	5.3	5.0
48	66	2.0	3.2
49	84	2.4	4.8
50	74	2.2	4.4
51	160	4.7	6.0
52	98	2.9	6.0
53	98	2.9	6.0
54	100	3.0	6.0
55	105	3.0	4.8
56	20	0.6	81.0
57	86	2.5	
58	190	5.6	25.6
59	105	3.1	75.6

75.6
 25.6 / 81.0
 3.2

CORRECTION

ON LAST THREE ASSAYS THESE ZRE REPEATS

2637	86
2646	190
2655	105

3.2 of m k Ag

ACTUAL	STANDARDS	FOUND
(1) 21.8		21
(2) 59.5		59.5

REGARDS
DEREK BLUNDELL

* ANVIL VCR

KRAL KAM

*
ANVIL VCR

KRAL KAM
ATTN GLEN SIMPSON

ASSAYSON CORE

SAMPLE NBR	AG	PB	ZN	CU
2524	5.8	.48	.42	.07
2525	6.7	.66	.92	.05
2526	4.5	.30	2.48	.13
2527 (549.7-551.3)	39.4	3.04	4.34	.13
2528 (551.5-552.8)	76.8	6.19	8.49	.18
2529 (553.2-554.6)	64.7	5.15	6.36	.15
2530	9.4	.52	.54	.10
2531	44.5	3.42	3.88	.11
2532	15.5	1.06	1.72	.13
2533	22.2	1.72	2.20	.21
2534	42.6	2.24?	1.36	.23
2535	30.4	2.12	3.10	.07
2536	11.8	.58	1.02	.19
2537	17.8	1.24	1.14	.07
2538	17.0	1.00	1.16	.08
2539	14.3	.90	.86	.11
2539	14.3	.90	.86	.11
2540	4.9	.14	.03	.04
2541	7.5	.28	.08	.18
3 ↓ 2542	6.0	.28	.20	.03
2543	13.0	.72	.13	.03
2544	9.2	.54	.20	.02
2545	20.2	1.56	1.96	.11
2546	20.1	1.48	2.25	.12
2547	3.0	.12	.20	.04

CORR .11 CU ✓

:CORRECTIONS

2527 AG 39.4 ✓
ANY FURTHER CORRECTIONS WILL FOLLOW ✓
REGARDS AND HAVE A HAPPY NEW YEAR

DEREK

KRAL KAM
E+
ANVIL VCR

KRAL KAM
ATTN GLEN SIMPSON

CORRECTION ONZINC ASSAY ON 2527

'07+

ANVIL VCR

SHUD BE 4.34 ✓

*ANVIL VCR

DEREK

KRAL KAM

ANVIL VCR

KRAL KAM
ATTN GLEN SIMPSON

ASSAYSON CORE

SAMPLE NBR	AG	PB	ZN	CU
2524	5.8	.48	.42	.07
2525	5.7	.66	.82	.05
2526	4.5	.30	2.48	.13
2527	49.4	3.04	4.43	.13
2528	76.8	6.19	8.49	.18
2529	64.7	5.15	6.36	.15
2530	9.4	.52	.54	.10
2531	44.5	3.42	3.88	.8
2532	15.5	1.06	1.72	.13
2533	22.2	1.72	2.20	.21
2534	42.6	2.24?	1.36	.23
2535	30.4	2.12	3.10	.07
2536	11.8	.58	1.02	.19
2537	17.8	1.24	1.14	.07
2538	17.0	1.00	1.16	.08
2539	14.4	.0		
2539	14.3	.90	.86	.11
2540	4.9	.14	.03	.04
2541	7.5	.28	.08	.18
3				
2542	6.0	.28	.20	.03
2543	13.0	.72	.13	.03
2544	9.2	.54	.20	.02
2545	20.2	1.56	1.96	.11
2546	20.1	1.48	2.25	.12
2547	3.0	.12	.20	.04

:CORRECTIONS

2527 AG 39.4

ANY FURTHER CORRECTIONS WILL FOLLOW
REGARDS AND HAVE A HAPPY NEW YEAR

DEREK

KRAL KAM
E+
ANVIL VCR

KRAL KAM
ATTN GLEN SIMPSON

CORRECTION ONZINC ASSAY ON 2527

'07+

ANVIL VCR
SHUD BE 4.34
+3ANVIL VCR
DEREK

KRAL KAM

Core	From	To	Sample No.	Description			
	10	14	16	20	22	27	
C	151419	7	15151	3	12151217		
F	15151	5	15152	8	12151218		
F	1515132		151514	8	12151219		
F	151514	8	151517	1	12151310		
F	151517	1	151518	2	12151311		
F	151518	8	151610	3	12151312		
F	151610	7	151611	7	12151313		
F	151611	7	151613	7	12151314		
F	151613	7	151615	1	12151315		
F	151615	1	151616	5	12151316		
F	151616	5	151617	9	12151317		
F	151618	3	151700		12151318		
F	151703		151716		12151319		
F	151716		151729		1215140		
F	151729		151740		1215141		
F	151740		151760		1215142		
F	151760		151770		1215143		
F	151770		151785		1215144		

ATTN:
DAVE J.

604-372-2784

F	1518123		1518143		1215147		

T

*
ANVIL VCR

KRAL KAM
JULY 26TH /77

ATTN GLEN SIMPSON

HERE ARE THE RESULTS FOR HE DRILL CORE SAMPLES THE
COPPER AND ZINC ASSAYS WERE ALSO RANDOMLY RECHECKED AND
NO PROBLEMS WERE APPARENT AS THE RESULTS SHOW
I AM PRESENTLY RECHECKING THE SILVER RESULTS TO BE
CERTAIN OF THEM SINCE SOME OF THE LEAD ASSAYS WERE
SUSPECT THESE ASSAYS WILL BE AVAILABLE TOMORROW
FOR YOUR INTEREST THE PROBLEM WAS DUE TO A MODIFICATION OF
OUR REGULAR METHOD UNFORTUNATELY THE GREATEST ERROR
WAS OCCURED ON THE HIGHER VALUES AND THIS ERROR WAS
NOT EVIDENT ON OUR BOVERNMENT STANDARDS NOR OUR STANDARD
CYPRUS ANVIL FEED AND TAILS STANDARDS IF YOU WOULD
LIKE A DETAILED EXPLANATION I SHOULD BE MOST HAPPY TO
EXPLAIN OVER THE EEELEPHONE I WILL BE DISCUSSING THIS
WITH DAVE JENNINGS IN FARO TOMORROW I AM SORRY FOR
ANY INCONVENIENCE THIS MAY HAVE CAUSED AND CAN ASSURE
YOU THAT THIS WILL NOT REOCCUR SINCE WE HAVE TURFED THE
MODIFIED METHOD OUT THE WINDOW, AS IT WERE.

SAMPLE NO.	CU	PB	ZN	CU REASSAY	ZN REASSAY
1801	.27	5.09	8.42 ✓	.27	8.30
2	.19	6.20	10.67 ✓		10.63
3	.12	3.77	5.64 ✓		5.62
4	.11	.24	.37 ✓		
5	.04	1.33	.49	.03	
6	.08	1.72	3.98		3.91
7	.20	1.12	1.19		1.18
8	.33	1.09	1.82		
9	.27	1.72	3.57 ✓		
10	.19	2.00	3.51	.18	
11	.15	.78	2.13		
12	.15	1.59	2.57		
13	.20	3.07	4.36		4.24
14	.19	2.53	4.51		
15	.22	2.29	3.34	.22	
16	.02	1.10	2.44		
17	.13	1.19	2.52		
18	.20	1.98	2.69		
19	.13	3.53	5.15		
20	.04	1.68	3.11	.04	
21	.01	.60	2.59		
22	.01	.09	.48		
23	.04	1.79	2.73		
24	.08	7.15	11.21		11.30
2601	.03	.09	.11		
2 700-1-701-1	.11	9.85	5.11		
3 701-1-702-6	.20	3.68	3.59		
4 702-6-703-6	.09	5.88	6.99		
5 703-6-704-6	.29	2.46	3.01		
6 704-6-705-9	.21	1.73	3.51		
7 705-9-707-9	.15	5.02	1.97		
8 707-9-709-9	.29	1.92	.96		
9 709-9-710-8	.27	.57	.96		
10 710-8-712-8	.16	.44 .07	.28 .24		
11 712-8-714-0	.16	.44	.28		
12 714-0-716-0	.26	3.26	4.05		
13 716-0-717-2	.44	.41	.45		
14 717-2-719-2	.11	.01	.02		
15 729-2-731-2	.02	.29	.34		BREAK.
16 731-2-733-2	.19	.52	.38		
17 733-2-735-2	.26	2.32	1.74		
18 735-2-736-6	.25	1.74	1.42		
19 736-6-737-6	.09	.51	.27		
20 737-6-739-3	.11	1.08	.65		
21 739-3-741-3	.15	2.04	1.21		
22 741-3-742-6	.21	1.24	1.44		
23 742-6-743-6	.08	.26	.30		
24 743-6-745-6	.01	.04	.02		
25	.09	.57	.53		
26	.21	2.88	3.45		
27	.12	.02	.01		
28	.18	2.37	5.92		

DDH 77X1

DDH 77X3

DDH 77X4

PB REASSAY

1810	2.02
1820	1.68
2610	.07
2611	.43
2619	.50
2628	2.37

CORRECTION ON CU AND PB MØ AND ZN FOR NO 10
CU .16 PB .07 ZN .24

REGARDS DEREK BLUNDELL

*
ANVIL VCR

KRAL KAM

ANVIL VCP

KRAL KAM
JULY 26 11 1977

ATTN: BLIN SIMPSON

HERE ARE THE RESULTS FOR THE DRILL CORE SAMPLES. THE COPPER AND ZINC ASSAYS WERE ALSO RANDOMLY RECHECKED AND NO PROBLEMS WERE APPARENT AS THE RESULTS SHOW. I AM PRESENTLY RECHECKING THE SILVER RESULTS TO BE CERTAIN OF THEM SINCE SOME OF THE LEAD ASSAYS WERE SUSPECT. THESE ASSAYS WILL BE AVAILABLE TOMORROW. FOR YOUR INTEREST THE PROBLEM WAS DUE TO A MODIFICATION OF OUR REGULAR METHOD. UNFORTUNATELY THE GREATEST ERROR WAS OCCURED ON THE HIGHER VALUES AND THIS ERROR WAS NOT EVIDENT ON OUR GOVERNMENT STANDARDS NOR OUR STANDARD CYPRUS ANVIL FEED AND TAILS STANDARDS. IF YOU WOULD LIKE A DETAILED EXPLANATION I SHOULD BE MOST HAPPY TO EXPLAIN OVER THE TELEPHONE. I WILL BE DISCUSSING THIS WITH DAVE JENNINGS IN FARGO TOMORROW. I AM SORRY FOR ANY INCONVENIENCE THIS MAY HAVE CAUSED AND CAN ASSURE YOU THAT THIS WILL NOT RECCUR SINCE WE HAVE TURFED THE MODIFIED METHOD OUT THE WINDOW, AS IT WERE.

SAMPLE NO.	CU	PB	ZN	CU REASSAY	ZN REASSAY
1801	.27	5.09	8.42	.27	8.30
2	.19	6.20	10.67	} 12.9% over 11 ft	10.63
3	.12	3.77	5.64		5.62
4	.11	.24	.37		
5	.04	1.33	.49	.03	
6	.08	1.72	3.98		3.91
7	.20	1.12	1.19		1.18
8	.33	1.09	1.82		
9	.27	1.72	3.57		
10	.19	2.00	3.51	.18	
11	.15	.78	2.13		
12	.15	1.59	2.57		
13	.20	3.07	4.36		4.24
14	.19	2.53	4.51	} Dy #1 REPTS.	
15	.22	2.29	3.34		.22
16	.02	1.10	2.44		
17	.13	1.19	2.52		
18	.20	1.96	2.69		
19	.13	3.53	5.15		
20	.04	1.68	3.11	.04	
21	.01	.60	2.59		
22	.01	.09	.48		
23	.04	1.79	2.73	4.52	
24	.08	7.15	11.21	18.36	} 10.96 over 8.5' 11.30
2601	.03	.09	.11		
2	.14	9.85	5.11	14.96	} 11.06 over 11.5 ft
3	.20	3.68	3.59	7.27	
4	.09	5.88	6.99	12.87	
5	.29	2.46	3.01	5.47	
6	.21	1.73	3.51	5.24	
7	.15	5.02	1.97	6.99	
8	.29	1.92	.96		
9	.27	.57	.96		
10	.16	1.44	.28		
11	.16	.44	.28		
12	.26	3.76	4.05	7.31	
13	.44	.41	.45	} Dy #3	
14	.11	.01	.02		
15	.02	.29	.34		
16	.19	.52	.38		
17	.26	2.32	1.74		
18	.25	1.74	1.42		
19	.09	.51	.27		
20	.11	1.08	.65		
21	.15	2.04	1.21		
22	.21	1.24	1.44		
23	.08	.26	.30		
24	.01	.04	.02		
25	.09	.57	.53		
26	.21	2.88	3.75	} Dy #4	
27	.12	.02	.01		
28	.18	2.37	5.92		

PB REASSAY

1810	2.02
1820	1.68
2610	.07
2611	.43
2619	.50
2626	2.37

CORRECTION ON CU AND PB AND ZN FOR NO. 10
CU .18 PB .07 ZN .24

RECORDS DEREK BLUNDELL

ANVIL VCP

KRAL KAM

+
ANVIL VCR

KRAL KAM

AUG 19TH /77
ATTN GLEN SIMPSON

SPECIFIC GRAVITY - BARITE

IDENT	S.G.
3001	3.84
2	3.00
3	2.79
4	3.78
5	3.19
6	3.17
7	3.56
8	3.80
9	2.62
10	3.83
11	3.11
12	2.96
13	2.99
14	2.77
15	2.94
16	3.48
17	4.11
18	4.00
19	4.12
20	4.10
21	4.02
22	4.02
23	4.11
24	3.96
25	3.95
26	3.94
27	3.61
28	3.63
29	3.63
30	4.00
31	3.77
32	3.73
33	3.00
34	3.20
35	3.67
36	3.44
37	3.13
38	3.24
39	3.87
40	3.44
41	3.66
42	3.68

File URM BARITE

REASSAY

3028	3.62
3002	2.99
3010	3.86
3011	3.10
3006	3.19

REGARDS
DEREK BLUNDELL

+
ANVIL VCR

KRAL KAM

URN BARITE FIVE

+
ANVIL VCR

KRAL KAM

ATTN GLEN SIMPSON
AUG 16TH /77

IDENT	S102	FREE S.
3004	18.0	.29
3017	9.77	.22
3018	10.72	.26
3019	6.36	.19
3020	7.20	.21
3021	8.71	.20
3022	9.09	.26
3023	7.55	.21
3024	12.62	.23
3025	12.90	.23
3026	14.66	.23
3027		
3030	7.85	.22

REGARDS
DEREK BLUNDELL

+
ANVIL VCR

KRAL KAM

7
FINE URM BARYTE

*
ANVIL VCR

KRAL KAM

AUG 5TH /77
ATTN GLEN SINPSON

SAMPLE NO	FEO	FEO RE-ASSAY	CAO	CAO RE-ASSAY
3004	.44		.042	
3017	.06	.06	.034	.038
8	.14		.038	
9	.21		.039	
20	.14		.036	
1	.12		.031	
2	.06		.038	
3	.06		.039	
4	.12		.043	
5	.21	.21	.049	.050
6	.17		.046	
3030	.06		.041	

	STANDARD ACTUAL	OBTAINED
FE	1.24	1.24
CAO	.201	.206

REGARDS
DEREK BLUNDELL

*
ANVIL VCR

KRAL KAM

V

File URN
BARYTE

*
ANVIL VCR

KRAL KAM

AUG 4TH /77
ATTN GLEN SIMPSON

SAMPLE NO	BAS04	?-'9 RE----'-6 RE-ASSAY
3001	76.8	76.8
2	25.5	
3	18.4	
4	80.1	
5	47.2	
6	44.8	45.2
7	70.1	70.1
8	76.4	
9	74.7	
10	78.6	
11	42.4	
12	36.0	
13	40.7	
14	17.3	17.2
15	38.6	
16	67.1	
3017	86.2	86.4
18	86.7	
19	93.1	
20	90.6	
21	90.1	
22	89.4	
23	91.7	
24	86.6	
25	84.3	83.9
26	83.5	
27	71.6	
28	74.4	
29	72.6	
30	91.2	91.3
31	79.9	79.4
32	72.0	72.5
33	50.6	50.2
34	43.4	
35	67.0	
36	55.8	
37	42.0	
38	47.7	
39	73.0	
40	56.8	
41	68.6	68.4
42	69.0	

DEREK BLUNDELL

*
ANVIL VCR

KRAL KAM

8	3.1
9	.6
20	1.6
1	2.4
2	13.0
3	.15
4	.33
5	1.6
6	1.0
7	.3
8	1.6



SAMPLE NO	BASO4	BASO4 RE-ASSAY
3001	76.8	76.8
2	25.5	
3	18.4	
<i>u.r.w.</i> 4	80.1	
5	47.2	
6	44.8	45.2
7	70.1	70.1
8	76.4	
9	74.7	
10	78.6	
11	42.4	
12	36.0	
13	40.7	
14	17.3	17.2
15	38.6	
16	67.1	

THE REMAINDER OF THE BASO4 ASSAYS WILL BE AVAILABLE TOMORROW I AM PERFORMING RE-ASSAYS TO CHECK FOR YOUR INFORMATION NO 3017 TO 3026 INCLUSIVE ARE IN EXCESS OF 80 PERCENT BASO4

DEREK BLUNDELL

+
ANVIL VCR

KRAL KAM

+
ANVIL VCR

KRAL KAM

CORRECTION ON KRAL MESSAGE AUGUST 3RD/77

SAMPLE NO 2623 BA .15 BA RE-ASSAY .15

DEREK BLUNDELL

+
ANVIL VCR

KRAL KAM

H

+
ANVIL VCR

KRAL KAM

AUG 3RD /77
ATTN G SIMPSON

SAMPLE NO	BA	BA RE-ASSAY
1801	.21	
2	17.3	
3	5.7	
4	.21	
5	.5	
6	.21	
7	.05	
8	.05	
9	.16	
10	.10 ^{.12}	
11	.05	
12	.05	
13	.09	
14	.15	
15	.15	
16	9.7	
17	.15	
18	.12	
19	.12	
20	.24	
21	37.0	
22	1.5	
23	1.0	
24	9.7	
28		

BA for x1, x3, x4
Col.

BA RE-ASSAY NO 1806 .21
1810 .12

2601 1.7
2 ~~1.7~~ 6.5
CORRECTION SAMPLE NO 2602 IS 6.5

2603	5.1
4	23.2
5	6.1
6	10.2
7	2.4
8	.12
9	.15
10	.15 ^{.12}
11	.15
12	4.4
13	.06
14	.3
15	1.9
16	.5

BA RE-ASSAY NO 2610 .12

2617	9.4
8	3.1
9	.6
20	1.6
1	2.4
2	13.0
3	.15
4	.33
5	1.6
6	1.0
7	.3
8	1.6

SAMPLE NO	BASO4	BASO4 RE-ASSAY
3001	76.8	76.8
2	25.5	
3	18.4	
4	80.1	
5	47.2	
6	44.8	45.2
7	70.1	70.1
8	76.4	
9	74.7	
10	78.6	
11	42.4	
12	36.0	
13	40.7	
14	17.3	17.2
15	38.6	
16	67.1	

urn

THE REMAINDER OF THE BASO4 ASSAYS WILL BE AVAILABLE TOMORROW I AM PERFORMING RE-ASSAYS TO CHECK FOR YOUR INFORMATION NO 3017 TO 3026 INCLUSIVE ARE IN EXCESS OF 80 PERCENT BASO4

DEREK BLUNDELL

+
ANVIL VCR

KRAL KAM

+
ANVIL VCR

KRAL KAM

CORRECTION ON KRAL MESSAGE AUGUST 3RD/77

SAMPLE NO 2623 BA .15 BA RE-ASSAY .15

DEREK BLUNDELL

+
ANVIL VCR

KRAL KAM

#6

ANVIL VCR

KRAL KAM

AUG 29TH 1977

ATTN GLEN SIMPSON

ASSAYS FROM KAMLOOPS RESEARCH AND ASSAY LABORATORY

IDENT	CU	PB	AN ZN
2629	.01	1.61	2.89
30	.03	1.98	2.88
31	.05	2.98	4.79
32	.02	2.51	4.83
33	.04	2.31	4.01
34	.03	3.34	6.48
35	.03	1.98	3.48
36	.03	1.34	2.67
37	.03	4.43	10.76
38	.03	2.52	5.53
39	.05	2.19	4.79
40	.02	1.96	2.84
41	.11	8.23	6.24
42	.11	7.11	13.72
43	.01	4.76	11.15
44	.01	1.61	4.80
45	.04	10.69	13.99
46	.01	10.41	21.33
47	.01	8.76	21.20
48	.05	3.46	6.05
49	.07	4.11	11.99
50	.03	3.75	9.33
51	.06	7.81	14.33
52	.08	6.12	7.01
53	.10	6.22	10.96
54	.15	5.82	8.59
55	.12	6.74	9.42
56	.01	.73	2.12

REG ID
 Maybe Mondays are half bad after
 28.4 metres only
 cont section all
 who needs a coal mine !!
 Glen

REPEATS

2637	.04	4.44	10.84
2646	.01	10.26	21.23
2655	.11	6.70	9.46

SILVER ASSAYS TO COME TOMORROW

CORRECTIONS ON TYPING ERRORS WILL FOLLOW SHORTLY

REGARDS

DEREK

ANVIL VCR

KRAL KAM

612.1
 583.7

 28.4

*
ANVIL VCR

KRAL KAM

JULY 27TH /77

ATTN GLEN SIMPSON

1801

AG GM/MT

1801	94.7
1802	104.3
3	59.0
4	.7
5	6.5
6	28.8
7	15.1
8	17.5
9	28.8
10	33.6
11	15.8
12	29.1
13	50.11
14	39.4
15	64.1
16	28.5
17	26.1
18	30.9
19	56.9
20	24.7
21	12.0
22	TR
23	30.9
24	126.2
2601	TR
Q	102.9
3	61.4
4	95.3
5	41.2
6	36.7
7	51.1
8	28.5
9	7.2
10	1.4
11	6.2
12	54.9
13	18.2
14	TR
15	TR
16	13.0
17	32.9
18	24.7
19	4.1
20	13.0
21	36.3
22	28.5
23	16.8
24	TR
25	2.7
26	28.8
27	TR
28	41.8

Candy

Insert

done - ✓

OK

101

DEREK BLUNDELL

* ANVIL VCR

ANVIL ADM FARG

JUNE 16/77

DY DDH LOG
ALL DISTANCES IN METRES

77-X-01 - VERTICAL - TOTAL DEPTH = 749.96M

CODE	SIZE	FROM	TO
	NO	0	665.99
	BO	MONXMMVIXOZZ	METRES

CNE NOM

JUNE 16/77

DY DDH LOG
ALL DISTANCES IN METRES

77-X-01 - VERTICAL - TOTAL DEPTH = 749.96M

CODE	SIZE	FROM	TO
	NO	0	665.99
	BO	665.99	749.96

METRES DESHNMVZHZM4.9=66 RUBBLE

3.66-7.80 QUARTZ
7.80-13.72 METATUFF
13.72-22.28 METABASITE AND METATUFF
22.28-27.43 METATUFF
27.43-46.65 CALC. MUSCOVITE-CHLORITMOEBWTE
46.63-65.08 METATUFF
65.08-75.29 CALC. MUSC.-CHL PHYLLIOPRITE METATUFF AND METABASITE
90.53-346.86 NON CALC MUSC-CHL PHYLLITE
346.86-363.02 CALC MUSC-CHL PHYLLITE
363.02-369.20 METATUFF
369.20-584.70 (006)853
373.08-377.04 METATUFF AND METABASITE
377.04-500.24 CALC MUSC-CHL PHYLLITE
500.24-526.76 METATUFF
526.76-548.95 CALC MUSC-CHL PHYLLITE
548.95-553.21 METATUFF
553P CALC MUSC-CHL PHYLLITE
584.70 SULPVCIFTMOBHVW+9.30 NON CALC MUSC CHL PHYLLITE
590.30-625.20 SULPHIDES
625.20-677.11 CARBONACEOUS MUSC CHL PHYLLITE
677.11-678.70 DIORITE
678.70-682.63 GRAPHITIC PHYLLITE
682.63-699.97 METATUFF
699.97-710.06 DIORITE
710.06-749.96 CALC SILICATE

77-X-02 - VERTICAL - TOTAL DEPTH = 736.85

ALL DISTANCES IN METRES

0-7.32 RUBBLE
7.32-21.82 CALC CHL MUSC PHYLLITE
21.82-25.24 METATUFF
25.24-41.12 CALC CHL MUSC PHYLLITE
41.12-44.20 METATUFF
44.20-47.55 METABASITE
47.55-58.22 METATUFF
58.22-116.59 METABASITE
116.59-121.07 METATUFF
121.07-148.53 CARB CALC CHL MUSC PHYLLITE
148.53-152.92 METATUFF
152.92-158.59 CARB CALC CHL MUSC PHYLLITE
158.59-159.35 METATUFF
159.35-163.92 CARB CALC CHL MUSC PHYLLITE
163.92-165.87 METATUFF
165.87-231.37 CARB CALC CHL MUSC PHYLLITE
231.37-394.23 CALC CHL MUSC PHYLLITE
394.23-396.24 METATUFF
396.24-406.45 CARB CALC CHL MUSC PHYLLITE
406.45-412.18 METATUFF
412.18-526.72 CALC CHL MUSC PHYLLITE
526.72-527.70 METATUFF
527.70-529.47 CALC CHL MUSC PHYLLITE
529.47-542.39 METATUFF
542.39-548.79 CALC CHL MUSC PHYLLITE
548.79-567.69 METATUFF
567.69-582.14 CARB CALC CHL MUSC PHYLLITE
582.14-583.06 METATUFF
583.06-616.49 CARB CALC CHL MUSC PHYLLITE
616.49-630.27 METATUFF
630.27-633.71 GRAPHITIC PHYLLITE
633.71-643.43 CARB CALC CHL MUSC PHYLLITE
643.43-646.79 METATUFF
646.79-647.91 NON CALC CHL MUSC PHYLLITE
647.91-650.38 DIORITE
650.38-654.01 GRAPHITIC PHYLLITE
654.01-658.06 METATUFF
658.06-660.35 CALC SILICATE
660.35-663.09 DIORITE
663.09-694.79 METATUFF AND CALC SILICATE
694.79-701.34 PEGMATITE
701.34-715.37 METATUFF, CALC SILICATE AND
715.37-724.51 DIORITE
724.51-726.95 CALC SILICATE
726.95-734.11 PEGMATITE
734.11-735.18 CALC SILICATE AND
735.18-736.85 DIORITE

77-X-03 VERTICAL IN PROGRESS
ALL DISTANCES IN METRES

0-1.89 RUBBLE
1.89-27.13 METATUFF
27.13-49.96 CALC CHL MUSC PHYLLITE
49.96-58.52 METATUFF
58.52-62.48 CALC CHL MUSC PHYLLITE
62.48-63.64 METATUFF
63.64-67.67 CALC CHL MUSC PHYLLITE
67.67-73.34 METATUFF
73.34-76.26 METABASITE
76.26-85.50 METATUFF AND METABASITE
85.50-90.43 METABASITE
90.43-97.17 METATUFF
97.17-114.03 METABASITE
114.03-119.49 CALC CHL MUSC PHYLLITE
119.49-124.51 METATUFF
124.51-133.29 CALC CHL MUSC PHYLLITE
133.29-146.79 METATUFF
146.79-150.08 METATUFF AND METABASITE
150.08-159.08 METATUFF
189CBB-888CSPHYLLITE
CURRENT DEPTH = 418.80

77-X-04 VERTICAL IN PROGRESS
ALL DISTANCES IN METRES

0-3.96 RUBBLE
3.96-75.59 CALC CHL MUSC PHYLLITE
75.59-106.98 METATUFF AND METABASITE
106.98-135.73 CALC CHL MUSC PHYLLITE
135.73-138.17 METATUFF
138.17-240.35 CALC CHL MUSC PHYLLITE
CURRENT DEPTH = 597.71

ANVIL ADM FARG

RUD U TELL ME IF THIS CAME THRU

THERE WAS ONE THING THAT OVERREPEATED ITSELF AND IT WAS
THE LINE BEFORE CURRENT DEPTH=418.80
THAT WAS THE ONLY THING THAT WAS WRONG

OK THANKS A LOT

Fil DY-
~~FARO~~ DRAWING

1977.

7/1
DY.
Linn 1946
1977

+
ANVIL VOR

ANVIL ADM FARO

HI ITS ME AGAIN
THAT LINE SHOULD READ
159.08-334.52 CALC CHL MUSC PHYLLITE

OK

ANVIL ADM FARO

File 77 ASSAY
G.I. OEX.

DATE. SEPTEMBER 3, 1977

FILE NO. 10059-1

ASSAY CERTIFICATE

WHITEHORSE ASSAY OFFICE LTD.
BOX 4518 WHITEHORSE Y. T.
PHONE 667 2694 Y1A 2R8

SAMPLE RECEIVED FROM

MR. T. MOULD

SAMPLE NO.	GOLD Oz. Per Ton	SILVER Oz. Per Ton						
NO MARK	.005							

ASSAYER. *K. Hayland* GEO. SPALDING

D
Y



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

m-x-11

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
Box 1000,

Certificate No. K-1610

Date April 4, 1978.

Faro, Yukon Territory. YOB lKO Attention: Mr. Darryl Hanson

I hereby certify that the following are the results of assays made by us upon the herein described drill core sample

Kral No.	Marked	GOLD		SILVER		Pb	Zn	Cu			
		Ounces Per Ton	Gr. per M/ton	Ounces Per Ton	Gr. per M/ton	Percent	Percent	Percent	Percent	Percent	Percent
1	2551	660.5-661.5	1.0 5.0	.23	.13	.05					
2	2552	661.5-662.8	1.3 8.8	.25	.084	.04					
3	2553	662.8-664.5	1.7 16.4	.21	.07	.16					
4	2554	664.5-665.9	1.4 13.8	.32	.07	.18					
5	2555	665.9-667.8	1.9 52.5	4.69	3.73	.31					
6	2556	667.8-669.3	1.5 21.2	1.15	1.06	.32					
7	2557	669.3-670.6	1.3 41.7	3.71	1.44	.26					
8	2558	670.6-672.5	1.9 35.4	1.94	.87	.27					
9	2559	673.8-675.7	1.9 31.7	1.98	1.33	.18					
10	2560	675.7-676.7	1.0 22.5	.81	.28	.30					
11	2561	676.7-678.1	1.4 23.0	.61	.39	.27					
12	2562	678.6-679.6	1.0 22.8	1.59	2.25	.09					
13	2563	679.6-681.6	2.0 11.8	.89	1.52	.08					
14	2564	681.6-683.3	1.7 19.8	1.32	1.76	.09					
15	2565	688.1-690.1	2.0 18.8	.78	.46	.07					

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-1610

Date April 4, 1978.

I hereby certify that the following are the results of assays made by us upon the herein described drill core sample

Kral No.	Marked	GOLD		SILVER		Pb	Zn	Cu			
		Ounces Per Ton	Grams Per Ton	Ounces Per Ton	Grams Per Ton	Percent	Percent	Percent	Percent	Percent	Percent
16	2566	690.1-691.1	1.0	20.1	.36	.12	.28				
17	2567	691.1-692.7	1.6	21.3	.19	.06	.31				
18	2568	731.2-732.2	1.0	18.8	.61	.35	.26				
19	2569	769.6-771.6	2.0	42.0	2.77	4.14	.09				
20	2570	771.6-773.6	2.0	29.8	1.83	3.82	.05				
21	2571	773.6-775.6	2.0	34.7	2.34	3.84	.04				
22	2572	775.6-777.6	2.0	34.1	2.34	3.87	.05				
23	2573	777.6-779.6	2.0	30.8	2.09	4.44	.05				
24	2574	779.6-781.6	2.0	22.3	1.95	3.26	.04				
25	2575	781.6-783.6	2.0	21.9	1.72	2.62	.05				
26	2576	783.6-785.6	2.0	21.4	1.64	2.52	.05				
27	2577	785.6-787.6	2.0	23.7	1.45	1.87	.07				
28	2578	787.6-789.6	2.0	23.1	1.56	2.46	.06				
29	2579	789.6-791.7	2.1	18.2	1.12	1.72	.07				

NOTE: c.c. Mr. G. Simpson
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. B. Blundell
.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Handwritten: 17-Y-11

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,

Box 1000,

Faro, Yukon Territory. YOB 1KO Attention: Mr. D. Hanson

Certificate No. K-1537

Date January 7, 1978.

I hereby certify that the following are the results of assays made by us upon the herein described drill core sample

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces per Ton	Ounces per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	2524		5.8	.48	.42	.07				
2	2525		6.7	.66	.92	.05				
3	2526		4.5	.30	2.48	.13				
4	2527		39.4	3.04	4.34	.13				
5	2528		76.8	6.19	8.49	.18				
6	2529		64.7	5.15	6.36	.15				
7	2530		9.4	.52	.54	.10				
8	2531		44.5	3.42	3.88	.11				
9	2532		15.5	1.06	1.72	.13				
10	2533		22.2	1.72	2.20	.21				
11	2534		42.6	2.24	1.36	.23				
12	2535		30.4	2.12	3.10	.07				
13	2536		11.8	.58	1.02	.19				
14	2537		17.8	1.24	1.14	.07				
15	2538		17.0	1.00	1.16	.08				

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
 TELEPHONE 372-2784 - TELEX 048-8320

B.C. LICENSED ASSAYERS
 GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-1537

Date January 7, 1978.

I hereby certify that the following are the results of assays made by us upon the herein described drill core sample

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		OUNCES PER TON	(g/Metric Ton) OUNCES PER TON	Percent	Percent	Percent	Percent	Percent	Percent	Percent
16	2539		14.3	.90	.86	.11				
17	2540		4.9	.14	.03	.04				
18	2541		7.5	.28	.08	.18				
19	2542		6.0	.28	.20	.03				
20	2543		13.0	.72	.13	.03				
21	2544		9.2	.54	.20	.02				
22	2545		20.2	1.56	1.96	.11				
23	2546		20.1	1.48	2.25	.12				
24	2547		3.0	.12	.20	.04				

c.c. Mr. G. Simpson

NOTE:

Rejects retained three weeks
 Pulps retained three months
 unless otherwise arranged.

Robert Shundell
 Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,

Box 1000,

Faro, Yukon Territory. YOB 1KO Attention: Mr. D. Hanson

#9
*Analys -
Print on relevant DY
Summary Assay sheet.*

Certificate No. K-1473

Date November 15, 1977.

I hereby certify that the following are the results of assays made by us upon the herein described drill core samp

Kral No.	Marked	GOLD	SILVER	Py	Po	BaO	S.G.			
		Ounces Per Ton	Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	2501			5.19	2.0	.16	3.12			
2	2502			3.08	1.6	.17	3.06			
3	2503			2.73	1.9	.18	2.91			
4	2504			5.54	1.7	.17	2.96			
22	2522			14.35	1.5	.73	3.63			
23	2523			10.43	10.0	7.04	3.90			

c.c. Mr. G. Simpson ✓

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

..... *DAS for PGB*
Registered Assayer, Province of British Columbia



Cordy - With this plus Dave's info prepare assay summary sheet #9.

Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

VB

Dy #9.

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,

Box 1000,

Faro, Y. T. YOB lKO Attention: Mr. S. Bugiak

Certificate No. K-1473

Date October 26, 1977.

I hereby certify that the following are the results of assays made by us upon the herein described drill core samp

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	Grams/MT	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	2501		61.2	3.52	8.17	.034				
2	2502		41.7	2.51	4.66	.025				
3	2503		51.9	2.58	4.96	.021				
4	2504		45.3	2.57	5.71	.022				
5	2505		37.7	2.63	3.79	.026				
6	2506		31.1	1.74	4.31	.015				
7	2507		31.9	2.18	3.92	.016				
8	2508		31.7	2.11	4.09	.048				
9	2509		31.2	1.93	3.86	.051				
10	2510		27.9	1.79	4.18	.031				
11	2511		30.0	1.81	3.86	.034				
12	2512		31.1	1.88	4.34	.030				
13	2513		42.0	2.58	3.84	.050				
14	2514		12.9	.80	1.27	.032				
15	2515		16.4	.98	1.41	.037				

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

c.c. Mr. D. Jennings

Mr. D. Hanson

Mr. G. Simpson ✓

Dave for RSB
.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-1473

Date October 26, 1977.

I hereby certify that the following are the results of assays made by us upon the herein described drill core samp

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	grams/MT Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
16	2516		20.9	1.34	1.92	.057				
17	2517		21.2	1.34	2.33	.065				
18	2518		19.6	1.11	1.98	.040				
19	2519		26.9	1.61	3.22	.050				
20	2520		54.0	2.69	4.33	.059				
21	2521		29.8	1.81	2.50	.150				
22	2522		80.5	5.60	6.81	.150				
23	2523		133.0	7.14	11.60	.180				

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

.....
DAS for PGB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Dy 77x06

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,

Box 1000,

Faro, Yukon Territory YOB 1KO Attention: Mr. S. Buziak

Certificate No. K-1420

Date October 4, 1977.

hereby certify that the following are the results of assays made by us upon the herein described drill core samp

Kral No.	Marked	GOLD	SILVER	BaO	S.G.	Py	Po	Hg		
		Ounces Per Ton	Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	2629			.26	3.11	12.25	2.79	.006		
2	2630			.26	2.90	8.20	3.13	.003		
3	2631			.26	2.99	5.03	2.89	.004		
4	2632			.26	2.75	3.26	2.95	.005		
5	2633			.17	2.76	2.54	2.87	.005		
6	2634			.13	2.93	4.97	2.65	.006		
7	2635			.39	2.78	2.45	4.16	.004		
8	2636			.22	2.88	5.51	4.11	.004		
9	2637			.13	3.27	9.51	2.72	.012		
10	2638			.37	2.97	4.68	2.94	.009		
11	2639			.80	2.99	6.82	2.90	.006		
12	2640			.23	2.67	11.78	2.85	.008		
13	2641			.60	3.69	19.52	2.23	.010		
14	2642			18.9	4.24	13.86	.57	.021		
15	2643			17.8	3.94	11.23	1.00	.020		

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

SAB for PSB
.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

DY 77x06

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-1420

Date October 4, 1977.

~ hereby certify that the following are the results of assays made by us upon the herein described drill core samp.

Kral No.	Marked	GOLD	SILVER	BaO	S.G.	Py	Po	Hg		
		Ounces Per Ton	Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
16	2644			35.5	4.42	12.40	.33	.010		
17	2645			.47	4.04	15.92	1.72	.026		
18	2646			.14	3.51	5.84	3.18	.025		
19	2647			.18	3.55	5.42	4.10	.027		
20	2648			13.5	3.94	18.41	2.34	.009		
21	2649			9.6	3.60	12.77	2.97	.014		
22	2650			15.8	3.82	13.43	2.81	.013		
23	2651			11.2	3.82	10.01	3.12	.018		
24	2652			.45	3.48	14.42	2.92	.009		
25	2653			.27	3.43	13.15	2.09	.015		
26	2654			.26	2.90	13.80	2.64	.010		
27	2655			1.36	3.67	21.60	2.26	.015		

c.c. Mr. D. Jennings,
Mr. Daryl Hanson,
Mr. G. Simpson

NOTE:
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

.....
DAB for PAB
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-1420

Date October 4, 1977.

I hereby certify that the following are the results of assays made by us upon the herein described drill core samp.

Kral No.	Marked	GOLD	SILVER	BaO	S.G.	Py	Po	Hg		
		Ounces Per Ton	Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
16	2644			35.5	4.42	12.40	.33	.010		
17	2645			.47	4.04	15.92	1.72	.026		
18	2646			.14	3.51	5.84	3.18	.025		
19	2647			.18	3.55	5.42	4.10	.027		
20	2648			13.5	3.94	18.41	2.34	.009		
21	2649			9.6	3.60	12.77	2.97	.014		
22	2650			15.8	3.82	13.43	2.81	.013		
23	2651			11.2	3.82	10.01	3.12	.018		
24	2652			.45	3.48	14.42	2.92	.009		
25	2653			.27	3.43	13.15	2.09	.015		
26	2654			.26	2.90	13.80	2.64	.010		
27	2655			1.36	3.67	21.60	2.26	.015		
		c.c. Mr. D. Jennings, Mr. Daryl Hanson, Mr. G. Simpson								

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

.....
DAB for RSB
Registered Assayer, Province of British Columbia



DY # 6

Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,

Box 1000,

Paro, Yukon Territory. YOB 1KO Attention: Mr. S. Buziak

Certificate No. K-1398

Date August 31, 1977.

I hereby certify that the following are the results of assays made by us upon the herein described drill core samp.

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/MT Ounces per ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	2629		44	1.61	2.89	.01				
2	2630		43	1.98	2.88	.03				
3	2631		60	2.98	4.79	.05				
4	2632		46	2.51	4.83	.02				
5	2633		35	2.31	4.01	.04				
6	2634		75	3.34	6.48	.03				
7	2635		35	1.98	3.48	.03				
8	2636		27	1.34	2.67	.03				
9	2637		85	4.43	10.76	.03				
10	2638		51	2.52	5.53	.03				
11	2639		40	2.19	4.79	.05				
12	2640		36	1.96	2.84	.02				
13	2641		147	8.23	8.24	.11				
14	2642		160	7.11	13.72	.11				
15	2643		80	4.76	11.15	.01				

DDH 77-X-6

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. S. Buziak
.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-1398

Date August 31, 1977.

I hereby certify that the following are the results of assays made by us upon the herein described drill core samp.

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
16	2644		18	1.61	4.80	.01				
17	2645		180	10.49	18.99	.04				
18	2646		187	10.41	21.33	.01				
19	2647		180	8.76	21.20	.01				
20	2648		66	3.96	6.05	.05				
21	2649		84	4.11	11.99	.07				
22	2650		74	3.75	9.33	.03				
23	2651		160	7.81	14.23	.08				
24	2652		98	6.12	7.01	.08				
25	2653		98	6.22	10.96	.10				
26	2654		100	5.82	8.59	.15				
27	2655		105	6.74	9.42	.12				
28	2656		20	0.73	2.12	.01				
	c.c. Mr. D. Jennings Mr. Daryl Hanson Mr. G. Simpson ✓									

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

R. B. Blew del
.....
Registered Assayer, Province of British Columbia

DY 77-X-6

<u>Sample No.</u>	<u>Ftg. -Metres</u> <u>From . To</u>	<u>Int. Metres</u>	<u>Cu-%</u>	<u>Pb-%</u>	<u>Zn-%</u>	<u>Comb. Pb/Zn</u>	<u>Ag GM/MT</u>
2629	541.3 - 543.3	1.0	.01	1.61	2.89	4.50	44
2630	543.3 - 545.3	2.0	.03	1.98	2.88	4.86	43
2631	545.3 - 547.3	2.0	.05	2.98	4.79	7.77	60
2632	547.3 - 549.3	2.0	.02	2.51	4.83	7.34	46
2633	549.3 - 550.8	1.5	.04	2.31	4.01	6.32	35
2634	550.8 - 552.3	1.4	.03	3.34	6.48	9.82	75
2635	557.1 - 559.1	2.0	.03	1.98	3.48	5.46	35
2636	559.1 - 561.1	2.0	.03	1.34	2.67	4.01	27
2637	576.6 - 578.1	1.5	.03	4.43	10.76	15.19	85
2638	578.1 - 579.5	1.4	.03	2.52	5.53	8.05	51
2639	583.7 - 584.7	1.0	.05	2.19	4.79	6.98	40
2640	584.7 - 586.5	1.8	.02	1.96	2.84	4.80	36
2641	586.5 - 588.4	1.9	.11	8.23	8.24	16.47	147
2642	588.4 - 590.4	2.0	.11	7.11	13.72	20.83	160
2643	590.4 - 592.4	2.0	.01	4.76	11.15	15.91	80
2644	592.4 - 593.4	1.0	.01	1.61	4.80	6.41	18
2645	593.4 - 594.8	1.4	.04	10.49	18.99	29.48	180
2646	594.8 - 596.8	2.0	.01	10.41	21.33	31.74	187
2647	596.8 - 597.7	0.9	.01	8.76	21.20	29.96	180
2648	597.7 - 599.3	1.6	.05	3.96	6.05	10.01	66
2649	599.3 - 601.3	2.0	.07	4.11	11.99	16.10	84
2650	601.3 - 603.3	2.0	.03	3.75	9.33	13.08	74
2651	603.3 - 604.6	1.3	.08	7.81	14.23	22.04	160
2652	604.6 - 606.6	2.0	.08	6.12	7.01	13.13	98
2653	606.6 - 608.5	1.9	.10	6.22	10.96	17.18	98
2654	608.5 - 610.5	2.0	.15	5.82	8.59	14.41	100
2655	610.5 - 612.1	1.6	.12	6.74	9.42	16.16	105
Average	586.5 - 612.1 = 25.6 m. = 84 ft.			6.37	11.58	17.95	115
							Ratio 1-1.81 Pb - Zn

<u>Samp. No.</u>	<u>BaO</u>	<u>S.G.</u>	<u>Py</u>	<u>Po</u>	<u>Hg</u>
2629	0.26	3.11	12.25	2.79	0.006
2630	0.26	2.90	8.20	3.13	0.003
2631	0.26	2.99	5.03	2.89	0.004
2632	0.26	2.75	3.26	2.95	0.005
2633	0.17	2.76	2.54	2.87	0.005
2634	0.13	2.93	4.97	2.65	0.006
2635	0.39	2.78	2.45	4.16	0.004
2636	0.22	2.88	5.51	4.11	0.004
2637	0.13	3.27	9.51	2.72	0.012
2638	0.37	2.97	4.68	2.94	0.009
2639	0.80	2.99	6.82	2.90	0.006
2640	0.23	2.67	11.78	2.85	0.008
2641	0.60	3.69	19.52	2.23	0.010
2642	18.90	4.24	13.86	0.57	0.021
2643	17.80	3.94	11.23	1.00	0.020
2644	35.50	4.42	12.40	0.33	0.010
2645	0.47	4.04	15.92	1.72	0.026
2646	0.14	3.51	5.84	3.18	0.025
2647	0.18	3.55	5.42	4.10	0.027
2648	13.50	3.94	18.41	2.34	0.009
2649	9.60	3.60	12.77	2.97	0.014
2650	15.80	3.82	13.43	2.81	0.013
2651	11.20	3.82	10.01	3.12	0.018
2652	0.45	3.48	14.42	2.92	0.009
2653	0.27	3.43	13.15	2.09	0.015
2654	0.26	2.90	13.80	2.64	0.010
2655	1.36	3.67	21.60	2.26	0.015



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

Dy. 77-x-05

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,

P. O. Box 1000,

Faro, Yukon Territory. YOB 1KO Attention: Mr. S. Buziak

Certificate No. K-1445

Date October 14, 1977.

I hereby certify that the following are the results of assays made by us upon the herein described drillcore samp

Kral No.	Marked	GOLD	SILVER	BaO	S.G.	Py	Po			
		Ounces Per Ton	Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	2658			13.6	3.95	20.39	10.5			
2	2659			33.5	4.68	13.86	5.02			
3	2660			4.5	4.47	30.81	2.00			
4	2661			33.5	4.48	13.98	5.20			
5	2662			26.2	4.61	17.05	8.80			
6	2663			9.5	4.45	31.63	12.8			
7	2664			8.8	3.67	26.79	12.3			
8	2665			30.1	4.68	13.60	7.80			
9	2666			32.4	4.55	11.38	8.00			
10	2667			8.2	3.91	16.99	13.4			
11	2687			11.2	4.26	21.46	3.53			
12	2683			13.2	4.54	22.45	1.58			
13	2684			11.6	4.45	21.55	4.30			
14	2685			9.6	3.39	11.21	3.68			
15	2686			6.1	4.33	23.94	6.15			
16	2688			30.5	4.53	18.20	.80			
17	2689			22.8	4.41	21.14	1.68			

NOTE: e.e. Mr. D. Jennings, Mr. Daryl Hanson, Mr. G. Simpson
Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

..... *P. B. Bland*
Registered Assayer, Province of British Columbia



CAROLYN PLEASE COMPLETE ASSAY SUMMARY SHEET FROM THIS INFO.

Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

*N.B. Ignore my hydrolyphics except for
fell to check my summary average
assay results.*

TO Cyprus Anvil Mining Corporation,

P. O. Box 1000,

Peru, Yukon Territory YOB 1K0 Attention: Mr. S. Busiak

Certificate No. K-1419

Date September 13, 1977.

Dy #05

I hereby certify that the following are the results of assays made by us upon the herein described drill core samp

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
19	2657		31.0	1.69	.91	.38				
20	2658		52.8	3.98	2.76	.24				
21	2659		74.2	5.60	5.66	.16				
22	2660		76.0	4.36	6.48	.29				
23	2661		68.4	5.51	5.45	.15				
24	2662		61.3	4.82	4.34	.23				
25	2663		52.8	3.35	1.72	.43				
26	2664		36.2	2.30	1.76	.45				
27	2665		69.7	5.89	4.67	.18				
28	2666		76.0	6.35	5.11	.18				
29	2667		43.4	2.95	2.49	.31				
30	2668		28.9	1.46	1.47	.26			DDH 77-X-5	
31	2669		33.1	2.33	2.16	.27				
32	2670		39.3	3.09	2.84	.24				
33	2671		71.5	6.20	4.61	.16				
34	2672		34.1	3.10	4.70	.11				
35	2673		21.7	1.79	3.62	.13				
36	2674		68.0	5.05	4.40	.25				
37	2675		27.9	2.25	3.85	.13				
38	2676		61.7	4.76	3.93	.31				

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for PEB
.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-1419

Date September 13, 1977.

I hereby certify that the following are the results of assays made by us upon the herein described drill core samp

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	5-AIT Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
39	2677		61.7	3.56	3.25	.20				
40	2678		3.0	.15	1.64	.03				
41	2679		16.0	.85	.91	.41				
42	2680		23.8	1.47	1.76	.60				
43	2681		6.0	.29	.32	.20				
44	2682		95.0	5.15	7.13	.25				
45	2683		119.0	6.05	8.67	.30				
46	2684		115.0	5.33	7.85	.30				
47	2685		83.0	3.83	6.31	.12				
48	2686		83.0	4.52	5.48	.29				
49	2687		18.3	.11	1.34	.09				
50	2688		57.9	3.70	5.99	.16				
51	2689		55.9	3.56	5.48	.05				
52	2690		22.2	1.43	1.77	.09				
53	2691		7.0	.39	1.07	.19				
54	2692		9.7	.43	.52	.26				
55	2693		10.4	.62	1.01	.24				

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

3

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-1419

Date September 13, 1977.

I hereby certify that the following are the results of assays made by us upon the herein described drill core samp

Kral No.	Marked	GOLD	SILVER	Pb	Zn	Cu				
		Ounces Per Ton	gm/mt Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
<u>Reassays</u>										
	2666		75.1	6.33	5.21	.19				
	2676		61.7	4.81	3.91	.31				
	2686		83.0	4.50	5.44	.29				
<u>Standards</u>										
	<u>Actual</u>	<u>Obtained</u>								
Pb	2.54	2.48								
	.35	.34								
	1.93	1.95								
Zn	4.90	4.98								
	1.20	1.21								
Cu	.17	.18								
	.07	.07								
Ag	59.5	59.0								
	21.7	21.3								
	7.0	7.0								

c.c. Mr. D. Jennings
Mr. Daryl Hanson
Mr. G. Simpson ✓

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

DAB for PAB
.....
Registered Assayer, Province of British Columbia

Samp. No.	Ftg. - Metres		Width	Au	Cu-%	Pb-%	Zn-%	Ag gms/T	Ba	Comb. Pb/Zn	Avg
	From	To									
2657	590.0	591.0	1.0		0.38	1.69	0.91	31.0		2.60	
2658	591.0	593.0	2.0		0.24	3.98	2.76	52.8		6.74	
2659	593.0	594.3	1.3		0.16	5.60	5.66	74.2		11.26	
2660	594.3	595.2	0.9		0.29	4.36	6.48	76.0		10.84	
2661	595.2	597.2	2.0		0.15	5.51	5.45	68.4		10.96	
2662	597.2	598.3	1.1		0.23	4.82	4.34	61.3		9.16	
2663	598.3	600.3	2.0		0.43	3.35	1.72	52.8		5.07	
2664	600.3	602.3	2.0		0.45	2.30	1.76	36.2		4.06	
2665	602.3	604.3	2.0		0.18	5.89	4.67	69.7		10.56	
2666	604.3	606.3	2.0		0.18	6.35	5.11	76.0		11.46	
2667	606.3	608.3	2.0		0.31	2.95	2.49	43.4		5.44	
2668	608.3	609.2	0.9		0.26	1.46	1.47	28.9		2.93	
2669	614.4	615.4	1.0		0.27	2.33	2.16	33.1		4.49	
2670	615.4	617.2	1.8		0.24	3.09	2.84	39.3		5.93	
2671	617.2	618.5	1.3		0.16	6.20	4.61	71.5		10.81	
2672	619.1	621.1	2.0		0.11	3.10	4.70	34.1		7.80	
2673	621.1	622.4	1.3		0.13	1.79	3.62	21.7		5.41	
2674	622.4	624.1	1.7		0.25	5.05	4.40	68.0		9.45	
2675	624.1	626.3	2.2		0.13	2.25	3.85	27.9		6.10	
2676	626.3	627.8	1.5		0.31	4.76	3.93	61.7		8.69	
2677	635.5	636.7	1.2		0.20	3.56	3.25	61.7		6.81	
2678	640.5	642.9	2.4		0.03	0.15	1.64	3.0		1.79	
2679	671.5	673.2	1.7		0.41	0.85	0.91	16.0		1.76	
2680	673.6	675.0	1.4		0.60	1.47	1.76	23.8		3.23	
2681	707.7	709.0	1.3		0.20	0.29	0.32	6.0		0.61	
2682	709.0	711.0	2.0		0.25	5.15	7.13	95.0		12.28	
2683	711.0	713.0	2.0		0.30	6.05	8.67	119.0		14.72	
2684	713.0	715.0	2.0		0.30	5.33	7.85	115.0		13.18	
2685	715.0	716.0	1.0		0.12	3.83	6.31	83.0		10.14	
2686	740.2	742.4	2.2		0.29	4.52	5.48	83.0		10.00	
2687	762.3	763.5	1.2		0.09	0.11	1.34	18.3		1.45	
2688	763.5	765.1	1.6		0.16	3.70	5.99	57.9		9.69	
2689	765.1	766.7	1.6		0.05	3.56	5.48	55.9		9.04	
2690	766.7	768.5	1.8		0.09	1.43	1.77	22.2		3.20	
2691	827.7	830.7	3.0		0.19	0.39	1.07	7.0		1.46	
2692	830.7	833.8	3.1		0.26	0.43	0.52	9.7		0.95	
2693	833.8	837.1	3.3		0.24	0.62	1.01	10.4		1.63	

		<u>Pb</u>	<u>Zn</u>	<u>Ag</u> <u>Gm./T</u>	<u>Pb/Zn</u>	
593.0 - 606.3	13.3m	4.76	4.16	66.70	8.92	Ratio Pb:Zn - 1:0.87
593.0 - 598.3	5.3m	5.19	5.45	69.64	10.64	Ratio Pb:Zn - 1:1.05
602.3 - 606.3	4.0m	6.12	4.89	72.85	11.01	Ratio Pb:Zn - 1:0.80
709.0 - 716.0	7.0m	5.27	7.69	105.86	12.96	Ratio Pb:Zn - 1:1.46
740.2 - 742.4	2.2m	4.52	5.48	83.00	10.00	Ratio Pb:Zn - 1:1.21
763.5 - 766.7	3.2m	3.63	5.74	56.90	9.37	Ratio Pb:Zn - 1:1.58

<u>Samp.</u> <u>No.</u>	<u>Ba0</u>	<u>S.G.</u>	<u>Py</u>	<u>Po</u>
2657	-	-	-	-
2658	13.6	3.95	20.39	10.50
2659	33.5	4.68	13.86	5.02
2660	4.5	4.47	30.81	2.00
2661	33.5	4.48	13.98	5.20
2662	26.2	4.61	17.05	8.80
2663	9.5	4.45	31.63	12.80
2664	8.8	3.67	26.79	12.30
2665	30.1	4.68	13.60	7.80
2666	32.4	4.55	11.38	8.00
2667	8.2	3.91	16.99	13.40
2668	-	-	-	-
2669	-	-	-	-
2670	-	-	-	-
2671	-	-	-	-
2672	-	-	-	-
2673	-	-	-	-
2674	-	-	-	-
2675	-	-	-	-
2676	-	-	-	-
2677	-	-	-	-
2678	-	-	-	-
2679	-	-	-	-
2680	-	-	-	-
2681	-	-	-	-
2682	-	-	-	-
2683	13.2	4.54	22.45	1.58
2684	11.6	4.45	21.55	4.30
2685	9.6	3.39	11.21	3.68
2686	6.1	4.33	23.94	6.15
2687	11.2	4.26	21.46	3.53
2688	30.5	4.53	18.28	0.80
2689	22.8	4.41	21.14	1.68
2690	-	-	-	-
2691	-	-	-	-
2692	-	-	-	-
2693	-	-	-	-



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

J.G.S.
FILE ✓
B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation,
Box 1000,
Faro, Yukon Territory. YOB 1K0

Certificate No. K-1353
Date August 4, 1977.

I hereby certify that the following are the results of assays made by us upon the herein described drill core samp.

Kral No.	Marked	GOLD	SILVER	Cu	Pb	Zn	Ba			
		Ounces Per Ton	Grams/MT Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1	1801		94.7	.27	5.09	8.42	.21			
2	1802		104.3	.19	6.20	10.67	17.3			
3	1803		59.0	.12	3.77	5.64	5.7			
4	1804		.7	.11	.24	.37	.21			
5	1805		6.5	.04	1.33	.49	.5			
6	1806		28.8	.08	1.72	3.98	.21			
7	1807		15.1	.20	1.12	1.19	.05			
8	1808		17.5	.33	1.09	1.82	.05			
9	1809		28.8	.27	1.72	3.57	.16			
10	1810		33.6	.19	2.00	3.51	.10			
11	1811		15.8	.15	.78	2.13	.05			
12	1812		29.1	.15	1.59	2.57	.05			
13	1813		50.11	.20	3.07	4.36	.09	DDH	77-X-1	
14	1814		39.4	.19	2.53	4.51	.15		77-X-3	
15	1815		64.1	.22	2.29	3.34	.15		77-X-4	
16	1816		28.5	.02	1.10	2.44	9.7			
17	1817		26.1	.13	1.19	2.52	.15			
18	1818		30.9	.20	1.98	2.69	.12			
19	1819		56.9	.13	3.53	5.15	.12			
20	1820		24.7	.04	1.68	3.11	.24			

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation

Certificate No. K-1353

Date August 4, 1977.

I hereby certify that the following are the results of assays made by us upon the herein described drill core samp.

Kral No.	Marked	GOLD	SILVER	Cu	Pb	Zn	Ba			
		Ounces Per Ton	Grams/MT Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
21	1821		12.0	.01	.60	2.59	37.0			
22	1822		Tr	.01	.09	.48	1.5			
23	1823		30.9	.04	1.79	2.73	1.0			
24	1824		126.2	.08	7.15	11.21	9.7			
25	2601		Tr	.03	.09	.11	1.7			
26	2602		102.9	.11	9.85	5.11	6.5			
27	2603		61.4	.20	3.68	3.59	5.1			
28	2604		95.3	.09	5.88	6.99	23.2			
29	2605		41.2	.29	2.46	3.01	6.1			
30	2606		36.7	.21	1.73	3.51	10.2			
31	2607		51.1	.15	5.02	1.97	2.4			
32	2608		28.5	.29	1.92	.96	.12			
33	2609		7.2	.27	.57	.96	.15			
34	2610		1.4	.16	.07	.24	.15			
35	2611		6.2	.16	.44	.28	.15			
36	2612		54.9	.26	3.26	4.05	4.4			
37	2613		18.2	.44	.41	.45	.06			
38	2614		Tr	.11	.01	.02	.3			
39	2615		Tr	.02	.29	.34	1.9			
40	2616		13.0	.19	.52	.38	.5			

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

David J. Ross
.....
Registered Assayer, Province of British Columbia



Kamloops Research & Assay Laboratory Ltd.

WEST TRANS CANADA HIGHWAY - BOX 946 - KAMLOOPS, B.C. V2C 5N4
TELEPHONE 372-2784

B.C. LICENSED ASSAYERS
GEOCHEMICAL ANALYSTS

CERTIFICATE OF ASSAY

TO Cyprus Anvil Mining Corporation.

Certificate No. K-1353

Date August 4, 1977.

I hereby certify that the following are the results of assays made by us upon the herein described drill core samp

Kral No.	Marked	GOLD	SILVER	Cu	Pb	Zn	Ba			
		Ounces Per Ton	Grams/ Tonnes Ounces Per Ton	Percent	Percent	Percent	Percent	Percent	Percent	Percent
41	2617		32.9	.26	2.32	1.74	9.4			
42	2618		24.7	.25	1.74	1.42	3.1			
43	2619		4.1	.09	.51	.27	.6			
44	2620		13.0	.11	1.08	.65	1.6			
45	2621		36.3	.15	2.04	1.21	2.4			
46	2622		28.5	.21	1.24	1.44	13.0			
47	2623		16.8	.08	.26	.30	.15			
48	2624		Tr	.01	.04	.02	.33			
49	2625		2.7	.09	.57	.53	1.6			
50	2626		28.8	.21	2.88	3.45	1.0			
51	2627		Tr	.12	.02	.01	.3			
52	2628		41.8	.18	2.37	5.92	1.6			

Tr denotes "trace"

c.c. Mr. G. Simpson

NOTE:

Rejects retained three weeks
Pulps retained three months
unless otherwise arranged.

.....
Registered Assayer, Province of British Columbia

KAMLOOPS RESEARCH & ASSAY LABORATORY LTD.

Cyprus Anvil Mining Corp.

August 4, 1977.

K-1353

<u>Standards</u>	<u>Actual %</u>	<u>Obtained</u>	
		<u>Repeat 1</u>	<u>Repeat 2</u>
Lead	2.53	2.53	2.44
Lead	1.94	1.89	1.91
Lead	3.88	3.88	3.90
Lead	.49	.49	.49
Zinc	4.90	4.84	4.88
Zinc	8.17	8.07	8.10
Zinc	1.02	1.04	1.03
Copper	.216	.217	.215
Copper	.070	.070	.070
Copper	.520	.51	.52
Copper	.052	.049	.051

Silver -- Grams per Metric Ton

Silver	59.49	60.69	59.49
Silver	29.75	28.46	29.49
Silver	28.80	28.11	29.147
Silver	9.94	9.60	9.94

Re-Assays

	<u>Cu %</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Ag Gm/MT</u>
1801	.27		8.30	
1802			10.63	
1803			5.62	
1805	.03			
1806			3.91	
1807			1.18	
1810	.18	2.02		
1813			4.24	
1815	.22			
1816				28.46
1820	.04	1.68		
1824			11.30	
2610		.07		1.37
2611		.43		
2619		.50		
2628		2.37		
2620				13.03

DY 77-X-1

Kamloops Research & Assay Lab.

Samp. No.	Ftg. - Metres		Width	Au	Cu-%	Pb-%	Zn-%	Ag gms/T	Ba	Comb. Pb/Zn	Avg.
	From	To									
1801	581.4	582.4	1.0	-	0.27	5.09	8.42	94.7	0.21	13.51	
1802	582.4	583.4	1.0	-	0.19	6.20	10.67	104.3	17.30	16.87	
1803	583.4	584.7	1.3	-	0.12	3.77	5.64	59.0	5.70	9.41	
1804	590.2	592.2	2.0	-	0.11	0.24	0.37	0.7	0.21	0.61	
1805	592.2	593.5	1.3	-	0.04	1.33	0.49	6.5	0.50	1.82	
1806	593.5	595.5	2.0	-	0.08	1.72	3.98	28.8	0.21	5.70	
1807	595.5	597.5	2.0	-	0.20	1.12	1.19	15.1	0.05	2.31	
1808	597.5	599.5	2.0	-	0.33	1.09	1.82	17.5	0.05	2.91	
1809	599.5	601.0	1.5	-	0.27	1.72	3.57	28.8	0.16	5.29	
1810	601.0	603.0	2.0	-	0.19	2.00	3.51	33.6	0.12	5.51	
1811	603.0	605.0	2.0	-	0.15	0.78	2.13	15.8	0.05	2.91	
1812	605.0	607.0	2.0	-	0.15	1.59	2.57	29.1	0.05	4.16	
1813	607.0	608.0	1.0	-	0.20	3.07	4.36	50.1	0.09	7.43	
1814	608.0	609.5	1.5	-	0.19	2.53	4.51	39.4	0.15	7.04	
1815	609.5	611.5	2.0	-	0.22	2.29	3.34	64.1	0.15	5.63	
1816	611.5	613.4	1.9	-	0.02	1.10	2.52	28.5	9.70	3.62	
1817	613.4	615.4	2.0	-	0.13	1.19	2.52	26.1	0.15	3.71	
1818	615.4	617.4	2.0	-	0.20	1.98	2.69	30.9	0.12	4.67	
1819	617.4	618.4	1.0	-	0.13	3.53	5.15	56.9	0.12	8.68	
1820	618.4	620.0	1.6	-	0.04	1.68	3.11	24.7	0.24	4.79	
1821	620.0	620.9	0.9	-	0.01	0.60	2.59	12.0	37.00	3.19	
1822	620.9	622.6	1.7	-	0.01	0.09	0.48	TR	1.50	0.57	
1823	622.6	624.0	1.4	-	0.04	1.79	2.73	30.9	1.00	4.52	
1824	624.0	625.2	1.2	-	0.08	7.15	11.21	126.2	9.70	18.35	

DY 77-X-3

Kamloops Research & Assay Lab.

Samp. No.	Ftg. - Metres		Width	Au	Cu-%	Pb-%	Zn-%	Ag gms/T	Ba	Comb. Pb/Zn	Avg.
	From	To									
2601	-	700.1		-	0.03	0.09	0.11	TR	1.70	0.20	
2602	700.1	701.1	1.0	-	0.11	9.85	5.11	102.9	6.50	14.96	
2603	701.1	702.6	1.5	-	0.20	3.68	3.59	61.4	5.10	7.27	
2604	702.6	703.6	1.0	-	0.09	5.88	6.99	95.3	23.20	12.87	
2605	703.6	704.6	1.0	-	0.29	2.46	3.01	41.2	6.10	5.47	
2606	704.6	705.9	1.3	-	0.21	1.73	3.51	36.7	10.20	5.24	
2607	705.9	707.9	2.0	-	0.15	5.02	1.97	51.1	2.40	6.99	
2608	707.9	709.9	2.0	-	0.29	1.92	0.96	28.5	0.12	2.88	
2609	709.9	710.8	0.9	-	0.27	0.57	0.96	7.2	0.15	1.53	
2610	710.8	712.8	2.0	-	0.16	0.07	0.24	1.4	0.12	0.31	
2611	712.8	714.0	1.2	-	0.16	0.44	0.28	6.2	0.15	0.72	
2612	714.0	716.0	2.0	-	0.26	3.26	4.05	54.9	4.40	7.31	
2613	716.0	717.2	1.2	-	0.44	0.41	0.45	18.2	0.06	0.86	
2614	717.2	719.2	2.0	-	0.11	0.01	0.02	TR	0.30	0.03	
2615	729.2	731.2	2.0	-	0.02	0.29	0.34	TR	1.90	0.63	
2616	731.2	733.2	2.0	-	0.19	0.52	0.38	13.0	0.50	0.90	
2617	733.2	735.2	2.0	-	0.26	2.32	1.74	32.9	9.40	4.06	
2618	735.2	736.6	1.4	-	0.25	1.74	1.42	24.7	3.10	3.16	
2619	736.6	737.6	1.0	-	0.09	0.51	0.27	4.1	0.60	0.78	
2620	737.6	739.3	1.7	-	0.11	1.08	0.65	13.0	1.60	1.73	
2621	739.3	741.3	2.0	-	0.15	2.04	1.21	36.3	2.40	3.25	
2622	741.3	742.6	1.3	-	0.21	1.24	1.44	28.5	13.00	2.68	
2623	742.6	743.6	1.0	-	0.08	0.26	0.30	16.8	0.15	0.56	
2624	743.6	745.6	2.0	-	0.01	0.04	0.02	TR	0.33	0.06	

DY 77-X-4

Kamloops Research & Assay Lab.

Samp. No.	Ftg. - Metres		Width	Au	Cu-%	Pb-%	Zn-%	Ag gms/T	Ba	Comb. Pb/Zn	Avg.
	From	To									
2625	788.6	790.3	1.7	-	0.09	0.57	0.53	2.7	1.60	1.10	
2626	790.3	791.6	1.3	-	0.21	2.88	3.45	28.8	1.00	6.33	
2627	791.6	793.6	2.0	-	0.12	0.02	0.01	TR	0.30	0.03	
2628	⁸ 797 .6	799.7	1 .1	-	0.18	2.37	5.92	41.8	1.60	8.29	

DATE: MAY 16, 1977

ASSAY CERTIFICATE

FILE NO. 9903-24

WHITEHORSE ASSAY OFFICE LTD.
 BOX 4518 WHITEHORSE Y. T.
 PHONE 667 2694 Y1A 2R8

(Project Code 76-1400d)

SAMPLE RECEIVED FROM

CYPRUS- ANVIL MINING CORPORATION

SAMPLE NO.	GOLD Oz. Per Ton	SILVER OZ PER TON	SILVER gms/tonne	LEAD %	ZINC %	COPPER %		
01801			95.66	5.24	7.99	.26		
01802			111.09	6.23	10.95	.20		
01803			55.54	3.75	5.60	.12		
01804			4.14	.25	.28	.11		
01805			13.03	1.38	.43	.05		
01806			30.17	1.80	3.65	.09		
01807			19.20	1.20	1.13	.19		
01808			24.34	1.28	1.78	.32		
01809			30.17	1.78	3.13	.27		
01810			34.29	2.15	3.25	.18		
01811			20.23	.75	1.95	.15		
01812			30.17	1.58	2.40	.15		
01813			46.29	3.08	3.90	.19		
01814			38.40	2.35	4.10	.18		
01815			39.43	2.20	3.10	.22		
01816			24.34	1.18	2.20	.04		
01817			23.31	1.10	2.35	.14		
01818			32.23	2.00	2.55	.21		
01819			54.52	3.95	5.22	.13		
01820			25.37	1.68	2.90	.05		
01821			15.09	.60	2.53	.02		
01822			2.06	.20	.40	.03		
01823			29.14	1.68	2.60	.05		
01824			116.92	7.10	11.90	.08		

16 MAY 77

FA 9903-24

1801 - 1824

(To FARO)

8 SEP 76

9741-16

- 5481 - 5496

21 SEP 76

9768-8

5473 - 5480

Dy 77x1

Copy to Dave.
 Copy to Gordon
 Copy to 77 assay file

ASSAYER.

K. Hayward for

GEO. SPALDING

DY 77-X-1

Whitehorse Assay

Samp. No.	Ftg. - Metres		Width	Au	Cu-%	Pb-%	Zn-%	Ag gms/T	Ba	Comb. Pb/Zn	Avg.
	From	To									
1801	581.4	582.4	1.0	-	0.26	5.24	7.99	95.66	-	13.23	
1802	582.4	583.4	1.0	-	0.20	6.23	10.95	111.09	-	17.18	
1803	583.4	584.7	1.3	-	0.12	3.75	5.60	55.54	-	9.35	
1804	590.2	592.2	2.0	-	0.11	0.25	0.28	4.14	-	0.53	
1805	592.2	593.5	1.3	-	0.05	1.38	0.43	13.03	-	1.81	
1806	593.5	595.5	2.0	-	0.09	1.80	3.65	30.17	-	5.45	
1807	595.5	597.5	2.0	-	0.19	1.20	1.13	19.20	-	2.33	
1808	597.5	599.5	2.0	-	0.32	1.28	1.78	24.34	-	3.06	
1809	599.5	601.0	1.5	-	0.27	1.78	3.13	30.17	-	4.91	
1810	601.0	603.0	2.0	-	0.18	2.15	3.25	34.29	-	5.40	
1811	603.0	605.0	2.0	-	0.15	0.75	1.95	20.23	-	2.70	
1812	605.0	607.0	2.0	-	0.15	1.58	2.40	30.17	-	3.98	
1813	607.0	608.0	1.0	-	0.19	3.08	3.90	46.29	-	6.98	
1814	608.0	609.5	1.5	-	0.18	2.35	4.10	38.40	-	6.45	
1815	609.5	611.5	2.0	-	0.22	2.20	3.10	39.43	-	5.30	
1816	611.5	613.4	1.9	-	0.04	1.18	2.20	24.34	-	3.38	
1817	613.4	615.4	2.0	-	0.14	1.10	2.35	23.31	-	3.45	
1818	615.4	617.4	2.0	-	0.21	2.00	2.55	32.23	-	4.55	
1819	617.4	618.4	1.0	-	0.13	3.95	5.22	54.52	-	9.17	
1820	618.4	620.0	1.6	-	0.05	1.68	2.90	25.37	-	4.58	
1821	620.0	620.9	0.9	-	0.02	0.60	2.53	15.09	-	3.13	
1822	620.9	622.6	1.7	-	0.03	0.20	0.40	2.06	-	0.60	
1823	622.6	624.0	1.4	-	0.05	1.68	2.60	29.14	-	4.28	
1824	624.0	625.2	1.2	-	0.08	7.10	11.90	116.92	-	19.00	

1 2

P
E
L
L
Y



BONDAR-CLEGG & COMPANY LTD.

764 BELFAST ROAD, OTTAWA, ONTARIO, K1G 0Z5
Branch: 136B Industrial Road, Whitehorse

PHONE: 237-3110

Certificate of Analysis

TO Cyprus Anvil Mining Corporation,
c/o Stirling Expediting,
Ross River, Yukon

REPORT NO. . . A-47-35

DATE . . . August. 18., 1977

I hereby certify that the following are the results of analyses made by us upon the herein described . . . rock samples

MARKED	oz/ton	%							
	Ag	Pb							
PG 7D-2	35.5	47.6							

BONDAR-CLEGG & COMPANY LTD.

NOTE:

Rejects retained two weeks
Pulps retained three months
unless otherwise arranged.

Steven Simpson



BONDAR-CLEGG & COMPANY LTD.

764 BELFAST ROAD, OTTAWA, ONTARIO, K1G 0Z5

PHONE: 237-3110

Branch: 136B Industrial Road, Whitehorse

P.M.D.
J.G.S.
FILE ✓

Certificate of Analysis

TO Cyprus Anvil Mining Corporation,
c/o Stirling Expediting,
Ross River, Yukon

REPORT NO. A-47-35

DATE August 3, 1977

I hereby certify that the following are the results of analyses made by us upon the herein described FOCK samples

MARKED	oz/ton	%	%	%					
	Ag	Cu	Pb	Zn					
PA 7D-1	0.58	trace	3.65	0.06					
PF 7D-1	2.2		10.4	3.95					
PG 7D-1	2.2		8.60	2.20					
PG 7D-2	38.0*	0.04	37.0*	9.60					
PH 7D-1	0.57	trace	0.41	38.2					
PH 7D-2	7.6		10.5	trace					
	trace: less than 0.01% Cu, Zn								
	* results probably low: Fire Assay result for Ag and a Titration result for Pb will follow on these samples								

BONDAR-CLEGG & COMPANY LTD.

NOTE:

Rejects retained two weeks
Pulps retained three months
unless otherwise arranged.

Steven Simpson

M
M



BONDAR-CLEGG & COMPANY LTD.

764 BELFAST ROAD, OTTAWA, ONTARIO, K1G 0Z5
Branch: 136B Industrial Rd., Whitehorse, Yukon

PHONE: 237-3110

MM.

Certificate of Analysis

Copy to Peter

TO Cyprus Anvil Mining Corp.,
330 - 355 Burrard Street,
Vancouver, B.C.

REPORT NO. A-47-47

DATE August 30, 1977

I hereby certify that the following are the results of analyses made by us upon the herein described ... drill core ... samples

MARKED	oz/ton	%	%	%					
	Ag	Cu	Pb	Zn					
8026	1.37	1.19	2.58	7.56					
8027	4.35	1.20	9.00	19.0					
8028	5.69	0.70	15.3	15.3					
8029	0.50	0.48	0.77	4.95					
8030	0.26	0.58	0.20	2.20					
8031	0.44	0.52	0.17	2.55					
8032	1.37	1.95	0.45	3.50					
8033	0.73	0.98	0.25	1.88					
8034	0.18	0.27	0.07	0.70					
8035	0.12	0.12	0.07	2.50					
8036	0.06	0.09	0.03	0.74					
8072	0.15	0.01	0.15	0.31					
8073	0.06	0.03	0.03	0.11					
8074	0.73	0.74	1.60	5.70					
8075	2.54	2.15	4.35	12.3					

SEP 02 1977

BONDAR-CLEGG & COMPANY LTD.

NOTE:

Rejects retained two weeks
Pulps retained three months
unless otherwise arranged.

Steven Simpson



BONDAR-CLEGG & COMPANY LTD.

764 BELFAST ROAD, OTTAWA, ONTARIO, K1G 0Z5
Branch: 136B Industrial Road, Whitehorse

PHONE: 237-3110

MM

Certificate of Analysis

TO Cyprus Anvil Mining Corporation,
c/o Stirling Expediting,
Ross River, Yukon

REPORT NO. A-47-43

DATE August 25, 1977

I hereby certify that the following are the results of analyses made by us upon the herein described drill core samples

MARKED	oz/ton	%	%	%	Comb. Pb/Zn	From	To	Length
	Ag	Cu	Pb	Zn				
8018	0.04	0.02	0.05	0.65	0.70	963.0	967.0	4.0
8019	0.09	0.12	0.13	1.63	1.76	967.0	971.0	4.0
8020	0.13	0.38	0.10	7.73	7.83	971.0	976.0	5.0
8021	0.10	0.28	0.07	4.03	4.10	976.0	981.0	5.0
8022	0.07	0.26	0.03	1.68	1.71	981.5	985.0	3.5
8023	0.44	0.75	0.11	3.50	3.61	985.0	989.0	4.0
8024	0.04	0.03	0.02	0.08	0.10	989.0	994.0	5.0
8025	0.06	0.04	0.02	0.18	0.20	994.0	998.5	4.5
8051	0.03	0.40	0.02	0.10	0.12	998.5	1,004.0	5.5
8052	0.06	0.24	0.01	0.16	0.17	1,004.0	1,009.0	5.0
8053	0.13	0.09	0.13	0.52	0.65	1,009.0	1,014.0	5.0
8054	0.04	0.31	0.03	0.27	0.30	1,014.0	1,017.0	3.0
8055	0.03	0.30	0.03	0.25	0.28	1,017.0	1,021.5	4.5
8056	0.04	0.07	0.02	0.10	0.12	1,021.5	1,026.5	5.0
8057	0.12	0.07	0.14	0.29	0.43	1,026.5	1,030.0	3.5

BONDAR-CLEGG & COMPANY LTD.

NOTE:

Rejects retained two weeks
Pulps retained three months
unless otherwise arranged.

Steven Simpson



BONDAR-CLEGG & COMPANY LTD.

764 BELFAST ROAD, OTTAWA, ONTARIO, K1G 0Z5
Branch: 136B Industrial Road, Whitehorse

PHONE: 237-3110

Certificate of Analysis

TO Cyprus Anvil Mining Corporation

-2-

REPORT NO. A-47-43

DATE August 25, 1977

I hereby certify that the following are the results of analyses made by us upon the herein described drill core samples

MARKED	oz/ton	%	%	%	Comb. Pb/Zn	From	To	Length		
	Ag	Cu	Pb	Zn						
8058	ND	0.07	0.03	0.51	0.84	1,030.0	1,035.0	5.0) } 6.56% combined Pb, over 23 feet.	
8059	0.18	0.39	0.02	0.64	0.66	1,035.0	1,040.0	5.0		
8060	0.07	0.19	0.05	0.97	1.02	1,040.0	1,045.0	5.0		
8061	0.09	0.37	0.02	1.68	1.70	1,045.0	1,049.0	4.0		
8062	0.03	0.14	0.01	0.63	0.64	1,049.0	1,054.0	5.0		
8063	0.16	0.29	0.10	3.37	3.47	1,054.0	1,060.0	6.0		
8064	0.66	0.31	0.67	17.5	18.17	1,060.0	1,062.5	2.5		
8065	0.57	0.61	0.52	10.3	10.82	1,062.5	1,067.5	5.0		
8066	0.16	0.21	0.10	3.20	3.30	1,067.5	1,072.5	5.0		
8067	0.04	0.08	0.05	3.09	3.14	1,072.5	1,077.0	4.5		
8068	0.04	0.09	0.08	2.39	2.47	1,077.0	1,081.0	4.0		
8069	0.03	0.02	0.01	0.27	0.28	1,081.0	1,086.0	5.0		
8070	0.22	trace	0.15	0.35	0.50	1,086.0	1,091.5	5.5		
8071	0.16	trace	0.08	0.24	0.32	1,091.5	1,095.0	3.5		
	trace:	less than 0.01% Cu								

BONDAR-CLEGG & COMPANY LTD.

NOTE:

Rejects retained two weeks
Pulps retained three months
unless otherwise arranged.

Steven Simpson



BONDAR-CLEGG & COMPANY LTD.

764 BELFAST ROAD, OTTAWA, ONTARIO, K1G 0Z5
Branch: 136B Industrial Road, Whitehorse

PHONE: 237-3110

Certificate of Analysis

TO Cyprus Anvil Mining Corporation,
c/o Stirling Expediting,
Ross River, Yukon

REPORT NO. A-47-39.....

DATE August 11, 1977.....

I hereby certify that the following are the results of analyses made by us upon the herein described rock samples

MARKED	oz/ton	%	%	%					
	Ag	Cu	Pb	Zn					
7976	0.13	trace	0.06	0.02					
7977	7.88	0.01	7.32	0.01					
7978	4.03	0.06	5.92	trace					
7979	0.12	trace	0.10	0.05					
7980	1.14		1.62	1.14					
7981	0.34		0.76	0.27					
	trace:	less	than 0.05 oz/ton Ag						
	trace:	less	than 0.01% Cu, Pb, Zn						

BONDAR-CLEGG & COMPANY LTD.

NOTE:

Rejects retained two weeks
Pulps retained three months
unless otherwise arranged.

Steven Simpson.....



BONDAR-CLEGG & COMPANY LTD.

764 BELFAST ROAD, OTTAWA, ONTARIO, K1G 0Z5
Branch: 136B Industrial Road, Whitehorse

PHONE: 237-3110

Certificate of Analysis

TO Cyprus Anvil Mining Corporation

-2-

REPORT NO. A-47-39

DATE August 11, 1977

I hereby certify that the following are the results of analyses made by us upon the herein described drill core samples

MARKED	oz/ton	%	%	%	Comb. Pb/Zn	From	To	Length
	Ag	Cu	Pb	Zn				
8001	0.15	0.02	0.70	1.42	2.12	818.5	823.5	5.0
8002	0.18	0.03	0.76	1.64	2.40	823.5	828.0	4.5
8003	0.13	0.02	0.58	3.06	3.64	808.5	813.5	5.0
8004	0.48	0.02	3.20	6.00	9.20	813.5	818.5	5.0
8005	0.06	trace	0.10	0.17	0.27	828.0	833.0	5.0
8006	trace	trace	0.05	0.12	0.17	833.0	837.5	4.5
8007	0.06	0.03	0.03	0.14	0.17	837.5	842.5	5.0
8008	0.12	0.01	0.10	0.33	0.43	865.5	870.5	5.0
8009	0.09	0.02	0.31	0.89	1.20	870.5	875.5	5.0
8010	0.15	0.02	0.21	1.06	1.27	875.5	880.5	5.0
8011	0.18	0.10	0.24	2.35	2.59	904.5	909.0	5.5
8012	0.11	0.01	0.12	0.47	0.59	909.0	912.0	3.0
8013	0.09	0.03	0.11	0.83	0.94	918.0	923.0	5.0
8014	0.12	0.07	0.24	1.42	1.66	923.0	925.5	2.5
8015	0.37	0.15	0.80	5.60	6.40	925.5	927.5	2.0
	trace:	less	than 0.05 oz/ton Ag					
	trace:	less	than 0.01% Cu					

BONDAR-CLEGG & COMPANY LTD.

NOTE:

Rejects retained two weeks
Pulps retained three months
unless otherwise arranged.

Steven Simpson



BONDAR-CLEGG & COMPANY LTD.

764 BELFAST ROAD, OTTAWA, ONTARIO, K1G 0Z5
Branch: 136B Industrial Road, Whitehorse

PHONE: 237-3110

Certificate of Analysis

TO Cyprus Anvil Mining Corporation

-3-

REPORT NO. A-47-39

DATE August 11, 1977

I hereby certify that the following are the results of analyses made by us upon the herein described drill core samples

MARKED	oz/ton	%	%	%	Comb.	From	To	Length
	Ag	Cu	Pb	Zn	Pb/Zn			
8016	0.18	0.04	0.30	1.92	2.22	927.5	932.5	5.0
8017	0.22	0.07	0.34	4.32	4.66	932.5	937.5	5.0

BONDAR-CLEGG & COMPANY LTD.

NOTE:

Rejects retained two weeks
Pulps retained three months
unless otherwise arranged.

Steven Simpson