

018279



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: 984-0221  
AREA CODE: 604  
TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO: Cyprus Anvil Explorations Ltd.  
300 - 355 Burrard St.  
Vancouver, B.C.  
V6E 2G8

ATTN:

*Liard Project*

CERTIFICATE NO. A8210129

INVOICE NO.

RECEIVED

ANALYSED April 5, 1982

SAMPLE NO. :	Pb (HClO <sub>4</sub> -HNO <sub>3</sub> ) ppm	Pb (HCl) ppm	Ba
81-L 0001 - 60HN	22	22	6.5%
0002	24	20	26000
0003	50	92	7.0%
0004	1	12	15.0%
0005	1	8	12.0%
0007	NSS	NSS	12.0%
0009	NSS	NSS	28000
0010	4	9	10.0%
0011	NSS	NSS	8.0%
0012	NSS	NSS	NSS
0013	NSS	NSS	40000
0014	120	171	6.0%
0015	1	10	10.0%
0016	40	36	7.0%
0017	NSS	NSS	13.0%
0018	1	10	15.0%
0019	1	4	11.0%
0021	1	4	6.0%
0022	1	12	12.0%
0023	1	8	11.0%
0024	NSS	NSS	17000
0025	NSS	NSS	6.5%
0026	16	83	9.0%
0027	NSS	NSS	NSS
0028	1	6	6.5%
0029	1	NSS	8.5%
0030	1	12	13.0%
0031	20	120	15.0%
0032	NSS	NSS	12.0%
0034	NSS	NSS	9.5%
0035	NSS	NSS	6.5%
0036	NSS	NSS	11.0%
0037	4	22	13.0%
0039	NSS	NSS	9.0%
0040	16	14	5.5%
0041	NSS	NSS	5.0%
0042	NSS	NSS	9.0%
0043	NSS	NSS	25000
0044	NSS	NSS	25000
81-L 0045 - 60HN	68	18	6.0%



MEMBER  
CANADIAN TESTING  
ASSOCIATION

CERTIFIED BY: *Hart Bichler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. A8210129

TO: Cyprus Anvil Explorations Ltd.  
 300 - 355 Burrard Street  
 Vancouver, B.C.  
 V6E 2G8

INVOICE NO.

RECEIVED

ATTN:

ANALYSED April 5, 1982

SAMPLE NO. :	Pb (HClO <sub>4</sub> -HNO <sub>3</sub> ) ppm	Pb (HCl) ppm	Ba
81-L 0046 -60HN	28	21	24000
0047	22	19	10000
0048	NSS	NSS	36000
0049	90	NSS	7000
0050	18	NSS	11.0%
0051	18	12	14000
0052	24	12	16000
0053	26	16	5.5%
0055	26	16	36000
0056	NSS	NSS	24000
0057	34	106	8.0%
0058	40	32	7.0%
0059	80	NSS	22000
0060	NSS	NSS	16.0%
0061	8	16	20.0%
0062	NSS	NSS	25000
0063	NSS	NSS	5.0%
0064	56	45	5.5%
0065	10	25	8.0%
0066	NSS	NSS	6.0%
0067	NSS	NSS	NSS
0068	NSS	NSS	15.0%
0069	4	8	17.0%
0070	1	15	18.0%
0071	NSS	NSS	NSS
0072	NSS	NSS	NSS
0073	NSS	NSS	12.0%
0074	1	2	6.0%
0075	1	12	13.0%
0076	1	4	7.0%
0077	1	2	9.0%
0078	1	4	13.0%
0079	1	2	9.0%
0080	NSS	NSS	6000
0081	NSS	NSS	10.0%
0082	NSS	NSS	NSS
0083	NSS	NSS	NSS
0084	NSS	NSS	30000
0085	NSS	NSS	NSS
81-L 0086 -60HN	NSS	NSS	18000



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY: *Hart B...*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. A8210129

TO: Cyprus Anvil Explorations Ltd.  
 300 - 355 Burrard Street  
 Vancouver, B.C.  
 V6E 2G8

INVOICE NO.

RECEIVED

ATTN:

ANALYSED April 5, 1982

SAMPLE NO. :	Pb (HClO <sub>4</sub> -HNO <sub>3</sub> ) ppm	Pb (HCl) ppm	Ba
81-L 0087 -60HN	NSS	NSS	NSS
0088	NSS	NSS	8.0%
0089	12	NSS	10.0%
0090	NSS	NSS	25000
0091	NSS	NSS	10000
0092	NSS	NSS	7.0%
0093	6	17	13.0%
0094	6	22	10.0%
0095	NSS	NSS	13000
0096	NSS	NSS	26000
0097	NSS	NSS	6000
0098	NSS	NSS	NSS
0099	NSS	NSS	12.0%
0100	NSS	NSS	32000
0101	1	46	15.0%
0102	NSS	NSS	NSS
0103	NSS	NSS	1000
0104	NSS	NSS	25000
0105	NSS	NSS	20000
0106	NSS	NSS	22000
0107	NSS	NSS	26000
0108	NSS	NSS	12000
0109	1	6	9.0%
0110	1	2	9.0%
0111	1	8	14.0%
0112	1	4	8.0%
0113	1	4	10.0%
0114	1	2	8.0%
0115	1	2	10.0%
0116	NSS	NSS	10.0%
0117	1	16	16.0%
0118	6	246	15.0%
0119	1	4	11.0%
0120	1	6	14.0%
0121	1	4	12.0%
0122	1	4	9.0%
0123	1	2	9.0%
0124	1	4	10.0%
0125	NSS	NSS	NSS
81-L 0126-60HN	30	21	26000



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY:

*Harold Zickler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. A8210129

TO: Cyprus Anvil Explorations Ltd.  
 300 - 355 Burrard Street  
 Vancouver, B.C.  
 V6E 2G8

INVOICE NO.

RECEIVED

ATTN:

ANALYSED April 5, 1982

SAMPLE NO. :	PB (HClO <sub>4</sub> -HNO <sub>3</sub> ) ppm	Pb (HCl) ppm	Ba
81-L 0127 -60HN	NSS	NSS	NSS
0128	20	18	7.0%
0129	24	8	45000
0130	14	10	45000
0131	28	NSS	26000
0132	NSS	NSS	NSS
0133	42	45	7.0%
0134	12	10	45000
0135	1	10	15.0%
0136	NSS	NSS	14.0%
0137	1	19	14.0%
0138	NSS	NSS	4600
0139	1	6	10.0%
0140	1	6	16.0%
0141	1	8	20.0%
0142	NSS	NSS	15.0%
0143	1	28	18.0%
0144	80	510	15.0%
0145	NSS	NSS	11000
0146	1	9	15.0%
0147	12	11	22000
0148	16	10	24000
0149	14	13	24000
0150	16	14	34000
0151	52	50	26000
0152	56	62	7.0%
0153	12	12	42000
0154	NSS	NSS	7.0%
0155	NSS	NSS	5.0%
0156	NSS	NSS	32000
0159	26	19	24000
0160	NSS	NSS	10000
0161	NSS	NSS	15000
0162	NSS	NSS	22000
0163	NSS	NSS	22000
0165	NSS	NSS	26000
0166	NSS	NSS	16000
0167	22	21	14000
0168	4	29	14.0%
81-L 0169 -60HN	22	12	2800



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY: *Harti Sichter*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. A8210129

TO: Cyprus Anvil Explorations Ltd.  
 300 - 355 Burrard Street  
 Vancouver, B.C.  
 V6E 2G8

INVOICE NO.

RECEIVED

ANALYSED

April 5, 1982

ATTN:

SAMPLE NO. :	Pb (HClO <sub>4</sub> -HNO <sub>3</sub> ) ppm	Pb (HCl) ppm	Ba
81-L 0170 -60HN	40	52	11.0%
0171	14	12	13.0%
0172	8	600	10.0%
0173	NSS	NSS	11.0%
0174	1	28	15.0%
0175	34	38	15.0%
0176	62	75	7.0%
0177	NSS	NSS	28000
0178	1	20	9.0%
0179	4	22	12.0%
0180	1	4	11.0%
0181	4	22	18.0%
0182	NSS	NSS	44000
0183	82	80	6200
0184	210	264	30000
0185	120	126	5.5%
0186	NSS	NSS	25000
0187	154	170	42000
0188	NSS	NSS	32000
0189	28	40	7.0%
0191	NSS	NSS	8.0%
0192	100	112	26000
0193	NSS	NSS	NSS
0194	NSS	NSS	5.0%
0195	96	155	8.0%
0196	116	138	18000
0197	NSS	NSS	38000
0198	NSS	NSS	9.0%
0199	NSS	NSS	12.0%
0201	18	17	12000
0202	16	14	42000
0203	28	28	4000
0204	22	21	6200
0205	NSS	NSS	4200
0206	NSS	NSS	5.0%
0207	18	12	7200
0209	16	13	20000
0210	8	6	11000
0211	18	20	20000
0216	NSS	NSS	86000



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY:

*Hauti-Benica*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. A8210129

TO: Cyprus Anvil Explorations Ltd.  
 300 - 355 Burrard Street  
 Vancouver, B.C.  
 V6E 2G8

INVOICE NO.

RECEIVED

ATTN:

ANALYSED April 5, 1982

SAMPLE NO. :	Pb (HClO <sub>4</sub> -HNO <sub>3</sub> ) ppm	Pb (HCl) ppm	Ba
81-L 0218 -60HN	NSS	NSS	10000
0219	38	24	22000
0220	16	11	8400
0221	42	NSS	20000
0222	20	13	32000
0223	22	14	35000
0224	48	NSS	23000
0225	42	NSS	11.0%
0226	22	25	8400
0227	110	117	23000
0228	4	45	11.0%
0229	34	26	24000
0230	46	NSS	NSS
0231	370	NSS	16000
0232	8	NSS	11.0%
0233	225	NSS	NSS
0234	98	NSS	20000
0235	10	8	2200
0236	196	NSS	22000
0237	1	8	9.0%
0238	4	2	12.0%
0239	4	6	10.0%
0240	7	8	11.0%
0241	1	44	13.0%
0242	52	NSS	32000
0243	136	NSS	8000
0244	26	NSS	5.0%
0245	114	NSS	13000
0246	150	NSS	8000
0247	20	NSS	7.0%
0248	1	NSS	8.0%
0249	22	NSS	NSS
0250	52	NSS	5000
0251	64	NSS	36000
0252	146	NSS	NSS
0253	44	NSS	2490
0254	152	NSS	22000
0255	70	NSS	17000
0256	56	NSS	33000
81-L 0257-60HN	58	NSS	5000



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY:

*Hart Bechler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

CERTIFICATE NO. A8210129

TO: Cyprus Anvil Explorations Ltd.  
 300 - 355 Burrard Street  
 Vancouver, B.C.  
 V6E 2G8

INVOICE NO.

RECEIVED

ANALYSED

April 5, 1982

ATTN:

SAMPLE NO. :	Pb (HC10 <sub>4</sub> -HNO <sub>3</sub> ) ppm	Pb (HCl) ppm	Ba
81-L 0258 -60HN	82	NSS	15000
0259	68	NSS	NSS
0260	56	NSS	4000
0261	40	NSS	5.0%
0262	104	NSS	NSS
0263	30	NSS	7.0%
0264	2	16	7.0%
0265	2	16	11.0%
0266	2	12	9.0%
0267	2	4	8.0%
0268	2	164	9.0%
0269	2	12	12.0%
0270	2	48	36000
0271	2	10	7.0%
0272	2	NSS	9.0%
0273	2	5	8.0%
0274	4	NSS	10.0%
0275	2	13	12.0%
0276	32	35	14.0%
0277	14	NSS	9.0%
0278	20	NSS	11.0%
0279	2	18	10.0%
0280	2	24	10.0%
0281	2	6	8.0%
0282	2	12	15.0%
0283	10	NSS	44000
0284	8	32	9.0%
0285	2	12	8.0%
0286	2	28	16.0%
0287	16	NSS	11.0%
0288	2	12	7.0%
0289	40	NSS	12000
0290	64	NSS	6.0%
0291	24	38	9.0%
0292	232	4240	9.0%
0293	86	NSS	22000
0294	NSS	NSS	NSS
0295	2	8	8.0%
0296	2	48	9.0%
81-L 0297 -60HN	NSS	NSS	NSS



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY:

*Hart Buchler*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
 NORTH VANCOUVER, B.C.  
 CANADA V7J 2C1  
 TELEPHONE: 984-0221  
 AREA CODE: 604  
 TELEX: 04-352597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO: Cyprus Anvil Explorations Ltd.  
 300 - 355 Burrard Street  
 Vancouver, B.C.  
 V6E 2G8

CERTIFICATE NO. A8210129

INVOICE NO.

RECEIVED

ANALYSED

April 5, 1982

ATTN:

SAMPLE NO. :	Pb (HClO <sub>4</sub> -HNO <sub>3</sub> ) ppm	Pb (HCl) ppm	Ba
81-L 0298 - 60HN	1	45	8.0%
0299	1	5	7.5%
0300	1	7	10.0%
0301	1	NSS	11.0%
0302	36	NSS	5.0%
0303	168	500	20000
0304	18	128	10.0%
0305	1	46	13.0%
0306	1	36	8.0%
0307	1	12	10.0%
0308	1	26	7.5%
0309	6	206	17.0%
0310	4	68	5.0%
0311	1	4	7.5%
0312	1	24	7.0%
0313	1	10	9.0%
0314	1	6	7.5%
0315	1	8	13.0%
0316	1	14	20.0%
0317	1	6	9.0%
0318	1	6	9.0%
0319	1	14	8.0%
0320	1	22	16.0%
0321	96	NSS	NSS
0323	1	4	18.0%
0324	1	8	17.0%
0325	1	8	18.0%
0326	1	8	14.0%
0327	1	NSS	16.0%
0238	4	6	13.0%
0239	1	NSS	15.0%
0330	14	22	12000
0334	146	NSS	NSS
0336	40	44	4000
0337	4	122	13.0%
0338	1	18	18.0%
0339	32	NSS	690
0340	16	NSS	14.0%
0341	6	NSS	14.0%
81-L 0342 -60HN	20	NSS	NSS



MEMBER  
 CANADIAN TESTING  
 ASSOCIATION

CERTIFIED BY:

*Hart Bichler*

