

Sec #	Assay Block	Grun					Dom. Facies
		Pb Zn ⁵	Area (m ²)	Pb ²⁰	Zn ²⁰	Ag	
62W	1	19.65	445.0	6.36	13.29	103.	4ED
	2	1.87	70.0	0.63	1.24	14	4AD
	3	8.77	540.0	3.39	5.38	86	4EG
	4	4.98	32.5	1.88	3.16	39	4A4
	5	2.16	127.5	1.07	1.09	28	4EL
	6	8.68	325.0	3.24	5.44	64	4EA
	7	3.26	95.0	1.06	2.20	22	4A0
	8	7.18	25.0	2.93	4.25	38	4AK
	9	12.30	42.5	5.30	7.00	23	4G4
	10	6.64	200.0	2.64	4.00	30	4GE/5D
	11	5.96	602.5	2.80	3.16	42	4EA
	12	6.74	257.5	2.46	4.28	42	4AL
	13	5.02	320.6	2.60	2.42	41	4GE

T. J. Adamson 018354
 Grun Deposit
 Work Sheets - 62W → 80W only

- Ⓐ Calculation of average grade of assay blocks
- Ⓑ tabulation of assay block grade area and facies

Section 62 W

Census Block 1

P6%

Zm%

A₁

5.53	11.92	91	x	20.4	=	112,812	243,168	1096.4
7.92	15.88	126	x	10.8		85,536	171,504	1340.8
				31.2		198,348	414,672	3217.2

6.36% 13.29% 103.

Census Block 2

1.38	3.60	32	x	3.0	=	4.12	10.8	96
1.00	1.17	20	x	3.2		3.2	3.744	64
0	0	0	x	5.5				

11.7 7.34 14.544 160.0

0.63% 1.24% 14.

Census Block 3

3.56	3.98	129	x	8.8	4.19 =	51,328	35,024	1135.2
2.63	6.40	39	x	6.7	4.31	17,621	42,880	261.3
3.44	4.66	58	x	2.6	3.24	8,944	12,116	150.8
4.83	8.46	94	x	2.8	4.01	11,592	20,304	225.6

20.5 69,485 110,324 1772.9

3.39% 5.38% 86.

Census Block 6

2.15	3.38	44	x	9.0	=	19,35	30,42	396.0
6.50	11.60	125	x	3.0		19.5	34.8	375.0
				12.0		38.85	65.22	771.0

3.24% 5.44% 64.

Census Block 12

1.84	3.10	32	x	7.0	2.87 =	12,800	21.7	224.0
1.94	3.20	32	x	4.1	3.07	7,954	13.12	131.2
3.28	5.91	57	x	7.8	3.35	25,584	46,098	444.6
				18.9		46,418	80,918	799.8

2.46% 4.28% 42.

Census Block 13

2.84	2.43	42	x	9.1	=	25,044	22,113	382.2
2.35	2.40	40	x	8.5		19,915	20.4	390
				17.6		45,819	42,513	722.2

2.60% 2.42% 41.

Yrum

Loc #	Corey Block #	Pb+Zn ^{2b}	Area (m ²)	Pb ^{2b}	Zn ^{2b}	Ag	Down Tonic
64W	1	4.67	1097.5	1.95	2.72	28.	4A0
	2	18.48	515.0	6.05	12.43	104	4DE
	3	14.09	117.5	6.29	7.80	95	4AA
	4	3.84	585.0	1.61	2.23	32	4CB
	5	9.57	137.5	2.93	6.64	51	4AL
	6	9.40	75.0	2.01	6.59	45	5B9
	7	14.12	272.5	5.39	8.73	92.	4GE
	8	6.91	205.0	3.12	3.79	53	4AGH
	9	2.23	140.0	0.78	1.45	14.	4A1
	10	12.95	40.0	4.60	8.35	85	4E4
	11	5.58	95.0	2.61	2.97	46	4HD
	12	3.02	1067.5	1.57	1.45	25	4EC
	13	11.79	745.0	5.35	6.44	81	4GE
	14	11.94	200.0	5.07	6.87	75	4GE
	15	6.19	37.5	2.99	3.20	42	4GL
	16	4.80	600.0	1.77	3.03	35	4AA
	17	6.90	37.5	2.30	4.60	39	4A4
	18	4.96	20.0	1.76	3.20	46	4A2
	19	4.38	225.0	2.09	2.29	33	4CEG
	20	7.64	27.5	3.22	4.42	56	4D4
	21	3.83	425.0	2.10	1.73	35	4E#

Sec 64 W

Pb² Zn² Ag

Assay Block 1.

2.06	2.48	29	x	14.0	=	28.94	34.72	406
2.25	2.26	20	x	3.3		7.425	7.458	66
1.71	3.09	27	x	4.2		7.182	12.779	113.4
1.56	3.57	32	x	3.9		6.084	13.723	128.8
				25.4		49.531	68.679	710.2
						1.95%	2.72%	28.

Assay Block 2.

4.25	11.04	81	x	11.6	=	55.1	128.064	981.6
7.58	14.36	131	x	12.2		92.476	175.192	1578.2
0	0	0	x	.6				
				24.4		147.576	303.256	2537.8
						6.05%	12.43%	104.

Assay Block 4.

0.81	1.65	26	x	4.3	2.94 =	3.463	7.095	111.8
0.53	1.55	20	x	8.0	3.35	4.24	12.4	160.0
2.43	3.53	36	x	4.4	3.23	10.692	15.532	158.4
0.79	1.38	29	x	4.5	3.54	3.555	6.21	130.5
1.25	1.96	35	x	6.7	4.05	8.375	13.132	239.5
2.76	3.02	44	x	15.3	3.94	42.228	46.206	673.2
0	0	0	x	2.0	4.32	0	0	0
				45.2		72.573	108.575	1468.4
						1.61%	2.23%	32.

Assay Block 6.

1.82	4.32	27	x	4.9	=	8.918	21.168	132.3
4.75	11.04	81	x	2.5		11.875	27.6	202.5
				7.4		20.793	48.768	334.8
						2.81%	6.59%	45.

Assay Block 7.

5.21	8.50	89	x	17.0	=	89.59	144.5	1513.0
6.20	10.20	115	x	2.6		16.12	26.52	299
				19.6		105.71	171.02	1812.0
						5.39%	8.73%	92

Assay Block 8.

2.45	3.55	45	x	4.5	=	11.025	15.975	202.5
5.10	6.0	84	x	1.2		6.12	7.2	100.8
3.50	2.80	53	x	1.6		5.6	4.48	84.8
				7.3		22.745	27.655	388.1
						3.12%	3.79%	53.

Casey Block 9.

0.71	1.43	12	x	4.5	=	3.195	6.435	14.0
0.92	1.48	19	x	2.2		2.024	3.256	41.8
				6.7		5.219	9.691	95.8
						0.78%	1.45%	14.

Casey Block 12

1.89	1.80	19	x	5.0	2.97 =	9.45	9.0	95.0
1.37	1.60	23	x	13.6	3.70	18.632	21.76	312.8
2.14	1.41	34	x	3.1	3.60	6.634	4.371	105.4
1.44	0.82	29	x	6.0	3.57	8.64	4.92	168
				27.7		43.356	40.051	601.2
						1.57%	1.45%	25.

Casey Block 13.

7.55	10.23	133	x	6.8	=	51.34	69.564	404.4
2.99	3.20	92	x	2.0		5.98	6.4	84
3.45	5.58	55	x	3.5		12.075	19.53	192.5
4.82	5.27	71	x	10.4		50.128	54.808	738.4
5.83	6.12	75	x	7.3		42.559	44.676	547.5
4.39	5.48	63	x	1.7		7.463	9.316	107.1
				31.7		169.545	204.294	2573.9
						5.35%	6.44%	81

Casey Block 14

3.45	5.58	55	x	5.2	=	17.94	29.016	286.0
6.50	5.95	85	x	4.2		27.3	24.99	357.0
6.21	11.90	103	x	2.1		13.041	24.99	216.3
				11.5		58.281	78.996	859.3
						5.07%	6.87%	75.

Casey Block 16.

2.32	3.44	42	x	11.1	=	25.752	38.184	466.2
1.44	2.79	30	x	18.4		26.496	51.336	552
				29.5		52.248	89.52	1018.2
						1.77%	3.03%	35

Thum

Loc #	City Block #	Pb + Zn ²	Area (cm ²)	Pb ²⁺	Zn ²⁺	Ag	Dom. Species
		2.07					
66w	1	20.07	410.0	10.55	9.52	173	4EGL
	2	5.71	52.5	1.33	4.30	21	4A4
	3	2.37	75.0	0.69	1.73	17	4A1
	4	15.44	1057.5	5.73	9.71	94	4GED?
	5	2.84	210.0	1.20	1.64	30	4A0
	6	9.77	235.0	4.04	5.73	63	4A4
	7	6.64	162.5	2.70	3.94	38	4AF
	8	2.16	657.5	0.48	1.68	20	4C0
	9	8.54	212.5	3.75	4.79	65	4CD
	10	6.62	210.0	2.52	4.10	46	4EA
	11	17.20	257.5	6.22	10.98	116	4EG
	12	4.15	600.0	1.32	2.83	26	4A1
	13	7.59	237.5	2.58	5.01	44	4EA
	14	9.95	107.5	2.85	7.0	44	4L4
	15	4.68	62.5	1.55	3.13	28	4A1
	16	8.68	427.5	3.62	5.06	58	4A4
	17	11.90	957.5	5.57	6.33	83	4GD
	18	9.21	397.5	3.98	5.23	64	4D
	19	9.04	707.5	4.07	4.97	67	4GE
	20	2.62	275.0	0.98	1.64	27	4A0
	21	2.13	372.5	0.97	1.16	22	4E0
	22	6.33	310.0	2.50	3.83	46	4E8
	23	5.05	805.0	2.67	2.36	34	4CE
	24	2.93	32.5	1.52	1.41	40	4CE
	25	10.68	95.0	4.60	6.08	87	4GE

.7 Pb Zn Ag

Cassidy Block 4

9.09	15.49	130	x	5.1	4.09 =	46.359	78.999	663.0
4.87	8.64	87	x	4.3	3.35	20.941	37.152	374.1
5.65	10.28	87	x	4.9	4.10	27.625	50.372	426.3
5.34	5.18	76	x	2.6	3.28	13.824	13.468	197.6
2.85	6.31	54	x	5.4	3.76	15.39	34.074	291.6
5.06	10.33	92	x	12.3	4.04	62.238	127.059	1131.6
6.04	8.51	95	x	9.7	3.66	58.588	82.547	921.5
6.36	10.66	95	x	3.8	4.10	24.168	40.508	361.0
6.38	9.98	109	x	9.7	3.81	61.886	96.806	1057.3
				51.8		331.139	560.985	5424

5.73% 9.71% 94.

Cassidy Block 5

0.45	1.25	14	x	4.1	=	6.345	17.625	197.4
3.77	5.40	57	>	3.6		13.572	19.44	183.6
0.69	1.41	19	>	2.0		1.38	2.82	38
0.79	1.52	20	x	10.6		8.374	16.112	212
3.34	0.67	113	x	4.0		18.36	2.68	452
0	0	0	x	1.5		0		
				35.8		43.031	58.677	1083

1.20% 1.64% 30

Cassidy Block 6

6.36	10.66	95	x	3.0	=	19.08	31.98	285.0
3.51	4.60	56	x	13.1		45.981	60.26	783.6
				16.1		65.061	92.24	1018.6

4.04 5.73 63.

Cassidy Block 8

0.22	0.79	14	x	6.9	=	⁵¹⁸ 1.32	5.451	96.6
0.66	1.95	25	x	16.5		10.89	32.175	412.5
0.05	2.20	8	>	3.0		.15	6.60	24.0
				26.4		12.358	44.226	533.1

0.42% 1.68% 20.

Cassidy Block 9

4.70	4.20	75	x	3.4	=	15.98	14.28	255.0
3.33	5.06	61	x	7.6		25.309	28.456	463.6
				11.0		41.289	52.736	718.6

3.75% 4.79% 65

Mum

<u>See #</u>	<u>Assay Block #</u>	<u>Pb+Zn %</u>	<u>Area (m²)</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Ag</u>	<u>Dom. Zones</u>
68W	1	15.15	175.0	8.37	6.78	111	4E4
	2	12.94	172.5	6.03	6.91	88	4GKA
	3	15.20	430.0	5.27	9.93	85	4BD4
	4	8.34	102.5	2.86	5.48	54	4A4
	5	12.94	30.0	5.13	7.81	73	4A4
	6	2.55	1885.0	0.86	1.69	14	4A0
	✓ 7	14.26	437.5	5.08	9.18	84	4E4
	- 8	4.32	390.0	1.80	2.52	33	4E0
	- 9	15.36	357.5	5.11	10.25	89	4E0
	- 10	8.54	✓ 142.5	3.56	4.98	63	4D4
	- 11	13.95	377.5	4.87	9.08	83	4A4
	✓ 12	17.53	895.0	5.26	12.27	86	4DE
	✓ 13	5.57	192.5	2.01	3.56	34	4EC
	14	19.18	187.5	7.55	6.63	96	406
	15	8.06	492.5	4.38	3.68	66	4EK
	16	14.21	165.0	5.25	8.96	106	4G4
	17	4.80	47.5	1.74	3.06	36	4EA
	18	7.74	122.5	2.46	5.28	44	4A4
	19	15.43	22.5	5.17	10.26	87	4G4
	20	12.98	555.0	5.79	7.19	82	4GE?
	21	6.94	725.0	3.03	3.91	53	4E
	22	5.24	305	2.35	2.89	35	4ADC
	23	2.39	1977.5	1.19	1.20	21	4CO
	24	16.18	495.0	6.08	10.10	101	4E4
	25	6.93	125.0	3.69	3.24	50	4EB
	26	12.68	52.5	4.23	8.45	67	4A0

634

Dec 68

Cashy Block 1

						Pb	Zn	Ag
7.30	6.40	103	x	3.6	=	26.560	23.64	370.0
11.60	9.03	139	x	1.1		12.76	6.833	159.9
				4.7		39.320	31.873	523.7
						8.37%	6.78%	111.

Cashy Block 2

3.04	4.55	55	x	3.5	2.06 =	13.44	15.925	192.5
14.54	10.06	206	x	5.3	3.92	77.062	53.318	1091.0
4.94	8.83	76	x	2.9	3.34	14.326	25.607	220.4
2.03	4.22	32	x	5.5	2.70	11.165	23.21	176
3.77	7.82	55	x	3.0	3.33	11.31	23.46	165
3.78	6.00	61	x	2.4	2.89	9.072	14.592	146.4
				22.6		136.375	156.112	1992.1
						6.03%	6.91%	80.

Cashy Block 3

3.82	7.22	59	x	17.4	=	66.460	125.628	1026.6
8.64	16.22	145	x	7.5		64.0	121.65	1087.5
				24.9		131.260	247.278	2114.1
						5.27%	9.93%	85.

Cashy Block 6

0.92	2.39	18	x	9.0	=	0.20	21.51	162
0.62	1.30	14	x	17.0		11.036	23.14	249.2
0.41	1.65	6	x	3.5		1.435	5.775	21
2.56	2.46	40	x	3.0		7.60	7.30	120
1.04	1.81	7	x	15.2		15.800	27.512	106.4
1.07	2.25	26	x	9.0		10.486	22.05	259.8
0	0	0	x	5.4				
				63.7		54.725	107.367	913.4
						0.86%	1.69%	14.

Cashy Block 7

6.33	11.16	91	x	5.1	3.94 =	32.263	56.916	469.1
4.26	8.11	68	x	5.2	4.1	22.152	42.172	353.6
4.64	8.23	93	x	4.7	4.90	21.808	38.681	437.1
				15.0		76.243	137.769	1259.8
						5.08%	9.18%	84.

Cashy Block 8

0.89	1.54	24	x	4.6	=	4.094	7.084	110.4
2.43	3.20	39	x	6.7		16.281	21.44	261.3
				11.3		20.375	28.524	371.7
						1.80%	2.52%	33.

Census Block 9.

6.58	12.54	110	x	7.4	=	40,692	92,796	814
10.27	20.74	173	x	4.4		45,188	91,256	761.2
3.98	6.93	65	x	3.0		11,94	20,79	195
2.97	4.75	44	x	5.2		15,444	24.7	228.8
5.86	11.60	102	x	8.6		50,396	100,448	877.2
7.55	19.53	162	x	3.6		27,18	70,308	583.2
1.32	1.90	27	x	1.8		2,376	3,42	48.6
0	0	0	x	5.4				
				39.4		201,216	403,718	3508
						5.11%	10.25%	89.

Census Block 10.

4.99	3.90	90	x	2.3	3.67 =	11,477	8,97	225.4
2.86	5.51	46	x	4.7	3.30	13,442	25,897	216.2
				7.0		24,919	34,867	441.6
						3.56%	4.98%	63.

Census Block 11

2.86	5.51	46	x	4.2	3.30 =	12,012	23,142	193.2
3.90	6.64	60	x	6.0	4.55	23.4	39,04	360
9.20	18.05	173	x	3.3	3.39	30,36	59,565	570.9
				13.5		65,772	122,547	1124.1
						4.87%	9.08	83.

Census Block 12.

4.54	10.70	79	x	11.4	4.06 =	51,756	121,98	900.6
8.19	18.64	112	x	2.8	3.63	22,932	52,192	313.6
				14.2		74,688	174,172	1214.2
						5.26%	12.27%	86.

Census Block 13

2.33	3.87	39	x	3.1	=	7,223	11,997	120.9
2.35	4.37	41	x	4.1		9,635	17,917	168.1
0	0	0	x	1.2				
				8.4		16,858	29,914	289
						2.01%	3.56%	34.

Census Block 15

4.31	3.40	58	x	10.1	=	43,531	34,34	585.8
4.49	4.09	77	x	6.7		30,083	27,403	515.9
				16.8		73,614	61,743	1101.7
						4.38%	3.60%	66.

<u>Assay Block 17</u>						Pb	Zn	Ag
3.06	5.09	68	x	1.8	=	5.509	9.162	122.4
0.79	1.59	13	x	2.5		1.975	3.975	52.5
				4.3		7.483	13.137	159.9
						1.74%	3.06%	36.

<u>Assay Block 18</u>						Pb	Zn	Ag
2.25	5.26	41	x	4.5	=	10.125	23.67	184.5
2.81	5.30	49	x	2.8		7.868	14.64	137.2
				7.3		17.993	38.51	321.7
						2.46%	5.28%	44.

<u>Assay Block 20</u>						Pb	Zn	Ag
5.48	9.05	97	x	2.9	3.96 =	15.892	26.245	201.3
6.49	8.60	94	x	2.8	3.84	18.172	24.304	263.2
5.99	6.64	81	x	6.0	4.08	35.94	39.84	486
3.24	4.41	50	x	2.0	3.91	6.48	8.82	100
6.42	7.03	82	x	4.4	4.29	28.248	30.932	360.0
				10.1		104.732	120.141	1491.3
						5.79%	7.19%	82.

<u>Assay Block 21</u>						Pb	Zn	Ag
3.70	7.10	59	x	1.3	3.10 =	4.914	9.23	76.7
3.11	4.66	62	x	3.2	3.63	9.952	14.912	198.4
2.34	3.24	39	x	3.0	3.04	7.02	9.72	117
4.41	3.87	62	x	3.5	3.79	15.435	13.545	217
3.24	4.41	50	x	8.5	3.91	27.54	37.485	425
2.58	3.11	61	x	5.9	4.15	15.222	18.349	359.9
0	0	0	x	1.0	2.54			
				26.4		80.083	103.241	1394
						3.03%	3.91%	53.

<u>Assay Block 22</u>						Pb	Zn	Ag
2.34	3.24	39	x	6.9	=	16.146	22.356	289.1
2.36	2.54	32	x	2.0		16.52	17.78	224
				13.9		32.666	40.136	493.1
						2.35%	2.89%	35.

<u>Assay Block 24</u>						Pb	Zn	Ag
3.83	7.12	60	x	2.3	3.67 =	8.809	16.376	138
4.35	6.01	84	x	5.1	3.76	22.185	30.651	428.4
8.73	15.32	134	x	5.3	3.95	46.269	81.196	710.2
				12.7		77.263	128.223	1276.6
						6.08%	10.10%	101

Casey Block 23

						Pb	Zn	Ag
0.23	0.14	11	x	7.5	3.49 =	1.725	1.05	82.5
1.15	2.13	21	x	5.5	3.99	6.325	11.715	115.5
1.19	1.31	20	x	23.6	3.77	28.084	30.916	472
2.08	1.30	30	x	14.1	3.76	29.320	18.33	423
0.30	1.17	13	x	4.3	3.03	1.29	5.031	55.9
0	0	0	x	1.0	5			
				56.0		66.752	67.042	1148.9
						1.19%	1.20%	21

Casey Block 26

5.29	11.54	83	x	41	=	21,609	47,314	340.3
1.95	1.78	32	x	1.9		3.705	3.382	60.0
				6.0		25.374	50.696	401.1
						4.23%	8.45%	67

Drum

Loc #	Core Block #	Pb, Zn %	Area (m ²)	Pb %	Zn %	Ag	Don. Loc.
70 W	1	15.92	57.5	7.39	8.53	123	4GK
	2	13.36	62.5	6.22	7.14	96	4GD
	3	8.29	482.5	2.41	5.88	44	4AA
	4	6.48	1087.5	2.18	4.30	38	4AA
	4A	6.87	75.0	2.58	4.29	38	4L4
	5	5.07	690.0	1.78	3.29	35	4AE
	6	2.65	342.5	0.91	1.74	19	5B/4L
	7	3.87	57.5	1.37	2.50	26	4L2
	8	19.76	1152.5	6.61	13.15	111	4ED
	9	3.13	45	1.48	1.65	27	4AO
	10	4.76	315.0	1.81	2.95	36	4AO
	11	4.47	522.5	1.34	3.13	27	4L4
	12	11.72	165	3.87	7.85	64	4AA
	13	4.15	197.5	1.20	2.95	25	4AE
	14	14.15	837.5	4.73	9.42	87	4EG
	15	3.77	382.5	1.61	2.16	35	4AO
	16	9.57	142.5	3.83	5.74	76	4EG
	17	20.04	425.0	6.91	13.13	111	4DE
	18	15.53	80.0	4.84	10.69	90	4D
	19	16.00	237.5	5.30	10.70	96	4E4
	20	1.16	57.5	0.25	0.91	17	4AE
	21	4.86	222.5	1.94	2.92	37	4CA
	22	11.61	710.0	5.63	5.98	88	4EG
	23	2.49	437.5	1.36	1.13	25	4L
	24	5.75	110.0	3.12	2.63	47	4LC
	25	5.14	300.0	2.59	2.55	43	4AC
	26	2.32	115.0	0.80	1.52	13	4A3
	27	12.60	80.0	5.10	7.50	89	4G4
	28	3.36	25.0	1.47	1.89	28	4C0
	29	3.06	50.0	1.29	1.77	25	4AO
	30	5.19	877.5	1.60	3.59	31	4AO
	31	13.96	440.0	5.77	8.19	96	4GE
	32	6.00	100.0	2.68	3.32	45	4DC
	33	10.87	375.0	4.99	5.28	74	4GE
	34	8.90	395.0	4.59	4.31	63	4GED
	35	5.54	217.5	2.72	2.82	45	4E8
	36	3.95	87.5	2.80	1.15	36	4A0
	37	11.49	460.0	5.59	5.90	73	4GE
	38	2.17	167.5	0.89	1.28	22	4C8

Section 70w

70w

Assay Block 1

						Pb	Zn	Ag
5.7	7.01	98	x	4.7	=	26.79	32.947	460.6
10.7	11.51	172	x	2.4		25.68	27.624	412.0
				7.1		52.47	60.571	872.4
						7.39%	8.53%	123

Assay Block 2

5.90	8.70	99	x	1.4	=	8.26	12.18	128.6
9.00	8.30	131	x	0.8		7.2	6.64	104.8
5.54	5.95	84	x	2.6		14.404	15.47	218.4
				4.8		29.864	34.29	461.8
						6.22%	7.14%	96

Assay Block 3

2.27	5.67	42	x	19.7	=	44.719	111.699	827.4
2.91	6.64	53	x	5.3		15.423	35.192	280.9
				25.0		60.142	146.891	1108.3
						2.41%	5.88%	40

Assay Block 4

3.16	6.41	40	x	7.8	3.41 =	24.698	49.990	374.4
1.07	2.08	25	x	2.6	3.15	8.132	15.808	190
2.93	4.63	45	x	7.7	3.34	22.561	35.651	346.5
2.20	4.36	39	x	39.8	3.19	87.56	173.528	1552.2
1.59	3.35	30	x	9.5	3.52	15.105	31.825	285
2.16	4.89	40	x	7.2	3.58	15.552	35.208	288
				79.6		173.558	342.018	3036.1
						2.18%	4.30%	38

Assay Block 5

1.13	2.15	23	x	4.5	2.90 =	5.085	9.675	103.5
1.59	3.35	30	x	9.1	3.52	14.469	30.485	273
2.07	3.41	43	x	13.3	3.63	27.531	45.353	571.9
1.01	2.68	30	x	3.7	3.52	3.737	9.916	111
3.32	5.61	42	x	2.3	2.81	7.636	12.903	96.6
				32.9		58.458	108.332	1156
						1.78%	3.29%	35

Assay Block 6

0.41	1.04	12	x	5.4	=	2.538	5.616	64.8
0.76	1.33	15	x	8.0		6.08	10.64	120
1.33	2.54	47	x	12.0		15.96	30.48	324
0	0	0	x	1.5				
				26.9		24.578	46.736	508.8
						0.91%	1.74%	19.9

70^N

Cray Block 8

						Pb	Zn	Ag
7.75	16.42	142	x	17.3	4.17 =	134,075	284,066	2456.6
7.52	18.10	135	x	6.2	3.35	46,624	112,22	837
9.29	16.28	162	x	7.6	4.54	70,604	123,720	1231.2
8.75	16.66	130	x	13.7	4.12	119,875	228,242	1781
8.47	16.93	136	x	8.1	3.97	68,607	137,133	1101.6
6.62	12.92	109	x	13.5	3.95	89,37	174,42	1471.5
5.67	13.88	92	x	10.2	4.35	57,834	141,576	938.4
5.63	11.72	89	x	5.5	3.73	30,965	64,46	489.5
5.54	11.59	87	x	20.2	4.06	111,909	234,118	1757.4
6.33	13.25	110	x	44.7	4.04	282,751	592,275	4917
9.51	9.22	93	x	17.1	4.37	77,121	157,662	1590.3
8.52	12.60	134	x	13.6	4.29	115,872	171,36	1822.4
6.58	13.54	113	x	8.7	4.22	57,246	117,798	983.1
7.88	13.52	123	x	12.2	4.23	96,136	164,944	1500.6
0	0	0	x	7.0				
				205.6	145.6	1357,188	2704,602	22877.6
						6.61%	13.15%	111.

Cray Block 10

0.80	1.54	23	x	4.1	3.16 =	3,28	6,314	94.3
2.87	4.47	58	x	4.8	3.61	13,776	21,456	278.4
2.30	3.30	53	x	1.2	3.06	2,76	3,96	63.6
1.67	2.78	30	x	11.1	3.33	18,537	30,858	333
				21.2		38,353	62,588	767.3
						1.81%	2.95%	36

Cray Block 11

1.41	3.41	29	x	16.1	=	22,701	54,901	466.9
0.87	1.29	17	x	2.4		2,088	3,096	40.8
				18.5		24,789	57,997	507.7
						1.34%	3.13%	27

Cray Block 14

6.70	13.07	105	x	6.1	3.73 =	40,87	79,727	640.5
6.01	11.41	84	x	7.8	4.27	39,078	88,998	655.2
5.40	11.17	86	x	10.4	4.82	56,16	116,168	894.4
8.39	14.44	129	x	4.6	4.55	38,594	66,424	593.4
6.92	11.59	104	x	3.1	4.20	18,352	35,929	322.4
1.14	2.69	27	x	2.9	2.79	3,306	7,801	78.3
4.88	9.82	90	x	5.5	4.90	26,84	54,01	539
3.32	7.49	67	x	18.1	4.90	60,092	135,569	1249.9
4.29	7.80	86	x	18.2	4.92	78,078	141,96	1565.2
5.49	10.61	104	x	8.6	4.70	47,214	91,246	894.4
2.90	5.40	62	x	2.7	4.07	7,63	14,58	167.4
4.61	8.77	75	x	5.0	4.91	23,05	43,95	475.0
				93.0		439,464	876,262	8074.1
						4.73%	9.42%	87. 942.686

70W

Essay Block 15

1.53	2.45	35	x	7.3	=	11,899	17,885	255.5
1.58	1.72	36	x	4.8		7,584	8,256	172.8
				12.1		19,483	26,141	428.3
						1.61%	2.16%	35-

Essay Block 16

3.67	4.08	85	x	2.9	=	10,643	11,832	246.5
3.97	7.20	68	x	3.3		13,101	23,76	229.4
				6.2		23,744	35,592	470.9
						3.83%	5.74%	76.

Essay Block 17

8.18	16.11	131	x	8.5	=	69,53	136,935	1113.5
9.16	17.18	145	x	5.8		53,128	99,644	891
3.88	6.65	68	x	4.7		18,236	31,255	319.6
0	0	0	x	1.4				
				20.4		140,894	267,834	2278.1
						6.91%	13.13%	111.

Essay Block 18

2.91	5.55	57	x	2.0	=	5,82	11,1	118.0
1.78	3.02	36	x	1.2		2,136	3,624	43.2
6.64	15.33	121	x	4.2		27,898	64,386	508.2
				7.4		35,844	79.11	665.4
						4.84%	10.69%	90.

Essay Block 19

5.74	9.53	103	x	9.0	0.44 =	51,66	85,77	927.0
3.86	8.05	70	x	6.1	4.18	23,546	49,105	427.0
6.64	15.33	121	x	9.6	3.57	63,744	147,168	1161.6
1.78	3.02	36	x	2.3	24.7	4,094	6,946	82.8
				27.0		143,044	288,989	2578.4
						5.30%	10.70%	96

Essay Block 21

2.11	3.18	42	x	18.3	=	38,613	58,194	768.6
0	0	0	x	1.6				
				19.9		38,613	58,194	
						1.94%	2.92%	37

Essay Block 23

1.60	1.18	28	x	6.0	3.33 =	9,6	7,08	168
1.83	1.26	39	x	6.7	3.57	12,261	8,442	2613
1.36	1.51	22	x	5.8	3.28	7,888	8,758	127.6
1.26	1.25	20	x	1.4	3.22	1,764	1,75	28
0	0	0	x	3.2	18.9			
				23.1		31,513	26,03	584.9
						1.36%	1.13%	25

Assay Block 22

Pb Zn Ag

5.71	4.70	72	x	2.1	3.42 =	10.731	9.87	157.2
9.09	6.42	123	x	2.6	4.28	23.634	16.692	319.0
5.60	5.44	83	x	7.6	4.00	42.56	41.344	630.8
4.63	4.82	69	x	3.6	4.35	16.668	17.352	248.4
5.37	5.46	89	x	15.6	4.51	93.772	85.176	1388.4
5.65	9.13	94	x	5.7	4.22	32.205	52.041	535.8
				37.2		209.57	222.475	3274.4

4.3%

5.63% 5.98% 89.

Assay Block 25

2.76	2.33	47	x	2.5	=	6.9	5.825	117.5
2.37	2.32	39	x	5.3		12.561	12.296	206.7
3.40	4.50	55	x	0.9		3.06	4.05	49.5
				8.7		22.521	22.171	373.7

2.59% 2.55% 43.

Assay Block 30

1.34	3.63	27	x	21.3	2.00 =	28.542	77.319	575.1
3.32	5.72	54	x	3.7	3.11	12.984	21.164	197.8
1.39	1.63	28	x	4.4	3.88	6.072	7.172	123.2
				29.4		46.898	105.655	898.1

1.60% 3.59% 31.

Assay Block 31

6.35	7.90	105	x	4.0	2.62 =	25.4	31.6	420.0
5.07	8.03	86	x	7.0	4.00	35.49	56.21	602
6.20	8.57	102	x	6.1	4.21	37.82	52.277	622.2
				17.1		98.71	140.087	1644.2

5.77% 8.19% 96.

Assay Block 33

5.37	4.83	71	x	3.9	=	20.709	18.837	276.9
4.70	5.70	76	x	4.2		19.74	23.94	319.2
				8.1		40.449	42.777	596.1

4.99% 5.28% 74.

Assay Block 34

4.71	3.77	59	x	7.2	=	33.912	27.144	424.8
4.34	5.50	71	x	3.3		14.322	18.15	234.3
				10.5		48.234	45.294	659.1

4.59% 4.31% 63.

Order Book - 37

70W

						P _h	Z _m	A _g
9.70	6.88	113	x	4.3	=	42.054	27.584	485.9
3.70	4.31	53	x	6.9		26.082	27.739	365.7
3.90	7.94	64	x	3.3		12.87	26.202	211.2
				14.5		81.006	85.525	1062.8
						5.59%	5.90%	73.

Drum

<u>Sec #</u>	<u>Corey Block #</u>	<u>Pb Zn</u>	<u>Area (m²)</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Ag</u>	<u>Down Faces</u>
72W	1	12.61	230	4.55	8.06	74	4DLA?
	2	5.02	47.5	2.07	3.75	37	4AD
	3	7.20	227.5	2.42	4.78	44	4AA
	4	4.25	280	1.46	2.79	22	4LO
	5	2.54	77.5	0.72	1.82	11	4BA
	6	11.22	282.5	3.80	7.42	71	4AD
	7	7.58	775.0	3.30	4.28	47	4AA
	8	12.96	130	4.50	8.46	78	4EA
	9	9.01	1125.0	3.35	5.66	50	4AA
	10	21.98	192.5	7.48	14.50	132	4ED
	11	27.05	30.0	9.35	17.70	143	4EA
	12	3.46	205.0	1.14	2.32	21	4LA
	13	3.33	95.0	1.39	1.94	35	4AO
	14	13.14	517.5	4.86	8.28	83	4EG
	15	3.81	181.5	1.61	2.20	25	4AA
	16	9.48	92.5	3.25	6.23	71	4EA
	17	2.92	490.0	1.56	1.36	22	4AL
	18	11.94	262.5	6.69	5.25	97	4EG
	19	4.95	180.0	2.64	2.31	40	4CL 5B7
	20	3.37	80.0	1.60	1.77	24	4CL
	21	13.30	177.5	6.28	7.02	101	4GE
	22	10.48	147.5	5.17	5.31	85	4GE
	23	4.09	50.0	2.73	2.16	53	4EG
	24	14.85	212.5	6.63	8.22	110	4EG
	25	11.22	1147.5	4.41	6.81	77	4DE
	26	9.36	725.0	3.29	6.07	65	4EG
	27	1.75	265.0	0.69	1.06	15	4AO
	28	19.09	77.5	6.36	12.23	162	4AA
	29	3.30	915.0	.96	2.34	23	4CO
	30	4.91	25.0	1.97	2.94	34	4L4
	31	13.67	155.0	4.42	9.25	80	4EK
	32	2.19	305.0	0.88	1.31	18	4AO
	33	9.36	175.0	3.38	5.98	77	4DK
	34	12.75	557.5	4.68	8.07	80	4EG
	35	7.18	147.5	2.69	4.49	53	4AA
	36	6.30	72.5	2.19	4.11	39	4ADE
	37	7.63	245.0	3.47	4.16	68	4CD
	38	3.60	107.5	1.70	1.90	29	4E1
	39	6.92	107.5	3.60	3.32	43	4EG
	40	3.32	410.0	1.96	1.36	36	4EG

6.0
2.7
2.1

Section 72 w

Crossy Block 2

						Pb	Zn	Ag.
2.37	3.70	= 36	x	8.0	=	18.96	31.2	788
3.59	6.35	65	x	5.3	=	19.027	33.655	344.5
2.38	5.00	42	x	9.3		22.134	46.5	390.6
1.60	2.56	35	x	8.2		13.12	20.992	287
0	0	0	x	4.5				
				35.3		73.241	132.347	1310.1
						2.07%	3.15%	37

Crossy Block 3.

4.64	8.29	83	x	8.2	=	38.048	67.978	68.06
1.36	3.50	35	x	17.5		23.8	61.25	61.25
2.78	5.88	56	x	47.0		130.66	276.36	2632.0
2.59	3.84	50	x	6.3		16.317	24.192	315
1.91	3.41	43	x	6.1		11.651	20.801	262.3
3.02	3.11	61	x	11.2		33.824	34.832	683.2
2.09	4.62	38	x	12.8		26.752	59.136	48.4
2.12	3.89	36	x	17.7		37.524	68.853	637.2
2.39	4.65	25	x	24.5		58.555	118.325	612.5
1.86	4.59	18	x	9.2		17.112	42.228	165.6
1.98	5.56	39	x	6.2		12.276	34.472	241.8
4.16	7.63	81	x	11.2		46.592	85.456	907.2
0	0	0	x	9.4				
				187.3		453.111	894.393	8236.3
						2.42%	4.19%	44

Crossy Block 4.

1.75	2.72	22	x	13.4	=	23.45	36.448	274.8
1.24	3.55	29	x	8.5		10.54	30.175	246.5
1.57	2.71	19	x	4.5		7.065	12.195	85.5
0	0	0	x	1.8				
				28.2		41.055	78.818	628.8
						1.46%	2.19%	22

Crossy Block 6.

✓ 4.18	3.89	74	x	8.9	=	37.202	34.621	658.6
✓ 3.68	7.51	70	x	8.6		31.648	64.586	602
✓ 3.53	6.45	55	x	9.0		31.77	58.05	495
✓ 6.96	10.20	118	x	1.7		11.832	17.34	200.6
✓ 5.12	9.66	92	x	11.2		51.344	108.192	1030.4
✓ 3.27	7.82	62	x	2.6		8.502	20.332	161.2
✓ 3.82	7.48	82	x	3.3		12.606	24.684	270.6
✓ 4.53	16.30	97	x	4.0		18.12	65.2	388
✓ 4.67	13.82	105	x	3.8		17.446	52.516	399
✓ 3.90	7.46	74	x	17.0		66.3	126.82	1258.0
0	0	0	x	7.0				
				77.7		293.07	572.341	5463.4
						3.80%	7.22%	71

Dec 72 in
Cassy Block 7

Pb Zn Ag

1.03	4.11	33	x	0.9	927	3,699	20.7
3.59	4.71	49	x	13.5	48,465	63,585	661.5
5.14	9.40	79	x	4.8	24,672	45.12	379.2
2.56	2.19	35	x	<u>14.4</u>	<u>26,864</u>	<u>31,536</u>	<u>504.0</u>
				33.6	116,928	143,94	1565.4
					3.30%	4.29%	47

Cassy Block 8

8.54	16.26	137	x	2.5	21.35	40.65	342.5
2.15	3.96	46	x	3.2	6,88	12,672	147.2
3.80	7.08	67	x	<u>3.7</u>	<u>14.06</u>	<u>26,196</u>	<u>247.9</u>
				9.4	42.29	79,518	737.6
					4.50%	8.46	78.

Cassy Block 9

2.0	3.59	33	x	8.6	17.2	30,874	283.8
3.75	8.10	58	x	7.8	29,25	63.18	452.4
2.97	5.05	48	x	6.2	18,414	31.31	277.6
4.72	7.74	69	x	11.6	54,752	89,784	800.4
1.53	3.01	29	x	11.0	16,83	33.11	371.0
2.40	9.41	38	x	20.6	49,44	90,846	782.8
3.59	5.60	54	x	18.7	67,133	104,72	1009.8
5.26	7.95	72	x	14.1	74,166	112,095	1015.2
3.72	5.88	52	x	<u>8.8</u>	<u>32,736</u>	<u>51,744</u>	<u>457.6</u>
				107.4	359,921	607,663	5418.6
					3.35%	5.66%	50

Cassy Block 10

4.72	7.74	69	x	2.5	11.8	19,35	172.5
6.62	13.20	108	x	3.1	20,522	90.92	334.8
8.24	16.18	151	x	<u>12.5</u>	<u>103.0</u>	<u>202.25</u>	<u>1887.5</u>
				18.1	135,322	262.52	2394.8
					7.48%	14.50	132

Cassy Block 12

1.53	3.01	29	x	5.0	7.65	15.05	145.0
0.66	1.46	10	x	<u>4.0</u>	<u>2.64</u>	<u>5.84</u>	<u>40.0</u>
				9.0	10.29	20.89	185.0
					1.14%	2.32%	21

Box 72W
Box Block 25

5.34	7.13	89	-	x	0.9	=	4.806	6.417	79.2
5.94	7.03	97		x	1.5		8.91	10.545	145.5
5.98	5.92	93		x	21.8		119.444	129.056	2027.4
4.41	5.71	71		x	7.1		31.311	40.541	509.1
5.61	8.52	100		x	4.8		26.928	40.896	480
0.65	0.66	20		x	4.0		2.6	2.64	80
3.79	4.94	66		x	3.0		11.37	14.82	198
5.09	9.12	82		x	11.1		56.499	90.132	910.2
3.47	7.33	65		x	13.7		47.559	100.421	890.5
4.23	8.54	78		x	19.2		81.216	163.968	1497.6
2.28	4.82	42		x	3.0		6.84	14.46	126.0
					90.1		297.483	613.896	6938.5
							4.41%	6.81	77.

Box Block 26

1.90	4.29	46		x	7.4	557 =	14.06	31.746	340.4
2.28	4.82	42		x	5.2	457	11.356	25.064	218.4
2.86	6.32	53		x	5.8	418	16.588	36.656	307.4
3.34	5.57	71		x	18.8	443	62.792	104.716	1334.8
1.70	2.40	42		x	6.3	434	10.71	15.12	264.6
4.29	7.02	86		x	15.1	420	64.779	118.082	1298.6
2.74	4.88	45		x	9.1	35	11.234	20.008	184.5
3.98	8.00	70		x	7.6	31	30.248	60.8	532
4.80	8.52	79		x	5.8	40	27.84	49.416	458.2
					76.1		250.107	461.608	4938.9
							3.29%	6.07%	65.

Box Block 27

1.69	2.62	36		x	5.6	=	9.464	14.672	201.6
0.56	0.85	15		x	3.8		2.128	3.23	57.0
0	0	0			7.5				
					16.9		11.592	17.902	258.6
							0.69%	1.06%	15

Box Block 28

5.03	8.37	80		x	1.2	=	6.036	10.044	96
6.69	13.80	100		x	4.9		32.781	67.62	529.2
					6.1		38.817	77.664	625.2
							6.36%	12.73%	102.

Dec 72 W

Assay Block 29

					Pb.		
1.32	1.77	24	x	9.1	12.012	16.107	278.4
11.30	18.30	162	x	1.2	13.56	21.96	194.4
0.19	0.69	14	x	11.3	2.147	7.797	158.2
0.87	2.71	21	x	12.9	11.223	34.959	270.9
0.52	2.19	21	x	12.9	6.768	28.251	270.9
0.95	2.90	13	x	<u>3.2</u>	<u>3.04</u>	<u>9.28</u>	<u>41.6</u>
				50.6	48.69	118.354	1154.4
					.96%	2.34%	23.

Assay Block 31

4.35	9.68	81	x	9.8	42.63	94.864	793.8
4.71	7.41	77	x	<u>2.3</u>	<u>10.833</u>	<u>17.043</u>	<u>177.1</u>
				12.1	53.463	111.907	970.9
					4.42%	9.25%	80.

Assay Block 32

0.81	1.39	17	x	3.1	2.511	4.309	52.7
1.53	2.55	23	x	7.5	11.475	19.125	247.5
0.99	1.18	18	x	<u>8.0</u>	<u>7.92</u>	<u>9.44</u>	<u>144.0</u>
0	0	0	x	<u>6.4</u>			
				25.0	21.906	32.874	444.2
					0.88%	1.31%	18

Assay Block 33

6.60	13.30	175	x	2.0	13.2	26.6	350.0
2.15	2.49	35	x	2.0	4.3	4.98	70
3.20	5.60	44	x	1.5	9.0	8.4	66
2.98	5.20	61	x	<u>9.1</u>	<u>87.118</u>	<u>47.32</u>	<u>555.1</u>
				14.6	49.418	87.3	1128.4
					3.38%	5.90%	77.

Assay Block 34

5.62	9.21	106	x	6.4	35.968	58.944	678.4
5.38	8.75	91	x	13.8	74.244	110.75	1255.8
5.78	10.73	95	x	<u>13.5</u>	<u>78.03</u>	<u>144.855</u>	<u>1782.5</u>
0	0	0	x	<u>6.5</u>			
				40.2	188.242	324.549	3216.7
					4.68%	8.07%	80

Assay Block 36

					Pb	Zn	Ag
1.34	1.58	35	x	2.1	2.814	3.310	73.5
3.26	6.75	51	x	2.2	7.172	14.85	112.2
2.00	3.94	33	x	<u>3.1</u>	<u>6.2</u>	<u>12.214</u>	<u>102.3</u>
				7.4	16.186	30.382	288.0
					2.19%	4.11%	39.

Assay Block 37

3.34	4.10	65	x	2.9	9.686	11.89	188.5
5.23	6.05	105	x	<u>1.4</u>	<u>7.322</u>	<u>8.47</u>	<u>141.0</u>
0	0	0	x	<u>.6</u>			
				4.9	17.008	20.36	335.5
					3.47%	4.16%	68.

Assay Block 40

1.83	0.57	37	x	4.9	3.91	8.967	2.773	181.3
2.90	2.60	47	x	1.0	3.7	5.22	4.68	84.6
1.19	1.39	22	x	3.5	2.91	4.165	4.865	77
2.60	1.76	44	x	<u>2.5</u>	<u>6.87</u>	<u>6.5</u>	<u>4.9</u>	<u>110</u>
				12.7		24.052	17.330	452.9
						1.96%	1.36%	36.

3
3.7

Sum

<u>Sec #</u>	<u>Corey Block #</u>	<u>Pb+Znⁿ</u>	<u>Area (m²)</u>	<u>Pb²</u>	<u>Zn³</u>	<u>Ag</u>	<u>Dom. Jarvis</u>
74 W	1	4.08	992.5	1.19	2.89	25	4AG ✓
	2	7.78	485.0	2.19	5.59	44	4AD ✓
	3	15.79	357.5	6.45	9.34	101	4DEA ✓
	4	10.93	665	4.02	6.91	65	4AC ✓
	5	8.42	617.5	3.10	5.32	50	4AD ✓
	6	5.82	195.0	2.16	3.66	37	4AL ✓
	7	6.11	1127.5	2.20	3.91	35	4AC ✓
	8	3.78	570.0	1.31	2.47	21	4AC ✓
	9	21.72	305.0	7.37	14.35	125	4E4 ✓
	10	7.58	225.0	2.91	4.67	46	4LC ✓
	11	8.54	420.0	3.16	5.38	49	4AA ✓
	12	2.74	645.0	1.20	1.54	18	4CA ✓
	13	17.09	357.5	6.12	10.97	103	4E ✓
	14	10.78	382.5	6.14	4.64	78	4EG ✓
	15	5.58	55.0	2.96	2.62	41	4EL ✓
	16	7.37	335	3.74	3.63	61	4EL ✓
	17	2.89	82.5	1.14	1.75	23	4AO ✓
	18	5.24	195.0	1.87	3.37	31	4LA ✓
	19	2.96	132.5	0.80	2.16	15	4AI ✓
	20	15.54	55.0	6.04	9.50	101	4H4 ✓
	21	2.75	52.5	1.34	1.41	22	4AI ✓
	22	9.97	405.0	3.91	6.06	64	4EG ✓
	23	15.27	475.0	4.96	10.31	89	4D ✓
	24	6.68	222.5	2.65	4.03	42	4DA ✓
	25	8.31	545.0	3.29	5.02	49	4A4 ✓
	26	2.39	452.5	1.13	1.26	18	4AI ✓
	27	4.77	365.0	1.52	3.25	29	4AL ✓
	28	8.55	1132.5	2.75	5.80	51	4A4 ✓
	29	7.70	165.0	3.79	3.91	63	4A4 ✓
	30	14.60	192.5	5.10	9.50	88	4G4 ✓
	31	9.25	100.0	3.40	5.85	48	4AG ✓
	32	8.80	45.0	3.80	5.00	67	4L4 ✓
	33	9.27	87.5	4.37	4.90	74	4GC ✓
	34	8.24	75.0	4.20	4.04	58	4EL ✓
	35	5.95	95.0	2.80	3.15	31	4D8 ✓
	36	6.69	785.0	3.28	3.47	48	4EG ✓
	37	2.58	1157.5	1.00	1.58	21	4EC ✓
	38	16.09	345.0	6.30	9.79	118	4GD ✓
	39	6.57	100.0	3.03	3.54	47	4EA ✓
	40	10.50	1827.5	3.88	6.62	72	4EG ✓
	41	12.34	690.0	4.50	7.84	72	4ED ✓
	42	8.95	582.5	3.44	5.51	62	4ED ✓
	43	2.79	317.5	0.86	1.93	21	4AC ✓
	44	3.15	80.0	1.14	2.01	23	4LA ✓
	45	1.44	145.0	0.55	0.89	19	4CO ✓
	46	7.19	222.5	3.28	3.91	52	4O ✓
	47		60				

Sum Dec 74 w

Corey Block 1

Pb Zn Ag

1.15	2.95	24	x	20.5	=	23.575	60.475	472
1.32	2.74	27	x	12.5	=	16.5	34.25	337.5
1.35	3.08	35	x	5.0	=	6.75	19.4	175
0	0	0	x	1.5				
				<u>39.5</u>		46.825	114.125	1004.5

Area $39.7 \times 25 = 992.5 \text{ m}^2$ 1.19% 2.89% 2573

Corey Block 2

1.66	6.03	29	x	1.8	=	2.988	10.854	52.2
2.27	5.42	47	x	15.1	=	34.277	81.842	709.7
2.72	7.19	53	x	2.9	=	7.888	20.851	153.7
1.77	4.95	34	x	4.4	=	7.788	21.78	149.6
				24.2		52.941	135.327	1062.5

Area $19.4 \times 25 = 485 \text{ m}^2$ 2.19% 5.59% 44

Corey Block 3

6.89	9.69	99	x	7.3	=	50.297	70.737	722.7
5.80	8.83	104	x	5.0	=	29.0	44.15	520
				12.3		79.297	114.887	1242.7

Area $14.3 \times 25 = 357.5 \text{ m}^2$ 6.45% 9.34% 101

Corey Block 4

Area $26.6 \times 25 = 665 \text{ m}^2$ 4.02% 6.91% 65

Corey Block 5

Area $24.7 \times 25 = 617.5$ 3.10% 5.32 50

Corey Block 6

2.18	3.77	38	x	3.2	=	6.976	12.064	121.6
2.13	3.52	35	x	2.6	=	5.538	9.152	91
				5.8		12.514	21.216	212.6

Area $7.8 \times 25 = 195 \text{ m}^2$ 2.16% 3.66% 37

Census Block 7

Pb

Zn

2.03	4.24	33	x	5.7	=	11.571	24.168	188.1
2.21	3.97	34	x	31.2	=	68.952	123.864	1060.8
3.05	5.29	41	x	5.8	=	17.69	30.682	237.9
1.28	2.70	22	x	7.7	=	9.856	20.79	169.4
2.18	4.15	37	x	16.8	=	36.624	69.72	621.6
2.46	3.03	36	x	10.9	=	26.814	33.027	392.4
2.14	4.46	40	x	2.3	=	4.922	10.258	92.0
3.2	5.97	59	x	6.0	=	<u>19.2</u>	<u>35.82</u>	<u>354.0</u>
0	0	0	x	<u>2.6</u>				
				89.0		195.629	348.329	3116.1

Area 45.1 x 25 = 1127.5 m²

2.20%⁹³ 3.91%⁹⁷ 35

Census Block 8.

1.76	4.94	35	x	4.5	=	7.92	22.23	157.5
1.04	2.23	12	x	8.3	=	8.632	18.504	99.6
1.32	2.50	23	x	7.0	=	9.24	17.5	161.0
1.35	2.45	25	x	8.0	=	10.8	19.6	200.0
1.97	3.07	28	x	10.1	=	19.897	31.007	282.8
1.61	2.76	28	x	9.9	=	<u>15.939</u>	<u>27.324</u>	<u>277.2</u>
0	0	0	x	<u>7.3</u>				
				65.1		72.428	136.17	1178.1

Area 22.8 x 25 = 570 m²

1.31%⁹⁶ 2.47%⁹⁸ 25

Census Block 9.

5.39	11.11	87	x	4.6	38 =	24.794	51.106	400.2
6.46	13.50	114	x	4.2	3.09 =	27.132	56.7	478.8
9.38	18.37	160	x	12.0	4.8 =	112.56	220.44	1920.0
5.61	9.68	93	x	<u>6.4</u>	4.38 =	<u>35.904</u>	<u>61.952</u>	<u>595.2</u>
				27.2		200.39	390.198	3394.2

Area 12.2 x 25 = 305 m²

7.37%⁹⁶ 14.35%⁹⁶ 125

Census Block 10.

Area 9.0 x 25 = 225 m²

2.91%⁹⁶ 4.67%⁹⁶ 46

Assay Block 11

						Pb	Zn	Ag
3.30	5.51	51	x	12.4	=	41,912	60,324	632.4
4.29	6.32	63	x	5.1		21,879	32,232	321.3
3.35	5.24	48	x	9.4		31.49	49,444	451.2
2.00	4.77	39	x	<u>8.8</u>		<u>17.6</u>	<u>41,976</u>	<u>343.2</u>
				35.7		112,881	191,976	1748.1

Area 16.8 x 25 = 420 m²

3.16% 5.38% 49

Assay Block 12

0.71	1.03	14	x	7.3	=	5,183	7,519	102.2
1.26	1.58	21	x	4.0		5,04	6,32	84.0
1.47	3.22	26	x	8.0		11,76	25,76	208.0
2.01	2.41	27	x	8.3		16,683	20,003	224.1
1.27	1.21	19	x	11.0		13,97	13,31	209.0
1.09	1.17	17	x	12.9		14,061	15,093	219.3
1.84	1.99	20	x	7.8		14,352	11,622	156.0
1.07	1.71	15	x	<u>14.2</u>		<u>15,194</u>	<u>24,282</u>	<u>213.0</u>
0	0	0	x	<u>7.0</u>				
				80.5		96,243	123,909	1415.6

Area 25.8 x 25 = 645 m²

1.20% 1.54% 18

Assay Block 13

4.71	9.45	77	x	4.1	3.99 =	19,639	38,745	315.7
6.87	11.83	123	x	7.3	3.94	50,151	86,369	897.9
5.43	9.10	83	x	3.0	4.11	16,29	27.3	249.0
7.50	14.70	115	x	<u>1.5</u>	3.94	<u>11.25</u>	<u>22.05</u>	<u>172.5</u>
				15.9		97.33	174,454	1625.1

Area 14.3 x 25 = 357.5 m²

6.12% 10.97% 103

Assay Block 14

7.13	5.28	85	x	6.6	=	47,058	34,848	561.0
1.66	1.81	36	x	2.8		4,648	5,068	100.8
8.79	6.58	111	x	7.7		67,683	56,666	854.7
5.23	3.75	71	x	9.2		48,116	34.5	726.8
4.55	3.86	30	x	<u>3.8</u>		<u>17.29</u>	<u>14,668</u>	<u>114.0</u>
				30.1		184,795	139,75	2357.3

Area 15.3 x 25 = 382.5 m²

6.14% 4.47% 78

Assay Block 15

Pb

Zn

Ag

3.00	2.80	39	x	1.4	4.2	3.92	54.6
2.90	2.40	44	x	<u>1.1</u>	<u>3.19</u>	<u>2.64</u>	<u>48.4</u>
				2.5	7.39	6.56	103
Area	$2.2 \times 25 = 55 \text{ m}^2$				2.96%	2.62%	41

Assay Block 16

3.87	3.08	56	x	4.2	16.254	12.936	235.2
6.88	6.19	113	x	3.3	22.704	20.427	372.9
2.12	1.61	48	x	3.3	6.996	5.313	158.4
5.45	6.26	90	x	2.4	13.08	15.624	216.0
2.05	2.90	35	x	1.2	2.46	3.48	42.0
3.11	3.53	48	x	<u>5.1</u>	<u>15.861</u>	<u>18.063</u>	<u>244.8</u>
0	0	0	x	<u>1.2</u>			
				28.2	77.355	75.183	1269.3
Area	$13.4 \times 25 = 335 \text{ m}^2$				3.74%	3.63%	66

Assay Block 17

Area	$3.3 \times 25 = 82.5 \text{ m}^2$				1.14%	1.75%	23
------	------------------------------------	--	--	--	-------	-------	----

Assay Block 18

Area	$7.8 \times 25 = 195 \text{ m}^2$				1.87	3.37	31
------	-----------------------------------	--	--	--	------	------	----

Assay Block 19

Area	$5.3 \times 25 = 132.5 \text{ m}^2$				0.80	2.16	15
------	-------------------------------------	--	--	--	------	------	----

Assay Block 20

Area	$2.2 \times 25 = 55 \text{ m}^2$				6.04	9.50	101
------	----------------------------------	--	--	--	------	------	-----

Assay Block 21

Area	$2.1 \times 25 = 52.5$				1.34	1.41	22
------	------------------------	--	--	--	------	------	----

Corey Block 22

Pb

Zn

Ag

6.41	8.89	85	x	4.7	=	30.127	41.783	379.5
4.03	6.41	63	x	6.1	=	24.583	39.101	389.3
2.31	2.46	33	x	3.5	=	8.085	8.61	115.5
1.72	1.86	33	x	1.5	=	2.58	2.79	49.5
4.98	8.28	95	x	8.5	=	42.33	70.38	807.5
4.89	7.66	79	x	12.1	=	59.169	92.686	955.9
5.02	8.01	89	x	7.3	=	36.646	58.473	649.7
2.23	4.05	30	x	<u>3.2</u>	=	<u>7.136</u>	<u>12.96</u>	<u>96.0</u>
0	0	0	x	<u>7.0</u>	=			
				<u>53.9</u>		210.656	326.783	3457.9

Area 16.2 x 25 = 405 m²

3.91%

6.06%

64

Corey Block 23

7.86	18.10	144	x	7.2	=	56.592	130.32	1036.8
4.66	9.02	85	x	4.1	=	19.105	36.982	348.5
3.90	5.00	62	x	2.0	=	7.8	10.0	124.0
4.5	8.78	75	x	13.4	=	60.3	117.652	1005.0
3.65	8.40	78	x	<u>4.9</u>	=	<u>17.885</u>	<u>41.16</u>	<u>382.2</u>
0	0	0	x	<u>1.0</u>	=			
				<u>32.6</u>		161.683	336.114	2896.5

Area 19.0 x 25 = 475

4.9%

10.31%

89

Corey Block 24

3.07	6.36	55	x	12.5	=	38.375	79.5	687.5
5.31	7.10	78	x	7.7	=	40.887	59.67	600.6
5.70	5.69	85	x	5.0	=	33.06	33.052	495.0
4.00	5.20	66	x	1.5	=	6.0	7.8	99.0
4.90	6.40	80	x	1.0	=	4.9	6.4	80.0
1.50	3.23	27	x	5.1	=	7.65	16.473	137.7
3.19	7.14	55	x	3.5	=	11.165	24.99	192.5
3.44	4.23	52	x	<u>6.8</u>	=	<u>23.392</u>	<u>28.764</u>	<u>353.6</u>
0	0	0	x	<u>18.6</u>	=			
				<u>62.57</u>		165.429	251.579	2643.9

Area 8.9 x 25 = 222.5 m²

2.65%

4.03%

92

Corey Block 25

6.7	7.06	100	x	4.2	=	28.14	29.652	420.0
3.52	4.26	47	x	4.1	=	14.432	17.466	192.7
3.5	4.15	47	x	4.2	=	14.7	17.43	197.4
2.22	4.90	36	x	<u>15.1</u>	=	<u>33.522</u>	<u>73.99</u>	<u>543.6</u>
				<u>27.6</u>		90.794	138.538	1353.7

Area 21.8 x 25 = 545 m²

3.29%

5.02%

49

Orsay Block 26

						Pb	Zn	Ag
0.04	1.19	14	x	21.0		17.64	24.99	294
2.22	1.53	34	x	<u>5.5</u>	NR	<u>12.21</u>	<u>8.415</u>	<u>187</u>
				26.5		29.85	33.405	481
Area $18.1 \times 25 = 452.5 \text{ m}^2$						1.13%	1.76%	18.

Orsay Block 27

2.01	3.06	34	x	7.6	=	15.276	23.256	258.4
1.28	3.03	27	x	24.3		31.104	73.629	656.1
1.80	4.13	32	x	21.3		38.34	87.969	681.6
1.64	2.68	28	x	5.6		9.184	15.008	156.8
1.46	3.28	29	x	<u>8.0</u>		<u>12.840</u>	<u>28.864</u>	<u>255.2</u>
0	0	0	x	2.8				
				70.4		106.752	228.726	2008.1
Area $14.6 \times 25 = 365 \text{ m}^2$						1.52%	3.25%	29

Orsay Block 28

2.73	6.38	53	x	7.6	3.82 =	20.748	48.488	402.8
2.11	4.50	44	x	16.2	2.76	34.182	72.9	712.8
1.86	4.66	37	x	19.8	3.03	36.828	92.268	732.6
2.87	5.86	55	x	23.5	3.33	67.445	137.71	1292.5
4.32	9.27	73	x	19.0	3.14	82.08	176.13	1387.0
1.92	3.86	38	x	18.2	3.07	34.944	70.252	691.6
3.62	7.01	60	x	10.3	3.14	37.286	72.203	618
2.91	5.11	52	x	<u>7.7</u>	3.12	<u>22.407</u>	<u>39.347</u>	<u>400.4</u>
				122.3		335.92	709.298	6237.7
Area $45.3 \times 25 = 1132.5 \text{ m}^2$						2.75%	5.80%	51.

Orsay Block 29

Area $6.6 \times 25 = 165 \text{ m}^2$						3.79%	3.91%	63
--	--	--	--	--	--	-------	-------	----

Orsay Block 30

10.10	17.34	150	x	1.3	4.08	13.13	22.542	195
4.31	9.84	77	x	1.0	3.80	4.31	9.84	77
4.62	8.77	88	x	7.4	4.18	34.188	64.898	614.2
4.89	9.00	94	x	<u>10.1</u>	4.16	<u>49.389</u>	<u>90.9</u>	<u>848.4</u>
				19.8		101.617	188.18	1734.6
Area $7.7 \times 25 = 192.5$						5.10%	9.50	88.

Assay Block 31

Area $4.0 \times 25 = 100 \text{ m}^2$

Pb	Zn	Ag
3.40%	5.85%	48

Assay Block 32

Area $1.8 \times 25 = 45 \text{ m}^2$

3.80%	5.00%	67
-------	-------	----

Assay Block 33

Area $3.5 \times 25 = 87.5 \text{ m}^2$

4.37%	4.90%	74
-------	-------	----

Assay Block 34

Area $3.0 \times 25 = 75 \text{ m}^2$

4.20%	4.04%	58
-------	-------	----

Assay Block 35

Area $3.8 \times 25 = 95.0 \text{ m}^2$

2.80%	3.15%	31
-------	-------	----

Assay Block 36

3.30	5.50	59	X	1.2	^{3.30} =	3.96	6.6	70.8
2.81	3.25	42	X	9.4	^{2.61}	26.414	30.55	394.8
2.23	2.62	37	X	5.2	^{3.33}	11.596	13.624	192.4
7.11	5.06	89	X	<u>3.1</u>	^{3.97}	<u>22.041</u>	<u>15.686</u>	<u>275.9</u>
0	0	0	X	<u>.6</u>				
				19.5		64.011	66.46	933.9
				18.9				

Area $31.4 \times 25 = 785 \text{ m}^2$

3.28%	3.41%	48
-------	-------	----

Assay Block 37

1.39	1.69	27	X	10.5	=	14.595	17.745	283.5
0.64	1.48	16	X	<u>11.5</u>		<u>7.36</u>	<u>17.02</u>	<u>184</u>
				22.0		21.955	34.765	467.5

Area $46.3 \times 25 = 1157.5$

1.00%	1.58%	21
-------	-------	----

Assay Block 38

5.00	8.50	105	X	1.4	=	7.00	1.19	147
7.40	11.49	135	X	4.5		33.345	51.705	607.5
5.53	8.37	104	X	<u>4.1</u>		<u>22.673</u>	<u>34.317</u>	<u>426.4</u>
				10.0		63.018	97.922	1180.9

Area $13.0 \times 25 = 325 \text{ m}^2$

6.30%	9.79%	118
-------	-------	-----

Survey Block 39

						Pb	Zn	Ag
3.50	4.20	51	x	1.9	=	6.65	7.98	96.9
2.51	2.80	43	x	<u>1.7</u>		<u>4.267</u>	<u>4.76</u>	<u>73.1</u>
				3.6		10.917	12.74	170.0
Area 40 x 25 = 1000 m ²						3.03%	3.54%	47.

Survey Block 40

3.53	5.95	80	x	16.8	=	59.304	99.96	1344
4.17	7.01	66	x	13.3		55.461	93.233	877.8
3.09	3.26	56	x	4.3		13.287	14.018	240.8
3.85	6.75	69	x	31.9		122.915	215.325	2201.1
4.11	7.03	73	x	19.6		80.556	137.788	1430.8
4.55	8.22	89	x	<u>12.1</u>		<u>55.055</u>	<u>99.462</u>	<u>1076.9</u>
0	0	0	x	<u>1.7</u>				
				99.7		386.478	659.786	7171.4
Area 73.1 x 25 = 1827.5						3.88%	6.62%	72.

Survey Block 41

4.23	8.61	77	x	12.2	=	51.606	105.042	939.4
4.69	7.32	69	x	<u>17.9</u>		<u>83.951</u>	<u>131.028</u>	<u>1235.1</u>
				30.1		135.557	236.07	2174.5
Area 27.6 x 25 = 690 m ²						4.50%	7.04%	72.

Survey Block 42

4.15	8.20	76	x	4.4	3.61	18.26	36.08	334.4
3.37	4.95	64	x	19.5	3.46	65.715	96.525	1248.0
3.29	5.44	53	x	<u>11.9</u>	4.09	<u>39.151</u>	<u>64.736</u>	<u>630.7</u>
				35.8		123.126	197.341	2213.1
Area 23.3 x 25 = 582.5						3.44%	5.51%	62.

Survey Block 43

1.86	2.91	35	x	5.2		9.672	15.132	182
0.57	1.72	17	x	<u>14.7</u>		<u>8.379</u>	<u>25.294</u>	<u>249.9</u>
0	0	0	x	1.0				
				20.9		18.051	40.416	431.9
Area 12.7 x 25 = 317.5						0.86%	1.93%	21.

Assay Block 44

Pb

Zn

Ag

1.84	2.42	26	x	6.3	=	11.592	15.246	176.4
.42	1.58	18	x	<u>6.1</u>		<u>2.562</u>	9.638	<u>109.8</u>
				12.4				

14.154	24.884	286.2
--------	--------	-------

Area 3.2 x 25 = 80

1.14%	2.01	23
-------	------	----

Assay Block 45

Area 5.8 x 25 = 145

0.55%	0.89%	19
-------	-------	----

Assay Block 46

3.03	3.04	43	x	9.7		29.391	29.488	417.1
3.83	5.77	70	x	<u>4.5</u>		<u>17.235</u>	<u>25.965</u>	<u>315.0</u>

14.2	46.626	55.453	732.1
------	--------	--------	-------

Area 12.9 x 25 = 322.5

3.28%	3.91%	52
-------	-------	----

Num.

<u>Sec #</u>	<u>Core #</u>	<u>Pb + Zn (?)</u>	<u>Area m²</u>	<u>Pb^{pb}</u>	<u>Zn^{zn}</u>	<u>Ag</u>	<u>Dom. Jars</u>
76 W	1	6.27	1640	2.24	4.06	39	4A4
	2	11.04	255	4.16	6.88	69	4AE
	3	3.50	107.5	1.07	2.43	24	5A9
	4	8.93	1127.5	3.10	5.83	50	4AD
	5	2.12	112.5	0.71	1.41	18	5A9
	6	6.69	1112.5	2.42	4.27	39	4ADL
	7	4.26	1305	1.62	2.64	27	4AL
	7A	10.83	585.0	3.68	7.15	68	4A4
	8	10.31	172.5	3.53	6.78	59	4AB
	9	3.67	82.5	1.17	2.50	26	4L4
	10	17.16	1687.5	6.23	10.93	110	4E4
	11	21.77	117.5	8.18	13.59	138	4AE
	12	8.76	135.0	2.52	6.24	43	5B9/4E4
	13	24.48	37.5	7.17	17.31	108	4E6
	14	12.85	30.0	4.21	8.64	84	4KL
	15	6.75	1085.0	2.55	4.20	43	4A4
	16	3.17	685.0	1.56	1.61	24	4AL
	17	11.26	867.5	4.07	7.19	69	4AD
	18	2.84	207.5	1.19	1.05	17	4AL
	19	12.18	430.0	4.80	7.38	74	4AD
	20	5.50	220.0	2.22	3.28	48	4AD
	21	5.59	95.0	2.25	3.34	41	4AL
	22	15.44	250.0	5.66	9.78	93	4G
	23	4.03	17.5	1.98	2.05	36	4L4
	24	13.19	300.0	6.72	6.47	102	4E6
	25	3.49	385.0	1.99	1.50	36	4E
	26	12.02	195.0	4.59	7.43	95	4E4
	27	6.07	20.0	2.23	3.84	60	4L4
	28	15.8	20.0	6.20	9.60	121	4G4
	29	11.38	22.5	4.65	6.725	73	4E6
	30	3.58	407.5	1.26	2.32	29	4A1
	31	2.43	92.5	0.86	1.57	15	4A1
	32	3.44	490.0	1.21	2.23	20	4AE
	33	9.35	1812.5	3.50	5.85	61	4GE
	34	4.11	205.0	1.82	2.29	34	4EA
	35	11.20	5.0	4.60	6.60	82	4E4
	36	7.95	125.0	3.95	4.00	49	4E4
	37	4.81	272.5	2.16	2.65	35	4GL
	38	7.16	325.0	3.13	4.03	47	4GE
	39	9.47	250.0	3.85	5.62	60	4GE

Section 76 W

Assay Block 1

						Pb	Zn	Ag
1.41	2.65	27	x	7.0	=	9.97	18.55	189
3.08	5.70	53	x	12.3		37.884	70.11	651.9
3.43	5.66	59	x	5.4		18.522	30.564	318.6
1.68	2.42	33	x	8.9		14.752	21.538	293.7
2.17	4.55	39	x	14.2		30.814	64.61	539.6
0	0	0	x	2.8				
				50.6		112.042	205.372	1992.8
						2.21%	4.06%	39

Assay Block 2

7.19	11.02	114	x	5.1	=	36.669	56.202	501.4
1.35	3.05	28	x	5.5		7.925	16.775	154.0
				10.6		44.095	72.977	735.4
						4.16%	6.89%	69

Assay Block 4

2.23	3.89	43	x	20.3	2.80 =	45.269	78.967	872.9
4.77	8.64	68	x	11.0	3.34	52.47	95.04	748.0
3.20	6.92	49	x	8.5	3.03	27.2	58.82	416.5
3.88	7.68	60	x	4.9	3.34	19.012	37.632	294.0
0	0	0	x	1.7	2.5			
				46.4		143.951	270.499	2331.4
						3.10%	6.83%	50

Assay Block 6

2.64	4.39	35	x	18.9	2.74 =	49.896	82.971	661.5
2.45	4.51	42	x	16.9	2.60	41.405	76.219	709.8
2.15	4.22	41	x	13.3	3.03	28.595	56.126	545.3
2.31	3.70	41	x	10.2	3.05	23.562	37.74	418.2
				5.3	3.79			
				59.3		143.458	253.056	2334.8
				64.6		2.42%	4.27	39

Assay Block 7

						Pb	Zn	Ag
1.72	2.22	23	X	3.8	=	6.536	8.436	87.4
1.65	3.42	30	X	2.9		4.785	9.918	87
2.12	2.52	34	X	9.9		20.988	24.948	336.6
1.51	2.87	27	X	21.9		33.069	62.853	591.3
1.41	2.82	29	X	9.8		13.818	27.636	284.2
0.88	1.98	21	X	5.5		4.84	10.89	115.5
1.94	3.33	29	X	10.8		20.952	35.964	313.2
1.17	2.50	26	X	11.0		12.87	27.5	286
1.91	2.55	29	X	27.0		51.57	68.85	783
0	0	0	X	2.3				
				104.9		168.428	276.995	2884.2
						1.62%	2.64%	27.

Assay Block 7A

3.10	7.10	59	X	1.2	=	3.72	8.52	70.8
0.69	3.50	33	X	1.3		.87	4.55	42.9
4.18	7.76	75	X	13.7		57.266	106.312	1027.5
3.41	6.74	64	X	8.7		27.667	58.638	556.8
				24.9		91.55	178.02	1698.0
						3.68%	7.15%	68

Assay Block 8

2.64	4.39	35	X	1.3	=	3.432	5.707	45.5
3.70	7.60	61	X	1.8		6.66	13.68	109.8
3.35	6.50	56	X	6.1		20.435	39.65	341.6
3.94	7.50	68	X	9.6		18.124	34.5	312.8
				13.8		48.651	93.537	809.7
						3.53%	6.78%	59.

Assay Block 12

1.15	2.25	21	X	2.5	=	2.875	5.625	52.5
1.13	2.70	19	X	1.0		1.13	2.7	19
0.51	2.46	12	X	2.1		1.071	5.166	25.2
2.49	4.54	40	X	5.3		13.17	24.062	212
1.23	2.23	22	X	4.5		5.535	10.035	99
5.84	17.03	98	X	4.5		26.28	76.135	441
				19.9		50.088	124.223	848.7
						2.52%	6.24%	43.

Grey Block 10

						Pb	Zn	Ag
4.41	9.41	102	x	8.0	3.14	35.28	75.28	816
5.92	13.48	116	x	8.9	4.19	52.688	119.972	1032.4
5.90	13.19	109	x	10.1	3.96	59.59	133.219	1100.9
7.02	14.21	127	x	13.4	3.87	99.068	190.414	1701.8
8.34	13.10	143	x	3.9	3.91	32.526	51.09	557.7
4.17	10.88	81	x	2.7	3.16	11.259	29.376	218.7
6.87	12.35	123	x	12.4	4.51	85.188	153.14	1525.2
6.17	10.49	120	x	16.1	4.37	99.337	168.889	1932
6.34	11.58	101	x	11.2	4.47	71.008	129.696	1131.2
5.48	9.53	89	x	9.0	4.52	49.32	76.77	801
5.26	8.10	96	x	13.6	4.26	71.536	110.16	1305.6
6.97	11.86	128	x	7.0	4.21	48.79	83.02	896
1.13	2.28	17	x	1.6	3.03	1.868	3.648	27.2
3.82	8.40	67	x	7.8	3.75	29.796	65.52	522.6
8.18	13.59	138	x	26.0	4.27	212.68	353.34	3588.0
7.17	11.32	112	x	12.5	4.13	89.625	141.5	1400.0
5.21	9.17	90	x	8.2	3.76	42.722	75.194	738
6.65	6.08	109	x	8.5	4.18	56.525	51.68	926.5
3.54	5.26	66	x	6.0	3.91	21.24	31.56	396.0

186.9 1164.986 2043.468 20616.8

6.23% 10.93% 110.

Grey Block 15

2.47	4.42	45	x	6.9	=	17.043	30.498	310.5
2.27	4.09	38	x	25.3		57.431	103.477	961.4
2.37	4.64	47	y	29.3		69.441	135.952	1377.1
2.80	4.26	45	x	14.0		39.2	59.64	630
1.80	3.85	29	y	12.2		21.96	46.97	353.8
3.09	4.11	47	x	28.3		87.447	116.313	1330.1
3.82	4.46	63	x	5.9		22.538	26.314	371.7
2.96	5.45	54	y	7.5		22.2	40.875	405
4.18	5.43	66	x	3.6		15.048	19.548	237.6
0	0	0	y	5.0				

138.0 352.308 579.587 5977.2

2.55% 4.20% 43.

Grey Block 16

0.97	2.22	14	x	7.6	=	7.372	16.872	106.9
1.55	1.33	22	x	29.5		45.725	39.235	649
2.01	1.53	28	x	13.7		27.537	20.961	383.6
1.79	1.64	27	x	16.1		28.819	26.904	431.7
2.25	2.91	41	x	17.6		39.6	51.216	721.6
0	0	0	y	11.3				

95.0 149.053 154.688 2296.3

1.56% 1.61% 24.

51
10
13

Cowley Block 17

Pb Zn Ag

5.37	11.57	119	x	9.1	=	49.867	104.791	1082.9
3.80	5.68	67	x	2.0		7.6	11.36	138
3.53	7.53	73	x	3.3		11.679	24.849	240.9
3.37	6.41	59	x	10.2		34.374	65.382	601.0
4.23	8.73	63	x	4.7		19.881	41.631	276.1
2.80	4.26	45	x	5.6		15.68	23.856	252
4.20	7.15	66	x	8.6		36.12	61.49	567.6
4.55	8.65	78	x	12.0		54.6	108.0	936
4.95	9.60	89	x	3.6		17.82	34.56	316.8
5.17	8.22	83	x	6.0		35.156	55.896	564.4
5.45	9.22	92	x	11.9		64.855	109.718	1099.8
4.20	6.32	64	x	6.2		26.04	39.184	396.8
6.70	9.00	103	x	1.5		10.05	13.5	154.5
4.18	6.65	63	x	9.6		40.128	63.84	604.8
4.92	7.22	73	x	3.0		14.76	21.66	219
2.56	4.27	39	x	6.5		16.64	27.755	247
0	0	0	x	7.0				

114.6 459.22 802.622 7713.4

4.07% 7.19 69.

Cowley Block 18

1.94	2.22	28	x	7.9	=	15.326	17.538	221.2
0.94	0.57	15	x	6.5		6.11	3.705	97.5
1.76	1.39	25	x	15.0		26.4	20.85	325
0	0	0	x	10.7				

40.1 47.836 42.093 693.7

1.19% 1.05% 17.

Cowley Block 19

2.75	3.60	48	x	2.0	3.03 =	5.5	7.2	96.0
4.67	6.91	69	x	20.0	3.13	93.4	138.2	1380.0
10.48	18.67	171	x	4.3	3.74	45.064	80.281	785.3
4.03	6.18	68	x	3.0	3.24	12.09	18.54	204
5.40	7.75	82	x	8.0	3.26	43.2	62.0	656
0	0	0	x	9.2	2.3			

41.5 199.254 306.221 3071.3

4.80% 7.58% 74.

Cowley Block 22

5.40	7.75	82	x	1.7	=	9.18	13.175	137.4
5.76	10.57	97	x	4.4		25.344	46.508	426.8
				6.1		34.524	59.683	566.2

5.66% 9.78 93.

Corey Block 24

						Pb	Zn	Ag
11.30	8.68	146	x	6.3	419	= 71.19	59.684	919.0
8.82	7.73	115	x	2.1	394	18.522	16.233	241.5
2.90	6.10	99	x	2.5	394	7.25	15.25	297.5
6.69	7.38	110	x	7.7	399	51.513	56.826	847.0
0	0	0	x	<u>3.5</u>				

22.1 ^{18.6} 148.475 142.993 2255.8

6.72% 6.47% 102.

Corey Block 25

3.36	2.37	55	x	12.7	=	42.672	30.099	698.5
1.78	1.62	43	x	7.6		13.528	12.312	326.0
0	0	0	x	<u>8.0</u>				
				28.3		56.2	42.411	1025.3

1.99% 1.50% 36.

Corey Block 26

5.55	8.88	114	x	6.5	=	36.075	57.72	741
6.60	10.02	133	x	6.0		40.08	64.92	798
2.23	3.84	60	x	2.1		4.663	8.064	126
0	0	0	x	<u>3.0</u>				
				17.6		80.838	130.709	1665

4.59% 7.43% 95.

Corey Block 28

5.0	7.40	92	x	0.5	=	2.5	3.7	46
6.8	10.70	136	x	<u>1.0</u>		6.8	10.7	136
				1.5		9.3	14.4	182
				<u>1.5</u>				

6.20% 9.60% 121.

Corey Block 29

4.20	5.40	61	x	1.2	=	5.04	6.48	73.22
6.00	10.70	107	x	<u>0.4</u>		2.4	4.28	42.8
				1.6		7.44	10.76	116.0
				<u>1.6</u>				

4.65% 6.735% 73.

Corey Block 30

1.31	3.60	33	x	1.6	=	2.096	5.76	52.0
1.08	2.09	26	x	4.0		9.968	9.614	119.6
1.38	2.16	31	x	<u>6.5</u>		8.97	14.09	201.5
				12.7		16.034	29.414	373.9

1.26% 2.32% 29.

Grey Block 31

Pb Zn Ag

1.35	2.48	26	x	11.2	=	15.12	27.776	291.2
1.21	2.21	20	x	9.9		11.979	21.879	198
0	0	0	x	10.5				
				31.6		27.099	49.655	489.2
						0.86%	1.57%	15.

Grey Block 32

2.13	3.93	35	x	15.7	=	33.441	61.701	549.5
0	0	0	x	12.0				
				27.7		33.441	61.701	549.5
						1.21%	2.23%	20.

Grey Block 33

4.40	7.25	88	x	2.6	3.87 =	11.44	18.85	228.8
1.27	2.55	27	x	5.5	2.98	6.985	14.025	148.5
3.12	5.81	54	x	12.3	4.28	38.376	71.463	664.2
2.47	4.58	55	x	2.8	4.28	6.916	12.6	154
3.50	5.38	65	x	16.2	4.40	56.7	87.156	1053.0
4.52	7.40	80	x	2.6	4.34	11.752	19.24	208
3.06	5.55	52	x	13.4	3.29	41.604	74.37	696.8
3.24	4.69	54	x	6.3	4.18	20.412	29.547	340.2
4.37	6.67	66	x	11.3	4.36	49.607	75.371	745.8
3.40	5.50	57	x	10.4	4.07	35.356	57.2	592.8
2.33	4.67	45	x	2.3	3.52	5.259	10.741	103.5
3.91	6.15	67	x	13.3	4.00	52.063	81.795	891.1
3.51	5.97	71	x	6.8	3.83	23.868	40.596	482.8
6.95	14.60	118	x	3.0	3.40	20.85	43.8	354
0	0	0	x	108.8		380.632	636.754	6663.5
						3.50%	5.85%	61.

Grey Block 34

1.74	2.13	35	x	5.4	=	9.396	11.502	189
1.96	2.56	31	x	3.2		6.272	8.192	99.2
				8.6		15.668	19.694	288.2
						1.82%	2.29%	34.

Grey Block 38

1.96	2.13	23	x	4.9		9.604	10.437	112.7
4.21	5.79	70	x	5.3		22.313	30.687	371
				10.2		31.917	41.124	483.7
						3.13%	4.03%	47.

Sum.

<u>Loc #</u>	<u>Ceasing Block #</u>	<u>Pb+Zn (%)</u>	<u>Area (m²)</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Ag</u>	<u>Dom Fall.</u>
70 w	1	5.43	1362.5	1.91	3.52	32	4A0
	2 (sheet 3)	7.93	255.0	2.73	5.20	43	4D4
	3	8.70	2435.0	2.94	5.76	48	4A4
	4	3.99	520.0	1.22	2.77	25	4AD
	5	7.82	15.0	2.78	5.04	20	4D7
	6	5.08	22.5	1.87	3.21	29	4D0
	7	7.43	310.0	2.71	4.72	51	4DE
	8	7.63	167.5	3.43	4.20	67	4A4
	9	16.56	227.5	5.98	10.58	97	4ED
	10	4.78	265.0	1.80	2.98	35	4CD
	11	3.25	247.5	1.24	2.01	19	4L4
	12	9.19	872.5	3.11	6.08	58	4AD
	13	4.07	287.5	1.37	2.70	33	4A0
	14	5.22	830.0	1.83	3.39	35	4A0
	15	2.76	312.5	1.15	1.61	21	4L4
	16	6.84	517.5	2.24	4.60	47	4A4
	17	13.39	375.0	4.37	9.02	81	4DAE
	18	9.21	87.5	4.09	5.12	70	4A
	19	3.13	185.0	1.01	2.12	22	4AL
	20	5.02	67.5	2.62	3.00	37	4A4
	21	7.02	182.5	2.51	4.51	43	4AE
	22	24.69	100.0	8.31	16.38	113	4A4
	23	3.22	545.0	1.12	2.10	21	4LA
	24	6.32	190.0	2.10	4.22	35	4AL
	25	3.26	287.5	1.26	2.00	23	4A1
	26	17.41	1042.5	5.68	11.73	98	4AE/4EG
	27	7.05	1047.5	2.78	4.27	43	4A4
	27A	10.95	57.5	3.99	6.96	77	4E4
	28	2.78	65.0	1.86	1.92	30	4A0
	29	4.06	352.5	2.01	2.05	34	4A0
	29A	2.10	250.0	0.94	1.16	13	4AL
	30	11.09	840.0	4.17	6.92	84	4GE
	31	2.95	335.0	1.17	1.78	24	4A0
	32	5.90	102.5	2.16	3.74	39	4AE
	33	8.84	922.5	3.65	5.19	63	4EA4
	34	6.96	377.5	2.67	4.29	46	4A4
	35	9.10	155.0	3.71	5.39	64	4EA
	36	13.51	425.0	5.22	8.29	98	4E4/5B9
	37	3.75	67.5	1.45	2.30	27	4EA
	38	3.39	787.5	1.49	1.90	25	4EA
	39	2.43	20.0	1.20	1.23	27	4E1
	40	16.88	582.5	6.03	10.85	97	4DA
	41	8.28	70.0	2.68	5.60	53	4AED
	42	2.81	150.0	1.21	1.60	19	4CS
	43	6.54	195.0	3.01	3.53	51	4EG
	44	7.10	55.0	2.34	4.76	44	4AG
	45	10.56	182.5	4.15	6.41	68	4AE
	46	4.84	275.0	2.45	2.39	27	4EB
	47	3.25	150.0	1.66	1.59	23	4A0
	48 (sheet 3)	5.13	530.0	1.86	3.27	30	4A
	49 (sheet 3)	6.81	455.0	2.72	4.09	42	4LG

Lectur 70 w

Assay Block 1

						Pb	Zn	Ag
5.03	4.80	66	x	1.5	=	7.545	7.2	1.99
4.39	7.73	64	x	7.4		32.486	57.202	473.6
1.95	3.40	32	x	1.5		2.925	5.1	48
2.63	3.74	46	x	5.3		13.939	19.822	243.0
1.71	2.76	33	x	21.2		36.252	58.572	699.6
1.74	4.01	27	x	25.3		44.022	101.453	683.1
2.12	4.32	43	x	2.8		5.936	12.096	120.4
1.23	2.80	26	x	4.0		4.92	11.2	104
0	0	0	x	8.4				
				<u>77.4</u>		148.025	272.585	2471.5
						1.91%	3.52%	32

Assay Block 3

2.52	4.30	37	x	14.1	=	35.532	60.63	521.7
2.39	5.08	35	x	15.7		37.523	71.756	549.5
3.38	7.05	47	x	24.6		83.148	173.43	1156.2
3.08	5.88	40	x	1.8		5.544	10.584	72
4.70	7.98	87	x	5.5		25.85	43.89	478.5
2.38	5.96	51	x	4.1		9.758	24.436	209.1
1.84	5.40	37	x	3.5		6.44	18.9	129.5
5.86	8.70	121	x	3.9		22.854	33.93	471.9
2.88	5.11	52	x	7.5		21.6	38.325	390
3.42	6.99	63	x	5.9		20.178	41.241	371.7
0	0	0	x	4.6				
				<u>91.2</u>		268.427	525.122	4350.1
						2.94%	5.76%	48

Assay Block 4

2.10	4.80	39	x	2.9	2.78 =	6.09	13.92	113.1
2.20	4.50	43	x	2.8	2.86	6.16	12.6	120.4
1.17	4.34	28	x	3.4	3.46	3.978	14.756	95.2
1.40	2.72	30	x	9.7	2.76	13.58	26.384	291.0
0	0	0	x	5.6	2.3			
				<u>24.4</u>		29.808	67.66	619.7
						1.22%	2.77%	25

Assay Block 7

3.01	4.95	52	x	6.2	=	18.662	30.69	322.4
2.54	4.59	51	x	11.0		27.94	50.49	561.0
				<u>17.2</u>		46.602	81.18	883.4
						2.71%	4.72%	51

Cassidy Block 12

					Pb	Zn	Ag
3.30	6.45	42	x	1.8	5.94	11.61	75.6
4.80	8.80	89	x	2.4	11.52	21.12	213.6
3.52	6.62	62	x	16.9	59.488	111.878	1047.8
2.75	7.24	73	x	4.6	12.65	33.304	335.8
3.65	6.76	67	x	4.6	16.79	31.096	308.2
4.42	7.04	79	x	4.2	18.564	29.568	331.8
2.94	6.68	58	x	7.5	22.05	50.1	435.0
3.81	6.71	71	x	4.3	16.383	28.853	305.3
1.50	2.93	30	x	3.4	5.1	9.962	102
3.24	6.56	61	x	10.2	33.048	66.912	622.2
0	0	0	x	5.0			
				64.9	201.533	394.403	3777.3

3.11% 6.08% 58

Cassidy Block 11

1.42	2.30	22	x	9.8	13.916	22.54	215.6
0	0	0	x	1.4	0	0	0
				11.2	13.916	22.54	215.6
					1.24%	2.01	19

Cassidy Block 14

1.86	3.30	34	x	27.4	50.964	90.42	931.6
1.91	4.07	39	x	21.5	41.065	87.505	838.5
1.77	3.15	34	x	23.3	41.241	73.395	792.2
1.49	3.40	32	x	3.7	5.513	12.58	118.4
2.75	3.70	47	x	4.6	12.65	17.102	216.2
0.96	1.52	16	x	4.3	4.128	6.536	68.8
				84.8	155.561	287.456	2965.7
					1.83%	3.39%	35

Cassidy Block 16

1.97	4.55	44	x	37.0	72.89	168.35	1628.0
2.75	4.76	53	x	20.5	56.375	97.58	1086.5
1.91	4.07	39	x	9.3	17.763	37.851	362.7
3.81	6.71	71	x	1.7	6.477	11.407	120.7
				68.5	153.505	315.188	3197.9
					2.24%	4.60%	47

Coway Block 27

Pb Zn Ag

3.24	3.84	51	x	16.5	53.46	63.36	84.5
2.54	4.70	43	x	23.2	58.928	109.04	997.6
2.27	3.71	35	x	18.2	41.314	67.522	637
2.69	4.25	34	x	7.0	18.83	27.75	238
3.69	4.79	46	x	12.0	47.232	61.312	588.8
2.66	4.57	44	x	6.5	17.29	29.705	288
5.01	7.28	76	x	6.5	32.565	47.32	494
2.29	3.86	38	x	8.5	19.465	32.81	323
2.55	4.40	44	x	5.0	12.75	22.0	220
0	0	0	x	9.2			

108.4 301.834 462.89 4625.9

2.78% 4.27% 43.

Coway Block 28

1.17	1.41	26	x	1.7	1.989	2.397	49.2
2.01	0.81	31	x	8.0	16.00	6.40	248.0
				9.7	18.069	8.877	892.2
					1.86%	.92%	30.

524.191

Coway Block 29

2.96	1.86	32	x	8.9	26.344	16.554	293.7
0.92	0.46	23	x	2.9	2.668	1.334	66.7
1.62	2.47	37	x	13.1	21.222	32.357	484.7
1.89	2.37	40	x	2.2	4.158	5.214	98
				27.1	54.392	55.459	933.1
					2.01%	2.05%	34.

Coway Block 29 A

1.02	1.34	12	x	2.3	2.346	3.082	27.6
1.16	1.77	15	x	1.4	1.624	2.478	21
2.30	2.90	31	x	1.3	2.99	3.77	40.3
1.30	2.30	19	x	1.7	2.81	3.91	32.3
1.45	2.50	20	x	2.2	3.19	5.5	44
1.93	2.70	32	x	6.2	11.966	16.74	198.4
2.10	3.00	30	x	3.1	6.51	9.3	93
2.27	1.57	26	x	5.5	12.485	18.635	143
0	0	0	x	22.2			

45.9 43.321 53.415 599.6

9.4% 1.16% 13.

Crossy Block 30

						Pb	Zn	Ag
2.14	5.54	52	x	6.4	3.8 =	13,696	35,488	332.8
4.64	7.42	79	x	3.4	4.37	15,776	25,228	268.6
4.96	8.53	95	x	7.6	4.25	37,696	64,828	722
3.49	5.72	76	x	7.6	4.11	26,524	43,472	577.6
4.73	7.76	99	x	13.1	4.86	61,963	101,656	1296.9
4.94	5.15	89	x	4.0	3.7	19,76	20.6	356
				42.1		175,415	291,24	3553.9
						4.17%	6.92%	84

Crossy Block 31

1.00	1.50	28	x	5.4	3.2 =	5.4	8.1	151.2
1.26	1.92	22	x	11.1	2.8	13,986	21,312	244.2
				16.5		19,386	29,412	375.4
						1.17%	1.78%	24

Crossy Block 32

3.80	7.50	68	x	6.8	=	25,84	57.0	462.4
1.99	2.93	38	x	6.6		13,134	19,338	250.8
1.26	1.92	22	x	11.1		13,986	21,312	244.2
				24.5		52,96	91,65	957.4
						2.16%	3.74%	39

Crossy Block 33

4.94	5.15	89	x	1.7	4.43	8,398	8,755	151.3
3.88	5.13	77	x	6.3	3.70	24,444	32,319	485.1
5.40	5.90	83	x	2.2	3.94	11,88	12,98	182.6
3.28	4.75	97	x	12.8	3.25	41,984	60,8	627.2
5.02	8.24	97	x	6.9	4.21	34,638	56,856	687.3
2.02	3.02	33	x	5.3	3.03	10,706	16,006	174.9
0	0	0	x	1.0	2.3			
				36.2		132.05	187,716	2290.4
						3.65%	5.19%	63

Assay Block 34

Pb Zn Ag

2.36	4.00	43	x	6.1	=	14,396	24.4	242.3
3.38	4.70	53	x	10.7		36,166	50.29	567.1
2.57	4.58	48	x	11.8		38,036	67.784	710.4
0	0	0	x	1.6				
				33.2		88,598	142.774	1539.8
						2.67%	4.29%	46.

Assay Block 35

4.87	7.22	85	x	3.0	=	14,161	21.66	255
1.89	2.50	31	x	1.9		3,591	4.75	58.9
				4.9		18,201	26.41	313.9
						3.71%	5.39%	64.

Assay Block 36

4.73	7.51	76	x	3.7	=	17,501	27.787	281.2
5.46	8.58	108	x	13.5	4.05	13,711	115.83	1488.0
4.50	7.70	65	x	1.9	3.47	8,555	14.63	123.5
				19.1		99,761	158.247	1862.7
						5.22%	8.39%	98.

Assay Block 38

1.71	1.95	26	x	5.7	3.6	9,747	11.115	148.2
1.94	2.29	30	x	7.2	3.43	13,968	16.488	216
1.02	1.57	21	x	9.4	3.10	9,588	14.758	197.4
				22.3		33,303	42.361	561.6
						1.49%	1.90%	25.

Assay Block 43

1.61	2.84	29	x	5.2	3.11	8,372	14.768	150.8
3.10	4.90	55	x	1.1	3.77	3,411	5.39	60.5
4.42	3.94	72	x	5.1	4.12	22,542	20.094	367.2
				11.4		34,324	40.252	578.5
						3.01%	3.53%	51.

Gray Block 45

						Pb	Zn	Ag
6.80	12.40	130	x	1.0	=	6.8	12.4	130.0
2.88	4.44	44	x	3.0		8.64	13.32	132
4.92	6.35	73	x	1.5		7.38	9.525	109.5
				5.5		22.82	35.245	371.5
						4.15%	6.41%	60

Gray Block 48

2.23	4.10	39	x	9.4	=	22.942	38.54	366.6
6.82	1.78	15	x	5.2		4.264	9.256	78.0
				14.6		27.106	47.796	444.6
						1.86%	3.27%	30.

Gray Block 49

5.10	5.40	65	x	1.2	=	6.12	6.48	78.0
1.90	3.64	34	x	3.5		6.65	12.74	119
				4.7		12.77	19.22	197
						2.72%	4.09%	42.

Sum

Sec #	Depth	Block #	Pb ⁹⁰ Zn ⁹⁰	Area (m ²)	Pb ⁹⁰	Zn ⁹⁰	Ag	Dom. Fossils
80W	1		5.89	1000.0 (slat 3)	2.09	3.80	34	4A1
	2		8.32	1325.0 (slat 3)	2.79	5.53	52	4AE
	3		7.66	560.0	2.70	4.96	49	4AA
	4		2.71	422.5	0.95	1.76	19	4AB
	5		7.63	762.5	2.89	4.74	47	4BA
	6		6.22	310.0	1.65	4.57	38	4B2
	7		6.39	92.5	2.15	4.24	38	4D4
	8		2.34	122.5	1.00	1.34	19	4C0
	9		8.95	350.0	3.12	5.83	57	4AA
	10		5.44	162.5	1.54	3.90	26	4AC
	11		3.50	250.0	1.27	2.23	22	4AC
	12		6.96	585.0	2.43	4.53	40	4ADC
	13		8.21	175.0	3.18	5.03	46	4AD
	14		5.16	2252.5	1.78	3.38	33	4AO
	15		3.19	2482.5	1.27	1.92	22	4ALC
	16		6.63	712.5	2.38	4.25	44	4AE
	17		9.51	880.0	3.35	6.16	57	4AA
	18		12.00	487.5	4.18	7.82	69	4AA
	19		1.21	125.0	0.45	0.76	17	4EA
	20		13.26	507.5	5.40	7.86	96	4EG
	21		7.58	477.5	2.81	4.77	54	4AEL
	22		7.99	210.0	4.38	3.61	63	4E
	23		13.58	245.0	7.25	6.33	112	4EG
	24		7.00	242.5	3.00	4.00	46	4EA
	25		5.20	365.0	2.40	2.80	35	4LA
	26		10.99	1102.5	3.25	7.24	68	4AD
	27		2.79	1357.5	1.14	1.65	19	4AL
	28		15.31	175.0	5.87	9.44	116	4AD
	29		5.41	70.0	1.86	3.55	36	4AD
	30		8.60	17.5	2.40	6.20	52	4AA
	31		22.90	22.5	8.80	14.10	138	4AA
	32		4.98	227.5	1.86	3.12	30	4AA
	33		3.43	860.0	1.58	1.85	27	4AA
	34		12.53	250.0	4.63	7.90	82	4EA
	35		8.97	87.5	3.07	5.90	60	4G0
	36		6.26	765.0	2.61	3.65	46	4EG
	37		11.02	867.5	4.25	6.77	73	4EG
	38		4.91	302.5	1.83	3.08	36	4A1
	39		15.57	865.0	5.45	10.12	89	4ED
	40		7.85	190.0	2.45	2.40	33	4LA
	41		2.83	572.5	0.99	1.84	18	4AE
	42		10.49	160.0	4.04	6.45	72	4AE
	43		6.44	330.0	3.17	3.27	42	4EG
	44		4.98	327.5	2.70	2.28	32	4GE
	45		11.46	610.0	5.25	6.21	68	4GA
	46		13.34	207.5	4.86	8.48	92	4EDA

Section 80 w.

Drill Block 2

						Pb	Zn	Ag
2.70	3.50	44	X	2.8	3.23 =	7.56	9.0	123.2
3.47	5.27	63	X	1.8	3.35	6.246	9.486	113.4
1.25	1.79	21	X	1.4	3.66	1.75	2.506	29.4
5.70	4.70	62	X	0.5	3.41	2.85	2.35	31.0
5.52	11.72	104	X	6.6	3.86	36.432	77.352	626.4
4.07	10.76	79	X	5.5	3.21	22.385	59.18	434.5
2.06	6.45	34	Y	2.4	3.50	4.944	15.48	81.6
0.80	2.24	19	Y	3.5	2.76	3.68	7.84	66.5
3.50	5.56	74	X	3.9	3.4	13.65	21.684	288.6
1.54	3.27	29	X	15.9	3.0	24.486	51.993	461.1
3.30	8.20	70	X	0.7	3.15	2.31	5.74	49.0
3.72	4.91	70	Y	7.2	3.50	26.784	35.352	504.0
2.00	4.76	37	Y	5.4	3.13	11.232	25.704	199.8
0	0	0	X	1.1	2.5			
				<u>58.7</u>	3.33.	163.709	324.467	3068.5
						2.79%	5.53%	52

Drill Block 3

1.79	3.47	30	X	2.5	=	4.475	8.675	95
1.17	1.83	24	X	2.5		2.925	4.575	60
1.24	3.09	24	X	1.2		1.488	3.708	28.8
4.67	8.77	82	X	1.6		6.538	12.278	114.6
6.35	11.00	103	X	1.4		8.89	15.4	149.2
				9.0		24.316	44.636	442.8
						2.70%	4.96%	49.

Drill Block 4

1.15	2.00	22	X	3.1	=	3.565	6.2	68.2
1.74	.19	18	X	1.4		1.316	.266	25.2
.22	.47	6	X	1.9		.418	.893	11.4
2.01	3.10	38	X	1.5	2.89	3.015	4.65	57
1.39	3.12	28	X	4.8	2.48	6.672	14.976	134.4
2.26	5.10	42	X	.9	3.14.	2.034	4.59	37.8
0	0	0	X	4.3				
				<u>17.9</u>		17.02	31.575	334
						1.95%	1.76%	19

Assay Block 5

						Pb	Zn	Ag
3.64	6.62	72	x	2.3	=	8.372	15.226	165.6
8.82	18.70	188	x	2.0		17.64	37.4	376.0
2.58	3.58	34	x	15.2		39.216	51.416	516.8
0	0	0	x	3.1				
				<u>22.6</u>		65.228	107.042	1058.4
						2.89%	4.74%	47

Assay Block 8

						Pb	Zn	Ag
0.94	1.22	19	x	1.9	2.5 =	1.786	2.318	36.1
1.03	1.40	19	x	3.5	2.92	3.605	4.9	66.5
				5.4	2.77	5.391	7.218	102.6
						1.00%	1.34%	19.

Assay Block 9

						Pb	Zn	Ag
4.00	7.40	73	x	4.4	=	17.6	32.56	321.2
2.15	4.10	39	x	4.0	2.93	8.6	16.4	156.0
				8.4		26.2	48.96	477.2
						3.12%	5.83	57.

Assay Block 11

						Pb	Zn	Ag
1.25	2.35	25	x	5.1	=	6.375	11.985	121.5
1.30	2.02	17	x	2.9		3.77	5.858	49.3
				8.0		10.145	17.843	176.8
						1.27%	2.23%	22.

Assay Block 12

						Pb	Zn	Ag
2.66	4.34	38	x	2.7	=	7.182	11.718	102.6
4.91	9.27	82	x	3.5		17.185	32.445	287.0
2.89	5.34	51	x	6.3		18.207	33.642	321.3
2.40	4.86	36	x	4.7		11.28	22.842	161.2
0	0	0	x	5.0				
				<u>22.2</u>		53.854	100.647	880.1
						2.43%	4.53%	40

80 W

Assay Block 13.

Pb. Zn Ag

5.47	0.58	65	x	2.5	=	13.675	21.95	162.5
2.41	3.26	34	x	7.3		17.593	23.798	248.2
1.89	2.50	32	x	1.8		3.402	6.3	57.6
3.25	6.78	64	x	3.9		14.625	26.442	249.6
				15.5		49.295	77.99	777.9
						3.18%	5.03	46

Assay Block 14

4.12	6.20	66	x	9.2	=	37.904	57.04	667.2
1.09	1.86	28	x	8.0		8.72	14.88	24
1.45	3.05	28	x	37.1		53.795	113.155	1038.8
2.47	4.98	44	x	7.0		17.29	34.86	308
1.02	2.19	17	x	11.0		11.22	24.09	187
				72.3		128.929	244.025	2365
						1.78%	3.38%	33.

Assay Block 15

2.47	3.67	49	x	5.0	=	12.35	18.35	245
1.72	3.50	37	x	2.5		4.3	8.75	92.5
1.99	3.22	31	x	3.0		5.97	9.66	93.0
0.70	1.73	15	x	8.6		6.02	14.878	129.0
1.79	2.46	23	x	7.8		13.962	19.188	179.4
1.80	1.42	23	x	13.6		24.48	19.312	312.8
0.48	0.79	12	x	5.2		2.496	4.108	62.4
1.49	3.38	27	x	14.6		21.754	49.398	374.2
1.67	2.30	26	x	6.2		10.354	14.26	161.2
1.93	3.24	27	x	10.2		19.686	33.048	275.4
0.89	0.86	23	x	13.8		12.282	11.04	317.4
0	0	0		14.7				
				105.2		133.654	201.942	222.3
						1.27%	1.92%	22.

Assay Block 16

1.86	2.19	38	x	3.7	=	6.882	8.103	170.6
2.63	4.46	48	x	7.0		18.41	31.22	336.0
2.45	4.67	43	x	11.5		28.175	53.705	494.5
2.41	4.52	47	x	11.8		28.438	53.336	554.6
0	0	0	x	.4				
				34.4		81.905	146.364	1525.7
						2.38%	4.25%	44

80 W
Assay Block 17

						Pb	Zn	Ag
3.14	6.19	57	x	25.6	=	80.384	150.460	1459.2
4.04	6.54	60	x	13.5		54.54	88.29	810.0
2.74	5.22	49	x	<u>6.3</u>		<u>17.262</u>	<u>32.886</u>	<u>300.7</u>
				45.4		152.186	271.64	2577.9
						3.35%	6.16%	57

Assay Block 18

6.85	9.63	99	x	6.1	=	41.785	50.743	603.9
3.52	7.60	63	x	23.2		81.664	178.176	1461.6
3.98	5.92	55	x	<u>4.1</u>		<u>16.318</u>	<u>24.272</u>	<u>225.5</u>
				33.4		139.767	261.191	2291.0
						4.18%	7.82	69

Assay Block 19

0.10	0.11	7	x	3.0	=	3	33	2.0
0.73	1.29	25	x	<u>3.7</u>		<u>2.701</u>	<u>4.773</u>	<u>92.5</u>
				6.7		3.001	5.103	113.5
						0.45%	6.76%	17

Assay Block 20

5.62	6.11	91	x	5.3	=	29.786	32.383	482.3
5.32	8.49	90	x	<u>14.7</u>		<u>70.204</u>	<u>124.803</u>	<u>1440.6</u>
				20.0		107.99	157.186	1922.9
						5.40%	7.86%	96

Assay Block 21

3.02	4.91	55	x	13.6		41.072	66.776	748.0
2.17	4.32	52	x	<u>4.4</u>		<u>9.548</u>	<u>19.008</u>	<u>228.0</u>
				18.0		50.62	85.784	976.0
						2.81%	4.77%	54

80 W

Assay Block 22

Pb Zn Ag

5.33	4.62	79	x	3.6	=	19.108	16.632	289.4
2.81	1.81	43	x	2.6		7.306	4.706	111.8
4.52	3.82	62	x	4.9		22.148	18.718	303.8

11.1						48.642	40.056	700.0
						4.38%	3.61%	63

Assay Block 25

1.02	2.19	17	x	2.7	=	2.754	5.913	45.9
2.89	3.02	41	x	7.5		21.675	22.65	307.5

10.2						24.429	28.563	353.4
						2.40%	2.80%	35

Assay Block 26

4.92	6.03	77	x	7.9	3.2 =	38.868	47.637	608.3
3.21	6.49	61	x	7.7	3.02	27.717	49.973	469.7
4.09	6.68	71	x	5.1	3.36	20.859	34.068	362.1
5.24	12.01	95	x	7.0	4.99	36.68	84.07	665.0
0.99	3.07	25	x	3.5	3.77	3.465	10.745	87.5
6.36	15.20	128	x	5.4	3.99	24.344	82.08	691.2
1.68	2.57	34	x	4.2	3.23	7.056	10.794	142.8
2.47	4.98	44	x	3.7	3.21	9.139	18.426	162.8
8.58	24.07	111	x	1.1	4.00	9.438	26.477	122.1
3.34	8.87	61	x	1.7	2.87	5.678	14.059	103.7
3.87	7.05	64	x	4.8	3.2	18.576	33.84	307.2
3.54	5.52	68	x	7.4	3.24	26.196	40.848	503.2
0.0	0.0	0	x	3.1	2.3			

62.6						235.016	453.017	4225.6
						3.75%	7.24%	68

Assay Block 27

1.70	1.64	33	x	4.5	=	7.65	7.38	148.5
1.67	2.24	25	x	6.5		10.855	14.56	162.5
2.21	4.35	41	x	3.2		7.072	13.92	131.2
1.61	2.50	28	x	3.1		4.991	7.75	86.8
1.50	2.46	26	x	5.7		8.55	14.022	148.2
0.72	1.26	12	x	9.8		7.058	12.348	117.6
0.70	1.88	11	x	4.8		3.36	8.064	52.8
2.57	2.69	36	x	6.5		16.705	17.485	234.0
0.0	0.0	0	x	13.9				

58.0						66.239	95.529	1081.6
						1.14%	1.65%	19

80 W

Grey Block 20

Pb Zn Ag

5.40	9.35	17	x	4.5	=	24.3	42.075	526.5
9.60	14.20	175	x	1.5		14.4	21.3	262.5
4.62	7.05	84	x	2.8		12.936	19.74	235.2

8.9						51.636	83.115	1024.2
						5.87%	9.44%	116.

Grey Block 29

1.55	4.40	33	x	2.1	=	3.255	9.24	69.3
2.01	3.14	37	x	4.4		8.844	13.816	162.8

6.5						12.099	23.056	232.1
						1.86%	3.55%	36.

Grey Block 33

1.88	2.32	39	x	4.5	3.47 =	9.46	10.44	175.5
2.33	3.19	34	x	1.6	3.00	3.728	5.104	54.4
1.36	1.51	26	x	9.9	2.96	13.464	14.949	257.4
2.34	2.35	35	x	13.7	3.03	32.058	32.195	479.5
1.35	2.17	24	x	8.7	3.03	11.745	18.879	208.8
0	0	0	x	5.6	2.3			

44.0						61.455	81.567	1175.6
						1.58%	1.85%	27.

Grey Block 34

4.80	7.32	83	x	10.7	4.33 =	51.36	78.324	884.1
4.32	8.95	79	x	6.9	3.75	25.458	52.805	466.1

16.6						76.848	131.129	1354.2
						4.63%	7.90%	82.

Grey Block 36

3.15	4.24	55	x	8.2	4.05 =	25.83	34.768	451.0
4.40	7.40	75	x	1.0	4.25	4.4	7.4	75
2.80	3.20	93	x	1.1	4.10	3.08	3.52	47.3
2.42	3.62	45	x	3.9	4.0	9.438	14.118	175.5
0	0	0	x	2.2	2.3			

16.4						42.748	59.806	798.8
						2.61%	3.65%	46.

SO W

Coxey Block 37

Pb Zn Ag

4.81	6.97	79	x	10.2	4.25 =	49.062	71.094	805.0
3.96	6.50	75	x	6.3	4.64	24.940	40.95	472.5
3.60	6.44	63	x	8.0	4.0	28.8	51.52	504
4.48	7.20	74	x	5.6	3.34	25.008	40.32	414.4
				30.1		127.898	203.884	2196.7
						4.25%	6.77%	73

Coxey Block 38

2.05	2.59	35	x	7.6	3.04 =	15.58	19.684	266
1.72	3.01	37	x	10.0	3.19	17.2	30.1	370
1.78	3.48	37	x	11.0	3.26	19.58	39.28	407
				28.6		52.36	88.064	1043
						1.83%	3.08%	36.

Coxey Block 39

5.32	10.47	87	x	4.1	=	21.812	42.927	356.7
5.48	10.03	90	x	15.0		82.2	150.45	1300.0
				19.1		104.012	193.377	1706.7
						5.45%	10.12%	89.

Coxey Block 42

3.48	5.88	67	x	4.5	3.44 =	15.66	26.46	301.5
4.86	7.28	77	x	3.1	4.15	15.066	22.569	249.9
				7.6		30.726	49.029	546.4
						4.04%	6.45%	72.

Coxey Block 43

2.93	3.38	43	x	15.4	=	45.122	52.052	662.2
3.85	2.95	30	x	5.4		20.79	15.93	205.2
				20.8		65.912	67.982	867.4
						3.17%	3.27%	42.

80 W

Cessey Block 7

Pb

Zn

Ag

2.65	5.23	47	x	4.3	=	11.395	22.489	202.1
0	0	0	x	<u>1.0</u>	=	0	0	0

5.3						11.395	22.489	202.1
-----	--	--	--	--	--	--------	--------	-------

						2.15 ^g	9.24 ^g	38.
--	--	--	--	--	--	-------------------	-------------------	-----

Cessey Block 4a

5.36	9.05	105	x	11.5	=	61.64	104.675	120.5
4.10	7.80	70	x	3.5		14.35	27.3	24.5
3.80	7.10	65	x	<u>3.0</u>		11.4	21.3	19.5
				18.0		87.39	152.675	164.5

						4.86 ^g	9.48	92.
--	--	--	--	--	--	-------------------	------	-----