

## CYPRUS ANVIL MINING CORPORATION

GEOCHEMICAL LOG

DDHID: 81VR 01  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
13.7	15.2	3702	1.5			.13	.32	.45						
15.2	16.8	3703	1.5			1.66	1.77	3.43						
16.8	18.3	3704	1.5			5.87	5.88	11.75						
18.3	19.8	3705	1.5			6.80	4.40	11.20						
19.8	21.3	3706	1.5			3.10	3.70	6.80						
21.3	22.9	3707	1.5			.70	1.17	1.87						
22.9	24.4	3708	1.5			.35	.49	.84						
24.4	25.9	3709	1.5			1.39	1.93	3.32						
25.9	27.4	3710	1.5			1.54	1.56	3.10						
27.4	29.0	3711	1.5			1.12	.90	2.02						
29.0	30.5	3712	1.5			1.34	1.48	2.82						
30.5	32.0	3713	1.5			.63	1.05	1.68						
32.0	33.5	3714	1.5			.47	.55	1.02						
33.5	35.1	3715	1.5			.37	.45	.82						
35.1	36.6	3716	1.5			1.10	1.46	1.56						
36.6	38.1	3717	1.5			1.66	1.96	3.62						
38.1	39.6	3718	1.5			.57	.60	1.17						
39.6	41.2	3719	1.5			.44	.45	.89						
41.2	42.7	3720	1.5			1.36	1.92	3.28						
42.7	44.2	3721	1.5			.94	1.40	2.34						
44.2	45.7	3722	1.5			.09	.23	.32						
45.7	47.2	3723	1.5			.13	.25	.38						
47.2	48.8	3724	1.5			.10	.24	.34						
48.8	50.3	3725	1.5			.08	.25	.33						
50.3	51.8	3726	1.5			.04	.17	.21						
51.8	53.3	3727	1.5			.06	.11	.17						
53.3	54.9	3728	1.5			.50	.67	1.17						

GEOCHEMICAL LOGDDHID: 81 VR 01ANALYSIS BY: Kamloops Research & Assay LabCOMPILED BY: S. MorrisMETHOD: Atomic AbsorptionDATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
54.9	56.4	3729	1.5			.22	.31	.53						
56.4	57.9	3730	1.5			.11	.20	.31						
57.9	59.4	3731	1.5			.04	.07	.11						
59.4	61.0	3732	1.5			.03	.06	.09						

GEOCHEMICAL LOGDDHID: 81VR 02ANALYSIS BY: Kamloops Research & Assay LabCOMPILED BY: S. MorrisMETHOD: Atomic AbsorptionDATE: May 19, 1981

From (m)	To (m)	Sample No.	Int. (m)	Rec. (m)	Unit	Pb %	Zn %	Pb&Zn %	Ag g/tonne	Cu %	Au g/tonne	BaO %	Hg %	S.G.
10.7	12.2	3733	1.5			.02	.04	.06						
12.2	13.7	3734	1.5			.25	.08	.33						
13.7	15.2	3735	1.5											
15.2	16.8	3736	1.5			.43	.05	.48						
16.8	18.3	3737	1.5											
18.3	19.8	3738	1.5											
19.8	21.3	3739	1.5											
21.3	22.9	3740	1.5											
22.9	24.4	3741	1.5			.17	.72	.89						
24.4	25.9	3742	1.5											
25.9	27.4	3743	1.5											
27.4	29.0	3744	1.5			1.87	2.00	3.87						
29.0	30.5	3745	1.5			3.79	3.52	7.31						
30.5	32.0	3746	1.5			4.20	4.60	8.80						
32.0	33.5	3747	1.5			.18	.23	.41						
33.5	35.1	3748	1.5			.21	.30	.51						
35.1	36.6	3749	1.5			.33	.58	.91						
36.6	38.1	3750	1.5			1.28	1.69	2.97						
38.1	39.6	3751	1.5			1.24	2.90	4.14						
39.6	41.2	3752	1.5			.60	1.29	1.89						
41.2	42.7	3753	1.5			.40	.97	1.37						
42.7	44.2	3754	1.5			.99	1.92	2.91						
44.2	45.7	3755	1.5			3.40	4.90	8.30						
45.7	47.2	3756	1.5			2.85	2.76	5.61						
47.2	48.8	3757	1.5			1.67	1.68	3.35						
48.8	50.3	3758	1.5			1.14	1.58	2.72						
50.3	51.8	3759	1.5			.37	.76	1.13						
51.8	53.3	3760	1.5			.14	.39	.53						

Δ 5301  
05507

GEOCHEMICAL LOG

DDHID: 81VR 02  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
53.3	54.9	3761	1.5			.07	.26	.33						
54.9	56.4	3762	1.5			.12	.39	.51						
56.4	57.9	3763	1.5			.10	.40	.50						
57.9	59.4	3764	1.5			.13	.37	.50						
59.4	61.0	3765	1.5			.06	.22	.28						

GEOCHEMICAL LOG

DDHID: 81VR 03  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
15.2	16.8	3766	1.5			.07	.04	.11						
16.8	18.3	3767	1.5			.32	.14	.46						
18.3	19.8	3768	1.5			.32	.13	.45						
19.8	21.3	3769	1.5			1.42	.20	1.62						
21.3	22.9	3770	1.5			7.08	.29	7.37						
22.9	24.4	3771	1.5			10.41	1.14	11.55						
24.4	25.9	3772	1.5			3.92	.70	4.62						
25.9	27.4	3773	1.5			.92	.32	1.24						
27.4	29.0	3774	1.5			.40	.21	.61						
29.0	30.5	3775	1.5			.43	.15	.58						
30.5	32.0	3776	1.5			2.85	1.86	4.71						
32.0	33.5	3777	1.5			4.90	5.80	10.70						
33.5	35.1	3778	1.5			5.50	7.00	12.50						
35.1	36.6	3779	1.5			5.60	6.70	12.30						
36.6	38.1	3780	1.5			4.25	4.72	8.97						
38.1	39.6	3781	1.5			4.33	5.34	9.67						
39.6	41.2	3782	1.5			2.65	2.56	5.21						
41.2	42.7	3783	1.5			1.47	1.29	2.76						
42.7	44.2	3784	1.5			1.51	1.63	3.14						
44.2	45.7	3785	1.5			3.87	4.30	8.17						
45.7	47.2	3786	1.5			1.86	2.38	4.24						
47.2	48.8	3787	1.5			1.04	1.50	2.54						
48.8	50.3	3788	1.5			1.82	1.91	3.73						
50.3	51.8	3789	1.5			.93	.81	1.74						
51.8	53.3	3790	1.5			.51	1.36	1.87						
53.3	54.9	3791	1.5			.42	.68	1.10						
54.9	56.4	3792	1.5			.68	.63	1.31						
56.4	57.9	3793	1.5			.65	.45	1.10						
57.9	59.4	3794	1.5			.42	.28	.70						
59.4	61.0	3795	1.5			.24	.26	.50						

GEOCHEMICAL LOG

DDHID: 81VR 04  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
22.9	24.4	3796	1.5			6.69	2.70	9.39						
24.4	25.9	3797	1.5			5.90	6.00	11.90						
25.9	27.4	3798	1.5			5.60	3.70	9.30						
27.4	29.0	3799	1.5			8.00	3.90	11.90						
29.0	30.5	3800	1.5			6.50	3.50	10.00						
30.5	32.0	3801	1.5			6.60	3.40	10.00						
32.0	33.5	3802	1.5			6.28	3.23	9.51						
33.5	35.1	3803	1.5			5.30	3.00	8.30						
35.1	36.6	3804	1.5			7.35	2.76	10.11						
36.6	38.1	3805	1.5			7.53	2.63	10.16						
38.1	39.6	3806	1.5			7.00	2.83	9.83						
39.6	41.2	3807	1.5			5.76	2.82	8.58						
41.2	42.7	3808	1.5			5.96	2.29	8.25						
42.7	44.2	3809	1.5			5.92	2.10	8.02						
44.2	45.7	3810	1.5			6.11	2.05	8.16						
45.7	47.2	3811	1.5			5.80	1.94	7.74						
47.2	48.8	3812	1.5			5.60	1.75	7.35						
48.8	50.3	3813	1.5			5.36	1.46	6.82						
50.3	51.8	3814	1.5			5.57	1.55	7.12						
51.8	53.3	3815	1.5			6.20	1.42	7.62						
53.3	54.9	3816	1.5			6.09	1.45	7.54						
54.9	56.4	3817	1.5			6.55	1.55	8.10						
56.4	57.9	3818	1.5			6.57	1.60	8.17						
57.9	59.4	3819	1.5			6.09	1.52	7.61						
59.4	61.0	3820	1.5			5.78	1.41	7.19						

GEOCHEMICAL LOGDDHID: 81VR 05ANALYSIS BY: Kamloops Research & Assay LabCOMPILED BY: S. MorrisMETHOD: Atomic AbsorptionDATE: May 19, 1981

From (m)	To (m)	Sample No.	Int. (m)	Rec. (m)	Unit	Pb %	Zn %	Pb&Zn %	Ag g/tonne	Cu %	Au g/tonne	BaO %	Hg %	S.G.
27.4	29.0	3821	1.5			3.31	6.03	9.34						
29.0	30.5	3822	1.5			4.00	5.10	9.10	4058					
30.5	32.0	3823	1.5			1.73	1.90	3.63						
32.0	33.5	3824	1.5			1.13	.88	2.01						
33.5	35.1	3825	1.5			5.04	4.48	9.52						
35.1	36.6	3826	1.5			4.20	3.40	7.60	4068					
36.6	38.1	3827	1.5			2.64	2.95	5.59						
38.1	39.6	3828	1.5			.53	.62	1.15						
39.6	41.2	3829	1.5			.35	.58	.93						
41.2	42.7	3830	1.5			.50	1.04	1.54						
42.7	44.2	3831	1.5			.93	1.74	2.67						
44.2	45.7	3832	1.5			.58	1.73	2.31	4057					
45.7	47.2	3833	1.5			.18	.49	.67	4057					
47.2	48.8	3834	1.5			.17	.29	.46						
48.8	50.3	3835	1.5			.47	.64	1.11						
50.3	51.8	3836	1.5			.10	.35	.45						
51.8	53.3	3837	1.5			.12	.41	.53						
53.3	54.9	3838	1.5			1.35	.35	1.70						
54.9	56.4	3839	1.5			1.34	.25	1.59						
56.4	57.9	3840	1.5			.22	.21	.43						
57.9	59.4	3841	1.5			.11	.12	.23						
59.4	61.0	3842	1.5			.21	.15	.36						

GEOCHEMICAL LOGDDHID: 81VR 06ANALYSIS BY: Kamloops Research & Assay LabCOMPILED BY: S. MorrisMETHOD: Atomic AbsorptionDATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
6.1	7.6	3843	1.5			.09	.05	.14						
7.6	9.1	3844	1.5			.10	.07	.17						
9.1	10.7	3845	1.5			.69	.16	.85						
10.7	12.2	3846	1.5			.76	.19	.95						
12.2	13.7	3847	1.5			.24	.19	.43						
13.7	15.2	3848	1.5			.10	.15	.25						
15.2	16.8	3849	1.5			1.28	1.28	2.56						
16.8	18.3	3850	1.5			1.62	1.27	2.89						
18.3	19.8	3851	1.5			1.50	1.11	2.61						
19.8	21.3	3852	1.5			1.09	1.64	2.73						
21.3	22.9	3853	1.5			.65	.65	1.30						
22.9	24.4	3854	1.5			1.46	1.37	2.83						
24.4	25.9	3855	1.5			.70	1.11	1.81						
25.9	27.4	3856	1.5			.41	.37	.78						
27.4	29.0	3857	1.5			.13	.29	.42						
29.0	30.5	3858	1.5			.12	.19	.31						
20.5	32.0	3859	1.5			.16	.23	.39						
32.0	33.5	3860	1.5			.22	.47	.69						
33.5	35.1	3861	1.5			.14	.34	.48						
35.1	36.6	3862	1.5			.08	.26	.34						
36.6	38.1	3863	1.5			.22	.41	.63						

GEOCHEMICAL LOGDDHID: 81V~~R~~ 07ANALYSIS BY: Kamloops Research & Assay LabCOMPILED BY: S. MorrisMETHOD: Atomic AbsorptionDATE: May 19.1981

<u>From (m)</u>	<u>To (m)</u>	<u>Sample No.</u>	<u>Int. (m)</u>	<u>Rec. (m)</u>	<u>Unit</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb&amp;Zn %</u>	<u>Ag g/tonne</u>	<u>Cu %</u>	<u>Au g/tonne</u>	<u>BaO %</u>	<u>Hg %</u>	<u>S.G.</u>
7.6	9.1	3864	1.5			.05	.10	.15						
9.1	10.7	3865	1.5											
10.7	12.2	3866	1.5			.04	.08	.12						
12.2	13.7	3867	1.5											
13.7	15.2	3868	1.5			1.46	1.39	2.85						
15.2	16.8	3869	1.5			2.90	3.20	6.10						
16.8	18.3	3870	1.5			5.30	4.90	10.20						
18.3	19.8	3871	1.5			4.10	4.90	9.00						
19.8	21.3	3872	1.5			2.99	3.59	6.58						
21.3	22.9	3873	1.5			2.81	3.34	6.15						
22.9	24.4	3874	1.5			2.10	2.70	4.80						
24.4	25.9	3875	1.5			.68	.75	1.43						
25.9	27.4	3876	1.5			.52	.38	.90						
27.4	29.0	3877	1.5			1.31	1.16	2.47						
29.0	30.5	3878	1.5			4.99	7.97	12.96						
30.5	32.0	3879	1.5			6.32	9.02	15.34						
32.0	33.5	3880	1.5			3.00	3.90	6.90						
33.5	35.1	3881	1.5			1.71	1.93	3.64						
35.1	36.6	3882	1.5			.37	.62	.99						
36.6	38.1	3883	1.5			1.42	1.89	3.31						
38.1	39.6	3884	1.5			1.40	1.38	2.78						
39.6	41.2	3885	1.5			.53	.77	1.30						
41.2	42.7	3886	1.5			.31	.46	.77						
42.7	44.2	3887	1.5			.43	.49	.92						
44.2	45.7	3888	1.5			.24	.48	.72						
45.7	47.2	3889	1.5			.09	.24	.33						

GEOCHEMICAL LOG

DDHID: 81VR 07  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
47.2	48.8	3890	1.5			.09	.18	.27						
48.8	50.3	3891	1.5			.10	.16	.26						
50.3	51.8	3892	1.5											
51.8	53.3	3893	1.5			.08	.18	.26						
53.3	54.9	3894	1.5			.11	.27	.38						
54.9	56.4	3895	1.5			.10	.20	.30						

GEOCHEMICAL LOG

DDHID: 81VR 08  
 ANALYSIS BY: Kamloops Research & Assay Ltd.  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From (m)</u>	<u>To (m)</u>	<u>Sample No.</u>	<u>Int. (m)</u>	<u>Rec. (m)</u>	<u>Unit</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb&amp;Zn %</u>	<u>Ag g/tonne</u>	<u>Cu %</u>	<u>Au g/tonne</u>	<u>BaO %</u>	<u>Hg %</u>	<u>S.G.</u>
19.8	21.3	3896	1.5			1.43	1.27	2.70						
21.3	22.9	3897	1.5			1.44	1.35	2.79						
22.9	24.4	3898	1.5			1.17	1.10	2.27						
24.4	25.9	3899	1.5			.54	.96	1.50						
25.9	27.4	3900	1.5			1.22	.35	1.57						
27.4	29.0	3901	1.5			.42	.27	.69						
29.0	30.5	3902	1.5			.17	.37	.54						
30.5	32.0	3903	1.5			.17	.24	.41						
32.0	33.5	3904	1.5			.08	.22	.30						
33.5	35.1	3905	1.5			.14	.22	.36						
35.1	36.6	3906	1.5			.38	.28	.66						
36.6	38.1	3907	1.5			2.80	2.80	5.60						
38.1	39.6	3908	1.5			1.73	4.49	6.22						
39.6	41.2	3909	1.5			2.50	2.70	5.20						
41.2	42.7	3910	1.5			1.69	3.98	5.67						
42.7	44.2	3911	1.5			.16	.37	.53						
44.2	45.7	3912	1.5			.10	.23	.33						
45.7	47.2	3913	1.5			.14	.98	1.12						
47.2	48.8	3914	1.5			.33	.75	1.08						

125  
 100  
 100

GEOCHEMICAL LOG

DDHID: 81VR 09  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
12.2	13.7	3915	1.5											
13.7	15.2	3916	1.5			.63	.43	1.06						
15.2	16.8	3917	1.5			2.48	4.97	7.45						
16.8	18.3	3918	1.5			4.30	3.90	8.20						
18.3	19.8	3919	1.5			5.20	6.40	11.60						
19.8	21.3	3920	1.5			4.10	7.00	11.10						
21.3	22.9	3921	1.5			6.31	6.88	13.19						
22.9	24.4	3922	1.5			6.10	5.80	11.90						
24.4	25.9	3923	1.5			3.10	3.70	6.80						
25.9	27.4	3924	1.5			1.39	1.45	2.84						
27.4	29.0	3925	1.5			.64	.86	1.50						
29.0	30.5	3926	1.5			1.38	1.90	3.28						
30.5	32.0	3927	1.5			.64	1.08	1.72						
32.0	33.5	3928	1.5			.56	.91	1.47						
33.5	35.1	3929	1.5			.41	.62	1.03						
35.1	36.6	3930	1.5			.54	.63	1.17						
36.6	38.1	3931	1.5			.22	.44	.66						
38.1	39.6	3932	1.5			.13	.34	.47						
39.6	41.2	3933	1.5			.16	.30	.46						
41.2	42.7	3934	1.5			.66	1.04	1.70						
42.7	44.2	3935	1.5			1.03	2.60	3.63						
44.2	45.7	3936	1.5			.17	.89	1.06						
45.7	47.2	3937	1.5			.52	.66	1.18						
47.2	48.8	3938	1.5			.15	.33	.48						
48.8	50.3	3939	1.5			.07	.37	.44						
50.3	51.8	3940	1.5			.07	.24	.31						
51.8	53.3	3941	1.5			.03	.19	.22						
53.3	54.9	3942	1.5			.02	.06	.08						
54.9	56.4	3943	1.5			.02	.06	.08						

GEOCHEMICAL LOG

DDHID: 81VR 10  
 ANALYSIS BY: Kamloops Research Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
16.8	18.3	3944	1.5			2.21	3.40	5.61						
18.3	18.8	3945	1.5			1.64	1.38	3.02						
19.8	21.3	3946	1.5			.73	.70	1.43						
21.3	22.9	3947	1.5			.35	.63	.98						
22.9	24.4	3948	1.5			.71	1.11	1.82						
24.4	25.9	3949	1.5			1.18	1.60	2.78						
25.9	27.4	3950	1.5			2.80	3.00	5.80						

GEOCHEMICAL LOG

DDHID: 81VR 11  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
9.1	10.7	3951	1.5			2.46	2.60	5.06						
10.7	12.2	3952	1.5			4.40	5.20	9.60						
12.2	13.7	3953	1.5			1.68	2.97	4.65						
13.7	15.2	3954	1.5			1.27	2.23	3.50						
15.2	16.8	3955	1.5			3.13	4.43	7.56						
16.8	18.3	3956	1.5			6.16	6.68	12.84						
18.3	18.9	3957	1.5			2.81	3.05	5.86						
19.8	21.3	3958	1.5			.72	1.16	1.88						
21.3	22.9	3959	1.5			.60	1.01	1.61						
22.9	24.4	3960	1.5			.97	1.52	2.49						
24.4	25.9	3961	1.5			.60	.85	1.45						
25.9	27.4	3962	1.5			.31	.66	.97						
27.4	29.0	3963	1.5			.27	.42	.69						
29.0	30.5	3964	1.5			.73	.42	1.15						

GEOCHEMICAL LOG

DDHID: 81VR 12  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
10.7	12.2	3965	1.5			3.90	4.80	8.70						
12.2	13.7	3966	1.5			2.30	3.40	5.70						
13.7	15.2	3967	1.5			5.88	8.05	13.93						
15.2	16.8	3968	1.5			6.10	7.70	13.80						
16.8	18.3	3969	1.5			12.27	17.50	29.77						
18.3	19.8	3970	1.5			7.70	10.60	18.30						
19.8	21.3	3971	1.5			5.70	9.00	14.70						
21.3	22.9	3972	1.5			6.64	8.26	14.90						
22.9	24.4	3973	1.5			7.93	8.49	16.42						
24.4	25.9	3974	1.5			5.70	6.49	12.19						
25.9	27.4	3975	1.5			2.03	2.79	4.82						
27.4	29.0	3976	1.5			1.12	1.56	2.68						
29.0	30.5	3977	1.5			.64	1.03	1.67						

GEOCHEMICAL LOG

DDHID: 81VR 13  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
6.1	7.6	3978	1.5			4.40	9.90	14.30						
7.6	9.1	3979	1.5			.34	.98	1.32						
9.1	10.7	3980	1.5			.23	.67	.90						
10.7	12.2	3981	1.5			.15	.62	.77						
12.2	13.7	3982	1.5			.19	1.10	1.29						
13.7	15.2	3983	1.5			.09	.34	.43						
15.2	16.8	3984	1.5			.06	.35	.41						
16.8	18.3	3985	1.5			.04	.21	.25						
18.3	19.8	3986	1.5			.11	.33	.44						
19.8	21.3	3987	1.5			.21	.47	.68						
21.3	22.9	3988	1.5			.02	.23	.25						
22.9	24.4	3989	1.5			.04	.20	.24						
24.4	25.9	3990	1.5			.02	.14	.16						

GEOCHEMICAL LOG

DDHID: 81VR 14  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
10.7	12.2	3991	1.5			.06	.21	.27						
12.2	13.7	3992	1.5			.11	.25	.36						
13.7	15.2	3993	1.5			.06	.15	.21						
15.2	16.8	3994	1.5			.01	.07	.08						
16.8	18.3	3995	1.5			.03	.08	.11						
18.3	19.8	3996	1.5			.01	.07	.08						
19.9	21.3	3997	1.5			.01	.05	.06						
21.3	22.9	3998	1.5			.01	.06	.07						
22.9	24.4	3999	1.5			TR	.04	.04						

GEOCHEMICAL LOG

DDHID: 81VR 15  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
7.6	9.1	4000	1.5			5.20	6.90	12.10						
9.1	10.7	2101	1.5			4.80	5.10	9.90						
10.7	12.2	2102	1.5			2.40	3.30	5.70						
12.2	13.7	2103	1.5			.49	.93	1.42						
13.7	15.2	2104	1.5			.39	.81	1.20						
15.2	16.8	2105	1.5			.13	.58	.71						
16.8	18.3	2106	1.5			.81	.76	1.57						
18.3	19.8	2107	1.5			.28	.50	.78						
19.8	21.3	2108	1.5			.05	.24	.29						
21.3	22.9	2109	1.5			.03	.09	.12						
22.9	24.4	2110	1.5			.02	.07	.09						
24.4	25.9	2111	1.5			.05	.08	.13						

GEOCHEMICAL LOG

DDHID: 81VR 16  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
10.7	12.2	2112	1.5			.44	1.11	1.55						
12.2	13.7	2113	1.5			1.96	4.92	6.88						
13.7	15.2	2114	1.5			4.60	7.20	11.80						
15.2	16.8	2115	1.5			4.50	6.80	11.30						
16.8	18.3	2116	1.5			3.20	3.80	7.00						
18.3	19.8	2117	1.5			1.45	1.14	2.59						
19.8	21.3	2118	1.5			1.29	1.21	2.50						
21.3	22.9	2119	1.5			1.38	1.40	2.78						

GEOCHEMICAL LOG

DESIGNER: 81VR 17  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
9.1	10.7	2120	1.5			1.80	1.74	3.54						
10.7	12.2	2121	1.5			.60	.74	1.34						
12.2	13.7	2122	1.5			.39	.72	1.11						
13.7	15.2	2123	1.5			.62	.74	1.36						
15.2	16.8	2124	1.5			.91	.91	.182						
16.8	18.3	2125	1.5			1.74	2.30	4.04						
18.3	19.8	2126	1.5			.40	.77	1.17						
19.8	21.3	2127	1.5			1.54	1.94	3.48						
21.3	22.9	2128	1.5			.17	.56	.73						
22.9	24.4	2129	1.5			.22	.45	.67						
24.4	25.9	2130	1.5			.13	.36	.49						
25.9	27.4	2131	1.5			.07	.28	.35						
27.4	29.0	2132	1.5			.07	.20	.27						
29.0	30.5	2133	1.5			.05	.17	.22						

GEOCHEMICAL LOG

DDHID: 81VR 18  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
4.6	6.1	2134	1.5											
6.1	7.6	2135	1.5											
7.6	9.1	2136	1.5											
9.1	10.7	2137	1.5											
10.7	12.2	2138	1.5			1.79	3.13	4.92						
12.2	13.7	2139	1.5			2.90	5.30	8.20						
13.7	15.2	2140	1.5			3.60	5.70	9.30						
15.2	16.8	2141	1.5			3.40	4.70	8.10						
16.8	18.3	2142	1.5			3.15	4.17	7.86						
18.3	19.8	2143	1.5			3.00	4.40	7.40						
19.8	21.3	2144	1.5			1.80	2.90	4.70						
21.3	22.9	2145	1.5			2.01	2.60	4.61						
22.9	24.4	2146	1.5			.97	1.95	2.92						
24.4	25.9	2147	1.5			2.42	3.10	5.52						
25.9	27.4	2148	1.5			1.03	2.30	3.33						
27.4	29.0	2149	1.5			.55	1.26	1.81						
29.0	30.5	2150	1.5			.71	1.25	1.96						

GEOCHEMICAL LOG

DDHID: 81VR 19  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
12.2	13.7	2151	1.5											
13.7	15.2	2152	1.5											
15.2	16.8	2153	1.5			1.82	2.86	4.68						
16.8	18.3	2154	1.5			.55	.96	1.51						
18.3	19.8	2155	1.5			.70	.69	1.39						
19.8	21.3	2156	1.5			.80	.85	1.65						
21.3	22.9	2157	1.5			.52	.67	1.19						
22.9	24.4	2158	1.5			2.50	2.40	4.90						
24.4	25.9	2159	1.5			1.17	1.08	2.25						
25.9	27.4	2160	1.5			.51	.35	.86						
27.4	29.0	2161	1.5			1.77	1.06	2.83						
29.0	30.5	2162	1.5			.46	.50	.96						

GEOCHEMICAL LOG

DDHID: 81VR 20  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
6.1	7.6	2163	1.5			1.56	2.80	4.36						
7.6	9.1	2164	1.5			1.36	2.75	4.11						
9.1	10.7	2165	1.5			.82	1.32	2.14						
10.7	12.2	2166	1.5			1.40	1.65	3.05						
12.2	13.7	2167	1.5			.51	.73	1.24						
13.7	15.2	2168	1.5			.23	.35	.58						
15.2	16.8	2169	1.5			.15	.29	.44						
16.8	18.3	2170	1.5			2.90	3.90	6.80						
18.3	19.8	2171	1.5			1.58	1.97	3.55						
19.8	21.3	2172	1.5			3.10	5.20	8.30						
21.3	22.9	2173	1.5			2.10	3.90	6.00						
22.9	24.4	2174	1.5			.15	.58	.73						
24.4	25.9	2175	1.5			.51	1.00	1.51						
25.9	27.4	2176	1.5			.21	.59	.80						
27.4	29.0	2177	1.5			.15	.49	.64						
29.0	30.5	2178	1.5			.12	.56	.68						

GEOCHEMICAL LOG

DDHID: 81VR 21  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
6.1	7.6	2179	1.5											
7.6	9.1	2180	1.5											
9.1	10.7	2181	1.5											
10.7	12.2	2182	1.5											
12.2	13.7	2183	1.5			2.10	2.10	4.20						
13.7	15.2	2184	1.5			3.10	3.40	6.50						
15.2	16.8	2185	1.5			3.30	3.20	6.50						
16.8	18.3	2186	1.5			5.60	4.60	10.20						
18.3	19.8	2188	1.5			5.00	5.40	10.40						
19.8	21.3	2189	1.5			3.70	3.60	7.30						
21.3	22.9	2190	1.5			2.22	2.69	4.91						
22.9	24.4	2192	1.5			1.22	1.68	2.90						
24.4	25.9	2193	1.5			.94	1.54	2.48						
25.9	27.4	2194	1.5			.77	1.06	1.83						
27.4	29.0	2195	1.5			1.52	3.00	4.52						
29.0	30.5	2196	1.5			1.20	3.30	4.50						

GEOCHEMICAL LOG

DDHID: 81VR 22  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
4.6	6.1	2197	1.5			1.83	1.96	3.79						
7.6	9.1	2313	1.5											
9.1	10.7	2314	1.5											
10.7	12.2	2315	1.5											
12.2	13.7	2316	1.5											
13.7	15.2	2317	1.5											
15.2	16.8	2318	1.5			.05	.38	.43						
16.8	18.3	2319	1.5											
18.3	19.8	2320	1.5			1.42	3.63	5.05						
19.8	21.3	2321	1.5			3.08	5.24	8.32						
21.3	22.9	2322	1.5			2.20	3.20	5.40						
22.9	24.4	2323	1.5			.56	.65	1.21						
24.4	25.9	2324	1.5			.75	.86	1.61						
25.9	27.4	2325	1.5			.74	1.16	1.90						
27.4	29.0	2326	1.5			.28	1.68	.96						
29.0	30.5	2327	1.5			.45	.77	1.22						

GEOCHEMICAL LOGDDHID: 81VR 23ANALYSIS BY: Kamloops Research & Assay LabCOMPILED BY: S. MorrisMETHOD: Atomic AbsorptionDATE: May 19, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
7.6	9.1	2198	1.5			1.82	1.86	3.68						
9.1	10.7	2199	1.5			2.06	2.01	4.07						
10.7	12.2	2200	1.5			2.62	2.96	5.58						
12.2	13.7	2301	1.5			1.06	1.67	2.73						
13.7	15.2	2302	1.5			.78	.54	1.32						
15.2	16.8	2303	1.5			.39	.28	.67						
16.8	18.3	2304	1.5			3.38	2.71	6.09						
18.3	19.8	2305	1.5			5.53	3.99	9.52						
19.8	21.3	2306	1.5			2.60	2.90	5.50						
21.3	22.9	2307	1.5			1.03	1.00	2.03						
22.9	24.4	2308	1.5			1.96	2.11	4.07						
24.4	25.9	2309	1.5			2.00	2.24	4.24						
25.9	27.4	2310	1.5			.25	.53	.78						
27.4	29.0	2311	1.5			.07	.63	.70						
		2312				.07	.92	1.22						

GEOCHEMICAL LOG

DDHID: 81VR 24  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 19, 1981

<u>From (m)</u>	<u>To (m)</u>	<u>Sample No.</u>	<u>Int. (m)</u>	<u>Rec. (m)</u>	<u>Unit</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb&amp;Zn %</u>	<u>Ag g/tonne</u>	<u>Cu %</u>	<u>Au g/tonne</u>	<u>BaO %</u>	<u>Hg %</u>	<u>S.G.</u>
10.7	12.2	2328	1.5			4.20	5.50	9.70						
12.2	13.7	2329	1.5			4.20	5.10	9.30						
13.7	15.2	2330	1.5			3.40	4.10	7.50						
15.2	16.8	2331	1.5			2.17	3.73	5.90						
16.8	18.3	2332	1.5			1.82	2.93	4.75						
18.3	19.8	2333	1.5			3.63	3.25	6.88						
19.8	21.3	2334	1.5			2.80	2.80	5.60						
21.3	22.9	2335	1.5			.68	1.32	2.00						
22.9	24.4	2336	1.5			.38	1.28	1.66						
24.4	25.9	2337	1.5			.81	1.08	1.89						
25.9	27.4	2338	1.5			.09	.57	.66						
27.4	29.0	2339	1.5			.12	.59	.71						
29.0	30.5	2340	1.5			.85	1.40	2.25						

GEOCHEMICAL LOG

DDHID: 81VR 25  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morrish  
 DATE: May 20, 1981

<u>From (m)</u>	<u>To (m)</u>	<u>Sample No.</u>	<u>Int. (m)</u>	<u>Rec. (m)</u>	<u>Unit</u>	<u>Pb %</u>	<u>Zn %</u>	<u>Pb&amp;Zn %</u>	<u>Ag g/tonne</u>	<u>Cu %</u>	<u>Au g/tonne</u>	<u>BaO %</u>	<u>Hg %</u>	<u>S.G.</u>
7.6	9.1	2341	1.5											
9.1	10.7	2342	1.5			.19	.07	.26						
10.7	12.2	2343	1.5			3.00	5.30	8.30						
12.2	13.7	2344	1.5			3.40	.54	3.94						
13.7	15.2	2345	1.5			5.53	5.06	10.59						
15.2	16.8	2346	1.5			6.90	6.80	13.70						
16.8	18.3	2347	1.5			3.40	3.48	6.88						
18.3	19.8	2348	1.5			1.34	1.85	3.19						
19.8	21.3	2349	1.5			.69	.72	1.41						
21.3	22.9	2350	1.5											
22.9	24.4	2351	1.5			2.77	4.10	6.87						
24.4	25.9	2352	1.5			1.32	1.41	2.73						
25.9	27.4	2353	1.5			.46	1.06	1.52						
27.4	29.0	2354	1.5			.28	.69	.97						
29.0	30.5	2355	1.5			.86	1.09	1.95						

GEOCHEMICAL LOG

DDHID: 81VR 26  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 20., 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
10.7	12.2	2356	1.5			7.20	1.84	9.04						
12.2	13.7	2357	1.5			5.90	2.40	8.30						
13.7	15.2	2358	1.5			5.70	5.00	10.70						
15.2	16.8	2359	1.5			6.00	6.50	12.50						
16.8	18.3	2360	1.5			3.90	4.20	8.10						
18.3	19.8	2361	1.5			.84	1.85	2.69						
19.8	21.3	2362	1.5			3.40	4.50	7.90						
21.3	22.9	2363	1.5			1.05	1.05	2.10						
22.9	24.4	2364	1.5			.96	1.50	2.46						
24.4	25.9	2365	1.5			2.10	2.30	4.40						
25.9	27.4	2366	1.5			.74	.88	1.62						
27.4	29.0	2367	1.5			.45	.54	.99						
29.0	30.5	2368	1.5			1.18	1.29	2.47						
30.5	32.0	2369	1.5			.24	.33	.57						
32.0	33.5	2370	1.5			.59	.59	1.18						
33.5	35.1	2371	1.5			.11	.33	.44						
35.1	36.6	2372	1.5			.17	.38	.55						
36.6	38.1	2373	1.5			.06	.41	.47						
38.1	39.6	2374	1.5			.09	1.11	1.20						
39.6	41.2	2375	1.5			.02	.36	.38						
41.2	42.7	2376	1.5			.09	.20	.29						
42.7	44.2	2377	1.5			1.97	2.71	4.68						
44.2	45.7	2378	1.5			.74	.93	1.57						

GEOCHEMICAL LOG

DDHID: 81VR 27  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 20, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
10.7	12.2	2379	1.5			2.46	2.78	5.24						
12.2	13.7	2380	1.5			3.00	2.60	5.60						
13.7	15.2	2381	1.5			.75	1.06	1.81						
15.2	16.8	2382	1.5			2.40	2.06	5.00						
16.8	18.3	2383	1.5			3.35	3.96	7.31						
18.3	19.8	2384	1.5			2.90	4.00	6.90						
19.8	21.3	2385	1.5			1.32	2.45	3.77						
21.3	22.9	2386	1.5			.20	.38	.58						
22.9	24.4	2387	1.5			.54	1.01	1.55						
24.4	25.9	2388	1.5			.48	.80	1.28						
25.9	27.4	2389	1.5			.25	.29	.54						
27.4	29.0	2390	1.5			.08	.28	.36						
29.0	30.5	2391	1.5			.07	.22	.29						
30.5	32.0	2392	1.5			.15	.66	.81						
32.0	33.5	2393	1.5			3.61	7.82	11.43						
33.5	35.1	2394	1.5			5.90	6.10	12.00						
35.1	36.6	2395	1.5			1.47	2.04	3.51						
36.6	38.1	2396	1.5			1.00	2.06	3.06						
38.1	39.6	2397	1.5			.88	1.38	2.26						
39.6	41.2	2398	1.5			.19	.51	.70						
41.2	42.7	2399	1.5			.18	.48	.66						
42.7	44.2	2400	1.5			.21	.37	.58						
44.2	45.7	2251	1.5			.16	.31	.47						

GEOCHEMICAL LOG

DDHID: 81VR 28  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 20, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
12.2	13.7	2252	1.5			.97	.03	1.00						
13.7	15.2	2253	1.5			.41	.04	.45						
15.2	16.8	2254	1.5			.22	.24	.46						
16.8	18.3	2255	1.5			.36	.37	.73						
18.3	19.8	2256	1.5			.40	.41	.81						
19.8	21.3	2257	1.5			.67	.41	1.08						
21.3	22.9	2258	1.5			.32	.45	.77						
22.9	24.4	2259	1.5			.26	.29	.55						
24.4	25.9	2260	1.5			.25	.26	.51						
25.9	27.4	2261	1.5			.26	.14	.40						
27.4	29.0	2262	1.5			.53	.89	1.42						
29.0	30.5	2263	1.5			1.09	2.29	3.38						

GEOCHEMICAL LOG

DDHID: 81VR 29  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 20, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
		2264				.02	.20	.22						
12.2	13.7	2265	1.5			.03	.16	.19						
13.7	15.2	2266	1.5			.93	1.72	2.65						
15.2	16.8	2267	1.5			4.00	6.80	10.80						
16.8	18.3	2268	1.5			4.30	9.13	13.43						
18.3	19.8	2269	1.5			4.04	7.83	11.87						
19.8	21.3	2270	1.5			1.47	2.90	4.37						
21.3	22.9	2271	1.5			1.08	1.64	2.72						
22.9	24.4	2272	1.5			1.23	2.30	3.53						
24.4	25.9	2273	1.5			1.10	2.02	3.12						
25.9	27.4	2274	1.5			1.60	2.75	4.35						
27.4	29.0	2275	1.5			3.00	4.90	7.90						
29.0	30.5	2276	1.5			2.51	3.33	5.84						
30.5	32.0	2277	1.5			.36	.59	.95						
32.0	33.5	2278	1.5			.39	.64	1.03						
33.5	35.1	2279	1.5			.44	.82	1.26						
35.1	36.6	2280	1.5			.47	.72	1.19						
36.6	38.1	2281	1.5			.55	.66	1.21						
38.1	39.6	2282	1.5			.34	.63	.97						
39.6	41.2	2283	1.5			.29	.50	.79						
41.2	42.7	2284	1.5			.52	.86	1.38						
42.7	44.2	2285	1.5			.57	.84	1.41						
44.2	45.7	2286	1.5			.55	.85	1.40						

GEOCHEMICAL LOG

DDHID: 81VR 30  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 20, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
10.7	12.2	2287	1.5			.07	.26	.33						
12.2	13.7	2288	1.5			.11	.31	.42						
13.7	15.2	2289	1.5			.09	.43	.52						
15.2	16.8	2290	1.5			.27	.96	1.23						
16.8	18.3	2291	1.5			.04	.43	.47						
18.3	19.8	2292	1.5			.08	.40	.48						
19.8	21.3	2293	1.5			.17	.47	.64						
21.3	22.9	2294	1.5			.16	.47	.63						
22.9	24.4	2295	1.5			.05	.25	.30						
24.4	25.9	2296	1.5			.11	.34	.45						
25.9	27.4	2297	1.5			.26	.63	.89						
27.4	29.0	2298	1.5			.96	1.69	2.65						
29.0	30.5	2299	1.5			1.28	1.78	3.06						

GEOCHEMICAL LOG

DDHID: 81VR 31  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 20, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
		2300				.23	.03	.26						
12.2	13.7	2201	1.5			.25	.03	.28						
13.7	15.2	2202	1.5			.11	.06	.17						
15.2	16.8	2203	1.5			.17	.04	.21						
16.8	18.3	2204	1.5			.74	.18	.92						
18.3	19.8	2205	1.5			.56	.43	.99						
19.8	21.3	2206	1.5			.79	.45	1.24						
21.3	22.9	2207	1.5			1.87	1.54	3.41						
22.9	24.4	2208	1.5			1.79	1.54	3.33						
24.4	25.9	2209	1.5			.72	.83	1.55						
25.9	27.4	2210	1.5			.07	.20	.27						
27.4	29.0	2211	1.5			1.34	1.87	3.21						
29.0	30.5	2212	1.5			1.11	1.26	2.37						

GEOCHEMICAL LOG

DDHID: 81VR 32  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 20, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
12.2	13.7	2213	1.5			2.08	2.39	4.47						
13.7	15.2	2214	1.5			6.12	8.91	15.03						
15.2	16.8	2215	1.5			2.62	3.26	5.88						
16.8	18.3	2216	1.5			1.15	1.79	2.94						
18.3	19.8	2217	1.5			.66	1.06	1.72						
19.8	21.3	2218	1.5			.38	.79	1.17						
21.3	22.9	2219	1.5			.61	2.03	2.64						
22.9	24.4	2220	1.5			.43	1.21	1.64						
24.4	25.9	2221	1.5			.31	.53	.84						
25.9	27.4	2222	1.5			.23	.42	.65						
27.4	29.0	2223	1.5			.21	.61	.82						
29.0	30.5	2224	1.5			.06	.22	.28						

GEOCHEMICAL LOG

DDHID: 81VR 33  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 20, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
6.1	7.6	2225	1.5			.78	.85	1.63						
7.6	9.1	2226	1.5			2.20	2.30	4.50						
9.1	10.7	2227	1.5			1.43	1.71	3.14						
10.7	12.2	2228	1.5			1.59	1.70	3.29						
12.2	13.7	2229	1.5			3.20	5.80	9.00						
13.7	15.2	2230	1.5			3.60	7.30	10.90						
15.2	16.8	2231	1.5			3.50	6.70	10.20						
16.8	18.3	2232	1.5			3.90	6.50	10.40						
18.3	19.8	2233	1.5			8.29	6.77	15.06						
19.8	21.3	2234	1.5			5.50	5.60	11.10						
21.3	22.9	2235	1.5			2.10	2.23	4.33						
22.9	24.4	2236	1.5			.87	1.21	2.08						
24.4	25.9	2237	1.5			.81	1.22	2.03						
25.9	27.4	2238	1.5			.63	1.36	1.99						
27.4	29.0	2239	1.5			.60	1.42	2.02						
29.0	30.5	2240	1.5			.65	1.79	2.44						

GEOCHEMICAL LOG

DDHID: 81VR 34  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: ASSAY—Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 20, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
4.6	6.1	2241	1.5			2.73	2.69	5.42						
6.1	7.6	2242	1.5			2.80	3.12	5.92						
7.6	9.1	2243	1.5			2.64	3.09	5.73						
9.1	10.7	2244	1.5											
10.7	12.2	2245	1.5											
12.2	13.7	2246	1.5			3.72	5.32	9.04						
13.7	15.2	2247	1.5			.30	.74	1.04						
15.2	16.8	2248	1.5			.42	.58	1.00						
16.8	18.3	2249	1.5			.23	.45	.68						
18.3	19.8	2250	1.5			.27	.59	.86						
19.8	21.3	6001	1.5											
21.3	22.9	6002	1.5											
22.9	24.4	6003	1.5			.20	1.70	1.90						
24.4	25.9	6004	1.5			.23	1.27	.150						
25.9	27.4	6005	1.5			1.88	4.94	6.82						
27.4	29.0	6006	1.5			3.37	5.38	8.75						
29.0	30.5	6007	1.5			.53	1.19	1.72						

\* 1.50

GEOCHEMICAL LOG

DDHID: 81VR 35  
 ANALYSIS BY: Kamloops Research & Assay Lab  
 METHOD: Atomic Absorption

COMPILED BY: S. Morris  
 DATE: May 20, 1981

<u>From</u> <u>(m)</u>	<u>To</u> <u>(m)</u>	<u>Sample</u> <u>No.</u>	<u>Int.</u> <u>(m)</u>	<u>Rec.</u> <u>(m)</u>	<u>Unit</u>	<u>Pb</u> <u>%</u>	<u>Zn</u> <u>%</u>	<u>Pb&amp;Zn</u> <u>%</u>	<sup>971</sup> <u>Ag</u> <u>g/tonne</u>	<u>Cu</u> <u>%</u>	<u>Au</u> <u>g/tonne</u>	<u>BaO</u> <u>%</u>	<u>Hg</u> <u>%</u>	<u>S.G.</u>
10.7	12.2	6008	1.5			2.41	5.08	7.49						
12.2	13.7	6009	1.5			4.00	8.41	12.41						
13.7	15.2	6010	1.5			3.35	6.79	10.14						
15.2	16.8	6011	1.5			1.24	2.26	3.50						
16.8	18.3	6012	1.5			2.13	2.63	4.76						
18.3	19.8	6013	1.5			1.10	1.99	3.09						
19.8	21.3	6014	1.5			3.66	4.04	7.70						
21.3	22.9	6015	1.5			2.67	3.56	6.23						
22.9	24.4	6016	1.5			.51	.81	1.32						
24.4	25.9	6017	1.5			.86	1.15	2.01						
25.9	27.4	6018	1.5			.49	.84	1.33						
27.4	29.0	6019	1.5			.44	.61	1.05						
29.0	30.5	6020	1.5			1.55	2.06	3.61						