

# ROCKY LAKE 390 GRID NORTH

018559

8

| STA              | B.S   | H.I     | VERT X  | SLOPE<br>DISTANCE | FS    |
|------------------|-------|---------|---------|-------------------|-------|
| 390 BL           | +5.89 | 1021.32 | 92°00'  | 402               |       |
| -2N              |       |         | 92°00'  | 191               | -8.40 |
| -4N              |       |         | —       | 0                 | -5.10 |
| -6N              |       |         | 86°00'  | 206               | 6.54  |
| -8N              |       |         | 86°00'  | 398               | 8.15  |
| ⊙ -10N           |       |         | 86°00'  | 590               | 1.49  |
|                  | 7.17  | 1058.81 | 86°00'  | 133               |       |
| -12N             |       |         | 96°00'  | 63                | 8.20  |
| -14N             |       |         | 100°00' | 270               | 7.50  |
| -16N             |       |         | 94°00'  | 468               | 8.01  |
| ⊙ -18N           |       |         | 91°00'  | 669               | 8.52  |
|                  | 5.15  | 1099.33 | 98°00'  | 403               |       |
| -20N             |       |         | 98°00'  | 200               | 1.96  |
| -22N             |       |         | —       | 0                 | 6.20  |
| -24N             |       |         | 84°00'  | 198               | 3.82  |
| -26N             |       |         | 85°00'  | 400               | 0.85  |
| ⊙                |       |         | 84°45'  | 465               | 1.77  |
|                  | 1.41  | 1185.02 | 97°45'  | 327               |       |
| -28N             |       |         | 97°00'  | 200               | 3.80  |
| -30N             |       |         | —       | 0                 | 5.60  |
| ⊙ -32N           |       |         | 82°00'  | 204               | 3.82  |
| - <del>34N</del> | 4.30  | 1250.45 | 93°30'  | 605               |       |
| -34N             |       |         | 93°30'  | 402               | 2.29  |
| -36N             |       |         | 92°00'  | 202               | 6.33  |

KEN  
-FAR

CLEAR & COLD.

GRIO LINE SURVEY  
MARCH 17/69 8

| DIFF<br>IN ELEV | ELEV.   |
|-----------------|---------|
| +19.92          | 1001.40 |
| -15.07          | 1006.25 |
| -5.10           | 1016.22 |
| +7.80           | 1029.12 |
| +19.55          | 1040.87 |
| +39.57          | 1060.89 |
| +2.08           | ?       |
| -14.75          | 1044.06 |
| -53.61          | 1005.14 |
| -40.58          | 1018.23 |
| -20.16          | 1038.65 |
| +60.68          |         |
| -29.52          | 1069.81 |
| -6.20           | 1093.13 |
| +16.77          | 1116.10 |
| +33.87          | 1133.20 |
| +40.59          | 1139.92 |
| +45.10          |         |
| -28.00          | 1157.02 |
| -5.60           | 1179.42 |
| +24.29          | 1209.31 |
| +41.14          |         |
| -26.77          | 1223.68 |
| -13.38          | 1237.07 |

NOTE K = 5 15

NOT APPLICABLE  
AT  $\pi$  SETUPS.

HEAVY TIMBER ENDS.

FLAG MARKED M4 1016  
50' N & 10' W OF 390-30N

CHECKED BY T.C.

9

## 390 NORTH (CON'T)

| STA.                     | BS   | H.I     | VERT $\angle$ | DIST | FS                      |
|--------------------------|------|---------|---------------|------|-------------------------|
| <del>==</del>            |      | 1250.45 |               |      |                         |
| -38N                     |      |         | -             | 0    | 6.40                    |
| -40N                     |      |         | 87°00'        | 203  | 0.71                    |
| -42N                     |      |         | 86°30'        | 404  | 2.61                    |
| ⊙<br>-44N                |      |         | 86°30'        | 597  | 2.10                    |
|                          | 4.15 | 1281.87 | 89°30'        | 802  |                         |
| -46N                     |      |         | 89°30'        | 597  | 4.26                    |
| -48N                     |      |         | -             | 398  | 2.16                    |
| -50N                     |      |         | -             | 196  | 2.04<br><del>1.11</del> |
| -52N                     |      |         | -             | 0    | 5.70                    |
| TIE<br>390-54N           |      |         | 87°30'        | 128  | 1.89                    |
| -54N                     |      |         | 86°00'        | 202  | 1.55                    |
| -56N                     |      |         | 82°00'        | 399  | 0.05                    |
| ⊙<br>-58N                |      |         | 80°30'        | 604  | 6.72                    |
|                          | 3.45 | 1413.47 | 93°30'        | 600  |                         |
| -60N                     |      |         | 94°30'        | 401  | 3.10                    |
| -62N                     |      |         | 94°30'        | 203  | 4.07                    |
| -64N                     |      |         | -             | 0    | 7.10                    |
| -66N                     |      |         | 83°30'        | 202  | 1.90                    |
| 67+75N<br><del>68N</del> |      |         | 84°00'        | 375  | 1.95                    |
| 69+65N<br><del>70N</del> |      |         | 83°00'        | 565  | 6.82                    |

CLEAR & COLD  
WINDY

GRID LINE  
MARCH 18/69

9

| ELEV.<br>DIFF | ELEV.                         |                                                             |
|---------------|-------------------------------|-------------------------------------------------------------|
| - 6.40        | 1244.05                       |                                                             |
| + 9.91        | 1260.36<br><del>1240.54</del> | 425991 425990 2AN<br>75'N 150'E OF 390-40N                  |
| + 21.99       | 1272.44                       |                                                             |
| + 34.25       | 1284.70                       |                                                             |
| - 2.83        |                               |                                                             |
| + 0.93        | 1282.80                       |                                                             |
| - 2.16        | 1279.71                       |                                                             |
| - 2.04        | 1279.83                       | ON ICE                                                      |
| - 5.70        | 1276.17                       |                                                             |
| + 3.69        | 1285.56                       | STA SHOT ACROSS FROM 400-54N<br>322' & 174'28' FROM 390-50N |
| + 12.51       | 1294.38                       |                                                             |
| + 54.93       | 1336.80                       |                                                             |
| + 91.61       | 1373.48                       |                                                             |
| + 39.99       | <del>1413.47</del>            |                                                             |
| - 34.46       | 1379.01                       |                                                             |
| - 19.94       | 1393.53                       |                                                             |
| - 7.10        | 1406.37                       |                                                             |
| + 20.83       | 1434.30                       |                                                             |
| + 37.05       | 1450.52                       |                                                             |
| + 61.55       | 1475.02                       |                                                             |

ROCKY LAKE  
410 GRID SOUTH

[illegible]

CLEAR COLD  
& WINDY

GRID LINE SURVEY  
MARCH 18/69 10

| ELEV<br>DIFF. | ELEV.             |
|---------------|-------------------|
| +8.00         | 996.51            |
| -19.58        | 984.93            |
| -11.79        | 992.72            |
| -5.50         | 999.01            |
| -5.84         | 998.67            |
| -7.56         | 996.95            |
| -15.54        | 988.97            |
| -27.96        | <del>968.01</del> |
| -4.20         | 956.81            |
| -3.98         | 957.03            |
| -28.1         | 958.20            |
| +11.43        | 972.44            |
| +47.76        | 1008.77           |
| +89.09        | 1050.10           |
| +124.87       | 1085.88           |

T. K. FEHR  
/ ROBERT.

NOTE

K=5 IS NOT  
APPLICABLE ON T SETUPS.

STEEP RIVER BANK  
STA AT BOTTOM

ON ICE

ON ICE SLIMIT OF RIVER



SUNNY & WINDY

CRIDLINE SURVEY  
MARCH 18/69 11

WILD LEVEL

K. FEHR

1 ROBERT

CHECK LEVELS RUN ON ELEV. RUN  
BY WILD TRANSIT (VERTICAL ANGLES)  
PAGE 10 THIS BOOK.

12

 ROCKY LAKE  
 390 GRID SOUTH

Sunny &amp; Windy

 GRID LINE SURVEY  
 MARCH 1969 12

| STA     | B.S  | HI                | VERT   | SLOPE<br>DIST | FS   | DIFF. IN<br>ELEV. | ELEV    | T. K. FEHR<br>P. ROBERT                            |
|---------|------|-------------------|--------|---------------|------|-------------------|---------|----------------------------------------------------|
| 390 BL  | 5.70 | 1007.10           | -      | 0             |      | +5.70             | 1001.40 |                                                    |
| -25     |      | <del>93°30'</del> | 93°30' | 200           | 8.59 | -20.77            | 986.33  | NOTE:<br>K=5 IS APPLICABLE<br>ON INSTRUMENT SETUPS |
| -45     |      |                   | 93°30' | 402           | 7.23 | -31.71            | 975.39  |                                                    |
| 0-65    |      |                   | 92°30' | 600           | 4.56 | -30.72            | 976.38  |                                                    |
|         | 5.50 | 981.88            | -      | 0             |      | +5.50             |         |                                                    |
| -85     |      |                   | -      | 200           | 3.20 | -3.20             | 978.68  |                                                    |
| -105    |      | FAR               | 88°50' | 400           | 2.60 | +5.56             | 987.44  |                                                    |
| 0-125   |      |                   | 86°20' | 602           | 2.97 | +35.44            | 1017.32 |                                                    |
|         | 5.50 | 1022.82           | -      | 0             |      | +5.50             |         |                                                    |
| -145    |      |                   | 78°00' | 206           | 2.14 | +39.76            | 1062.58 |                                                    |
| 0-165   |      |                   | 76°40' | 410           | 8.10 | +83.90            | 1106.72 |                                                    |
|         | 5.20 | 1111.92           | -      | 0             |      | +5.20             |         |                                                    |
| 0-17+20 |      |                   | 78°30' | 122           | 5.75 | +18.09            | 1130.01 |                                                    |
|         | 5.50 | 1135.51           | -      | 0             |      | +5.50             |         |                                                    |
| 185     |      |                   | -      | 82            | 2.80 | -2.80             | 1132.71 |                                                    |
| 205     |      |                   | 88°20' | 284           | 2.25 | +6.10             | 1141.61 |                                                    |
| 0-225   |      |                   | 88°00' | 480           | 6.20 | +10.50            | 1146.01 |                                                    |
|         | 5.40 | 1151.41           | -      | 0             |      | +5.40             |         |                                                    |
| 245     |      |                   | 88°00' | 200           | 0.54 | +6.44             | 1157.85 |                                                    |
| 265     |      |                   | 87°20' | 400           | 1.55 | +17.05            | 1168.46 |                                                    |

ROCKY LAKE  
351 GRID SOUTH

WINDY & LIGHT SNOW.

GRID LINE SURVEY  
MARCH 21/69 13

| ELEV<br>DIFF | ELEV               | GROUND<br>ELEV.    |
|--------------|--------------------|--------------------|
| +7.60        | 1028.17            |                    |
| +43.33       | 1079.10            | 1074.10            |
| +45.54       | 1081.31            | 1076.31            |
| +5.60        | <del>1093.31</del> | <del>1088.31</del> |
| +11.45       | 1093.36            | 1088.36            |
| +24.95       | 1106.86            | 1101.86            |
| +47.47       | 1129.38            | 1124.38            |
| +88.10       | 1170.01            | 1165.01            |

T. K. FEHR

Φ ROBERT.

TREE LINE

AC.

14

# ROCKY LAKE 351 CRID NORTH

| STA                       | B.S. | H.I     | VERT $\frac{1}{4}$ | SLOPE<br>DIST | F.S  |
|---------------------------|------|---------|--------------------|---------------|------|
| 351 BL                    | 7.40 | 1035.57 | —                  | 0             |      |
| 2N                        |      |         | 89°30'             | 200           | 1.07 |
| ② 2+72                    |      |         | 89°00'             | 272           | 0.11 |
|                           | 7.60 | 1042.79 | —                  | 0             |      |
| 4N                        |      |         | 92°00'             | 128           | 8.34 |
| 6N                        |      |         | 91°00'             | 330           | 7.00 |
| 8N                        |      |         | —                  | 5.28          | 0.73 |
| ② 8+82<br><del>8+82</del> |      |         | 89°30'             | 610           | 0.68 |
|                           | 5.80 | 1048.22 | —                  | 0             |      |
| 10N                       |      |         | 96°00'             | 122           | 7.66 |
| 12N                       |      |         | 91°00'             | 320           | 8.14 |
| ② 14N                     |      |         | —                  | 520           | 5.05 |
|                           | 6.00 | 1044.17 | —                  | 0             |      |
| 16N                       |      |         | 93°00'             | 197           | 7.75 |
| 18N                       |      |         | 91°30'             | 402           | 7.32 |
| 20N                       |      |         | 91°00'             | 600           | 8.47 |
| ② 22N                     |      |         | —                  | 802           | 2.16 |
|                           | 5.70 | 1042.71 | —                  | 0             |      |
| 24N                       |      |         | —                  | 200           | 2.95 |
| 26N                       |      |         | —                  | 400           | 0.52 |
| 28N                       |      |         | 89°00'             | 6.02          | 2.72 |
| ② 30N                     |      |         | 88°00'             | 800           | 8.23 |
|                           | 5.70 | 1063.10 | —                  | 0             |      |
| 32N                       |      |         | 85°00'             | 196           | 1.69 |
| 34N                       |      |         | 85°00'             | 398           | 6.46 |

TAK

WINDY &amp; LIGHT SNOW

MARCH 21/69 14

| ELEV<br>DIFF | ELEV | GROUND<br>ELEV. |
|--------------|------|-----------------|
|--------------|------|-----------------|

K. K. FEHR

P ROBERT ETZEL

|       |         |  |
|-------|---------|--|
| +7.40 | 1028.11 |  |
|-------|---------|--|

|       |         |         |
|-------|---------|---------|
| +0.67 | 1036.24 | 1031.24 |
|-------|---------|---------|

|       |         |         |
|-------|---------|---------|
| +4.62 | 1040.19 | 1035.19 |
|-------|---------|---------|

TOP OF BANK (SMALL LAKE)

|       |                    |                    |
|-------|--------------------|--------------------|
| +7.60 | <del>1029.98</del> | <del>1024.98</del> |
|-------|--------------------|--------------------|

|        |         |         |
|--------|---------|---------|
| -12.81 | 1029.98 | 1024.98 |
|--------|---------|---------|

ON ICE

|        |         |         |
|--------|---------|---------|
| -12.74 | 1030.05 | 1025.05 |
|--------|---------|---------|

ON ICE

|       |         |         |
|-------|---------|---------|
| -0.73 | 1042.06 | 1037.06 |
|-------|---------|---------|

TOP OF BANK

|       |         |         |
|-------|---------|---------|
| +4.63 | 1047.42 | 1042.42 |
|-------|---------|---------|

+5.80

|        |         |         |
|--------|---------|---------|
| -20.35 | 1027.87 | 1022.87 |
|--------|---------|---------|

|        |         |         |
|--------|---------|---------|
| -13.71 | 1034.51 | 1029.51 |
|--------|---------|---------|

|       |         |         |
|-------|---------|---------|
| -5.05 | 1043.17 | 1038.17 |
|-------|---------|---------|

+6.00

|        |         |         |
|--------|---------|---------|
| -18.05 | 1026.12 | 1021.12 |
|--------|---------|---------|

ON FLOOD ICE

|        |         |         |
|--------|---------|---------|
| -17.85 | 1026.32 | 1021.32 |
|--------|---------|---------|

ON FLOOD ICE

|        |         |         |
|--------|---------|---------|
| -18.91 | 1025.26 | 1020.26 |
|--------|---------|---------|

20' SOUTH OF MAIN TRAIL.  
ON FLOOD ICE

|       |         |         |
|-------|---------|---------|
| -2.16 | 1042.01 | 1037.01 |
|-------|---------|---------|

+5.70

|       |         |         |
|-------|---------|---------|
| -2.95 | 1039.76 | 1034.76 |
|-------|---------|---------|

|       |         |         |
|-------|---------|---------|
| -0.52 | 1042.19 | 1037.19 |
|-------|---------|---------|

|       |         |         |
|-------|---------|---------|
| +7.75 | 1050.46 | 1045.46 |
|-------|---------|---------|

|        |         |         |
|--------|---------|---------|
| +19.69 | 1062.40 | 1057.40 |
|--------|---------|---------|

+5.70

|        |         |         |
|--------|---------|---------|
| +15.32 | 1078.42 | 1073.42 |
|--------|---------|---------|

|        |         |         |
|--------|---------|---------|
| +28.09 | 1091.19 | 1086.19 |
|--------|---------|---------|

CHK 12.

15

## ROCKY LAKE

351 GRID NORTH (CONT)

| STA | BS | H.I     | VERT 4 | SCOPE<br>DIST | F.S. |
|-----|----|---------|--------|---------------|------|
|     |    | 1063.10 |        |               |      |
| 36N |    |         | 85°00' | 6.02          | 7.15 |

MARCH 22/69 CONTINUED WITH NEW WILD RDS

|               | BS    | H.I                           | I.FS                        | FS     | ELEV    |
|---------------|-------|-------------------------------|-----------------------------|--------|---------|
| 36N           | 5.60  | 1108.80                       |                             |        | 1103.20 |
| 38N           |       |                               | +13.20                      |        | 1122.00 |
| 40N           |       |                               | +34.60                      |        | 1143.40 |
| 42N           | 5.30  | 1165.70                       | +56.60                      | +56.60 | 1165.40 |
| 44N           |       |                               | +21.00                      |        | 1186.70 |
| 46N           | +5.50 | 1206.20                       |                             | +40.00 | 1205.70 |
| 48N           |       |                               | +15.00                      |        | 1221.20 |
| 50N           | +5.50 | 1235.90<br><del>1221.70</del> | +29.20<br><del>+29.20</del> | +29.20 | 1235.40 |
| 52N           |       |                               | +15.10                      |        | 1251.00 |
| 54N           |       |                               | +32.80                      |        | 1268.70 |
| 56N           | 5.40  | 1289.90                       |                             | +53.60 | 1289.50 |
| 58N           |       |                               | +3.50                       |        | 1293.40 |
| 60N           |       |                               | +16.80                      |        | 1306.70 |
| 62N           | 5.80  | 1342.30                       |                             | +51.60 | 1341.50 |
| 64N           |       |                               | -1.40                       |        | 1340.90 |
| 66N           |       |                               | +4.50                       |        | 1346.80 |
| 68N           |       |                               | +23.70                      |        | 1366.00 |
| 69+50N<br>TOP |       |                               |                             | +43.00 | 1385.30 |

MARCH 21/69 15

DIFF  
IN ELEV. ELEV GROUND  
ELEV.

+45.10 1108.20 1103.20

GROUND  
ELEV

1117.00

1138.40

1160.40

1181.70

1200.70

1216.20

1230.40

1246.00

1263.70

1284.50

1288.40

1301.70

1336.50

1335.90

1341.80

1361.00

1380.30

FLAG  
M4-730

643  
550  
.93

2x.960 +19.20  
+19.20 -6.00 +13.20

+2x 10.3 +36.60  
36.60 -2.00 +34.60

+2 2.93 +58.60  
58.60 -2.00 +56.60

+2x 12.50 +25.00  
-4.00 +21.00

+2x 2.25 +45.00  
45.00 -5.00 40.00

+2x 0.95 18.00  
-4.00 +15.00

+2x 1.81 +36.20  
36.20 -7.00 +29.20

+2x .93 18.60  
18.60 -3.50 +15.10

+2 1.89 +37.80  
37.80 -5.00 +32.80

+2 2.88 +57.60  
57.60 -4.00 +53.60

+1 0.75 +7.50  
-4.00 +3.50

+1 1.98 +19.80  
-3.00 +16.80

+2x 2.58 51.60  
51.60 -3.50 +48.10

+1x .51 +5.10  
-6.50 -1.40

+1x .75 +7.50  
-5.00 +2.50

+1 29.7 +29.70  
-6.00 +23.70

+14.70 47.00  
-4.00 +43.00

#1 Posts M4 99 M4 100

200'E & 30'N 351-69+50N

# Rocky LAKE

16

TIE TO 340 GRID NORTH FROM 350 N

| STA           | B.S  | H.I                               | IFS | FS     | ELEV    |
|---------------|------|-----------------------------------|-----|--------|---------|
| 351-<br>69+50 | 5.30 | 1385.60                           |     |        | 1380.30 |
| ② 2+63        | 5.70 | 1362.50                           |     | -23.80 | 1361.80 |
| ② 4+32        | 5.40 | 1346.00                           |     | -16.90 | 1345.60 |
| ② 7+10        |      | TERMINATED DUE TO TIMBER. - 47.90 |     |        | 1298.10 |

340 GRID ~~SOUTH~~ NORTH

|        |        |                               |        |        |                               |
|--------|--------|-------------------------------|--------|--------|-------------------------------|
| 340 BL | 5.20   | 1039.65<br><del>1051.20</del> |        |        |                               |
| 2N     |        |                               | -7.72  |        | 1031.93<br><del>1046.18</del> |
| 4N     |        |                               | -2.54  |        | 1037.11<br><del>1051.66</del> |
| ② 4+80 | + 5.20 | 1051.00                       |        | +11.20 | 1050.80<br><del>1065.40</del> |
| 6N     |        |                               | -9.10  |        | 1041.90                       |
| 8N     |        |                               | -22.40 |        | 1028.60                       |
| 10N    |        |                               | -12.10 |        | 1038.90                       |
| 12N    |        |                               | -13.00 |        | 1038.00                       |
| ② 14N  | 5.70   | 1044.45                       |        | -7.25  | 1043.75                       |
| 16N    |        |                               | -6.81  |        | 1037.64                       |
| 18N    |        |                               | -24.00 |        | 1020.45                       |
| 20N    |        |                               | -25.00 |        | 1019.45                       |
| 22N    |        |                               | -19.00 |        | 1025.45                       |
| ② 24N  | 5.10   | 1029.35                       |        | -15.20 | 1029.25                       |
| 26N    |        |                               | -13.30 |        | 1016.05                       |
| 28N    |        |                               | -13.10 |        | 1016.25                       |
| 30N    |        |                               | -14.50 |        | 1014.85                       |
| ② 32N  | 5.40   | 1015.65                       |        | -14.10 | 1015.25                       |
| 34N    |        |                               | +7.80  |        | 1023.45                       |

## GRID LINE SURVEY

MARCH 22/69 16

SUNNY &amp; WARM

WILD R.D.S.

GROUND  
ELEV.

T. K. FEHR

Φ R. ETZEL

1356.80

-1 x 1.73 -17.30  
-6.50 -23.80

1340.60

-1 x 1.09 -10.90  
-6.00 -16.90

1293.10

-2 x 20.7 -41.40  
-6.50 -47.90

MARCH 23 1969

1034.45

~~1049.00~~

1026.93

~~1041.48~~

ON FLOOD ICE

1032.11

~~1046.66~~

1045.80

1060.40

+1 x 1.12 +11.20

1036.90

-1 x 1.1 -1.10  
-8.00 -9.10

1023.60

-1 x 1.64 -16.40  
-6.00 -22.40

1033.90

-1 1.21 12.10

1033.00

-1 .80 -8.00  
-5.00 -13.00

1038.75

-1 1.95 -19.50  
-4.50 -24.00

1032.64

1015.45

ON FLOOD ICE

1014.45

ON FLOOD ICE

-1 x 230 23.00  
-2.00 -25.00

1020.45

-1 x 190

1024.25

-1 1.12 11.20  
-4.00 -15.20

1011.05

ON FLOOD ICE

-10.73 -7.30  
-6.00 -13.30

MAINTENANCE 27+50

1011.25

ON FLOOD ICE

-1 x 91 -9.10  
-4.00 -13.10

1009.85

ON FLOOD ICE

-1 x 65 -6.50  
-8.00 -14.50

1010.25

-1 x 81 -8.10  
-6.00 -14.10

1018.45

+1 .78 +9.80  
-2.00 +7.80

17

## 340 GRID NORTH (CONT)

| STA.    | B.S   | H.I     | IFS    | FS     | ELEV.   |
|---------|-------|---------|--------|--------|---------|
|         |       | 1015.65 |        |        |         |
| 36N     |       |         | +5.20  |        | 1020.85 |
| 38N     |       |         | +21.10 |        | 1036.75 |
| ③ 40N   | 5.70  | 1055.45 |        | +39.10 | 1054.75 |
| 42N     |       |         | +26.00 |        | 1081.45 |
| ③ 44N   | 5.10  | 1105.55 | +      | +50.00 | 1105.45 |
| 46N     |       |         | +22.50 |        | 1128.05 |
| ③ 48N   | +5.50 | 1141.15 |        | +35.10 | 1140.65 |
| 50N     |       |         | +7.60  |        | 1148.75 |
| 52N     |       |         | +37.80 |        | 1178.55 |
| ③ 54N   | 5.50  | 1197.85 |        | +56.20 | 1197.35 |
| ③ 55+33 | 7.10  | 1204.45 |        | +4.50  | 1202.35 |
| 56N     |       |         | -0.19  | -      | 1204.26 |
| 58N     |       |         | +5.20  |        | 1209.65 |
| 60N     |       |         | +9.40  |        | 1213.85 |

LINE TERMINATED DUE TO TIMBER

CHECK 340 GRID TO 350 GRID N.

|       |      |         |  |        |         |
|-------|------|---------|--|--------|---------|
| 340 - |      |         |  |        |         |
| 55+33 | 7.10 | 1204.45 |  |        |         |
| 350 - |      |         |  |        |         |
| 56N   |      |         |  | +82.40 | 1286.85 |

MARCH 24/69 17

GROUND  
ELEV

1015.85

+1 X 137 +13.70  
-750 + 5.20

1031.75

+1 2.41 +24.10  
-300 + 21.10

1049.75

+1 3.91  
39.10

1076.45

+2 1.50 +30.00  
-400 + 26.00

1100.45

+2 2.80 +56.00  
-6.00 + 50.00

1123.05

+2 1.20 + 24.00  
-1.50 + 22.50

1135.65

+2 2.10 +42.00  
-6.90 + 35.10

1143.75

+1 1.26 +12.60  
-5.00 + 7.60

1173.95

+2 2.14 +42.80  
-500 + 37.90

1192.35

+2 2.91 +58.20  
582 -200 + 56.20

1197.35

+ 105 +10.50  
-6.00 + 4.50

1199.26

+1 10.1 +10.10  
-4.90 + 5.20

1204.65

+1 16.4 +16.40  
-700 + 9.40

1208.85

1197.35

+2 4.32 86.40  
-4.00 + 82.40

1281.85

1284.50

18

# ROCKY LAKE 340 GRID SOUTH

| STA    | B.S  | I.H                           | I.F.S  | F.S     | ELEV                          |
|--------|------|-------------------------------|--------|---------|-------------------------------|
| 340 BL | 5.20 | 1039.65<br><del>1054.20</del> |        |         |                               |
| 25     |      |                               | +26.90 |         | 1066.55<br><del>1081.10</del> |
| 45     |      |                               | +61.50 |         | 1101.15<br><del>1115.10</del> |
| ⑤ 5+60 | 5.20 | 1141.85<br><del>1156.40</del> |        | +102.00 | 1141.65<br><del>1156.20</del> |
| 6N     |      |                               | -2.36  |         | 1139.49<br><del>1154.04</del> |
| 8N     |      |                               | +24.20 |         | 1166.05<br><del>1180.20</del> |
| 10N    |      |                               | +60.40 |         | 1202.25<br><del>1216.80</del> |

## TIE TO 351 SOUTH

|        |      |                               |  |        |                               |
|--------|------|-------------------------------|--|--------|-------------------------------|
| 340    |      | 1141.85                       |  |        |                               |
| 5+60   | 5.20 | <del>1156.40</del>            |  |        |                               |
| ⑤      | 5.50 | 1124.95<br><del>1139.50</del> |  | -17.40 | 1124.45<br><del>1139.00</del> |
| 351-85 |      |                               |  | -11.40 | 1126.35<br><del>1140.90</del> |

## BASE LINE CHECK.

|        |      |         |  |        |         |
|--------|------|---------|--|--------|---------|
| 351 BL | 6.90 | 1035.07 |  |        |         |
| ⑤      | 5.60 | 1047.17 |  | +11.50 | 1046.57 |
| 340 BL |      |         |  | -7.40  | 1039.17 |

SUNNY & WINDY

MARCH 23/69 18

WILD R.D.S

GROUND ELEV

1034.45

~~1049.00~~

1061.55

~~1076.10~~

1096.15

~~1110.70~~

1136.65

~~1151.20~~

1134.49

~~1149.04~~

1161.05

~~1175.60~~

1197.25

~~1211.80~~

TREE LINE

*AK*

K K FENE

Ø R. ETZEL

+ 2 x 1.52 + 30.40  
30.40 - 3.50 + 26.90

+ 1/2 x 1.350 + 67.50  
67.50 - 6.00 + 61.50

+ 1/2 x 2.04  
3 102.0

+ 2 1.31 + 26.20  
- 2.00 24.20

+ 2 3.22 64.40  
- 4.00 + 60.40

- 1 x 1.07 - 10.40  
- 7.00 - 17.40

+ 1 .34 + 3.40  
- 2.00 + 1.40

+ 1 1.35 + 13.50  
- 2.00 + 11.50

- 1 0.74  
- 7.40

1028.17

1041.57

1034.77

1136.65

~~1151.20~~

1119.45

~~1134.00~~

1121.35

~~1135.70~~

19

Rocky LAKE  
310 GRID South

| STA     | B.S.            | H.I.               | I.F.S.  | F.S.     | ELEV.              |
|---------|-----------------|--------------------|---------|----------|--------------------|
| 310 BL. | 6.20            | 1088.59            |         |          |                    |
| 25      |                 |                    | + 3.70  |          | 1092.29            |
| 45      |                 |                    | + 8.00  |          | 1096.59            |
| 65      |                 |                    | + 20.00 |          | 1108.59            |
| 85      | 5.20            | 1112.55            |         | + 23.70. | 1112.29            |
| 105     |                 |                    | + 5.20  |          | 1117.75            |
| 125     |                 |                    | + 10.70 |          | 1123.25            |
| 145     | <del>4.90</del> | <del>1136.25</del> | + 23.80 |          | 1136.35            |
| 165     | 4.90            | 1164.01            |         | + 51.50  | 1164.05            |
| 185     |                 | <del>1136.25</del> |         | + 47.00  | 1211.01            |
|         |                 |                    |         |          | <del>1183.25</del> |

TOE OF STEEP SLOPE 200' SOUTH

SLOPE COVERED WITH BOULDERS

WILD R.O.S.  
SUNNY & WINDY

-500'

MARCH 25 1969 19

GROUND ELEI.

K = 4.94

T. K. FEHR

Ø R. SCHULTZ

|         |                                                   |  |      |                             |        |
|---------|---------------------------------------------------|--|------|-----------------------------|--------|
| 1082.39 |                                                   |  |      |                             |        |
| 1087.29 |                                                   |  | +1   | 0.97 + 4.70<br>-1.00        | +3.70  |
| 1091.59 |                                                   |  | +1   | 1.00 + 10.00<br>-2.00       | +8.00  |
| 1103.59 | POSTS 50'S & 30'S<br>OF 310-65<br>UNMARKED POSTS. |  | +1   | 2.20 22.00<br>-2.00         | +20.00 |
| 1107.35 |                                                   |  | +1   | 2.97 29.70<br>-6.00         | +23.70 |
| 1112.75 |                                                   |  | +1   | 0.72 + 7.20<br>-2.00        | +5.20  |
| 1118.25 |                                                   |  | +1   | 1.07                        | +10.70 |
| 1131.35 |                                                   |  | +1   | 2.38                        | +23.80 |
| 1159.11 |                                                   |  | +1   | 5.15                        | +51.50 |
| 1206.07 |                                                   |  | +1/2 | 1.06 + 53.00<br>53.0 - 6.00 | +47.00 |

20

 ROCKY LAKE  
 310 GRID NORTH

| STA.   | B.S.  | H.I     | I.FS.             | F.S    | ELEV    |
|--------|-------|---------|-------------------|--------|---------|
| 310 BL | 5.90  | 1088.29 |                   |        |         |
| 2N     |       |         | -13.80            |        | 1074.49 |
| 4N     |       |         | -7.55             |        | 1080.74 |
| 6N     |       |         | +1.10             |        | 1089.39 |
| 8N     | +5.50 | 1085.49 | - <del>3.36</del> | -3.36  | 1084.93 |
| 10N    |       |         | -29.00            |        | 1056.49 |
| 12N    |       |         | -42.00            |        | 1043.49 |
| 14N    |       |         | -40.90            |        | 1044.59 |
| 16N    | 5.70  | 1046.35 |                   | -39.90 | 1045.59 |
| 18N    |       |         | +1.30             |        | 1047.65 |
| 20N    |       |         | +2.70             |        | 1049.05 |
| 22N    |       |         | +3.50             |        | 1049.85 |
| 24N    |       |         | +15.00            |        | 1061.35 |
| 24182  | 5.40  | 1067.71 |                   | +20.90 | 1067.23 |
| 26N    |       |         | -10.10            |        | 1057.61 |
| 28N    |       |         | -15.50            |        | 1052.21 |
| 30N    |       |         | -18.60            |        | 1049.11 |
| 32N    |       |         | -20.30            |        | 1047.41 |
| 34N    | 5.70  | 1048.37 |                   | -20.10 | 1047.61 |
| 36N    |       |         | +0.90             |        | 1049.27 |
| 38N    |       |         | +1.70             |        | 1050.07 |
| 40N    |       |         | +5.50             |        | 1053.87 |
| 42N    |       |         | +7.70             |        | 1056.07 |
| 44N    | 5.30  | 1061.73 |                   | +13.00 | 1061.37 |

FAR

WILD ROS

Sunny &amp; Windy

GROUND  
ELEV. $K = 4.94$ 

MARCH 25 1969 20

A K FEHR

P R. SHUTLZE

1082.39

1067.49

1075.74

1084.39

1079.99

1051.49

1038.49

CREEK

1039.59

1040.65

1042.65

CREEK 30' WEST

1044.05

1044.85

1056.35

1062.31

1052.61

1047.21

1044.11

1042.41

1042.67

1044.27

1045.07

1048.87

1051.07

1056.43

-1 1.78 -7.80  
-6.00 -13.80+1 0.71 +7.10  
-6.00 +1.10-2 1.10 -22.00  
-7.00 -29.00-2 1.85 -37.00  
3.70 -5.00 -42.00-1 3.89 -38.90  
-1.00 -40.90-1 3.99  
-39.90+1 0.26 +2.60  
-1.30 +1.30+1 0.47 +4.70  
-2.00 +2.70+1 0.75 +7.50  
-4.00 +3.50+1 2.00 +20.00  
-5.00 +15.00+1 2.09  
+20.90-1 0.71 -7.10  
-5.00 -10.10-1 1.55  
-15.50-1 1.86  
-18.60-1 1.83 -18.30  
-2.00 -20.30-1 2.01  
-20.10+1 0.19 +1.90  
-1.00 +0.90+1 0.47 +4.70  
-3.00 +1.70+1 0.75 +7.50  
-2.00 +5.50+1 0.97 +9.70  
-2.00 +7.70

+1 1.30 +13.00

21

 ROCKY LAKE  
 310 GRID NORTH (CONT)

| STA                       | B.S  | H.I     | IFS    | FS     | ELEV                        |
|---------------------------|------|---------|--------|--------|-----------------------------|
|                           |      | 1061.73 |        |        |                             |
| 46N                       |      |         | -8.20  |        | 1053.53                     |
| 48N                       |      |         | -2.32  |        | 1059.41                     |
| 50N                       |      |         | +3.60  |        | 1065.33                     |
| ⑤ 52N                     | 5.50 | 1064.41 |        | +2.10  | 1063<br><del>1059</del> .83 |
| 54N                       |      |         | -5.10  |        | 1059.31                     |
| 56N                       |      |         | -4.80  |        | 1059.61                     |
| ⑤ 56+80<br><del>58N</del> | 5.35 | 1063.20 |        | -1.64  | 1062.78                     |
| 58N                       |      |         | -21.20 |        | 1042.00                     |
| ⑤ 58+90                   | 8.30 | 1052.98 |        | -13.60 | 1049.60                     |
| 60N                       |      |         | -19.00 |        | 1033.98                     |
| 62N                       |      |         | -58.50 |        | 994.48                      |
| 64N                       |      |         | -34.00 |        | 1018.98                     |
| 66N                       |      |         | -22.60 |        | 1030.38                     |
| ⑤ 67+30                   | 5.45 | 1025.21 |        | -28.30 | 1024.68                     |
| 68N                       |      |         | -6.18  |        | 1019.03                     |
| ⑤ 69+25                   | 5.65 | 1015.74 |        | -10.20 | 1015.01                     |
| 70N                       |      |         | -13.80 |        | 1001.94                     |
| 72N                       |      |         | -53.50 |        | 962.24                      |
| 74N                       |      |         | -88.50 |        | 927.24                      |
| 76N                       |      |         | -68.00 |        | 947.74                      |
| ⑤ 78N                     | 5.25 | 1005.27 |        | -10.80 | 1004.94                     |
| 80N                       |      |         | -8.85  |        | 996.42                      |
| 82N                       |      |         | +4.70  |        | 1000.57                     |

WINDY &amp; SNOWING

MARCH 26 1969 21

GROUND  
ELEV $K = 4.92$ T K FEHL  
& R. ETZEL

1048.61

-1 x 0.72 -7.20  
-1.00 -8.20

1054.49

1060.41

+1 x 0.66 +6.60  
-3.00 +3.60

1058.91

+1 x 0.91 +9.10  
-7.00 +2.10

1054.39

-1 x 0.51 -5.10

1054.69

-1 x 0.48 -4.80

1057.85

BOULDERS

1037.08

-2 0.71 -14.20  
14.20 -7.00 -21.20

1044.68

-1 0.76 -7.60  
-6.00 -13.60

1029.06

-2 0.60 -12.00  
-12.00 -7.00 -19.00

989.56

RAVINE

-1/2 1.05 -52.50  
52.5 -6.00 -58.50

1014.06

-1 3.30 -33.00  
-1.00 -34.00

1025.46

-1 1.76 -17.60  
-5.00 -22.60

1019.76

-1 2.23 -22.30  
-6.00 -28.30

1014.11

-1 0.22 -2.20  
-8.00 -10.20

1010.09

-1 0.56 -5.60  
-8.00 -13.60

997.02

957.32

-1/2 0.93 -46.50  
46.5 -7.00 -53.50

922.32

CREEK SO'N

-1/2 1.75 -87.50  
87.5 -1.00 -88.50

942.82

TRAIL SO'S

-2 6.00 -66.00  
6.00 -2.00 -68.00

1000.02

-1 1.08 -10.80

991.50

+1 0.47 +4.70

995.65

22

# Rocky Lake 310 GRID NORTH Cont.

| STA                    | B.S             | H.I                | I.FS             | FS     | ELEV    |
|------------------------|-----------------|--------------------|------------------|--------|---------|
|                        |                 | 1005.27            |                  |        |         |
| 84N                    |                 |                    | +15.00           |        | 1020.27 |
| 86N                    |                 |                    | +24.50           |        | 1029.77 |
| <del>TIE TO 320N</del> |                 |                    |                  |        |         |
| <del>310-</del><br>78N | <del>S.25</del> | <del>1005.27</del> |                  |        |         |
| 88N                    |                 |                    | <del>44.80</del> | +44.80 | 1050.07 |

TERMINATED DUE TO TREES.

TIE TO GRID 320 NORTH

|              |      |         |  |       |        |
|--------------|------|---------|--|-------|--------|
| 310 -<br>78N | S.25 | 1005.27 |  |       |        |
| 320 -<br>68N |      |         |  | -7.40 | 997.87 |

MARCH 26/69 22

GROUND  
ELEV.

$K = 4.92$

1015.35

+1 1.70 + 17.00  
-2.00 + 15.00

1024.85

+1 2.95 + 29.50  
-5.00 + 24.50

~~1000.02~~

1045.15

+1 4.88 + 48.80  
-4.00 + 44.80

1000.02

992.87

23

# Rocky LAKE 305 GRID NORTH

| STA      | B-S  | H-I                           | I-FS   | FS     | ELEV    |
|----------|------|-------------------------------|--------|--------|---------|
| 304 BL   | 5.60 | 1067.99                       |        |        |         |
| ① 305 BL | 5.65 | 1069.02<br><del>1073.94</del> |        | +0.30  | 1068.29 |
| 2N       |      |                               | -5.70  |        | 1063.32 |
| 4N       |      |                               | -8.40  |        | 1060.62 |
| ① 6N     | 5.40 | 1072.10                       |        | +2.60  | 1071.62 |
| 8N       |      |                               | -9.00  |        | 1063.18 |
| 10N      |      |                               | -8.55  |        | 1063.55 |
| 12N      |      |                               | -6.97  |        | 1065.13 |
| ① 14N    | 5.70 | 1089.88                       |        | +17.00 | 1089.10 |
| 16N      |      |                               | +3.40  |        | 1093.28 |
| 18N      |      |                               | +13.00 |        | 1102.88 |
| 20N      |      |                               | +23.40 |        | 1113.28 |
| ① 21+75  | 8.00 | 1120.26                       |        | +27.30 | 1117.18 |
| 22N      |      |                               | -4.23  |        | 1116.03 |
| 24N      |      |                               | -10.70 |        | 1109.56 |
| 26N      |      |                               | -8.47  |        | 1111.79 |
| ① 27+47  | 5.60 | 1137.54                       |        | +16.60 | 1136.86 |
| 28N      |      |                               | -3.88  |        | 1133.66 |
| 30N      |      |                               | -11.90 |        | 1125.64 |
| 32N      |      |                               | -27.70 |        | 1109.84 |
| 34N      |      |                               | -37.00 |        | 1100.54 |
| ① 36N    | 5.50 | 1101.72                       |        | -36.40 | 1101.14 |
| 38N      |      |                               | -15.00 |        | 1086.72 |
| 40N      |      |                               | -20.10 |        | 1081.62 |

WILD RDS.

SNOW &amp; NOT BAD.

GROUND

ELEV.

 $K = 4.92$ 

MARCH 26/69 23

T. K. FEHL

F. R. ETZEL

1062.39

|         |       |       |
|---------|-------|-------|
| +1 0.13 | +1.30 |       |
|         | -1.00 | +0.30 |

1063.37

|         |       |       |
|---------|-------|-------|
| -1 0.22 | -2.20 |       |
|         | -3.50 | -5.70 |

1058.40

|         |       |       |
|---------|-------|-------|
| -1 0.44 | -4.40 |       |
|         | -4.00 | -8.40 |

1055.70

|                                                                                                                                                                     |         |       |       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------|-------|
| <div style="border: 1px solid black; padding: 2px; display: inline-block;">             POST #1 30' N, AND<br/>             20' N, 45' W 46' 50' W           </div> | +1 0.66 | +6.60 |       |
|                                                                                                                                                                     |         | -4.00 | +2.60 |

1066.70

1058.18

1058.63

1060.21

1084.18

|         |        |        |
|---------|--------|--------|
| +1 1.90 | +19.00 |        |
|         | -2.00  | +17.00 |

1088.36

|        |       |       |
|--------|-------|-------|
| +1 .54 | +5.40 |       |
|        | -2.00 | +3.40 |

1097.96

|         |        |        |
|---------|--------|--------|
| +1 1.60 | +16.00 |        |
|         | -3.00  | +13.00 |

1108.36

|         |  |        |
|---------|--|--------|
| +1 2.34 |  | +23.40 |
|---------|--|--------|

1112.26

|         |        |        |
|---------|--------|--------|
| +1 3.03 | +30.30 |        |
|         | -3.00  | +27.30 |

1111.11

|         |       |        |
|---------|-------|--------|
| -1 0.27 | -2.70 |        |
|         | -8.00 | -10.70 |

1104.64

1106.87

1131.94

|         |        |        |
|---------|--------|--------|
| +1 2.16 | +21.60 |        |
|         | -5.00  | +16.60 |

1128.74

|         |       |        |
|---------|-------|--------|
| -1 0.59 | -5.90 |        |
|         | -6.00 | -11.90 |

1120.72

|         |        |        |
|---------|--------|--------|
| -1 2.37 | -23.70 |        |
|         | -4.00  | -27.70 |

1104.92

|         |        |        |
|---------|--------|--------|
| -1 3.20 | -32.00 |        |
|         | -5.00  | -37.00 |

1095.62

|         |        |        |
|---------|--------|--------|
| -1 3.24 | -32.40 |        |
|         | -4.00  | -36.40 |

1096.22

|         |       |        |
|---------|-------|--------|
| -1 0.80 | -8.00 |        |
|         | -7.00 | -15.00 |

1081.80

|         |        |        |
|---------|--------|--------|
| -1 1.51 | -15.10 |        |
|         | -5.00  | -20.10 |

1076.70

24

## ROCKY LAKE

305 GRID NORTH (CONT)

| STA   | B.S  | H.I                 | I.F.S. | F.S    | ELEV.   |
|-------|------|---------------------|--------|--------|---------|
|       |      | 1101.72             |        |        |         |
| 42N   |      |                     | -23.20 |        | 1078.52 |
| 44N   |      |                     | -18.00 |        | 1083.72 |
| 46N   |      |                     | -2.20  |        | 1099.52 |
| 48N   |      |                     | +4.60  |        | 1106.32 |
| 49+13 | 5.05 | 1114. <sup>35</sup> |        | +12.50 | 1114.22 |
| 50N   |      |                     | -13.00 |        | 1101.35 |
| 52N   |      |                     | -47.60 | -'     | 1066.75 |
| 54N   |      |                     |        | -52.20 | 1062.15 |

ELEV. TRANSFERED TO 300 GRID

LIGHT SHOW.

MARCH 27/69 24

GROUND  
ELEV.

K=4.92

1073.60

-1 12.32

-23.20

1078.80

-1 1.80

- 18.00

1094.60

+1 1.16 +11.60

-7.00 +4.60

1101.40

+1 1.45 +14.50

-2.00 +12.50

1109.30

FLAG MA-514

1096.43

70'SOUTH

-1 .55 -5.50

-7.50 -13.00

1061.83

-2 2.13 -42.60

42.6 -3.00 -47.60

1057.23

-2 2.61

-52.20

25

# Rocky Lake 300 GRID NORTH

| STA            | BS   | HI      | I.FS    | FS      | ELEV    |
|----------------|------|---------|---------|---------|---------|
| 305-           |      |         |         |         |         |
| 54N            | 5.35 | 1062.58 |         |         |         |
| ③ 300-         |      |         |         |         |         |
| 54N            | 5.50 | 1125.56 |         | +62.40  | 1124.98 |
| 56N            |      |         | -28.80  |         | 1096.76 |
| 58N            |      |         | -38.00  |         | 1067.56 |
| 60N            |      |         | -54.80  |         | 1070.76 |
| 62N            |      |         | -54.00  |         | 1071.56 |
| ⑥ 63+20        | 5.40 | 1076.04 |         | -50.00  | 1075.56 |
| 64+20N         |      |         | -29.50  |         | 1046.54 |
| 66+50N         |      |         | -68.50  |         | 1007.54 |
| <del>66N</del> |      |         |         |         |         |
| 68N            |      |         | -92.00  |         | 984.04  |
| 70N            |      |         | -106.50 |         | 969.54  |
| 72N            |      |         | -118.40 |         | 957.64  |
| ⑦ 73+40        | 5.65 | 954.17  |         | -122.60 | 953.44  |
| 74N            |      |         | -7.32   |         | 946.85  |
| 76N            |      |         | -30.00  |         | 924.17  |
| ⑧ 77+17        |      |         |         |         |         |
| <del>78N</del> | 5.45 | 926.00  |         | -28.70  | 925.47  |
| 78N            |      |         | -19.70  |         | 906.30  |
| 80N            |      |         | -19.00  |         | 907.00  |
| ⑨ 82N          | 5.75 | 916.33  |         | -10.50  | 915.50  |
| 84N            |      |         | +8.00   |         | 924.33  |
| 86N            |      |         | +19.50  |         | 935.83  |
| ⑩ 87+00        | 5.35 | 947.06  |         | +30.30  | 946.63  |
| 88N            |      |         | -10.80  |         | 936.26  |
| 90N            |      |         | -23.10  |         | 923.96  |

WILD RDS

SUNNY &amp; NICE

GROUND

ELEV.

K=492

MARCH 27/69

25

K. FENK

P. RETZEL

1057.23

1120.06

1091.84

1062.64

1065.84

1066.64

1070.64

1041.62

1002.62

979.12

964.62

952.72

948.52

941.93

919.25

920.55

901.38

902.08

910.58

919.41

930.91

941.71

931.34

919.04

+2 3.32 +66.40  
-4.00 +62.40-2 1.19 -23.80  
-5.00 -28.80-2 2.60 -52.00  
-6.00 -58.00-2 2.54 -50.80  
-4.00 -54.80-1 5.00 -50.00  
-4.00 -54.00-1 4.80 -48.00  
-2.00 -50.00-1/2 0.35 -17.50  
17.50 -12.00 -29.50-1/2 1.25 -62.50  
-6.50 -68.50 335-1/2 1.74 -87.00  
87.00 -5.00 -92.00-2 5.18 -103.00  
103.00 -3.50 -106.50-2 5.92  
118.4-2 6.13  
122.6-2 1.20 -24.00  
24.00 -6.00 -30.00-1 2.37 -23.70  
-5.00 -28.70-2 0.60 -12.00  
-7.70 -29.70-1 1.40 -14.00  
-5.00 -19.00-1 0.55 -5.50  
-5.00 -10.50+1 0.80  
+8.00+1 2.15 +21.50  
-2.00 +19.50+1 3.13 31.30  
-1.00 +30.30-1 0.23 -2.30  
-8.50 -10.80-1 1.61 -16.10  
-7.00 -23.10CREEK  
30'ECREEK  
50'S

# ROCKY LAKE

26

## 300 GRID NORTH (CONT)

| STA  | B.S | H.I    | I.FS    | FS | ELEV    |
|------|-----|--------|---------|----|---------|
|      |     | 947.06 |         |    |         |
| 92N  |     |        | - 5.92  |    | 941.14  |
| 94N  |     |        | + 13.60 |    | 960.66  |
| 96N  |     |        | + 40.00 |    | 987.06  |
| 98N  |     |        | + 64.00 |    | 1011.06 |
| 100N |     |        | + 88.20 |    | 1035.26 |

LINE ENDS IN SCATTERED TIMBER.

TIE 300 NORTH TO 310 NORTH

|      |      |        |         |  |        |
|------|------|--------|---------|--|--------|
| 300- |      |        |         |  |        |
| 82N  | 5.75 | 916.33 |         |  |        |
| 310- |      |        |         |  |        |
| 72N  |      |        | + 47.00 |  | 963.33 |

MARCH 27/69 26

GROUND  
ELEV.

$K = 4.92$

936.22

+1 1.66 +16.60  
-3.00 +13.60

955.74

+1 4.40 44.00  
-4.00 +40.00

982.14

+1 6.60 +66.00  
-2.00 +64.00

1006.14

+1 8.82 +88.20

1030.34

910.58

+1 5.00 +50.00  
-3.00 +47.00

958.41

(957.32)

27

ROCKY LAKE  
300 GRID SOUTH

| STA    | BS   | H.I     | I.F.S   | #.F.S | ELEV.   |
|--------|------|---------|---------|-------|---------|
| 500 BL | 6.95 | 1450.35 |         |       |         |
| 25     |      |         | + 13.30 |       | 1463.65 |
| 45     |      |         | + 37.60 |       | 1487.95 |
| 65     |      |         | +65.40  |       | 1515.75 |
| 85     |      |         | +99.00  |       | 1549.35 |
| 105    |      |         | +126.20 |       | 1576.55 |
| 125    |      |         | +152.00 |       | 1602.35 |

STEEP SLOPE.

WILD ROS.  
LIGHT SNOW + WINDY

MARCH 29/69 27

GROUND  
ELEV.

$K = 5.00$

I. K. FEHR

Ø. R. ETZEL

1493.40

1458.65

1482.95

1510.75

1544.35

1571.55

1597.35

(DIST. ELEV. ?)

+1 1.33

+2 1.88

+2 3.52

+2 4.95

+2 6.41

+2 7.90

+13.30

+37.60

+18.90

+70.40

-5.00 +65.40

+99.00

+128.20

-2.00 +126.20

+158.00

-6.00 +152.00

Rocky LAKE  
500 GRID NORTH

| 28<br>STA<br><del>500 BL</del> | B.S  | H.I                           | IFS     | FS       | ELEV    |
|--------------------------------|------|-------------------------------|---------|----------|---------|
| 500 BL                         | 6.95 | 1450.35                       |         |          |         |
| 2N                             |      |                               | - 3.79  |          | 1446.56 |
| 4N                             |      |                               | + 9.10  |          | 1459.45 |
| 6N                             |      |                               | + 28.50 |          | 1478.85 |
| 8N                             |      |                               | + 49.20 |          | 1499.55 |
| ③ 8+50                         | 6.00 | 1507.60<br><del>1512.55</del> |         | + 56.20  | 1506.55 |
| 10N                            |      |                               | + 5.10  |          | 1512.70 |
| 12N                            |      |                               | + 24.50 |          | 1532.10 |
| 14N                            |      |                               | + 51.60 |          | 1559.20 |
| 16N                            |      |                               | + 69.80 |          | 1577.40 |
| 18N                            |      |                               |         | + 104.00 | 1611.60 |

STEEP SLOPE

WILD R.DS.  
LIGHT SNOW - WINDY

MARCH 29/69 28

GROUND  
ELEV

$$K = 4.95$$

T. K. FENR

Φ R. ETZEL

1443.40

1441.56

1454.45

1473.85

1494.55

1501.60

1507.70

1527.10

1554.20

1572.40

1606.65

|    |       |        |         |
|----|-------|--------|---------|
| +1 | 1.01  | +10.10 |         |
|    |       | -1.00  | +9.10   |
| +1 | 3.03  | +30.50 |         |
|    |       | -2.00  | +28.50  |
| +1 | 5.02  | +50.20 |         |
|    |       | -1.00  | +49.20  |
| +1 | 5.62  |        | +56.20  |
| +1 | 0.51  |        | +5.10   |
| +1 | 2.75  | +27.50 |         |
|    |       | -3.00  | +24.50  |
| +2 | 2.58  |        | +51.60  |
|    | 51.6  |        |         |
| +2 | 3.49  |        | +69.80  |
|    | 69.8  |        |         |
| +2 | 5.20  |        | +104.00 |
|    | 104.0 |        |         |

29

# ROCKY LAKE 510 GRID NORTH

| STA      | BS   | H.I     | I.FS    | F.S    | ELEV                          |
|----------|------|---------|---------|--------|-------------------------------|
| 500 BL   | 6.95 | 1450.35 |         |        |                               |
| Q 504 BL | 6.90 | 1468.70 |         | +16.40 | 1466.75                       |
| Q 510 BL | 5.70 | 1489.05 |         | +19.60 | 1488.30                       |
| 2 N      |      |         | +0.20   |        | 1489.25<br><del>1489.35</del> |
| 4 N      |      |         | +9.50   |        | 1498.55                       |
| 6 N      |      |         | +27.00  |        | 1516.05                       |
| 8 N      |      |         | +50.60  |        | 1539.65                       |
| Q 10 N   | 5.20 | 1558.50 |         | +69.20 | 1558.25                       |
| 12 N     |      |         | +17.80  |        | 1576.30                       |
| 14 N     |      |         | +38.00  |        | 1596.50                       |
| 16 N     |      |         | +57.40  |        | 1615.90                       |
| Q 18 N   | 5.65 | 1638.40 |         | +79.20 | 1637.70                       |
| 20 N     |      |         | +42.50  |        | 1680.90                       |
| 22 N     |      |         | +87.00  |        | 1725.40                       |
| 24 N     |      |         | +133.00 |        | 1771.40                       |

7/16/20  
STEEP SLOPE

## TIE 510 N TO 500 N

|              |      |         |  |        |         |
|--------------|------|---------|--|--------|---------|
| 510-<br>18 N | 5.65 | 1638.40 |  |        |         |
| Q            | 5.68 | 1633.25 |  | -5.88  | 1632.52 |
| 500-<br>18 N |      |         |  | -20.70 | 1612.55 |

WILD ROS  
CLOUDY & WINDY  
GROUND  
ELEV.

$$K = 4.95$$

MARCH 29/65 29

π K. FEHR

Φ R. ETZEL

1443.40

$$+1 \quad 2.04 \quad +20.40 \\ -4.00 \quad +16.40$$

1461.80

$$+1 \quad 2.36 \quad +23.60 \\ -4.00 \quad +19.60$$

1483.35

$$+1 \quad 0.22 \quad +2.20 \\ -2.00 \quad +0.20$$

1484.30

$$+1 \quad 0.95 \quad +9.50$$

1493.60

$$+1 \quad 3.10 \quad +31.00 \\ -4.00 \quad +27.00$$

1511.10

$$+1 \quad 3.06 \quad +30.60$$

1534.70

$$+1 \quad 6.92 \quad +69.20$$

1553.30

$$+2 \quad 0.94 \quad +18.80 \\ +15.8 \quad -1.00 \quad +17.80$$

1571.35

$$+2 \quad 1.90 \quad +38.00$$

1591.55

$$+2 \quad 2.87 \quad +57.40$$

1610.95

$$+2 \quad 4.16 \quad +83.20 \\ +32 \quad -4.00 \quad +79.20$$

1632.75

$$+1/2 \quad 0.87 \quad +43.50 \\ +3.5 \quad -1.00 \quad +42.50$$

1675.95

$$+1/2 \quad 1.74 \quad +87.00$$

1720.45

$$+1/2 \quad 2.70 \quad +135.00 \\ +35.0 \quad -2.00 \quad +133.00$$

1766.45

$$-1 \quad 1.67 \quad -16.70 \\ -4.00 \quad -20.70$$

1632.75

1627.57

1607.60

(1606.65)