

TIME ST 10:00AM

018612

JUNE 20 / 67

RECON OF NORTH-EAST

PAY - RISBY'S ORIGINAL CLAIMS-

RECON

PROPERTY: PAY

GRID: PAY NORTH

DATE: JUNE 20/57

WEATHER: CLOUDY

CHIEF: GALESKI

INST. NO. 16M

HELPER: SIMPSON

42 + 38

LINE IN

HIGH FREQ

STN	CHIEF	HELPER	RESULT	NULL
10.5	-11	+5	-6	20
11.5	+15	-19	-4	20
12.5	+44	-45	-1	10
13.5	+41	-43	-2	10
14.5	+43	-45	-2	14
15.5	+28	-29	-1	11
16.5	+2	-7	-5	20
17.5	+9	-11	-3	20
18.5	+8	-9	-1	10
19.5	+2	-2	0	4

LINE 3W

HIGH FREQNO LOW

STN	CHIEF	HELPER	RESULT	MULL	NOTE
11.5	+13	-17	-4	10	
10.5	+12	-20	-8	11	
9.5	-24	+5	-19	11	
8.5	-14	+1	-13	"	
7.5	-14	-10	-24	"	
6.5	-37	+16	-21	"	
5.5	-27	-9	-36	"	
4.5	-11	-3	-14	"	
3.5	+7	-30	-23	6°	VERY NOISY
2.5	-8	-15	-23	30	
1.5	-16	-6	-22	10	
0.5	-15	+3	-22	8°	

LINE #	CHIEF	HELPER	RESULT	AVG LOW	
1.5	-36	+8	-28	10	
2.5	-35	-6	-41	11	
3.5	-25	-14	-39	"	
4.5	-16	-16	-32	"	
5.5	-13	-14	-27	"	
6.5	-20	-7	-27	"	
7.5	-5	-8	-13	30	
8.5	-11	-5	-9	40	
9.5	-10	-6	-16	"	CLAIM POST
10.5	-31	+29	-2	"	300' EAST of STN 9

JUNE 21 / 67

RECON

PROPERTY: PHV ~~PHV~~: PAY NORTH

DATE: JUNE 21/67 WEATHER: SUNNY

CHIEF: GALEST INST. NO. JEM

HELPER: SIMPSON 42838

LINE ST. 2W TIME START 10:00 AM

LINE FINISH TIME FINISH

LINE 2W HIGH KREG NO LOW

STN	CHIEF	HELPER	RESULT	WIND	NOTE
-----	-------	--------	--------	------	------

8.5	-25	-10	-35	5°	
-----	-----	-----	-----	----	--

7.5	-25	+13	-12	2°	
-----	-----	-----	-----	----	--

6.5	-25	+6	-19	3°	
-----	-----	----	-----	----	--

5.5	-25	-5	-30	10	
-----	-----	----	-----	----	--

4.5	-26	-10	-36	"	
-----	-----	-----	-----	---	--

3.5	-14	+1	-13	"	
-----	-----	----	-----	---	--

2.5	-18	+4	-14	"	
-----	-----	----	-----	---	--

1.5	-24	-8	-32	"	
-----	-----	----	-----	---	--

0.5	-10	-13	-23	"	
-----	-----	-----	-----	---	--

LINE 2W HIGH FREQ.

STW	CHIEF	HELPER	RESULT	NULL	NOTES
11.5	-41	+37	-4	1°	
10.5	-10	0	-10	2°	MORE
9.5	-18	+2	-16	2°	THAW 200'
8.5	-6	-10	-16	2°	-NO FLAG ESTIMATE 11
7.5	-10	-15	-25	"	
6.5	-8	-17	-25	5°	

LINE 1W

9.5	+8	-10	-2	2°	
8.5	+9	-13	-4	2°	
7.5	-3	+2	-1	2	
6.5	-9	+5	-4	"	
5.5	-19	+9	-10	"	
4.5	-24	+10	-14	"	
3.5	-30	+15	-15	"	NO STW
2.5	-25	+6	-19	"	
1.5	-22	-11	-32	"	STRENGTH MARSHT

*LINE SW HIGH FREQ. NO LOW

STN	CHIEF	HELPER	RESULT	NULL	
12.5	-14	+7	-7	10	
11.5	-19	+14	-5	"	
10.5	-21	+10	-11	"	
9.5	-14	-5	-19	30	
8.5	-22	-8	-30	10	
7.5	-17	-19	-36	"	
6.5	-15	-22	-37	"	
5.5	-20	-24	-44	"	
4.5	-10	-14	-24	20	
3.5	-28	+2	-26	30	WOLSY
2.5	-29	0	-29	20	HELPER'S
1.5	-15	+3	-12	80	NULL
0.5	-10	0	-10	20	100

LINES BLW

STN W ↓	RATIO	STN W ↓	RATIO
72.5	0.00	56.5	0.00
71.5	2.00	55.5	0.17
70.5	0.00	54.5	0/7
69.5	0/1	53.5	0.44
68.5	3.00	52.5	0.10
67.5	0.66	51.5	0.30
66.5	1.00	50.5	0.36
65.5	2/0	49.5	0.40
64.5	1.00	48.5	0.08
63.5	2/0	47.5	0/5
62.5	0.00	46.5	0.45
61.5	3.00	45.5	0.29
60.5	1.00	44.5	0.14
59.5	2.00	43.5	0.16
58.5	0.50	42.5	0.33
57.5	2.00	41.5	0.48

STW W ↓	RATIO	STW W ↓	RATIO	STW W ↓	RATIO
40.5	0.54	24.5	0.72	8.5	1.40
39.5	0.33	23.5	0.53	7.5	1.10
38.5	0.18	22.5	0.78	6.5	1.23
37.5	0.42	21.5	0.40	5.5	1.23
36.5	0.35	20.5	0.35	4.5	1.26
35.5	0.53	19.5	0.25	3.5	1.03
34.5	0.50	18.5	0.71	2.5	1.02
33.5	0.45	17.5	0.43	1.5	0.96
32.5	0.58	16.5	0.43	0.5	0.96
31.5	0.46	15.5	0.50		
30.5	0.42	14.5	0.57		
29.5	0.69	13.5	1.06		
28.5	0.52	12.5	1.53		
27.5	0.54	11.5	0.78		
26.5	0.49	10.5	1.15		
25.5	0.50	9.5	1.22		

LINTE 72 W

STW S
↓

STW S
↓

20.5 1.00

36.5 -1.00

21.5 $\frac{0}{2}$

37.5 0.20

22.5 $\frac{1}{0}$

38.5 $\frac{0}{2}$

23.5 3.00

39.5 0.50

24.5 1.00

40.5 -1.00

25.5 1.00

41.5 $\frac{0}{1}$

26.5 0.25

42.5 1.00

27.5 0.33

43.5 $\frac{0}{2}$

28.5 0.75

44.5 $\frac{0}{1}$

29.5 0.40

45.5 $\frac{0}{1}$

30.5 0.50

46.5 1.00

31.5 $\frac{0}{2}$

47.5 1.00

32.5 $\frac{0}{2}$

48.5 -

33.5 0.33

49.5 $\frac{1}{0}$

34.5 $\frac{0}{2}$

50.5 $\frac{1}{0}$

35.5 $\frac{0}{3}$

51.5 $\frac{1}{0}$

STW § ↓	RATIO
52.5	0/2
53.5	1.00
54.5	1/0
55.5	1/0
56.5	-0.33
57.5	0.33
58.5	-0.33
59.5	0.25
60.5	0.33
61.5	0.01
62.5	0.03
63.5	0.25
64.5	1.00
65.5	1.50
66.5	0.00
67.5	1.00

STW § ↓	RATIO
68.5	0/1
69.5	0.40
70.5	1.00
71.5	0/3
72.5	-1.00
73.5	-0.60
74.5	0.66
75.5	0.42
76.5	0.02
77.5	0.33
78.5	0/8
79.5	0.50

LINE 68W

STWS RATIO
↓

STWS RATIO
↓

20.5 1.00

36.5 1.00

21.5 1.00

37.5 $\frac{2}{3}$

22.5 3.00

38.5 1.00

23.5 1.66

39.5 1.50

24.5 1.00

40.5 1.33

25.5 0.50

41.5 0.50

26.5 1.33

42.5 0.66

27.5 0.66

43.5 1.00

28.5 1.25

44.5 1.50

29.5 0.75

45.5 1.00

30.5 2.50

46.5 0.50

31.5 1.00

47.5 1.00

32.5 1.00

48.5 1.00

33.5 1.50

49.5 1.00

34.5 1.00

50.5 $\frac{2}{3}$

35.5 1.00

51.5 -0.50

STN 5 RATIO
↓

52.5 0/2

53.5 1.00

54.5 0/5

55.5 0.75

56.5 0.20

57.5 0/0

58.5 0/1

59.5 1.00

60.5 0.40

61.5 1.00

62.5 0.25

63.5 0.50

LINE 64W

STWS RATIO

STWS RATIO

↓

↓

20.5 0.33

36.5 2.00

21.5 0.33

37.5 1.00

22.5 0.50

38.5 2.00

23.5 0.50

39.5 0.66

24.5 0.66

40.5 1.00

25.5 0.75

41.5 1.00

26.5 1.00

42.5 0.50

27.5 0.66

43.5 0.75

28.5 0.50

44.5 1.00

29.5 0.60

45.5 0.66

30.5 0.60

46.5 $\frac{1}{2}$

31.5 0.50

47.5 1.00

32.5 $\frac{1}{2}$

48.5 1.00

33.5 1.00

49.5 1.00

34.5 0.80

50.5 0.50

35.5 0.50

51.5 $\frac{4}{5}$

STNS RATIO
↓

52.5 0.33

53.5 0.66

54.5 0.00

55.5 0/5

56.5 1.00

57.5 0/2

58.5 0.50

59.5 1.00

60.5 1.00

61.5 0.78

62.5 0.80

63.5 -2.00

64.5 0.40

65.5 0/6

66.5 0/5

67.5 0.50

STNS RATIO
↓

68.5 0.83

69.5 0.66

70.5 0.18

71.5 0.33

72.5 -2.00

73.5 -0.03

74.5 0.50

75.5 0.60

76.5 -0.66

77.5 0/6

78.5 0/4

LINER 60 W

STW S ↓		STW S ↓	RATIO
20.5	0.00	36.5	0/1
21.5	0.00	37.5	0/2
22.5	0/2	38.5	0.86
23.5	0/1	39.5	0.50
24.5	0/1	40.5	0.00
25.5	1.00	41.5	0/1
26.5	0/3	42.5	0/1
27.5	1.00	43.5	1.00
28.5	0.00	44.5	1.00
29.5	0/2	45.5	0.00
30.5	0.50	46.5	0.50
31.5	1.50	47.5	1.50
32.5	0.00	48.5	1.00
33.5	1/0		
34.5	1.00		
35.5	0.00		

LINES 56W

STWS ↓	RATIO	STWS ↓	RATIO
20.5	0.80	36.5	0.75
21.5	0.60	37.5	0.83
22.5	$\frac{9}{4}$	38.5	0.80
23.5	1.00	39.5	0.75
24.5	0.60	40.5	0.83
25.5	1.00	41.5	1.00
26.5	1.00	42.5	3.00
27.5	$\frac{4}{6}$	43.5	1.00
28.5	0.83	44.5	1.00
29.5	0.75	45.5	0.83
30.5	1.00	46.5	1.00
31.5	0.80	47.5	1.00
32.5	0.66	48.5	0.50
33.5	0.66	49.5	0.50
34.5	0.66	50.5	$\frac{1}{6}$
35.5	0.66	51.5	0.59

STW S ↓	RATIO	STW S ↓	RATIO
52.5	0.20	68.5	$\frac{0}{2}$
53.5	0.66	69.5	$\frac{0}{3}$
54.5	1.00	70.5	-1.00
55.5	0.40	71.5	-0.66
56.5	0.27	72.5	$\frac{0}{3}$
57.5	0.20	73.5	0.33
58.5	0.17	74.5	0.50
59.5	0.66	75.5	2.00
60.5	1.15	76.5	0.50
61.5	0.02	77.5	-1.00
62.5	0.38	78.5	-3.00
63.5	$\frac{0}{2}$		
64.5	0.44		
65.5	0.03		
66.5	0.01		
67.5	0.20		

LINE 52W

STWS
↓
RATIO

20.5 1.00

21.5 1.00

22.5 0.75

23.5 1.00

24.5 1.00

25.5 0.40

26.5 0.66

27.5 0.50

28.5 $\frac{3}{10}$

29.5 0.33

30.5 0.60

31.5 1.50

32.5 $\frac{1}{2}$

33.5 0.50

34.5 0.66

35.5 1.00

STWS
↓
RATIO

36.5 0.66

37.5 0.75

38.5 1.00

39.5 0.50

40.5 0.50

41.5 1.00

42.5 1.00

43.5 0.75

44.5 0.80

45.5 0.73

46.5 0.60

47.5 0.50

4

LINIE 48 W

STN S ↓	RATIO	STN S ↓	RATIO
20.5	0.66	36.5	0.40
21.5	0.75	37.5	0.43
22.5	0.75	38.5	0.40
23.5	0.50	39.5	1.00
24.5	0.33	40.5	0.75
25.5	0.66	41.5	0.80
26.5	0.60	42.5	1.00
27.5	0.80	43.5	0.50
28.5	0.66	44.5	0.43
29.5	0.66	45.5	0.58
30.5	1.50	46.5	0.60
31.5	0.50	47.5	0.69
32.5	0.75	48.5	0.82
33.5	0.75	49.5	0.50
34.5	0.66	50.5	0.48
35.5	0.80	51.5	0.25

STW'S RATIO
↓

52.5 0.78

53.5 0.50

54.5 0.71

55.5 0.66

56.5 0.60

57.5 0.33

58.5 0.57

59.5 0.57

60.5 0.33

61.5 $\frac{2}{3}$

62.5 1.00

63.5 0.25

64.5 2.00

65.5 2.50

66.5 2.50

67.5 0.40

STW'S RATIO
↓

68.5 0.33

69.5 0.40

70.5 3.00

71.5 0.50

72.5 1.50

73.5 $\frac{9}{8}$

74.5 $\frac{0}{7}$

75.5 $\frac{0}{1}$

76.5 0.25

77.5 1.00

78.5 1.00

LINE 44 W

STN \downarrow RATIO

20.5 1.00

21.5 1.33

22.5 0.75

23.5 2.00

24.5 0.80

25.5 1.00

26.5 1.00

27.5 1.00

28.5 2.00

29.5 2.00

30.5 1.00

31.5 1.00

32.5 1.00

33.5 1.50

34.5 1.33

35.5 1.00

STN \downarrow RATIO

36.5 1.00

37.5 1.00

38.5 1.00

39.5 0.80

40.5 0.80

41.5 0.57

42.5 0.89

43.5 0.73

44.5 1.00

45.5 0.82

46.5 0.64

47.5 0.56

48.5 0.34

49.5 0.40

50.5 0.55

LINE 40 W

STWS RATIO

↓

19.5 1.00

21.5 1.00

22.5 -

23.5 1.00

24.5 -

25.5 0.80

26.5 -

27.5 0.60

28.5 -

29.5 2.00

30.5 -

31.5 1.00

32.5 0.80

33.5 1.00

34.5 1.00

35.5 0.50

STWS RATIO

↓

36.5 0.50

37.5 0.83

38.5 0.63

39.5 0.75

40.5 0.75

41.5 3.00

42.5 0.29

43.5 0.61

44.5 0.67

45.5 0.70

46.5 0.61

47.5 0.79

48.5 0.74

49.5 0.68

50.5 0.65

51.5 0.50

STW S RATIO
↓

STW S RATIO
↓

52.5 0.35

68.5 0.07

53.5 0.09

69.5 0.07

54.5 0.29

70.5 0.24

55.5 0.20

71.5 0.35

56.5 0.29

72.5 0.29

57.5 0.86

73.5 0.50

58.5 0.50

74.5 0.20

59.5 0.50

75.5 0.56

60.5 0.40

76.5 0.40

61.5 0.66

77.5 0.53

62.5 0.20

78.5 0.42

63.5 0/1

79.5 0.57

64.5 0.33

65.5 0/10

66.5 0.56

67.5 0.17

LINE 36 W

STWS ↓	RATIO	STWS ↓	RATIO	
20.5	1.00	36.5	1.00	
21.5	1.00	37.5	1.00	
22.5	1/0	38.5	1.66	
23.5	1.00	39.5	0.75	
24.5	0.75	40.5	-	} LAKE
25.5	0.66	41.5	-	
26.5	1.00	42.5	-	
27.5	1.00	43.5	0.89	
28.5	1.00	44.5	0.60	
29.5	1.00	45.5	0.56	
30.5	1.00	46.5	0.69	
31.5	1.00	47.5	0.55	
32.5	1.33	48.5	0.62	
33.5	1.00	49.5	0.56	
34.5	1.00	50.5	0.63	
35.5	3.00			

LINE 32 W

STN S ↓	RATIO	STN S ↓	RATIO
20.5	1.00	36.5	0.83
21.5	0.00	37.5	0.60
22.5	1.50	38.5	0.27
23.5	0.75	39.5	0.50
24.5	1.50	40.5	0.28
25.5	1.00	41.5	0.35
26.5	1.50	42.5	0.53
27.5	1.00	43.5	0.50
28.5	1.25	44.5	0.53
29.5	0.00	45.5	0.66
30.5	0.50	46.5	0.77
31.5	0.50	47.5	0.87
32.5	1.00	48.5	0.78
33.5	0.40	49.5	0.79
34.5	1.00	50.5	0.88
35.5	0.50	51.5	0.84

STW \downarrow RATIO

52.5 0.77

53.5 0.50

54.5 0.57

55.5 0.46

56.5 0.17

57.5 0.27

58.5 0.50

59.5 0.44

60.5 0.58

61.5 0.63

62.5 0.65

63.5 0.53

64.5 0.54

65.5 0.72

66.5 0.46

67.5 0.59

STW \downarrow RATIO

68.5 0.48

69.5 0.47

70.5 0.69

71.5 $\frac{0}{15}$

72.5 0.38

73.5 0.50

74.5 0.70

75.5 0.24

76.5 0.66

77.5 —

78.5 —

LINE 28 W

STN S ↓		STN S ↓	RATIO
20.5	1.00	36.5	1.00
21.5	0.00	37.5	1.00
22.5	1.50	38.5	1.33
23.5	1.00	39.5	0.75
24.5	1/2	40.5	1.33
25.5	1.50	41.5	0.50
26.5	1.00	42.5	0.45
27.5	1.00	43.5	0.63
28.5	1.00	44.5	0.75
29.5	1.33	45.5	0.75
30.5	0.00	46.5	0.71
31.5	1.00	47.5	0.81
32.5	1.00	48.5	0.66
33.5	1.00	49.5	0.75
34.5	1.50	50.5	0.53
35.5	1.00	51.5	0.50

STWS RATIO
↓

52.5 0.58

53.5 0.39

54.5 0.33

55.5 0.30

56.5 0.20

57.5 0.57

58.5 0.50

59.5 0.44

60.5 0.50

61.5 0.47

62.5 0.64

63.5 0.57

64.5 0.63

STWS RATIO
↓

LINE 24 W

STW^S ↓ RATIO

STW^S ↓ RATIO

20.5 1.00

36.5 1/0

21.5 1.00

37.5 1/0

22.5 1.00

38.5 1.50

23.5 2.00

39.5 0.00

24.5 2.00

40.5 1.00

25.5 2.00

41.5 1.50

26.5 2.00

42.5 0.22

27.5 1/0

43.5 0.40

28.5 1.00

44.5 0.47

29.5 1.00

45.5 0.71

30.5 0.00

46.5 1.00

31.5 0.00

47.5 1.14

32.5 1.00

48.5 1.10

33.5 0.00

49.5 1.43

34.5 0.00

50.5 0.74

35.5 0.00

51.5 0.52

STN'S RATIO

↓

52.5 0.36

53.5 2/0

54.5 SWAMP

55.5 0.66

56.5 0.42

57.5 SWAMP

58.5 0.63

59.5 0.58

60.5 0.65

61.5 0.50

62.5 0.50

63.5 0.42

64.5 0.53

65.5 0.65

66.5 0.52

67.5 0.40

STN'S RATIO

↓

68.5 0.59

69.5 0.36

70.5 0.58

71.5 0.87

72.5 0.60

73.5 0.66

74.5 0.76

75.5 1.13

76.5 0.71

77.5 0.63

78.5 0.69

LINE 20 W

STW S *	RATIO	STW	RATIO
20.5	0.75	26.5	0.66
21.5	1.00	27.5	0.75
22.5	0.83	32.5	0.25
23.5	0.60	37.5	0.66
24.5	1.00	40.5	0.50
25.5	1.00	41.5	0.11
26.5	0.60	42.5	0.57
27.5	1.00	43.5	0.89
28.5	1.00	44.5	1.00
29.5	0.50	45.5	1.40
30.5	0.75	46.5	0.79
31.5	1/2	47.5	0.69
32.5	0.80	48.5	0.63
33.5	1.00	49.5	0.61
34.5	1.00	50.5	0.88
35.5	1.00	51.5	1.00

LINK 16 W

STW S RATIO
↓

20.5 1.25

21.5 1.33

22.5 1.00

23.5 1.00

24.5 1.00

25.5 0.50

26.5 1.00

27.5 0.80

28.5 1.50

29.5 1.00

30.5 1.17

31.5 1.00

32.5 0.80

33.5 1.00

34.5 1.00

35.5 0.71

STW S RATIO
↓

36.5 0.80

37.5 1.25

38.5 1.00

39.5 1.20

40.5 0.80

41.5 0.86

42.5 0.80

43.5 0.78

44.5 0.75

45.5 1.08

46.5 0.78

47.5 0.72

48.5 0.61

49.5 0.60

50.5 0.82

51.5 0.71

STNS RATIO
↓

52.5 0.77 68.5 0.90

53.5 0.70 69.5 0.89

54.5 0.50 70.5 0.77

55.5 0.56 71.5 0.77

56.5 0.42 72.5 0.70

57.5 0.58 73.5 0.70

58.5 0.55 74.5 0.79

59.5 0.75 75.5 0.80

60.5 0.74 76.5 0.71

61.5 0.73 77.5 0.69

62.5 0.83 78.5 0.50

63.5 0.70

64.5 0.67

65.5 0.68

66.5 0.70

67.5 0.91

LINE 12 W

STWS RATIO
↓

20.5 0.83

21.5 0.60

22.5 1.00

23.5 0.80

24.5 0.80

25.5 0.80

26.5 1.00

27.5 1.00

28.5 1.00

29.5 0.57

30.5 0.86

31.5 0.89

32.5 1.00

33.5 0.83

34.5 0.86

35.5 1.00

STWS RATIO
↓

36.5 0.86

37.5 1.00

38.5 0.71

39.5 0.86

40.5 0.86

41.5 1.00

42.5 0.80

43.5 0.84

44.5 1.14

45.5 1.17

46.5 1.17

47.5 1.23

48.5 1.13

49.5 0.95

50.5 0.87

LINE 8 W

STWS RATIO

20.5 1.00

21.5 1.33

22.5 1.00

23.5 0.80

24.5 1.33

25.5 0.80

26.5 1.33

27.5 0.83

28.5 1.00

29.5 1.00

30.5 1.25

31.5 1.00

32.5 0.80

33.5 1.00

34.5 1.17

35.5 1.00

STWS RATIO

36.5 1.20

37.5 1.00

38.5 1.00

39.5 1.00

40.5 0.83

41.5 1.20

42.5 1.00

43.5 0.64

44.5 0.76

45.5 1.00

46.5 1.07

47.5 1.29

48.5 1.06

49.5 1.19

50.5 0.91

51.5 1.00

LINE 8 W

STNS RATIO
↓

52.5 0.91

53.5 0.92

54.5 0.73

55.5 0.77

56.5 0.84

57.5 0.79

58.5 0.86

59.5 1.33

60.5 0.93

61.5 1.00

62.5 0.63

63.5 0.56

64.5 0.40

65.5 0.35

66.5 0.33

67.5 0.30

STNS RATIO
↓

68.5 0.39

69.5 0.86

70.5 0.69

71.5 0.80

72.5 0.71

73.5 0.77

74.5 0.82

75.5 0.83

76.5 0.94

77.5 0.76

78.5 0.87

LINE 4W

LINE 4W

STNS
↓
RATIOSTNS
↓
RATIO

20.5 0.76

36.5 1.00

21.5 1.00

37.5 0.50

22.5 1.00

38.5 1.00

23.5 1.00

39.5 0.75

24.5 1.00

40.5 0.92

25.5 0.80

41.5 0.63

26.5 0.75

42.5 0.85

27.5 0.80

43.5 1.071

28.5 1.00

44.5 1.25

29.5 1.00

45.5 1.16

30.5 1.00

46.5 1.20

31.5 1.00

47.5 1.00

32.5 1.00

33.5 1.00

34.5 1.00

35.5 1.00

LINE 0

SINUS RATIO

↓

20.5 1.00

21.5 1.00

22.5 1.00

23.5 1.00

24.5 0.75

25.5 0.625

26.5 0.50

27.5 0.83

28.5 0.80

29.5 1.00

30.5 1.00

31.5 0.80

32.5 1.25

33.5 1.25

34.5 1.25

35.5 1.33

LINE 0

SINUS RATIO

↓

36.5 1.00

37.5 1.33

38.5 2.50

39.5 4.875

40.5 0.57

41.5 0.75

42.5 1.17

43.5 2.50

44.5 1.33

45.5 1.00

46.5 1.15

47.5 0.96

48.5 0.92

49.5 0.85

50.5 0.95

51.5 0.94

STW S RATIO

↓

52.5

1.35

68.5

 $\frac{5}{10}$

53.5

1.25

69.5

-0.66

54.5

1.12

70.5

 $\frac{4}{10}$

55.5

1.06

71.5

1.00

56.5

1.00

72.5

0.66

57.5

0.63

73.5

1.00

58.5

0.60

74.5

2.50

59.5

 $\frac{1}{2}$

75.5

2.33

60.5

1.00

76.5

1.33

61.5

1.00

77.5

1.00

62.5

0.50

78.5

 $\frac{2}{10}$

63.5

1.00

64.5

5.00

65.5

 $\frac{1}{3}$

66.5

0.66

67.5

0.83

LIWESBLE

STNE RATIO
↓

15.5 0.33

16.5 0.50

17.5 0.25

18.5 0.66

19.5 0.20

20.5 $\frac{0}{2}$

21.5 $\frac{0}{5}$

22.5 0.50

1.5 0.63

2.5 0.68

3.5 0.88

4.5 0.80

5.5 0.74

6.5 0.79

7.5 0.81

8.5 0.97

STNE RATIO
↓

9.5 0.99

10.5 1.03

11.5 0.86

12.5 0.75

13.5 0.57

14.5 0.64

LINE 4E

STN S RATIO

50.5[↓] 1.00

51.5 0.97

52.5 1.06

53.5 1.25

54.5 1.15

55.5 0.92

56.5 0.60

57.5 0.46

58.5 0.50

49.5 0.85

48.5 0.77

47.5 0.73

46.5 0.76

45.5 0.87

44.5 0.94

43.5 1.80

42.5 0.88

STN S RATIO

↓

41.5 0.59

LINE 8 E

STWS	RATIO	STWS ↓	RATIO
51.5	2.00	40.5	0.59
52.5	0.44	39.5	0.71
53.5	0.80	38.5	0.75
54.5	0.57	37.5	1.00
55.5	0.17	36.5	1.00
56.5	0.75	35.5	0.50
57.5	1.00	59.5	3.00
58.5	0/1	60.5	1/0
41.5	0.75	61.5	0.00
42.5	1.14	62.5	1.50
43.5	1.06	63.5	1.00
44.5	0.83	64.5	0.50
45.5	0.78	65.5	1/0
46.5	0.77	66.5	1.00
47.5	0.74	67.5	0/2
48.5	0.87	68.5	1.00

STW \downarrow	RATIO				
69.5	1.33				
70.5	$\frac{2}{3}$				
71.5	4.00				
72.5	0.00				
73.5	1.00				
74.5	0.50				
75.5	0.00				
76.5	0.00				
77.5	0.00				
78.5	0.00				

LINE 16 E

STNS RATIO

STNS RATIO

48.5 0.95

32.5 0.50

47.5 1.25

31.5 0.50

46.5 1.15

50.5 0.47

45.5 1.04

51.5 1.00

44.5 1.07

52.5 1.33

43.5 1.00

53.5 1.50

42.5 1.45

54.5 1.00

41.5 1.80

55.5 1.00

40.5 1.00

56.5 -

39.5 0.85

57.5 -

38.5 0.70

58.5 -

37.5 0.55

59.5 0.50

36.5 1.00

60.5 1/0

35.5 0.66

61.5 1.00

34.5 2.00

62.5 2.00

33.5 1.00

63.5 1.00

STN'S RATIO

64.5 1.00

65.5 1.00

66.5 $\frac{1}{2}$

67.5 2.50

68.5 1.00

69.5 1.25

70.5 1.33

71.5 0.75

72.5 1.00

73.5 3.00

74.5 1.50

75.5 1.33

76.5 1.00

77.5 1.50

78.5 $\frac{1}{2}$

JUNE 23 / 67

PROPERTY: PAY

GRID: PAY NORTH #2.

DATE: JUNE 23/67

WEATHER: CLOUDY

CHIEF: CALECKL

INST. NO. 16W

HELPER: SIMPSON

H2 ✓ 38

LINE BL ~~16~~ HIGH FREQ.

STW CHIEF HELPER RESULT WULL RATIO

1.5 +15 -15 0 2° 0

2.5 +10 -14 -4 " 3/4

3.5 0 -10 -10 4° 1/2

4.5 -8 -2 -10 " 3/5

5.5 -11 +3 -9 3° 2/3

6.5 -12 +4 -8 2° 5/8

7.5 -13 +4 -9 3° 2/3

8.5 -9 -5 -14 " 9/14

9.5 -8 -10 -18 4° 1/2

10.5 ~~0~~ -26 -26 3° 23/26

11.5 +1 -25 -24 2° 19/24

12.5 -6 -27 -33 4° 23/33

LINE ST

TIME ST.

LINE FINISH

TIME FINISH

LOW FREQ.

CHIEF	HANDLER	RESULT	WULL	NOTES
+15	-15	0	2°	
+10	-13	-3	"	SQUATS ON HIGH
+3	-8	-5	3°	
-6	0	-6	4°	
-10	+4	-6	3°	
-10	+5	-5	2°	
-10	+4	-6	4°	
-5	-4	-9	3°	
-7	-2	-9	3°	
0	-23	-23	3°	
+1	-20	-19	2°	
-2	-21	-23	4°	

LINKABLE

HIGH FREQ

STW	CHIEF	HELPER	RESULT	NULL	RATIO
13.5	-6	-26	-32	40	13/16
14.5	-2	-30	-32	20	13/16
15.5	-6	-32	-38	20	31/38
16.5	-8	-31	-39	11	27/39
17.5	-3	-27	-30	30	9/15
18.5	+5	-24	-19	20	13/19
19.5	0	-23	-23	20	16/23
20.5	-13	-15	-28	20	9/14
21.5	-15	-13	-28	40	19/28
22.5	-5	-20	-25	60	14/25
23.5	-8	-16	-24	60	7/12
24.5	-13	-20	-33	30	18/33
25.5	-24	-12	-36	11	1/2
26.5	-20	-15	-35	20	28/35
27.5	-15	-14	-29	20	18/29
28.5	-13	-24	-37	40	25/37

LOW FREQ.

CHIEF	HELPER	RESULT	NULL	NOTES
-2	-24	-26	40	
+2	-28	-26	40	
-3	-28	-31	5°	
-2	-25	-27	5°	
+5	-23	-18	5°	
+6	-19	-13	20	
+1	-17	-16	20	
-8	-10	-18	3°	CLIMB POST 10'
-8	-11	-19	4°	South of 5710 19
0	-14	-14	4°	← VERY NOISY
0	-14	-14	8°	ON HIGH 11
-6	-12	-18	40	
-18	0	-18	11	
-16	-12	-28	20	
-10	-8	-18	5°	
-5	-20	-25	8°	

LINE: BLE

HIGH FREQ

STW	CHIEF	HELPER	RESULT	NULL	RATIO
29.5	-10	-30	-40	5°	27/40
30.5	-15	-24	-39	6°	20/39
31.5	-10	-7	-17	8°	4/17
32.5	-13	-8	-21	4°	11/21
33.5	-14	-7	-21	4	12/21
34.5	-11	-8	-19	4	11/19
35.5	-10	-15	-25	6°	11/25
36.5	-5	-14	-19	5°	7/19
37.5	-5	-17	-22	"	5/11
38.5	-10	-18	-28	10°	15/28

LOW FREQ.

CHIEF	HELPER	RESULT	NULL	NOTES
-3	-24	-27	10°	VERY POOR NULLS
-3	-17	-20	10°	"
-4	0	-4	40	"
-6	-5	-11	40	"
-5	-7	-12	"	"
-5	-6	-11	"	"
-2	-9	-11	60	"
-0	-7	-7	5°	"
0	-10	-10	"	"
-5	-10	-15	5°	"



LINE 325 HIGH FREQ

STW	CHIEF	HELPER	RESULT	NULL	RATIO
1.5	-29	0	-29	20	28/29
2.5	-15	-9	-24	"	17/24
3.5	-11	-15	-26	"	27/26
4.5	-17	-16	-33	"	26/33
5.5	-15	-18	-33	"	31/33
6.5	-10	-20	-30	30	32/30
7.5	-13	-25	-38	20	42/38
8.5	-13	-22	-35	"	39/35

LINE 245

8.5	-5	-8	-13	20	1
7.5	-6	-16	-22	"	25/22
6.5	-5	-1	-6	"	11/6
5.5	-9	-7	-16	"	17/16
4.5	+6	-26	-20	10	1
3.5	-10	-23	-33	20	31/33
2.5	-5	-9	-14	10	13/14

LOW FREQ.

CHIEF	HELPER	RESULT	WULL	NOTES
-23	-5	-28	20	
-17	* 0	-17	"	
-14	-13	-27	"	
-16	-10	-26	"	
-14	-17	-31	"	
-12	-20	-32	10	
-17	-25	-42	"	
-18	-21	-39	"	
-5	-8	-13	20	
-6	-19	-25	"	
-9	-2	-11	30	
-9	-8	-17	20	
+6	-26	-20	10	
-10	-21	-31	20	
-5	-8	-13	10	

LINE 24 S

HIGH FREQ

STW	CHIEF	HELPER	RESIST	NULL	RATIO
1.5	-3	0	-3	10	1
LINE 16 S					
1.5	-13	-9	-22	20	10/11
2.5	-14	-9	-23	"	21/23
3.5	-10	-10	-20	"	21/20
4.5	-7	-16	-23	"	19/23
5.5	-13	-4	-17	"	16/17
6.5	-15	-8	-23	50	26/23
7.5	-17	-15	-32	20	29/32
8.5	-3	-21	-24	"	1
LINE 8 S					
8.5	-14	-15	-29	20	27/29
7.5	-12	-14	-26	"	19/26
6.5	-12	-16	-28	"	23/28
5.5	-14	-16	-30	"	5/6
4.5	-15	-14	-29	"	25/29

LOW FREQ

CHIEF	HELPER	RESULT	NULL	NOTES
-3	0	-3	10	
-13	-7	-20	20	
-14	-7	-21	"	
-11	-10	-21	"	
-7	-12	-19	"	
-13	-3	-16	"	
-20	-6	-26	50	
-17	-12	-29	20	
-3	-21	-24	"	
-13	-14	-27	20	
-11	-8	-19	"	
-11	-12	-23	"	
-13	-12	-25	"	
-15	-10	-25	"	

LINES S

HIGH FREQ

STW	CHIEF	HELPER	RESULT	MULL	RATIO
3.5	-15	-10	-25	20	1
2.5	-16	-12	-28	"	$\frac{6}{7}$
1.5	-13	-16	-29	30	$\frac{16}{29}$
LINE B & E					
39.5	-30	-20	-50	50	$\frac{16}{25}$
40.5	-14	-12	-26	20	$\frac{5}{13}$
41.5	-23	-2	-25	20	$\frac{12}{25}$
42.5	-38	+15	-23	20	$\frac{12}{23}$
43.5	-52	+26	-26	30	$\frac{6}{13}$
44.5	-47	+30	-17	30	$\frac{10}{17}$
45.5	-44	+20	-24	"	$\frac{2}{3}$
46.5	-43	+20	-23	30	$\frac{18}{23}$

LOW FREQ.

CHIEF	HELPER	RESULT	MULL	NOTES
-17	-8	-25	70	
-16	-8	-24	90	
-10	-6	-16	30	
-20	-12	-32	10°	
-10	0	-10	30	
-18	+6	-12	40	
-32	+20	-12	20	
-42	+30	-12	80	
-40	+30	-10	10°	
-36	+20	-16	70	
-35	+17	-18	50	

LINE 485 HIGH FREQ

STW	CHIEF	HELPER	RESULT	MULL	RATIO
1.5	0	-4	-4	100	$1\frac{1}{4}$
2.5	-13	-3	-16	30	$2\frac{3}{16}$
3.5	-22	-3	-25	"	$2\frac{9}{25}$
4.5	-29	-1	-30	"	$3\frac{4}{30}$
5.5	-22	-4	-26	"	$3\frac{0}{26}$
6.5	-21	-10	-31	"	$3\frac{7}{31}$
7.5	-17	-7	-24	"	$2\frac{9}{24}$
8.5	-15	-7	-22	"	$2\frac{4}{22}$

LINE 405

8.5	-12	-22	-34	30	$3\frac{7}{34}$
7.5	-7	-15	-22	"	$3\frac{2}{22}$
6.5	-10	-16	-26	20	$2\frac{9}{26}$
5.5	-12	-16	-28	"	$3\frac{4}{28}$
4.5	-14	-15	-29	"	$3\frac{3}{29}$
3.5	-9	-8	-17	"	$2\frac{0}{17}$
2.5	-15	-6	-21	4	1

LOW FREQ.

CHIEF	HELPER	RESORT	MULL	NOTES
-7	-4	-11	3°	NOISY ON 1+164
-20	-3	-23	3°	
-29	0	-29	"	
-34	0	-34	2°	
-30	0	-30	"	
-28	-9	-37	"	
-24	-5	-29	"	
-20	-6	-26	"	
-17	-20	-37	2°	
-15	-17	-32	2°	
-12	-17	-29	"	
-18	-16	-34	"	
-19	-14	-33	"	
-15	-5	-20	"	
-16	-5	-21	"	

LINK 405 HIGH FREQ

STW CHIEF HELPER RESULT WULL RATIO

1.5 -5 -7 -12 20 $\frac{5}{4}$

LINK 0

1.5 -16 +11 -6 20 1

2.5 -9 +4 -5 10 $\frac{4}{5}$

3.5 -5 -3 -8 11 $\frac{1}{2}$

4.5 -4 -12 -16 50 $\frac{3}{8}$

5.5 0 -20 -20 30 $\frac{11}{20}$

6.5 -7 -15 -22 30 $\frac{10}{22}$

7.5 -7 -19 -26 7 $\frac{9}{13}$

8.5 -8 -17 -25 20 $\frac{17}{25}$

LOW FREQ.

CHIEF	HELPER	RESULT	NULL	NOTES
-10	-5	-15	2°	
-15	+11	-6	2°	
-9	+5	-4	10	
-2	-2	-4	11	
+4	-10	-6	5°	
+5	-16	-11	5°	
0	-10	-10	10 7°	
-3	-15	-18	7°	
-7	-10	-17	20	

PROPERTY & PAY

GRID: PAY WORTH

WEATHER: RAIN

CHIEF: GALBESKI

INST. NO. JRM

HELPER: SIMPSON

42 + 38

TIME ST.: 11:00 AM

TIME FINISH: 3:45 PM

June 25/67

LINE	16 S	HIGH	FREQ.		
STW	CHIEF	HELPER	RESWT	NULL	RATIO
9.5	-30	+12	-18	30	2/1
10.5	-25	⁻⁵ -24	-30	30	3/30
11.5	-26	-11	-37	"	34/37
12.5	-20	-20	-40	20	38/40
13.5	-2	-33	-35	"	3/35
14.5	-7	-34	-41	"	39/41
15.5	-12	-8	-20	"	23/20
16.5	-16	-5	-21	"	25/21
17.5	-18	-10	-28	"	1
18.5	-24	-16	-40	"	32/40
LINE 8 S	-1	-22			
19.5	-1	-22	-23	20	29/23
18.5	-4	-19	-23	"	27/23
17.5	-11	-21	-32	"	1
16.5	-19	-16	-35	"	31/35
15.5	-21	-14	-35	"	29/35

LOW FREQ.

CHIEF	HELPER	RESULT	NULL	NOTES
-36	+20	-16	30	
-26	-5	-31	"	
-24	-10	-34	"	
-19	-20	-38	20	
0	-31	-31	"	
-5	-34	-39	"	
-14	-9	-23	"	
-20	-5	-25	"	
-20	-8	-28	"	
-22	-12	-32	"	
-5	-24	-29	20	
-7	-20	-27	"	
-11	-21	-32	"	
-19	-12	-31	"	
-20	-9	-29	"	

LINE 85 HIGH FREQ

STW	CHIEF	HELPER	RESULT	MULL	RATIO
14.5	-20	-14	-34	20	12/17
13.5	-20	-11	-31	"	26/31
12.5	-20	-11	-31	"	29/31
11.5	-17	-15	-32	"	13/16
10.5	-21	-7	-28	4	6/7
9.5	-22	-8	-30	"	13/15

LINE 05

9.5	-20	+1	-19	20	16/19
10.5	-24	-4	-28	"	11/14
11.5	-22	-5	-27	"	26/27
12.5	-22	-8	-30	"	14/15
13.5	-20	-9	-29	4	27/29
14.5	-15	-12	-27	"	25/27
15.5	-10	-7	-17	"	1
16.5	-7	-12	-19	"	17/19
17.5	0	-20	-20	"	17/20

LOW FREQ

CHIEF	HELPER	RESULT	MULL	NOTES
-16	-8	-24	2°	
-16	-10	-26	"	
-20	-9	-29	"	
-16	-10	-26	"	
-19	-5	-24	"	
-21	-5	-26	"	
-20	+4	-16	2°	
-22	0	-22	"	
-22	-4	-26	"	
-22	-6	-28	"	
-20	-7	-27	"	
-15	-10	-25	"	
-10	-7	-17	"	
-7	-10	-17	"	
0	-17	-17	"	

LINE OS	HIGH	FREQ			
STW CHIEF	HELPER	RESULT	MULL		RATIO
18.5	+2	-33	-31	20	$28/31$
19.5	+10	-18	-8	"	$11/8$
20.5	+12	-7	-5	"	$2/5$
21.5	0	-14	-14	"	$27/14$
22.5	-12	-15	-27	"	$32/27$
23.5	-14	-14	-28	"	$38/28$
24.5	-14	-10	-24	"	$31/24$
25.5	-5	-13	-18	"	$33/18$
26.5	-12	-14	-26	30	$34/26$
27.5	-17	-10	-27	20	$32/27$
28.5	-20	-13	-33	"	1

LOW FREQ

CHIEF	HELPER	RESULT	NULL	NOTE
+2	-30	-28	2°	
+10	-24	-11	"	
+8	-10	-2	"	
-10	-17	-27	"	
-15	-17	-32	"	
-20	-18	-38	"	
-14	-17	-31	"	
-14	-19	-33	"	
-20	-14	-34	3°	
-22	-10	-32	2°	
-23	-10	-33	"	

PROPERTY: PAY

GRID: PAY
NORTH

DATE: JULY 11/67

WEATHER: CLOUDY

CHIEF: BALESKI

HELPER: SIMPSON

INST. NO. JEM 42 + 38

TIME ST. 10:00 AM

LINE ST. L245

LINE 24 HIGH FREQ

STW S ↓	CHIEF	HELPER	RESULT	WULL	RATIO
9.5	-10	-7	-17	2°	0.88
10.5	-16	-3	-19	"	1.00
11.5	-21	-4	-25	5°	1.24
12.5	-15	0	-15	6°	1.66
13.5	-25	-5	-30	2°	1.17
14.5	-22	-4	-26	"	0.96
15.5	-11	+3	-8	"	2.00
16.5	-15	-0	-15	"	0.85
17.5	-15	-12	-27	4°	0.88
18.5	-18	-20	-38	2°	0.85

LINE 32

18.5 S	-20	-8	-28	2°	1.12
19.5 ↓	-20	-4	-24	3°	1.50
16.5	-22	-4	-26	"	1.23
25.5	-18	-2	-20	2°	1.45
14.5	-12	-4	-16	"	1.44

LOW FREQ

CHIEF	HELPER	RESULT	WUHL	NOTES
-9	-6	-15	2°	
-16	-3	-19	3°	
-31	0	-31	10°	VERY LOUD
-25	0	-25	15°	"
-28	-7	-35	2°	
-25	0	-25	"	
-19	+3	-16	"	
-15	+2	-13	"	
-15	-9	-24	3°	
-16	-16	-32	4°	
-24	-7	-31	2°	
-26	-10	-36	4°	LOUD
-28	-4	-32	"	"
-24	-5	-29	3°	
-18	-5	-23	"	

LINE	32	HIGH	FREQ		
SW	CHIEF	HELPER	RESULT	MILL	RATIO
13.5	-13	-5	-18	20	1.39
12.5	0	-10	-10	"	1.80
11.5	0	-8	-8	20	2.00
10.5	+3	-14	-11	"	1.36
9.5	-8	-20	-28	10	1.00
LINE	40				
9.5	-10	-20	-30	20	0.90
10.5	-5	-25	-30	"	1.07
11.5	+3	-15	-12	"	1.33
12.5	0	+1	+1	"	5.00
13.5	-6	+2	-4	"	4.00
14.5	-20	+5	-15	"	1.13
15.5	-27	+9	-18	"	1.00
16.5	-15	0	-15	"	0.73
17.5	-15	-7	-17	"	0.70
18.5	-18	+6	-12	"	0.58

LOW FREQ.

CHIEF	HELPER	RESULT	WELL	NOTES
-70	-5	-25	20	
-9	-9	-18	30	LOUD
-6	-10	-16	20	
0	-15	-15	"	
-8	-20	-28	10	
-11	-16	-27	20	
-6	-26	-32	"	
-3	#13	-16	"	
-7 8	+2	-5	4	LOUD
-16	0	-16	30	OUTCROP STW
-27	+10	-17	"	LOUD 12
-27	+9	-18	20	
-14	+3	-11	"	
-15	+3	-12	"	
-14	+7	-7	"	

LINE 48

HIGH FREQ

STNS ↓	CHIEF	HELPER	RESULT	WULL	RATIO
18.5	0	-5	-5	20	0.80
17.5	-10	+10	0	10	0.00
16.5	-20	+12	-8	20	0/9
15.5	-22	+8	-14	"	0.85
14.5	-10	0	-10	"	1.00
13.5	-6	+6	0	"	4/0
12.5	-15	-3	-18	"	1.11
11.5	-24	-13	-37	"	1.00
10.5	-22	-14	-36	"	0.94
9.5	-10	-7	-17	"	1.35

LINE BLUE

47.5	-33	+28	-5	20	0/5
48.5	-26	+18	-8	"	0.75
49.5	-20	-3	-23	"	0.87
50.5	-16	-12	-28	"	0.82
51.5	-17	-14	-31	"	0.77

LOW FRIED

CHIEF HELPER RESULT WULL WOTE

0	-4	-4	2°	
-10	+10	0	10	
-15	+15	0	2°	
-21	+9	-12	"	
-10	0	-10	"	
-8	+4	-4	"	
-20	0	-20	"	
-29	-8	-37	3°	LOUD
-28	-8	-34	"	
-15	-8	-23	4°	
-30	+30	0	2°	
-28	+22	-6	"	
-20	0	-20	"	
-16	-7	-23	"	
-16	-8	-24	"	

LINE BLE HIGH PRED.

STN	CHIEF	HELPER	RESULT	WIND	RATIO
52.5	-23	-20	-43	3°	0.79
53.5	-16	-12	-28	10°	1.36
54.5	-12	-12	-24	8°	1.25
55.5	-5	-10	-15	5°	1.33
56.5	-10	-20	-30	2°	1.07
57.5	-13	-18	-31	3°	1.29
58.5	-8	-25	-33	"	1.12
59.5	-16	-13	-29	"	1.00
60.5	-16	-18	-34	"	1.18
61.5	-18	-20	-38	"	1.00
62.5	-16	-20	-36	"	1.11

LINE 64

1.5	-20	-10	-30	2°	0.90
2.5	-8	-15	-23	"	0.96
3.5	-12	-12	-24	"	1.04
4.5	-7	-7	-14	4°	1.57

LOW FREQ

CHIEF	HELPER	RESULT	NULL	NOTES
-22	-12	-34	3°	
-26	-12	-38	4°	Hard nulls
-20	-10	-30	4°	on high
-15	-10	-25	5°	
-15	-17	-32	3°	
-20	-20	-40	2°	
-15	-22	-37	"	
-20	-10	-30	3°	
-20	-20	-40	"	
-23	-15	-38	"	
-20	-20	-40	"	
-21	-6	-27	2°	
-10	-12	-22	"	
-12	-13	-25	"	
-10	-12	-22	4°	LOUD

LINE 64

HIGH FREQ.

STW ↓	CHIEF	HELPER	RESULT	NULL	RATIO
-------	-------	--------	--------	------	-------

5.5	-13	-10	-23	20	1.00
-----	-----	-----	-----	----	------

6.5	-12	-13	-25	"	1.08
-----	-----	-----	-----	---	------

7.5	-22	-12	-34	"	0.91
-----	-----	-----	-----	---	------

8.5	-24	-5	-29	"	0.93
-----	-----	----	-----	---	------

LINE 56

9.5 S	-11	-9	-20	20	1.25
-------	-----	----	-----	----	------

8.5 ↓	-15	-7	-22	"	1.13
-------	-----	----	-----	---	------

7.5	-10	-10	-20	30	1.10
-----	-----	-----	-----	----	------

6.5	-15	-15	-30	20	1.20
-----	-----	-----	-----	----	------

5.5	-7	-10	-17	"	1.47
-----	----	-----	-----	---	------

4.5	-15	-13	-28	"	1.07
-----	-----	-----	-----	---	------

3.5	-22	-6	-28	"	1.00
-----	-----	----	-----	---	------

2.5	-25	-13	-38	"	1.05
-----	-----	-----	-----	---	------

1.5	-24	-4	-28	30	1.07
-----	-----	----	-----	----	------

LOW FREQ

CHIEF	HELPER	RESULT	WIND	NOTES
-15	-8	-23	20	
-18	-9	-27	"	
-22	-9	-31	4	
-25	-2	-27	"	
-20	-5	-25	40	
-20	-5	-25	20	
-15	-7	-22	30	
-15	-10	-25	20	
-13	-12	-25	"	
-20	-10	-30	"	
-24	-4	-28	"	
-30	-10	-40	"	Low ch
-30	0	-30	30	"

LINE 24

HIGH FREQ.

STN	N	CHIEF	HELPER	RESULT	WELL	RATIO.
0.5	↓	-3	-12	-15	20	0.87
1.5		+3	-23	-20	"	0.75
2.5		+6	-20	-14	"	0.72
3.5		+14	-25	-9	"	0.44
4.5		+23	-33	-10	"	0.50
5.5		+32	-38	-6	"	0.33
6.5		+28	-39	-11	"	0.36
7.5		+27	-33	-6	"	0.17
8.5		+24	-28	-4	"	0/4
9.5		+21	-29	-8	"	0.62
10.5		+16	-25	-9	"	0.66
11.5		+14	-20	-6	"	0/6
12.5		+15	-23	-8	"	0/8
13.5		+21	-23	-2	"	-1.00

LOW FREQ.

CHIEF HELPER RESULT WULL NOTES

-3	-10	-13	2°	
+5	-20	-15	40	
+9	-19	-10	2°	
+16	-20	-4	"	
+25	-30	-5	"	
+35	-37	-2	"	
+32	-36	-4	"	
+30	-31	-1	"	
+26	-26	0	"	
+21	-26	-5	"	
+16	-22	-6	"	
+18	-18	0	"	
+16	-24	0	"	
+22	-20	+2	"	
	-2		"	

LINE 32

HIGH FREQ.

STW N ↓	CHIEF	HELPER	RESULT	NULL	RATIO.
13.5 N ↓	+15	-25	-10	20	0.50
12.5	+12	-25	-13	"	0.69
11.5	+12	-25	-13	30	0.46
10.5	+18	-29	-11	20	0.58
9.5	+20	-35	-15	"	0.40
8.5	+24	-38	-14	40	0.07
7.5	+28	-45	-17	40	0.47
6.5	+28	-44	-16	50	0.44.
5.5	+30	-40	-10	20	% ₁₀
4.5	+24	-36	-12	20	0.50
3.5	+6	-22	-16	20	0.38
2.5	-4	-30	-14	"	1.02
1.5	-12	+10	-2	"	3.00
0.5	-23	+10	-13	10	0.85

LOW FREQ

CHIEF	HELPER	RESULT	WIND	NOTES
+16	-21	-5	2°	
+15	-24	-9	"	
+18	-24	-6	4°	VERY LOUD
+24	-26	-2	2°	
+26	-32	-6	"	
+34	-35	-1	4°	
+34	-42	-8	4°	Hard to get
+34	-41	-7	5°	mulls
+36	-36	0	2°	
+28	-34	-6	2°	
+14	-20	-6	"	
-3	-10	-13	"	
-16	+10	-6	"	
-23	+12	-11	10	

LINES 40

HIGH FREQ.

STW	CHIEF	HELPER	RESULT	WULL	RATIO
0.5	+7	-12	-5	2°	2.00
1.5	-23	0	-23	"	0.87
2.5	-26	+18	-8	"	1.00
3.5	-16	+16	0	"	0
4.5	-16	+16	0	3°	0
5.5	-41	+25	-16	2°	0.75
6.5	-51	+40	-11	"	0.55
7.5	-46	+40	-6	"	1.00
8.5	-36	+36	0	"	0
9.5	-38	+35	-3	"	1.33
10.5	-45	+35	-10	3°	0.20
11.5	-40	+33	-7	2°	-0.14
12.5	-36	+29	-7	"	0.29
13.5	-36	+29	-7	"	1.00
	-36				

LOW FREQ.

CHIEF	HELPER	RESULT	WIND	NOTES
+ 3	+13	-10	2°	
-20	0	-20	4°	LOAD
-24	+16	-8	2°	
-17	+17	0	"	
-19	+19	0	4°	
-40	+28	-12	2°	
-46	+40	-6	"	
-46	+40	-6	"	
-36	+36	0	"	
-38	+31	-7	"	
-35	+37	+2	3°	
-33	+34	+1	2°	
-34	+32	-2	"	
-36	+29	-7	"	

LINE	H8	HIGIT	FREQ		
STW W/L	CHIEF	HELPER	RESULT	WULL	RATIO
13.5	-50	+44	-6	2°	0.17
12.5	-46	+48	+2	2°	4.00
11.5	-42	+40	-2	"	-1.50
10.5	-34	+37	+3	"	0.66
9.5	-43	+42	-1	"	-2.00
8.5	-46	+45	#-1	"	-1.00
7.5	-50	+55	+5	"	2.00
6.5	-43	+50	+7	"	1.85
5.5	-25	+45	+20	5°	0.70
4.5	0	+3	+3	2°	1/3
3.5	-5	-8	-13	"	0.62
2.5	-8	-8	-16	"	0.69
1.5	-36	+15	-21	"	8.49
0.5	-32	+12	-20	5°	0.90

LOW FREQ

CHIEF	HELPER	RESULT	WAVE	NOTES,
-45	+44	-1	3°	
-45	+53	+8	2°	
-42	+45	+3	"	
-38	+40	+2	"	
-43	+45	+2	"	
-46	+47	+1	3°	
-48	+58	+10	"	→ crackling
+42	+55	+13	"	on Hi + low
-30	+44	+14	4°	
-4	+4	0	2°	
0	-8	-8	4°	
-6	-5	-11	2°	
-36	+20	-10	4°	
-36	+18	-18	"	VERY loud crackling on low