

CHEMEX LABS LTD.

018724

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

7 Au


CERT. # : A8210130-001-A
INVOICE # : I8210130
DATE : 17-FEB-82
P.O. # : NONE
A 811

ATTN: JIM MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
A 81-001 -60HN	205	180	4	68	370	1.2	2.0
A 81-002 -60HN	205	86	8	74	148	2.2	0.2
A 81-003 -60HN	205	78	4	4	194	0.4	0.4
A 81-009 -60HN	205	420	26	8	2900	4.6	48.0
A 81-010 -60HN	205	360	28	136	1740	4.6	24.0
A 81-011 -60HN	205	44	12	2	310	1.8	2.4
A 81-012 -60HN	205	170	6	74	290	27.0	1.2
A 81-013 -60HN	205	700	70	156	2400	4.0	24.0
A 81-014 -60HN	205	96	4	100	190	3.4	1.2
A 81-015 -60HN	205	28	4	100	112	0.8	2.4
A 81-016 -60HN	205	540	14	585	630	23.0	4.2
A 81-017 -60HN	205	600	4	670	670	7.9	4.6
A 81-018 -60HN	205	240	10	580	420	3.6	3.2
A 81-019 -60HN	205	900	4	250	980	21.0	8.6
A 81-020 -60HN	205	15	3	66	150	0.6	0.3
A 81-021 -60HN	205	200	2	20	152	1.0	0.2
A 81-023 -60HN	205	94	2	24	250	5.4	0.4
A 81-024 -60HN	205	400	2	12	128	1.8	0.2
A 81-025 -60HN	205	700	400	8600	2600	9.2	26.0
A 81-026 -60HN	205	46	2	40	110	0.6	0.2
A 81-028 -60HN	205	60	2	60	120	1.4	0.2
A 81-029 -60HN	205	100	16	122	180	1.2	1.0
A 81-030 -60HN	205	450	12	66	210	2.8	0.8
A 81-031 -60HN	205	52	6	74	78	4.8	3.6
A 81-033 -60HN	205	200	6	84	240	14.4	0.8
A 81-034 -60HN	205	540	10	36	720	5.4	7.0
A 81-035 -60HN	205	26	2	16	126	0.4	0.2
A 81-036 -60HN	205	71	32	930	225	1.2	2.0
A 81-037 -60HN	205	148	8	104	360	1.4	1.6
A 81-038 -60HN	205	156	2	38	250	0.8	0.2
A 81-039 -60HN	205	140	2	88	152	1.6	0.2
A 81-040 -60HN	205	140	6	136	1840	2.0	12.8
A 81-042 -60HN	205	345	7	84	3400	0.7	20.0
A 81-043 -60HN	205	380	10	86	8400	3.0	52.0
A 81-044 -60HN	205	330	10	4	1400	2.0	11.8
A 81-045 -60HN	205	66	4	28	170	0.6	0.4
A 81-046 -60HN	205	120	4	16	174	0.4	0.2
A 81-049 -60HN	205	190	2	36	250	2.0	3.2
A 81-050 -60HN	205	104	8	20	720	3.0	4.4
A 81-051 -60HN	205	100	3	30	255	0.3	6.4



Certified by Hart Bichler



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210130-001-B
INVOICE # : I8210130
DATE : 17-FEB-82
P.O. # : NONE
A 811

ATTN: JIM MUSTARD

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
A 81-001 -60HN	205	3.20	440	130	250	340	8.0
A 81-002 -60HN	205	2.60	420	60	N.S.S.	N.S.S.	2.4
A 81-003 -60HN	205	0.90	220	16	70	N.S.S.	1.6
A 81-009 -60HN	205	42.00	180	280	80	92	28.0
A 81-010 -60HN	205	31.00	180	>1000	40	340	23.0
A 81-011 -60HN	205	11.20	220	90	200	540	19.0
A 81-012 -60HN	205	1.40	130	214	937	20	4.0
A 81-013 -60HN	205	6.50	440	260	N.S.S.	N.S.S.	N.S.S.
A 81-014 -60HN	205	1.80	540	600	N.S.S.	N.S.S.	N.S.S.
A 81-015 -60HN	205	2.80	840	38	N.S.S.	N.S.S.	10.4
A 81-016 -60HN	205	4.20	760	>1000	N.S.S.	N.S.S.	N.S.S.
A 81-017 -60HN	205	4.70	740	>1000	N.S.S.	N.S.S.	N.S.S.
A 81-018 -60HN	205	3.80	620	560	N.S.S.	N.S.S.	36.0
A 81-019 -60HN	205	4.00	580	>1000	N.S.S.	N.S.S.	N.S.S.
A 81-020 -60HN	205	1.35	375	19	N.S.S.	N.S.S.	N.S.S.
A 81-021 -60HN	205	1.60	330	50	N.S.S.	180	4.8
A 81-023 -60HN	205	1.60	180	50	700	20	1.6
A 81-024 -60HN	205	3.30	280	30	N.S.S.	N.S.S.	N.S.S.
A 81-025 -60HN	205	8.60	180	560	N.S.S.	N.S.S.	N.S.S.
A 81-026 -60HN	205	1.90	560	14	40	16	0.8
A 81-028 -60HN	205	1.80	490	12	N.S.S.	N.S.S.	0.8
A 81-029 -60HN	205	2.40	330	66	60	112	4.8
A 81-030 -60HN	205	1.60	640	400	N.S.S.	N.S.S.	2.0
A 81-031 -60HN	205	2.10	740	30	N.S.S.	N.S.S.	N.S.S.
A 81-033 -60HN	205	4.50	1350	220	600	2200	12.8
A 81-034 -60HN	205	6.60	490	>1000	95	5000	15.2
A 81-035 -60HN	205	1.10	330	10	25	92	2.4
A 81-036 -60HN	205	2.40	675	342	N.S.S.	N.S.S.	N.S.S.
A 81-037 -60HN	205	3.20	560	700	N.S.S.	1680	9.6
A 81-038 -60HN	205	1.70	790	54	N.S.S.	N.S.S.	8.0
A 81-039 -60HN	205	2.10	720	54	N.S.S.	N.S.S.	N.S.S.
A 81-040 -60HN	205	3.00	860	460	280	540	68.0
A 81-042 -60HN	205	2.50	800	167	N.S.S.	N.S.S.	N.S.S.
A 81-043 -60HN	205	7.90	460	320	170	400	15.2
A 81-044 -60HN	205	8.00	500	300	N.S.S.	N.S.S.	N.S.S.
A 81-045 -60HN	205	2.40	480	28	N.S.S.	N.S.S.	N.S.S.
A 81-046 -60HN	205	2.50	600	22	N.S.S.	N.S.S.	N.S.S.
A 81-049 -60HN	205	2.20	420	660	N.S.S.	N.S.S.	N.S.S.
A 81-050 -60HN	205	6.60	440	120	N.S.S.	N.S.S.	N.S.S.
A 81-051 -60HN	205	2.15	470	20	N.S.S.	N.S.S.	N.S.S.



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210130-001-C
INVOICE # : I8210130
DATE : 17-FEB-82
P.O. # : NONE
A 811

ATTN: JIM MUSTARD

Sample description	Prep code	Ba ppm	Au NAA ppb				
A 81-001 -60HN	205	8500	180	--	--	--	--
A 81-002 -60HN	205	38000	14050	--	--	--	--
A 81-003 -60HN	205	10%	20	--	--	--	--
A 81-009 -60HN	205	18000	10	--	--	--	--
A 81-010 -60HN	205	9%	30	--	--	--	--
A 81-011 -60HN	205	10%	10	--	--	--	--
A 81-012 -60HN	205	5000	<10	--	--	--	--
A 81-013 -60HN	205	7%	<50	--	--	--	--
A 81-014 -60HN	205	14000	330	--	--	--	--
A 81-015 -60HN	205	10000	68260	--	--	--	--
A 81-016 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
A 81-017 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
A 81-018 -60HN	205	8000	910	--	--	--	--
A 81-019 -60HN	205	12000	10710	--	--	--	--
A 81-020 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
A 81-021 -60HN	205	11%	10	--	--	--	--
A 81-023 -60HN	205	8300	<10	--	--	--	--
A 81-024 -60HN	205	10%	<80	--	--	--	--
A 81-025 -60HN	205	8.5%	N.S.S.	--	--	--	--
A 81-026 -60HN	205	5700	10	--	--	--	--
A 81-028 -60HN	205	1500	20	--	--	--	--
A 81-029 -60HN	205	4800	20	--	--	--	--
A 81-030 -60HN	205	29000	1350	--	--	--	--
A 81-031 -60HN	205	1400	N.S.S.	--	--	--	--
A 81-033 -60HN	205	6.5%	99000	--	--	--	--
A 81-034 -60HN	205	11%	4180	--	--	--	--
A 81-035 -60HN	205	12%	79150	--	--	--	--
A 81-036 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
A 81-037 -60HN	205	35000	60	--	--	--	--
A 81-038 -60HN	205	18000	4190	--	--	--	--
A 81-039 -60HN	205	31000	<30	--	--	--	--
A 81-040 -60HN	205	20000	100	--	--	--	--
A 81-042 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
A 81-043 -60HN	205	43000	50	--	--	--	--
A 81-044 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
A 81-045 -60HN	205	19000	1000	--	--	--	--
A 81-046 -60HN	205	17000	<20	--	--	--	--
A 81-049 -60HN	205	8.5%	<200	--	--	--	--
A 81-050 -60HN	205	19000	N.S.S.	--	--	--	--
A 81-051 -60HN	205	N.S.S.	N.S.S.	--	--	--	--



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210130-002-A
INVOICE # : I8210130
DATE : 17-FEB-82
P.O. # : NONE
A 811

ATTN: JIM MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
A 81-052 -60HN	205	68	4	20	122	0.4	1.6
A 81-053 -60HN	205	52	4	2	220	0.2	0.4
A 81-056 -60HN	205	42	2	2	650	0.2	8.8
A 81-057 -60HN	205	70	2	2	660	0.6	4.0
A 81-058 -60HN	205	640	8	12	8600	10.8	112.0
A 81-059 -60HN	205	350	5	10	270	0.5	25.0
A 81-060 -60HN	205	60	2	2	450	0.2	4.0
A 81-061 -60HN	205	100	6	2	490	0.8	3.2
A 81-063 -60HN	205	94	4	2	240	0.8	1.0
A 81-065 -60HN	205	72	6	2	480	0.4	2.2
A 81-066 -60HN	205	96	2	24	194	1.0	0.6
A 81-069 -60HN	205	210	4	20	460	1.2	4.4
A 81-070 -60HN	205	112	2	32	750	1.0	5.6
A 81-071 -60HN	205	360	12	170	3000	2.0	10.4
A 81-1001 -60HN	205	290	28	270	500	3.2	6.8
A 81-1002 -60HN	205	60	2	8	680	2.0	8.0
A 81-1003 -60HN	205	36	2	2	64	2.0	0.2
A 81-2002 -60HN	205	219	12	90	315	0.6	2.7



Certified by *Hart Bickler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210130-002-B
INVOICE # : I8210130
DATE : 17-FEB-82
P.O. # : NONE
A 811

ATTN: JIM MUSTARD

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
A 81-052 -60HN	205	1.80	460	46	N.S.S.	N.S.S.	N.S.S.
A 81-053 -60HN	205	0.90	140	32	60	32	2.4
A 81-056 -60HN	205	0.80	100	18	40	36	0.8
A 81-057 -60HN	205	1.50	170	36	24	80	1.6
A 81-058 -60HN	205	10.40	360	>1000	N.S.S.	N.S.S.	N.S.S.
A 81-059 -60HN	205	2.25	375	33	N.S.S.	N.S.S.	N.S.S.
A 81-060 -60HN	205	1.00	190	32	40	48	0.8
A 81-061 -60HN	205	3.90	160	180	80	92	4.0
A 81-063 -60HN	205	1.20	160	100	80	132	3.2
A 81-065 -60HN	205	2.40	250	66	40	28	4.0
A 81-066 -60HN	205	1.40	380	12	N.S.S.	N.S.S.	4.0
A 81-069 -60HN	205	1.90	580	150	190	64	5.6
A 81-070 -60HN	205	1.50	460	80	N.S.S.	N.S.S.	N.S.S.
A 81-071 -60HN	205	16.80	3000	200	120	296	25.0
A 81-1001 -60HN	205	5.70	520	210	600	1000	21.0
A 81-1002 -60HN	205	1.20	370	28	140	48	3.2
A 81-1003 -60HN	205	0.60	110	14	80	180	0.4
A 81-2002 -60HN	205	2.25	450	147	N.S.S.	N.S.S.	N.S.S.



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210130-002-C
INVOICE # : I8210130
DATE : 17-FEB-82
P.O. # : NONE
A 811

ATTN: JIM MUSTARD

Sample description	Prep code	Ba ppm	Au NAA ppb				
A 81-052 -60HN	205	6%	76300	--	--	--	--
A 81-053 -60HN	205	16%	2930	--	--	--	--
A 81-056 -60HN	205	15%	10	--	--	--	--
A 81-057 -60HN	205	13%	30	--	--	--	--
A 81-058 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
A 81-059 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
A 81-060 -60HN	205	11%	<10	--	--	--	--
A 81-061 -60HN	205	22%	2120	--	--	--	--
A 81-063 -60HN	205	17%	13600	--	--	--	--
A 81-065 -60HN	205	14%	110	--	--	--	--
A 81-066 -60HN	205	28000	10	--	--	--	--
A 81-069 -60HN	205	13%	1060	--	--	--	--
A 81-070 -60HN	205	N.S.S.	N.S.S.	--	--	--	--
A 81-071 -60HN	205	12000	<10	--	--	--	--
A 81-1001 -60HN	205	5500	200	--	--	--	--
A 81-1002 -60HN	205	12%	5150	--	--	--	--
A 81-1003 -60HN	205	14%	420	--	--	--	--
A 81-2002 -60HN	205	37500	N.S.S.	--	--	--	--



Certified by *Hart Bickler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210362-001-A
INVOICE # : I8210362
DATE : 23-FEB-82
P.O. # : NONE

ATTN: JIM MUSTARD; NOTE: SAMPLE B81-011 -60HN LOST IN PREP.

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
B81- 001	-60HN 205	58	6	40	170	0.2	0.4
B81- 002	-60HN 205	32	6	20	120	0.2	1.0
B81- 003	-60HN 205	14	4	12	120	0.2	0.8
B81- 004	-60HN 205	36	8	20	170	0.2	1.0
B81- 005	-60HN 205	26	8	6	120	0.2	0.2
B81- 006	-60HN 205	8	16	58	67	0.8	0.8
B81- 007	-60HN 205	6	4	32	60	0.2	0.2
B81- 008	-60HN 205	12	4	28	46	0.2	0.2
B81- 009	-60HN 205	36	10	86	58	0.6	0.4
B81- 010	-60HN 205	22	4	46	60	0.2	0.4
B81- 012	-60HN 205	176	2	2	1000	0.2	7.2
B81- 013	-60HN 205	154	2	38	92	0.2	1.2
B81- 014	-60HN 205	140	4	124	124	0.4	1.0
B81- 015	-60HN 205	34	2	2	50	0.2	0.4
B81- 016	-60HN 205	18	4	12	74	0.2	0.4
B81- 017	-60HN 205	50	4	22	104	0.2	0.4
B81- 018	-60HN 205	30	4	32	64	0.2	0.2
B81- 019	-60HN 205	50	4	66	88	0.2	1.2
B81- 020	-60HN 205	32	8	66	58	0.6	0.4
B81- 021	-60HN 205	26	2	98	60	0.2	0.4
B81- 022	-60HN 205	60	2	52	82	0.2	0.4
B81- 023	-60HN 205	1800	8	54	870	2.4	6.0
B81- 024	-60HN 205	20	2	26	124	0.2	2.0
B81- 025	-60HN 205	66	2	44	88	0.2	0.4
B81- 026	-60HN 205	38	2	46	72	0.2	0.4
B81- 027	-60HN 205	30	2	12	60	0.2	0.4
B81- 028	-60HN 205	22	2	102	56	0.2	0.2
B81- 029	-60HN 205	310	4	126	1080	0.2	15.6
B81- 030	-60HN 205	24	4	16	60	0.2	0.4
B81- 031	-60HN 205	460	4	2780	3100	7.0	8.8
B81- 032	-60HN 205	26	2	20	100	0.2	0.4
B81- 033	-60HN 205	44	2	50	90	0.2	0.4
B81- 034	-60HN 205	36	4	28	80	0.2	0.8
B81- 035	-60HN 205	32	4	2760	4200	3.4	18.0
B81- 036	-60HN 205	22	2	36	86	0.2	0.6
B81- 037	-60HN 205	24	4	16	120	0.2	0.2
B81- 038	-60HN 205	48	4	140	128	0.2	0.4
B81- 039	-60HN 205	46	4	16	120	0.2	0.4
B81- 040	-60HN 205	110	2	92	480	0.2	6.4
B81- 041	-60HN 205	32	2	14	56	0.2	0.2

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210362-001-B
INVOICE # : I8210362
DATE : 23-FEB-82
P.O. # : NONE

ATTN: JIM MUSTARD; NOTE: SAMPLE B81-011 -60HN LOST IN PREP.

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
B81- 001	-60HN 205	7.80	1520	55	140	24	0.8
B81- 002	-60HN 205	2.80	1000	107	N.S.S.	N.S.S.	N.S.S.
B81- 003	-60HN 205	2.40	1150	23	1800	380	0.4
B81- 004	-60HN 205	4.20	1520	50	1800	880	0.4
B81- 005	-60HN 205	2.80	1170	11	380	4	0.4
B81- 006	-60HN 205	1.65	916	2	N.S.S.	N.S.S.	N.S.S.
B81- 007	-60HN 205	3.30	840	6	N.S.S.	N.S.S.	N.S.S.
B81- 008	-60HN 205	1.10	350	2	960	8	0.4
B81- 009	-60HN 205	1.40	500	50	N.S.S.	N.S.S.	0.4
B81- 010	-60HN 205	1.20	460	9	1200	8	0.4
B81- 012	-60HN 205	3.60	380	290	640	16	0.4
B81- 013	-60HN 205	2.10	580	90	N.S.S.	N.S.S.	N.S.S.
B81- 014	-60HN 205	6.60	330	980	260	12	0.8
B81- 015	-60HN 205	1.50	140	20	240	44	0.4
B81- 016	-60HN 205	2.90	1360	73	760	140	0.4
B81- 017	-60HN 205	2.80	1350	2200	2400	210	0.4
B81- 018	-60HN 205	2.70	1270	220	1800	180	0.4
B81- 019	-60HN 205	7.80	1400	61	600	4	0.4
B81- 020	-60HN 205	1.60	540	20	4560	32	0.4
B81- 021	-60HN 205	2.30	780	11	N.S.S.	N.S.S.	0.4
B81- 022	-60HN 205	1.60	690	16	N.S.S.	N.S.S.	0.4
B81- 023	-60HN 205	6.40	840	260	N.S.S.	N.S.S.	N.S.S.
B81- 024	-60HN 205	4.20	1560	11	100	12	2.0
B81- 025	-60HN 205	2.20	1020	10	560	52	0.4
B81- 026	-60HN 205	2.00	690	7	70	48	0.8
B81- 027	-60HN 205	2.00	900	29	110	40	0.8
B81- 028	-60HN 205	1.10	100	4	N.S.S.	N.S.S.	N.S.S.
B81- 029	-60HN 205	2.60	1250	75	N.S.S.	N.S.S.	N.S.S.
B81- 030	-60HN 205	1.80	1020	7	300	105	0.8
B81- 031	-60HN 205	26.40	390	2100	800	16	77.0
B81- 032	-60HN 205	1.70	760	14	580	12	0.8
B81- 033	-60HN 205	1.70	720	32	400	20	0.4
B81- 034	-60HN 205	2.40	960	170	2100	44	0.4
B81- 035	-60HN 205	2.90	920	190	870	20	3.2
B81- 036	-60HN 205	1.50	660	5	200	8	0.4
B81- 037	-60HN 205	1.90	900	10	600	2	0.4
B81- 038	-60HN 205	2.10	900	23	100	100	3.6
B81- 039	-60HN 205	2.20	840	10	150	16	0.4
B81- 040	-60HN 205	1.70	730	11	N.S.S.	N.S.S.	N.S.S.
B81- 041	-60HN 205	2.00	940	11	550	28	0.4



Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210362-001-C
 INVOICE # : I8210362
 DATE : 09-MAR-82
 P.O. # : NONE


ATTN: JIM MUSTARD; NOTE: SAMPLE B81-011 -60HN LOST IN PREP.

Sample description	Prep code	Ba ppm	Au NAA ppb				
B81- 001	-60HN 205	1700	70	---	---	---	---
B81- 002	-60HN 205	1000	70	---	---	---	---
B81- 003	-60HN 205	800	50	---	---	---	---
B81- 004	-60HN 205	400	50	---	---	---	---
B81- 005	-60HN 205	400	50	---	---	---	---
B81- 006	-60HN 205	N.S.S.	N.S.S.	---	---	---	---
B81- 007	-60HN 205	1600	250	---	---	---	---
B81- 008	-60HN 205	900	120	---	---	---	---
B81- 009	-60HN 205	400	40	---	---	---	---
B81- 010	-60HN 205	700	50	---	---	---	---
B81- 012	-60HN 205	15	390	---	---	---	---
B81- 013	-60HN 205	5	40	---	---	---	---
B81- 014	-60HN 205	5200	70	---	---	---	---
B81- 015	-60HN 205	13	40	---	---	---	---
B81- 016	-60HN 205	2400	50	---	---	---	---
B81- 017	-60HN 205	2600	90	---	---	---	---
B81- 018	-60HN 205	1200	60	---	---	---	---
B81- 019	-60HN 205	700	90	---	---	---	---
B81- 020	-60HN 205	800	40	---	---	---	---
B81- 021	-60HN 205	1000	100	---	---	---	---
B81- 022	-60HN 205	500	330	---	---	---	---
B81- 023	-60HN 205	24000	170	---	---	---	---
B81- 024	-60HN 205	900	40	---	---	---	---
B81- 025	-60HN 205	1200	40	---	---	---	---
B81- 026	-60HN 205	2400	390	---	---	---	---
B81- 027	-60HN 205	1700	40	---	---	---	---
B81- 028	-60HN 205	1600	80	---	---	---	---
B81- 029	-60HN 205	3200	400	---	---	---	---
B81- 030	-60HN 205	2400	9530	---	---	---	---
B81- 031	-60HN 205	1000	160	---	---	---	---
B81- 032	-60HN 205	500	50	---	---	---	---
B81- 033	-60HN 205	3000	50	---	---	---	---
B81- 034	-60HN 205	800	50	---	---	---	---
B81- 035	-60HN 205	2900	50	---	---	---	---
B81- 036	-60HN 205	2300	40	---	---	---	---
B81- 037	-60HN 205	1600	50	---	---	---	---
B81- 038	-60HN 205	1000	2840	---	---	---	---
B81- 039	-60HN 205	5000	40	---	---	---	---
B81- 040	-60HN 205	37000	100	---	---	---	---
B81- 041	-60HN 205	900	50	---	---	---	---

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210362-002-A
INVOICE # : I8210362
DATE : 23-FEB-82
P.O. # : NONE

ATTN: JIM MUSTARD; NOTE: SAMPLE B81-011 -60HN LOST IN PREP.

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
B81-1001	-60HN 205	56	8	30	56	0.2	0.4
B81-1019	-60HN 205	28	6	76	72	0.2	0.6
B81-1020	-60HN 205	1150	4	36	370	0.4	1.4
B81-1021	-60HN 205	48	2	46	200	0.6	2.0
B81-1022	-60HN 205	140	14	1980	5500	31.0	40.0
B81-1023	-60HN 205	86	2	44	150	0.2	0.6
B81-1024	-60HN 205	250	5	35	145	0.3	0.8
B81-1025	-60HN 205	180	4	114	118	1.0	0.2
B81-1026	-60HN 205	158	8	148	92	0.4	0.4
B81-1027	-60HN 205	220	4	190	158	0.6	1.4
B81-1028	-60HN 205	42	8	616	86	0.2	0.6
B81-1029	-60HN 205	40	8	84	78	0.2	0.2
B81-1030	-60HN 205	400	8	102	520	0.2	1.0
B81-1031	-60HN 205	280	14	184	370	3.0	1.8
B81-1032	-60HN 205	50	2	24	96	0.2	0.2
B81-1033	-60HN 205	100	8	124	195	0.6	1.0
B81-1034	-60HN 205	20	2	64	240	0.2	1.2
B81-1035	-60HN 205	146	8	164	180	1.0	0.6



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210362-002-B
INVOICE # : I8210362
DATE : 23-FEB-82
P.O. # : NONE


ATTN: JIM MUSTARD; NOTE: SAMPLE B81-011 -60HN LOST IN PREP.

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
B81-1001	-60HN 205	2.40	820	23	N.S.S.	N.S.S.	N.S.S.
B81-1019	-60HN 205	1.70	900	90	N.S.S.	N.S.S.	N.S.S.
B81-1020	-60HN 205	4.50	1180	170	N.S.S.	N.S.S.	0.4
B81-1021	-60HN 205	3.00	310	57	300	36	0.4
B81-1022	-60HN 205	3.80	350	130	N.S.S.	N.S.S.	38.0
B81-1023	-60HN 205	2.40	760	61	N.S.S.	N.S.S.	N.S.S.
B81-1024	-60HN 205	3.40	950	390	4680	360	0.4
B81-1025	-60HN 205	6.40	530	900	N.S.S.	N.S.S.	N.S.S.
B81-1026	-60HN 205	3.60	830	390	N.S.S.	800	N.S.S.
B81-1027	-60HN 205	3.80	840	1120	N.S.S.	N.S.S.	N.S.S.
B81-1028	-60HN 205	1.10	1070	10	N.S.S.	N.S.S.	N.S.S.
B81-1029	-60HN 205	1.50	1280	6	N.S.S.	N.S.S.	N.S.S.
B81-1030	-60HN 205	6.90	740	220	N.S.S.	N.S.S.	N.S.S.
B81-1031	-60HN 205	7.20	430	1090	50	4	46.0
B81-1032	-60HN 205	2.20	820	36	280	40	0.8
B81-1033	-60HN 205	2.90	1020	83	280	16	11.2
B81-1034	-60HN 205	1.80	850	12	460	24	2.4
B81-1035	-60HN 205	2.00	1390	43	N.S.S.	N.S.S.	N.S.S.

Certified by *Hart Bickler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : CYPRUS ANVIL EXPLORATIONS LIMITED
 300-355 BURRARD STREET
 VANCOUVER, B.C.
 V6E 2G8


CERT. # : A8210362-002-C
 INVOICE # : I8210362
 DATE : 09-MAR-82
 P.O. # : NONE

ATTN: JIM MUSTARD; NOTE: SAMPLE B81-011 -60HN LOST IN PREP.

Sample description	Prep code	Ba ppm	Au NAA ppb				
B81-1001	-60HN 205	N.S.S.	N.S.S.	--	--	--	--
B81-1019	-60HN 205	5	200	--	--	--	--
B81-1020	-60HN 205	5000	30800	--	--	--	--
B81-1021	-60HN 205	5	60	--	--	--	--
B81-1022	-60HN 205	5	20000	--	--	--	--
B81-1023	-60HN 205	4200	50	--	--	--	--
B81-1024	-60HN 205	2200	60	--	--	--	--
B81-1025	-60HN 205	N.S.S.	N.S.S.	--	--	--	--
B81-1026	-60HN 205	6200	6040	--	--	--	--
B81-1027	-60HN 205	12000	N.S.S.	--	--	--	--
B81-1028	-60HN 205	2100	250	--	--	--	--
B81-1029	-60HN 205	4300	900	--	--	--	--
B81-1030	-60HN 205	2000	220	--	--	--	--
B81-1031	-60HN 205	19000	230	--	--	--	--
B81-1032	-60HN 205	8000	60	--	--	--	--
B81-1033	-60HN 205	7200	70	--	--	--	--
B81-1034	-60HN 205	1500	50	--	--	--	--
B81-1035	-60HN 205	600	N.S.S.	--	--	--	--

Certified by *Hart Bickler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210298-001-A
INVOICE # : 18210298
DATE : 25-FEB-82
P.O. # : NONE

ATTN: J. MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
B81-1000	-60HN 205	14	4	18	40	0.1	0.1
B81-1002	-60HN 205	24	6	22	62	0.1	0.1
B81-1003	-60HN 205	16	4	20	48	0.1	0.1
B81-1004	-60HN 205	30	6	16	60	0.1	0.1
B81-1005	-60HN 205	12	4	16	40	0.1	0.1
B81-1006	-60HN 205	24	4	10	66	0.1	0.1
B81-1007	-60HN 205	10	4	8	50	0.1	0.1
B81-1008	-60HN 205	22	4	42	60	0.1	0.1
B81-1009	-60HN 205	44	6	40	70	0.1	0.1
B81-1010	-60HN 205	18	4	14	50	0.1	0.1
B81-1011	-60HN 205	42	4	26	52	0.1	0.1
B81-1012	-60HN 205	348	6	28	60	0.1	0.1
B81-1013	-60HN 205	68	6	108	64	0.4	0.1
B81-1014	-60HN 205	24	6	32	56	0.1	0.1
B81-1015	-60HN 205	44	4	46	64	0.4	0.1
B81-1016	-60HN 205	30	4	30	54	0.1	0.1
B81-1017	-60HN 205	34	6	28	74	0.1	0.1
B81-1018	-60HN 205	28	4	60	68	0.4	0.1

Certified by *Hart Buehler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210298-001-B
INVOICE # : 18210298
DATE : 25-FEB-82
P.O. # : NONE


ATTN: J. MUSTARD

Sample description	Prep code	Fe %	Mn ppm	AS ppm	W ppm	Sn ppm	Sb ppm
B81-1000	-60HN 205	2.40	860	4	160	4	0.4
B81-1002	-60HN 205	2.20	770	8	N.S.S.	N.S.S.	0.8
B81-1003	-60HN 205	1.80	690	6	110	12	0.4
B81-1004	-60HN 205	4.60	1680	10	40	2	0.8
B81-1005	-60HN 205	2.00	740	4	100	12	0.4
B81-1006	-60HN 205	2.40	650	8	600	28	0.4
B81-1007	-60HN 205	1.80	650	4	N.S.S.	N.S.S.	0.4
B81-1008	-60HN 205	2.00	800	6	200	8	0.8
B81-1009	-60HN 205	2.10	800	24	N.S.S.	N.S.S.	N.S.S.
B81-1010	-60HN 205	1.60	520	4	140	2	0.4
B81-1011	-60HN 205	2.60	770	10	N.S.S.	600	0.8
B81-1012	-60HN 205	2.60	860	12	N.S.S.	N.S.S.	N.S.S.
B81-1013	-60HN 205	2.40	780	60	760	400	0.8
B81-1014	-60HN 205	2.60	890	32	440	192	0.4
B81-1015	-60HN 205	3.40	730	72	N.S.S.	N.S.S.	0.4
B81-1016	-60HN 205	1.90	700	38	N.S.S.	N.S.S.	N.S.S.
B81-1017	-60HN 205	6.60	3400	32	74	12	0.4
B81-1018	-60HN 205	2.80	860	22	260	36	1.6

Certified by *Hart Biehler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8


CERT. # : A8210298-001-C
INVOICE # : I8210298
DATE : 25-FEB-82
P.O. # : NONE

ATTN: J. MUSTARD

Sample description	Prep code	Ba ppm	Au NAA ppb				
B81-1000	-60HN 205	350	40	--	--	--	--
B81-1002	-60HN 205	360	20	--	--	--	--
B81-1003	-60HN 205	260	30	--	--	--	--
B81-1004	-60HN 205	320	450	--	--	--	--
B81-1005	-60HN 205	380	<10	--	--	--	--
B81-1006	-60HN 205	680	<10	--	--	--	--
B81-1007	-60HN 205	260	10	--	--	--	--
B81-1008	-60HN 205	260	20	--	--	--	--
B81-1009	-60HN 205	380	15	--	--	--	--
B81-1010	-60HN 205	460	4190	--	--	--	--
B81-1011	-60HN 205	340	<10	--	--	--	--
B81-1012	-60HN 205	320	16	--	--	--	--
B81-1013	-60HN 205	300	10	--	--	--	--
B81-1014	-60HN 205	320	10	--	--	--	--
B81-1015	-60HN 205	260	10	--	--	--	--
B81-1016	-60HN 205	560	<12	--	--	--	--
B81-1017	-60HN 205	320	<10	--	--	--	--
B81-1018	-60HN 205	23000	27590	--	--	--	--



Certified by *Hart Buchler*



CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AV.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-02
TELEX: 043-525

HEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210131-001
INVOICE # : 18210131 ET
DATE : 03-FEB-82
P.O. # : NONE
A 81

CERTIFICATE OF ANALYSIS

CERT. # : A8210131-001-B
INVOICE # : 18210131
DATE : 03-FEB-82
P.O. # : NONE
A 81


ATTN: JIM MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm	Fe %	Mn ppm	AS ppm			
A81 001 -35+60IP	0	155	76	105	900	1.3	7.4	13.40	700	175	--	--	--
A81 002 -35+60IP	0	78	16	50	590	0.5	2.0	12.00	1040	80	--	--	--
A81 003 -35+60IP	0	35	6	16	470	0.1	1.4	9.80	820	30	--	--	--
A81 009 -35+60IP	0	180	66	125	1850	1.5	13.2	26.50	1920	125	--	--	--
A81 010 -35+60IP	0	85	20	93	1250	0.2	5.1	18.60	1260	80	--	--	--
A81 011 -35+60IP	0	245	44	77	1050	1.2	6.6	27.00	1220	100	--	--	--
A81 012 -35+60IP	0	63	8	27	310	0.3	1.3	6.70	720	105	--	--	--
A81 013 -35+60IP	0	99	14	79	950	0.2	3.3	21.50	1500	100	--	--	--
A81 014 -35+60IP	0	195	9	120	1350	0.2	3.6	26.00	1500	210	--	--	--
A81 015 -35+60IP	0	145	4	108	780	0.2	2.2	23.00	1560	130	--	--	--
A81 016 -35+60IP	0	220	8	170	760	0.2	1.2	24.00	1660	240	--	--	--
A81 017 -35+60IP	0	195	3	130	600	0.1	1.6	25.00	1360	210	--	--	--
A81 018 -35+60IP	0	155	5	73	510	0.1	1.8	15.60	1180	125	--	--	--
A81 019 -35+60IP	0	210	6	250	950	0.6	4.5	23.50	1840	350	--	--	--
A81 020 -35+60IP	0	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	N.S.S.	--	--	--
A81 021 -35+60IP	0	80	6	73	650	0.1	1.8	12.00	860	80	--	--	--
A81 023 -35+60IP	0	68	8	48	520	0.3	1.8	7.80	770	100	--	--	--
A81 024 -35+60IP	0	125	4	30	570	0.1	1.4	7.30	470	20	--	--	--
A81 025 -35+60IP	0	90	6	80	900	0.1	2.1	21.00	1500	50	--	--	--
A81 026 -35+60IP	0	25	4	30	160	0.3	1.1	2.80	270	20	--	--	--
A81 028 -35+60IP	0	25	5	10	175	0.5	0.5	4.00	1000	35	--	--	--
A81 029 -35+60IP	0	170	49	200	1050	1.4	14.2	11.30	430	110	--	--	--
A81 030 -35+60IP	0	103	10	160	640	0.1	4.0	23.00	2600	140	--	--	--
A81 031 -35+60IP	0	38	8	270	520	0.1	6.6	21.50	2750	70	--	--	--
A81 033 -35+60IP	0	38	5	42	490	0.1	1.0	17.80	1770	55	--	--	--
A81 034 -35+60IP	0	80	6	60	500	0.1	1.6	19.60	1800	70	--	--	--
A81 035 -35+60IP	0	30	5	18	430	0.1	0.4	13.20	1140	38	--	--	--
A81 036 -35+60IP	0	135	41	580	1050	0.6	11.6	24.00	2400	490	--	--	--
A81 037 -35+60IP	0	145	11	78	880	0.1	3.8	21.00	1780	110	--	--	--
A81 038 -35+60IP	0	30	3	24	380	0.1	0.8	14.20	1300	45	--	--	--
A81 039 -35+60IP	0	65	10	35	800	0.1	3.0	19.60	1480	75	--	--	--
A81 040 -35+60IP	0	77	6	52	510	0.8	2.4	12.60	1260	150	--	--	--
A81 041 -35+60IP	0	MISSING	MISSING	MISSING	MISSING	MISSING	MISSING	MISSING	MISSING	MISSING	--	--	--
A81 042 -35+60IP	0	95	7	39	660	0.1	2.0	20.50	1940	75	--	--	--
A81 043 -35+60IP	0	98	9	51	690	0.1	1.2	21.50	1800	75	--	--	--
A81 044 -35+60IP	0	93	9	45	710	0.3	2.5	19.50	1840	75	--	--	--
A81 045 -35+60IP	0	36	8	24	400	0.2	0.2	12.00	1000	45	--	--	--
A81 046 -35+60IP	0	60	12	36	600	0.4	0.4	15.00	1800	70	--	--	--
A81 049 -35+60IP	0	180	33	104	1600	0.1	5.2	21.50	1360	220	--	--	--
A81 050 -35+60IP	0	72	12	39	820	0.1	1.2	20.00	1170	75	--	--	--

Certified by *Hart Buchler*

Certified by *Hart Buchler*





CHEMEX LABS LTD.

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2

TELEPHONE: (604) 984-02
TELEX: 043-525

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210131-002-8
INVOICE # : I8210131 ET
DATE : 03-FEB-82
P.O. # : NONE
A 81

ATTN: JIM MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm	Fe %	Mn ppm	AS ppm			
A81 051 -35+60IP	0	54	9	25	625	0.3	0.3	15.00	1780	65	--	--	--
A81 052 -35+60IP	0	48	3	13	630	0.3	1.2	13.20	1850	50	--	--	--
A81 053 -35+60IP	0	260	44	46	3200	0.2	11.2	28.00	2400	160	--	--	--
A81 056 -35+60IP	0	44	12	12	700	0.3	0.4	14.00	1720	20	--	--	--
A81 057 -35+60IP	0	135	16	150	1400	0.1	3.8	28.00	2800	110	--	--	--
A81 058 -35+60IP	0	56	17	50	850	0.1	1.8	23.50	1340	115	--	--	--
A81 059 -35+60IP	0	30	8	12	600	0.2	0.2	15.00	1720	25	--	--	--
A81 060 -35+60IP	0	138	31	78	1200	0.5	3.6	27.00	1970	120	--	--	--
A81 061 -35+60IP	0	132	22	36	1480	0.4	4.0	20.00	2360	100	--	--	--
A81 063 -35+60IP	0	112	20	37	850	0.3	3.8	13.50	1120	60	--	--	--
A81 065 -35+60IP	0	190	36	44	2400	0.2	7.6	21.00	1800	110	--	--	--
A81 066 -35+60IP	0	44	8	42	760	0.2	1.8	27.00	1140	40	--	--	--
A81 069 -35+60IP	0	90	16	46	750	0.7	2.4	16.00	1160	80	--	--	--
A81 070 -35+60IP	0	70	20	45	1450	0.3	2.0	17.50	1550	80	--	--	--
A81 071 -35+60IP	0	70	8	53	500	0.1	1.5	15.50	1630	65	--	--	--
A81 1001-35+60IP	0	110	17	65	560	0.8	4.6	7.00	420	100	--	--	--
A81 1002-35+60IP	0	26	5	17	410	0.1	0.2	12.70	1000	40	--	--	--
A81 2002-35+60IP	0	37	5	148	520	0.1	4.5	20.50	2450	60	--	--	--

HEMEX LABS LTD.

• GEOCHEMISTS • REGISTERED ASSAYERS

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597


CERTIFICATE OF ANALYSIS

CERT. # : A8210131-002-8
INVOICE # : I8210131
DATE : 03-FEB-82
P.O. # : NONE
A 81



Certified by *Hart Bichler*

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AV.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-02

TELEX: 043-525

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210297-001-8
INVOICE # : I8210297 ET
DATE : 12-FEB-82
P.O. # : NONE

CERT. # : A8210297-001-8
INVOICE # : I8210297
DATE : 12-FEB-82
P.O. # : NONE


ATTN: J. MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm	Fe %	Mn ppm	AS ppm			
B81-1000-35+60IP	214	17	2	16	120	0.1	0.1	5.80	855	3	--	--	--
B81-1002-35+60IP	214	20	3	14	160	0.1	0.1	8.10	1100	6	--	--	--
B81-1003-35+60IP	214	19	2	18	160	0.1	0.1	9.00	1200	2	--	--	--
B81-1004-35+60IP	214	21	1	19	115	0.1	0.1	6.50	970	7	--	--	--
B81-1005-35+60IP	214	14	1	16	120	0.1	0.1	6.45	950	5	--	--	--
B81-1006-35+60IP	214	16	2	11	140	0.1	0.1	6.85	1100	4	--	--	--
B81-1007-35+60IP	214	23	2	18	155	0.1	0.1	8.50	1200	7	--	--	--
B81-1008-35+60IP	214	28	3	25	160	0.1	0.1	8.70	1300	11	--	--	--
B81-1009-35+60IP	214	60	5	30	265	0.1	0.1	18.00	1900	43	--	--	--
B81-1010-35+60IP	214	19	3	13	170	0.1	0.1	8.15	1150	9	--	--	--
B81-1011-35+60IP	214	66	5	34	290	0.1	0.2	14.50	1450	43	--	--	--
B81-1012-35+60IP	214	100	5	32	185	0.1	0.2	13.50	1400	59	--	--	--
B81-1013-35+60IP	214	70	4	33	225	0.1	0.1	14.00	1500	50	--	--	--
B81-1014-35+60IP	214	50	4	20	205	0.1	0.1	13.50	1450	33	--	--	--
B81-1015-35+60IP	214	42	3	22	170	0.1	0.2	9.40	1300	17	--	--	--
B81-1016-35+60IP	214	20	3	20	140	0.1	0.1	8.00	1200	10	--	--	--
B81-1017-35+60IP	214	30	5	26	170	0.1	0.1	9.60	3400	48	--	--	--
B81-1018-35+60IP	214	80	2	36	365	0.3	1.3	7.80	790	4	--	--	--



Certified by *Hart Bichler*

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

TELEPHONE: (604) 984-0221

TELEX: 043-52597

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BURNARD STREET
VANCOUVER, B.C.
V6E 2G8

Area B.


CERT. # : A8210296-001-A
INVOICE # : I8210296
DATE : 18-FEB-82
P.O. # : NONE

ATTN: J. MUSTARD

Sample description	Prep code	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm	Cd ppm
B81-1000-20+35HP	205	24	1	24	60	0.1	0.1
B81-1002-20+35HP	205	44	4	88	96	0.1	0.1
B81-1003-20+35HP	205	22	1	26	70	0.1	0.1
B81-1004-20+35HP	205	42	4	44	100	0.1	0.1
B81-1005-20+35HP	205	18	1	18	72	0.1	0.1
B81-1006-20+35HP	205	26	1	16	64	0.1	0.1
B81-1007-20+35HP	205	48	1	12	66	0.1	0.1
B81-1008-20+35HP	205	22	1	20	72	0.4	0.1
B81-1009-20+35HP	205	74	6	54	135	0.1	0.1
B81-1010-20+35HP	205	24	1	28	92	0.1	0.1
B81-1011-20+35HP	205	244	8	50	144	0.1	0.1
B81-1012-20+35HP	205	166	8	24	108	0.4	0.1
B81-1013-20+35HP	205	86	6	42	126	0.1	0.1
B81-1014-20+35HP	205	40	4	28	96	0.1	0.1
B81-1015-20+35HP	205	46	4	42	110	0.1	0.1
B81-1016-20+35HP	205	42	6	46	116	0.1	0.1
B81-1017-20+35HP	205	42	6	52	110	0.1	0.1
B81-1018-20+35HP	205	75	11	25	256	0.1	0.1



Certified by *Hart Buchler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : CYPRUS ANVIL EXPLORATIONS LIMITED
300-355 BARRARD STREET
VANCOUVER, B.C.
V6E 2G8

CERT. # : A8210296-001-8
INVOICE # : I8210296
DATE : 18-FEB-82
P.O. # : NONE

ATTN: J. MUSTARD

Sample description	Prep code	Fe %	Mn ppm	AS ppm			
B81-1000-20+35HP	205	6.80	2400	10	--	--	--
B81-1002-20+35HP	205	12.90	4000	24	--	--	--
B81-1003-20+35HP	205	9.50	3800	24	--	--	--
B81-1004-20+35HP	205	14.60	5600	38	--	--	--
B81-1005-20+35HP	205	9.60	4700	12	--	--	--
B81-1006-20+35HP	205	9.70	5400	10	--	--	--
B81-1007-20+35HP	205	8.30	5000	14	--	--	--
B81-1008-20+35HP	205	8.80	4100	14	--	--	--
B81-1009-20+35HP	205	17.60	11080	70	--	--	--
B81-1010-20+35HP	205	8.90	3800	20	--	--	--
B81-1011-20+35HP	205	17.20	5500	68	--	--	--
B81-1012-20+35HP	205	15.80	5400	60	--	--	--
B81-1013-20+35HP	205	14.40	6600	66	--	--	--
B81-1014-20+35HP	205	17.50	4200	22	--	--	--
B81-1015-20+35HP	205	13.00	6100	34	--	--	--
B81-1016-20+35HP	205	12.20	5300	32	--	--	--
B81-1017-20+35HP	205	13.70	6800	70	--	--	--
B81-1018-20+35HP	205	19.60	6800	81	--	--	--



Certified by *Hart Bichler*